



TO

ELEAZAR PARMLY, M.D., D.D.S.,

LATE PROVOST OF THE BALTIMORE COLLEGE OF DENTAL SURGERY,

AS A TOKEN OF ESTEEM FOR GREAT PROFESSIONAL AND PRIVATE WORTH  
AND AS A TRIBUTE OF AFFECTIONATE REGARD,

*This Work is Respectfully Dedicated*

BY HIS FRIEND,

THE AUTHOR.





## PREFACE TO THE SIXTH EDITION.

---

The editor, in presenting the sixth edition of a Dictionary of Dental Science, and of such words and phrases of a number of collateral sciences as may be useful to both practitioner and student, is encouraged by the favor which the preceding editions have met with and also by a feeling, not in any manner egotistical, that this new edition will be found to be greatly superior to the three previous editions which he has revised. The only work of the kind in existence, the editor in his revision of the sixth edition has endeavored, by the addition of thousands of words, phrases, etc., to supply a treatise which will meet the requirement not only for a dictionary of purely dental words, etc., but also one that will, in a single volume, define all the medical, surgical, and other terms which the dental practitioner and student may require. In meeting such a want,—seven years having elapsed since the publication of the fifth edition,—additions have been made to nearly all the pages of the preceding edition in the revision of the present one.

It was formerly supposed that the large number of medical dictionaries published would supply the dental student with all definitions of terms which were not strictly dental; but the rapid and extended advance of dental science and dental practice has rendered it absolutely necessary, at the present time, that a dental dictionary should also be a medical dictionary, and include many words and phrases pertaining to other sciences, but all having a connection with dentistry. The additions to this new edition, therefore, consist of definitions and descriptions of all of the latest terms and phrases which pertain to the dentistry of the present day, and also those of the collateral sciences. Among such additions may be found definitions of all forms of micro-organisms found in the mouth, electric units, electric words and phrases, and operations into which electricity has been introduced; as, electro-therapy or electro-motive power. It has also been the purpose of the editor to refer to all the new terms, methods, and

materials which have been introduced into dentistry during the past seven years, to modify some definitions, and correct a number of typographical and other errors, as well as to add new material throughout the entire volume; all of which has been done with the hope that this new edition will prove useful and instructive.

FERDINAND J. S. GORGAN.

HAMILTON TERRACE, Baltimore, Md.

## PREFACE TO THE FIFTH EDITION.

---

The first edition of Professor Chapin A. Harris' "Dictionary of Medical and Dental Surgery" was published in 1849, and a steady and increasing demand for the work encouraged the author to prepare a second edition in 1854, the first having long before been exhausted. The object of the author, at a time when dictionaries of medicine were few in number, and not easily accessible to the dental practitioner and student, was to present a work containing satisfactory definitions and technicalities belonging to dental surgery, as well as to the other branches of medicine and to the collateral sciences, in the belief that such a work was greatly needed; and subsequent reflection convinced him that a more extended view of the subject was necessary, owing to the fact that the scope of professional education for the dentist had become so widened that general medicine and collateral science had at that time become, to a considerable extent, embraced in the curriculum of dental study. The second edition, therefore, contained, as a result of such reflection, about eight thousand more words than the first edition, and, to prevent an undue increase in the size of the work, the heavier and more elaborate articles were rewritten and abbreviated, and the bibliographical and biographical departments were altogether omitted. All the words, technicalities, and other subjects belonging to dental surgery proper were, however, retained, and all new terms, descriptions of subsequent discoveries and improvements in the art and science were carefully added. Numerous synonyms were also introduced, and no important word, in any of the specialties of medicine, was refused a place and a minute and careful definition. The author made, as he stated, free use of the dictionaries, lexicons, and other works on medicine, surgery, pharmacy, physics, chemistry, natural history, etc., which at that time were available. He was also materially assisted by the late Professors A. Snowden Piggot and Washington R. Handy in the preparation of the second edition. The third edition of this Dictionary was not published until 1867, almost

#### PREFACE TO THE FIFTH EDITION.

seven years after the death of its author, Professor Chapin A. Harris, which occurred in 1860. It was edited by Professor Ferdinand J. Gossas, as were also the succeeding editions, including the present one who found it necessary to add to this third edition nearly three thousand new words with their definitions, etc. In this edition the doses of more prominent medicinal agents were added to their definitions, a many obsolete formulæ were omitted, while others were retained for their intrinsic merits, and a number of valuable ones were added. As the work entitled Harris' "Principles and Practice of Dentistry" contains full descriptions of the treatment of diseases of the dental organs, such were briefly referred to, and reference made to the work in which they were to be found. Due acknowledgment was made to the authorities from which interesting matter was obtained in the preparation of this third edition.

Ten years elapsed before another edition of this Dictionary (the fourth) was published, and the object of the editor in preparing the fourth edition was to bring the work thoroughly up to the requirements of the profession of dentistry at that time. Both the dental and medical portions were carefully revised and many additions made. All new agents of the Materia Medica employed at that time in dental practice were added, so that nearly every one of its seven hundred and forty-three pages contained corrections and additions. The fourth edition was published in 1877, so that a still longer period has elapsed between its appearance and that of the present one.

The object of the editor in preparing this, the fifth, edition of Harris' "Dictionary of Dentistry," has been to make it a more purely dental work than ever before.

Such an object he has endeavored to accomplish by the addition of many hundred words and definitions which are useful to the dental practitioner and students in qualifying themselves for the study and practice of the science and art of dentistry, and also by the omission of many words and phrases which do not in any manner pertain to dentistry.

The many medical and other dictionaries now in use supply all words and definitions of medicine, chemistry, botany, etc., which are not necessary in a dictionary of dentistry. All new words and phrases which have been acknowledged and approved as correct and useful in such work on dentistry have been carefully selected and used in the present edition, and the obsolete ones, which occupied a large portion of the

former editions, have b  
Buxton, Quain, Turnbull,  
many others, have been cons.

in such a selection brief but comprehens  
operations and appliances which have been generally adopted by the  
dental profession since the publication of the preceding edition of the  
work. It is the cherished hope of the editor that the labor and time  
he has bestowed upon the present edition may be as favorably appre-  
ciated as have been his former efforts; and, also, that the new features  
presented may give this edition of the Dictionary a great superiority  
over former editions.

FERDINAND J. S. GEORGE.

HAMILTON THORACE, Baltimore, Maryland.  
January, 1891.



# DICTIONARY

OF

# DENTAL SCIENCE.

## A.

**A.** In some words of Greek derivation this letter is employed as a prefix, in a privative sense, denoting the absence or privation or want of anything; as, *acropalpus*, headless; *aptonia*, dolelessness; *adynamia*, loss of vital or muscular power; *agryria*, absence of fever.

**A.** or **℥℥**. Is an abbreviation of the Greek *α*, *ana*, of each, and is used in medical prescriptions to denote that an equal quantity of two or more ingredients is to be taken. See ABBREVIATION.

**A.** or **Am**. Abbreviation for anode.

**AAA**. Abbreviation for amalgam.

**Abac'tus Ven'ter** (from *abigerr*, to drive; *uter*, the belly). An abortion produced by artificial means.

**Abaliena'tion** (from *ab*, from, and *alienare*, estrange). The loss or filling of the senses of the mental faculties.

**Abaptis'tion** (*abaptis*; from *a*, priv., and *τις*, to plunge). A trepan which is shaped like a truncated cone to prevent it from suddenly plunging into the brain.

**Abarticula'tion** (from *ab*, from, and *articula*, a joint). That species of articulation which is of manifest motion. See DIAARTHROSIS.

**ABARTHROSIS**.

**Ab'sula** (from *a*, neg., and *basia*, a step). or incoordination in walking.

**Abrevia'tion** (*abbreviatio*; from *brevis*, short). In Medical Prescriptions, letters, parts, or certain symbols by which the ingredient is designated. Thus:

**A.** or **℥℥**. *Ana*, of each ingredient.

**Ab**, **Abn**. A Latin particle signifying from, off, away.

**Abdom**. Abdomen, the belly.

**Abn. febr**. Absente febre, in the absence of fever.

**Abstr**. Abstractum, abstract.

**A. c**. Ante cibus, before meals.

**Ad.** or **Add**. Adde, addatur, add, let there be added. Anodi duration.

**Ad lib**. Ad libitum, at pleasure.

**Admor**. Admoventur, let it be applied.

**Ad pond. om**. Ad pondus omnium, to the weight of the whole.

**Ag**. Argentum, silver.

**Al**. Aluminium.

**Al. dieb**. Alternis diebus, every other day.

**Al. hor**. Alternis horis, every other hour.

**Ala. adstric**. Alvo adstricta, when the bowels are confined.

**Alc. defec**. Alvi defectiones, the evacuations.

**Ampl**. Amplius, large.

**Amphi**. Upon both sides.

**Ans**. Up, through, again.

**Anat**. Anatomy.

**A. O**. Anodal opening.

**Aq**. Aqua, water.

**Aq. stric**. Aqua stricta, ice.

**Aq. bull**. Aqua bulliens, boiling water.

**Aq. comm**. Aqua communis, common water.

**Aq. dest**. Aqua destillata, distilled water.

**Aq. ferv**. Aqua fervens, hot water.



*Aq. font.* Aqua fontana, spring water.  
*Aq. maria.* Aqua marina, sea water.  
*Aq. plu.* Aqua pluvialis, rain water.  
*Aq. pur.* Aqua pura, pure water.  
*Au.* Aurum.  
*Au.* Aurum, gold.  
*B.* Boreum.  
*B. A. or B. S.* Balneum arenae, a sand bath.  
*Ba.* Barium.  
*Bala. marie.* Balneum marie, a salt water bath.  
*Bala. tep.* Balneum tepidum, a warm bath.  
*Bala. vap.* Balneum vaporis, a vapor bath.  
*Bala.* Balneum, balium.  
*Bi.* Bismuth.  
*Bib.* Bibere, drink.  
*Bis.* Twice.  
*Bis. ind.* Bis indies, twice a day.  
*Bol.* Bolus.  
*Br.* Bromine.  
*Bull.* Bulliat, let it boil.  
*C.* Congius, a gallon. Centigrado. Celsius.  
*Ca.* Calcium.  
*Cap.* Capiat, let him take.  
*C. C.* Cubic centimetre.  
*Cl.* Cadium.  
*Ca.* Carium.  
*Ca.* Centimetre.  
*C. M. S.* Cras mane sumendus, to be taken to-morrow morning.  
*C. N.* Cras nocte, to-morrow night.  
*Ca.* Caluit.  
*Cochl.* Cochleare, a spoon, a spoonful.  
*Cochl. ampl.* Cochleare amplius, a table-spoon.  
*Cochl. inf.* Cochleare infantia, a child's spoon.  
*Cochl. mag.* Cochleare magnum, a table-spoon.  
*Cochl. med.* Cochleare medium, a dessert-spoon.  
*Cochl. parv.* Cochleare parvum, a teaspoon.  
*Col.* Cola, strain.  
*Comp.* Composita, compound.  
*Cong.* Congius, a gallon.  
*Cons.* Conserva, conserve.  
*Cont. rem.* Continuenter remedium, let the medicine be continued.  
*Conti.* Continuenter, let it be continued.  
*Cog.* Coque, boil.  
*Cort.* Cortice, bark.  
*Cras.* Crastina, for to-morrow.  
*Crys.* Crystal.  
*Ca.* Caduceus.  
*Ca.* Cuprum, copper.

*Caj.* Cajos, of which.  
*C. F.* Cras fopere, to-morrow evening.  
*Cyath.* Cyathus, a glassful.  
*D.* Dies, a day.  
*D. in p. eq.* Divide in partes aequales, divide into equal parts.  
*Decub.* Decubitus, lying down.  
*De d. in d.* De die in diem, from day to day.  
*Dep.* Deparatus, purified.  
*Dest.* Destilla, distill.  
*Det.* Detur, let it be given.  
*Di.* Twice, diemle.  
*Dis-* Through.  
*Dis. alt.* Diesus alternis, every other day.  
*Dis. tert.* Diesus tertius, every third day.  
*Dil.* Dilutus, diluted.  
*Diss.* Dimidium, one-half.  
*Div.* Divide, divide.  
*Duce atr. vel. fere.* Duce alvus soluta fit, until the bowels be open.  
*D. P.* Directioe propria, with a proper direction.  
*Drucl.* Druclum, a drachm.  
*E. Ek. Er.* Erihim.  
*Ex. ecto. ex.* Out, away from, outside.  
*Ejusd.* Ejusdem, of the same.  
*Elect.* Electrum, electuary.  
*Embry.* Embryology.  
*Emp.* Empidum, a plaster.  
*En. En.* In, within.  
*Endo. eute.* Within, internal.  
*Enem.* Enema, a clyster.  
*Enter.* Pertaining to the intestine.  
*Epi.* Upon, over, above.  
*Exhib.* Exhibetur, let it be given.  
*F.* Fahrenheit, fahrenheit.  
*F. or Pl.* Fiat, let it be made.  
*Fe.* Ferrum, iron.  
*Feb. dur.* Febre duranti, during the fever.  
*Fit.* Filum, filter.  
*Flid.* Fluidus, liquid, fluid.  
*Flor.* Flores, flowers.  
*F. M.* Fiat mixtum, make a mixture.  
*Fol.* Folie, leaves.  
*Fut.* Futus, a fumentation.  
*Fract. div.* Fracta divid, in a divided broken dose.  
*F. pil.* Fiat pilula, make it into a pill.  
*F. S. A.* Fiat secundum artem, prepare skillfully.  
*Gale.* Galvanic.  
*Gastro.* Pertaining to the stomach.  
*Geno.* Pertaining to the chin.  
*Gl.* Glucinum.

*Gloss-*. Pertaining to the tongue.  
*Gr.*. Grainum, a grain.  
*Gt.*. Gutta, a drop. *Gtt.*. Gutte, drops.  
*Gum.*. Gummi, gum.  
*H.*. Hydrogen.  
*Hæm-*, *hæmat-*, or *hæmo-*. Pertaining to the  
 cod.  
*H. H.*. Horæ decubitus, at bed-time.  
*Hæmi-*. Half.  
*Hepat-*. Pertaining to the liver.  
*Hg.*. Hydragryum, mercury.  
*Ht.*. Hæctolitre.  
*Hæ.*. Hæctometre.  
*Hor. intern.*. Horæ internæ, at interme-  
 diate hours.  
*H. R.*. Horæ somni, at bed-time.  
*Hypæ-*. Resembling water.  
*Hypæ-*. Exces, abnormal quantity.  
*Hypæ-*. Sleep.  
*Hypæ-*. Diminution in amount.  
*Ileo-*. Pertaining to the ileum.  
*Ilio-*. Pertaining to the ilium.  
*Id.*. Idem.  
*Id. id.*. In idem, daily.  
*Inf.*. Infusum, infusion.  
*Infect.*. Infectio, an injection.  
*Ir.*. Iridium.  
*K.*. Kalium, potassium.  
*Km.*. Kilometre.  
*L.*. Litre.  
*Lb.*. Libra, a pound weight.  
*Lithium.*  
*Liq.*. Liquor, liquor.  
*Lot.*. Lotio, lotion.  
*M.*. Mæsse, mix.  
*Mar.*. Mæsse, mæsse.  
*Marro-*. Hypertrophy.  
*Mel-*. Mel.  
*Mes.*. Manipulus, a handful.  
*Mæ-*. The middle.  
*Mia.*. Mialum, mialum, the sixtieth part of  
 drachm by measure; a small drop.  
*Mist.*. Mistura, a mixture.  
*Mg.*. Magnesium. Milligramma.  
*ML.*. Millilitre.  
*Mm.*. Milli. m.  
*Mod. præcipit.*. In manner directed.  
*Mon.*. Single.  
*Morpho-*. Shape, form.  
*Mar. sol.*. More solito, in the usual way.  
*Mæ.*. Marilago, mællage.  
*Mult-*. Many, number.  
*Myelo-*. Referring to brain or spinal cord.  
*Myo-*. Pertaining to a muscle.  
*N.*. Noctæ, at night. Nitrogen.

*Na.*. Natrium, sodium.  
*Neph-*. Pertaining to the kidney.  
*Nervo-*. Pertaining to a nerve.  
*Ni.*. Nickel.  
*No.*. Numero, in number.  
*O.*. Octarius, a pint.  
*Ob.*. In front of, against, obstruction.  
*Odonto-*. Of the teeth.  
*Ol.*. Oleum, oil.  
*Ol. Kai.*. Oleum lini, linseed oil.  
*Omn. alt. hor.*. Omnibus alternis horis, every  
 other hour.  
*Omn. bid.*. Omni bialuo, every two days.  
*Omn. tik.*. Omni libon, every two hours.  
*Omn. hor.*. Omni horæ, every hour.  
*Omn. mat.*. Omni mane, every morning.  
*Omn. noct.*. Omni nocte, every night.  
*Omn. quad. hor.*. Omni quadrante hora,  
 every quarter of an hour.  
*O. O. O.*. Oleum olivæ optimum, best olive  
 oil.  
*Ophthalmo-*. Pertaining to the eye.  
*Ortho-*. Straight, upright, correct.  
*Ortho-*. Relating to bone.  
*Oto-*. Relating to the ear.  
*Ov.*. Ovum, an egg.  
*Oxy-*. Denoting the presence of oxygen.  
*U.*. Urin, an ounce.  
*Per-*. Through, near.  
*Part. æq.*. Partes æquales, equal parts.  
*Part. ric.*. Partes vicius, in divided doses.  
*P. R.*. British Pharmacopæia.  
*Pb.*. Plumbum, lead.  
*Pl.*. Plumbum.  
*Pre-*. Around, about.  
*P. G.*. German Pharmacopæia.  
*Pil.*. Pili, a pill.  
*Plu.*. Many, much.  
*Pond.*. Pondere, by weight.  
*Pot.*. Potens, potent.  
*Pre-*. Before.  
*P. rat. et.*. Pro ratione statæ, according to  
 the age of the patient.  
*P. r. a.*. Pro re statæ, as circumstances may  
 require.  
*Pro-*. Before, down.  
*Prox. luc.*. Proxima luce, the day before.  
*Pseudo-*. False, spurious.  
*Pulv.*. Pulvis, powder.  
*Pyo-*. Pertaining to pus.  
*Pyro, pyr-*. Relating to fire, heat, or inflam-  
 mation.  
*Q. L.*. Quantum libet, according as required.  
*Q. P.*. Quantum placeat, as much as you  
 please.

**Q. & Quantum sufficit**, as much as is sufficient.

**Quor.** Quorum, of which.

**Q. F.** Quantum volueris, as much as you wish.

**R.** Recipe, take.

**Rad.** Radix, root.

**Ra.** Rubidium.

**Rect.** Rectificatus, rectified.

**Rep.** Repetatur, let it be repeated.

**Retra.** Backward, behind.

**Rhiz.** rhine-. Pertaining to the nose.

**R. A.** Secundum artem, according to art.

**Racch.** Raccharum, sugar.

**St.** Stibium, antimony.

**Sem.** Semen, seed.

**Semi-dr.** Semi-drachma, half a drachm.

**Semi-h.** Semi-hora, half an hour.

**Seq. hor.** Sequenti loco, the following day.

**Serv.** Serva, keep, preserve.

**Sesquial.** Sesquialtera, an hour and a half.

**Semunc.** Semuncia, an ounce and a half.

**Si op. sit.** Si opus sit, if requisite.

**Si vir. perm.** Si virus permittant, if the strength will permit.

**Sig.** Signatur, a label. Let it be labeled.

**Sing.** Singulorum, of each.

**St.** Stannum, tin.

**Sol.** Solutio, solution.

**Solv.** Solve, dissolve.

**S. O. N.** Si opus sit, if there be occasion.

**Spir.** Spiritus, spirit.

**Spir. Gr.** Specie gravitate.

**Sq.** Squama, scale.

**Se.** Semi, one-half.

**St.** Stet, let it stand.

**Sub.** Beneath, under.

**Sublep.** Sublepidus, lukewarm.

**Succ.** Succus, juice.

**Sum.** Sumat, let him take.

**Super.** Above, upon, caecum.

**Supra.** Above, superior to.

**Syr.** Syrupus, syrup.

**Tv. or Tinct.** Tinctura, tincture.

**Trit.** Tritura, triturate.

**Troch.** Trochiscus, a troche or lozenge.

**Umb.** Umbilicus, the navel.

**Ung.** Unguentum, ointment.

**Ung. ut lig. anim.** Unguentum liquerit animam, until fainting is produced.

**Utend.** Utendus, to be used.

**Venis. Vesicatorium**, a blister.

**V. S.** Venesection, bleeding.

**Zn.** Zinc.

**Zing.** Zingiber, ginger.

**Min.** Minimum, a minim.

**Gr.** Gramma, a grain.

**Scrup.** Scrupulum, a scruple.

**Dr.** Drachma, a drachm, Troy.

**Unc.** Uncia, an ounce, Troy.

**Fl.** Fluiduncia, a fluidounce.

**Lb.** Libra, a pound.

**ss.** Semissis, half; *ss.*, sesqui, one and a half.

**j.** one; **ij.** two; **ijj.** three; **iv.** four, etc. See PRESCRIPTION.

**Abdo'men** (from *abder*, to hide, because it conceals the viscera). The largest cavity in the body, bounded superiorly by the diaphragm; inferiorly, by the pelvis; laterally and anteriorly, by an expansion of muscles; and posteriorly, by the lumbar vertebrae.

**Abdom'in'al.** Pertaining to the abdomen, as the abdominal muscles, abdominal viscera, etc.

**Abdominal Aor'ta.** That portion of the aorta below the diaphragm.

**Abdominal Aponeuro'sis.** The conjoined tendons of the oblique and transverse muscles on the front of the abdomen.

**Abdominal Gang'lia.** The renal-lumbar ganglia.

**Abdominal Regions.** The abdomen is divided into three zones: (1) The *epigastric*, or upper; (2) the *umbilical*, or middle; (3) the *hypogastric*, or lower, region. Each of these is subdivided into three compartments or *regions*—a middle and two lateral. The middle or the upper, situated over the small end of the stomach, is the *epigastric* proper; and the two lateral, under the cartilages of the ribs, are the *hypochondriac* regions. The middle region is divided into the central, or *umbilical*, and two lateral, or *femoral*, regions. The lower region is divided into the central, or *hypogastric* proper, and on each side there is an *iliac*, or inguinal, region.

To the above anatomists have added a tenth region, called the *regio pubica*, and situated on the front surface of the pubic bone.

**Abdominal Respiration.** Respiration carried on chiefly by the diaphragm and abdominal muscles.

**Abdominal Ring, External.** A triangular opening in the sheath of the spermatic cord of the male and the round ligament of the female.

**Abdominal Ring, Internal.** An oval opening in the fascia transversalis through which passes the spermatic cord of the male and the round ligament of the female.

**Abducent.** Drawing apart or from. The sixth pair of nerves are called the *nerve abducens*. See *ANNUCION*.

**Abduction** (*abductio*; from *abducere*, to separate). The action by which a limb or part is separated from the axis of the body. In *Surgery*, a fracture near the articular extremity of a bone in which the fragments recede from one another. Celsus Aurelianus uses this word to express a strain.

**Abductor** (from *abducere*, to separate). In *Anatomy*, a muscle which separates the part or member to which it is attached from some other part. Its antagonist is called *adductor*.

**Aberrant** (*aberrans*; from *ab*, from, and *erre*, to wander). Deviating from the regular or normal type in appearance, structure, etc.

**Aberration** (*aberratio*; from *aberrare*, to stray, to wander from). Deviated from that which is natural; irregularity; deviation from the healthy condition in the appearance, structure, or functions of one or more organs; the passage of a fluid of the living body into an order of vessels undesignated for it; the flow of a fluid inward an organ different from that to which it is ordinarily directed, as in venous hemorrhage; mental alienation. In *Optics*, a deviation of the rays of light from a true focus, in certain lenses, producing a distorted, or colored image. When the image is distorted the aberration is said to be *spherical*; when it is colored by prismatic lines, it is called a *chromatic aberration*.

**Abolition** (from *a*, and *oler*, life). Death.

**Abirritation** (*abirritatio*; from *ab*, priv., and *irritatio*, irritation). Absence of irritation; debility; atonia; diminished tissue irritability.

**Ab lactation** (*ablactatio*; from *ab*, priv., and *lacto*, to give suck). Cessation of the periods of suckling as regards the mother. The same period with regard to the child is termed weaning.

**Ablation** (from *ablatus*, removal). Removal or separation of a part, limb, organ, or tumor by accident or surgical operation.

**Ablepsia** (from *a*, priv., and *blepsa*, to see). Blindness.

**Abluents** (*abluents*; from *abluer*, to wash). Detergents; cleansing remedies.

**Ablution** (*ablutio*, to wash away). The act of cleansing or purifying with water.

**Absorbal** (from *ab*, from, and *norma*, rule). Not conformable to rule; irregular;

contrary to the natural condition; unnatural; deformed.

**Aborad** (from *ab*, away from; *ora*, the month). In an aboral position or direction.

**Aboral**. Opposite to, or remote from, the month.

**Aborally**. In an aboral position, or manner, or direction.

**Abort** (*abortiri*). To miscarry. To expel the fetus before it has the ability to live.

**Abortion** (from *abortus*, a miscarriage). The premature expulsion of the ovum before the end of the sixth month, or before the child is viable. It may be produced by various general diseases, such as syphilis, acute fevers, nephritis, etc.; by reflex influences, emotional disturbances; by various poisons; by diseased conditions of the uterus, and its displacement; or by diseases of the fetus, its membranes, or the placenta. After the seventh month it is premature labor. Some restrict the term abortion to premature deliveries before the fourth month, deliveries between the third and seventh months being called miscarriages.

**Abrasion** (*abrasio*; from *abradere*, to scrape). The act of wearing or rubbing off; also, the state of a part some of which has been worn off by attrition. In *Pathology*, superficial ulceration, with loss of substance in shreds of the latitudinal mucous membrane; also, excoriation and ulceration of the skin.

**Abrasion of the Teeth** (*odontotriche*). Abnormal wearing away of the teeth; gradual loss of a portion of the substance of the teeth, which may be produced by a fault in the antagonism of the teeth which allows sliding movements when the jaws are closed, or by the use of the front teeth in mastication owing to the loss of the posterior teeth.

When the incisors and caniniform of the upper jaw shut over the corresponding teeth of the lower, it rarely happens that much loss of substance from mechanical causes takes place; it is only in those cases where the former fall plumb upon the latter that abrasion in any very considerable degree occurs; but when they come together in this manner, their crowns are sometimes worn down to the gums, or, at least, those occupying the anterior part of the alveolar arch. The reason of this is obvious. When the upper and lower front teeth strike upon one another, the lateral motions of the jaw are not in the least restricted; consequently, the cutting edges of the incisors

and points of the cuspidi, as well as the cusps of the bicuspidi and molars, though not to the same extent, are subjected to an amount of friction to which they are not exposed in any of the other relationships which the upper and lower teeth sustain to one another.

The wearing away of the crowns of the teeth would expose the living membrane but for a most curious and singular provision of nature, which consists in the gradual obliteration of the pulp cavities by the conversion of the pulp into *secondary dentin*. By this wise provision of nature an event from which the most painful consequences would result is prevented, so that but little inconvenience results from it, or, at any rate, not until the crowns of the teeth are worn down to the gums. See **EROSION OF THE TEETH**.

**Abs.** As a prefix, having a negative signification.

**Ab'scess** (*abscess*; from *abscido*, to separate from or depart). A pus formation within some cavity of the body, which is formed by a disintegration and stretching of the tissues caused by the suppurative process. An abscess results from localized inflammation terminating in suppuration. An abscess usually keeps on enlarging until it reaches the surface at some spot, when it is said to *point* or *point*, and where it subsequently ruptures and discharges its contents. Occasionally the abscess may dry up without rupturing.

An abscess is *acute* when succeeding acute inflammation, and *chronic* or *cold*, one of slow and apparently non-inflammatory development; *congestive*, when the pus appears at a point distant from its formation; *idiopathic*, when occupying the same site as the previous affection; *symptomatic* or *secondary*, when occurring in a remote situation; *critical*, occurring at some critical period of an acute disease; *gangrenous*, one attended with death of adjacent parts. Abscesses are designated according to the part in which they are situated, as alveolar abscess, lumbar abscess, mammary abscess, etc., which see. Abscess is the result of severe localized inflammation which causes the destruction of a certain area of tissue, which dissolves or forms small gangrenous masses and mingles with the fluid or corpuscular exudates to increase the volume of pus. While this is in progress, the exudation of coagulable lymph is filling the surrounding tissues and thus enclosing the abscess, which may continue to enlarge by a continuous de-

struction of its immediate walls, the destruction being greatest in the direction offering the least resistance, which brings the pus nearer the surface and favors its discharge. An abscess is distinguished from an *ulcer*, which, being upon a free surface, is open from the outset. An abscess cavity is surrounded by an indurated wall, formed by the infiltration of the neighboring tissues with inflammatory products. The contents of an abscess are pus, with fragments of broken-down tissue, and often a central necrotic mass called the *core*. An abscess may also contain blood, gas, etc. See ALVEOLAR ABSCESS.

**Abscess of Dental Pulp.** The occurrence of suppuration which begins in the form of a minute collection of pus just within the layer of odontoblasts and extends to the deeper parts of the origin.

**Ab'scission** (*abscissio*; from *abscidere*, to cut off). The excision of a morbid or superfluous part, especially of a soft part.

**Ab'sciss'io Præputii.** Circumcision.

**Ab'sin'thia** (*absinthium*). Wormwood. The bitter, uncrystallizable principle of absinth, an aromatic, bitter plant containing a volatile oil, *absinthol*, a bitter principle, *absinthic*, absorbible acid, tannin, etc.

**Ab'sinth'ism.** A disease resulting from the excessive use of absinth, and characterized by general muscular debility and by mental disturbances which may cause convulsions, acute mania, softening of the brain, or general paralysis. It resembles alcoholism.

**Ab'solute Al'cohol.** Rectified spirit in its anhydrous state, and of a specific gravity of 0.796. It is generally prepared by adding 18 ounces of lime to one pint of rectified spirit, exposing the mixture to a gentle heat, and distilling off some 17 ounces of absolute alcohol. A simple method of preparing it is to add 1 part of carbonate of potash to 4 parts of common alcohol. In *Pharmacy*, absolute alcohol is employed as a solvent. In *Dental Practice* it is a useful agent for drying cavities preparatory to filling them, as it at once evaporates and causes almost perfect absorption of moisture.

**Ab'solute E'ther.** Sulphuric ether freed from the small portion of alcohol and sulphurous acid it contains by the process of rectification. In *Dental Practice* it is employed in the form of spray for a local anæsthetic.

**Absorb'ents** (from *absorbere*, to suck up,

to imbibile). In *Physiology*, an organ or part whose function is to absorb, withdraw, or take up, such as the lacteals and lymphatics. In *Material Media*, any medicine which produces absorption or exudation of diseased tissue. In *Surgery*, a substance which mechanically absorbs or takes up excreted matter, as sponge, cotton, etc.; that part of a water dressing which absorbs the pus as fast as it is formed. It is composed of old eggs, from linen or cotton, sufficiently worn, and is placed over the ulcer. See WATER DRESSING.

**Absorbent System.** GLANDS. The vessels and glands of the body which exercise the function of absorption. See LYMPHATICS.

**Absorption** (*absorptio*). In *Physiology*, an organic function common to all things endowed with life, plants or animals, whereby the former take up from without, and the latter from the interior of their own bodies, the materials necessary in their sustenance. The process by which nourishment, medicines, morbid products of their changes, etc., are taken up by the lymphatic and venous systems. In *Chemistry*, the action of certain solids and liquids in taking up gases and vapors, which may or may not enter into chemical composition with the absorbent.

**Absorption, Cutaneous.** A function of the skin by which substances applied to the surface of the body are taken into the circulation and produce the same action as when taken internally.

**Absorption, Interstitial.** The function by which the particles of the liquor filling the meshes of the capillary network are removed, as is the papillary membrane of the fetus, and in the development of the cells in bone.

**Absorption of Roots of Teeth.** A physiological process for the removal of the roots of the deciduous teeth, and one independent of pressure, and caused by the presence of a vascular papilla in close proximity to the surface of root acted upon, and which is rich in giant-cells called "osteoclasts." The surface of the root undergoing absorption becomes excavated by shallow cup-shaped depressions, which deepen and coalesce until the whole root is eaten or dissolved away. The cementum is first attacked, and then the dentine, and even the enamel is invaded. The part of the dentine immediately surrounding the pulp appears to have more power of resistance than any other part of the tooth, but at length succumbs.

**Abst'mious** (*abstermus*; from *abst*, without, and *mus*, wine). Abstaining from the use of wine. Also temperate living, with regard to diet, etc.

**Abster'gent** (from *abstergens*, to cleanse). Any application which cleanses the part to which it is applied; cleansing, detergent.

**Abster'sion** (Latin, *absterio*). The act of cleansing.

**Ab'stract, Abstrac'tion** (from *abstrahere*, to draw from). A preparation containing the soluble principle of the agent evaporated, and mixed with sugar of milk. It is equivalent to twice the strength of the agent or its fluid extract. In *Chemistry*, the distillation of a liquid from any substance.

**Abu'ta**. *Parvula Abuta*.

**Aca'cia** (*Acacia*, from *aca*, a point). The pharmaceutical name for genus *Arabic*. See ACACIA (GEN).

**Acacia Catechu.** The tree which produces the Catechu, or Terra Japonica.

**Acacia Gum.** Gum Arabic, which is colorless or of a pale yellow; it is hard, brittle, soluble in water, but not in alcohol. It is astringent, and used as a demulcent and for suspending oily medicines.

**Acacia Mucilago.** *Acacia*, 34 parts; water, 100 parts.

**Acacia Syrup.** Mucilage, 25; syrup simple, 75, demulcent.

**Acan'tha** (from *aca*, a sharp point). In *Botany*, a thorn or prickle of a plant. In *Anatomy*, the spinous process of a vertebra; also the spinous dend.

**Acar'diac** (*acardiac*; from *a*, priv., *cardia*, the heart). Without a heart.

**Ac'arus** (from *a*, priv., and *caro*, to cut, too small to be divided). A numerous genus of insects. The tick or mite.

**Acarus Scabiei.** The itch tick.

**Accel'erans Nerve.** A nerve to the medulla of the heart.

**Accel'erator Urinae.** A muscle of the penis which expels the last drops of urine, the semen, and assists erection.

**Ac'cent.** Inflection of the voice.

**Acces'sion** (*accessio*; from *accessere*, I approach). The commencement of a disease, but usually restricted to the phenomena which signalize the recurrence of periodical diseases, as intermittent fever, comprehending their cold, hot, and sweating stages.

**Accessori Williall.** The accessory nerves of Williall, so named from the discoverer. The

superior respiratory nerves, a pair arising from the spinal cord and joining the par vagum.

**Ac'cessory** (*accessorius*; from *accessere*, I approach). Connected with or dependent upon anything; helping to produce an effect. In *Anatomy*, a name given to several auxiliary muscles and nerves, joined to other similar parts and assisting them in their functions. In *Zoology*, additional, supernumerary.

**Accessory of the Parotid.** A small gland which accompanies the parotid duct, and is usually a mere prolongation of the parotid itself. The duct of this lobe enters the parotid duct where it crosses the masseter muscle.

**Accident'al.** Happening by chance, casual. In *Medical Anatomy*, all structures developed as the consequence of disease.

**Accidental Hemorrhage.** Hemorrhage from premature or accidental detachment of the placenta.

**Acci'mated** (*climati accutus*; from *ad*, and *clima*, climate). Accustomed to a climate.

**Accouche'ment.** Parturition; childbirth; the expulsion or extraction of the fetus from the uterus.

**Accrement'i'tion.** Growths which increase by interstitial development from blastema, and also by reproduction of cells by fission.

**Accre'tion** (*accretio*; from *ad*, and *crevere*, to increase). Growth; also a growing together of parts naturally separate. The process by which unincorporated particles are added to the various tissues.

**A. C. E. Mixture.** An anesthetic mixture, consisting of alcohol, 1 part; chloroform, 2 parts; ether, 3 parts. So called from the initials of its constituents. An anesthetic less depressing than chloroform alone.

**Acceph'alus** (*acephalus*; from *a*, priv., and *kephala*, head). Without a head. In *Anatomy*, the young of any animal born, from defect of organization, without a head. In *Zoology*, one of the divisions of a class of molluscan animals which have no head, as the oyster and mussel.

**Ac'erate.** A salt of acetic acid.

**Acerb'ity** (*acribitas*; from *acer*, sharp). A sour, bitter, and astringent taste. Acidity combined with astringency.

**Acerv'alus Cerebri.** A mass of yellow sandy concretions, collected under the tela choroides, near the posterior commissure of the brain, after the age of puberty.

**Acce'sent** (*ascensus*; from *ascens*, to grow sour). Turning sour; a tendency to acidity.

**Aceta** (plural of *acetum*). Pharmaceutical preparation of vinegar. See **ACETAR**.

**Acetab'ulum** (from *acetum*, vinegar, because it resembles the old sewer in which vinegar was held). A name given to the cavity which receives the head of the os femoris, or thigh bone.

**Ac'etal** (*acetum*, vinegar). Ethidane diethylate: a colorless liquid of the composition  $(C_2H_5)_2O$ , and formed by the oxidation of common alcohol.

**Acet'amide.** A colorless crystalline substance,  $C_2H_5NO$ . It is produced by distilling ammonium acetate or by heating ethyl acetate with strong aqueous ammonia.

**Acetan'tide** (*antifibrin*). A white, crystallized powder without odor. Dose, gr. iv-vij. Employed to lessen fever and to diminish functional activity of motor and sensory nerves.

**Ac'etas** (from *acetum*, vinegar). A salt formed by the union of acetic acid with an earth, alkaline, or metallic base. An acetate. The medicinal acetates are those of ammonium, potassa, zinc, and lead.

**Ac'etate** (*acetas*). A salt of acetic acid.

**Acetate of Lead.** Plumbi acetum, which see.

**Ac'e'tic** (*aceticus*; from *acetum*, vinegar). Pertaining to vinegar.

**Acetic Acid** (*acidum aceticum*). The acid of vinegar. The sour principle which exists in vinegar. It exists free and combined with bases in several vegetable products, and is the principal ex-salt of acetous fermentation. It unites readily with most of the earths, and acts slowly upon the teeth, increasing their sensibility and putting them on edge. In *Medicine*, it is used as a rubeficient. Dose of the diluted acid, ʒj in ʒij. In *Dental Practice*, it is employed in caries oris, inebriant ulcers of the mouth, scurvy, fungous growths of gum and pulp, a strong acid being employed.

**Acetic Ether.** See **ETHER, ACETIC**.

**Ac'e'tica.** Pharmaceutical preparations consisting of vegetable principles dissolved in vinegar.

**Acet'ification** (from *acetum*, and *facio*, to make). The act or process of making vinegar.

**Acetom'eter.** An instrument for ascertaining the strength of vinegar.

**Ac'etone** (from *acetum*, vinegar). Dimethyl ketone. Methyl acetyl. Associated with pyro-acetic spirit. Erroneously called naphtha and wood naphtha. The term is also applied

to pyroxylic spirit. A limpid, colorless, inflammable liquid, having a peculiarly penetrating and slightly empyreumatic odor, with a disagreeable taste, like that of peppermint. It is obtained by distilling a mixture of crystallized acetate of lead and quicklime. It has been used in phthisis pulmonalis and as an excitant in chronic bronchitis. Dose, grs. x to grs. xxx, diluted with water. Formula,  $C_2H_4O$ .

**Acet'onyl.** The hypothetical radical of acetone.

**Acet'um** (from *acer*, sour). Vinegar; a sour liquid, produced by fermentation. There are four varieties—viz., wine vinegar, malt vinegar, sugar vinegar, and wood vinegar. Common vinegar contains less than five per cent. of pure acetic acid.

**Acetum Lobeliae.** Vinegar of lobelia. Dose, ℥v-℥j.

**Acetum Opil.** Vinegar of opium, or black drop; composed of opium and distilled vinegar. Dose ℥x, or twenty drops; equal to our grain of opium.

**Acetum Sanguinalis.** Vinegar of sanguinaria-sanguinarin and diluted acetic acid. Dose, ℥v to ℥ss.

**Acetum Scillae.** Vinegar of squill. [℥lv-Oj.] Dose, ℥xx-℥j.

**Ac'etyl.** ( $C_2H_3O$ ). A hypothetical compound radical, produced by the abstraction of two atoms of oxygen from ethyl by deoxidizing processes. It derives its name from acetic acid, which, with a series of other compounds, it pervades. Aldehyd is its hydrated oxide. Its formula is  $C_2H_3$ .

**Acet'yene.** A series of hydrocarbons having the structure  $C_nH_{2n-2}$ . A name also applied to *ethine*, a gaseous substance formed during the imperfect combustion of hydrocarbon fuels.

**Acet'yilde.** A compound of acetylene with an element or radical.

**Ache** (from *αἰς*, affliction). A continuous throbbing pain.

**Achel'ia** (from *α*, priv., and *χολος*, bile). A malformation consisting in a deficiency of one or both livers.

**Achel'rous** (from *α*, priv., and *ρηος*, hand). Without hands.

**Achill'es Tendon.** The strong, round tendon of the gastrocnemius and soleus muscles of the foot.

**Ach'lys.** Dimness of sight. Cloudiness of the cornea.

**Acho'lia** (from *α*, priv., and *χολε*, bile). Non-secretion or non-excretion of bile. Deficiency of bile.

**A'cher.** A pointed pustule, containing a light, straw-colored matter, changing into a brown scab. *Crosta lactea*.

**A'choristax** (from *α*, priv., and *χωρος*, to separate). A sign or symptom which invariably accompanies a particular state of health or disease.

**Ach'roma** (from *α*, priv., and *χρως*, color). A colorless state of the skin.

**Achromat'ic** (from *α*, priv., and *χρως*, color). A lens constructed so as to correct the refrangibility of the common lenses.

**Achro'matin.** The matrix of the nucleus of a cell; so called because it is not readily colored by staining agents.

**Achromatop'ala** (from *α*, priv., *χρως*, color, and *αργος*, to see). Inability to distinguish different colors from one another.

**Achy'lois** (from *α*, priv., and *χολος*, juice). Deficient formation of chyle.

**Achymo'sis** (from *α*, priv., and *χρως*, chyme). Deficient formation of chyme.

**Acic'ular** (from *aculus*, a little needle). In *Crytology*, needle-shaped crystals, and in *Botany*, leaves that are long, stiff, and pointed.

**Ac'id.** In common language, any liquid, solid, or gaseous body imparting to the organs of taste a sour sensation. In *Chemistry*, a compound capable of neutralising an alkali; the electro-negative compound of a salt consisting of more than two elements. The acids constitute a very numerous class of chemical substances. They are called inorganic or organic as they are derived from inorganic or organic bodies. The names of those formed from the same base change in their terminations according to the quantity of oxygen they are presumed to contain. Those which terminate in *ic* contain the largest proportion of oxygen; those in *ous*, a less amount. Those which begin with *hypo*, denote an excess of oxidation; those with *hypo*, the lowest proportion. When combined with the alkaline and other bases they form a class of bodies called salts. Acids are generally refrigerant and antiseptic.

**Acid Phenyl Sulphate.** A solution of 3 grammes of phenol in 20 c.c. of strong sulphuric acid. Employed for the detection of nitrates in water.

**Ac'id-al'bumen.** Derived albumen. A proteid dissolved in stronger acids, and yielding an acid reaction.

**Acid'i'ferous** (from *acidus*, an acid, and *fero*, to bear). Bearing or containing acid.

**Acidifi'able.** Capable of being converted



into an acid by uniting with an acidifying principle.

**Acidification.** The act of being changed into an acid.

**Acidify** (from *acidus*, sour, and *facio*, to make). To make sour or acid; to convert into an acid.

**Acidifying Principle.** That which forms an acid.

**Acidimeter** (from *acidum*, an acid, and *metron*, a measure). An instrument for measuring the strength of acids or the amount of free acid.

**Acidity.** Sourness.

**Acidulate.** To render slightly acid.

**Acidulous.** Slightly acid.

**Acidum** (from *acer*, sour). An acid.

**Acidum Aceticum.** See **ACETIC ACID**.

**Acidum Aceticum Camphoratum.** Camphorated acetic acid.

**Acidum Aceticum Concentratum.** Concentrated acid of vinegar; vinegar deprived of its water.

**Acidum Acetosum.** **Acetum.**

**Acidum Arsenicosum.** See **ARSENIOUS ACID**.

**Acidum Asoticum.** Nitric acid.

**Acidum Benzoicum.** See **BENZOIC ACID**.

**Acidum Boricum, Boracicum.** See **BORACIC ACID**.

**Acidum Boracicum.** Hydrocyanic acid.

**Acidum Carbolicum.** See **CARBOLIC ACID**.

**Acidum Carbonicum.** See **CARBONIC ACID**.

**Acidum Chromicum.** See **CHROMIC ACID**.

**Acidum Citricum.** See **CITRIC ACID**.

**Acidum Gallicum.** See **GALLIC ACID**.

**Acidum Hydrobromicum Dilutum.** See **HYDROBROMIC ACID, DILUTED**.

**Acidum Hydrochloricum.** **Hydrochloric acid**; **Muriatic acid**.

**Acidum Hydrocyanicum.** See **HYDROCYANIC ACID**.

**Acidum Hydrocyanicum Dilutum.** See **HYDROCYANIC ACID, DILUTED**.

**Acidum Iodhydricum.** **Iodhydric acid**.

**Acidum Lacticum.** See **LACTIC ACID**.

**Acidum Muriaticum.** See **MURIATIC ACID**.

**Acidum Nitricum.** See **NITRIC ACID**.

**Acidum Nitricum Purum.** Pure nitric acid.

**Acidum Nitro-muriaticum.** See **NITRO-MURIATIC ACID**.

**Acidum Nitrosum.** See **NITROUS ACID**.

**Acidum Oxalicum.** See **OXALIC ACID**.

**Acidum Phenylicum.** Carbolic acid.

**Acidum Phosphoricum.** See **PHOSPHORIC ACID**.

**Acidum Pyroligneum.** See **PYROLIGNEOUS ACID**.

**Acidum Salicylicum.** **Salicylic acid**.

**Acidum Santonicum.** **Santonin**.

**Acidum Succinicum.** See **SUCCINIC ACID**.

**Acidum Sulphuretum.** See **SULPHUREOUS ACID**.

**Acidum Sulphuricum.** See **SULPHURIC ACID**.

**Acidum Sulphuricum Aromaticum.** Aromatic sulphuric acid.

**Acidum Sulphuricum Purum.** Pure sulphuric acid.

**Acidum Tannicum.** See **TANNIC ACID**.

**Acidum Tartaricum.** See **TARTARIC ACID**.

**Acidum Trichloracetum.** **Trichloroacetic acid**.

**Acidum Valerianicum.** See **VALERIANIC ACID**.

**Acidum Vitriolicum.** See **SULPHURIC ACID**.

**Acies.** **Marquees, keennies**; a sharp cutting instrument. Iron or steel as a medicine.

**Aciform** (from *acus*, a needle, and *forma*, form). Needle-shaped.

**Acine'ia** (from *a*, priv., and *agere*, to move, immobility). Loss of motion.

**Actinus.** A group of cells. In *Anatomy*, the ultimate secreting follicles of glands. The granulations of conglomerate glands, as in the liver, etc., are called *actinæ*.

**Acme** (from *akro*, the top). In *Pathology*, the height of a disease.

**Acne.** A term designating lesions from pustular inflammation about the sebaceous glands and hair follicles. Among the forms commonly recognised are *Rosacea*, *Variciformis*, and *Vulgaris*.

**Acne Rosacea.** Pimples on the face; the conspicuous eruption of a bright rosy hue, on the nose and face of drunkards. Called *ruy-drops*.

**Acology** (*acologie*; from *acus*, a remedy, and *logos*, a discourse). The doctrine of therapeutic agents or remedies.

**Acronite** (*arsenites*). The tubercles root of the *Aconitum napellus*, or common monk's-hood, or wolf's-bane. It is an active narcotic poison. It is obtained in Europe and Asia. A genus of plants of the order *Ranunculaceæ*. Dose of powdered root, gr. j to gr. v. It acts as a powerful sedative to the nervous system, and reduces the force of the circulation. In *Dental Practice*, the tincture, combined with an equal quantity of tincture of iodine, is employed successfully in the early stages of periodontitis and alveolar abscess. It is also useful em-

played alone as an application to an inflamed dental pulp; also in pulp cavities to prevent accidental inflammation. For dental uses, see Gorgon's "Dental Medicine."

**Aconi'tia.** An alkaloid constituting the active principle of aconite. A powerful poison.

**Aconi'tic Acid.** A white crystalline acid, obtained from the Aconitum napellus.

**Aconi'tic Ether.** Aconitine of oxide of ethyl. A colorless oily liquid, with an odor like calcium.

**Aconi'tine** (*aconitine*; from *aconitum*, the name of a plant). A very poisonous alkaloid extracted from several species of aconitum.

**A'cor** (from *acer*, to be sour). Acidity, acrimony.

**Ac'o'ria** (from *a*, priv., and *acer*, to satisfy). Inevitable hunger; canine appetite.

**Ac'o'rus Calamus.** Sweet flag; *calamus acorus*.

**Acou'meter** (from *acus*, to hear, and *metron*, a measure). An instrument invented by Hart for measuring the degrees of the sense of hearing.

**Acou'stics.** The science of the cause, nature, and phenomena of sounds.

**Acra'nia** (from *a*, priv., and *akros*, eminent). Deformity of a part or the whole of the cranium.

**Acrat'ia** (from *a*, priv., and *akros*, strength). Inebriety; weakness.

**Ac'rid** (from *acer*, sharp). Harsh; a hot, pungent taste.

**Ac'rimony** (*acrimonia*; from *acer*, sharp). A quality in substances which irritates, corrodes, or dissolves others.

**Acri'ala** (from *a*, priv., and *akros*, to judge). A state of disease with regard to which no correct judgment can be formed.

**Ac'rodont** (from *akros*, extremity or summit, and *odon*, *odontos*, a tooth). Applied by Owen to early man having teeth ankylous to the summit of alveolar ridge.

**Acrodyn'ia** (from *akros*, extremity, and *dyna*, pain). An affection attended with great pain in the tendons of the ankles and wrists.

**Acro'leine.** In *Chemistry*, a volatile, oily, pungent liquid, obtained by boiling fats, but especially by the destructive distillation of glycerine.

**Acroma'nia** (from *akros*, extreme, and *mania*, madness). Locomotor madness.

**Acromega'lia** (from *akros*, an extremity, and *megalos*, large). Abnormal development of the extremities.

**Acro'mial Artery.** An artery arising from the anterior part of the axillary artery, opposite the upper edge of the pectoralis minor. It divides into two branches—the superior and the inferior.

**Acromial Nerves.** Branches of the fourth cervical nerve, distributed to the acromial region.

**Acro'mion** (from *akros*, extreme, and *meion*, the shoulder). A process terminating the spine of the scapula.

**A'crople** (from *akros*, the extremity, and *ple*, the voice). Faulty articulation from a defect in the tongue.

**Ac'roteria.** The extremities of the body.

**Acro'tic** (from *akros*, summit). Diseases affecting the extremal surface of the body.

**Ac'rotism** (from *a*, priv., and *akros*, pulse). Defect of pulse; apoplexy.

**Act'no Chemistry** (from *actis*, a ray of light). That department of chemistry which treats of the action of the sun's rays.

**Actinom'eter** (from *actis*, and *metron*, a measure). An instrument to measure the intensity of the sun's light.

**Actinomyco'sis** (from *actis*, a ray, and *mycosis*, a fungus). A parasitical, infectious disease, due to the presence, in abscesses and sinuses, of the *Leptothrix-actinomyces*. The most frequent form is when abscesses form about the jaw and teeth. The prophylactic treatment is a clean shaven skin in the choice of meat, and its proper cooking so as to prevent the transference of the parasite. The curative treatment consists in the evacuation and antiseptic treatment of abscesses, sinuses, carious teeth, etc.

**Ac'tion** (*actio*; from *agere*, to act). The exertion of power or force; the operation of an active power. In *Physiology*, the performance of a function. The functions of the body may be divided into *voluntary*, *involuntary*, and *mixed*. The *voluntary* are produced by acts of the will; the *involuntary* are either *mediate*, through the nerves and spinal marrow, or *immediate*, as those of irritability; and to the *mixed* belong the acts of respiration.

**Action, Morbid.** A derangement of the ordinary functions of the body.

**Action, Reflex.** A movement of an organ or part of the body produced by an impression carried by a sensory or afferent nerve to a subordinate centre, and then returned by an efferent nerve to some point at or near the source of irritation.

**Act'ual Caustery** is a red-hot iron or a fire,

while a potential canterly is only a chemical caustic. The former was once much used by surgeons for the extirpation and cure of tumors and other diseases. The actual canterly for destroying the dental pulp consists in heating a wire to a white heat and thrusting it into the pulp canal to the apex; also the galvanic canterly; also by cataphoresis or electrolysis.

**Acupression** (*acupressure*; from *acus*, a needle, and *pressio*, pressure, to press). Dr. J. Y. Simpson's plan of securing against hemorrhage in wounds or operations by inserting a needle through the skin below the divided vessel, and returning its point to the cutaneous surface again, the ends being left out to a sufficient extent.

**Acupuncture** (*acupuncture*; from *acus*, a needle, and *punctura*, a puncture). The puncturing of parts with a small needle. It is effected by passing slender needles into the part and allowing them to remain from a few minutes to several hours, for the purpose of producing counter-irritation.

**Acus Canalicula**. A trocar; a cannulated needle used in surgery.

**Acus Interpunctoria**. A couching needle, used in operating on the eye.

**Acus Ophthalmica**. A couching or ophthalmic needle.

**Acus Triquetra**. A trocar; a three cornered needle.

**Acute'**. Sharp. In *Pathology*, a sharp pain; a disease characterized by a certain degree of severity, or which is attended by violent symptoms, and runs its course in a few days.

**Acutemaculum** (*perte-aiguille*). A needle-holder. An instrument for accurately laying hold of a needle and giving it greater length when it is so fine and small that it can not be held by the fingers. It is of steel or silver, about two inches long, and throughout the whole, almost of its length, divided into two branches, so as to form a kind of forceps capable of being closed by means of a sliding ring. Dr. Physick's modification of this instrument consists of a forceps so constructed as to hold in its extremity a needle armed with a ligature. The handles of the forceps are fastened together, temporarily, by a spring or catch, and when the needle is fairly placed beneath the deep-seated artery, it is disengaged from the forceps and drawn out, leaving the ligature behind, which can be tied without difficulty. Dr. Hüllihen invented an instrument of this kind for passing the needle through

the cleft edges of the soft palate in the operation of staphylorraphy.

**Acutenaculum**, Dr. Hüllihen's. An instrument invented by Dr. S. P. Hüllihen, to be used in passing the needle through the cleft edges of the soft palate in the operation of staphylorraphy.

**Acyanobleph'ala** (from *a*, priv., *anoxer*, blue, and *blephra*, to see). Inability to distinguish blue, from defective vision.

**Acye'ala**. Inability to conceive; barrenness.

**Ad'ament** (from *a*, priv., *dama*, to subdue). Diamond was formerly so named from its hardness.

**Adamant'ine Cement**. A nostrum used for filling teeth, consisting of finely pulverized silex or pumice-stone mixed with an amalgam of mercury and silver. See **AMALGAM**.

**Adamantine Spar**. The crystals of corundum are so named from their hardness. See **CORUNDUM**.

**Adam's Apple**. See **ADAM'S APPLE**.

**Addapha'gia** (from *adde*, much, and *phaga*, to eat). A voracious appetite; insatiable craving for food.

**Addit'amentum**. A small suture sometimes found united to the lamellula and symphyseal sutures.

**Addu'cent** (*adductus*; from *ad*, and *ducere*, to draw). A term applied in *Anatomy* to muscles which perform the function of adduction.

**Adduction**. The action by which a part is drawn toward the axis of the body or of a limb.

**Adduc'tor** (from *ad*, and *ducere*, to draw). In *Anatomy*, a muscle whose office consists in drawing the limb, or part moved by it, toward the axis of the body or of the member to which it belongs.

**Adductor Brevis Femoris**. The short adductor of the thigh.

**Adductor Indicis Pedis**. The adductor of the first toe.

**Adductor Longus Femoris**. The long adductor of the thigh.

**Adductor Magnus Femoris**. The great adductor of the thigh.

**Adductor Minimi Digiti Pedis**. The adductor of the little toe.

**Adductor Pollicis Manus**. The adductor of the thumb.

**Adductor Pollicis Pedis**. The adductor of the great toe.

**Adductor Tertii Digiti Pedis.** The adductor of the third toe.

**Adec'ta.** Sedatives.

**Adel'phia** (from *adelphos*, a brother). A monstrosity.

**Ademo'nia** (from *adepneus*, I am grievously tormented). Restlessness; anxiety of mind.

**A'den** (*Aden*). A gland, a bubble.

**Adenal'gia** (from *aden*, and *algos*, pain). Pains in a gland.

**A'denomphrax'ia** (from *aden*, a gland, and *εμφραξις*, obstruction). Glandular obstruction.

**Aden'form** (from *aden*, a gland, and *forma*, resemblance). Adenoid. Resembling a gland.

**Adenit'is.** Glandular inflammation.

**Ad'endyn'ia.** See **ADONALGIA**.

**Adenog'raphy** (from *aden*, a gland, and *γραφω*, I describe). A description of the glands.

**Ad'enoid** (*aden*, gland). Resembling a gland.

**Adenoid Tissue.** Retiform tissue. See **ANIMAL TISSUE**.

**Adenol'ogy** (*adenologia*; from *aden*, a gland, and *λογος*, a discourse). A treatise on the glands.

**Adeno'ma** (from *aden*, a gland, and *μα*). As adenoid tumor; a glandular growth.

**Adenomala'cia** (from *aden*, a gland, and *μαλαα*, softening). Softening of a gland, or mollescence.

**Adeno-mesenterit'is** (from *aden*, a gland, *μεσος*, midst, and *εντεριον*, intestine). Inflammation of the mesenteric glands. Tubo mesenteritis.

**Adenon'cosis** (from *aden*, a gland, and *οσσω*, to swell). Swelling of a gland.

**Adeno-pharyngit'is** (from *aden*, a gland, and *φαρυγξ*, the pharynx). Inflammation of the tonsils and pharynx.

**Adenophthal'mia** (from *aden*, a gland, and *οφθαλμος*, the eye). Inflammation of the Meibomian glands.

**Adeno-sclero'sis** (from *aden*, a gland, and *σκληρος*, hard). A name given by Swedinger to tumefaction and induration of the glands which do not terminate in scirrhus.

**Ad'omose** (from *aden*, a gland). Having many glands; glandulous.

**Adeno'sus** (from *aden*, a gland). Gland-like.

**Adenot'omy** (*adenotomia*; from *aden*, a gland, and *τομω*, I cut). Dissection of the glands.

**Ad'eps.** Lard; the fat of the hog.

**Adeps Anserinus.** Goose grease.

**Adeps Ovilinus.** Mutton suet.

**Adeps Preparata.** Prepared hog's lard.

**Adeps Sullus.** Hog's lard.

**Adhe'sion** (*adhaesio*; from *adhaere*, to stick to). In *Pathology*, the morbid union of parts naturally contiguous, but not adherent, by adhesive inflammation. In *Surgery*, the reunion of parts which have been separated by accident or design.

**Adhe'sive.** Sticking fast to; sticky.

**Adhesive Inflammation.** Inflammation which terminates by an adhesion of the inflamed and separated surfaces.

**Adhesive Plaster.** A plaster possessed of adhesive qualities, used by surgeons. Common name for the *Emplastrum resinae*.

**Adiaphore'sis** (*adiaphoresis*; from *a*, priv., and *διapores*, to disperse). Defect of cutaneous perspiration.

**Adiaph'orous** (from *a*, priv., and *διapores*, it differs). A volatile and inodorous principle obtained from tartar by distillation. Neutral; applied to medicines which have no effect either for good or ill. Also used to express neutral salts.

**Adip'ic Acid.** A volatile and fusible acid, obtained by treating olein with nitric acid.

**Ad'ipocere** (*adipocera*; from *adeps*, fat, and *ερεω*, wax). A fat-like substance into which the human body is converted by long immersion in water or spirit or by burial in moist earth. Chevreul showed it to be an imperfectly saponified human fat.

**Ad'ipose** (from *adeps*, fat). Fatty.

**Adipose Arteries.** Branches of the diaphragmatic, capsular, and renal arteries, which supply the fat around the kidneys.

**Adipose Membrane** (*membrana adiposa*). The membrane which encloses the adeps or fat.

**Adipose Tissue.** See **ANIMAL TISSUE**.

**Adipo'sis.** Excessive fatness.

**Adip'sia** (from *a*, priv., and *δρεω*, thirst). Absence of thirst, usually symptomatic of cerebral disease.

**Adip'sous.** Allaying thirst. Applied to medicines and fruits so acting.

**Ad'juvant** (from *adjuvo*, to aid). A medicine added to a prescription to assist the operation of the principal ingredient.

**Adna'ta.** In *Botany* this term is applied to parts which are closely united to one another. In *Anatomy*, the *fusio adnata* is that portion of the conjunctiva which covers the sclerotic coat of the eye.

**Adolescence** (from *adolevere*, to grow). Growing; applied to the human race; the period between puberty and the full development of the body.

**Ad Pondus Osmium.** To the weight of the whole. Used in prescriptions to indicate the proportion of some particular ingredient.

**Adul'm'ria.** A mineral; the most perfect variety of feldspar.

**Adulteration.** The admixture of noxious or inert ingredients with that which is pure.

**Adustion** (*adustus*; from *adurere*, to burn). Cauterization; the action of heat applied to the body.

**Adventitious** (*adventitius*; from *advenio*, I come to). Accidental; not inherent. In *Medicine*, acquired diseases.

**Adyn'm'ia** (from *a*, priv., *dynamis*, power). A defect of vital power; debility; asthenia.

**Ædol'a.** The pudenda.

**Ædol'tis** (from *adous*, podocda, and *itis*, inflammation). Inflammation of the pudenda.

**Ædopsoph'ia.** A name given by Sauvages to a fetid air issuing from the vagina or urethra.

**Æg'id'es.** Small white spots on the pupil.

**Ægid'ion.** A collyrium.

**Æg'id'ops** (from *æg*, *opsis*, a gaze, and *ops*, the eye). A sore under the inner angle of the eye, so called because goats were supposed to be subject to it.

**Ægroph'ony** (*Ægrophonia*; from *æg*, *on*, a gaze, and *phony*, voice). A peculiar sound of the voice resembling the bleating of a goat. It is diagnostic of pus in the plural *æc*.

**Æolipile.** A hollow metallic ball with a small pipe, for the conversion of water into steam. Also an alcohol blowpipe.

**Aër** (*Aer*). Air, gas; often used as a prefix denoting the presence of air or gas.

**A'ër Al'cum.** Fixed air, or carbonic acid gas.

**A'ërat'ed.** Impregnated with air. Also liquids impregnated with carbonic acid gas.

**Aë'rial Acid.** Carbonic acid gas.

**Aë'ri'ferous** (*aer*, and *ferre*, to carry). An epithet for tubes which convey air, as the larynx, trachea, etc.

**Aë'ri'flux'us** (*aer* and *fluere*, fluxus, to flow). The discharge of gas and the fetid emanations from the sink. Flatulences.

**Aë'ri'form.** Air-like; a term applied to gaseous fluids.

**Aë'ro'ogy** (*aërologia*; from *aer*, air, and *logos*, a discourse). The doctrine of the nature and properties of air.

**Aërom'eter.** An instrument for ascertaining the weight of air or bulk of gases.

**Ærose** (from *aer*, *aëris*, copper or brass). Of the nature of copper; coppery.

**Æcrotonom'eter.** An instrument for determining the tension of gases in the blood.

**Æru'go.** Ventigris; properly the rust of metal, but especially of copper.

**Æs, Es.** Copper; brass.

**Æs'chos** (*ασχος*). Deformity of the body generally, or of some part.

**Æscavum** (from *aer*). Bess.

**Æsthe'sia** (from *æsthesia*, to feel). Inceptive sensation; feeling.

**Æsthesom'eter** (*Æsthesia*, and *μετρον*, measure). A measurer of sensation.

**Æst'hetical.** Diseases or agents affecting the sensation.

**Æstun'tio.** Ardor; ebullition; fermentation.

**Æs'tus Volat'ileus** (from *aëre*, heat, and *volare*, to fly). Transient heat or flushing of the face.

**Ætas.** Age.

**Æthal.** See *Æthyl*.

**Æther** (from *æthra*, air). A highly volatile and inflammable fluid; oxide of ethyl.

**Æther Acet'icus.** Acetic ether.

**Æther Hoffmanni** (*Ætheris sulphurici compositi*) Hoffmann's anodyne solution.

**Æther Hydrocyan'icus.** Cyanuret of ethyl. Hydrocyanic ether.

**Æther Muriat'icus.** Chloride of ethyl. Muratic ether.

**Æther Nitro'us.** Nitrous ether.

**Æther Rectific'us.** Rectified ether.

**Æther Sulphu'ricus.** Sulphuric ether.

**Æther'ea.** The ethers.

**Æther'eal Oil.** Oleum ætherium.

**Ætheriza'tion.** Mixture with ether.

**Æth'moid.** Ethmoid.

**Æth'ogen** (from *æther*, brilliant, *γενος*, to become). A compound of boron and nitrogen, so called from the brilliant phosphorescent light it gives when heated before a blowpipe.

**Æth'ol Phleboe** (*Æthol phleboe*, angle vein). Temporal vein.

**Ætiol'ogy** (*ætiologia*; from *aitia*, a cause, and *logos*, a discourse). The doctrine of the causes of disease.

**Æn'aïres.** Menses.

**Affect'ion** (*affectio*). In *Medicine*, a disease; in common language, an emotion or modification of the mind.

**Æn'crent** (*æfers*, I bring). Conveying in-

ward. The vessels which convey the lymph or chyle to the lymphatic glands are called afferent; also nerves which convey impressions to the brain.

**Affinity** (*affinitas*). In *Chemistry*, attraction, or that tendency which different substances have to unite and form another body. Chemical attraction.

**Affinity, Compound**. Affinity is called compound when three or more bodies, by their mutual attraction, unite and form one homogeneous body.

**Affinity, Double**. *Double elective attraction*. "When two bodies, each consisting of two elementary parts, come in contact and are decomposed, so that their elements become reciprocally united and produce two new compound bodies, the decomposition is then termed decomposition by double affinity."

**Affinity, Elective**. The preference manifested by one body to combine with another, rather than with a third, a fourth, &c.

**Affinity, Single**. The power by which two elementary bodies combine.

**Afflictus** (from *affligere*, to blow upon). A term applied, in *Pathology*, to a species of erysipelas which attacks persons suddenly.

**Afflux** (from *affluere*, to flow in). The determination of fluids to a part.

**Affluxion**. Accumulation of fluids.

**Affusion** (*affusio*; from *affundere*, to pour upon). The pouring of any liquid upon the body.

**After-birth**. The placenta and membranes of the ovum are so called from their being expelled after the delivery of the fetus.

**After-pains**. The pains succeeding childbirth.

**Agacement des Dents**. Teeth set on edge, moved by contact of acids.

**Agaricus Mineralis**. One of the purest of the native carbonates of lime.

**Agaricus Quercus**. Boletus quercinus. Agaric of the oak; a fungus formerly used for arresting external hemorrhage.

**Age**. In *Human Physiology*, the duration of the life of man; also a certain period of life marked by a difference of state. The ancients divided life into six stages: (1) *Infantia vel pueritia*, reckoned from birth to the fifth year of age. (2) *Adolescentia*, *ætas læta*, youth reckoned to the eighteenth, and youth, properly so called, to the twenty-fifth year. (3) *Juventus*, from the twenty-fifth to the thirty-fifth year. (4) *Virilis ætas*, *ætas firmata*, thirty years; *ætas*

*consensu*, forty years; *ætas matura*, fifty years; manhood, from the thirty-fifth to the fifty-fifth year. (5) *Senectus*, *ætas præcæta*, *ætas senilis*, old age, from fifty to sixty. (6) *Creptis ætas*, *ætas ingratæcæta*, *ætas disceptata*, *ætas effecta*, *ætas senilis*, *ætas extrema*, decrepit age, ending in death.

The most common division of life is into four stages or ages; namely, *infancy*, *youth*, *manhood*, and *old age*. But the division of Hallé seems to be more distinctly marked by changes in the economy than any other. He divides life into:

*Infancy*, extending from birth to the seventh year of age. To this, three subdivisions have been proposed: (1) The period of the commencement of the eruption of the temporary teeth, which is usually about the seventh month from birth. (2) The period of the completion of first dentition, which is ordinarily about two and a half years after birth. (3) When the temporary teeth begin to be replaced by the permanent teeth.

*Adolescence*, from the seventh to the fifteenth year, during which period the whole contour of the face and expression of the countenance is changed by the elongation of the jaws, development of the alveolar borders, and dentition of all the permanent teeth, except the dentes sapientie, or last molars.

*Adulteræscere*, or *adulteræscit*, extending from the fifteenth to the twenty-fifth year of age, during which period the jaws elongate sufficiently to admit the last molars, the eruption of which completes the dentition of the permanent teeth.

*Adult æge*, or *virilium*, a period of life extending in man from the twenty-fifth to the sixtieth year of age, and in women from the twenty-first to the fiftieth. This period is divided, again, into increasing, established, and decreasing virility, during which the teeth undergo no change except that which they experience from disease.

*Old age*, or *senectus*, embracing that period when the powers of the body are declining, ending in death. During this time the alveolar processes often waste away, causing the teeth to loosen and drop out.

**Agone/sa** (*agnosia*; from *agnosco*, to know, to forget.) (1) Impotence; male sterility; inability to beget offspring. (2) Atrophy and imperfect development of the brain.

**Agent** (from *age*, to act). Anything which produces an effect. In *Pathology*, the extrane-

ous causes of disease are termed *morbidic agents*. In *Therapeutics*, anything used in the treatment of disease is termed a *therapeutic agent*. In *Chemistry*, any substance capable of producing chemical action is termed a *chemical agent*, etc.

**Agon'sia** (from *a*, priv., and *gignai*, *give*, to taste). Loss or diminution of taste.

**Agglom'erate** (from *agglomerare*, to wind up, to collect together). Applied to tumours or glands in aggregation.

**Agglutina'tion** (from *agglutinare*, to glue together). The act of being united by means of some tenacious substance. In *Surgery*, the adhesion of divided parts, as the lips of a wound.

**Ag'gregate** (*aggregatus*; from *aggrepe*, to assemble together). Bodies of the same kind, when united together, are called an aggregate. Glands which are in clusters are called *glandular aggregates*.

**Aggrega'tion**. A form of attraction usually termed cohesion, by which particles are aggregated or retained in the state of a solid.

**Agita'tion** (*agitatio*; from *agite*, freq. *uf* ago, to act). Restlessness; constant movement of a patient; inquietude. It often arises from the irritation attending dentition. See DENTITION, MORBID.

**Ag'itum**. A glossy tubercle on the face; also, a white speck on the eye.

**Agio'bulia**. A deficiency of red blood-corpuscles.

**Aglos'sia** (from *a*, priv., and *glossos*, the tongue). Absence of the tongue.

**Ag'ma** (*agma*; *A*; *m*, gen. *ag'matis*). Fracture.

**Agmatolog'ia** (*Agma* and *logos*, a description). The doctrine of fractures.

**Agmina'ted Glands**. Peyer's glands.

**Ag'nail**. Hangnail.

**Agne'thia** (from *a*, priv., and *gnosis*, *know*). A malformation consisting in the want of the jaw, especially of the lower.

**Agno'sia** (*agnosia*; from *a*, priv., and *gignow*, I know). Want of memory; forgetfulness.

**Agomphi'asis** (*agomphosis*; from *a*, priv., and *gnomai*, I nail). Loosening of the teeth, usually caused by disease in the gums and the gradual destruction of the alveoli. See GUMS, DISEASES OF; also, ALVEOLAR PROCESS, DESTRUCTION OF THE.

**Ag'one**. Hebane.

**Agon'ia**. Impotence, sterility.

**Agos'tica** (*Agos*, a combat). Very cold water, given internally to calm febrile heat.

**Agos'os**. Barren.

**Agos'tus** (*Agostus*, from *ago*, I lead). The forearm from the elbow to the fingers. Also, the palm of the hand.

**A'gra** (*Agria*, I seize hold of). A seizure; as odontalgia, a tooth seizure, toothache.

**Ag'ria**. Helly. Also, a malignant pustule.

**Agryp'nia** (from *a*, priv., and *gryno*, sleep). Sleeplessness; watchfulness.

**Agrypnocoma** (from *agrypnos*, sleeplessness, and *coma*, drowsiness). Lethargic watchfulness.

**A'gue**. Trembling; shuddering; intermittent fever.

**Ague and Fever**. Intermittent fever.

**Agus**, Brass-founders'. A series of morbid phenomena, resembling ague, in those who are exposed to the fumes of acid in brass foundries.

**Agus**, Brow. Nonnalgia frontalis.

**Ague-cake**. A hard tumor on the left side below the false ribs, caused by a visceral obstruction, generally of the spleen, which may be felt externally. It is the effect of intermittent fever.

**Ague**, Dead. *Ague*, Doubt. An irregular or unsteady intermittent.

**Ague-drops**. A solution of arseniate of potash in water. Fowler's solution.

**Agu'los** (from *a*, priv., and *gnaw*, *limb*). Mutilated or wanting limbs; weak, feeble.

**Agyr'las** (*Agyr*, a collection). Opacity of the crystalline lens.

**Aiguille** (from *diu*, of *acua*). A needle.

**All**. Disease.

**All'ment**. See **All**. Disease.

**Air** (*Aer*; *Aër*; from *eo*, I breathe). Atmospheric air; an elastic, invisible fluid, surrounding the earth to the height, it is said, of fifteen or sixteen leagues.

**Air-cells of the Lungs**. Bronchial cells.

**Air**, Fixed. Carbonic acid; sulphetic air.

**Air**, Inflammable. Hydrogen.

**Air Injector**, Hickman's. An appliance designed for use with a dental engine. A rubber bulb or bellows is compressed automatically by a simple mechanism, which is connected with and driven by the engine pulley. The air is forced from the bulb through the connecting rubber tube to a fixed nozzle at the hand-piece, whence it is thrown into the cavity of the tooth. The air thus driven out of the bulb leaves a vacuum, which is instantly filled again with air, so that a continuous stream is

kept up. This appliance is intended to keep the cavity clear of bur-dust and cuttings, and also to keep the bur cool while in use.

**Air-passages.** The larynx, trachea, bronchus, etc.

**Air-pump.** A machine by which air in a vessel may be withdrawn.

**Air, Vital.** Oxygen.

**Albathet'ricion** (*albatricion*). The *scarsium commune*.

**Alb'ch.** I'uin.

**Althomo'ma** (*alder*, black). A black condition of all the humors of the eye.

**A'la Auris.** The wing of the ear. This is the upper part of the external ear.

**Ala Nasi.** The cartilage which forms the outer part of the nostril.

**Alaba'ster.** A variety of compact gypsum; it has a white or grayish color. It was at one time much used in dentifrices, but at present it is seldom employed for this purpose. When used upon the teeth, no matter how finely pulverized, it gets between the free edges of the gums and necks of these organs, where its mechanical action is often productive of much injury. There are two kinds of alaba'ster: (1) *Gypsum alaba'ster*, a natural semi-crystalline sulphate of lime, forming a compact gypsum of various colors, employed in making statuary, vases, etc. (2) *Chalky alaba'ster*, a mixed carbonate and sulphate of lime, deposited by the dripping of water in stalactite caves.

**Al'abiform** (*alabiformis*; from *ala*, a wing, and *forma*, a resemblance). Resembling a wing; wing-shaped.

**A'la Majores.** Labia externa of the mandible.

**Ala Minores.** The symphysis.

**Ala Nasi.** Wings of the nose. The lateral or movable cartilaginous parts of the nose.

**Ala Vespertilionis.** Bat wings. The broad ligaments between the uterus and the Fallopian tubes.

**Alum'in.** An alkaloid obtained by acting on aldehyd ammonia with hydrocyanic acid.

**Alar'ea Venæ.** The superficial veins at the bend of the arm.

**Ala'ria Ossa.** The lateral processes of the sphenoid bone.

**Ala'ris** (*alar*; from *ala*, a wing). Winglike; belonging to a wing.

**Albumen'tum.** The white of an egg.

**Albumen.**

**Albe'tion** (*albe'tio*). The act of becoming white.

**Albican'tia Cor'pora** (from *albus*, to become white). See CORPORA ALBICANTIA.

**Alb'mo** (from *albus*, white). A Spanish word applied to the white progeny of negro parents. The skin has a pallid hue; the hair on every part of the body resembles bleached flax; the iris has a pale reddish color, and is so sensitive that it can scarcely bear the light of day. The term is also applied to all persons who have these characteristics.

**Al'b'ita.** Soda feldspar; a silicate of alumina, possessing properties similar to common feldspar, with the substitution of soda for potash.

**Al'bolene.** Obtained from petroleum, with a specific gravity of .865 at 80° F. The liquid form is colorless, tasteless, and odorless. It is soluble in absolute ether, chloroform, oil of turpentine, oleic acid, benzoic, toluol, and carbon bisulphide. It may be used in the form of spray.

**Al'botim.** Turpentine.

**Albugin'ea Oculi.** The white fibrous membrane of the eye, situated immediately under the conjunctiva. The white of the eye.

**Albuginea Testis.** The thick, white membrane which immediately invests the testicle.

**Albugin'eous** (from *albus*, white). A term applied by microscopists to textures and humors which are white.

**Albu'go** (from *albus*, white). A white opacity of the cornea of the eye.

**Albu'men.** A protein compound, the chief constituent of the body, or rather the material from which the tissues are mainly formed. It is found in great abundance in the serum of the blood, and constitutes the white of the egg, whence its name. Heat, coagulate, and the acids (excepting the acetic) coagulate it.

*Freyfalte albumen*, found in most vegetable juices, is identical with, and is probably the source of, animal albumen.

**Albumen Ovi.** The white of an egg.

**Albu'minate of Soda.** When albumen is treated with acids, it loses some of its properties. Heat does not coagulate it, but changes it to a jelly. When the solution is boiled, a film forms on the surface resembling that of casein under similar circumstances.

**Albu'minose.** See PEPTOKIN.

**Albu'minosa.** Of the nature of, or containing, albumen.

**Albuminous Group.** A term of Prout's classification, signifying that class of animal and alimentary substances the composition of



which is analogous to albumen. It includes *albumen fibrin, gluten, leucemia, globulin, casein*, and the substances called *acides of protein*.

**Albuminuria.** A disease in which the urine contains albumen. It is commonly applied to Bright's disease.

**Albumose.** A proteid formed as the first stage of the pancreatic or gastric digestion of other proteids, and by further digestion converted into peptone.

**Albumosuria.** The discharge of albumose in the urine.

**Albur'um.** The soft white substance found between the inner bark and wood of trees; in time it becomes wood.

**Alcalescent.** Becoming alkaline.

**Al'kali.** Alkali.

**Alcum or Alkana.** The name of the root and leaves of the *Lauonia incuba*, a plant employed in the East for dyeing the nails, teeth, and hair, etc. Used in *Mechanical Dyeing* in color wax.

**Al'chemy.** The mysterious art which pretends to transmute the lower metals into gold, and to find a panacea for all diseases.

**Al'cohol.** Pure or highly rectified spirits of wine. It is a powerful, diffusible stimulant, and is used both as a medicinal and pharmaceutical agent. Chemically pure alcohol is styled *absolute alcohol*. See ABSOLUTE ALCOHOL. It is an oxyhydrate of ethyl, and is represented by the formula  $C_2H_5HO$ . The common alcohol of the shops, however, contains a variable quantity of water. When diluted with an equal weight of water, it is termed *proof spirit*, or *Spiritus tendar* of the Pharmacopœia. The first product of the distillation is technically called *low wine*, and is again subjected to distillation. The latter portions of what comes over are called *frints*, and are reserved for a further process in the wash still. The second product is termed *raw spirit*, and when again distilled is called *rectified spirit*. The strongest alcohol is called *absolute alcohol* or *anhydrous alcohol*, to denote its entire freedom from water. Alcohol is employed in *Dental Practice* as a styptic and antiseptic, and the absolute alcohol as an obtundent of sensitive dentine. As a solvent it enters into a number of dental formulae.

**Alcohol, Absolute.** See ALCOHOL.

**Alcohol Ammoniatum.** A combination of alcohol and ammonia.

**Alcohol Amylicum.** See FUMEL OIL.

**Alcohol of Sulphur.** Sulphuret of carbon.

**Al'coholates.** Official medicaments in which alcohol is first impregnated with medicinal principles by maceration, and then by distillation, so that it only retains the volatile portions. Also, compounds of alcohol with salt, called *aleates*.

**Al'coholism.** The alcohol habit, which undermines the constitution and transmits a variety of evils, such as congenital lunacy, epilepsy, and nervous lesions. Physically, it causes only deterioration, disease, impairment of strength, etc., which are reflected in the teeth. It is supposed to thicken or thin the membranes and tissue of the developing tooth by alcoholic saturation, resulting in the rapid loss of the pulpium or the retention of effete matters. The teeth are thus directly injured and the blood rendered impure and poisonous and unfit for the development of normal organs.

**Alcoholometer** (from *alecohol*, and *meter*, a measure). An instrument for ascertaining the quantity of alcohol in any fluid.

**Al'dehyd.** The hydrated peroxide of acetyl, an ethereal fluid. Abridged from *alcohol dehydrogenatus*, alcohol deprived of hydrogen. See FORMALDEHYDE.

**Ale (ale).** A fermented infusion of malt, usually combined with hops.

**Ale'pha** (from *ἀλφω*, to amount). Medicated oil.

**Ale'ma** (from *α*, priv., and *λεω*, hunger). Anything which satisfies hunger. Billed meat. Farina.

**Alem'bic (alutribina).** A vessel made of glass, metal, or earthenware for the reception of volatile products from a retort.

**Alexiphar'mac** (from *ἀντίφω*, to repel, *πονημα*, a poison). An antidote to poison.

**Al'eze or Al'ese** (from *ἀνέω*, to prevent). A cloth folded several times in order to protect the bed from discharges of blood, etc.

**Alge'do** (from *ἀλγω*, pain). Pain in the region of the neck of the bladder and anus, caused by sudden suppression of gonorrhœa.

**Algi'da Fe'bris.** A malignant fever characterized by icy coldness on the surface.

**Al'gor.** Chilliness, rigor.

**Al'ible** (from *εδο*, to nourish). Nutritious.

**Al'ices** (from *αἰς*, to sparkle; or *αἰω*, a kind of grain, from their size). The reddish spots which appear on the skin previous to the eruption of small-pox.

**Alimenta'tion (alimatio; from αἰνω, to estrange). Applied to a wandering of the**

miad; insanity; mental derangement; delirium.

**Aliform** (*aliformis*; from *ala*, a wing, and *forma*, likeness). Pterygoid; wing-like.

**Aliment** (*alimentum*; from *ale*, to nourish). Food. Any substance which, when introduced into the alimentary canal, may, after being subjected to the action of the digestive organs, afford nourishment to the body.

**Alimentary**. Pertaining to food or aliment.

**Alimentary Canal**. A musculo-membranous tube, through which the food passes. It extends from the mouth to the anus.

**Alimentary Duct**. Alimentary canal.

**Alimentation**. The act of nourishing; the assimilation of food.

**Alimenta** (from *ale*, nourishment). The process of assimilation or nutrition; food or nourishment.

**Alkaliescent**. Any substance containing manifest alkaline properties, or in which these properties are becoming developed or predominant.

**Alkali**. A term applied to certain oxides soluble in water, possessing the power of neutralizing acids, so as to form a saline compound, and of changing some vegetable blues to green and some vegetable yellows to brown. There used to be reckoned three kinds of alkalis: (1) The vegetable, or potash; (2) the mineral, or soda; (3) the animal, or ammoniac, also called the volatile alkali. Modern chemistry has added to these, *litmus*. Soda and potash are fixed alkalis, while ammonia is a volatile alkali.

**Alkali Causticum**. Caustic alkali.

**Alkali Fixum**. Fixed alkali. Applied to potash and soda, because they are permanently in a solid state.

**Alkali Vegetabile**. Another term for potash.

**Alkali Volatile**. Another name for ammonia on account of its volatile nature.

**Alkaligenous** (*alkali*, and *gignere*, to generate). Producing alkaline qualities.

**Alkalimeter**. An instrument for determining the purity of the alkalies of commerce.

**Alkaline**. Salateness which contains or partake of the nature of an alkali.

**Alkaline Earths**. Earths which possess alkaline properties, as magnesia, lime, baryta, and strontia.

**Alkalization**. The impregnation of anything with an alkaline salt.

**Alkaloid**. A salifiable base existing as a

proximate principle in some vegetables, and possessing the properties of an alkali in a greater or less degree.

**Alkanet Root**. See *ARCHÆA TINCTORIA*.

**Alker'mes**. A celestated electuary, in which kermes is the basis.

**Alumite**. A mineral of a brownish black color, having associated with it mica and feldspar.

**Allantoic Fluid**. The fluid filling up the space between the allantois and the amnion. In the cow it contains allantoin, albumen, lactose, phosphates, and chlorides.

**Allantoin**. A crystalline substance obtained from the allantoic fluid of the cow. Its formula is  $C_4H_8N_2O_3 + H_2O$ .

**Allantoin** (*uracubra allantoidea*; from *allac*, a sausage, and *alveo*, likeness). A membrane of the fetus, found in most of the mammals, situated between the chorion and amnion.

**Allen's Fusible Silicious Cement**. A composition for uniting single porcelain teeth to a plate and to one another, the use of which was secured by Dr. John Allen by letters patent. Employed in the construction of continuous gum work.

**Allanaceous** (*allanacus*; from *allius*, garlic). Pertaining to garlic; similar to garlic.

**Alligation** (from *aligo*, to bend). An arithmetical formula for ascertaining the proportion of the constituents of a mixture when they have undergone no change of volume by chemical action.

**Allium**. Garlic. A genus of plants of the order Asphodelaceæ. Allium is stimulant, aluretic, expectorant, emmenagogue, diaphoretic, and antihelminthic. Externally it is rubeficient and repellant. Dose, ʒss to ʒj.

**Allomorph** (*allomorphus*; from *allao*, to change). Alteration in the character of a disease or in the constitution.

**Allorhiza** (from *allao*, another). Alternative medicines.

**Allomorph** (from *allao*, another, and *yo*, to know). Perversion of mind; incapability of distinguishing persons.

**Allopathy**. Pertaining to allopathy.

**Allopathist**. One who practices or advocates allopathy.

**Allopathy** (*allopathia*; from *allao*, another, and *pathos*, disease). An empirical designation applied to the practice of medicine in contradistinction to homeopathy, or that system of medical practice which proposes the

cure of disease by establishing in the system a condition opposite to, or different from, the disease to be cured.

**Al'lophane.** The name of a mineral of a blue, and sometimes of a green or brown, color.

**Allo'riodon'tis** (from *allotriopos*, foreign, and *odon*, a tooth). The transplantation of teeth. See **TRANSPLANTATION**.

**Allo'triopha'gia** (from *allotriopos*, strange, and *phagein*, I devour). A desire or morbid longing to eat inedible substances, as chalk, leather, coal, etc.; depraved appetite.

**Allot'ropism.** Allotropy. The property witnessed in elementary bodies, as carbon, sulphur, etc., existing in different modifications.

**Allox'an.** Erythric acid; purpuric acid. Its formula is  $C_6H_4N_4O_{10}$ . It is formed by the action of nitric upon uric acid.

**Allox'anic Acid:** An acid discovered by Wöhler and Liebig in decomposing alloxan with alkalis. Its formula is  $C_6H_4N_4O_{10} + 2H_2O$ .

**Alloxan'tis.** A crystalline substance formed by the decalcification of alloxan. Formula,  $C_6H_4N_4O_{10}$ .

**Alloy'** (from the French word *aloi*, a contraction of *a la loi*). A compound of two or more metals by fusion. Alloys partake of the nature of a solution of one metal in another, and are not true chemical compounds, because they do not unite in true chemical proportions. When one of the constituents of an alloy is mercury, the combination is known as an *amalgam*, the constituents of which, as in all chemical compounds, are united in exact proportions by weight. Amalgams are alloys in the nature of solutions in which one of the metals is mercury. Such properties of metals as malleability, ductility, and tenacity, dependent upon molecular cohesion, are greatly modified by alloying, and these properties are inferior, in a great degree, to that of the pure metals possessing them in a high degree. Gold is impaired to such a degree by a small admixture of lead or tin that its malleability and other properties are destroyed. See **GOLD PLATE**; also **GOLD SOLDER**.

**All'spice.** Jamaica pepper. See **MYRTA FIMBRIA**.

**Al'yl.** Oil of garlic, obtained by distillation of garlic with water, and purified by redistillation. Formula,  $C_6H_6$ .

**Al'mond.** The nut of the *Amygdalus communis*. *Amygdala*.

**Al'monds.** A term applied in popular

language to the exterior glands of the neck and to the tonsils, as the *almonds of the ear*, etc.; the *almonds of the throat*.

**Almonds, Bitter, Oil of.** Volatile oil of almonds. A golden-yellow oil, obtained by distillation with water, or with water and salt, of the cake of bitter almonds from which the oil has been expressed. It is a deadly poison.

**Almonds, Oil of.** Fixed oil of almonds. A bland fixed oil, usually obtained from either sweet or bitter almonds, but chiefly the former, by compression. It has a mild, oily taste. See **Oil of Almonds**.

**Aloe.** A genus of plants of the order Asphodelaceae.

**Alo'es.** The impregnated juice of the several species of aloe. The three principal commercial varieties are *cypræ*, *socotrina*, and the *hepaticæ*, or *Berberidaceæ*. Cathartic, emmenagogue, anti-linithic, and stomachic. Aloes act chiefly on the large intestines, and produce catharsis by increasing the peristaltic or muscular action, and not by increasing the secretions. Dose to act as a stimulant, gr. ij to gr. x; as an emmenagogue, gr. j to gr. ij.

**Aloes, Cape.** The aloe obtained from the *Aloe spicata* and other species, which grow in great abundance in Southern Africa, near the Cape of Good Hope. This variety is used almost exclusively in the United States.

**Aloes, Hepaticæ** (*Berberidaceæ*). The name was originally applied to a product from the East Indies, but from a supposed resemblance between this and the aloe from the West Indies the name is now very generally applied to the latter.

**Aloes, Socotrine.** The aloe produced on the Island of Socotra. The species of aloe which yields this variety is supposed to be the same as that which produces the Cape aloe.

**Aloes, Wood** (*Rhus aloes*). A fragrant resinous substance, constituting the interior of the trunk; the *Aquilaria ovata*.

**Aloes'in.** The peculiar bitter principle of aloe.

**Aloet'ic.** A medicinal preparation containing aloe.

**Aloetic Acid** (*aloetic acid*). The precipitate obtained by heating nitric acid on aloe.

**Alotroph'ia** (from *alotro*, disproportion, and *tropein*, to nourish). Disproportionate nutrition, as of the bones in rickets. Hyper-trophy of a part or organ.

**Aloin.** The bitter principle of aloe after the resin is removed.

**Alope'cia** (from *alopec*, a fox). Falling out of the hair; baldness.

**Al'phoid** (from *alphas*, a skin disease). Like Alphas, as Laps alphas.

**Alterna'tia Nerv'na.** Nervous alterations, such as spirituous liquors and narcotics.

**Alter'a'tion** (*alteratus*: from *alter*, other). In *General Pathology*, a change in the structure of an organ, or in the nature of excreted fluids. In *Dental Pathology*, applied to the changes which occur in the structure of the enamel of the teeth, or the dentinal tissue of these organs, from the action of morbid agents. Also, in changes which take place in the gums.

**Al'terative** (*alterans*: from *altero*, to change). A medicine given for the purpose of restoring the healthy functions of the body by acting on morbid structures and conditions without causing any sensible evacuation; acting in an insensible manner.

**Althae'a.** A genus of plants of the order Malvaceæ. Marshmallow.

**Althion'ic Acid.** An acid obtained from the residue of the preparation of olefiant gas.

**Alum** (*alumen*). A sulphate of ammonia and alumina, crystallized from solution in water. A white, slightly efflorescent salt, which is astringent and styptic, and is employed both externally and internally. Dose, gr. x to gr. xx. In large doses it is emetic. Dried alum is alone used externally. In *Dental Practice* dried alum is employed as a styptic, also in stomatitis, diseases of gums, mercurial oris, ulcers, and fungous granulations. Alum should never form an ingredient of dentifrices, as it causes erosion of the enamel and dentine.

**Alum Curd.** A coagulum made by briskly agitating a drachm of alum with the white of an egg.

**Alum Earth.** A massive mineral of a blackish-brown color.

**Alum Ointment.** Common turpentine, lard, and powdered alum.

**Alum, Potassa.** See POTASSA ALUM.

**Alum Root.** *Heuchera americana*.

**Alum Stone.** A silicious subsulphate of alumina.

**Alum Whey.** A whey made by boiling two drachms of alum in a pint of milk, and then straining.

**Alu'men.** Alum.

**Alumen Catinum.** Potash of cambrerie.

**Alumen Commune.** Common alum.

**Alumen Exalica'tum.** Dried alum; burnt

alum; alum melted until ebullition ceases. Used as an emmenagogue. See ALUM.

**Alumen Fixum.** Potash.

**Alumen Roma'num.** Roman alum. Red alum. The purest variety, containing no ammonia.

**Alumen Rupeum.** Native alum. Rock alum.

**Alu'mina.** (*Aluminium oxide*,  $Al_2O_3$ , the crystalline form of which is the ruby, amethyst, and corundum.) A substance which occurs very abundantly in nature in the state of silicate, as in feldspar and its associated minerals, and in the various modifications of clay thence derived. The earth of pure clay.

**Aluminium Sulphas Fusus.** Alumen exsiccatum.

**Alu'minite.** An opaque, dull-white mineral; the hydrated subsulphate of alumina.

**Aluminium or Aluminolum.** Symbol, Al. Atomic weight, 27. This metal was first obtained by Wöhler, and is a metallic element occurring in various minerals, and forming an essential constituent of clay. It is a whitish, lustrous metal, not readily tarnished, is light, unelastic, and ductile. Its melting-point is  $450^{\circ} C$ , or  $840^{\circ} F$ . It is the metallic base of alumina, and was formerly known to chemists as a gray powder resembling spongy platinum, but it is now produced in large quantities as a perfect metal, having a lustre and whiteness almost equal to silver. When cut into ingots it is soft like silver, and has a density of 2.58, but after hammering or rolling it is almost as hard as wrought iron, and has a density of 2.67. Hansen obtained this metal by electrolysis, as did also Deville, who has prepared it in large ingots from the chloride of aluminium by sodium. It is obtained on a large scale by heating, for some thirty minutes, equal parts of chloride of potassium and cryolite with two parts of sodium and five of cryolite. The chloride of potassium fuses the fluoride of sodium which is formed. When cold, the melted mass is immersed in water, and after twelve hours it is crushed, and the globules of aluminium separated. To obtain a mass, the globules of aluminium are melted with chloride of potassium. The properties of this metal render it peculiarly adapted for use as a base for artificial teeth, but the soldering and casting of it have been attended with much difficulty. Some French artists, however, succeeded in soldering the metal in an atmosphere of pure hydrogen. The late Dr. J. B. Bean, of Baltimore, perfected, with great labor

and original research, a method of casting aluminum plates, but it proved a failure. Swaged aluminum plates are, however, still used successfully in combination with vulcanite, to which material it adheres with great tenacity. Dr. C. C. Carroll has suggested a process for casting alloyed aluminum bases for artificial teeth by pneumatic pressure. The metal, which is an alloy of aluminum, is melted in a plumbago crucible and forced into a mould containing the artificial teeth by air pressure. See Harris' "Prin. and Prac. of Dentistry."

**Alu'sia** (from *alu*, to become lame).  
Illusion; hallucination.

**Alveo'rism** (from *alvea*, a bee-hive). The bottom of the concha or hollow of the ear, terminating in the meatus auditorius externus, or external auditory canal.

**Alveo-labialis**. The buccinator muscle.

**Alveolar** (*alveolaris*; from *alveus*, a cavity). Pertaining to the alveoli, or sockets of the teeth.

**Alveolar Abscess**. A collection of pus in a sac formed in or near the alveolus of a tooth. An abscess having its seat in the apical space, and resulting from apical periodontitis or pericementitis consequent upon the death of the pulp.

**Alveolar abscess** is the result of inflammation of the peridental membrane more frequently in the apical space, and terminating in the formation of pus. The term "traumatic alveolar abscess" designates a form of this disease which occurs on the side of the root of the tooth as the result of injury, while that of "alveolar abscess" is confined to the collection of pus resulting from inflammation consequent upon the death of the pulp, such as apical periodontitis or pericementitis which has terminated in the formation of pus. The gums about the affected tooth become greatly congested and inflamed, and the pain is very severe and may be accompanied with rigor, followed by fever in severe cases of the acute form.

The pus generated is confined in the apical space between bony walls, which results in great tension, causing the rapid absorption of the surrounding bone, which is softer in the neighborhood of the apical space than that of the external lamina, and, as a consequence, is readily destroyed before the pus finds its way to the surface. During the time the pus is penetrating the bone the pain is not only very severe, but assumes a throbbing character,

which indicates the formation of pus, and the gums become greatly congested and frequently much thickened by engorgement with blood. The lymphatics about the angle of the jaw become very painful and swollen. With the escape of the pus through the bone, in which a large cavity is often formed, the intense pain abates but does not cease, and the features become swollen, and in some cases greatly edematous and disfigured.

The eye on the affected side may rise and the jaws become so stiff that the mouth can not be opened to any considerable width. A large tumor of the gum is apparent over the affected root, either on the outside or inside of the alveolar ridge; this will fluctuate, and if not opened will discharge, generally on the gum over the root of the tooth. But this result should be prevented by an incision, for the pus is liable in some cases to collect between the tissues of the gum and the bone, and finally escape at the gingival margin, which complicates the successful treatment of the abscess. After the escape of the pus the inflammatory symptoms subside, the pain within a short time and the swelling within one or two days.

Chronic alveolar abscess is caused by a continuation of the conditions which originally brought about the acute form. Septic matter, generated by the decomposition of organic matter in the root canal and bulb of the dentine, escape through the foramen into the apical space, causing periodontitis and the formation of pus. Chronic alveolar abscess exists in the following forms: Abscess with a fistulous opening in the gum, and which is reached through the root canal and foramen of the root; abscess with a fistulous opening which is not reached through the apical foramen; and an abscess from which the pus makes its way through the apical foramen and root canal, with no external opening through the gum. For the treatment of alveolar abscess see Harris' "Prin. and Prac. of Dentistry."

Abscess is one of the most common affections to which the alveolar cavities are liable. Its effects are always exceedingly pernicious, not only to the alveolus in which it is seated and the gums covering it, but also very often to the general health.

Whenever severe inflammation of the peridental membrane of the tooth is excited, an effusion of coagulable lymph takes place, which, becoming organized, attaches itself to

the root, around its apex, and ultimately a sac is formed. This, as suppuration takes place, distends and presses against the surrounding wall of the alveolus, causing an opening to be formed through the socket and gum for the escape of the matter.

A direct lateral passage, however, is not always effected through the alveolus and gum. The confined matter sometimes makes for itself a passage through the roof of the mouth, the cheek, or lower part of the face; at other times it traverses the jaw for a considerable distance, diverting it of its pericorona, causing necrosis and exfoliation; at other times, again, it is discharged into the maxillary sinus.

The formation of an abscess in the alveolus of a dense sapientia of the lower jaw is sometimes attended with severe inflammation and swelling of the tonsils, so as not infrequently to render deglutition exceedingly difficult. At other times it induces inflammation and rigidity of the muscles of the cheek. The pus of an acute alveolar abscess may separate the periosteum from the bone and form a cavity between the two tissues, often inducing necrosis of the bone, or the pus may follow the periodontal membrane along the side of the root, or it may be discharged at the margin of the gum. The pus may also open on the face or under the jaw, and a disfiguring scar is the result.

The immediate cause of alveolar abscess is inflammation of the periodontal membrane of the tooth, and whatever tends to produce this may be regarded as its exciting cause. It often happens that a filling in a tooth in which the pulp has been destroyed gives rise to the formation of abscess by preventing the escape of the matter forming at the apex of its root. Its progress being thus prevented, it accumulates and becomes a source of irritation to the periodontal membrane in its immediate vicinity, which, in consequence, thickens, forms a tubercle, and ultimately suppurates. The roots of teeth, too, on which artificial crowns are placed, for the same reason often give rise to abscess. Chronic alveolar abscess generally follows the acute form if the latter is not checked, and is due to the irritation caused by a dead pulp remaining in the pulp chamber of the affected tooth. In other words, the cause which induced the acute form remains to keep up the chronic form, such as the discharge of septic matter from the pulp chamber into the apical space, and

it is generally recognized by the presence of a fistulous opening over the root or in its neighborhood.

Chronic alveolar abscess may also result directly from chronic periodontitis, without acute inflammation being present at any stage of its progress. When the pus of an acute alveolar abscess is discharged, the parts appear to resume their natural appearance, except that a fistulous opening remains, and in some rare cases this may close and a spontaneous cure result. As a general rule, however, the fistulous opening continues, a flow of pus is maintained which is gradually reduced in quantity, and the orifice may close over and open again every few days. In some cases it closes permanently, but a mass of tissue, intermingled with more or less pus, remains in the enlarged apical space. This latter form is known as *blind abscess*, and a tooth thus affected is liable to periodical attacks of soreness with symptoms of chronic periodontitis. Cases of alveolar abscess also occur which assume a septic condition, the pus becoming sanguis or thin and watery, followed by considerable destruction of tissue, with several openings for the discharge of pus.

In cases of chronic alveolar abscess, the pulp is not only dead, but the tooth is discolored by the absorption of coloring matter from the decomposing pulp or the subsequent formation of the dark sulphurets.

In acute forms of alveolar abscess the pus should be evacuated as early as possible. Constitutional treatment is often requisite in connection with the local treatment, such as an active saline cathartic, followed by a stimulant tonic. All fomentations or poultices applied to the face or jaw should be strictly condemned, as they favor the escape of the pus on the surface of the face or jaw. The root canals of the tooth should be thoroughly disinfected and antiseptic treatment resorted to, especially in the chronic form of alveolar abscess, and all irritants, such as calomel, removed from the roots. See Harris' "Priz. and Prac. of Dentistry."

**Alveolar Arches.** The margins of the two jaws in which the teeth are implanted. They are more or less elliptical in their shape, the lower more so than the upper. The number of cavities which they contain corresponds with the number and shape of the roots of the teeth. They consist of two bony plates,

an external and an internal, with transverse septa, which form the alveoli.

At first, the growth of the alveolar arches keeps pace with, and for a time outstrips, that of the teeth, enclosing them in cells, by which admirable provision of nature a firm support is given to the gums previous to the eruption of the teeth.

The structure of the outer and inner plates of these arches is compact, while interiorly it is cellular. Each alveolus is pierced at the bottom with one or more minute foramina for the transmission of the vessels and nerves which go to the living membrane of the tooth. See DENTAL ARCHES.

**Alveolar Artery.** This artery arises from the internal maxillary, and winds around the maxillary tuberosity from behind forward, sending off twigs through the posterior dental canals which supply the molar teeth and go to the maxillary sinus, while the main branch passes forward, furnishing the gums and alveolo-dental periosteum.

**Alveolar Border** (*Nimbus alveolaris*). The parts of the jaws in which the alveolar cavities are situated.

**Alveolar Exostosis.** See EXOSTOSIS OF THE ALVEOLI.

**Alveolar Necrosis.** See NECROSIS OF THE ALVEOLI.

**Alveolar Processes.** The alveoli, or sockets of the teeth. The alveolar processes are first formed as crypts with overhanging edges enclosing the deciduous teeth; then they are removed in great part to allow of the eruption of the deciduous teeth, after which they are reconstructed about the necks to form the sockets of the deciduous teeth; after the loss of the deciduous teeth the alveoli are again removed, the crypts of the permanent teeth are widely opened, and the permanent teeth make their way through the orifices, when the bone is re-formed so as to closely embrace their necks. This occurs at a period when but a small portion of the root has been completed.

**Alveolar Processes, Destruction of the.** A gradual wasting of the alveoli, causing the teeth to loosen and sometimes to drop out. It is an affection of frequent occurrence, and in the majority of cases results from a diseased condition of the gums. See HARRIS' "Prin. and Pract. of Dentistry."

**Alveolar Pyorrhea.** A morbid action which is characterized, according to Prof. C. N. Palmer, as a molecular necrosis of the reten-

tive structures of the teeth (their ligament, the perioementum), an atrophy of the alveolar walls, together with a chronic hyperemia of the gum-tissue which leads to limited hypertrophy. After a variable period the teeth drop out, and the morbid action ceases with their loss. The disease is generally, though not always, attended by a flow of pus from the alveoli. The treatment consists in first removing every source of irritation; rest; the use of pyrosone, three per cent.; the chloride of zinc, twenty per cent.; solution of iodine of zinc, twenty per cent., or equal parts of tincture of iodine and alcohol; trichloroacetic acid has also given much satisfaction, followed by hydronaphthol, 30; alcohol, 50.

**Alveolar Structure.** A name given by Hewson to the minute superficial cavities observed in the mucous membrane of the stomach, oesophagus, and small intestines.

**Alveolar Vein.** The distribution of this is similar to that of the artery.

**Alveoli.** The cavities in which the roots of the teeth are implanted.

**Alveolitis.** Inflammation of the (*odontobolitis*). The immediate cause of this affection is inflammation of the alveolo-dental periosteum, and when continued for a considerable length of time, and especially in bad habits of body, it is apt to terminate in necrosis.

**Alveoliform (alveolar).** Furned like alveoli.

**Alveolo-dental Periosteum** (*peridental membrane; pericementum*). The membrane which lines the alveoli and invests the roots of the teeth. See PERIDENTAL MEMBRANE.

**Alveolus** (*odontobolium*) (a diminutive of *alveus*, a cavity). The bony socket of a tooth.

**Alveus.** A cavity.

**Alveus Ampullarum.** The enlarged part of the thoracic duct.

**Alveus Communis.** The common duct of the ampullae of the semi-circular canals of the internal ear.

**Alvifluxus** (from *alveus*, the belly, and *fluxus*, to flow). A diarrhoea.

**Alvine** (from *alveus*, the belly). Relating to the belly or bowels.

**Alvine Concretion** (*enterolithes*). A calculus in the stomach or bowels.

**Alvina.** The abdomen, stomach, and intestines; the belly.

**Alvus Astricta.** Constipation; costiveness.

**Alvus Coarcta.** Costiveness.

**Alvus Rannu.** The pelvis of the kidney.

**Alys'mus** (from *alysos*, a wandering). Anxiety; restlessness arising from disease.

**Am'adou.** Literally, touchwood, a kind of fungus. A substance used in graduated compresses; also to support varicose veins and protect abraded surfaces.

**Amalgam** (*amalgama*: from *ama*, together, and *lamis*, to marry; or *apa* and *palatra*, to soften). A combination of mercury with some other metal or metals. Amalgams, therefore, are alloys in which one of the metals is mercury. One form of amalgam is composed of pure silver, five ounces; pure tin, four ounces. Some preparations contain gold filings in combination with the silver and tin, others contain platinum, and some, gold and platinum and copper. Perhaps the majority of amalgams consist of silver and tin. If the silver is not in excess there should be requisite quantities of gold and platinum or copper and zinc. Where tin is the chief constituent, discoloration is lessened, and Dr. Flegg regards tin as the second in importance as a constituent of amalgams, but an alloy that contains more than forty-five per cent. of tin is slow in setting and wanting in edge-strength; gold and copper in such an amalgam impart hardness, hasten the setting, and control the shrinkage. Copper, as a constituent of amalgams, gives a white alloy if gold, tin, and silver are in the proper proportions. Copper is regarded as giving an alloy tough or therapeutic properties, diminishes shrinkage, hastens the setting, is congenial to tooth structure, and favors the tolerance of a metallic filling near to the tooth pulp, and is, therefore, regarded by many as a valuable constituent of amalgams. The importance of gold in amalgams is a disputed question with many. According to Dr. Bonwill, a mixture of seven per cent. of gold with the mercury used in an amalgam gives smoothness, renders the mass more plastic, reduces oxidation, and hastens the setting. Mr. C. B. Tones contends that gold prevents the shrinkage, but it does not make a white amalgam, although it retards corrosion and discoloration and imparts edge-strength. Zinc is regarded by many as having a marked influence on an amalgam in maintaining a good color, controlling shrinkage, and counteracting the effects of silver and tin in causing softness and discoloration. An amalgam containing silver in excess should also contain gold and zinc. Zinc with silver and copper and platinum gives hardness, and

controls change of shape or shrinkage. Tin and gold give to an amalgam easy-setting and quick-setting properties. The merits of platinum in an amalgam are also disputed. Dr. Flegg regards platinum as being detrimental to an amalgam, while others claim that this metal gives hardness and controls shrinkage when combined with silver, copper, and zinc.

Amalgams containing gold and platinum require more mercury than those composed of tin and silver. Dr. Bonwill employs bibulous paper to absorb the mercury as it is forced to the surface in packing amalgam into a cavity; others use tin foil, spunk, cotton, or linen for the same purpose. It is also claimed that a cavity for amalgam should be ball-shaped, that it may conform to the spheroidal tendency of the material as controlled by the mercury. Amalgam is also employed for filling the roots of teeth as well as crown cavities, and for such a purpose has its advocates and opponents.

The following directions are given for preparing amalgam: Put into a small Wedgwood or glass mortar a small quantity of mercury and so much of the filings as may be required for the time being, and with the jeweler's roll the contents into a stiff paste; add a drachm of alcohol, and continue the rubbing until the liquid becomes quite dark; then pour it off, after which it is again washed in diluted sulphuric acid, and when freed from the acid by again washing it in alcohol, it is dried by removing the amalgam to a dry cloth, with which the moisture is completely absorbed. Press out the superabundant mercury by means of chamois skin or flat piers, and it is ready for use. In one form of the preparation of amalgam a solution of the bicarbonate of soda is used for washing it, instead of alcohol. Some, however, omit the washing as unimportant, if not injurious. Recent researches seem to show that the ideas formerly prevalent of the injurious effects of amalgam on the health were mainly unfounded. The composition of these alloys has, of late, been much improved, and their value as a material for fillings greatly increased. The teeth best adapted for amalgam fillings are those belonging to Class First. See COPPER AMALGAM. See Harris' "Prin. and Pract. of Dentistry." **Amalgam Carrier and Plugger.** An instrument designed for carrying and introducing amalgam into the cavity of a tooth. **Amalgam Manipulator.** An instrument used by dentists for preparing amalgam fillings.



**Amalgam.** To convert into an amalgam; to combine or coat with mercury.

**Amalgamation.** In *Metallurgy*, the process of combining mercury with some other metal, as practiced in separating silver and gold from some other ores.

**Amara Medicamentosa.** Bitters; tonics.

**Amaris.** The bitter principle of vegetables.

**Amarus.** Bitter. The principal bitters used for medicinal purposes are gentian, quassia, calumba, cinchona, etc.

**Amaze'sis** (*amaeosis*; from *a*, priv., and *maeo*, mastication). Impaired or imperfect mastication.

**Amauro'sis** (from *amureos*, to darken or obscure). Gutta serena. Partial or total loss of sight, without any apparent alteration in the eye, arising from paralysis of the optic nerve, and generally characterized by dilatation of the pupil, immobility of the iris, and want of natural expansion. Dental irritation may prove an exciting cause of this affection of the eye.

**Amaurotic.** Affected with amaurosis.

**Amaurotic Cat's Eye** (*amblyopia senilis*). An amaurotic affection, occurring chiefly in very old persons, and accompanied by remarkable paleness of the iris.

**Amber** (*succinum*). A hard, brittle, tasteless, bituminous substance, sometimes transparent, but often semi-transparent or opaque. Various colors are met with, but yellow or orange is most frequent. See RESINACEOUS ACID.

**Ambergis** (*ambrosiacum*). A concrete substance, exhaling a pleasant aromatic odor, found in irregular masses floating on the sea, near the Molucca Islands, Madagascar, Sumatra, on the coast of Orumandel, Brazil, America, China, and Japan. It is thought by some to be produced in the intestines of the whale.

**Ambidexter** (from *ambo*; both, and *dexter*, right). One who uses both hands with equal facility.

**Ambio'sis.** Miscarriage; abortion.

**Amblyop'ia** (from *amblyo*, dull, and *ops*, touch). Loss of the sense of touch or general feeling.

**Amblygonite.** A phosphate of alumina and lithia, a rare mineral.

**Amblyopia** (from *amblyo*, dull, and *ops*, the eye). Dimness of sight; partial amaurosis. Dental irritation may prove an exciting cause of this affection of the eye.

**Amblyopia Proximum.** Short-sightedness.

**Amblyopia Proximum.** Long-sightedness.

**Am'bon.** The margins of the sockets in which large bones are lodged.

**Am'breas** (*ambret*). A salt formed from ambretic acid with a solidifiable base.

**Am'breine** (*ambretine*). The fatty substance which forms the greater part of ambretic acid; it is somewhat analogous to cholesteroline.

**Am'balance** (from *ambalare*, to move about). A light wagon, furnished with everything necessary for attending upon the wounded on the field of battle; also used for conveying wounded soldiers.

**Ambus'tion** (*ambustio*; from *ambure*, to burn). A burn or scald.

**Amel'ification.** The formation of the enamel of the teeth by means of the enamel cells—ameloblasts.

**Am'elin.** A new base, precipitated in the alkaline solution, from which nuclein has been deposited on being super-saturated with acetic acid.

**Amelin'ic Acid.** An acid generated by the action of chlorine upon caffeine.

**Amel'oblasts.** The cells forming the enamel of the teeth. They are columnar in form, with the nucleus of each situated at its outer end.

**Amenoma'nia** (*amenus*, pleasant). A gay or cheerful form of mania.

**Amenorrhoe'a** (from *a*, priv., *men*, month, and *rho*, to flow). A partially or totally obstructed menstruation.

**Amen'tia** (from *a*, priv., and *mens*, the mind). Imbecility of the mind.

**American Hellebore.** *Veratrum album*.  
**American Ipsecacuanha.** *Euphorbia ipsecacuanha* and *Gillenia trifoliata*.

**American Spikeweed.** *Aralia nudicaulis*.

**Am'ethyst** (from *a*, priv., and *ethyste*, to be intoxicated). Purple rock crystal, a variety of quartz.

**Am'e'tria.** Intemperance.

**Amian'thus** (from *a*, priv., and *muere*, to pollute). Mountain flax; asbestos, an incombustible mineral consisting of fine, silky fibres.

**Am'id'ee.** Saline compounds rustaling a base composed of one atom of nitrogen and two of hydrogen.

**Am'id'in.** The soluble part of starch, obtained by solution of the latter in hot water.

**Amid'ogen.** A compound of nitrogen and hydrogen,  $NH_3$ , existing in combination with a few metals and organic substances. Kane regards it as the basis of all the ammoniacal com-

pounds. According to him, ammonia is an amide (AdH) and ammonium a subamide (AdH<sub>2</sub>) of hydrogen. Its symbol is Ad.

**Am'line** (*empire*). A liquid hydrocarbon, obtained by distilling hydrated oxide of amy with anhydrous phosphoric acid.

**Amnia**. A base derived from ammonia by the substitution of a basic radicle for hydrogen.

**Ammonia** (*ammonium*). Formula NH<sub>3</sub>; often called ammonia gas. A transparent, colorless, elastic, alkaline gas, of a penetrating odor and acrid taste, obtained by the destructive distillation of animal matters. It is composed of three parts hydrogen and one nitrogen, and is supposed to contain a metallic base, *ammonium*. By L'Avoyrie it was called *alkaline air*. It is called the volatile alkali to distinguish it from the fixed alkalies—soda and potash. Its present name is derived from *ad ammoniac*, of which it constitutes a base. In *Practical Medicine*, ammonia and ammonium carbonate are used as stimulants in the ureters of anesthetic agents. The chloride of ammonium is employed in facial neuralgia, and the acetate of ammonium in periodontitis as a diaphoretic and refrigerant, when it is often combined with acetic or opium.

**Ammoni'ac**. Murate of ammonia.

**Ammoni'acal Al'm**. A double salt, consisting of sulphate of ammonia and alumina.

**Ammoni'aco**. A term prefixed to acids in which ammonia has been added in sufficient quantity to combine with both the acid and the base.

**Ammoni'acum**. Gum ammoniac. The inspissated juice of the *Dorema ammoniacum*, an umbelliferous plant which grows in Persia. It is brought to this country in small white globose, clustered together, or in lumps of a brownish color. Dose, gr. x to gr. xxx.

**Ammoni'ac Acetatis Liquor** (*syn. ammoniac acetate*). A solution of acetate of ammonia.

**Ammonia Carbonas**. Polycarbonate of ammonia. It is stimulant, antacid, diaphoretic, and antispasmodic. Dose, gr. v to gr. xv.

**Ammonia Liquor**. Liquor of ammonia. Spirits of hartshorn. A concentrated solution of ammonia.

**Ammonia Murias**. Murate of ammonia. It is aperient and diuretic, but seldom used internally. Externally it is employed—producing cold during its solution—in inflammations, etc.

**Ammonia Nitras**. Nitrate of ammonia. Composed of nitric acid and ammonia. It

is diuretic and deobstruent. Externally it is discutient and sialagogue. Nitrous oxide gas is generated by decomposing this salt by means of heat. See NITRUS AMMONIAC.

**Ammonia Phosphas**. Phosphate of ammonia; excitant, diaphoretic, and discutient. It is recommended in gout and rheumatism, as a solvent for uric acid calculus, and for diseases of the lithic acid diathesis.

**Ammonia Subcarbonas**. Subcarbonate of ammonia. See CARBONATE OF AMMONIA.

**Ammonia Subcarbonatis Liquor**. A solution of subcarbonate of ammonia.

**Ammonia Sulphas**. Sulphate of ammonia. Formed by adding sulphuric acid to sal ammoniac or to ammoniac liquor. Its properties are similar to those of murate of ammonia.

**Ammonia Tartas**. A salt composed of tartaric acid and ammonia.

**Ammonia Valeriana**. Valerianate of ammonia. Used in nervous affections, like valerian, etc. See VALERIANATE OF AMMONIA.

**Ammonium**. A name given to a hypothetical compound of hydrogen and nitrogen, NH<sub>4</sub>, the supposed metallic base of *ammonia*.

**Ammoni'uret**. A compound of ammonia and a metallic oxide.

**Amne'sia** (from *a*, priv., and *mnem*, memory). Loss of memory; forgetfulness.

**Am'ni Liquor**. The fluid contained in the amnion. See AMNION, LIQUOR OF.

**Am'nion** (*amnios*). The innermost membrane which surrounds the fetus *in utero*. In *Placenta*, the innermost membrane which surrounds the cord.

**Am'nios, Liquor of** (*Liquor amni*). The fluid exhaled by the amnion, and which envelops the fetus during the whole period of utero-gestation. The false liquor amni is the fluid contained between the amnion and chorion in the early periods of fetal existence.

**Am'niotate**. Amniotic acid combined with a base.

**Amniot'ic Acid**. Same as allantole.

**Amoeba**. A genus of microscopic organisms belonging to the Protozoa. An amoeba consists of a single nucleated cell composed of granular protoplasm, which continues changing its shape by sending off irregular processes from various parts of its circumference.

**Amoeboid Cells**. Cells, such as the white blood corpuscles, which move from place to place by a change of shape, and envelop particles of foreign matter.

**Amoeboid Movements**. The movements

of the motile, nucleated masses of protoplasm known as amoebæ.

**Amomum Cardamomum** (*cardamomum* *sinense*). Lesser cardamomum, an East India plant, the seeds of which, when chewed, impart to the mouth a grateful aromatic warmth.

**Amomum Granum Paradisi** (*cardamomum majus*). The plant which affords the grains of paradise, or the greater cardamomum seeds.

**Amomum Zingiber**. The plant which affords ginger.

**Amorpha**. The name of a genus of plants of the order Decandria, of which only one species is known. The bruised root of this is said to possess anti-odontalgic virtues.

**Amorphous**. Of an irregular shape; without a determinate form.

**Amorphous Quinine**. The substance Quinidine; so named because its salts can not be crystallized.

**Ampel'ic Acid**. An acid obtained from milk of bituminous schist.

**Ampère**. The electrical strength or force of a current measured by ampère.

**Ampère**. The electro-motive force of one volt produced in a circuit with one ohm of resistance; equal to  $\frac{1}{10}$  centimetre-gramme-second. It is sufficient to deposit 3 grains of copper on the plate of a copper voltameter. The unit of strength.

**Ampère Hour**. A unit of electric quantity equal to one ampère flowing for one hour.

**Amphiarthrosis** (from *amphi*, both, and *arthrosis*, left-handed). Awkward with the hands; opposed to ambidexter.

**Amphiarthro'sis** (from *amphi*, both, and *arthrosis*, an articulation). A mixed articulation in which the articular surfaces of bones are united by an intermediate substance which admits of but little motion, as the vertebrae by the intervertebral cartilages.

**Amphibious**. Capable of living in two elements—air and water; as the crocodile, henner, frog, etc.

**Amphiblastro'des** (from *amphi*, both, and *blastro*, a resemblance). Reticular; like a net.

**Amphiarthro'sis** (from *amphi*, both, and *arthrosis*, a movable articulation). The temporomaxillary articulation is so designated by Winslow, because it partakes both of ginglymus and arthro'dia.

**Ampulla**. A term applied in Chemistry to a large-bellied bottle; in Anatomy to the dilated part of the membranaceous semi-circular canal in the ear; and in Pathology to a water-bladder

on the skin; hence, pemphigus is sometimes called *Fibris ampullacea*.

**Ampullæcosis**. See ALVEUS AMPULLACEUS.

**Ampullula** (dim. of *ampulla*, a bottle). A term sometimes applied in Anatomy to a sac slightly enlarged in the centre.

**Ampu'tation** (*amputatio*; from *amputare*, to cut off). The removal of a limb, or any projecting part of the body, by means of a cutting instrument.

**Amputation, Circular**. Where the integuments and muscles are divided circularly.

**Amputation, Flap**. When one or two flaps are left so as to cover the stump when the limb has been removed.

**Amputation, Joint** (*arthrothomia*). When the limb is removed at an articulation.

**Amputation of Roots of Teeth**. The cutting away of one of the roots of a tooth, such as a molar, which has lost its socket from any cause—alveolar abscess, for example, or phagedenic periodontitis. The amputation is performed by means of a fissure-burr operated by the dental engine, or a common drill, by which a number of holes are drilled close together through the root and the interspaces cut out with the fissure-burr. The root should be cut off close to the bifurcation and the entire surface inside very smooth.

**Amputation of the Apex of a Root**. An operation performed in cases where a neglected alveolar abscess has produced a pus cavity which involves the alveolus to such a degree as to destroy a considerable portion of the periodontal membrane of the end of the root, the cementum losing its vitality and the affected portion of the root becoming the seat of septic matter and proving a constant source of irritation. The affected portion of the root is exposed by means of an opening made through the soft tissues with a lancet or trephine, and gradually enlarged with a tent of cotton or lint, when the necrotic end of the root is removed by a fissure-drill and the end smoothed.

**Amygdala** (from *amga*, to strain milk, from the resemblance of the blanched almond to curd, or milk strained and separated from its serum). The almond, of which there are two kinds—the *amygdala emara* and *amygdala dulcis*. The tonalis are also called amygdala.

**Amygdala Amara**. The bitter almond.

**Amygdala Dulcis**. The sweet almond. See OIL OF ALMOND.

**Amyg'dale Oleum.** Oil of almonds, which see.

**Amyg'dale.** The tonsil.

**Amyg'daline.** The bitter principle of almonds.

**Amyg'dalitis** (*amygdalitis*, the tonsils). Inflammation of the tonsils.

**Amyg'daloid** (*amygdaloid*, an almond, and *-oid*, form). Having the form of an almond; as the amygdaloid glands.

**Amyg'dalus.** The common almond tree.

**Am'yl.** The alcohol radical of a class of bodies resembling the ethyl series. It is, as now obtained, a colorless, transparent fluid, of slightly etheric odor and varying taste. It is found as an oxyhydrate in fuel oil from potato whiskey. Its formula is  $C_5H_{11}$ .

**Amyl Hydrate** (*amyle alcohol*). Fuel oil. Potato starch alcohol. Composition,  $C_5H_{11}O$ . Obtained by the continued distillation of fermented grain. A valuable hypnotic. Employed in mental disorders. Dose,  $\mathfrak{m}$ , 15-75.

**Amyl Nitrite** (*nitrite of amyl*). Formula,  $C_5H_{11}NO_2$ . A clear, yellowish liquid, etheric, aromatic, volatile. It belongs to the class of compound ethers, and powerfully paralyzes the action of the smaller arteries and relaxes the inhibition of the heart. Employed as a remedy for spasmodic affections of the respiratory tract, and in threatened chloroform narcosis, in which it antagonizes cerebral anæmia by causing capillary dilatation and thus favoring the influx of blood to the brain. Also used in angina pectoris and in tetanus.

**Amyla'ceous.** Having the properties of starch.

**Amy'lene.** Formula,  $C_5H_{10}$ . A compound of equal parts of carbon and hydrogen. Obtained by distilling fuel oil with chloride of zinc. It is a transparent, liquid hydrocarbon, causing anæsthesia, but is dangerous to use. See ANÆSTHETICS.

**Amylene Hydrate.** A tertiary alcohol, causing hypnotic effects. Dose,  $\mathfrak{m}$ , xxx- $\mathfrak{zj}$ .

**Am'yloid** (from *amylum*, starch, and *-oid*, form). Starch-like. Amyloid bodies are pathological products found in the membranes of the brain. They resemble starch grains.

**A'mylum.** Starch.  $C_6H_{10}O_5$ .

**Amylam Maranta.** Arrow-root.

**Am'yoa.** Weak in muscle.

**Amyo'sis.** Imperfecta iris.

**Am'yous** (*Mvcs*, muscle). Without muscle, fleshless. Weak; deficient in muscular strength.

**Amyr'idæ'ceæ.** An order of dicotyledonous plants, abounding in fragrant resin.

**Amyx'is** (from  $\alpha$ , priv., and *myx*, a mucus). Deficiency of mucus.

**A'mæ.** A word, in *Medical Prescriptions*, signifying, of each. Its abbreviations,  $\bar{\epsilon}$  and  $\bar{\alpha}$ , are more frequently employed. It is also used as a prefix, denoting through, above, upward, etc.

**Anab'asis** (from *ana*, from, I ascend). Angmentation or paroxysm of disease.

**Anabex'is** (from *ana*, from, to cough up). Expectoration.

**Anabep'als** (from *ana*, again, and *βρω*, to see). Recovery of sight.

**Anab'ole** (from *ana*, up, and *βωλλω*, I cast). Vomiting; expectoration.

**Anabroche'als** (from *ana*, again, and *βρωχω*, to absorb). Reinscription of matter.

**Anacathar'als** (from *ana*, upward, and *καθω*, to purge). Ingestion upward; expectoration.

**Anacathar'ticus.** Expectorant or emetic.

**Anachremp'als.** Expectation.

**Anacla'als** (from *ανακλω*, to bend back). Recurvature of any part.

**Anacro'tic.** Of a pulse marked by anærotism or the presence of two or more distinct expansions of the artery in the same beat, the lower expansion occurring before the principal one. If there is one minor expansion the pulse is *æmulerotic*; if two, *æmiferetic*.

**Anacte'als** (from *ανακταω*, to recover). Recovery of strength; recovery from sickness.

**Anadiplo'als** (from *ana*, again, and *διπλω*, I double). A redoubling or frequent return of paroxysms or disease.

**Anad'orm.** Eximiation.

**Anæ'mia** (from  $\alpha$ , priv., and *aim*, blood). Without blood; deficiency of blood, arising either from repeated hemorrhage or disease, characterized by paleness of the face, lips, and general surface of the body, by quick, feeble pulse, impaired appetite, etc. Spontaneous anæmia denotes a deficiency of the red corpuscles occurring without any direct loss of blood. Essential or pernicious anæmia denotes a marked reduction in the number of red blood corpuscles. Chlorosis, a form of anæmia common to females, is due to a deficiency in the formation of the red blood corpuscles. Local anæmia is due to diminution of blood in a part.

**Anæmot'rophy** (*anæmotrophia*; from  $\alpha$ , priv., *aim*, blood, and *τροφή*, nourishment). Deficiency of sanguineous nourishment.

**Anæsthesia** (from *anæ*, priv., and *anæsthesia*, I feel). Want of feeling; loss of the sense of touch; insensibility.

**Anæsthesiometer.** An instrument for measuring the amount of an anæsthetic administered.

**Anæsthetic.** Pertaining to want of feeling; as, *anæsthetic agents*—those which prevent feeling. They are divided into general and local anæsthetics; general anæsthetics being capable of producing complete insensibility throughout the entire system; local anæsthetics possessing the power of paralyzing a certain part only.

**Anæsthetic Agents.** The agents employed to prevent pain during surgical operations and parturition. The inhalation of the vapor of ether, chloroform, or of nitrous oxide gas will have this effect. The practicability of producing it by the inhalation of a gaseous substance originated with Dr. H. Wells, a dentist of Hartford, Conn.; but the credit of fully demonstrating that the inhalation of the vapor of sulphuric ether will anæsthetize has been very generally awarded to Dr. W. T. G. Morton, a dentist of Boston, though the idea of employing this particular agent in this way is said to have been suggested to him by Dr. C. T. Jackson, an eminent chemist of that city. More recently Professor Simpson, of Edinburgh, discovered that the vapor of chloroform would produce the same effect, and more promptly than that of ether. A recently published article by Dr. J. Marion Sims presents a strong array of evidence to prove the claims of Dr. Crawford W. Long, of Georgia, as the discoverer of the anæsthetic properties of ether. A mixture of chloroform and ether, known as *chloric ether*, is also used to produce anæsthesia. Its advocates claim for it the prompt action of chloroform and the safety of ether. Another mixture for inhalation, known as *strong chloric ether*, or as *alcoholic solution of chloroform*, has been recommended by Dr. Warren. Other agents have also been used, such as chlorohydric and nitric ethers, bisulphuret of carbon, chloride of olefant gas, amylene, lamine, aldehyd, light coal-tar naphtha, etc.

The following are the agents most commonly used: *Chloral Hydrate*, indirect and incomplete in its action; *Carbon Tetrachloride*, more dangerous than chloroform, but not so irritating; *Chloroform*, largely employed—death results from cardiac paralysis; *Chewine*, employed as a local anæsthetic on mucous tissues,

eye, and throat; *Ether*, largely employed, and considered to be safer than chloroform; *Ethylene Chloride*, closely resembles chloroform, but less of a cardiac depressant; *Ethylene Dichloride*, chlorids ether—rapid and powerful, paralyzing respiratory centres; *Nitrous Oxide*, used principally for the extraction of teeth, its effects resembling those of asphyxia; *Methylene Dichloride*, not much employed, as death from cardiac paralysis has followed its use. *Anæsthetic Mixtures*—*Numbum's*: ether 3, chloroform 1, alcohol 1; *Tivona Mixture*: ether 3, chloroform 1; *Tivona (Un. Hospital)*: ether 9, chloroform 30, alcohol 9; *Medical (Surgical Soc. of London)*: ether 3, chloroform 2, alcohol 1. See STRICK, CHLOROFORM, NITROUS OXIDE (GAS, etc.), etc.

Much judgment and care are required in the employment of these agents, as loss of life has resulted from their use in a number of instances. In general surgery and during parturition they may often be used, in doubt with great advantage, but they should seldom be resorted to in so simple an operation as the extraction of a tooth. See KLIMACITATION.

A variety of instruments have been invented from which to inhale the vapor of these agents, but the usual method of administration consists in pouring three or four teaspoonfuls of ether, or from fifty to one hundred and twenty drops of chloroform, into the interior of a hollow sponge, or on a pocket handkerchief or napkin, and holding it to the mouth and nose. In this way the vapor may be freely inhaled, and the desired effect will generally be produced in from seven to ten minutes with the former, and in from thirty seconds to two minutes with the latter. Rapid and deep respiration of the ordinary air is claimed by Dr W. A. Bonwill as a partial anæsthetic.

**Anæsthetics, Local.** The fatality attending the inhalation of the vapors of anæsthetic agents led to the introduction of what are known as *local anæsthetics*. Among the earliest of these is the method of producing insensibility of a part by applying a mixture composed of two parts of ice and one of salt. An instrument for applying this mixture to the tooth to be extracted, and the gum surrounding it, is known as Branch's apparatus. See BRANCH'S APPARATUS. The danger from this mixture is in reducing the temperature of the parts so low that reaction will not follow, the results of which is loss of vitality and sloughing.

Another apparatus, known as Richardson's spray apparatus, invented by Dr. Benj. W. Richardson, of London, acts upon the principle of directing on a part of the body, such as a tooth and the surrounding gum, a volatile liquid, absolute ether, having a boiling-point at or below blood heat, in a state of fine subdivision or spray, such a subdivision being produced by the action of air or other gaseous substance on the volatile liquid to be dissolved. Dr. Richardson prefers absolute ether for use in this way, to any other fluid. Some prefer chloroform to produce the freezing, as being safer, more convenient, and more easily controlled. See RICHARDSON'S SPRAY APPARATUS. See KIHNUKKN.

Another method of producing local anesthesia is by the application of the electro-galvanic current. One pole of the battery, either the positive or negative, is attached to the handle of the forceps, and the other to a metal cylinder, which is held by the patient. The handles of the forceps are either wrapped with silk or coated with some non-conducting substance, as gum-shellac, to prevent the shock from being communicated to the operator. This method was brought to the notice of the dental profession by Mr. Francis, in 1854, but is very uncertain in its results. Many other methods for producing local anesthesia have been tried, such as compression and the use of hemusling or ointment mixture composed of cocaine and other agents. See PAIN-OUTLUNDERS.

**Anæsthetization.** The condition of the nervous system induced by anesthesia.

**Anal.** Pertaining to the anus.

**Anal'sia.** Defective nutrition.

**Analep'sis** (from ἀνέπεισις, restorative). Recovery of strength after disease. In Mergely, the support of a fractured limb by means of a suitable apparatus.

**Analep'tic.** Restorative; applied to medicines and food which restore health and accelerate the progress of convalescence.

**Analgæ'sia** (from ἀν, without, and γῆ, pain). Insensibility to or absence of pain.

**Analgæ'sic.** An agent which relieves pain either by a depressant action on the nervous system or by impairing the conductivity of nerve fibres.

**Analogous** (from ἀνάλογος, conformable). Answering to, conformable with, proportionate.

**Analogous Tissues.** Morbid tissues similar to the elementary and normal tissues of the body.

**Anali'sis** (from ἀναλίσσω, to consume). Atrophy; wasting.

**Anal'y'sis** (from ἀνάλω, to resolve). The separation or resolution of any compound substance into the primary and constituent parts or elements.

**An'andria.** Want of manhood.

**Ana'phla.** Loss of sense of touch.

**Anaphoryx'is** (from ἀναφύω, to grind down). The reduction of anything to a fine powder.

**Anaphrodia'sia** (from ἀ, priv., and ἀφρόδης, the (Greek name of Venus). Impotence; from organic, functional, or other cause.

**Ana'sphrodia'siac** (from ἀν, priv., and ἀφρόδης, Venus). A medicine which reduces the venereal appetite. The opposite of aphrodisiac.

**Anaplas'tic.** Surgical art of transplanting parts of skin or integument; also an agent which increases the amount of fibrin in the blood.

**An'splasty** (ἀνα, again; and πλάσσω, to form). Surgical operations for reformation of bad parts, or for repair of certain deformities or natural defects in the structure of the body.

**Anaplero'sis** (from ἀναπλέω, to fill again). The restitution of wasted parts.

**Anapler'otic** (ἀνα, up; ἐργάζομαι, to fill). Promotive of repair; favouring granulation.

**Anapneu'sis** (from ἀναπνέω, to float). Looseness of an exfoliated bone, or of a tooth. For the latter, see GOMPHIASIS.

**Anapneus'sis** (from ἀναπνέω, to respire). Respiration.

**Anap'noe.** Respiration.

**Anapto'sis** (from ἀναπνέω, to fall back). A relapse.

**Anarrhoe's** (from ἀνα, up, and ῥέω, to flow). An efflux of fluid to the head or toward the upper part of the body.

**Anar'thros.** Without a joint.

**Anasar'ca** (from ἀνα, through, and σαρξ, flesh). General dropsy, or an accumulation of serum in the cellular membrane.

**Anastal'tic** (from ἀνασταλάω, to contract). Styptic medicines.

**Anastomo'sis** (from ἀνα, through, and σπιν, a month). The communication of branches of vessels with one another.

**Anastomo'tic.** Medicines which were thought to open the pores and mouths of vessels.

**An'atase.** Pyramidal titanium ore. It is

pure titanio acid. It occurs in octahedral or tabular crystals. Its color is brown of various shades, passing into indigo blue or greenish-yellow by transmitted light. It is said to accompany native titanium in the slags from the iron furnaces in Orange County, New York.

**Anat'omy** (from *ana*, and *temno*, to cut). The dissection of organized bodies so as to expose the structure, situation, and use of the various parts. The word, as at present used, has reference also to the study of the parts of organized bodies and their uses. In a word, it may be properly called the science of organization, though it is commonly limited to the study of the human body.

**Anatomy, Comparative.** *Zoatomy.* The comparative study of the organs of animals generally.

**Anatomy, Descriptive.** The anatomy of the various organs of the human body, including their shape, mutual relations, etc.

**Anatomy, General.** This treats of the structure and properties of the different tissues common to several organs, embracing an examination of the general characters of all the organs and humors.

**Anatomy, Morbid, or Pathological.** This treats of diseased states or alterations of structure.

**Anatomy, Special.** This treats of the healthy state of the organs of a single species.

**Anatomy, Surgical.** An examination of the various organs, with special reference to surgery.

**Anatomy, Transcendental.** The investigation of the plan or model upon which the living frame and its organs are formed.

**Anatre'sis** (from *ana*, and *temno*, to perforate). A perforation like that made by trepanning.

**Anat'rube** (*anatripsis*; from *anatribo*, to rub). Friction upon the body.

**An'atom.** Soda.

**An'atrop.** Turning.

**Anas'sia** (from *a*, priv., and *anos*, the speech). Privation of speech. Cataplexy.

**Anasot'ria** (from *an*, and *astoma*, *asot*, and *oson*, urine). A variety of chronic disease in which there is a deficiency of urea.

**An'chlope** (from *an*, near to, and *oph*, the eye). An inflammatory tumor in the inner angle of the eye.

**Anchore'sis.** A name applied to the cornoid process.

**Anchu'sa Thacto'ria.** The alkana of the

pharmacopoeias; the *alkana* plant, used in mechanical dentistry to color wax for taking impressions, etc.

**Anchu'sis.** A redness coloring matter extracted from alkana.

**Anchylo'sis** (*ankylosis*; *ankylosis*; from *ankulos*, enaked). A stiff joint. True ankylosis is a joint permanently rigid. False ankylosis is a stiff joint deemed curable.

**Anchylosis of Lower Jaw.** Inability to completely separate the jaws. Stiffness and immobility of the temporo-maxillary articulation. The causes are tumors, spastic or reflex spasm of muscles, disease of the temporo-maxillary articulation, adhesions, and rheumatism. It also results from chronic rheumatism or gout, or old age. Some disease of the synovial membrane, cartilage of the joint, or articular surface or extremity of the bone may interfere with the movements of the jaw. The general treatment consists in the gradual stretching of the elastic bands, combined with small incisions into resisting structures. The pressure should not be made directly upon the teeth, as they are forced out of position; but plates should be adapted to the crowns of the posterior teeth, and the pressure be thus distributed. Very thin plates may be used first, covering a few of the teeth, wedges of rubber inserted, and, as space is gained, thicker plates, covering more of the teeth, may be employed. When there is great injury of the articulation, excision of the condyle is necessary.

**An'con** (from *ancon*, elbow). The elbow; the olecranon process of the ulna.

**Ancon'eus** (from *ancon*, the elbow). The name of a muscle situated on the back of the elbow.

**Anconeus Extensus.** *Triceps extensor cubiti.*

**Ancon'oid.** Resembling the elbow.

**An'cier.** A sphen or clamp to connect the edges of a wound.

**Anconuscu'sta.** A menstruating woman.

**An'cus** (from *ancon*, the elbow). A distorted or stiff elbow.

**Ancyllobleph'aron** (from *ankulos*, contraction, and *blepharon*, an eyelid). A disease of the eye, by which the eyelids are closed.

**Ancyllogloss'um** (from *ankulos*, contraction, and *glossa*, the tongue). Tongue-tied.

**Anchylo'sis.** *Anchylosis.*

**An'drat'omy** (*an*, man, and *drato*, to cut up). Dissection of the human body, particularly the male.

**Androg'yus** (from *an*, a man, *gyn*, a

woman). A hermaphrodite. An effeminate man.

**Andromania** (from *anēr*, a man, and *mania*, fury). Nymphomania.

**Androtomy** (*androtome*; from *anēr*, a man, and *tomē*, to cut). The dissection of the human body.

**Anecpysus**. That which is not likely to suppurate.

**Anemia**. Anemia.

**Anemo-nia**. A camphor obtained by distillation from *Anemone nemorosa*, pulsatilla and *pratensis*. Its formula is  $C_{10}H_{12}O_2$ . Boiled with baryta water, it is converted into acemoin acid,  $C_{10}H_{12}O_2$ .

**Anemerynia**. Inability.

**Anesis** (from *anēmi*, to remit). Remission of a disease or symptom.

**Anetika** (from *anēmi*, to remit). Medicine that ease pain. Anodynes.

**Anetus** (*anēre*, a remission). A generic name for intermittent fever.

**Aneurism** (*aneurisma*; from *aneurein*, to dilate or distend). A tumor formed by the dilatation of an artery or of the heart. There are three varieties of aneurism: (1) When the blood in the dilated artery does not escape, but is covered by the arterial coats, it is called *true aneurism*; (2) when there is an opening in the artery and the blood escapes into the cellular tissue, which forms a sac around it, it is called *false*, or *spurious aneurism*; (3) when, in opening a vein, an artery is wounded and blood escapes into the vein and causes it to become varicose, it is called *varicose aneurism*. **Aneurism by Anastomosis**. A purple spot in children caused by anastomosis of the minute arteries.

**Aneurism of Heart**. Enlargement or dilatation of the heart.

**Aneurismal**. Pertaining to an aneurism.

**Aneurismal Needle**. A slender instrument for passing a ligature under an artery in order to tie it. Used in operations for aneurism.

**Aneurismal Sac or Cyst**. The sac or pouch of an aneurism.

**Aneurismal Varix**. The dilatation and pulsation of a vein from the passing of blood into it from an artery.

**Anfractuosity** (*anfractus*; from *an*, around, and *fractus*, broken). A winding or curvature; applied in *Anatomy* to a winding depression or groove. The furrows which separate the convolutions of the brain are called *cerebral anfractuosity*.

**Angela** (from *angere*, a vessel). Vascular; abounding with, or full of, minute vessels.

**Angiology**. See **ANGIOLOGY**.

**Angioma**. See **ANGIOMA**.

**Angiopathia**. See **ANGIOPATHY**.

**Angiostasis** (from *angere*, a vessel, and *stasis*, coagulation). Coagulation of vessels.

**Angiotomy**. See **ANGIOTOMY**.

**Angelic Acid**. An acid found with valerician acid in the roots of Angelica. Formula,  $C_8H_8O_2$ .

**Angiectasis** (*angiere*, a vessel, and *ectasis*, extension). Distention of a vessel, as aneurism, etc.

**Angina** (from *angere*, to strangle). Inflammation of the throat and air-passages.

**Angina Maligna**. Malignant sore throat.

**Angina Peritonsillaris**. The mumps.

**Angina Pectoris**. A disease characterized by severe pain about the lower part of the sternum, accompanied by difficult breathing, palpitation of the heart, and great anxiety. Neuralgia of the heart. Disease of the nerves of the heart.

**Angina Tonsillaris**. Cynanche tonsillaris. Quinsy.

**Angina Trachealis**. Cynanche trachealis. Croup.

**Angiography** (*angiographia*; from *angere*, a vessel, and *graphein*, I describe). A description of the vessels of the body.

**Angiology** (*angiologia*; from *angere*, a vessel, and *logos*, a discourse). The doctrine of the vessels.

**Angioma**. A tumor composed of blood-vessels.

**Angiopathy** (*angiopathia*; from *angere*, a vessel, and *pathos*, disease). A term applied in *Pathology* to vascular disease, or a morbid affection of the vessels.

**Angioplethora** (from *angere*, and *plēthos*, repletion). Engorgement of the vessels; vascular congestion.

**Angiotomy** (*angiotomia*; from *angere*, a vessel, and *tomē*, to cut). Dissection of the vessels.

**Angle** (*angulus*). The incidence of two lines, straight or curved; the point where two lines or surfaces meet. In *Anatomy* the term is applied to parts which have an angular shape, as the external and internal angle of the eye, the angle of the lower jaw, etc.

**Angle, Facial**. The facial angle, according to Camper, is formed by the union of two lines; one drawn from the most prominent



part of the forehead to the edge of the alveolar border of the upper jaw, opposite the incisors; the other, from the meatus auditorius externus to the same point. By the size of this angle, it is said, the relative proportions of the cranium and face may be ascertained; and to a certain extent, it is thought by some, but with how much probability of truth the author is unable to say,—the amount of intelligence possessed by individuals and animals. These lines form an angle, in the white varieties of the human species, of about  $80^\circ$ ; in the negro, of from  $65^\circ$  to  $70^\circ$ . In descending the scale of animals the angle grows less and less until it almost entirely disappears.

**Angle, Optic.** Visual angle; the angle formed by two rays of light proceeding from different points and meeting in the pupil of the eye.

**Angle's Appliance for Fractures of the Jaws.** A bone-wiring apparatus for retaining the fractured parts in opposition; it consists of wires, bands, and screws.

**Angle's Appliance for Protruding Lower Jaw.** Consists of a large traction screw attached to clasp-bands which encircle the first lower molars, and the angles of which are hooked into small staples soldered to bands upon the distal angles of the cusps, while a piece of gold wire attached by solder connects these bands and passes in front of the incisors.

**Angle's Appliance for Retracting the Upper Front Teeth.** Consists of a metallic bow held in position by bands on the central incisors, having notches formed in the united ends on the labial surfaces; the ends slide through tubes on molar bands; from the front of the bow projects a short wire ending in a ball, on which is adjusted the socket of the traction bar; from the ends of this traction bar rubber bands extend to a cap on the back part of head; rubber bands retain the teeth during the day while the cap is not worn.

**Angle's Chin Retractor.** Consists of a swaged metal cup to fit the chin, and connected by rubber bands with a cup on the back of the head.

**An'goue** (from  $\alpha\gamma\chi\upsilon$ , to strangle). A nervous contraction of the throat in hysterical women, attended with a feeling of suffocation.

**Nervous quinsy.**

**An'gor.** Intense pain about the epigastrium, attended with great anxiety, and often with palpitation.

**An'gular** (*angularis*; *angulus*, an angle).

Pertaining to an angle; containing one or more sharp bends.

**Angular Artery.** The end of the facial artery, which anastomoses at the inner side of the orbit with the ophthalmic artery.

**Angular Processes.** The orbitary processes of the os frontis.

**Angular Vein.** The vein which accompanies the angular artery.

**Angula'ris Scap'ulae.** The levator anguli scapulae.

**Anhela'tion** (*anhelatio*; from *anhelo*, I pant). Shortness of breath; panting, symptomatic of lesion of the pulmonary functions. Short and rapid breathing.

**Anhel'itus.** Panting.

**Anhel'tous.** Without organic texture.

**Anhy'drite.** Anhydrous gypsum.

**Anhy'drous** (*anhydride*; from *a*, priv., and *idry*, water). A term applied in Chemistry to a salt which contains no water of crystallization; also, to any substance deprived of water.

**Anidrot'ic.** Arresting perspiration; also, an agent so acting.

**Anil'ic or Indigo'tic Acid.** An acid formed by the action of nitric acid on indigo.

**An'ilide.** A compound formed from aniline by the substitution of a radicle for the hydrogen of the same amine radicle,  $\text{NH}_2$ ; *a. g.*, acetanilide.

**An'iline.** An alkaloid obtained by the destruction of various organic substances. It is a volatile, colorless, pungent liquid alkaloid. Formula,  $\text{C}_6\text{H}_7\text{N}$ . It is derived from coal tar. Dose, gr. j.

**Aniline Colors.** Dyes. Various pigments obtained from coal tar, and of such colors as violet, blue, red, yellow, green, and black.

**An'ima Aloes.** Refined aloes.

**Animas Hepatis.** Hal martis; sulphate of iron.

**Animas Saturni.** Sugar of lead.

**Animas Venenis.** A preparation of copper.

**An'imæl.** An organized animated being, endowed with the power of locomotion. The term, according to its common acceptation, is restricted to irrational creatures. Animals are divided by Cuvier into four classes—viz.: (1) *vertebrata*; (2) *medusæ*; (3) *articulata*; and (4) *radiata*. The *vertebrata* animals are those which have a spinal column composed of vertebrae; the *medusæ* are those which have soft bodies, with no osseous framework, as the shell-fish; the *articulata* are those whose bodies are supported by a hard external envelope, divided into numerous pieces, articulated together by a

membrane in such a manner as to admit of free motion, and which are moved by means of muscles attached to them interiorly; the *radial* have all their parts attached in a circular manner, with their mouths in the centre.

**Animal.** [Adjective.] That which belongs to or concerns animals.

**Animal Acid.** An acid existing in animal bodies, or which can be obtained from them.

**Animal Alkali.** Ammonia or volatile alkali.

**Animal Charcoal.** See CHARCOAL, ANIMAL.

**Animal Economy.** The conduct of nature in the preservation of the organism. The organism itself.

**Animal Heat.** The heat or caloric of the body of a living animal, resulting from, and necessary to, its vitality, and which enables it to preserve nearly a uniform temperature, whatever may be the external changes.

**Animal Jelly.** See GELATIN.

**Animal Kingdom.** The whole series of animated beings, from man to the lowest anophyte.

**Animal Magnetism** (*mesmerism*). A theory of F. Mesmer, of the year 1776, referring all phenomena of life to a magnetic fluid, universally diffused, which fluid, it is alleged, is influenced by external agents, especially by certain individuals peculiarly endowed with magnetic power.

**Animal Tissues.** A common name for any of the textures which form the elementary structures of the body—for example: *Adenoid* or *retiform* tissue is a variety of tissue found in the lymphatic glands. *Adipose* tissue is a variety of areolar tissue forming a reservoir for fatty substances. *Arterial, cellular, or connective* tissue is composed of easily distended fibres used to bind the various parts of the body together. Connective tissues are divided into three great classes: fibrous connective tissues, cartilage, and bone. Dentine is included. Connective tissue is developed from the mesoderm, while the epithelium originates from the epiblast.

**Animal'cule.** A very small animal, invisible to the naked eye. A microscopic organism. Those best known are: (1) *Infusoria animalcula*. Observed in nearly all fluids impregnated with any animal or vegetable substance. (2) *Spermatic animalcules*. Supposed to have been discovered in the semen.

**Animalization.** The transformation of the nutritive parts of food into the living structures of the body.

**An'ion** (from *ana*, up, and *ion*, to go). A term applied by Faraday to the body which passes to the positive pole—to the ends of the decomposing body—as it is separated by electricity. A word used in electrolysis to designate an electro-negative element.

**An'kle.** The malleolus.

**Ankylobleph'aron** (from *ankylos*, a clasp, and *blepharon*, the eyelid). Adhesion of the eyelids to each other.

**Ankylogloss'ia** (from *ankylos*, crooked or contracted, and *glossa*, the tongue). Restricted or impaired motion of the tongue, due to abnormal shortness of the frenum linguae. For shortness of frenum. It may be carefully clipped through with a curved pair of scissors, the points being directed downwards, and the tongue held upwards and backwards with the left handle of a director, as in the operation for raphé.

**Ankylomeris'mus** (from *ankylos*, a contraction, and *meris*, a part). Morbid adhesion between joints.

**Ankylosed.** Made rigid by ankylosis.

**Ankylo'sis.** See ANKYLOSIS.

**Ankylot'omus** (from *ankylos*, crooked, and *topein*, to cut). A curved knife.

**Annal'** (from the Bazon, *annalen*, to heat). To heat and cool slowly, as glass, gold, or other metals.

**Anneal'ing.** The process of applying heat to a metal for the purpose of removing brittleness and increasing its ductility and malleability. Glass is rendered less frangible by the same process. Without annealing, glass flies to pieces very readily, as may be seen in Prince Rupert's drops. In many of the arts the process of annealing is a matter of great importance, and is none more so than that of the dentist. Certain forms of gold employed for filling teeth, unless thoroughly and uniformly annealed, can not be introduced in a sufficiently thorough and substantial manner to prevent its liability of coming out, and at the same time to secure the perfect preservation of the organ. Recently prepared gold foil does not require annealing, but after it has been exposed for some time to the influence of the atmosphere this process is necessary.

During the process of manufacturing gold into foil it is necessary frequently to subject it to the process of annealing, which consists, after it is reduced to leaves, in heating each leaf separately to a cherry-red heat, either over the flame of a spirit-lamp or on a plate

of stone or metal over a furnace. But in annealing gold still different methods are adopted by different manufacturers. See GOLD FOIL. In annealing gold during its preparation for plate, less nicety is required. It simply consists in bringing the metal, after it has been cast into ingots, before it be planished, and also frequently during its lamination, to a cherry-red by putting the gold upon charcoal—or rather peats, which have a more equal and lively flame—and covering it quite up, taking care that the thin parts of the gold do not become hotter than the thick. When the gold has by this process acquired its proper heat, it should be removed to hot ashes to cool, without coming in contact, more than possible, with the cold air, by which its temperature would be too suddenly changed. But gold, and even silver, are not so much affected by a sudden transition from heat to cold as are many of the other metals; yet it does, to some extent, increase their brittleness. See GOLD, ANNEALING OF.

**Annealing Tray.** A device heated by electricity for annealing gold uniformly.

**Annul'idæa** (*annelidæ*, *annelati*; from *annulus*, a little ring). The lowest order of Cuvier's class Articulata. Their bodies consist of a number of segments, each of which is a ring. The leech and earth-worm belong to this order.

**Annular** (*annularis*; from *annulus*, a ring). Shaped like a ring.

**Annular Bone** (*circulus ossæ*). A circular bone, situated before the cavity of the tympanum in the stapes.

**Annular Cartilage.** The cricoid cartilage of the larynx is so called from its resemblance to a ring.

**Annular Ligaments.** A name given to certain ligamentous bands, as the *annular ligament* of the radius, which is of a fibro-cartilaginous structure, and which, with the lesser sigmoid cavity of the cubitus, forms a ring around the head of the radius; and the *annular ligaments* of the scapula and femur, to each of which there are two.

**Annular Vein.** The name of a vein situated between the annular, or ring, finger, and little finger.

**Annularis.** The finger between the little and middle fingers is so called because this is the one on which the wedding-ring is worn.

**Annuletæ** (*annulete*). Furnished with rings or belts; surrounded by rings.

**Annulus.** A ring. In *Anatomy*, a circular orifice traversed by a tube, vessel, or other organ. In *Botany*, the name of the membrane which surrounds the stem of the fungi.

**Annulus Abdominis.** The abdominal ring.

**Annulus Albidus.** The ciliary ligament or circle.

**Annulus Ovalis.** The rounded border on the septum, occupying the place of the foramen ovale in the fetus.

**A'no.** A prefix denoting above.

**Ano'dal.** Taking place at the anode.

**An'ode** (from *an*, upward, and *odos*, a way). The positive pole or electrode of a galvanic battery. That part of the surface of a body decomposing under the influence of electricity at which the current enters.

**An'odus** (from *a*, priv., and *odos*, a tooth). In *Zoology*, the name of a genus of lamelli-branchiate bivalves, the shell of which has no articular processes or teeth at the hinge.

**An'odusæ** (from *a*, priv., and *odos*, a tooth). Edentulous. Without teeth; toothless.

**An'odyne** (*anodynes*; from *an*, priv., and *odyn*, pain). A medicine which relieves pain; an opium and belladonna.

**Anodyne, Hoffmann's.** *Spiritus ætheris sulphurici compositus*: which see.

**An'odynia.** Absence of pain; insensibility.

**Anod'ysum Flar'tiale.** Ammonio-chloride of iron, precipitated from water by potash.

**Anodynum Minerals.** Nitrate of potash.

**Anomalot'rophy** (from *a*, priv., *analos*, regular, and *trophi*, nourishment). Irregular nutrition of organs.

**Anom'alous** (from *a*, priv., and *analos*, regular). Irregular; deviation from that which is natural or from the normal order. In *Medicine*, something unusual in the symptoms which properly belong to a disease. In *Odontology*, something unnatural in the confirmation or growth of a tooth or of the alveolar arches; and in *Dental Pathology*, in the phenomena of the diseases to which the teeth are liable.

**Anomalies of the Teeth and Maxillæ.** These may consist of deviations of structure and development in the character of the teeth and jaws. They may consist of an excess or deficiency in numbers, a lack of individual teeth being of frequent occurrence, while an excess of such teeth, commonly known as "supernumerary teeth," is also often met

with. Multiple or third dentition is another anomaly, some very interesting cases being recorded. The total absence of teeth is another, though a very rare anomaly. Deviations from the normal manner of arrangement of the teeth are very common, and may consist of malformation of the whole or part of the arch, or in the malposition of certain teeth in the arch. (Other anomalies are imbedded or imprisoned teeth, migrated or misplaced teeth, abnormal size, form, and structure of both the roots and crowns of teeth, the union of two or more teeth, nodulated teeth, conic teeth, and excess and deficiency of the roots of teeth.)

**Anom'aly.** Deviation from ordinary laws, as sometimes seen in the development of certain organs or parts of the body.

**Anorex'ia** (from *an*, priv., and *ore*, appetite). Want of appetite without loathing of food.

**Anor'mal** (from *anormis*, without rule). Abnormal. Irregular; not in accordance with ordinary laws.

**Anorthop'ia** (from *orthos*, upright, and *opsis*, vision). Vision in which persons are unable to determine when objects are not parallel or not symmetrical.

**Anos'ia.** Ifealth.

**Anos'mia** (from *an*, priv., and *osme*, odor). Loss of the sense of smelling.

**Anos'tomous** (*ano*, upward, *stoma*, mouth). Having the mouth above the nose.

**Anoxem'ia** (*an*, *oxia*, acid). Deficiency of oxygen in the blood.

**Ant, Anti** (from *anti*, against). Prefixes to compound words which signify against, opposed to, counteracting, etc.

**Antac'ids** (from *anti*, against, and *acida*, acids). Agents which neutralize acidity by combining with the acid and counteracting it, as prepared chalk and lime-water; also medicines which remove acidity in the stomach, as the carbonates of soda, magnesia, etc.

**Antag'onist** (*antagonistes*, counteracting). A term applied, in *Anatomy*, to muscles which act in opposition to each other, as the flexors and extensors of a limb. It is also a term applied to drugs that neutralize the therapeutic effects of one another.

**Antal'gic** (from *anti*, against, and *algos*, pain). Medicines or remedies which relieve pain.

**Antal'kaline** (from *anti*, against, and *alkali*, an alkali). That which neutralizes alkalies.

**Antaphrodite'iac** (*antaphroditic*; from *anti*,

against, and *aphrodisiac*, aphrodisiac). A term applied to medicines which repress the genital appetite.

**Antapodo'sis** (from *antapodosis*, I return in exchange). Succession and return of febrile paroxysms.

**Antarthritis** (*antiarthritis*; from *anti*, against, and *arthritis*, gout). Remedies against gout.

**Antibrach'ial.** Relating to the forearm.

**Antecedent'ia.** The premonitory symptoms of disease.

**Antela'bia** (from *ante*, before, and *labia*, the lips). The extremity of the lips.

**Antem'basia** (from *anti*, against, and *embasis*, I enter). The mutual reception of bones.

**Ante'rior Aur'ic.** The name of a muscle of the ear.

**Anterior Intercostal Nerve.** A branch of the great intercostal nerve, given off in the thorax.

**Anterior Splint.** A suspended splint constructed of iron wire, the invention of Prof. N. H. Smith, of the University of Maryland, for the treatment of fractures of the leg. By the use of this splint the patient with a fractured limb is placed in a position of ease and rest, instead of being in one immovable and constrained.

**Antever'sion** (from *ante*, before, and *verto*, to turn). Displacement of the uterus in which there is a morbid inclination of the fundus forward.

**Ant'helix.** See ANTHELIX.

**Anthelmint'ic** (*anthelminticus*; from *anti*, against, and *helmins*, a worm). A remedy for the destruction or expulsion of worms.

**Anthem'is** (from *anthos*, to blossom). A genus of plants of the order Compositae. The chamomile.

**Anthemis Cotula.** The systematic name of the plant called Cotula fistula. Mayweed, dog-fennel, or wild chamomile.

**Anthamis Nob'is.** The systematic name of the common chamomile.

**Anthamis Pyrethrum.** The plant from which the pyrethrum is obtained. The Spanish chamomile or pellitory of Spain.

**Anthracose.** A viscid substance obtained from the distillation of coal in company with *naphthalis*. Formula,  $C_{10}H_{12}$ .

**Anthrac'is** (from *anthrax*, coal). Carcinoma exanthema. An eruption of imperfectly suppurating tumors with indurated edges.

**Anthracose.** A poisonous substance or ptomaine obtained from pure cultures of the bacillus anthracis.

**Anthracite** (from *anthraf*, a burning coal). A species of stone coal containing no bituminous substance and yielding no inflammable gases by distillation.

**Anthracosis** (*anthracis carbopneumonia*; from *anthraf*, coal). A disease of the lungs produced by the inhalation of coal-dust or other solid particles.

**Anthrax/bis.** Phenol derivative. A yellowish powder used for parasitic skin diseases.

**Anthrax** (from *anthraf*, coal). A hard, circumscribed, inflammatory tumor, resembling a boil, seated in a cellular membrane and skin on the back, which soon becomes gangrenous and discharges an exceedingly fetid sanies. A carbuncle.

**Anthropo/ite** (from *anthropos*, a man, and *lithos*, a stone). A petrification of human bones.

**Anthropology** (*anthropologia*; from *anthropos*, a man, and *logos*, a discourse). The doctrine of the structure and functions of the human body.

**Anthropometry** (from *anthropos*, a man, and *metron*, measure). The ascertainment of the proportions of the different parts of the human body.

**Anthropotomy** (*anthropotomia*; from *anthropos*, a man, and *tomos*, I cut). The dissection of the human body.

**Anti** (*anti*). A Greek preposition signifying against, opposed to.

**Anti/ades.** The tonic.

**Antia/itis.** Inflammation of the tonsils.

**Antia/ri** (from *anti*, a tonic, and *os*, a grey). Swelling of the tonsils.

**Antibacterial Aponeurosis.** A portion of the aponeurotic sheath which envelopes the whole of the upper limb is so termed.

**Antibromic** (from *anti* and *bromos*, stercor). A deodoriser or deodorant. An agent that destroys offensive odors—as chlorides of soda, etc.

**Anticardiacum** (from *anti*, against, and *cardes*, the heart). The acrobiculus cordis, or pit of the stomach.

**Anti/chair.** The thumb.

**Anticommune.** The shin.

**Antidote** (*antidotum*; from *anti*, against, and *doctus*, I give). A remedy for combating or counteracting the effects of poison. See *Poison*.

**Antifibrin** (*antifibrin*; from *anti*, against,

and *fibrin*, a fever). A febrifuge, or that which opposes fever.

**Antifebrile.** Formula,  $C_2H_5NO$ . A white, crystalline powder, soluble in alcohol, but insoluble in water. It is one of the antipyretics. Dose, gr. iv to gr. xv.

**Antihelix** (from *anti*, against, and *elax*, the helix). The inner circle of the ear is so named from its opposition to the outer, which is called the helix.

**Antilithics** (*antilithici*; from *anti*, against, *lithos*, a stone). Remedies to prevent the formation of urinary calculi.

**Antilo/tem** (from *anti*, against, and *teme*, the bottom of the ear). That part of the ear which is opposite the lobes.

**Antimonial** (*antimonialis*; from *antimonium*, antimony). A preparation in which antimony is an ingredient.

**Antimonial Powder.** A powder of antimony combined with phosphate of lime.

**Antimoniale Causticum.** Chloride of antimony.

**Antimonie Acid** (*acidum stibicum*). A combination of one part of antimony with five of oxygen ( $BiO_5$ ). Its salts are called antimonites. The best known of these is *antimonite of lead*—the Naples yellow of the painters.

**Antimonii et Potassae Tartras.** Tartrate of antimony and potash. Tartar emetic. Antimonii Oxidum. Oxide of antimony. Antimonii Sulphuretum Precipitatum. Precipitated sulphuret of antimony.

**Antimonii Sulphuretum Rubrum.** Red sulphuret of antimony.

**Antimonii Tartarizati Vinum.** Wine of tartarized antimony.

**Antimonii Vitrum.** Glass of antimony.

**Antimonious Acid.** *Acidum stibicum*. A white powder formed by oxidizing antimony with nitric acid. Its salts are called antimonates. It colors glass and porcelain yellow.

**Antimonium Diaphoreticum.** White oxide of antimony.

**Antimony** (*antimonium*; from *anti*, against, and *mones*, alone, because it is not found alone; or, according to others, from *anti*, against, and *monas*, a monk, because, as some affirm, Valentine, by a careless administration of it, poisoned his brother monks). Antimony is a heavy, solid, brittle metallic substance, seldom found in its native state. It has a slight inclination to a metallic luster and a steel-gray color. Its symbol is Sb; its combining number 120.94. Sp. gr., 6.8.

**Antiodontalgic** (*antiodontalgicus*; from *anti*, against, and *odontalgia*, toothache). Remedies against toothache. See ODONTALGIA.

**Antiparastitis**. Inflammation of Cowper's glands.

**Antipathy** (*antipathia*; from *anti*, against, and *pathos*, passion, affliction). Aversion to particular objects or things.

**Antipeptone**. A variety of peptone which resists digestion by trypsin.

**Antiperistaltic** (*antiperistalticus*; from *anti*, and *peristallao*, I compress or contract). Anything which obstructs the peristaltic motion of the intestinal tube.

**Antiphar'mic** (from *anti*, against, and *pharmakon*, a poison). Preservatives against, or remedies for, poison. A counter-poison.

**Antiphlogistic** (*antiphlogisticus*; from *anti*, against, and *phlogis*, I burn). That which opposes inflammation.

**Antiplas'tic** (from *anti*, against, and *πλασσω*, to form). Unfavorable to healing or granulation; disorganizing.

**Antipy'ic** (from *anti*, and *πύρ*, pus). Preventing suppuration.

**Antipyre'sis** (from *anti*, against, and *πύρεξ*, fever). The employment of antipyretics in fever.

**Antipyretic** (*antipyreticus*; from *anti*, against, and *πύρεξ*, fever). Opposed in fever; a febrifuge. Agents which have a special power of lessening or reducing the temperature of fever. Any antifebrile medicine.

**Antipy'rine** (*antipyrin*, *dimethyl argemine*). Formula,  $C_{10}H_{12}N_2O_2$ . An alkaloid obtained by the destructive distillation of coal tar. It is in the form of a grayish crystalline powder, of a slightly bitter taste and soluble in water. Dose, gr. v-x every hour for two or three hours. It reduces the temperature in fevers, causes perspiration, and sometimes vomiting, but no serious effect.

**Antipyrotic** (from *anti*, and *πύρ*, fire). Curative of horns.

**Antiscorbutic** (*antiscorbuticus*; from *anti*, against, and *scorbutus*, the scurvy). Remedies for, or preventive of, the scurvy.

**Antispas'mic**. A substance used as a sedative. Dose, gr. vj.

**Antisep'sis**. Absence of putrefaction. An antiseptic condition.

**Antiseptic** (*antisepticus*; from *anti*, against, and *sepsis*, to putrefy). That which is opposed to putrefaction. Applied to substances which possess the power of arresting

the process of putrefaction; germ-destroying. Important antiseptics are corrosive sublimate, iodoform, iodol, carbolic acid, thymol, salicylic acid, boric acid, eucalyptol, etc.

**Antiseptic Gause**. Open cotton cloth impregnated with carbolic acid, resin, and paraffin.

**Antiseptic Ligature**. Catgut or other material made aseptic by immersion in antiseptic solutions.

**Antiseptic Treatment**. Consists, first, by excluding all organisms from the wound; second, by removing the organisms which may already have gained entrance; third, by destroying the organisms which remain; fourth, by removing dead and dying tissue and establishing free drainage for the escape of the discharges.

**Antispasmodic** (*antispasmodicus*; from *anti*, against, and *σπασμος*, a spasm). A class of medicines which possess the power of allaying or removing spasms and composing nervous irritation without any special or decided tendency to the brain.

**Antispa'stic** (from *anti*, and *σπασσω*, to draw). Contracting spasm.

**Antithe'nar**. Abductor pollicis pedis, a muscle of the foot.

**Antither'mic**. Antipyretic.

**Antitrag'icus** (*antitragus*). A small muscle of the ear.

**Antitrag'us** (from *anti*, against, and *τράγος*, the ibex). An eminence opposite the tragus of the outer ear.

**Antizymet'ic** (from *anti*, and *ζύμη*, yeast). That which prevents or arrests fermentation.

**Ant'lia**. A syringe.

**Antia Gastrica**. Stomach pump.

**Antod'ynus**. Anodyne.

**Antri'tis** (from *άντρον*, a cave, and *ίτις*, a terminal signifying inflammation). Inflammation of any cavity of the body, especially of the maxillary sinus.

**Ant'rum** (*άντρον*, a cave or cavern). A cavity which has a small opening into it.

**Antrum Auris**. The cochlea of the ear.

**Antrum Dentale**. The pulp cavity of a tooth. See DENTAL CAVITY.

**Antrum Highmerianum**. Antrum of Highmore, called so after the name of the anatomist who gave the first correct description of it. See MAXILLARY SINUS.

**Antrum Maxillare**. Maxillary sinus.

**Antrum Pylori**. A cavity of the stomach near the pylorus.

**Anuria** (from *a*, priv., and *ouron*, urine). Literally, without urine, but the term is usually used synonymously with *ischuria*, retention of urine.

**Anus** (a contraction of *anastus*, a ring). The opening at the inferior extremity of the rectum. The term anus is also applied to an opening of the third ventricle of the brain, which communicates with the fourth.

**Anus, Artificial.** An accidental opening giving passage to the feces.

**Anus, Imperforate.** A malformation in which the anus is wanting. Imperforation of anus.

**Anvil.** A mass of iron with one smooth surface, on which metals are hammered and shaped. It is used by smiths, jewelers, and mechanical dentists.

**Aorta** (from *aorta*, a vessel). The great trunk of the arterial system. It arises from the left ventricle of the heart, passes upward, forms a curve, and descends in front, rather on the left side of the spine, into the abdomen. When it reaches the middle of the fourth or fifth lumbar vertebra it bifurcates to give origin to the common iliacs.

**Aorteurysma, or Aorteurisma** (*aortiké*, and *eurysma*, to dilate). Aneurism of the aorta.

**Aortitis** (from *aorta*, and *itis*). Inflammation of the aorta. The amputation or extirpation of a superfluous or injured part.

**Apelotica** (from *exalotica*, softness, tenderness). Accidental lesions or deformities of soft parts.

**Aparthrosis** (from *arth*, and *apthrosis*, a joint). Diarthrosis.

**Ap'atita.** Native phosphate of lime.

**Apep'sia** (from *a*, priv., and *pepsis*, to concoct). Dyspepsia.

**Ape'riant** (*aperiens*; from *aperire*, to open). A mild purgative, or medicine which operates gently upon the bowels.

**Aperistat'sma.** Aperistation; a small ulcer not surrounded by inflammation.

**Aper'tor Oculi.** The levator palpebre superioris.

**A'pex.** The point or extremity of a part, as the apex of the tongue, nose, root of a tooth, etc.

**Aph'agia** (from *a*, priv., and *phage*, I eat). Inability to take food.

**Aphasia** (from *a*; and *phasi*, to say). A form of speechlessness which is of cerebral origin.

**Aphasia** (from *aphasia*, I separate or abstract). A disease which induces absence or abstraction of the mind.

**Aph'asis** (from *apepsi*, I relax). The remission or cessation of a disease.

**Aph'odous.** Excrement.

**Aphonia** (from *a*, priv., and *phoe*, the voice). The loss or privation of voice. Aphonia has resulted from an attack of toothache.

**Aphrodis'ia** (from *aphrodis*, Venus). Sexual desire; immoderate sexual congress.

**Aphrodis'iac** (from *aphrodisia*, venery). A term applied to food or medicine which excites the venereal appetite.

**Aphrodis'ias Morbus.** Syphilis.

**Aph'this** (from *arros*, I inflame). Aphthae consist of small white ulcers, spots, or vesicles of the mouth, chiefly occurring in children under three years of age, and generally associated with some febrile affection. It must not be confounded with thrush, in which disease the spots are smaller, and are due to the presence of the parasitic fungus characteristic of that disease.

Aphthous ulcers are supposed by Professor Wood to be the result of vesicular eruption of the mouth, and in treating of the disease he says: "The vesicle is small, oval, or roundish, white or pearl-colored, and consists of a transparent serous fluid under the elevated epithelium. In a few days the epithelium breaks, the serum escapes, and a small ulcer forms, more or less painful, with a whitish bottom, and usually a red circle of inflammation around it. The vesicles are sometimes distinct and scattered, sometimes numerous and confluent. The distinct variety, though painful, is a light affection, continuing in general only a few days or a week, and is usually confined to the mouth. It produces little constitutional disorder, though it is often associated with fever and gastric irritation as an effect. It attacks equally children and adults, but it is said not to be very common in early infancy. In adults it is frequently occasioned by the irritation of decayed teeth. The confluent variety is much more severe and obstinate. This frequently extends to the fauces and pharynx, and is even said to reach the intestinal canal, though it may be doubted whether the affection of the stomach and bowels is identical with that of the mouth. When it occupies the fauces, it renders deglutition painful. It is sometimes attended with gastric uneasiness, vomiting, and intestinal pains, and diarrhoea. Fever occa-

sionally precedes it, and it moderates, without entirely ceasing, upon the appearance of the eruption. The fever sometimes assumes a typhoid character." The cause of the disease is obscure, though it is probably dependent upon a vitiated state of the humors of the body and acidity of the gastric juices.

In the treatment of the disease, Professor Wood says: "Magnesia may be given to correct acidity and the diet regulated by the state of the stomach. In the severer cases fever should be relieved by refrigerant cathartics and diaphoretics and by a liquid, farinaceous, or demulcent diet. When the disease attacks the fauces or pharynx it occasions painful swallowing, and is attended with much fever and strong pulse; general bleeding may become necessary, and, subsequently, the application of leeches to the throat. Diarrhœa must be counteracted by the usual remedies calculated to relieve intestinal irritation, among which may be mentioned, as especially useful, emollient applications to the abdomen and the warm bath. When the fever assumes a typhoid form a tonic and supporting treatment may be required.

"In the early stages the local treatment should consist of demulcent applications, as flaxseed tea, mullage of gum arabic, or almond emulsion, with or without a little laudanum or some preparation of morphia. But after the inflammation has somewhat subsided, and ulcers are left indisposed to heal, astringent washes may be resorted to. Solutions of acetate of lead, sulphate of zinc and alum, water acidulated with sulphuric or muriatic acid and sweetened with the honey of roses, and various vegetable astringent and tonic infusions have been recommended. The author usually employs a strong solution of sulphate of zinc, in the proportion of fifteen to twenty grains to the ounce of water, which he applies, by means of a camel's-hair pencil, exclusively to the ulcers, with the almost uniform effect of disposing them to heal; and even in the eruptive stage this application will often be found to effect an almost immediate cure."

Dr. Berg, physician to the Children's Hospital at Stockholm, recommends the use of alkalies and their carbonates, giving the preference to soda, for correcting the disordered condition of digestive functions arising from superabundant formation of lactic, butyric, acetic, and carbonic acids; and when excessive development of gas ensues, lime-water and

magnesia; when attended with colicky pains, he advises the use of antispasmodics.

With regard to the local treatment, the last-named writer says: "After the sphthons crusts fall off, little more is necessary than to wash the affected parts with soft and tepid water." He also advises the use of a solution of sub-carbonate of soda and borax, varying the strength according to the necessity of the case. Nitrate of silver has been used in some cases with advantage.

When it occurs in females during lactation, weaning the child is sometimes found necessary.

**Aph'thous.** Affected with aphthæ.

**Apical.** Pertaining to or situated at the apex.

**Apical Foramen.** The opening at the apex of the root of a tooth of the pulp canal.

**Apical Space.** A space at the end of the root of a tooth where the periodontal membrane is thicker than on the sides of the root, thus forming a greater space in the alveolus or socket at this point than elsewhere. Periodontitis, with its resultant alveolar abscess, more frequently begins in the apical space. The death of the pulp usually precedes the inflammation in the apical space.

**A'pin.** An alkaloid found in parsley.

**Aplasia** (from *a*, priv., and *plasia*, to form). A form of incomplete structure, on account of the non-formation of a necessary cell-group during the developmental stage.

**Aplast'ic** (from *a*, priv., and *plasia*, to form). Not plastic; structureless; firmness.

**Aplast'ic Lymph.** A non-fibrous material incapable of coagulation or organization. A product of inflammation or disease.

**Ap'icose.** The name of a very rare mineral; a variety of crystallized garnet.

**Aplot'omy.** A surgical incision.

**Apne'ria** (*a*, and *pneuma*, the lung). Absence of lungs.

**Apneus'tia.** Apnea.

**Apnoea** (from *a*, priv., and *pnoe*, I breathe). Difficult respiration; suffocation; breathlessness. Synonymous with asphyxia.

**A'po** (*apo*). A Greek preposition, signifying from, off, out, and used as a common prefix.

**Apocense'sis** (from *apo*, out, and *crues*, to evacuate). A morbid flux of blood or other fluids.

**Apoc'ope** (from *apo*, and *crues*, to cut). Abscision, amputation, extirpation. Fracture with loss of a part of a bone.



**Apoc'ymlus.** A bitter principle from Apocynum cannabinum, Indian hemp, or dog's-bane.

**Apoc'ynum Cannabis'mum.** Indian hemp. This species is powerfully emetic and cathartic and sometimes produces diuretic and diaphoretic effects.

**Apogee'sis** (from *apo*, and *γειναι*, to taste). Impaired sense of taste; agueusia.

**A'polar.** Devoid of a pole or of polarity; of a nerve cell, destitute of processes continuous with nerve fibres.

**Apolep'sis** (from *apo* and *λαμβάνω*, to take from). A suppression or retention of any of the natural evacuations.

**Apom'e'll** (from *apo*, from, and *μέλι*, honey). An oxymel or decoction made of honey.

**Apomy'e'mas** (from *απομιλλαναι*, I make a wry mouth). Projection of the lips by pressing them against each other. It is sometimes a symptom of disease.

**Apomyx'ia.** Nasal mucus.

**Aponeuro'sis** (from *apo* and *νευρον*, a nerve). A fibrous or tendinous expansion, supposed by the ancients to be nervous; hence its name.

**Aponeurot'ic.** Relating to aponeurosis.

**Apo'nia** (from *a*, priv., and *παινε* pain). Without pain.

**Apophlegma'sis** (from *apo* and *φλεγμω*, phlegm). A discharge of mucus.

**Apophlegmat'ic** (*αποφλεγματικός*; *apophlegmatizans*; from *apo*, and *φλεγμω*, phlegm). Medicines which excite mucous secretions from the mucous membrane of the mouth and nose, etc.

**Apoph'yxis** (from *αποφύω*, to proceed from). In *Anatomy*, a projection or process of a bone. In *Botany*, the enlarged base of the capsule adhering to the frondose leaves.

**Apoplec'tic** (from *αποπληξια*, apoplexy). Pertaining to apoplexy.

**Ap'oplexy** (*apoplexia*; from *apo*, and *πλησσω*, to strike or knock down; because, when a person is attacked by this disease he suddenly falls down). A disease characterized by a sudden loss of sense and motion and by stertorous breathing. The term is used by some to denote a sudden effusion of blood into the substance of organs or tissues; but it is usually restricted to the brain, and the above are among the phenomena which characterize cerebral apoplexy.

**Apoplexy, Cutaneous.** Sudden determination of blood to the skin and subjacent cellular tissue.

**Apoplexy, Pulmonary.** A violent determination of blood to the lungs and effusion into the bronchial cells, followed by suffocation.

**Apoptix'is** (from *αποπνιγω*, I strangle). Suffocation.

**Apo'ria** (from *a*, priv., and *ρηναι*, a duct). Restlessness caused by the stoppage of any of the natural secretions.

**Apo'sia.** Absence of thirst.

**Apopt'ia** (from *apo*, from, and *πινη*, food). Loathing of food.

**Apospas'ma** (from *αποσπασω*, to tear off). A violent severance of a ligament or tendon.

**Aposphacell'ia.** Mortification, usually resulting from lacerating wounds and fractures too tightly.

**Apo'staxis.** Distillation.

**Aposte'ma** (from *αποστημι*, to depart from). An abscess.

**Apot'oma.** Anapintion.

**Appara'tus** (from *appareo*, to prepare). A collection of instruments or means for any business or operation whatever. In *Anatomy*, an assemblage of organs which work for the accomplishment of the same end, or a system of organs furnished of a similar texture or having analogous functions. In *General and Human Surgery*, a collection of the various instruments and appliances necessary for an operation or dressing; also certain methods of operating for stone. In *Chemistry*, the instruments required for chemical experiments and investigations.

**Apparatus, Dental.** See DENTAL APPARATUS.

**Appendic'ula.** A small appendage.

**Appendicula Caeli Vermiformis.** A vermicular process, about four inches long, of the size of a goose quill, which hangs from the Intestinus caecus of the human body.

**Appendicula Cerebri.** The pituitary gland.

**Appendic'ulae Epiploicae.** The adipose appendices of the colon and rectum, which are filled with adipose matter.

**Appen'dix** (from *appendere*, to hang to). An appendage; something added to a principal or greater thing, though not necessary to it. In *Anatomy*, a part attached to, or continuous with, an organ.

**Appendix Auricularis.** A process of the anterior and upper part of the auricles of the heart.

**App'etency** (from *appetere*, to desire). The disposition of organized beings to imbibe and appropriate such substances as serve to support and nourish them; also, ardent desire for an object.

**Ap'petite** (from *appetere*, *ed.* and *petere*, to desire). An internal desire, which warns us of the necessity of exerting our digestive or generative functions; a relish for food; a desire for sensual pleasures.

**Ap'ple, Acid of.** Malic acid.

**Ap'ple, Adam's.** See FOUNTAIN ADAMI.

**Ap'ple of the Eye.** The pupil.

**Ap'plication** (*applicatio*; from *applicare*, to apply). In *Therapeutics*, external remedies, as opposed to medicines designed to be given internally.

**Ap'posi'tion.** Adding to; sitting to; addition; secretion. In *Dental Practice* it is sometimes employed synonymously with respiration.

**Apy'a'tos** (from *a*, priv., and *πνῆν*, I spit). Without expectoration.

**Apyret'ic** (*apyreticus*; from *a*, priv., and *πνῆν*, fire). Without fever. A word applied to those days in which there is no paroxysm of disease.

**Apyrex'ia** (from *a*, priv., and *πνῆν*, fever). Absence of fever. Intermittent between the febrile paroxysms.

**Apyr'ous** (from *a*, priv., and *πνῆν*, fire). A term applied to substances which contain a strong heat without change of shape or other properties; refractory.

**A'qua.** U. S. Any natural water of good quality. This substance, when in a pure state, is a transparent liquid, without color, taste, or smell, and is composed of one part hydrogen and eight of oxygen, by weight, and of two of hydrogen and one of oxygen by volume.

**Aqua Acid Carbonic.** Carbonic acid water.  
**Artificial salt-water.**

**Aqua Ammoniac.** Water of ammonia.

**Aqua Amygdal'rum Concentra'ta.** Water of bitter almonds.

**Aqua Calcis.** Lime water.

**Aqua Calcis Composita.** Compound lime water.

**Aqua Camphoræ.** Camphor water.

**Aqua Carbonata Soda Acidula.** Acidulous water of carbonate of soda.

**Aqua Carui.** Caraway water.

**Aqua Cassia.** Water of cassia.

**Aqua Chalybea'ta.** An artificial mineral water, consisting of citrate of iron highly charged with carbonic acid gas and flavored by a little aromatic syrup.

**Aqua Chlorini.** Chlorine water.

**Aqua Cinnamon.** Cinnamon water.

**Aqua Distillata.** Distilled water.

**Aqua Ex Nive.** Snow water.

**Aqua Florum Aurantii.** Orange flower water.

**Aqua Fluviatilis.** River water.

**Aqua Fonticuli.** Fennel water.

**Aqua Fontana.** Spring water.

**Aqua Fortis.** Weak and impure nitric acid.

**Aqua Glacies.** Ice water.

**Aqua Lauro-cerasi.** Cherry-laurel water.

**Aqua Marina.** Sea water. Salt water.

**Aqua Mentha Piperita.** Peppermint water.

**Aqua Mentha Pulgill.** Pennyroyal water.

**Aqua Mentha Viridis.** Spearmint water.

**Aqua Picia Liquidæ.** Tur water.

**Aqua Pimentis.** Pimento water.

**Aqua Pinivialis.** Rain water.

**Aqua Ragis.** A mixture of nitric and muriatic acids.

**Aqua Rosæ.** Rose water.

**Aqua Sambuci.** Elder water.

**Aqua Styp'tica.** A powerful astringent, composed of sulphate of copper, sulphate of alumina, and sulphuric acid.

**Aqua Tepida.** Lukewarm water.

**Aqua Vitis.** Brandy.

**Aqua Vulnæria** (from *ru'na*, a wound). A remedy applied to wounds; anesbomada.

**A'que Destilla'tæ.** Distilled waters, made by distillation; also by putting aint, pennyroyal, etc., into a still with water, and drawing off as much as is impregnated with the properties of the plants.

**Aqua Ferro'sæ.** Chalybeate waters.

**Aqua Minera'las.** Mineral waters.

**Aqua Stillat'is Simplices.** Simple distilled waters.

**Aqua Stillat'is Spirituosæ.** Spirituous distilled water.

**Aq'ueduct** (*aqueductus*; *aqueduct*; from *aqua*, water, and *ducere*, to convey). In *Anatomy* a tube applied to certain canals occurring in different parts of the body, because they were supposed to carry water.

**Aqueduct of Fallo'pius.** A canal in the petrous portion of the temporal bone, first accurately described by Fallopius.

**Aqueduct of Sylvius.** A canal communicating between the third and fourth ventricles of the brain.

**Aqueductus Cerebri.** See INFUNDIBULUM OF THE BRAIN.

**Aqueductus Coch'leæ.** A narrow canal proceeding from the scala tympani of the cochlea to the posterior edge of the pars petrosa.

**Aqueductus Vestib'uli.** A canal proceeding from the vestibula near the common orifice of

the two semicircular canals and opening at the posterior surface of the pars petrosa.

**Aqueous'ure.** The introduction of water beneath the skin.

**A'queous.** Watery; composed of water or resembling it in color and consistence.

**Aqueous Humor of the Eye.** The limpid fluid which fills both chambers of the eye.

**A'quile Ve'nae.** The temporal veins.

**Aqua'la** (diminutive of *aqua*, water).

**Hydatid.** A small aqueous tumor.

**Aquila Accus'tica.** The fluid in the cavity of the vestibule of the internal ear.

**Ar'abic Gum.** See ACAOIA GUM.

**Ar'abin.** The chief constituent of gum Arabic. Formula,  $C_{12}H_{22}O_{11}$ .

**Arach'noid** (*aracknoides*; from *αράχνη*, a spider, or spider's web, and *ειδος*, likeness). Cobweb-like.

**Arachnoid Membrane** (*membrana aracknoides*). A thin membrane, without vessels and nerves, between the dura and pia mater, and surrounding the cerebrum, cerebellum, medulla oblongata, and medulla spinalis. Its use is to protect the brain, and to secrete a fluid for the purpose of keeping it in a proper condition.

**Arach'noiditis**, or **Arach'nitis.** Inflammation of the arachnoid membrane.

**Aræom'eter** (*aræometer*; from *αραιος*, thin, and *μετρος*, a measure). Hydrometer. An instrument for ascertaining the specific gravity or strength of liquids.

**Aræot'ica** (from *αραιος*, to rarefy). Medicines supposed to possess the quality of rarefying the fluids of the body.

**Aræ'lia Spinosa.** Angelica tree; toothache tree; prickly ash. An indigenous arborescent shrub, possessing stimulant and diaphoretic properties. An infusion of the recent bark is emetic and cathartic.

**Aræes'rum Tela.** Cobweb. The web of the common house spider. It is often used as a domestic remedy for ague; also for arresting the flow of blood from a slight wound.

**Aræ'ni Corpora.** The tubercles on the semilunar valves of the great arteries at their origin. So called from Julius Cæsar Aræntius, an anatomist of Bologna, born in 1571, who first described them.

**Aræro'ha.** See CHEYRABONIN.

**Arch** (from *arcus*, an arch). Arch; a term applied in *Anatomy* to any part which has the shape of an arch.

**Ar'ca Cor'dis.** The pericardium.

**Aræ'num Tartar'i.** Acetate of potash.

**Arch, Alve'olar.** See ALVEOLAR ARCHES.  
**Arch, Anastomo'tic.** The union of two vessels, which anastomose by describing a curved line.

**Arch, Dental.** See DENTAL ARCHES.

**Arch, Fem'oral.** An arch formed over the concave border of the pelvis.

**Arch of the Aorta.** The curved parts between the ascending and descending portions.

**Arches of the Pal'ate.** Two in number on each side of the throat, one called the anterior, the other, the posterior. See PALATE, ARCHES or.

**Ar'chil.** A violet-red dye or paste, prepared from Lichen *orella* and other species of Lichen, called *Baccella tinctoria* and *furiformis*. The plant Lichen *orella*, reduced to a pulp and treated with impure ammoniacal liquor, yields a rich purple tincture, called *Hinnus* or *turnsole*, used in chemistry as a test for acids.

**Ar'chiform** (from *arcus*, a bow, and *forma*, likeness). A term applied by Boly to a set of curved fibres proceeding from the corpus pyramidalis, beneath the corpus olivare, to the cerebellum.

**Arcta'tio** (from *arctos*, I make narrow). Contraction of a natural opening, as of a canal. A constipation of the intestines from inflammation.

**Arcta'ra** (from *arctos*, I straighten). Inflammation of the finger caused by a nail grown into the flesh.

**Arctua'lis** (*arctus*, to bend like a bow). Applied to the coronal suture and to the temporal bones.

**Arctus'tio** (from *arctus*, a bow). An exterior gibbosity of the sternum, dorsal vertebrae, or tibia.

**Ar'cula Cor'dis.** The pericardium.

**Ar'cula** (a diminutive of *arca*, a chest). The sockets of the eye.

**Ar'cus Sem'lis.** Opacity around the cornea, occurring in advanced life.

**Ar'dent** (*ardens*; from *ardere*, to burn). Burning or ardent; applied to fevers; also to alcoholic spirits.

**Ar'dor** (from *ardere*, to burn). Burning or intense heat.

**Ar'dor Febr'lis.** Feverish heat.

**Ar'dor Uri'nae.** A stinging sensation produced by the urine in the urethra.

**Ar'dor Ventr'culi.** Heartburn.

**A'rea.** A vacant space; a term applied by Celsus to two kinds of baldness: (1) *Area diffusa*, consisting of bald plots on the scalp,

of an indeterminate figure; and (3) *Area arvensis*, baldness commencing at the occiput and winding to each ear, and sometimes to the forehead. *Area Pellucida*. The areated space formed, after a few hours, around the first trace of the embryo in the incubated egg by the middle portion of the germinal membrane.

*Area Vasculosa*. The second space around the area pellucida, in which blood-vessels are formed.

*Area Vitellina*. A third space, surrounding the area vasculosa, which ultimately encloses the whole yolk.

*Area Cat'echu* (*Arca cativa*). From the nut of this plant two kinds of catechu are extracted, the *cattianese* and *cashuttii*.

*Areolac'tion*. The process of drying substances previous to pulverizing them.

*Areolac'tio* (from *areolae*, sand). A sand-bath, or the application of hot sand to the body. In *Arctology*, a term applied to the small interstices of the cellular or other tissues; and in *Pathology*, to an inflamed ring around the pustules.

*Areola* (a diminutive of *area*, a void space). The circle which surrounds the nipples of females. In *Pathology*, the disc which surrounds pustular inflammations of the skin; also interstices between fibres. See *ANALOGY*.

*Areolae* (the plural of *areola*). Used by anatomists to denote the interstices between the fibres of an organ or between vessels interlacing with one another.

*Areolar*. Appertaining to an areola.

*Areolar Tissue*. Cellular tissue. It is the third variety of connective tissue, the other two being bone and cartilage. It is a soft, filamentous substance, possessing considerable elasticity and tenacity. It is situated immediately below the skin, and extends between and forms the sheaths of the muscles. Divided into areolae or small spaces.

*Areom'eter*. See *ALBOMETER*.

*Arg'ema* (from *argos*, white). A small white ulcer of the eye.

*Arg'entan*. German silver; an alloy of copper, nickel, and zinc.

*Arg'entate of Ammonia*. Fulminating silver.

*Argenti Ni'tras* (*argentum nitratum*; *causticum laeve*). Nitrate of silver. Lunar caustic; a white salt, in the form of hard, brittle sticks, having an intensely bitter taste; is deemed tonic, alterative, and antispasmodic, as an internal remedy; and externally it is employed as a vesicant, stimulant, alterative, and

escharotic. For dental uses, see Gerges' "Dental Medicine."

*Argentiferous* (*argentum*, silver, and *ferre*, to bear). Accidentally containing silver. Applied to minerals or ores.

*Argen'tum* (*argyrum*; from *argos*, white; because it is of a white color). Silver; Ag. = 108. A malleable, ductile metal of a brilliant white lustre.

*Argentum Felle'tum*. Silver leaf. This, when not too thin, is sometimes used for filling teeth, but in consequence of its hardness and great liability to be acted upon by the secretions of the mouth it is seldom employed for this purpose. Tin is by far preferable.

*Argentum Mus'cum*. Mouse silver; a preparation of tin and bismuth melted together, with the addition of quicksilver.

*Argentum Nitras Fusum*. Stick caustic containing four per cent. of silver chloride. For local use.

*Argentum Nitre'tum*. Nitrate of silver. Lunar caustic. Argentic nitrate. A powerful astringent; also escharotic. It stains the skin and other tissues black. In small doses it stimulates the heart and nerve centres. Used as a styptic in alveolar hemorrhage; also to obtund dentine. Dose,  $\frac{1}{2}$  to  $\frac{1}{4}$  of a grain.

*Argentum Vi'trum*. Quicksilver; mercury.

*Argil'is* (from *argos*, white). Argil; white clay. See *ALUMINA*.

*Argill'is Pu'ra*. Pure argil, or ulmina.

*Argilla'ceous*. Of, or belonging to, clay or aluminous earth.

*Argillaceous Tooth-polisher*. See *TOOTH-POLISHER*, *ARGILLACEUM*.

*Argill'oid* (*argilla*, clay, and *oides*, a form). Resembling argil.

*Argi'na*. An alkaloid, analogous in its properties to cinchona and quinia, found in cactus bark.

*Arid'ity* (*ariditas*). A term employed in *Pathology* to express dryness of any part, especially of the chin and tongue.

*Arid'ium*. A metal discovered by M. Ulgren, of Stockholm. It is found in the mineral chromate of iron of Roos. Its oxides are analogous to those of iron, but exhibit distinct reactions.

*Ar'istol*. Dithymol-diiodide,  $C_{12}H_{10}(OI)_2$ . A brownish-red powder, used as a deodorizing antiseptic and drying agent in wounds, ulcers, etc. Used as a substitute for iodoform.

*Aristolochia Serpente'ria*. Virginia snake-root. This species of *Aristolochia* is an

herbaceous plant with a perennial root, consisting of numerous slender fibres, proceeding from a short, horizontal caudex. It is a stimulant, tonic, diaphoretic, and diuretic, and when taken in large doses occasions nausea, griping pains in the bowels, sometimes vomiting, dysentery, and tenesmus.

**Articus'ana Stone.** A stone used by dentists for removing file-marks from the surface of a filling and smoothing the abraded surface of tooth-tissue, also used for removing file-marks, etc., from metal plates of dentures.

**Arm (brachium).** That part of the upper extremity between the shoulder and elbow.

**Armenian Bole.** See BOLE, ARMENIAN.

**Armill'a (arilla, a bracelet).** The name of the membranous ligaments confining the tendons of the carpus.

**Armoracia Radix.** The root of the Cochlearia armoracia. Horseradish root. See HORSERADISH.

**Ar'nica.** A genus of plants of the order Composite.

**Arnica Mont'na.** The systematic name for the arnica of the pharmacopoeias, leopard's-bane. The plant, flowers, and root are narcotic, stimulant, emmenagogue, and diuretic, and have been used in anasarca, paralysis, all nervous affections, rheumatism, gout, etc. The plant applied to bruises is also efficacious; also the tincture. Large doses are dangerous, acting as an acro-narcotic poison. The antidote is vinegar. Dose, gr. v to gr. x of the powder; of the tincture, grs. xx to 55j. In *Dental Practice* the tincture of arnica is employed for irritable pulps of teeth; also in periodontitis to prevent suppuration, and for wounds of mucous membrane. Largely diluted, it forms an efficient mouth-wash during operations on the teeth. It also prevents ecchymosis.

**Ar'nica (arnica).** A bitter resin, the active principle of *Arnica montana*.

**Aro'ma aq'ua, perfume;** from *ar*, intensely, and *o'm*, to smell). Spiritus rector. The odorous principle of plants and other substances.

**Aromatic (aromatica; from *ar*, to smell, an odor).** Anything which has a grateful, spicy scent and an agreeable, pungent taste, as cinnamon, ginger, cardamom, mint, etc.

**Aromatic Sulphuric Acid.** See SULPHURIC ACID, AROMATIC.

**Aromatic Vinegar.** An acetic solution of camphor, oil of cloves, rosemary, and lavender.

**Aur'mine.** A peculiar alkaloid obtained from urine.

**Arrache'ment (from *arracher*, to tear out).** The separation of a part of the body, tearing it from the part with which it was connected. The term is sometimes applied to the extraction of a tooth.

**Ar'raphon (from *r*, priv., and *pon*, a suture).** Without suture. A term applied to the cranium when it has no sutures.

**Arrho'ra (from *r*, priv., and *ru*, I flow).** The suppression of any natural flux. Amenorrhoea.

**Arriere' Dent (d'ens serotina).** A wisdom tooth.

**Ar'row Root.** The fecula of the root of the *Manis arundinacea*, a plant which grows in the West Indies. See MAMANTA.

**Arsen'iate (from *arsenicum*, arsenic).** A salt formed by a combination of arsenic acid with salifiable bases.

**Arseniate of Ammonia (arsenias arsenici).**

A crystallized salt, formed by a combination of arsenic acid and ammonia or carbonate of ammonia.

**Arseniate of Iron (ferri arsenias).** A salt formed by double decomposition by adding a solution of sulphate of iron to one of arseniate of soda. It precipitates in the form of a dirty green powder.

**Arsenic (arsenium).** The name of a metal of a blackish or steel-gray color. It is found native as an oxide and a sulphuret. Its symbol is As; its combining number 75. Arsenic and its various preparations are among the most active of all poisons. The only known antidote is the hydrated sesquioxide or peroxide of iron. It should be preceded by the use of emetics or the stomach-pump. See ARSENIOUS ACID.

**Arsenic Acid (acidum arsenicosum).** See ARSENIOUS ACID.

**Arsenic, Iodide of (arsenici iodidum).** A combination of arsenic and iodine. Used in cutaneous diseases; also in form of an ointment in the proportion of three grains to the ounce of lard. Internally, the dose is a tenth of a grain.

**Arsenic, Oxide of.** White arsenic. Arsenious acid.

**Arsenic, White.** Oxide of arsenic, or arsenious acid.

**Arsen'ical Caustic.** A preparation composed of two parts of levigated antimony and one of white arsenic.

**Arsenical Paste (pâte arsenicale).** A French composition, used as an application to malign

nant oleum, composed of seventy parts of cinabar, twenty-two parts of dragon's blood, and eight parts arsenious acid, made into a paste with saliva.

**Arsenicalis Liquor.** Fowler's solution; arsenical solution.

**Arsen'icum Album.** White arsenic.

**Arsen'ious Acid.** White arsenic. Oxide of arsenic. This compound is prepared by digesting the metal in dilute nitric acid. It combines with the earthy and alkaline bases, forming arsenites. In small doses of  $\frac{1}{2}$  to  $\frac{1}{4}$  of a grain it is tonic, antiseptic, and antiperiodic, while in large doses it is a virulent, irritant poison.

This powerful agent has been extensively employed, both in America and Europe, for destroying the pulps of decayed teeth; but in consequence of the great lability of a tooth, after the destruction of its lining membrane, to give rise to abscesses and inflammation of the periodontal membrane, its indiscriminate use is rapidly falling into disrepute.

Dr. Spooner, of Montreal, was the first to use arsenious acid for the destruction of an exposed dental pulp, but the discovery was first made known to the dental profession by his brother, Dr. S. Spooner, of New York, through the medium of a popular treatise on the tooth, published in 1838.

The application of a fortieth or fiftieth part of a grain, with an equal quantity of the acetate of morphia, to an exposed dental pulp, will destroy its vitality in from three to seven hours, and often without causing any unpleasant sensation, but in most instances it is productive of more or less pain. It should always be used with great care to prevent it from coming in contact with the mucous membrane of the mouth, or from becoming displaced and being swallowed. To prevent any accident of this sort, the cavity in the tooth should be tightly and securely sealed up with wax or cotton saturated with sandarach varnish, or with a concave cap of metal over arsenical application and a temporary filling in the crown cavity. The following preparations, known as nerve paste, are in use:  $\mathcal{R}$ .: Arsenious acid, gr. xxx; Sulphate of morphia, gr. xx; Cresote, q. s. M. To form a thick paste.  $\mathcal{R}$ .: Arsenious acid, gr. x; Arctate of morphia, gr. xx; Cresote, q. s. M. To form a thick paste. Dr. Kirk's formula is: Arsenious acid, in fine powder, gr. xx; Cocaine hydrochlorate, gr. xx; Menthol, cryst., gr. v; Glycerine, enough to form a stiff

paste. M. Arsenious acid is also employed to obtund sensibility of dentine, but is a dangerous agent, as its effects often extend to the pulp of the tooth. The opinion so generally entertained that danger to the periodontal membrane and socket of the tooth might result from allowing the arsenious acid to remain longer in the pulp cavity than is necessary for the devitalization of that organ is combated by Dr. Plugg. The theory so long held that arsenic is soluble in cresote is also disproved; nor is it probable that the addition of morphia is useful in allaying the pain incident to the action of the arsenic. See Goeppe's "Dental Medicine."

**Ar'senic Potas'sam.** Arsenite of potash.

**Ar'senite.** A salt formed by the union of arsenious acid with a base.

Arsenite of Copper. Scheele's green.

Arsenite of Potash. Liquor arsenitellus.

**Arsenovi'nic Acid.** An acid produced by the action of arsenic upon alcohol.

**ART.** The application of a system of rules to the performance of certain actions.

**Art, Dental.** The application of the rules of dental surgery to the treatment of the diseases of the teeth and the replacement of the loss of these organs.

**Arte'ria** (from *ars*, art, and *terre*, to keep, because it was supposed by the ancients that they contained air). An artery.

**Arte'ria Adipo'sae.** The arteries which secrete the fat about the kidneys.

**Arte'rial (arterious).** Belonging to the arteries.

**Arterial Blood.** The red blood is so called because it is contained in the arteries. The pulmonary veins also contain red blood, on which account they have been called arterial veins.

**Arterial System.** All the arteries of the body.

**Arterializa'tion.** The conversion of the venous into arterial blood; a term applied to the change which the blood undergoes as it passes through the lungs, produced by the evolution of carbonic acid and the absorption of oxygen.

**Arterio'la.** A small artery.

**Arterio'logy (arteriologia);** from *arteria*, artery, and *logos*, a discourse. A treatise on the arteries.

**Arterio'stes'is** (from *arteria*, artery, and *sternon*, a bone). The early ossification of an artery.

**Arterio'ses Duc'tus.** See DUCTUS ARTERIOSUS.

**Arteriotomy** (*arteriotomia*; from *arteria*, an artery, and *tomos*, I cut). The opening of an artery to draw blood.

**Arteritis** (from *arteria*, an artery, and *itis*, inflammation). Inflammation of an artery.

**Artery** (*arteria*). A firm and elastic cylindrical tube, composed of three membranes,—a common or external, a muscular, and an internal,—for conveying the blood from the heart. There are but two main arteries, the pulmonary artery and the aorta; all the rest are branches. The first originates from the right ventricle of the heart, and the second from the left. It is by means of the arteries that the blood is conveyed to every part of the body. The pulsation of the arteries corresponds with that of the heart.

The principal arteries of the body are mentioned in the following table:

#### TABLE OF THE ARTERIES.

##### I. The pulmonary artery.

The pulmonary artery, soon after emerging from the right ventricle of the heart, divides into two branches, a right and a left, which are distributed to the lungs.

##### II. The aorta.

The aorta arises from the left ventricle of the heart, and is the great trunk from which the other arteries of the body are derived. These are given off in the following order. At its origin it gives off:

1. The *anterior cardiac*, or *right coronary artery*.

2. The *posterior cardiac*, or *left coronary artery*. At the arch it gives off three branches:

(a) The *arteria innominata*, which divides into the *right carotid* and *right subclavian*.

(b) The *left carotid*.

(c) The *left subclavian*.

The carotids are divided into *external* and *internal*.

The external gives off:

1. The *superior thyroid*.

2. The *lingual*.

3. The *labial* or *facial*.

4. The *inferior pharyngeal*.

5. The *occipital*.

6. The *posterior auris*.

7. The *internal maxillary*, which gives off the *glossa artery* of the dura mater, the *maxillary*, and several branches which go to the palate and orbit.

8. The *temporal*.

The following branches are given off from the internal carotids:

1. The *ophthalmic*.

2. The *middle cerebral*.

3. The *communicans*.

The following are the branches given off by the subclavian arteries:

1. The *internal mammary*, which sends off the *thyric*, *comes pectoris*, *pericardiac*, and *phrenico-pericardiac* arteries.

2. The *inferior thyroid*, from which the *tracheal*, *ascending thyroid*, and *transversalis humeri* are derived.

3. The *vertebral*, which forms within the cranium the *basilar artery*, which gives off the *anterior cerebelli*, the *posterior cerebelli*, and many other branches.

4. The *costalis profunda*.

5. The *costalis superficialis*.

6. The *superior intercostal*.

7. The *supra-scapular*.

When the subclavian arrives at the axilla it receives the name of the *axillary artery*, and the latter, when it reaches the arm, is called *brachial*.

The following are the branches given off by the axillary artery:

1. *Four mammary arteries*.

2. The *sub-scapular*.

3. The *posterior circumflex*.

4. The *anterior circumflex*.

The following branches are given off by the brachial artery:

1. *Many lateral branches*.

2. The *profunda humeri superior*.

3. The *profunda humeri inferior*.

4. The *great anastomosing artery*.

At the bend of the arm the brachial artery divides into the *ulnar* and *radial arteries*.

The ulnar gives off:

1. *Several recurrent branches*.

2. The *common interosseal*.

3. The *palmaris superficialis*, the *palmar arch*, and the *digital*.

The radial artery gives off the following branches:

1. The *radial recurrent*.

2. The *superficialis volæ*, after which it divides into the *palmaris profunda* and the *digitalis*.

The arteries given off by the DESCENDING AORTA in the thorax are:

1. The *brachial*.

2. The *oesophageal*.

3. The *inferior intercostals*.

4. The *inferior diaphragmatic*.

In the abdomen the aorta gives off:

1. The *celiac*, which, at the distance of half an inch from its origin, divides into three branches: (a) The *gastric* or *coronary artery*; (b) the *hepatic*; and (c) the *splenic*. The hepatic artery, before it reaches the liver, gives off: (1) The *right gastro-epiploic* and (2) the *epicolic artery*. The splenic artery gives off the *pancreatic magna*, the *left gastro-epiploic*, and the *vasa brevia*.

2. The *superior mesenteric*, which gives off: (a) the *celiac trunk*; (b) the *colica dextra*; and (c) the *ileo-colon*.

3. The *inferior mesenteric*.

4. The *emulgent* or *renal arteries*.

5. The *spermatics*.

6. The *lumbar arteries*.

7. The *middle sacral*.

After giving off the foregoing, the aorta divides into two branches, called the *internal* and *external iliac arteries*.

The internal iliac or hypogastric artery gives off:

1. The *ilio-lumbus*.

2. The *internal sacra*.

3. The *obturator*.

4. The *middle hemorrhoidal*.

5. The *gluteal* or *posterior iliac*.

6. The *ischiofem*.

7. The *pubic interna*, from which the *inferior hemorrhoidal*, the *transverse perineal*, and the *dorsalis penis* arise.

The external iliac or great artery of the lower extremity gives off:

1. The *epigastric*.

2. The *circumflexa ilii*.

After passing under Poupert's ligament, the artery of the lower extremity takes the name of *femoral artery*, and gives off:

1. The *profunda*.

2. The *circumflexa*.

When it reaches the knee it is called the *popliteal artery*. It here gives off *articular* branches, and below the joint divides into the *anterior* and *posterior tibial*.

The anterior tibial gives off:

1. The *recurrent*.

2. The *internal malleolar*.

3. The *external malleolar*.

4. The *tarsal*.

5. The *metatarsal*.

6. The *dorsalis pedis*.

The posterior tibial gives off the following:

1. The *peroneal* or *fibular*.

2. The *subtibia* *tibia*.

3. The *internal plantar*.

4. The *external plantar*, which passes obliquely outward and forward to the base of the fifth metatarsal bone. It then turns obliquely inward to the interval between the bases of the first and second metatarsal bones, where it anastomoses with the communicating branch from the dorsalis pedis, thus completing the *plantar arch*. The *digital branches* are four in number, and supply the three outer toes and half the second toe.

Artery. Angular. See FACIAL ARTERY.

Arthralgia (*arthralgia*; from *arthron*, a joint, and *algos*, pain). Pain in the joints.

Arthritis (*arthritis*; from *arthron*, the joint). Involving the joint.

Arthritic Teeth. (Tooth teeth are characterized by short and thick crowns, heavy shoulders on the lingual surfaces, very dark color, square, dense, and hard, with markings which consist of transverse or winding grooves.

Arthritis (from *arthron*, a joint). The joint. See INFLAMMATION.

Arthrocace (from *arthron*, a joint, and *akros*, defect). Disease of the joints, and especially cancer of the articular surfaces. The term is also applied to epulis maxillae.

Arthrodis (from *arthron*, a joint). A movable articulation or connection of bones in which the head of one is applied to a superficial cavity of another so that it can be moved in every direction.

Arthrodynia (from *arthron*, a joint, and *dynos*, pain). Pain in a joint; chronic rheumatism. See RHEUMATISM.

Arthrology (*arthrologia*; from *arthron*, a joint, and *logos*, a description). A description of the joints.

Arthron (*arthron*). A joint.

Arthroncus (*arthroncus*, a joint, and *kyxos*, a mass, a swelling). A distinct cartilaginous body (one or more) which sometimes forms within the knee-joint. Sometimes applied to translocation of a joint.

Arthropathia (*arthropathia*, a joint, and *pathos*, disease). An affection of the shoulder-joint with violent pain and swelling of the brachial portion.

Arthrophlogia (*arthroplogia*, and *phlogos*, to inflame). Inflammation of a joint.

Arthropoia (*arthropoia*, a joint, and *poia*, pus). Suppuration, or a collection of pus in a joint.

Arthrosis (from *arthron*, to articulate). Arthritis; inflammation of the joints. A genus



of diseases in Good's "Nomenclature," embracing rheumatism, gout, and white swelling.

**Articulation** (from *artēpo*, to articulate). An articulation. A joint.

**Articropo** (from *artēpo*, a joint, and *erōpōs*, a sponge). A white fungous tumor of the joints.

**Articular** (*articulāris*; from *articulus*, a joint). Pertaining to a joint.

**Articular Arteries of the Knee.** Several small branches are given off from the popliteal artery, which surround the tibio-femoral articulation, and, from their situation, are designated by this name. They are divided into superior and inferior, and there are generally three of the former and two of the latter.

**Articular Veins of the Knee.** These generally follow the course of the arteries.

**Articula'ta.** A term applied in *Zoology* to a primary division of the animal kingdom, characterized by an external articulated covering, consisting of a series of rings, corresponding to the internal skeleton of vertebrated animals.

**Articula'tion** (*articulatio*; from *articulus*, a joint). The connection of bones with one another. Articulations are generally divided by anatomists into three kinds—namely, *diarthrosis*, *synarthrosis*, and *emphiarthrosis*. *Synarthrosis*, immovable, subdivided into *schindyleses*, or grooved joints; *gomphoses*, in sockets, as the teeth; and *sutures*, as the bones of the skull. *Diarthrosis*, or movable joints; *ginglymus*, or hinge-like; *carthrosis*, or ball-and-socket joints, and *emphiarthrosis*, or joints of a mixed type. In *Physiology*, the formation of distinct syllables or words by the organs of speech.

**Articulation, Confuent.** The clipping of words or the running of syllables together—a symptom of cerebral disease.

**Articulation, False.** A false joint formed between the united extremities of a fractured bone or between the articular extremity of a luxated bone and the parts with which it is in contact.

**Articulation of Artificial Teeth.** The adjustment and arrangement of one or more artificial teeth, so that it or they, if there be more than one, when placed in the mouth, shall sustain the same relationship to the organs with which they antagonize, when the jaws are closed, as the natural teeth do previous to their loss.

**Articulation of Models.** See MODEL, ARTICULATING, FOR ARTIFICIAL TEETH.

**Articulation of the Teeth.** See TEETH, ARTICULATION OF.

**Articulation, Temporo-maxillary.** See TEMPORO-MAXILLARY ARTICULATION.

**Articulator.** An instrument used in *Mechanical Dentistry* for holding the models in position while the artificial teeth are being arranged and autogolosed upon the plates. An articulator devised by Dr. Boewill consists of brass wire one-eighth of an inch in diameter and of such shape and movements as to correspond with the mechanism of the human jaws.

**Articulat'us.** Articulate; jointed.

**Artificial** (*artificiālis*). That which is formed by art.

**Artificial Crowns.** Porcelain crowns of teeth designed to be united to the roots of natural teeth: what is commonly called by the nomenclature "pivot teeth."

**Artificial Denture.** A preparation composed of pure gutta-percha, while in a softened state, mixed with mineral substances, and used for temporary fillings. See HILL'S STUPLING.

**Artificial Eye.** A sort of hollow hemisphere, painted so as to represent the anterior part of the globe of the eye, and enameled, applied beneath the eyelid. The manufacture of artificial eyes has been brought to such perfection in Paris that it is difficult for a common observer to distinguish the difference between them and the natural organ.

**Artificial Joint.** A fracture united by the broken ends of the bone becoming rounded and smooth, and connected by a fibrous, ligamentous substance; a false joint.

**Artificial Lower Lip and Chin.** It sometimes happens that persons are deprived of the lower lip and chin by wounds or other causes, so as greatly to interfere with the utterance of speech and the retention of the saliva. To remedy such loss, various contrivances have been invented, varied in their construction to suit the peculiarity of the cases to which they have been applied.

In the construction of an appliance of this sort the first thing to be done is to take an impression of the lip and chin of a person, resembling, as near as possible, in those parts of the face, the individual requiring such substitute. From this impression suitable plaster or metallic models, discs, or casts are obtained, upon which are constructed vulcanite or celluloid substitutes. An old method was to obtain disc and counter-disc from plaster models

obtained from impressions. Between these a platinum plate may be stamped, which, after being fitted to the parts to which it is to be applied, should be enameled and properly colored.

**Artificial Nose.** As in the case of artificial lips, it is impossible to construct a substitute for the nose that can be worn without some inconvenience, yet the latter is by far more frequently called for, and happily can be made to subserve a much better purpose, as it can be more permanently and securely applied.

The methods of attachment are various. The simplest is by means of a slip of leather, painted flesh color, passing up over the middle of the forehead and sunk fast under the hair. But this method is objectionable. The leather is visible, and it does not afford a firm and secure support to the artificial appliance. Another method consists in attaching to the interior of the nose a superior and two lateral wings, which are made to act above and on each side in such a way as to retain the piece in its place; but it has been found that these cause not only a loss of the soft tissues against which they are made to act, but that they are liable to give rise to disease. Mr. Hall, however, reports the case of a woman who had lost her nose in consequence of a syphilitic disease, for whom he constructed an artificial substitute with three wings, which he moved by means of a spring made to work by means of a button fixed in one of the nostrils. Although it caused a little pain at first, he states that this did not last long, and that she did not ultimately suffer any serious inconvenience from it. Celluloid (which see), from its plasticity and natural flesh color, procures the best results; the lost feature may thus be restored in a most life-like manner.

When the loss of the organ is the result of disease, as is almost always the case, it is generally complicated with the loss of other parts, generally of the hard and soft palate, which also, as far as practicable, require replacement; and in this case the two may be connected together in such a way as to serve as a mutual support for each other.

**Artificial Palate.** A mechanical contrivance for supplying the loss of the whole or a portion of the hard or soft palate, or both. The simplest description of substitute of this sort consists in a thin plate of gold fitted to the gums covering the palatine portion of the

alveolar border, behind the dental arch; concave inferiorly and convex superiorly, and confined by means of clasps fitted to one or more teeth on each side of the mouth. But this, while it prevents, to some extent, the passage of fluids and food from the mouth into the nose, remedies but very partially the defect: entrance of speech, while the sharp edge of the plate posteriorly, if it be extended sufficiently far back to separate the buccal from the nasal cavities, is apt to interfere with and irritate the tongue. But whatever may be the description of substitute employed, the advantages derived from it will greatly depend upon the accuracy of its adaptation and the extent of its surface. Vaseline is now employed as a substitute for metal.

In the application of an artificial palate it often becomes necessary to connect with it one or more artificial teeth, which can easily be done by extending the plate over so much of the alveolar ridge as may be required for the fast-secured substitute.

Delabarre, Desdoulain, Stearns, Hillebrand, Hilday, and Kingsley have invented substitutes of this sort, some of which, especially Kingsley's, answer a most excellent purpose. For a full description of the various appliances which have been employed for remedying defects of the palatine organs the reader is referred to Harris' "Prin. and Prac. of Dentistry."

**Artificial Respiration.** See RESPIRATION, ARTIFICIAL.

**Artificial Teeth.** Contributing, as the teeth do, to the beauty and pleasing expression of the countenance,—to correct enunciation, to the function of mastication, which they are the chief agents in performing, and to the health of the whole organism,—it is not surprising that their loss should be considered a serious affliction, and that art should be invoked to replace such loss with artificial substitutes. No great, indeed, is the liability of the human teeth to decay, and so much neglected are means of their preservation, that few persons reach even adult age without losing one or more of these invaluable organs. But, happily for suffering humanity, they can now be replaced with artificial substitutes so closely resembling those planted in the jaws by the hand of nature as almost to elude detection, even by the most critical and practiced observers. Though there is a perfection in the works of nature that can

never be equalled by art, artificial teeth can, nevertheless, be so constructed and applied as to subserve, to a considerable extent, in the majority of cases, the purposes of the natural organs, though not so perfectly nor with the same convenience to the person wearing them.

There are difficulties connected with the insertion of artificial teeth which none but an experienced practitioner has any idea of. Besides those of properly constructing and applying them in such a manner as that they may be easily removed and replaced by the patient, and at the same time be securely fixed in the mouth, and in such a way as not to produce injury to the parts with which they are connected or associated, there are sometimes others equally difficult to overcome. For example: the loss of a tooth in one jaw is generally followed by the gradual protrusion from its socket of the one with which it antagonized in the other, so that if that be replaced with an artificial tooth of equal size it will strike against this at each occlusion of the mouth, and prevent the other teeth from coming together. This tendency of the teeth in one jaw to protrude is always in proportion to the number lost in the other, and if not soon counteracted by the replacement of the latter with artificial substitutes, it often gives rise to an obstacle to their proper application which will require no little ingenuity and tact to overcome. If it were necessary, the author could mention other difficulties connected with this branch of practice equally great, but will let it suffice to state that there are few, formidable as they oftentimes are, which the well-informed and skillful dentist can not overcome.

#### *Substances Employed for Artificial Teeth.*

Among the substances which have been employed for replacing the loss of teeth are: (1) *The crowns of human teeth*; (2) *the teeth of some cattle, sheep, etc.*; (3) *the ivory of the elephant's and hippopotamus' tusk*; and, lastly, *mineral or porcelain teeth*.

**Human Teeth.**—The crowns of human teeth are preferable to any other osseous substance, and when used for this purpose they should be of the same class as those whose place they are designed to supply. If well selected and properly inserted, the artificial connection with the alveolar ridge can not easily be detected.

The durability of these teeth, when thus employed, depends on the density of their

structure, the soundness of their enamel, and the condition of the mouth in which they are placed. If they are of a close texture, and have sound and perfect enamel, and are inserted in a healthy mouth, they will last from six to twelve, or a greater number of years.

**Tooth of Cattle.**—Of the various kinds of osseous substances employed for dental substitutes, the teeth of some cattle are, perhaps, after human teeth, the best. By slightly altering their shape they may be made to resemble very closely the incisors of some persons; but a configuration similar to the cupidini can not be given to them, and in the majority of cases they are too white and glossy to match any of the human teeth.

There are other objections to the use of these teeth. In the first place, they are only covered anteriorly with enamel, and, in the second, their structure is less dense than that of human teeth, and consequently they are more easily acted on by chemical agents. They are, therefore, less durable, seldom lasting more than from two to four years.

**Ivory of the Tusk of the Elephant and Hippopotamus.**—The employment of ivory for artificial teeth has been sanctioned by usage from the earliest periods of the existence of this branch of dentistry, but we must not hence conclude that it has been approved by experience. On the contrary, of all the substances that have been used for this purpose, this is certainly the most objectionable.

The ivory of the elephant's tusk is more permeable than that obtained from the tooth of the hippopotamus. So readily does it absorb the fluids of the mouth that, in three or four hours after being placed there, it becomes completely penetrated with them. Consequently, it is liable to chemical changes; and when several teeth formed from it are worn, they affect the breath to such a degree as to render it exceedingly offensive.

The ivory of the tusk of the hippopotamus is much firmer in its texture, and, as it is covered with a hard, thick enamel, teeth may be cut from it which will, at first, very much resemble those given us by nature.

There is, however, a peculiar *exhalation* about the natural teeth which those made from this substance do not possess. They, moreover, soon change their color, assuming first a yellow, and then a dingy or dark bluish hue. They are also, like those just mentioned, very

liable to decay and to give to the air returning from the lungs an insufferably offensive odor, which can not be corrected or prevented. They may be washed half a dozen times a day, and taken out and cleansed again at night, and it will still be grossly perceptible. But objectionable as this substance is, it is still employed by a few practitioners, and sixty years ago it was used by one-half of the dentists in the country.

*Mineral or Porcelain Teeth.*—The manufacture of porcelain teeth did not, for a long time, promise to be of much advantage to dentistry. But, by the ingenuity and indefatigable exertions of a few, they have almost entirely superseded every other kind of artificial teeth.

The French, with whom the invention of these teeth originated, encouraged their manufacture by favorable notices, and the rewards offered by some of the learned and scientific societies of Paris contributed much to their improvement. They were still, however, deficient in so many qualities that they received the approbation of very few of the profession, and then only in some few cases.

It is principally to American dentists that we are indebted for that which the French so long labored in vain to accomplish.

A want of resemblance to natural teeth in color, transparency, and animation was the great objection urged against the porcelain, and had not these objections been obviated they would have prevented them ever being extensively employed. Formerly, all that were manufactured had a dead, opaque appearance, which rendered them easy of detection when placed alongside of the natural teeth, and gave to the mouth an unhealthy and sickly aspect. But so great have been the improvements in their manufacture that few can now distinguish any difference between them and the natural organs.

The advantages which these teeth possess over every sort of animal substance are numerous. They can be more nicely fitted to the mouth, and be worn with greater convenience. They do not absorb its secretions, and, consequently, when proper attention is paid to their cleanliness, they do not contaminate the breath or become in any way offensive. They never change their color. They are not acted on by the chemical agents found in the mouth, and hence the name "incorruptible," which has been given to them.

#### *Artificial Teeth, Different Methods of Applying.*

—The methods of applying artificial teeth are: (1) *On the roots of the natural teeth*; (2) *on a plate with clasps*; (3) *with spiral springs*; (4) *by atmospheric pressure*. The peculiar advantages of each of these methods we shall point out briefly, as well as the cases in which they are particularly applicable.

*Artificial Teeth Placed on Natural Roots.*—This method of inserting artificial teeth, on account of its simplicity was formerly more extensively practiced than any other. If the roots on which they are placed be sound and healthy, and the back part of the jaws supplied with natural teeth, so as to prevent those with which the artificial antagonize from striking them too directly, they will subserve the purposes of the natural organs very perfectly. When thus placed they rest on firm bases, and if they are properly fitted and secured their connection with the natural roots can not easily be detected. But, unfortunately, the incisors and cuspids of the upper jaw are the only teeth which it is proper to replace in this way.

The insertion of an artificial tooth on a diseased root, or on a root having a diseased socket, is always followed by injurious effects. The unwholesome action already existing in the root or its socket is aggravated by the operation, and often caused to extend to the contiguous parts, and sometimes even to the whole mouth. Nor is it always proper to apply a tooth immediately after having prepared the root. If any irritation is produced by this preparatory process, the tooth should not be inserted until it has wholly subsided. The neglect of this precaution not infrequently gives rise to inflammation of the alveolo-dental periosteum and alveolar abscess. See *KNIFE-WORK*.

For the manner of preparing a root and applying a tooth to it, see Harris' "Prin. and Pract. of Dentistry."

#### *Artificial Teeth Mounted on a Plate with Clasps.*

—This method of applying artificial teeth, on account of its more extensive applicability, may be considered as more valuable even than that of placing them on natural roots. By this means the loss of a single tooth, or of several teeth, in either or both jaws, may be supplied. A plate may be so fitted to an aperture in the dental arch, and secured with clasps to the other teeth, as to afford a firm support to six, eight, ten, or twelve artificial teeth.

Teeth applied in this way, when properly constructed, may last for many years. But it is necessary to their durability that they should be correctly arranged, accurately fitted, and substantially secured to the plate, and that the plate itself be properly adapted to the gums, and attached to the teeth that are firmly fixed in their sockets.

Gold was, for a long time, almost the only metal employed for making the plate and clasps. This, for the former, should be from twenty to twenty-one carats fine, and from eighteen to nineteen for the latter. If gold of an inferior quality be used, it will be liable to be acted on by the secretions of the mouth. Platinum, when the teeth are to be united to the plate by means of a fusible silicious cement, answers a good purpose; but there are few dental practitioners who have the facilities for melting and re-converting the scrap into plate, and when this can not be done, the use of it is attended with some loss.

*Artificial Teeth with Spiral Springs.*—When attached to plates, the only difference between the method last noticed of applying artificial teeth, and the one now to be considered consists in the manner of confining them in the mouth. The former is applicable in cases where there are other teeth in the mouth to which clasps may be applied; the latter is designed for confining whole sets and parts of sets, where clasps or other means of attachment can not be conveniently employed for their retention.

When plates are employed, the teeth are attached to them in the same manner as when clasps are used, but instead of being fastened in the mouth to the other teeth, they are kept in place by means of spiral springs, one on either side of the artificial denture, between it and the cheeks, passing from one piece to the other.

*Atmospheric or Suction Method of Applying Artificial Teeth.*—The method last described of confining artificial teeth in the mouth is often inapplicable, inefficient, and troublesome, especially for the upper jaw; and it is in such cases, more particularly, that the atmospheric or suction method is valuable. It was, for a long time, thought to be applicable only for an entire upper set, because it was supposed that a plate sufficiently large to afford the necessary amount of surface for the atmosphere to act upon could not be furnished by a plate containing a smaller number of teeth.

Experience, however, has proven this opinion to be incorrect. A single tooth may be mounted upon a plate presenting a surface large enough for the atmosphere to act upon it sufficiently for its retention in the mouth. For a like reason it was thought that the narrowness of the inferior alveolar ridge would preclude the application of a plate to it upon this principle, and in this opinion many dentists participated; but they have succeeded so perfectly in confining lower pieces by perfect adaptation that they rarely find it necessary to employ spiral springs for double sets.

Spiral springs are now but seldom used, and only in cases where malformation exists to such a degree as to render the use of the atmospheric method or retention by means of clasps impossible.

The firmness of the adhesion to the gums of the plate or base, to which the teeth are attached, depends upon the extent of the surface which the plate presents and the accuracy of its adaptation. It is also important that the teeth should be so arranged and antagonized that they shall strike those in the other jaw all the way around at the same instant. This is a matter that should never be overlooked; for if they meet on one side before they come together on the other, the part of the plate or base not pressed on will be detached, and the admission of air between it and the gums will cause it to drop.

The application of artificial teeth on this principle has been practised for a long time; but the plates formerly used were ivory instead of gold, and could seldom be fitted with sufficient accuracy to the mouth to exclude the air; so that, in fact, it could hardly be said that they were retained by its pressure. Unless fitted in the most perfect manner, the piece is constantly liable to drop, and the amount of substance necessary for such a base renders it awkward and clumsy; and, besides, ivory absorbs the fluids of the mouth so readily that, after being worn for a few weeks, it becomes exceedingly offensive. Gold, platinum, vulcanized rubber, aluminum, and celluloid are the bases upon which artificial teeth are now placed, and all of these materials answer an excellent purpose for plates constructed on the atmospheric or suction method. See ALUMINUM, VULCANITE, CELLULOID.

The application of artificial teeth upon this principle originated with the late Dr. Gar-dette, of Philadelphia; and we believe that

soon after he made his first successful experiment, Mr. John Woffendale, of New York, constructed a dental substitute for the upper jaw which was retained in the mouth in the same way; and at the time he did it he was not aware that it had ever been done before.

The *indication* may be greatly increased by the formation of an air chamber in the plate opening upon the gum or roof of the mouth.

**Artificial Teeth, Arrangement of.** The principal points to be observed are: The *center*—as the median line of the face should exactly divide the space between the upper and lower central incisors. The *inclination*; the central and lateral incisors should lean slightly toward the median line; the canines also, but less than the incisors; and the bicuspid and molar almost straight or perpendicular. The *lip*: the anterior teeth should lip slightly, the cutting edges passing each other enough to prevent lapping. The *length*: the relative length of the teeth is shown by the articulator, especially of the anterior ones. In a full upper and lower denture the length of the posterior teeth is usually left to the judgment of the constructor. The *expression*: the upper lip should project slightly beyond the lower one when the mouth is closed, and the lower lip should be more prominent at its upper edge than where it joins the chin. Fullness of the gums immediately under the nose should always be avoided, to prevent giving the lip a swollen appearance. The lower posterior teeth should rest upon the ridge and occupy a perpendicular position, and sufficient room should be given to the tongue. The first bicuspid of the upper set should articulate between the first and second lower bicuspid, and the natural rule for each tooth to articulate with two of the opposing teeth should be followed as much as possible. The anterior teeth should form a somewhat flattened arch and fill the full width of the jaw, and the first bicuspid should be placed slightly inside the cuspid, so as to bring the anterior teeth well in view. The posterior teeth should form straight lines and diverge as they extend backwards. The *articulation*: the anterior teeth of both jaws should be so arranged that the point of the upper cuspid will come directly between the lower cuspid and first bicuspid, and the teeth so placed that no spaces are left through which the air will pass in the act of speaking and produce a whistling or hissing sound.

**Artificial Teeth, Selection of.** The principal

points to be observed in selecting the teeth for artificial dentures are: The *slope*—whether the sides of the tooth are to be nearly parallel or divergent; the *size*—the width and length, especially of the incisors and cuspid; the *character*—whether flat, or curved transversely or from gum to edge, or both, whether thin, translucent, and delicate, or thick, dense, and massive; *preservative*—the presence or absence of transverse or longitudinal grooves or lines, cutting edges straight or round, especially at the angles; the *shade*—value to match the natural teeth and to correspond with the complexion; *position of the pins*—transverse or perpendicular and their nearness to the edge of the crown of the tooth. The width of the front teeth is usually determined by the position of the cuspid teeth.

**Artificial Upper Lip.** In the construction of an upper lip the method of procedure is very similar to that for supplying the loss of the lower; the only difference consists in the method of attachment. Besides the straps covered with board, two plates are fastened to it, which pass up along the nose, and are secured to a pair of preservers, whose branches serve as a means of attachment. We should think the best method of retaining an artificial upper lip in its place would be to fix means of attachment on the inner side, which might be secured to the teeth.

But a substitute for either the upper or lower lip can not be so constructed as to be worn without inconvenience, and it is fortunate that they are seldom required.

The method of procedure consists, first, in taking an accurate impression of the void occasioned by the destruction of the natural organ; then making a model to fit the inequalities of the parts; and afterward obtaining a metallic model and counter-model, between which a thin plate of gold or platinum is wrapped. After fitting this accurately to the parts, it should be enameled and painted to correspond with the rest of the face. Celluloid may be employed instead of metal.

**Artocarpus Integrifolia.** The jackfruit tree. Cutchinac.

**Arvi'sa.** Old name for hog's-lard.

**Ar'vum.** Voiva.

**Arytæ'so.** Pertaining to the arytenoid cartilage.

**Arytæno-epiglottidæ'us, or Arytæno-epiglotticæan.** That which pertains to the arytenoid cartilage and epiglottis.

**Arytmoid** (*arytmoides*; from *arytma*, a funnel, and *oides*, shape). A term applied in *Anatomy* to two cartilages of the larynx, and the muscles, glands, etc., connected with them.

**Arytmoid Cartilages**. The name of two cartilages of the larynx.

**Arytmoid Glands**. Small glandular, whitish bodies, anterior to the arytmoid cartilages.

**Arytmoides**. The name of a muscle which passes from one arytmoid cartilage to the other. It is divided by some anatomists into three portions.

**Arytmoides Major**. See **ARYTMOIDEUS TRANSVERSUS**.

**Arytmoides Minor**. See **ARYTMOIDEUS OBLIQUUS**.

**Arytmoides Obliquus**. The name of a muscle of the glottis.

**Arytmoides Transversus**. An arymus or single muscle of the glottis.

**Aryth'mus** (*arythmos*; from *α*, priv., and *ρυθμος*, rhythm, measure). A term sometimes applied to an irregular pulse.

**Asafetida** or **Asafoetida** (from the Hebrew word *as*, to heal). A gum-resin; the concrete juice of the *Ferula asafetida*. An umbelliferous plant. It is antispasmodic, expectorant, emmenagogue, and antihelmintic when injected into the rectum. Dose in pill, gr. x to ʒss.

**As'agin**. Dragon's blood.

**Asaph'tum** (from *α*, priv., and *σῆψω*, clear). A cutaneous affection, consisting of collections in the sebaceous follicles of the skin, which, when pressed out, look like small black-headed worms.

**Asa'phla** (from *α*, priv., and *σῆψω*, clear). Defective utterance or articulation resulting from disease of the palate.

**Asarum Canadense** (*Asarum canadense*). Canada snakeroot; wild ginger.

**Asbe'stos** (*asbestos*). A mineral more or less flexible and fibrous. The ancient manufactory cloth from it for wrapping up dead bodies when exposed on the funeral pile. In consequence of its being a non-conductor of caloric, the application of it to the bottom of cavities of very sensitive teeth was first recommended by Dr. R. Brown, in the "American Journal of Dental Science," to prevent the painful sensation sometimes produced in cases of this sort by cold or hot fluids or air when taken into the mouth. As a non-conductor of caloric it possesses every desirable property,

and it is as indestructible in a tooth as gold. It is also used in *Mechanical Dentistry*, mixed with plaster, as a substitute for sand, to form the investment preparatory to soldering.

**Ascar'ides**. See **ASCARIS**.

**As'caris** (plural *ascarides*; from *ασκαρίς*, to leap). A genus of intestinal worms comprehending a great number of species.

**Ascaris Lumbrico'ides**. The long round-worm.

**Ascaris Vermicula'ria**. The thread or new-worm, found in the rectum.

**Ascen'dens** (from *anascere*, to ascend).

Ascending. A term applied in *Anatomy* to parts which have their origins lower than their terminations.

**Ascen'sus Morbi**. The ascent or increase of a disease.

**Ascit'es** (from *ασκω*, a sack or bottle; so called because of its bottle-like protuberance). Dropsy of the abdomen, or rather of the peritoneum, characterized by fluctuation, increased size of the abdomen, etc.

**Ascle'pias**. Milkweed. A genus of plants of the order Asclepiadaceae. The juice of this plant, when compounded with sulphur, is vulcanizable, and has been successfully used as a substitute for caoutchouc.

**Asco'ma** (from *ασκω*, a bottle). The emulgence of the pulse of females at the age of puberty is so called from its shape.

**Ascep'sis** (from *α*, priv., and *σῆψω*, to putrefy). The condition of non-putrefaction; absence of septic matter or the micro-organisms concerned in its formation.

**Ascep'ta** (from *α*, priv., and *σῆψω*, to putrefy). A term applied to substances not subject to putrefaction.

**Ascep'tic**. Free from septic matter. The antiseptic treatment of wounds.

**Aseptic Dressing**. One made germ-free by sterilizing with heat.

**Aseptic Wound**. A wound free from pathogenic or septic micro-organisms; a wound rendered germ-free by antiseptic treatment.

**Asep'tol** or **Asceptol**. Phenolsulphonic acid; crude sulphophenol. Formula,  $C_6H_5SO_3$ . A sulphocarb of a reddish color, resembling carbolic and salicylic acids. Used in *Dental Practice* as a disinfectant and antiseptic, and having the odor of carbolic acid. Used as a disinfectant and antiseptic. For external use, 1 : 1000. Internally the dose is gr. i.

**Ash'es**. The remains of the combustion of organic substances.

**Ast'tia** (from *a*, priv., and *erog*, food). Abstinence from food; want of appetite.

**Aso'des** (from *aso*, disgust, satiety). A fever attended with a sense of nausea and anxiety.

**Aspar'mic Acid**. Aspartic acid, malaminic acid. No acid obtained from asparamide, a principle of asparagus.

**Aspar'tate** (*aspar'ite*). A combination of aspartic acid with a base.

**As'pect**. Appearance; the way in which anything looks.

**As'pora Ar'te'ria**. The trachea; so called from the inequalities of its cartilages.

**Asper'ity**. Roughness. A term applied in *Anatomy* to the inequalities on the surface of bones, usually serving for the insertion of tendons of muscles; and sometimes, in *Pathology*, to inflammation of the eyelids, on account of the sensation of roughness which attends the movements of these organs upon the eyeballs.

**Asperma'tia** (from *a*, priv., and *erog*, seed). Dediciency or want of semen.

**Asper'matous** (*aspermatous*, or *aspermus*: from *a*, priv., and *erog*, seed). Without seed.

**Asphal'tum**. A bituminous substance found in a soft liquid state or which melts readily by heat, and from age becomes hard and dry. A brown coloring matter is formed from it, which, when dissolved in oil of turpentine, is semitransparent, and is used as a glue.

**Asphyx'ia** (from *a*, priv., and *erog*, pulse). This term was originally employed to signify privation of pulse, but it is now applied to suspension of all the vital phenomena produced by causes operating on the respiratory organs, but in which life is not actually extinct. This term is now generally employed to denote the effect upon the body of the anaerogation of the blood; the suspension of vital phenomena when the lungs are deprived of air. The excess of carbonic dioxide in the blood first stimulates, then paralyzes, the respiratory centre of the medulla. The remedy in cases of such asphyxia is artificial respiration. Dr. John Mason Good divides asphyxia into four varieties: (1) *Asphyxia suffocans*, asphyxia produced by hanging or drowning. (2) *Asphyxia asphixia*, chokedamp, or asphyxia produced by inhaling carbonic acid or some other irrespirable exhalation. (3) *Asphyxia electrica*, electrical asphyxia, produced by a stroke of lightning or electricity. (4) *Asphyxia algida*, frost-bitten asphyxia, produced by intense cold.

The effects of asphyxia upon the teeth are

peculiar. It causes their bony or osseous tissue to be slightly injected with red blood, giving to them a faint red or purplish tinge. This is particularly observable in the teeth of persons who have been drowned or hung, or who have died of the Asiatic cholera, and was formerly supposed to demonstrate the vascularity of the hard tissues of these organs. See *REMUCITATION*.

**Asphyxia Idiopath'ica**. Fatal syncope, caused by relaxation of the heart.

**Asphyxia, Local**. Gangrene.

**Asphyxia Neonatorum**. A term applied to asphyxia of new-born infants.

**Aspid'ium Filix Mas**. Male fern; polypody. The root has acquired great celebrity for its effects upon tape-worms.

**Aspra'tion**. Inspiration, imbibition.

**Aspre'do** (Gr. *aspr*, rough; *aspr*, rough). A hardness and unequal roughness between the eyelids.

**Assafoetida**. See *ASA FETIDA*.

**Assay'** (from the French *essayer*, to try). A chemical process, the object of which is to determine the quantity of metal contained in any mineral or metallic mixture by analyzing a small part of it.

There are two processes, the *dry* and the *humid* or *wet*. In the first the metal is extracted by the agency of fire and fluxes, and it is by this way that ores are brought and sold. The second is more accurate, and is accomplished by dissolving the ore or other substances in acids and precipitating the metals from the solution.

When the term *assay* is used alone, without the qualifying name of any metals, it usually alludes to the analysis of an alloy of gold or silver, or both, and is sometimes equivalent to *purify*.

**Assimila'tion** (*assimilation*; from *assimilare*, to make like to). The conversion of food into nutriment, a function common in all organized things, animal and vegetable. Nutrition.

**Asso'des** (*asode*; from *aso*, loathing). A fever attended with internal fever, anxiety, and loathing of food.

**Astat'ic** (from *a*, priv., and *erog*, to stand). A term applied to the magnetic direction of one needle neutralized by another, the two standing in any position, but not constantly north and south.

**Asthen'ic** (*asthenia*; from *a*, priv., and *erog*, strength). Debility; want of strength; adynamia.



**Asthenology.** The science of diseases arising from debility.

**Asthemo'pia.** Weakness of the eye.

**Asth'ma** (from *ασθμα*, to breathe with difficulty). Difficult respiration, recurring at intervals, attended with a sense of stricture across the breast and in the lungs, with a wheezing cough. It is placed by Dr. Cullen in the class *Nervous* and order *Hæmii*.

**Asthmat'ic.** Affected with, or relating to, asthma.

**Atig'matism** (from *a*, priv., and *ατιγμα*, a mark, spot, or sign of anything; terminal. *σημα*). A structural error or malformation of the crystalline lens, causing dimness of vision.

**Asto'mus** (*αστος*; from *a*, priv., and *στος*, a month). Without a month.

**Astrag'alus** (from *αστραγαλος*, a die; so called because of its supposed resemblance to the die used in the ancient games). In *Anatomy*, a short bone of the tarsus—ankle bone. In *Botany*, a genus of leguminous plants.

**Astragalus** Tragacanth. See *ANTHRAGALON VERUM*.

**Astragalus** Va'rus. Goat's-thorn; milk-vetch. The gum tragacanth of commerce is said to be principally derived from this species.

**Astric'tion** (*αστρίδιο*). The action of an astringent.

**Astrin'gent** (*αstringens*; from *αstringo*, to bind). That which has the property of contracting and rendering more solid the organic textures. Astringents applied to the human body produce contraction and condensation, and increase the density and force of cohesion. Astringents are either vegetable or mineral. The vegetable astringents consist of gallic or tannic acid, or bodies containing them, or similar substances. The mineral astringents comprise the soluble salts of most of the heavier metals, such as iron, copper, zinc, aluminum, mercury, lead, antimony, particularly the sulphates, acetates, and chlorides of such metals.

**Astringent Principle.** A vegetable principle found in the bark of trees and plants, called tannin or tannic acid; which see.

**Ass'ail.** Root.

**At'avism** (from *atavus*, an old grandfater, or an ancestor indefinitely). The re-appearance of an anomaly or disease after it had been lost in one or more generations.

**Atax'ia** (from *a*, priv., and *ταξις*, arrangement). In *Physiology*, irregularity in the

functions of the body, and in *Pathology*, in the symptoms of a disease.

**Ataxia, Locomotor.** Failure of muscular co-ordination in muscular movements in standing or walking.

**Atax'ic** (from *αταξια*, want of order). An excess or deficiency in the contraction of muscles.

**Ata.** A terminal syllable, which, added to the name of an acid ending in *ic*, expresses a combination of that acid with a base; as, nitrate of silver, or a combination of nitric acid with the oxide of silver.

**Atach'nia.** Anaphrodisia.

**Atelec'tasis Pulmo'num.** Pneumotelectasis. Imperfect dilatation of the lungs at birth, or coming on occasionally during the first weeks of life.

**At'eles** (*ατλης*). In *Anatomy*, imperfect, defective.

**Atel'ia** (from *ατελεια*, imperfection). Imperfection or failure of development of some part of the fetus, such as the jaw, lip, heart, brain, spinal cord, etc.

**Atelochel'ia** (from *ατλης*, imperfect, and *χελυς*, lip). Imperfect development of the lip.

**Atelencepha'lia** (from *ατλης*, imperfect, and *εγκεφαλον*, the encephalon). Imperfect development of the brain.

**Ateloglos'sa** (from *ατλης*, imperfect, and *γλωσσα*, tongue). Imperfect development of the tongue.

**Atelognath'ia** (from *ατλης*, imperfect, and *γναθος*, the jaw). Imperfect development of the jaw.

**Atelomyl'ia** (from *ατλης*, imperfect, and *μυλος*, marrow). Imperfect development of the spinal marrow.

**Ateloprosop'ia** (from *ατλης*, imperfect, and *πρωσωπον*, the face). Imperfect development of the face.

**Atelostom'ia** (from *ατλης*, imperfect, and *στομα*, mouth). Imperfect development of the mouth.

**Athaman'ta Oreocell'num.** The systematic name for the official *Oreocellum*. Black mountain parsley. An oil obtained from the seed by distillation; was esteemed a valuable odontalgic remedy.

**Athaman'tin.** An alkaloid obtained from the last-named plant.

**Athelas'mus** (from *a*, priv., and *θηλας*, a nipple). Inability to give suck, either from want of a nipple or some other cause.

**Atheroma** (from *athra*, pap or pulp). A soft, encysted tumor, containing a substance of the consistency of a pomice.

**Atheromatous**. Pertaining to atheroma, as an atheromatous tumor.

**Atheromatous Diarrhea**. Fatty dysentery.

**Athlet'ic** (*athletikos*). Possessing great muscular strength; vigorous.

**Atlas** (from *atlas*, I sustain, because it sustains the head). The name of the first vertebra.

**Atmatri'a** (from *atmos*, vapor, gas, and *atrazo*, treatment). Atmistry. Atmidiatrie. The treatment of disease of the lungs or mucous membrane by the action of vapors or gases.

**Atmom'eter** or **Atmidom'eter** (from *atmos*, vapor, and *metron*, a measure). An instrument invented by Professor Leslie for measuring the quantity of vapor exhaled from a solid surface in a given time.

**At'mosphere** (from *atmos*, vapor, and *sphaera*, a globe). The elastic, invisible fluid which surrounds the earth.

**Atmospher'ic Pres'sure**, or weight of the atmosphere, is measured by the length of a column of mercury. A mercurial column, thirty inches in length, presses on a given surface with the same force as the atmosphere at its ordinary state; hence the force of a sixty-inch column is equal to the pressure of two atmospheres; that of fifteen inches is half an atmosphere; that of one inch is one-thirtieth of the atmospheric pressure.

**Atmospheric-pressure Cavity**. A cavity formed on the palatine surface of a set of artificial teeth, to retain them in the mouth.

**Atmospheric Tension**. The pressure of the air per square inch on the surface of a body. At the sea-level it is computed to be about 14.7 lbs. It decreases  $\frac{1}{2}$  in., or  $\frac{1}{2}$  lb., per square inch for every 90 feet of altitude. Above 10,000 feet the rarity of the atmosphere is apparent in quickened breathing and a higher pulse rate.

**Atoc'ia** (from *atros*, a root, which, with the accents, signified barrenness, not from physical causes, but from avoidance of the man). Barrenness; sterility.

**Atom** (from *a*, priv., and *trōmō*, to cut). A particle of matter incapable of further division. The ultimate unit of an element; the smallest part capable of entering into a chemical compound or uniting with another to form a molecule—the smallest quantity of a substance that

can exist. In *Chemistry*, it is synonymous with *equivalent*.

**Atom, Compo'sent**. That which unites with another of different nature to form a third or compound atom.

**Atom, Elemen'tary**. That of a substance not decomposed.

**Atom, Organ'ic**. That of a substance found only in organic bodies.

**Atom'ic Equivalence**. Valence, or atomicity, is the combining power of the atoms of an element as compared with that of hydrogen.

**Atomic Heat**. The specific heat of an atom multiplied by its atomic weight.

**Atomic Theory**. A theory for explaining the laws of definite proportions in chemical combinations, founded on the belief that matter consists of ultimate, indivisible particles, called *atoms*, in the same body, but differing in weight in different bodies, and that bodies combine in different proportions with reference to these weights.

**Atomic Weight**. The weight of an atom of an element as compared with the weight of an atom of hydrogen.

**Atomized Fluids**. In *Medicine*, medicinal agents reduced to a fluid state, and applicable not only to external parts of the body, but also, by means of ingenious instruments, to the interior of the larynx, posterior nares, sternum, and bladder.

**Atomizer**. An instrument by means of which medicinal atomized fluids are applied. See **ATOMIZED FLUIDS**.

**Atom'ic** (*atomikos*). Diminished as to molecular power or tone.

**At'ony** (from *a*, priv., and *tonos*, tone). Atonia. Debility; want of tone; weakness.

**At'rabi'ary** (from *ater*, black, and *bilia*, bile). Atmiliarius. Black bile. An epithet applied by the ancients to melancholic and hypochondriac dispositions, because it was believed that the atrobilia predominated in them. Also applied to the renal or suprarenal capsules or glands, and to the arteries and veins by which they are supplied, because they were formerly thought to produce black bile. See **RENAL GLAND**.

**At'rache'us** (from *a*, priv., and *trachea*, the neck). Short-necked.

**Atramentum**. Ink. It has been used as an astringent and an external application in herpetic eruptions.

**Atre'mia** (from *a*, priv., and *trōmō*, to per-

*foris*). Imperforation, usually applied to deficiency of a natural opening.

*Atrophia* (from *a*, priv., and *trophi*, to perforce). Imperforation in the anus or parts of generation.

*At'rici*. Small sinuses about the anus, but which do not perforate the rectum.

*A'trium*. A name applied to certain cavities of the body; as *atrium ventris*, the vestibulum vaginæ; *atrium cordis*, an auricle.

*At'ropa* (from *aperere*, the goddess of destiny, so called from its fatal effects). A genus of plants of the order Solanaceæ.

*Atropa Belladonna*. Beladonna. Deadly nightshade or dwale; a powerful narcotico-acid poison. It is powerfully narcotic, diaphoretic, diuretic, and repellent. It is applied to the eye to dilate the pupil previous to operations. Dose, gr. 1, gradually increased to gr. 3, daily.

*Atroph'ia* (from *a*, without, and *trophi*, nourishment). Such diseases as are characterized by wasting or emaciation.

*At'rophy* (*atroph'ia*; from *a*, priv., and *trophi*, to nourish). Marasmus. Atrophy. A gradual wasting of the body, usually attended by fever, loss of appetite, and impaired digestion. Any organ of the body thus affected is said to be atrophied.

*Atrophy of the Teeth*. (*Odontotrophia*. A name formerly used to designate erosion of the teeth; an affection characterized either by perforations in, or discolored spots on, the enamel, of a shrivelled, yellowish or brownish aspect, of two, four, or more teeth in each jaw. The applicability of the term "atrophy," as the two principal varieties of the affection consist rather in a congenital defect—and most frequently of some portion of the enamel of two or more teeth—than in wasting, from want of nourishment, of any of the dental tissues, may, perhaps, be considered as somewhat questionable; and this would seem to be rendered still more so by the fact that neither of the two principal varieties occurs subsequently to the formation of the enamel. But as the congenital form of the disease is evidently the result of altered functions in a portion of one or more of the formative organs, if not of absolute degeneration from vicious nutrition, the term was formerly regarded as the most applicable of any that could be applied to it.

Erosion of the teeth may very properly be divided into three varieties, each having dis-

tinctive peculiarities which characterize it from either of the others.

The *first variety* is characterized by white, light, or dark-brown irregular-shaped spots on the labial or buccal surface of the affected tooth. This variety occurs oftener than the third, and less frequently than the second, rarely appearing on more than one or two teeth in the same mouth. The temporary teeth are rarely affected by it. The size and shape of the spots are exceedingly variable.

The *second variety*, which may very properly be termed *perforating* or *pitting*, is characterized by irregular depressions or holes in the enamel, extending transversely across and around the tooth. These holes or pits are sometimes separated one from another; at other times they are confluent, forming an irregular horizontal groove. They sometimes penetrate but a short distance into the enamel; at other times they extend entirely through it, the surface of the walls presenting an irregular, but usually a glossy and polished appearance, a peculiarity which always distinguishes this variety from other forms of erosion. Teeth are sometimes marked with two or three rows of these pits.

Two, four, six, or more corresponding teeth of each jaw are always affected at the same time, the disease never being confined to a single tooth.

In the *third variety* the whole or only a part of the crown of the tooth may be affected, the dentine often being implicated as well as the enamel, and in this variety the affected organ has a pale yellow or brownish and shrivelled appearance; it is also partially or wholly divested of enamel, and its sensibility and susceptibility to external impressions are greatly increased. The disease is often confined to a single tooth, but more frequently it shows itself on two corresponding teeth in the same jaw, and the bicuspidæ are oftener attacked than the incisors, cuspidæ, or molars. The *first variety* seems to be the result of the action of some cause capable of destroying the bond of union between the enamel and the subjacent dentine subsequently to the formation of the crown of the tooth. When the affection occurs previously to the eruption of the tooth, the intermediary membrane, which constitutes this bond of union, may, at the affected place, have perished, as a consequence either of local or constitutional disease; but when the erosion occurs subse-

quently to this period, the destruction of this membrane at the eroded spot is, doubtless, the result of mechanical violence.

The second variety of dental erosion—which is always congenital, we have every reason to believe—results from constitutional disease, whereby the secretion of earthy salts deposited in the enamel cells or secretory ducts of the enamel membrane is interrupted, and, by occurring at the time this process is going on, prevents them from being filled, causing them to wither and perish, and hence the pitted appearance which characterizes this variety of the affection. In other words, the secretion of the inorganic constituents of the enamel being interrupted for a short time, the horizontal row of cells in the enamel membrane, into which it should be deposited, will not be filled, and, as a consequence, as might naturally be supposed, they waste away, leaving a circular row of pits around the crown of the tooth; but as soon as the constitutional disease has run its course the secretion of earthy matter for the enamel fibres will be resumed, and, unless the child experiences a relapse, or has a second attack of disease capable of interrupting the secretory functions of the cells of the enamel membrane, the other parts of the enamel will be well formed.

It is in the occurrence of eruptive diseases that the interruption of this peculiar function seems to be principally attributable.

Erosion, characterized by an imperfect development of the osseous part of the crown of a tooth, discoloration, etc., of the enamel, is doubtless the result of diseased action in the pulp at the time of ossification.

The nature of this affection under consideration is such as not to admit of cure. The treatment, therefore, must be preventive rather than curative. All that can be done is to mitigate the severity of such diseases as are supposed to produce it, by the administration of proper remedies. By this means the effects may, perhaps, be partially or wholly counteracted.

It seldom happens that eroded teeth, when the enamel alone is implicated, decay more readily than others, so that the only evil resulting from the affection is disfigurement of the organs. In the pitting form, when the dentine is implicated, the opposite may be the case; hence the proper treatment is to form the pits into properly shaped cavities and to fill them.

When the cutting edges of the incisors only are affected, the diseased part may sometimes be removed without inflicting injury to the teeth, or the lost portion may be restored with gold if necessary.

**Atro'pie Sulphas.** Sulphate of atropine. Prepared by dissolving atropine in strong ether, to which solution a mixture of sulphuric acid and strong alcohol is added, drop by drop, until a precipitate is formed. Like belladonna, it is anodyne and anti-spasmodic, but more energetic in its action. Dose,  $\mathfrak{m}\text{ss}$  —  $\mathfrak{ss}$  of a grain, to  $\mathfrak{m}\text{ss}$ ,  $\mathfrak{ss}$  of a grain. Poisonous effects follow larger doses. The antidote is infusion of galls and lime-water, first evacuating the stomach. In *Dental Practice*, sulphate of atropine is employed in acute inflammation depending upon pericoronitis and alveolar abscess and to allay the sensitiveness of inflamed dental pulps; in facial neuralgia, in the form of an ointment, consisting of gr. j to lard  $\mathfrak{ss}$ . It is also employed as a substitute for morphia in a form of nerve pain.

**At'ropine** (*atropia, atropin*). A highly poisonous organic base found in all parts of *Atropa belladonna*, and possessing the property, in the minutest proportion, of dilating the pupil of the eye. One-fiftieth of a grain is dangerous. It is a narcotic and a powerful sedative.

**At'tar Qui** (*attar, rosemary, and qui, a rose*). Attar or otto of roses.

**Attar of Rose or Oil of Rose.** An essence prepared from the petals of the damask rose by distillation with water. The oil collects and floats on the surface of the water when it cools. Used as a perfume in distilleries.

**Attenu'ants** (*attenuans*; from *attenuo*, to make thin). Medicines which increase the fluidity of the blood.

**Attenuation.** Emaciation. Applied to a process by which a fluid becomes of less specific gravity, as when it undergoes fermentation and parts with carbonic acid.

**Attol'ens** (from *attollo*, to lift up). A term applied in *Anatomy* to certain muscles, the peculiar function of which is to lift up the parts in which they are attached.

**Attollens Aurum.** A lifting muscle of the ear.

**Attollens Oculi.** A lifting muscle of the eye. The rectus superior.

**Attol'tus.** Thunderstruck. Apoplectic.

**Attrac'tion** (*attractio*; from *attracto*, to attract). Affinity; tendency of bodies or parti-

cles of matter to approach one another and adhere together. See AFFINITY.

**Attraction, Capillary.** The power by which a liquid rises in a fine tube or between two plates higher than the liquid which surrounds it.

**Attraction, Elective.** Chemical attraction. The tendency of those substances in a mixture which have the strongest affinity for one another to unite. Thus, if sulphuric acid be poured into a solution containing baryta, magnesia, and soda, it elects the baryta, and forms, by its union with it, sulphate of baryta.

**Attraction, Electrical.** The approach of bodies dissimilarly electrified.

**Attraction, Magnetic.** The traction of a magnet upon certain metallic substances, generally iron.

**Attraction of Affinity.** The tendency of the atoms of different bodies to combine to form chemical compounds.

**Attraction of Cohesion.** Cohesion; the force which unites similar particles into masses.

**Attraction of Gravitation.** The mutual tendency of bodies to one another.

**Attractions** (*attrahere*; from *ad*, to, and *trahere*, I draw). Remedies which attract fluids to the parts to which they are applied. Stimulants.

**Attrahens Auris.** Anterior auris. The anterior auris muscle, which draws the ear forward and upward.

**Attrition** (from *ad*, to, and *terere*, to bruise). Friction; bruising. An abrasion or chafing of the skin or teeth, which wears or lacerates the surface.

**Attritus.** Chafing.

**A'typic** (*atypus*; from *a*, priv., and *typos*, a type). Literally, without type. Abnormally constituted. A term applied to periodical diseases which have no regular type.

**As.** Symbol for gold.

**Auditorius Men'tus.** External opening of the ear.

**As'ditory** (*audire*; from *audire*, to hear). Belonging to the organ of hearing.

**Auditory Arteries and Veins.** The vessels which enter the auditory canals.

**Auditory Canals.** See MEATUS AUDITIVUS EXTERNUS, and MEATUS AUDITIVUS INTERNUS.

**Auditory Nerve.** The portio mollis of the seventh pair.

**Aura Elic'trica.** A cold sensation, that

of wind blowing on a part, occasioned by the reception of electricity from a sharp point.

**Aura Epilep'tica.** The peculiar sensation experienced before an attack of epilepsy, as of cold water rising toward the head.

**Aura San'guinis.** The odor exhaled from blood immediately after being drawn. The halitus.

**Aura Semina'lis.** The subtle emanation from the semen, supposed by some physiologists to impregnate the ovum; but the existence of this aura is not established.

**Aura Vita'lis.** The vital principle.

**Auran'tii A'que** (*aqua ferrea aurantii*).

Orange flower water.

**Aurantii Cor'tex.** Orange peel.

**Auran'tine.** Aurantium. The bitter principle of the orange rind.

**Au'rate of Ammo'nia.** Fulminating gold.

**Au'ri Chlori'dum.** (Chloride of gold. Employed in kidney diseases, impotence, etc.

**Auri et Sodii Chloridum.** Chloride of gold and sodium. Employed in nervous dyspepsia, amenorrhoea, etc.

**Au'ric Acid.** The peroxide of gold, so called from its property of forming salts with alkaline bases.

**Aurichal'cum.** Brass.

**Au'ricle.** The external ear.

**Au'ricles of the Heart.** The two cavities of the heart which receive the blood from every part of the body; the right from the two vena cava and coronary vein, and the left from the four pulmonary veins.

**Au'ric'ula** (diminutive of *auris*, the ear). An auricle; the prominent part of the ear; also a name applied to two cavities of the heart.

**Au'ric'ular** (*auricularis*; from *auris*, the ear). Pertaining to the ear.

**Auricula'ris Abduct'or.** A muscle of the little finger.

**Au'riculo-ventric'ular Openings.** The openings between the auricles and ventricles of the heart.

**Au'riculum Retrahentes.** Three muscles of the ear.

**Au'rif'erous** (*aurum*, gold, and *fero*, to bear). Bearing or containing gold.

**Au'rif'orm** (*auriferus*; from *auris*, ear). Formed like the ear.

**Au'ri'go.** Jaundice.

**Auripigmen'tum** (from *aurum*, gold, and *pigmentum*, paint). Yellow oxydant. Sesqui-sulphuret of arsenic.

**Au'ris.** The ear.

**Auriscap'ium** (from *auris*, the ear, and *scapo*, to scrape). An ear scraper or cleanser.

**Au'riscope.** An instrument for exploring the ear to ascertain the condition of the Eustachian tube. It resembles a flexible stethoscope.

**Au'rist** (from *auris*, the ear). An otologist. One who occupies himself with the treatment of the diseases of the ear.

**Aur'ium Tinn'i'um.** Ringing or ringing in the ear.

**Au'rum.** Gold. *Hydrol. An.* Atomic weight, 197. A noble metal of a brilliant yellow color, which does not tarnish. It is the metallic base for artificial teeth, and the material of which the best fillings in teeth are composed.

**Aurum Foliatum.** See GOLD FOIL.

**Aurum Ful'mineum.** Aurate of ammonia. The precipitate formed by putting ammonia into a solution of gold.

**Aurum Graph'ium.** A gold ore.

**Aurum Musi'um.** Muscic gold; a preparation used as a pigment for giving to plaster figures a golden color. It is a bisulphuret of tin.

**Ausculta'tion** (*auscultatio*; from *ausculto*, to listen). Auricular exploration; used as a means of diagnosis in diseases of the lungs, heart, etc. Auscultation is either *mediate* or *immediate*. In the latter the ear is applied directly over the walls of the chest; in the former a stethoscope is interposed between the ear and the chest.

**Auscultation, Immediate.** That practiced directly by the ear of the practitioner, without aid of an instrument.

**Auscultation, Mediate.** That performed by employing a stethoscope or some similar instrument.

**Autog'enus** (*autogenus*; *autos*, itself, and *g'eno*, to be born). Applied in *Comparative Anatomy*, by Owen, to parts developed from distinct and independent centres.

**Automat'ic** (from *automaticus*, to act spontaneously). A term applied in *Physiology* to those functions which are performed independently of the will.

**Automatic Mallet.** An instrument for condensing gold and tin foil in filling teeth, which is operated by pressing the point upon the metal in the cavity, in the manner of an ordinary hand-plugger; the socket holding the point recedes into the handle a short distance,

and a blow is given which can be varied in intensity at the will of the operator.

**Automatic Mallet, Redman's.** An instrument in which the blow is communicated by an outside spring, of such an arrangement as to give an elastic stroke.

**Automatic Mallet, Salmon's.** In this form of instrument the hammer is centered by the spindle to prevent friction, and, instead of a steel spring, a clutch-plate is attached to the end of the hammer, which engages with the spindle, and is operated by a fine wire spring. The hammer can be loaded with lead, so as to give a blow like that produced by the lead hand-mallet.

**Automatic Mallet, Snow and Lewis's.** This instrument has a series of distinct grades of blows, regulated by a tension knob on the top of the handle, and by the extension of the socket piece the hammer is allowed to descend through considerable space. The different degrees of blows are obtained by means of the milled head upon the top of the handle or case, which, being turned, varies a screw-follower down upon the spiral spring, thus compressing the spring and regulating the blow.

**Automatic Plugger, Buckingham's.** An instrument adapted to the H. B. White form of the dental engine, in which the force of the blow is claimed to be entirely under control, being determined by a set screw, to be turned either right or left to increase or lessen the force. A collar on the hand-piece keeps the force under control, it being moved up or down by the thumb according to the force desired in the blow. In the same manner the blow can be suspended altogether at any instant without interfering with the rhythmical movement of the foot propelling the engine. The bit-holder has a small spiral spring at its inner end, which, after each blow, draws it back instantly to receive the next blow of the plugger. Eighteen hundred blows a minute can be given by this instrument when the engine is run at moderate speed, or, if desired, no more than seventy-five or one hundred a minute.

**Autonomous'm** (from *autos*, and *nomos*, law). The peculiar mechanism of an organized body.

**Autopho'nia** (from *autos*, self, and *pho*, voice). An auscultatory process of noting one's own voice when speaking with the head close to the patient's chest, which, it is said, will be

modified by the condition of the subjacent organ.

**Autoplas'ty.** The restoration of lost parts.

**Autop'sy** (from *auto*, himself, and *psy*, vision). Ocular examination. Dissection of a dead body.

**A've-ka'va.** See KAVA-KAVA.

**Ave'na Pari'na.** Oatmeal; used as an article of diet for the sick.

**Avoir'dupois Weight** (from *avoir*, to have, and *dupois*, weight). The English weight for all commodities except the precious metals, gems, and medicines. See WEIGHT AND MEASURES.

**Avis'sion** (*avis*; from *evell*, to tear asunder). Pulling or tearing from; a rending or forcible separation.

**Axi'la.** The arm-pit, or cavity under the arm.

**Axillary** (*axillaris*; from *axilla*, the arm-pit). Belonging to the axilla or to the arm-pit.

**Axillary Artery** (*arteria axillaris*). The axillary artery is a continuation of the subclavian, extending from the clavicle to the insertion of the pectoralis major.

**Axillary Nerve** (*nervus axillaris*). Articular nerve. A branch of the brachial plexus and sometimes of the radial nerve.

**Axillary Plexus.** The brachial plexus formed by the last three cervical and the first dorsal nerves.

**Axillary Vein.** *Vena axillaris*. A continuation of the brachial vein which terminates in the subclavian.

**Ax'mite** (from *axe*, an axe). A mineral so called from its axe-shaped crystals; an alumina-silicate of lime and iron.

**Ax'is** (from *axis*, an axle). A right line passing through the centre of a body. In *Anatomy*, the second vertebra of the neck; *dentata*. In *Botany*, the part around which particular organs are arranged.

**Axiom'gia** (from *axis*, an axle-tree, and *agias*, to smelt). Hog's lard.

**Azela'ic Acid.** An acid closely resembling the sebatic; a product of the nitric or oleic acid.

**Azobenz'ide.** A substance obtained by

heating a mixture of nitro-benzide with an alcoholic solution of potash.

**Azocar'byls.** A name applied by Læwig to organic radicals composed of nitrogen and carbon, as cyanogen, paraben, etc.

**Azoeryth'rins.** A coloring principle obtained from azuhl.

**Azolit'mane.** A deep red coloring matter obtained from Himna.

**Azodyna'mia** (from *a*, priv., *ζωη*, life, and *δυναμις*, strength). Privation or diminution of the vital powers.

**Azo'tane.** A compound of chlorine and azote.

**Azote** (from *a*, priv., *ζωη*, life). One of the constituents of atmospheric air. See NITROGEN.

**Azote, Protox'ide of.** A gaseous oxide of nitrogen. Synonym of nitrogen.

**Azo'tic Acid.** Nitric acid.

**Az'otized.** Impregnated with azote or nitrogen; nitrogenized.

**Azotu'ria.** The condition in which an excess of urea is discharged in the urine.

**Azotu'ric.** A class of diseases characterized by a great increase of urea in the urine.

**Azul'mic Acid.** A black substance deposited during the spontaneous decomposition of hydrocyanic acid.

**A'zure.** Ultramarine, a bluish-green color.

**Azure Stone.** An azure blue mineral, the *lapis lazuli*, from which the unchangeable blue color, ultramarine, is prepared.

**Az'urite.** Prismatic azure spar. See LAMULITE.

**Ax'ygos** (from *a*, priv., and *ἄγος*, a yoke, because it has no fellow). Applied to single muscles, veins, hoses, etc.

**Axygos Muscle.** A muscle of the uvula.

**Axygos Process.** A process of the sphenoid bone.

**Axygos U'vulus.** A small muscle of the uvula.

**Axygos Vein** (*vena sine pari*). A vein situated in the right cavity of the thorax receiving its blood from the vertebral, intercostal, bronchial, pericardiac, and diaphragmatic veins, and discharging it into the vena cava superior.

**Ax'ymus.** Unfermented bread.

**Ax'ile Teeth.** Molar teeth.

## B.

B, in the chemical alphabet, is mercury. It is also the chemical symbol of boron.

B. A. *Bat'neum Aquæ*. A water bath.  
*Bat'neum Are'um*. A sand bath (which see).

Ba. The chemical symbol of barium.

**Babbitt Metal.** A non-friction metal, named after Isambard Babbitt, of Massachusetts. In *Præstic Dentalry*, this metal, according to a formula recommended by Dr. L. P. Haskell, but first suggested by Dr. D. H. Gordon, is employed for dies in averaging plates. This formula is as follows: Copper, 1 pound; antimony, 3 pounds; and tin, 4 pounds. As a counter-die for such a die, Dr. Haskell's formula is lead with about one-eighth tin. A formula by Dr. Haskell consists of tin, 72.72; copper, 9.09; antimony, 18.18. Fletcher's formula is Banca tin, 96 pounds; regulus antimony, 8 pounds; copper, 4 pounds.

**Bac'chi's** (from *baccha*, wine). A red or plumbed face resulting from intemperance. *Gutta serena*. *Acue*.

**Bac'illus** (from *bacillum*, a little rod). Micro-organism of a cylindrical or club-shaped, straight, mobile or immobile form, and considered to be directly or indirectly the cause of many diseases; cylindrical or oval cells which connect and form rods or cells; they always develop from a rod-shaped organism; many of them are pathogenic.

**Bacteremia**. A condition in which the blood contains bacteria.

**Bacter'ia** (from *bacterium*, a little staff). Micro-organisms or microbes now regarded as belonging to the vegetable kingdom. According to Cohn, their characters are cells, cylindrical or elliptical, free or united in pairs, never in chains, sometimes in colonies; but the rod forms are now generally included under bacilli.

**Bacteria Pertaining to the Mouth.** Definitions of: *Parasite* are defined as plants or animals living upon other plants or animals; and, being in most instances microscopic in size, in the animal organism they are classified as *Micro-organisms*, *Microbes*, or *Bacteria*. Bacteria are generally considered as belonging to the vegetable kingdom, the *Microweed* being the smallest of all the bacterial forms. *Bacteria* comprise the members of the genus

*Bacterium*—such of the genera as are designated *Bacillus*, *Bacterium*, *Spirillum*, *Micrococcus*, *Diplococcus*, *Streptococcus*, and *Staphylococcus*.

Bacteria are classed as non-pathogenic—those which do not directly cause disease; and as pathogenic—those which are the direct cause of disease. The non-pathogenic bacteria have no power to penetrate the tissues; the pathogenic have such a power, and flourish in dead and dying matter. The non-pathogenic, on entering discharges and dying tissues, increase rapidly and produce certain poisonous substances of an irritating character, called *ptomaines*, and their absorption by the system induces septic intoxication, ptomaine fever, or septicemia. The pathogenic not only invade the living tissues and destroy them, but also enter the circulation through wounds and abscesses, and are carried to all parts of the body, increase very rapidly, and produce poisonous and irritating substances. Pathogenic micro-organisms are divided into micrococci and bacilli.

*Micrococci* are tiny globe-like masses, in some cases separate, and in others united in two or more, or disposed in chains or cliquets.

When two micrococci are united, they are called *Diplococci*; when many are united in a cluster, they are called *Staphylococci*; when in chains or cliquets, they are called *Streptococci*. The *Bacterium lactis* is a short, straight, rod-like bacillus, which ferments lactic acid and causes the souring of milk. It is an active agent in producing decay of the teeth (dental caries). The *Odium lactis* (milk mould) is another micro-organism which is found in the mouth. The *Lepidaria bacillus* is another bacterium common to the mouth, and closely associated with dental caries; it is in the form of a long, unbranched, slender, thread-like bacillus, and is usually grouped in masses and multiplies with great rapidity. The slender threads (the common forms of this micro-organism) are delicate, structureless fibres of various lengths, and are either straight or curved, as the fibre is long or short. Scarcely any part of the mouth is free from this fungus, and where particles of carious matter are removed from the teeth, or



matter taken from the interstices of the teeth or from about their necks or from the surface of the tongue, straight rods project like the bristles from a brush. On matter removed from the surface of inflamed or ulcerated mucous membrane or gums, the fibres of the leptothrix are long and curved, and spread out like diverging rays, resembling in form and appearance twisted masses of fine hair. In some cases these thread-like projections are intertwined like the meshes of a net. The free ends of the fibres have a slight vibratory motion, and small particles are constantly being detached. The bacillus is an individual bacterium of rod-like form, and includes all the elongated forms of bacteria except such as are spiral and have a vibratory motion, which are classed as belonging to the genus *Spirillum*, which is also an individual bacterium whose elements are curved and spiral or screw like. *Bacilli* are rigid or flexible, motile or non-motile, and are reproduced either by direct fission or division or by the formation of a cell within the body of the parent cell—endogenous spore-formation, which is very rapid. Cohn has calculated that if it should take one hour to complete the process of segmentation and for the new cell to attain the size of the parent cell, one coccus multiplying by this process would in one day produce 16,000,000 cocci; at the end of two days, 261,000,000,000; while at the end of the third day it would have reached the enormous number of 46,000,000,000,000. The cells of the bacillus form straight or bent rods, whose length is two or more times as great as the width. *Bacillus dentatus viridus* is found in the superficial layers of carious teeth in the form of slightly curved rods with rounded ends, single or paired. The *Bacillus of Miller*, found in carious teeth, is a non-motile, delicate, straight or crooked rod, often found in pairs forming S- or O-shapes; it produces caries of the teeth. The *Bacillus pulpa pyogenus* is found in putrescent tooth-pulp in the form of somewhat accumulated rods, in pairs or in chains. *Bacillus alba* is found in the buccal cavity in the form of long straight rods, often in pairs. *Bacillus serus* is found in the buccal cavity in the form of very motile, broad, cylindrical, flagellate rods. The *Micrococcus fistulosus* of Rosenbach is found in carious teeth in the form of very small cocci, and produces a foetid odor. The *Micrococcus Pasteuri* is found in saliva in the form

of immovable oval cocci, usually in pairs and often encapsulated. *Spirillum rugula* is found in the buccal cavity in the form of rotating, motile, flagellate rods, thick, bent, or spiral. *Microploceus*: coccid arranged in wreath form. *Microploceus solidi intestinalis* is found in curdled milk in the form of non-motile cells, thick, and arranged in long rows. *Microploceus serenus* is found in the mouth in the form of circular or oval cells forming serpentine chains. *Microploceus serus* is found in gangrenous stomatitis (cancreum oris) in the form of broad cocci. *Microploceus putrefaciens* is found in putrefying substances in the form of broad spherical cells forming short filaments. *Vibrio* is like spirillum, but more elongated, and the screw form less pronounced. *Vibrio nasalis* is found in the buccal cavity and also in nasal mucus in the form of non-motile curved rods, undulate filaments, and screw forms. *Oidium* is a genus of parasitic fungi. *Oidium albicans* is peculiar to thrush, and is in the form of white, spherical, oval, or cylindrical cells, or forming long filaments. *Oidium lactis*, found in sour milk and butter, bread, etc., is in the form of white, dense, undulating filaments, from which second order filaments that divide into rows of cylindrical spores; it is not pathogenic. *Microrhizopus* are round or oval cells or in chains, increasing by budding or by spores; sometimes forming filaments (mycelium). *Microrhizopus albicans* is the same form as *Oidium albicans* and similar to this latter; also peculiar to thrush. The term *Microbe* is applied to minute forms of life; micro-organisms, animal or vegetable. The term *Microzoa* distinguishes microscopical animal life from microscopical vegetable forms. *Aerobic microbes* are microbes requiring oxygen for their development. *Pyogenic* or *pus microbes* have the effect of converting the inflammatory exudates, leucocytes, and cellular elements of the tissues, by specific action, into pus-corpuscles, and are therefore called pyogenic or pus microbes. *Micrococcus pyogenus tenax* is found in the pus of an abscess, and is of irregular shape; cocci without special arrangement. *Microploceus pyogenus* is found under normal conditions in the saliva and mucous secretions of the mouth and nasal passages, usually alone, but sometimes with staphylococci. It is in the form of chains or rows, usually from six to ten being attached together. *Staphylococcus* is found in pus in the form of cocci, immobile, and arranged in

masses. *Amoebæ* are motile, nucleated masses of protoplasm, exhibiting amoeboid movements, and spontaneously projecting part of their substance to form temporary processes (pseudopodia). *Amoebæ* are rounded cells.

**Bacter'ial.** Of or belonging to or derived from bacteria.

**Bacter'icide.** An agent destroying bacteria. See GERMICIDE.

**Bacteriol'ogy** (from *bakteriōn*, a little staff, and *logos*, science). The science which treats of bacteria or of micro-organisms.

**Bacte'rium.** A genus of micro-organisms comprising the short, straight rod forms, usually without spores.

**Bacte'roid.** Resembling bacteria or a bacterium.

**Bailey's Flank.** For making metal dies. It consists of two semi-elliptical rings of iron—one nearly straight, the other a truncated cone with four keys jointed so as to fit together. The straight ring is used as a casting-box for the sand as well as a firm for the lead; the other gives the proper shape to the dies.

**Bal'ance** (*bilanz*; from *bala*, twice, and *leux*, a dish). Literally, the double dish. A pair of scales for weighing bodies, consisting of a beam suspended exactly in the middle, with a scale or basin of equal weight attached to each extremity.

**Balance Electrometer.** An instrument for estimating the mutual attraction of oppositely electrified surfaces.

**Bal'ancos.** A gem, a sort of carbuncle.

**Bal'anism** (*balanz*, a pensity). The application of a pensity.

**Balan'itis.** Inflammation of the glans penis and prepuce.

**Balano-posth'i'tis.** Inflammation of the glans penis and prepuce, attended by a fetid, mucous-purulent discharge.

**Bal'anus** (*balanos*, an acorn, a gland). The glans penis, the glans clitoridis.

**Bal'bus.** Tongue-tied; a stammerer.

**Balbu'ties** (from *balbutio*, to stammer). Stammering; a defect of articulation, the causes of which are but little understood.

**Balla'mus** (from *ballo*, to dance). Chorea; St. Vitus's dance.

**Ballot'tement** (French). The motion imparted to the *farus* in *utero* by an impulse of the fingers or hand.

**Bal'neum Animale.** An animal bath. A term used to indicate that application of heat which was made by opening a newly-killed

animal and applying it to a part or the whole of the body.

**Balneum Arenæ.** The sand bath.

**Balneum Mariæ.** In *Chemistry*, the salt-water bath.

**Balneum Vaporis.** The steam bath.

**Bal'sam** (*balzamm*; from *basal* *amara*, Hebrew). The name of any natural vegetable resin, concrete or liquid, having a strong odor, inflammable, not soluble in water, but readily dissolved in volatile oil, alcohol, or ether. There are five natural balsams: namely, those of *Ivera* and *tola*, benzoïn, solid styrax, and liquid styrax. Besides these, there are a number of pharmaceutical preparations and resinous substances which have a balsamic odor that have received the name of balsam. But these last are termed *artificial* balsams.

**Balsam, Canada.** (*Canada turpentine*; balsam of fir; the product of the *Abies balsamea*). It is transparent when fresh, of a slightly yellowish color, of the consistence of honey; has an acrid, bitterish taste and a strong, agreeable odor.

**Balsam, Chalybeate.** A mixture of nitrate of iron, alcohol, and oil.

**Bal'ux.** A name applied to iron sands containing gold.

**Bamboo'la.** Hammering.

**Bam'box.** Cotton.

**Bamboo'.** A plant of the reed kind, growing in India and other warm climates.

**Banan'a.** A tropical tree; a species of the *Musa*, the fruit of which is extensively used as an article of diet.

**Ban'dage.** A piece of cloth for surrounding parts of the body in surgical operations or for binding up a wound. A bandage may be simple or compound. The first consists of a simple piece of cloth intended to encircle a limb or part. The second, of two or more pieces united. Names expressive of the manner of its application and its shape have been given to the bandage: as the *circular*, the *spiral*, the *spica*, the *figure-of-eight*, the *T-bandage*, the *reservoir*, the *four-tailed*, etc.

In the *circular* bandage the turns pass nearly horizontally around portions of the limb, of equal diameter, one turn overlapping the other at fixed intervals.

The *spiral* bandage ascends a more or less central portion of the limb, each succeeding turn partially overlapping the other at fixed intervals.

The *spica* bandage is named from the re-

embellish of the turn to the position of the guinea on an ear of wheat.

The *figure-of-eight bandage* is generally applied about the joints. When applied only to the knee, and not a continuation of a bandage down the limb, it is commenced with two circular folds or turns around the leg just below the joint, and the cylinder carried obliquely upward across the ham, around the thigh, and again downward as before described.

The *T-bandage* consists of a simple bandage with one or two pieces added at right angles.

The *recurrent bandage* is about five yards long and two inches wide; it is applied to the head as follows: The roller is first passed two or three times around the head to a line running just above the eyebrows, the ears, and below the occipital protuberance; next, at the centre of the forehead, the cylinder is reversed and carried directly over the head to the circular turns behind, where it is again reversed, and carried back to the forehead, overlapping the former about one-third, as usual; these reverses to be continued until first one end then the other side of the head is covered; and the whole is completed by two or three firm circular turns, as at the commencement. The reverses are to be held by an assistant.

The *four-tailed bandage* consists of a piece of muslin, six or eight inches wide and a yard or more in length, torn at either extremity to within three or four inches of the centre. It is applied to the lower jaw as follows: The centre being placed over the chin, the upper slips are carried back behind the neck and tied, or crossed and passed around the forehead once or twice and secured by pins at the side; the lower strip is passed directly up to the vertex, where it is tied, or again brought down and tied under the chin.

*Bandage, Barton's.* A bandage for fracture of the lower jaw.

*Bandage, Eschsch's.* A broad rubber bandage wrapped tightly from below for removing blood from a limb before amputation or other operation.

*Bandage, Gibson's.* A bandage for fracture of the lower jaw.

*Bow'dy Leg.* A leg in which the bones are curved outward or inward.

*Bacteriæ's* (from *bakter*, infected, and *ma*, to flow). A generic term for any infectious discharge from a mucous surface.

*Berberis.* Kinnabarb.

*Berberis Gum.* A variety of gum Ambic,

said to be obtained from the *Ameia gumifera*.

*Bar'biera.* A term applied to a paralytic affection of the tropics, followed by loss of voice, emaciation, and prostration of strength. A species of paralysis.

*Barilla.* Impure soda obtained from the ashes of different plants that grow on the seashore.

*Bar'ium* (from *barys*, from which it is obtained). Symbol, Ba. Atomic weight, 136.8. The metallic basis of the earth baryta. A metal of a pale yellow color which has a strong affinity for oxygen.

*Bark.* A name formerly applied to three species of cinchona.

*Bark, Caribbe'an, or Saint Lucia Bark.* Sometimes improperly called cinchona caribbea. The bark of the *Exostemma caribbeum*. It is a useful substitute for cinchona, and though it contains neither quina nor cinchona, is one of the most valuable of the apuriscu barks.

*Bar'ley.* The fruit of *Hordeum distichon*. See HORDEUM MENTHA.

*Barom'eter* (from *baros*, weight, and *metron*, measure). An instrument for ascertaining the weight of air.

*Bar'oscope* (*baros*, weight, and *scopia*, to observe). A barometer sensible to the slightest atmospheric variations, and used for determining the loss of weight of a body in air, compared with its weight in a vacuum.

*Bar'ras.* The resin which exudes from the wounds made in the bark of fir-trees.

*Bar'ren.* Unfruitful; sterile.

*Bartholin'sianæ Glandulæ.* The sublingual glands, named after Bartholin.

*Bartholin's Duct.* One of the excretory ducts of the sublingual gland opening into the duct of Wharton.

*Barycol'a* (from *barys*, heavy, and *colos*, bearing). Deafness.

*Baryph'o'ny* (from *barys*, heavy, *phos*, the voice). Difficulty of speech.

*Bary'ta* (from *barys*, heavy; so called because of its ponderosity). An oxide of barium. A simple alkaline earth of a gray color, very ponderous and not easily fused.

*Baryta, Hydriodatis* of. Iodide of barium.

*Baryta, Muratis* of. Chloride of barium.

*Bary'tea.* Baryta.

*Ba'sal.* Pertaining to or located at the base.

*Basalt'.* Trap-rock of a dark green, gray,

or black color, consisting of silica, alumina, oxide of iron, lime, and magnesia.

**Bas'anita.** A variety of silicious slate, sometimes used for testing the purity of gold by the color of its streak. Mortars for pulverizing medicines were formerly made of it.

**Bascula'tion.** A word of French derivation, applied to the hulf see-saw movement of the uterine in examinations of that organ in retroversion, the fundus being pressed upward and the cervix drawn downward.

**Base** (*basia*; from *basia*, I rest, I support myself). The foundation or support of anything; the principal ingredient of a compound. In *Chemistry*, it is applied to alkalies, earths, metals, sulphurets, organic and other compounds, in their relation to acids, metalloids, and salts. In *Medical Prescriptions and Pharmacy*, the principal constituent of a compound. In *Dental Surgery*, a metallic, ivory, vulcanite, or celluloid plate used as a support or attachment for artificial teeth. In *Anatomy*, the lower or broader portion of a bone or organ.

**Base-ment Membrane.** A structureless, transparent membrane lying immediately beneath the epithelium and between it and the corium.

**Bas'es for Artificial Teeth.** In the construction of a base for artificial teeth, a transfer or model of plaster of Paris is first obtained. Then a metallic die and counter-die, if the base is to be of metal, is procured, and between these a plate of suitable size and thickness is swaged. In this way it is made to fit accurately the parts upon which it is to rest. If the base is to be constructed from the ivory of the elephant's or hippopotamus' tusk, the plaster model alone is sufficient. The ivory is cut to the proper size and then curved until it fits the model. But ivory is now seldom used for this purpose. If the base is to be of vulcanized India-rubber or celluloid, the plaster model is sufficient, no metallic dies being necessary. See METALLIC BASE, OWEN'S BASE, MINERAL BASE, VULCANITE BASE, and CELLULOID.

**Basal'tor.** Orbicularis oris muscle.

**Bas'ic.** Belonging to, or of the nature of, a base; having properties the opposite of those of acids. An acid capable of uniting with a single monad atom or radicle is called a monobasic.

**Bas'hy'al** (from *basia*, base, and *hyoides*, hyoid). A term in *Comparative Anatomy* applied to two small subnuchal bones on each

side, forming the body of the inverted hyoid arch.

**Bas'lad.** Same as basilar, used adverbially.

**Bas'lar** (*basilaris*). A name given to several parts of the body which serve as bases to others; toward the base of the skull.

**Basilar Artery.** An artery of the brain, formed by the union of two vertebral arteries within the cranium.

**Basilar Fossa.** A fossa in the upper surface of the basilar process of the occipital bone.

**Basilar Process.** The inferior angle of the occipital bone.

**Basilar Surface.** Inferior surface of the basilar process.

**Basilar Vertebra.** The last lumbar vertebra. *Basill'ic* (*basillicus*; from *basillus*, royal). Any structure or machine of importance.

**Basilic Vein.** A large vein running along the internal part of the arm; at the fold of the elbow it lies over the humeral artery. The *vein basilica* crosses this at the bend of the arm and joins the great vein. Either of these veins may be opened in the operation of fleecing.

**Basil'icou Ointment.** An ointment composed of pitch, resin, wax, and oil. The *Ceratum resine* (U. S. and Lond. Ph.). Composed of five parts of resin, eight of lard, and two of yellow wax. Used as a stimulating application to blistered surfaces, indolent ulcers, herpes, etc.

**Basill'icus.** Syphilis.

**Bas'ilo.** Muscles originating from the basilar process of the occipital bone are so called; a prefix denoting connection with the basilar process of the occipital bone.

**Basilo-ce'rato-glossa.** A name given to the hyoglossus muscle, from its connection with the base and horn of the hyoid bone and the tongue.

**Basilo-glossus.** That portion of the hyoglossus muscle inserted into the base of the hyoid bone.

**Basilo-pharyng'e'us.** The constrictor pharyngis medius muscle.

**Basiloceph'al** (from *basia*, base, and *cephale*, the occipital bone). Applied in *Comparative Anatomy*, by Owen, to a bone homologous with the basilar process of the occipital bone.

**Bas'ion.** A point situated in the middle line at the anterior border of the foramen magnum.

**Bas'is.** A base. The substance with which an acid is combined with a salt.

**Basia Cordis.** The base of the heart.

**Basiphys'soid.** Applied to *Antimony* and *Cooperite Antimony*, by Owen, to a bone homologous with the base of the sphenoid bone. The lower part of the sphenoid bone.

**Bassee's Gum.** A gum brought from the neighborhood of Basora, on the Gulf of Persia, in irregular pieces of various sizes, white or yellow, intermediate in the degree of transparency between gum Arabic and tragacanth.

**Bassee'sin.** A constituent part of Basora gum, as also of gum tragacanth and of some gum-resins. It does not dissolve in water, but swells and forms a mucilage with it.

**Bas'tard.** False; spurious.

**Bas-voe're.** The abdomen.

**Bas'yle** (from *bas*, a base, and *yle*, nature). A term applied by Mr. Graham to the metallic radical of a salt.

**Bath** (*Balneo*; *bathos*, a bath). A receptacle of water for persons to wash or plunge in; a bathing-place. Baths are either hot or cold, natural or artificial.

**Bath, Acid.** Acid, hydrochloric, lbs. ij; Aqum, C. lxvj.

**Bath, Alkaline.** Half a pound of pearl-ash or carbonate of soda to sixty-six gallons of water.

**Bath, Electric.** An electric bath consists in placing a person upon an insulated stool, connected by a metallic wire with the principal conductor of an electric machine in action.

**Bath, Hot** (*balneum calidum*). A bath having a temperature of 98° to 112° Fahr.

**Bath, Medicated** (*balneum medicatum*). A bath consisting of decoctions or infusions of certain vegetable substances or any medicinal ingredients.

**Bath, Sand** (*balneum arenae*). A vessel filled with sand and placed over a fire; into this another is placed, containing the substance to be evaporated.

**Bath, Steam.** The introduction of steam into a closed vessel or room, in place of water, 100° to 120° Fahr.

**Bath, Tepid.** A bath at from 75° to 85° Fahr.

**Bath, Tepid.** A bath at 85° to 95° Fahr.

**Bath, Vapor.** A bath at 122° to 144-145° Fahr.

**Bath, Warm.** A bath at 95° or 98° Fahr.

**Bath'smole** (from *bas*, to enter). The seat or base; the cavity of a bone which receives the head or protuberance of another.

**Bath'son** (from *bas*, bench). An instrument invented by Hippocrates for reducing fractures and luxations.

**Bat'rachus.** Basula.

**Battaria'smus** (from *Battaria*, to stammer).

**Battallina.** Stammering, with hesitation.

**Bat'tery.** A term applied to an assemblage of two or more jars or galvanic cells for collecting electricity.

**Battery, Caustic.** A battery the current of which is capable of heating coarse platinum wire to whiteness, and which is used to cauterize.

**Battery, Combined.** An apparatus containing a galvanic and faradic battery in the same case.

**Battery, Constant.** A two-fluid battery in which the intensity remains the same for a comparatively long time.

**Battery, Farad'ic or Parade'ic.** Consists of a coil of wire through which passes a galvanic current (primary current) generated by a galvanic cell, an apparatus for causing automatic periodical interruptions of this current, and a second coil, parallel to the first, in which there is presented, every time the primary current is made and broken, a secondary, or induced, current.

**Battery, Galvan'ic or Volta'ic.** One or more jars or cells containing plates of zinc and copper, or carbon, suspended in acidulated water. See GALVANIC BATTERY.

**Battery, Storage.** A storage battery is a special form of galvanic battery in which electricity generated by an ordinary battery or by a dynamo can be stored for a long time and used as required.

**Bat'tley's Solution** (*liquor opii sedativus*). A narcotic preparation of which acetate of morphia is supposed to be the active ingredient.

**Bau'bin, Valve of.** A name given to a transverse valve situated where the ileum opens into the caecum.

**Bau'iac.** An Arabic name for nitre or salt in general. From this word comes borax.

**Bava.** Thick, frothy.

**Bay'-berries.** The berries of the *Laurus nobilis*.

**Bay-rum.** Spirit flavored with bay-leaves.

**Bay-salt.** Chloride of sodium. Salt obtained by evaporating sea-water by the sun in warm countries.

**Béel'ia.** A leech.

**Béel'Hum.** A gum-resin resembling impure myrrh.

**Béel'ion'ster** (from *Béella*, a leech, and *ion'ster*, measure). An instrument proposed as a substitute for the leech, in order that the

quantity of blood drawn may be ascertained. It consists of a cupping-glass, to which a scarificator and an exhausting syringe are attached.

**Bdelyg'mia.** Nausea, or dislike for food; also a disgusting fever. *Idiotia*.

**Bead Proof.** An epithet denoting the strength of spirituous liquors as shown by the continuance of bead-like bubbles on the surface.

**Beak.** The bill of a bird; a point; the jaws of forceps employed for the extraction of teeth are sometimes so called. In *Chenidry*, the tubular portion of a retractor.

**Beet.** The pulsations of the blood in the arteries or the impulse of the heart. See *PULSE*.

**Bebeer'ia.** Bebeerine. An alkaloid obtained from the Bebeer, or greenheart tree, of British Guiana. Its sulphate has been used as an anti-periodic.

**Be'chica** (*Bechica*, *bechica*; from *Bech*, a cough). Medicines for relieving a cough.

**Beef, Essence of.** This is made by putting finely-cut, lean beef into a bottle, corking it, and then immersing it in boiling water. The juice of the meat, highly concentrated, is found in the bottle.

**Beef Tea** (*Jus becerum*). An infusion of beef. Take two pounds and a half of beef, free from fat, cut it in fine pieces, and put into three pints of water, in an earthen pipkin; let it simmer, but never boil, till it is reduced to a pint and a half; then strain carefully. It should be entirely free from fat.

**Beer** (*cervisia*). A fermented infusion of malted barley and hops. The term is also applied to various saccharine beverages in a partial state of vinous fermentation, differently flavored, as spruce beer, etc.

**Bees'wax.** See *CERA*.

**Beg'ma** (from *Begm*, to cough up, to expectorate, to spit). Expectorated matter.

**Bego'mia.** A genus of plants of the order Begoniaceae. The roots of some of the species are used in Peru in diseases of the chest and in scurvy.

**Belch'ing.** Eructation.

**Belennoi'des Procus'us.** The styloid process.

**Belladon'ma.** See *ATROPA BELLADONNA*.

**Belladon'mia.** A volatile alkaline principle found in belladonna, said to be distinct from atropia.

**Bell Met'al.** An alloy of copper, zinc, tin, and antimony.

**Bell'ows.** An instrument for propelling air through a tube or small orifice. It is variously constructed according to the purpose for which it is designed to be used. The air, being permitted to escape only by a small orifice, rushes out with great velocity.

**Bellows and Blow-pipe.** Van Esen's. A circular bellows, nine or ten inches in diameter, with a small gum-elastic tube three or four feet in length, terminating in a tapering metallic tube, to be inserted in a blow-pipe leading from it. The bellows is worked by the foot, while with the blow-pipe held in the hand a jet of flame from a lamp may be projected on the object designed to be heated. Although intended for the use of the mechanical dentist, it may be employed advantageously by chemists, mineralogists, and jewelers.

**Bellows Sound.** A peculiar sound resembling that produced by a pair of bellows, sometimes heard through a stethoscope, as a morbid phenomenon indicating enlargement of the heart or contraction of its valves.

**Bell's Paralysis.** Paralysis of the facial nerve.

**Bell'y.** The abdomen.

**Bel'osoid** (*Bel'os*, a hockin, and *soid*, a form). Applied in processes of bone; styloid.

**Benedic'ta Laxat'iva.** Rhubarb and the irritative electrolytic. Confusion *venna*.

**Benig'nus.** Benign; not malignant. Applied to solid forms of disease.

**Ben'jamin, or Benzoin.** Balsam. A dry, resinous, brittle substance, obtained from the *styrax benzoin*. See *BENZOIN*.

**Benjamin Flowers.** Benzoin acid.

**Ben'zamide.** A substance obtained by saturating chloride of benzole with dry ammonia and washing to remove the murate of ammonia.

**Ben'zidam.** An oil of a light yellow color, obtained by passing sulphuretted hydrogen through nitro-benzide. It is identical with aniline and kyanole.

**Ben'zile.** A substance obtained by passing a stream of chlorine gas through fused benzoin.

**Benzil'ic Acid.** An acid obtained from benzile.

**Ben'zin.** See *BENZOLE*.

**Ben'zine, or Benzene.** Mineral turpentine. A substance obtained from coal-oil, and used as a substitute for turpentine.

**Ben'zoate.** A salt of benzoic acid.

**Benzo'ic Acid** (*acidum benzoicum*). *Flavum*

of benjamin. An acid obtained from gum benzoin by sublimation. It exists, however, in nearly all the balsams. Its salts are benzoates. Its local action is astringent, and when swallowed causes heat and acridity of mouth, fauces, and stomach. It is stimulant and cathartic; as an expectorant, doubtful. Dose, gr. x to grs. In *Dental Practice* it has been employed as an antiseptic in putrid sores of teeth; also as a local hemostatic in connection with powdered alum.

**Benzoic Sulphide of Sodium.** Compound of benzoic acid and sulphide of sodium; an antiseptic.

**Benzo'in.** A balsam or resin obtained from incisions made in the *styrax benzoin*.

**Benz'nole.** Benzol; benzene; phene; hydrocarbon of phenyl. A constituent of coal-gas tar, obtained by distilling coal naphtha. It is a colorless, oily liquid, with an agreeable odor. In the form of an ointment, composed of one part of benzole and four parts of lard, it has been used with advantage in itch and parasites of the skin; and in neuralgia and rheumatism in its pure state.

**Benzol-pseudo-tropaein.** See *TROPAECALIN*.

**Benz'nose.** A colorless oily fluid, produced by distilling, in the dry way, benzoate of lime.

**Benz'noutrile.** A clear, colorless liquid, formed during the fusion of benzoate of ammonia.

**Benz'nic.** Benzoyl; (from benzoic, and *nic*, principle). A compound of carbon, hydrogen, and oxygen, supposed to be the base of benzoic acid.

**Ber'berin.** A yellow, crystalline substance obtained from the root of the barberry.

**Berberis Vulgaris.** Barberry. The berries of this shrub are refrigerant, astringent, and antiscorbutic.

**Ber'gamet.** A species of citron or small orange of an agreeable taste and pleasant odor. An oil is obtained from its bark that is much used as a perfume.

**Ber'tis, Spongy Bones of.** Two small, triangular, turbinate bones, often found beneath the small opening of the sphenoidal sinus.

**Bert's, Paul, Method.** The administration by inhalation of a mixture of eighty-five parts of nitrous oxide gas and fifteen parts of oxygen, with a pressure of twenty-five to twenty-eight centimeters; or, for later operation, eighty-eight parts of nitrous oxide to

twelve parts of oxygen. This mixture, it is claimed, will produce a more rapid and longer anesthesia, as well as a more rapid recovery, than NO. gas alone.

**Ber'yl.** Aqua-marine. A valuable mineral of a greenish-yellow color.

**"Best" Hot Moist-air Celluloid Apparatus.** A dry heat machine for moulding celluloid. The advantage of this machine is that in carrying the heat as high as is necessary to thoroughly soften the celluloid the danger of combustion is avoided.

**Beta.** The second letter of the Greek alphabet; used as a prefix denoting the second of two or more bodies, as beta-naphthol.

**Beta-naphthol.** See *NAPHTHOL*.

**Be'tel.** *Ipser betel*. An Indian plant, which, when chewed, blackens the teeth. Its properties are said to be tonic and astringent.

**Benz'han.** Fossil beaver.

**Bex'car** (from the Persian, *be-sakar*, a destroyer of poison). *Lapis bezoardicus*; an earthy concretion found in the stomach, intestines, and bladder of animals. These bezoars were formerly supposed to possess wonderful alexipharmic virtues.

**Bezoar'dicum.** Bezoardic medicine. A name given to numerous complex bodies.

**Bezoardicum Jovialis.** A greenish powder, composed of tin, antimony, mercury, and nitric acid, used as a diaphoretic.

**Bezoardicum Lunaris.** A preparation of silver and antimony.

**Bezoardicum Martialis.** A preparation of iron and antimony.

**Bezoardicum Minervæ.** Deutoxide of antimony.

**Bezoardicum Satur'ni.** A preparation of antimony and lead.

**Bezoardicum Solis.** A preparation of gold filings, nitric acid, and butter of antimony, possessing diaphoretic properties.

**Bi** (from *bis*, twice). Prefixed to words used in anatomy, chemistry, and botany, meaning two, twice, double, a pair, etc. Also, when standing alone, the chemical symbol for bismuth.

**Biarth'rinite** (from *bi*, twice, and *articulus*, a joint; two-jointed). A term applied to the antennae of insects which have but two joints.

**Biauric'ulate** (from *bi*, twice, and *auricula*, an auricle). A term applied in *Comparative Anatomy* to a heart with two auricles, as in most bivalve molluscs, etc.

**Bism'alc.** A term applied in *Chemistry* to

acids which combine with two atoms of base; also to salts having two distinct bases.

**Bibe.** Drink. Used in prescriptions.

**Bibulo'rius** (*bibulorius*; from *bibe*, to drink; for the reason that when the eye is drawn inward toward the nose it causes those who drink to look into the cup). A name formerly applied to the rectus internus oculi.

**Bib'ulous.** Having the property of absorbing moisture.

**Bibulous Paper.** Used in *Dentistry* for drying cavities preparatory to introducing the filling. Blotting paper.

**Bicarbonate of Potash** (*potassii bicarbonas*). Formula:  $KHCO_3$ . Dose, gr. v-x. It is one of the salts of potassium and is antacid and diuretic. It is employed as a mouth-wash, to correct acidity of the oral secretions and prevent caries of the teeth; also in aphthæ, in stomatitis, in mercurial and gangrenous ulcerations of the mouth and inflammation of the gums, and in excretions and discharges from artificial teeth. Five to ten grains to the ounce of water may be employed.

**Bicarbonate of Soda** (*sodæ bicarbonas*). Sesqui-carbonate of soda. Obtained by the action of carbonic acid on the carbonate of soda. It is antacid, alterative, and lithontriptic, and is extensively used in the preparation of soda and *Bidritz* powders. Dose of powder, gr. x-xi. It is added to some dentifrices for its antacid property.

**Bicar'bonates.** Salts which contain a double portion of carbonic acid.

**Bicauda'la.** Two-tailed. Sometimes applied to the posterior auris muscles, which consists of two small bundles of fibres.

**Bicepha'ilum.** A sarcoma on the head so large as to appear like a second head.

**Biceps** (from *bis*, twice, and *caput*, head; two-headed). A term applied to muscles which have two heads.

**Biceps Extensor.** The long portion of the biceps extensor cubiti.

**Biceps Flexor Crur'is.** A muscle situated on the back part of the thigh.

**Biceps Flexor Cubiti** (*biceps brachii*). A flexor muscle of the forearm on the fore part of the os humeri.

**Biclat, Canal of.** A small round hole above the pineal gland opening into the third ventricle of the brain; called also the arachnoid canal.

**Bichloride of Carbon.** See TETRACHLORIDE OF CARBON.

**Bichloride of Mercury.** Corrosive sublimate, which see.

**Bicip'ital.** A term applied to anything relating to the biceps, as the bicipital groove between the tubercles of the os humeri, which lodges in the tendon of the long head of this muscle; and the bicipital tuberosity near the upper extremity of the radius, which gives attachment to the biceps muscle.

**Bicus'pid** (*bicuspidatus*; from *bis*, twice, and *causis*, a spear). Having two points.

**Bicuspid Teeth** (*dentes bicuspidati*; *bicuspidæ* or *bicuspidati*, the plural of *bicuspidæ*, which is derived from *bis*, twice, and *causis*, a point). The two teeth on each side of each jaw between the cuspidati and the first molars. They are so called from their having two distinct tubercles or cusps on their grinding surface, one outer and one inner. Their crowns are slightly flattened from before backward, and their transverse diameter is greater than their antero-posterior. The cusps, upon their friction or grinding surfaces, are separated from each other by a furrow running in the direction of the alveolar arch. The external cusp is more prominent than the internal. In the lower jaw the cusps are smaller than in the upper, as are also the teeth themselves, and the groove which separates them is not so deep. The inner tubercle of a first bicuspid in the lower jaw is sometimes wanting. The roots of the bicuspidæ are generally simple, but have a vertical groove on their anterior and posterior surfaces, which frequently unite in the upper jaw, forming two roots, each having an opening for the vessels and nerves to enter.

The bicuspid teeth belong to second dentition, and replace the temporary or milk molars. They are sometimes termed small molars.

**Biden'tal** (*bidentatus*). In *Zoology*, animals which have only two teeth, as the *Pisgaster bidentus*, two-toothed catchfish. In *Botany*, organs which have the bidentate character.

**Biden'tial.** Every two years.

**Bien'nia.** Biennial. In *Botany*, a term applied to plants that are in leaf one year and in flower the next, after which they perish. Less strictly, it has been used to denote the fructification of perennial plants, like some oaks, which bear fruit only every other year.

**Bina'rious.** Arranged in two series or opposite rows.

**Bi'tid** (from *bis*, two, and *cidere*, to cleave). Forked; divided in two. Claf, as the spine *bifida*.



**Bifurcate** (from *bi*, two, and *furca*, a fork). Divided into two like a fork.

**Bifurcation** (*bifurcatio*; from *bi*, two, and *furca*, a fork). Division into two branches, as: of a tooth into two roots; of the trachea and of the aorta into two branches. It is sometimes applied to the angle or space where the division occurs.

**Bigaster**. A muscle having two bellies.

**Bilabe**. An instrument for extracting foreign bodies from the bladder through the urethra.

**Bilateral**. Having two symmetrical sides. In *Surgery*, applied to an operation in which incisions are made into both sides of an organ, as the bilateral operation for the stone.

**Bile** (*bilis*). The substance normally secreted by the liver. The gall. Bile is distinguished into *hepatic* and *gall*; the former flows directly from the liver, and the latter from the gall-bladder. Bile is golden brown in man, and mudcolored. It is composed of biliary salts, cholesterol, mucus, and certain pigments. Its principal acids are *taurocholic* and *glycocholic*, both generally combined with sodium.

**Biliary** (*biliaris*; from *bilis*, the bile). Pertaining or belonging to the bile.

**Biliary Acids**. See *BILE*.

**Biliary Apparatus**. The parts concerned in the secretion and excretion of bile.

**Biliary Concretions**. Concretions found in some parts of the biliary apparatus.

**Biliary Ducts**. The *hepatic*, *cystic*, and *ductus communis choledochus*.

**Bilious** (*biliosus*; from *bilis*, bile). Pertaining to, containing, or produced by bile. A term applied to certain constitutions and to diseases supposed to be produced by too great a secretion of bile.

**Bilpha'in** (*bilis*, bile, and *phos*, of a brown color). The most important coloring matter of the bile.

**Biliverdin**. A name given by Berzelius to the green precipitate produced by dropping acids into the yellow coloring matter of the bile.

**Binoctular** (*binoctularis*; from *bi*, two, and *oculus*, a little cell). Having two cells; two-celled.

**Bi-manus** (from *bi*, two, and *manus*, a hand). Two-handed; a term applied solely to a man, because he is the only animal that has two perfect hands.

**Binary** (*binarius*). A term applied in *Chemistry* to a compound of two simple or ele-

mentary substances; in *Anatomy*, separating into two branches.

**Binata** (*binatus*). In pairs.

**Binoctular**. Relating to or having two eyes; as *binocular vision*, seeing one object with both eyes.

**Binocular Microscope**. A microscope contrived to be used by both eyes. It gives a wonderful distinctness and elevation to objects examined through it.

**Binocular** (from *binus*, double, and *oculus*, the eye). Having two eyes; also, a bandage for both eyes.

**Binooxalate**. A combination of an excess of oxalic acid with a base.

**Biodynamic**. Vital chemistry.

**Biodynamica** (*bioc*, life, *dynamis*, power). The doctrine or science of the vital forces.

**Biology** (*biologia*; from *bios*, life, and *logos*, a discourse). The doctrine of life; the science comprising the structure, function, and organization of life forms.

**Biolychnion** (*biolychnium*). Animal heat.

**Biolyala**. Destruction of life; the devitalization of living tissue.

**Biolytic**. Destroying life.

**Biomagnetism** (*bioc*, life, and *magnetismus*, magnetism). Another name for animal magnetism.

**Bioplasm** (from *bios*, life, and *plasma*, form). Any living matter; matter possessing reproductive vitality.

**Bioplast**. A mass or cell of bioplasm which is a unit of living matter.

**Biopsy** (from *bios*, life, and *opsis*, to examine). An examination of the body to determine if life is extinct.

**Biote** (from *bios*, life). Life; also that which is necessary for its preservation.

**Biathanasi** (from *bio*, violence, *bios*, life, and *thanatos*, death). A violent or sudden death, as if there were no space between life and death.

**Biotic** (from *bios*, life). Pertaining to life or to the laws of animal and vegetable progress and evolution.

**Bi-ped** (*bipes*; from *bi*, two, and *pes*, *pedis*, a foot). Two-footed. A term in *Zoology*, applied to all two-footed animals.

**Birdlime**. A glutinous substance prepared from the middle bark of the holly.

**Biscuit** (from *bis*, twice, and *cui*, baked). A name applied to porcelain paste, which, after having been moulded or carved, has been subjected to a red heat in the muffle

of a furnace or a charcoal fire, for the purpose of hardening it sufficiently for trimming, and to receive the enamel. This process is termed **blauting** or **cruding** porcelain. See **BLACK TERN**.

**Bismuth** (*bismuthum*; *visnuthum*; *regulus of bismuth*; *mercurella*; *its glow*). Symbol, Bi. Atomic weight, 210. A metal of a reddish-white color; highly crystalline, hard, and brittle; it is somewhat different from lead, possessing but little malleability, and fusible at 400° Fahrenheit. When combined in the proper proportion with tin and lead, the alloy is known by the name of D'Arcey's metal, fusible at the temperature of boiling water, and was at one time used for filling teeth. See **FERRIUM ALLOY**, **D'ARCEY'S METAL**.

It possesses remarkable power of reducing the fusing point of metals. The insoluble salts of bismuth are employed in dysentery, prostralgia, gonorrhoea, and gleet. Locally, bismuth is employed in various skin diseases, and in aphthae and stomatitis.

**Bismuth**, Butter of. Chloride of bismuth. **Bismuth**, Flowers of. Sublimed oxide of bismuth.

**Bismuth Subnitrate** (*bismuthum nitrum*, *bismuth triarsenate*). An insulso, inscolorous, tasteless, beautifully white powder, called pastel powder, Spanish white, and ungulety of bismuth. It is tonic and antispasmodic. Dose, gr. j to gr. xv.

**Bismuth, Valerianate of**. A salt of bismuth and valerianic acid. It is a nervine medicine. Dose, gr.  $\frac{1}{2}$  to gr. ij, in a pill.

**Bis'torta** (*polygonumbistorta*). Snake-weed.

**Bis'toury** (from *Flateri*, a town once celebrated for the manufacture of these instruments). A small knife with a straight or curved blade, plain or guarded at the point, used in surgery.

**Bisul'phate**. Bisulphate. A combination of two equivalents of sulphuric acid with one of the base.

**Bisul'phite**. A combination of two equivalents of sulphurous acid with one of the base.

**Bitar'trate**. A supersalt with twice as much tartaric acid as the corresponding neutral salt.

**Bitt'er**. See **AMARUM**.

**Bitter Almonds**, Water of. A preparation of sixteen minims of the oil of bitter almonds to two pints of water, or half a minim to a fluid ounce. Used as a vehicle for other medicines in nervous coughs and spasmodic affections.

**Bitter Salt**. Sulphate of magnesia.

**Bitter Spar**. A term applied to carnite, crystallized varieties of dolomite, or double carbonates of lime and magnesia.

**Bitter Wood**. Quassia.

**Bit'tern**. The mother water which remains after the crystallization of the salt in mineral spring water.

**Bit'ters**. Medicines of a bitter taste.

**Bitu'men**. Asphaltum, of which there are several varieties. Mineral pitch. See **ASPHALTUM**, **NAPHTHA**, and **PETROLEUM**.

**Bitu'minous**. Of the nature of bitumen.

**Bi'uret**. A substance derived from urea.

**Bi'valent**. Equivalent to two atoms of hydrogen; capable of combining with or replacing two atoms of hydrogen.

**Bi'valve**. Having two valves.

**Biven'ter** (from *bi*, two, and *water*, a belly). A name applied to muscles which have two bellies, as the digastricus and biverter cervicis of the lower jaw.

**Blac'cin**. Rubella; measles.

**Blac'id**. Debility.

**Black'berry**. The fruit of the Rubus fruticosus. Astringent. Dose, gr. x to gr. xx.

**Black Draught**. An infusion of senna with Epsom salts.

**Black Drop**. A fermented aromatic vinegar of opium. One drop is equal to three of laudanum.

**Black Flux**. A mixture of carbonate of potash and charcoal, obtained by deflagrating cream of tartar with half its weight of nitre.

**Black Jack**. A name applied by miners to sulphuret of zinc.

**Black Lead**. Plumbago.

**Black Mustard**. The seed of the Sinapis nigra. It is an emetic, stimulant, and counter-irritant. It relieves pain when topically applied. In *Dental Practice*, when placed in a small bag, it is applied to the gum over a tooth affected with acute periodontitis.

**Black Naphtha**. Petroleum. Rock oil.

**Black Vomit**. One of the febrile symptoms of yellow fever; also, a name by which a disease that sometimes prevails during the months of August and September, in some of the western and southern parts of the United States, is designated.

**Black Wadd**. One of the ores of manganese.

**Black Wash**. A lotion of calomel and lime water.

**Black's 1. 2. 3. Mixture**. Consists of carbolic acid (melted crystals), 1 part; oil of camphor,

2 parts; oil of wintergreen (gaultheria), 2 parts. Antiseptic and disinfectant. Used for the treatment of putrescent pulp-canals and alveolar abscesses.

**Blad'der.** See URINARY BLADDER and GALL-BLADDER.

**Blas'sitas** (from *Maena*, one who stammers). Inaccurate enunciation of articulate sounds. A distortion.

**Blas'm.** An elevation of the cuticle filled with a watery fluid; a blister.

**Blas'card's Pill.** A pill of iodide of iron made directly from its elements, protected by honey, brought to the pillular consistence with powder of marshmallow, rolled in powder of iron reduced from the oxide, and varnished with a thin coating of resin by dipping it once or twice in an ethereal solution of the tincture of iron. It is employed as a tonic for anemic children.

**Blanc de Troyes.** Spanish white. Prepared chalk, or the Creta preparata of the pharmacopoeias.

**Blanch.** To whiten.

**Blanc-mange.** An animal jelly to which has been added sugar, milk of almonds, and an aromatic.

**Blas'to'ma** (from *Blas'tro*, to germinate). The formative lymph or pabulum of capillary exudation; the rudiment of an organ in a state of development.

**Blas'to'dermis** (from *Blas'tro*, to germinate, and *derma*, skin). The germinal membrane formed by the cells of the morula, lying on the internal surface of the vitelline membrane of the impregnated ovum. A minute thin membrane on the surface of the yolk of an egg.

**Blas'to'der'mic Vesicle.** A distinct granular envelope immediately surrounding the yolk of a bird's egg and covered by the vitelline membrane.

**Blas'to'gen'e'als** (*Blas'tro*, a sprout, and *gen'eo*, generation). The multiplication of plants by means of buds.

**Blas'to'mere.** See MORULA.

**Blas'topore.** See BLASTODERM.

**Black'ing.** A chemical process of whitening linen or woollen cloths.

**Black'ing Liquid.** Oxymuriatic alkaline water.

**Black'ing Powder.** Chloride of lime.

**Black'ing Teeth.** The restoration of the color in teeth which have become discolored by any of the causes producing such an effect

is dependent on the preliminary measures instituted. Chlorine, free or in some of its combinations, is the most effectual agent for bleaching purposes. Chlorine is liberated more or less rapidly from chlorinated lime by all the acids, but rapidity of action is not always desirable, and hence a 50 per cent. solution of acetic acid gives more satisfactory results than tartaric acid, the action of which on chlorinated lime is more rapid unless it is reduced to a comparatively weak solution. No steel or iron instruments must be employed, for the reason that the salts of iron formed will rapidly discolor the tooth. Oxymuriate of zinc, oxymuriate of zinc, oxalic acid, sodium sulphite combined with boracic acid in the form of a powder and forming sodium borate, chlorinated lime combined with either acetic, tartaric, or oxalic acids, sulphurous acid, peroxide of hydrogen, peroxide of sodium, aluminum chloride, pyroxena, compressed warm air, and the cataphoric method have also given satisfactory results when properly employed.

**Blas't Eye.** A chronic catarrhal inflammation of the eyelids.

**Bleb.** A bulla, or bladdery tumor, or small vesicle of the skin.

**Blood'ing.** The operation of blood-letting; also, the discharge of blood.

**Blende.** The native sulphuret of zinc in black crystals. The term is sometimes applied to other ores.

**Blas'ma** (*Blas'tro*; *Maena*). Mucus.

**Blenna Marium.** Mucus from the nose.

**Blennaden'i'tis.** Inflammation of mucous follicles.

**Blennelyt'ria** (from *Blas'tro*, mucus, and *elyt'ro*, a sheath). Same as leucorrhoea.

**Blennom'e'nia.** Mucous vomiting.

**Blennost'e'ria.** Dysentery.

**Blas'to'genic** (*Blas'tro*, mucus, and *gen'eo*, to generate). Generating mucus; muciparous.

**Blas'to'phthal'mia.** Purulent ophthalmia.

**Blas'to'p'tysis** (from *Blas'tro*, and *p'tis*, I split). Expectoration of mucus. Catarrh.

**Blas'torrh'e'gia.** Gonorrhoea.

**Blas'torrh'e'a** (from *Blas'tro*, mucus, and *rho*, I flow). Discharge of mucus from any of the mucous surfaces, but particularly from the urethra.

**Blas'to'sis.** A generic term for diseases of the mucous membrane.

**Blas'to'ria.** Cystorrhoea.

**Blas'to'men.** A mucous membrane.

**Blepharitis.** Inflammation of a mucous membrane.

**Blepharodentitis.** Ophthalmia tarsi.

**Blepharitis** (from *βλεφαρον*, the eyelid, and *itis*, a terminal signifying inflammation). Inflammation of the eyelid.

**Blepharoblenorrhoea.** Purulent ophthalmia.

**Blepharom** (*βλεφαρον*). The eyelid. From this word various others are compounded.

**Blepharophthalmia** (from *βλεφαρον*, the eyelid, and *ophthalmia*, a disease of the eye). Inflammation of the eyelid.

**Blepharoplasty.** Formation of an eyelid from the neighboring integument.

**Blepharoptosis** (from *βλεφαρον*, the eyelid, and *πτωσις*, fall). Prolapse or falling of the upper eyelid.

**Blepharospasmus** (from *βλεφαρον*, the eyelid, and *σπασμος*, spasm). A spasmodic action of the eyelid.

**Blestrismus.** Restlessness of the sick.

**Ble'ta Al'ba.** Milky urine.

**Blight.** A partial paralysis of certain local nerves resulting from sudden or extreme cold.

**Blindness** (*cecitas*). Deprivation of the power of vision.

**Blister** (*vesiciferum*). Any substance which, when put on the skin, raises the cuticle in the form of a vesicle and occasions a serious irritation. The cantharides, or blistering flies are most frequently employed for this purpose, but there are other substances which will produce this effect on the cuticle. Also, elevation of the cuticle with a deposition of mucus fluid underneath.

**Blistering Fly.** See CANTHARID.

**Block.** A mass of gold foil for filling teeth, made by sliding a tape of foil upon itself several times by means of the press.

**Block Teeth, Biscuiting or Crucing of.** The teeth, after being moulded or carved, are placed on a slide and put in the middle of a furnace and subjected to a bright red heat, by which process the particles become sufficiently agglutinated and hardened to receive the enamel. This is called *biscuiting* or *crucing*. The blocks should now be removed from the furnace, and after they have become sufficiently cool are ready for the enamel.

**Block Teeth, Carved.** Two or more artificial teeth carved from a piece of ivory, or carved or moulded from a mass of porcelain paste and afterward baked and enamelled. The former

substance is seldom used at present for this purpose. The latter has been brought to a very high state of perfection. The introduction of vulcanite has created the necessity of making moulded teeth in sections. They are made in sections of two, three, or four, and when nicely jointed present a uniform appearance, more closely resembling the natural gum than can be attained by the use of single teeth. Three moulds are made and worked as described under PORCELAIN TEETH (which see).

**Block Teeth, Carving of.** When dentists carved the teeth they used in making sets the following is a description of the process pursued: A plate of the proper form is first struck up, to serve as a base for the blocks. Upon this a sufficient quantity of the paste for the body is rudely modelled, and platinum rivets inserted opposite the back of each tooth, or the insertion of the rivets may be delayed until the blocks are bisected. After it has dried sufficiently, it must be carved with a small knife so as to represent as nearly as possible the shape of the natural teeth. This part of the process must be conducted with great care to prevent crumbling the body. The block is now removed from the archillo base and placed upon finely pulverized silica on a slide or tile, permitting only the surface which is to rest upon the plate to come in contact with the silica.

In carving blocks for an entire dental circle some are in the habit of making three pieces, one with the labials and caninates and each of the others with two bicuspids and two molars; others divide the arch into six pieces or blocks.

Blocks are sometimes attached to a base by means of gold pins soldered or riveted to the plate and passing through each tooth; at other times by means of pins passing only about two-thirds through. But the last-mentioned method will not hold the blocks sufficiently secure to prevent them from loosening and coming off.

**Block Teeth, Enamelling of.** Having a quantity of the enamel paste prepared, of the consistency of cream, and in several parcels of different tints of color, it is to be applied to the face of the tooth, previously well cleaned, with a camel's-hair pencil, in a regular, uniform coat. It should extend beyond the cutting edge of the teeth, so as to give that part of it its appropriate transparency. Great

care must be taken to prevent the raw gum enamel from getting on the tooth, a well-shaped fescue being formed around each. The flats on the crown of the tooth must be incorporated carefully, so as to blend or shade off into the other enamel, whilst the gum forms a sharp, well-defined fescue. To do this well, the colored enamele should be placed on the tooth and covered by a thin layer of enamel, mixed with an increased quantity of water so as to render it fluid.

"It is usual to color the part of the crown next to the neck of the tooth yellow, and the tip blue. If the predominant color of the teeth to be imitated is yellow, the thin coat may be of yellow enamel; and, on the contrary, if they are to be blue, this layer may be put on with the blue enamel.

"The body of the tooth should always be colored to harmonize with the enamel, or the effect will not be good."—*Goddard*.

After the enamel has become dry, the blocks are again placed on finely pulverized silex on a slide, in the manner before described. This done, they are ready to be put into the furnace. See PORCELAIN TEETH.

**Blood (sanguis).** A red homogeneous fluid, formed chiefly from chyle, of a salish taste and glutinous consistence, circulating in the cavities of the heart, arteries, and veins, and supplying nutritive material to all parts of the body. The average quantity of this fluid in an adult is estimated at twenty-eight pounds, and the veins are supposed to contain nearly four times the quantity that the arteries do. The blood in the arteries is of a florid red; in the veins it is of a dark brownish-red, except in the pulmonary vessels. Here the color is reversed, the arteries containing the dark and the veins the red blood.

Blood is composed of water, albumen, fibrin, an animal coloring matter, a little fat, and several salts, forming a colorless plasma in which are suspended white and red corpuscles.

Blood, after being drawn and left to itself, becomes solid and separates into two distinct parts—the serum, or watery supernatant fluid, and the *craur*, coagulum, crassamentum, or clot. The serum is chiefly water holding albumen in solution and the salts of the blood. The clot contains the fibrin, coloring matter, hematoids, a little serum, and a small quantity of salts. Healthy blood consists of 79 per cent. of water and 21 per cent. of solids.

**Blood Corpuscles.** Small, circular disc-shaped

discs floating in the blood. Red corpuscles are circular and about  $\frac{1}{250}$  of an inch in diameter and  $\frac{1}{1000}$  of an inch thick. White corpuscles are fewer in number, one-third larger in diameter. The coloring matter of the blood exists in a substance known as hemoglobin, and is due to minute quantities of the salts of iron.

**Blood Crystals.** Crystals of the substance known as hematoidin.

**Blood Heat.** A temperature varying from 98° to 100° F.

**Blood-letting.** Every artificial discharge of blood procured for the prevention or cure of disease. An operation which consists in opening a vessel for the extraction of blood. It is divided into *general* and *local*. *Phlebotomy* and *arteriotomy* are examples of the first, and the application of leeches or cupping glasses, after scarification, of the latter.

**Blood Plasma.** The liquor sanguinis, or fluid part of the blood.

**Blood Plates.** Discs, pale and colorless, and of a round or lenticular form of variable size, found in healthy blood. Their function is unknown.

**Blood Pressure.** The force of compression exerted by the blood upon the walls of the vessels under the influence of the heart's action, the elastic walls, etc.

**Blood-root.** *Manguinaria canadensis*.

**Blood-stone.** Hematite. A dark green silicious mineral, variegated by red spots. It is a native oxide of iron, and, being susceptible of a very high polish, it is sometimes used by jewellers and mechanical dentists as a burnisher.

**Blood-vessel.** A vessel containing and conveying blood.

**Blood-shot.** Distention of the vessels of the eyeball with red blood.

**Blood'y Flux.** Dysentery.

**Blow'-pipe.** A cylindrical tube from twelve to eighteen inches long, about half an inch in diameter at one end, and gradually tapering to a fine point or nozzle, which may be straight or bent at right angles, according to the purposes for which it is to be used. With an instrument of this sort "a jet of air may be injected into the flame of a lamp or candle as to divert it into a long and slender cone upon a piece of charcoal or other substance placed to receive it." The greatest heat of a flame when thus urged is just beyond the extremity of the inner flame, for the reason that

the greatest amount of combustion is at this point. A more useful form of mouth blow-pipe has a small hollow ball or cylinder to receive the condensed moisture inserted within three inches of the flame end. Other forms of blow-pipes, worked by artificial blast, are in use, and are divided by Prof. Austin into four classes: (1) alcoholic, or self-acting blow-pipes; (2) mechanical, or bellows blow-pipes; (3) hydrostatic blow-pipes; (4) oxyhydrogen, or zero-hydrogen blow-pipes. The latter produce intense heat by burning hydrogen or illuminating gas at the end of a compound nozzle, which permits air and the gas to mix. For a description of the different classes see Harris' "Prin. and Pract. of Dentistry," twelfth edition.

**Blow-pipe and Furnace, Somerby's.** An apparatus invented by Dr. R. Somerby, of Louisville, Ky., consisting of a furnace and blow-pipe, arranged in an iron frame, supplied with air from a bellows.

**Blow-pipe, Automaton.** Especially designed for crown- and bridge-work, into which the air is admitted and conducted through a small tube to the upper end of another, which admits illuminating gas, the supply of both air and gas being regulated by the pressure of the thumb or fingers on the rubber tubes of the appliance.

**Blow-pipe, Bishop's.** A blow-pipe attached to a soldering table and provided with a pump and an air-chamber, the blow-pipe being attached to the air-chamber by a ball-and-socket joint.

**Blow-pipe, Burgess's.** This blow-pipe is constructed on the same general principles as the Bishop blow-pipe, but is not attached to a table. A pressure of from two to twelve pounds is produced at will by accelerating the motion of the foot; it measures twenty-two inches in height and weighs twelve pounds.

**Blow-pipe, Elliott's Compound Self-acting.** A combination of the common with the self-acting blow-pipe.

**Blow-pipe, Hook's Self-acting.** A brass globe composed of two hemispheres firmly fastened together, having an orifice at the top for the purpose of introducing alcohol, and a tube leading from the upper to the flame of a spirit-lamp placed underneath the brass globe. When this is partly filled with alcohol and a lamp placed underneath it, the alcohol is soon converted into vapor, which, finding no vent excepting through a small tube, rushes directly

against the flame of the lamp, which ignites it and forms a jet of flame of great intensity. **Blow-pipe, Knapp's.** See **KNAPP'S COMPOUND BLOW-PIPE**.

**Blow-pipe, Mallott's,** is intended for crown- and bridge-work. The gas is supplied through a valved tube by connecting it with rubber tubing to a gas bracket. A spring valve regulates the supply of gas and is set by a thumb-screw and jam-nut to a flame of any desired size.

**Blow-pipe, Oxyhydrogen.** See **OXYHYDROGEN BLOW-PIPE**.

**Blow-pipe, Parry's Self-acting.** An apparatus invented by Dr. J. Parry, of New York, consisting of a copper globe, about five inches and a half in diameter, and two alcoholic reservoirs, arranged in a small portable japanned tin case. One of the reservoirs is placed beneath the globe on the floor of the case, which it completely covers. This is about an inch and a half deep, and in its centre, immediately beneath the globe, a burner is placed. The other reservoir is of the same size, and placed immediately above the globe. To the top of one side of this case extremity of a curved tube or siphon, provided with a stop-cock, enters, while the other extremity passes down through a protuberance on the top of the globe to near the bottom of the globe. Through this tube alcohol is introduced from the upper reservoir into the globe, and when a sufficient supply has been let in, the stop-cock is closed and the communication between the two cut off. In the top of the other side of the upper reservoir a burner is fixed. A little above this a tube, communicating with the protuberance in the top of the globe, terminates. When both burners are lighted, the vapor, generated in the globe from the alcohol by the heat from the lower burner, rushes through the tube and descends into the flame from the upper burner, ignites, and throws off a jet of flame internally five or six inches in length. Each burner is provided with an extinguisher, which can be so managed as to increase or diminish the volume of flame projected laterally by the blow-pipe or vapor-tube.

Accompanying the blow-pipe is a small sheet-iron furnace, for heating a piece of work before soldering, and also for melting metals for casting models.

**Blow-pipe, Snow's Gas.** This form has a connection for both gas and air, made with rubber tubing, to give facility in directing the

**flame.** The gas mixes with the air in its passage through the blow-pipe and burns without smoke. Motion is given the air-pipe, by a trigger, and a pointed flame obtained at pleasure. A valve in the gas-pipe opens and closes automatically, so that when the blow-pipe is hung up by its ring it will partially shut off the gas. When the instrument is held in the proper position for use, the passage of gas is unobstructed.

**Blow-pipe, Warm Air.** Consists of a small blow-pipe, with a cylinder an inch long and  $\frac{1}{2}$  of an inch in diameter, made of heavy metal, or filled with wire to retain heat; on the other end is an India-rubber ball, with an opening  $\frac{1}{4}$  of an inch in diameter. Used for drying cavities in teeth, preparatory to filling them. A number of other excellent blow-pipes are in use for dental purposes, such as the Lee, Gasoline, Hot Blast, Fletcher's Automatic, Keith's, etc.

**Blue Disease.** See CYANOSIS.

**Blue John.** A name given by miners to flint spar.

**Blue Mass.** Blue pills. Mercurial pills. Composed of mercury, confection of roses, and liquorice root. They are much employed for producing the salagogue and alterative action of mercury, and are among the mildest of the mercurials. Dose, gr. v to gr. x.

**Blue Ointment** (*unguentum hydrargyri*). Strong mercurial ointment.

**Blue Stone** (*cupri sulphas*). Sulphate of copper.

**Blunt Hook.** An instrument used by obstetricians to draw down the fetus.

**Body.** Generally, every substance which is cognizable by our senses.

It is applied by the manufacturers of porcelain teeth to the parts composing the principal portion of the artificial organ. In *Anatomy*, the collection of organs which compose the animal body, or the main part or the trunk of such body, as distinguished from the head and limbs; also the principal portion of a bone or muscle. In *Physics*, a portion of matter consisting of molecules united by cohesive attraction, the existence of which can be perceived by any of our senses. Bodies are *solid*, *liquid*, or *gaseous*, according to the forms in which they exist.

**Bonthe'sma** (from *bonthe*, to aid). Medicament.

**Bonthe'sma.** The *Ricinus communis*, used as a salagogue or stimulant to the flow of milk.

**Boll.** See FURUNCULUS.

**Boll'ing.** The vaporization of a liquid when it gives off vapor having the same tension as the surrounding air. The temperature of boiling water at the level of the sea is 212° F. (100° C.); it decreases with increasing altitude.

**Bole** (*Bole*, a name). An argillaceous earth, used as an absorbent and alexipharmic.

**Bole, Armenian** (*bole Armeniac*). A red, clayey earth, supposed to possess astringent and styptic properties. It formerly constituted a principal ingredient in many of the tooth-powders vended in the shops.

**Bolet'ic Acid** (*acidum boletinum*). An acid obtained from the juice of the *Boletus pseudogignarius*.

**Bolet'ina.** A genus of fungi, characterized by numerous vertical tubes arranged beneath the pileus of the plant.

**Boletus Ignis'rius.** The systematic name of the agaricus of the pharmacopoeia. Agaric of the oak; toothwood boletus; fenale agaric. It was formerly much used as a styptic by surgeons.

**Boletus Pur'gans** (*boletus luteus*). Larch agaric, a drastic purgative, in the dose of from one to two drachms.

**Bolog'nian Stone.** A native sulphate of laryta, found at Bologna. It becomes a powerful solar phosphorus when heated with charcoal.

**Bolus** (*bolus*, a bole). A bolus. Any medicine having the shape of a large pill.

**Bolus Armeniac.** Armenian bole.

**Bolus Gallicus.** French bole. Bolar earth, of a pale, red color, with irregular variegated veins of white and yellow, possessing absorbent and antacid qualities.

**Bomb'ic Acid.** An acid obtained from the silkworm chrysalis.

**Bombus** (*bombus*). A ringing or buzzing in the ears, sometimes accompanied by a sensation like what might be supposed to be produced by blows repeated at certain intervals. See TINKING AURUM.

**Bonani's Officialis.** White mustard.

**Bone** (*os, osseus*). The hard tissue which forms the framework or skeleton of the body. Bones are hard, insensible, organized parts of the body, of a whitish color and a spongy, compact structure. They constitute the solid framework of the bodies of animals of the superior classes. They serve as a support and protection to other organs, and give attachment to muscles. With the exception of the crowns of

the teeth, they are covered with a fibrous and vascular membrane, called the *periosteum*, from which they are liberally supplied with vessels for their nutrition. The bones of an animal, united, constitute the *skeleton*; *artificial*, when united by artificial means, such as wires, etc., and *natural*, when connected by their own ligaments.

The texture of bones varies. The middle portion of long bones is compact, with a cavity in their centres: their extremities are spongy, "and the central cavity is occupied by a long network, formed of thin plates and fibres, called the *reticulated tissue of the bones*."\* "The greater number of bones have several processes and cavities, which are distinguished from their figure, situation, use, etc. Thus, processes extending from the end of a bone, if smooth and round, are called *heads* and *condyles* when flattened either above or laterally. That part which is beneath the head, and which exceeds the rest of the bone in smallness and levity, is called the *neck*. Rough, unequal processes are called *tubercles*, or *tuberosities*; but the longer and more acute, *spines* or *styloid* processes, from their resemblance to a thorn. Their broad processes, with sharp extremities, are known by the name of *crias* or *sharp edges*. Other processes are distinguished by their form, and called *alar* or *pterygoid*, *maxillary* or *mandibular*, *driftiform* or *odontoid*, etc. Others, from their situation, are called *superior*, *inferior*, *anterior*, and *posterior*. Some have their names from their direction; as *oblique*, *straight*, *transverse*, etc., and some from their use, as *trochanter*, *rotator*, etc. *Furrows*, *depressions*, and *cristas* are divided either for the reception of contiguous bones to form an articulation with them, when they are called *articular cavities*, which are sometimes deeper, sometimes shallower; or they receive hard parts, but do not constitute a joint with them," etc.†

Bone, as shown by a transverse section, is composed of a number of nearly circular *osses*, each having a central tube called the *Haversian canal*, through which the blood circulates. Surrounding this canal are oblong cells concentrically arranged, called *lacunae*, each lacuna being the outlet of a number of small canals called *canaliculi*, through which the nutrition is conveyed to all parts of the bone. The covering of bone is called the *periosteum*, and the central cavity of the long bones contains the marrow.

\* Wistar's "Anatomy."

† Hooper's Med. Dic.

According to some anatomists, there are 348 bones in the adult, namely:

Bones of the Head.	Bones of the cranium or skull, . . . . .	Frontal, . . . . .	1
		Parietal, . . . . .	2
		Occipital, . . . . .	1
		Temporal, . . . . .	2
Bones of the Face.	Bones of the face, . . . . .	Maxilla, . . . . .	2
		Mandible, . . . . .	1
		Nasal, . . . . .	2
		Lacrimal, . . . . .	2
Teeth or teeth,	Teeth or teeth, . . . . .	Hyoid bone, . . . . .	1
		Thyroid cartilage, . . . . .	1
		Cricoid cartilage, . . . . .	1
		Tracheal cartilage, . . . . .	1
Bones of the Tongue.	Bones of the tongue, . . . . .	Maxilla, . . . . .	2
		Incus, . . . . .	2
		Orbitals, . . . . .	2
		Orbitals, . . . . .	2
The spine.	The spine, . . . . .	Vertebrae, . . . . .	26
		Manubrium, . . . . .	1
		Cervical, . . . . .	7
		Lumbar, . . . . .	5
The thorax.	The thorax, . . . . .	Manubrium, . . . . .	1
		Ribs, . . . . .	24
		Intercostal, . . . . .	24
		Intercostal, . . . . .	24
The shoulder.	The shoulder, . . . . .	Clavicle, . . . . .	1
		Scapula, . . . . .	1
		Humeral, . . . . .	1
		Ulna, . . . . .	1
The forearm.	The forearm, . . . . .	Radius, . . . . .	1
		Ulna, . . . . .	1
		Scapula, . . . . .	1
		Clavicle, . . . . .	1
The hand.	The hand, . . . . .	Metacarpus, . . . . .	5
		Phalanx, . . . . .	14
		Calcaneus, . . . . .	1
		Navicular, . . . . .	1
The thigh.	The thigh, . . . . .	Femur, . . . . .	1
		Patella, . . . . .	1
		Tibia, . . . . .	1
		Fibula, . . . . .	1
The leg.	The leg, . . . . .	Calcaneus, . . . . .	1
		Navicular, . . . . .	1
		Calcaneus, . . . . .	1
		Navicular, . . . . .	1
The foot.	The foot, . . . . .	Metatarsus, . . . . .	5
		Phalanx, . . . . .	14
		Calcaneus, . . . . .	1
		Navicular, . . . . .	1
Bones of the Lower Ext.	Bones of the lower extremity, . . . . .	Calcaneus, . . . . .	1
		Navicular, . . . . .	1
		Calcaneus, . . . . .	1
		Navicular, . . . . .	1



According to Bernellie, every one hundred parts of bone in man contain :

Cartilage (gelatin) completely soluble	
in water, . . . . .	32.17
Vessels, . . . . .	1.13
Neutral phosphate of lime, . . . .	31.04
Carbonate of lime, . . . . .	11.30
Fluoride of lime, . . . . .	2.00
Phosphate of magnesia, . . . . .	1.16
Soda, with a small proportion of chloride of sodium, . . . . .	1.20
	<hr/> 100.00

**Bone Black.** Ivory black ; charred bones.

**Bone Earth.** The inorganic basis of the bones of animals, consisting of phosphate of lime.

**Bone Nippers.** Forceps with cutting edges, furnished with strong handles, used by surgeons for cutting off splinters of bone, and by dentists for the excision of the decayed crowns of teeth.

**Bone Spirit.** Impure ammonia, obtained in the process of manufacturing animal charcoal from bones.

**Bone'set.** *Expatorium porfoliatum* ; thoroughwort.

**Bones, Softening of.** *Mollities ossium.*

**Bonwill's Crown.** An artificial crown of all porcelain to be engrafted on a natural root. The incisor crowns are so shaped as to form a dovetail, which allows the strain outward to come high up near the cutting edge, and not depend on the palatal wall for support. The molar and bicuspid crowns have recessed bases, leaving a shell with undercuts for amalgam filling to act as dovetails. The down's or pilons are made of alloy, and are thin and angular or square, and attached to both crown and root by amalgam.

**Bonwill's Method of Articulating Teeth.** A method devised by Dr. Bonwill, which he claims is based upon geometrical and mechanical laws. See Harris' "Prin. and Pract. of Dentistry."

**Bonwill's Method of Transient Anesthesia.**

See RAPID BREATHING.

**Boric Acid** (*acidum boricum*). Now called boric acid. The acid of borax. It was regarded as a sedative dose, gr. v to gr. x. See BORAC ACID.

**Bor'acite.** Native borate of magnesia.

**Bor'ax.** Borate.

**Borax Soda.** Borate of soda. See BORAX.

**Bor'ic.** A salt of boric acid and a suitable base.

**Bor'ax** (*borax soda* ; *soda borax*). Borate of soda. A saline compound of boric acid and soda found in a native state ; but can be prepared artificially by boiling together in proper proportions boric acid and carbonate of soda. When purified, borax is white and transparent, presenting in its fracture a greasy appearance, and affecting the form of six-sided prisms, terminating in three-sided or six-sided pyramids. Borax is a mild refrigerant and diuretic, and is much used as a detergent in syphilis, stomatitis, mercurial salivation, etc., applied in sugar, or rubbed up in honey, called "mol borate," honey of borax, composed of powd. borax, ʒj ; clarified honey, ʒj. Combined with glycerine in the proportion of borax, ʒj ; glycerine, fʒiv, called "glycerinum boracis," it forms a valuable lotion. Borax is also used as a flux in metallurgy. In soldering or uniting pieces of gold or silver it is the principal one employed. Added to plaster, it hardens it. For other dental uses see GORPUS' "Dental Medicine."

**Bor'der, Alve'olar.** Alveolar arch.

**Bor'ic Acid** (*acidum boricum*). Formula,  $H_2BO_3$ . It was formerly known as boric acid, and occurs in white, shining crystals, soluble in water and alcohol. It has but weak acid properties and slightly irritant effects. It is antiseptic and germicidal. Internally it is employed for vomiting and septicemia, and as a local application to ulcers, burns, and parasitic skin diseases. In *Dental Practice* it is employed for syphilitic and other ulcerations of the mouth, stomatitis, fissured tongue, etc. See GORPUS' "Dental Medicine."

**Bor'neen.** The name given to a compound of carbon and hydrogen found in valeric acid, which acquires the properties of Borneo camphor on being exposed to moisture.

**Borneo Camphor.** A white, fusible, crystalline solid, somewhat translucent, of an odor analogous to that of common camphor, found in longitudinal fissures of the *Dryobalanops* trees, of the islands of Sumatra and Borneo. These trees also yield a fragrant liquid, called oil of camphor.

**Boroglyc'eride.** Compound of boric acid and glycerine. Antiseptic and germicidal. Used externally.

**Borolyp'tol.** Composed of acetoboro-glyceride, formaldehyd, pinus pumilia, eucalyptus, storax, and benzoin. Antiseptic and germicidal. Used externally and internally. Dose for internal, ʒij.

**Bor'row.** Borium. A non-metallic substance of a greenish-black color, forming the combustible base of boracic acid and of the mineral borax. It occurs as a crystalline nod also as an amorphous solid; symbol, B; atomic weight, 11.

**Bor'uret.** Borium (which see).

**Botal' Fore'men.** The foramen ovale of the heart.

**Bot'anist** (*botanikos*). One who understands the nature and history of plants; one skilled in everything pertaining to plants.

**Bot'any** (*botanika*; *botany*, from *botan*, an herb or grass, which is derived from *bou*, or *bos*, to feed, because grass is the chief food of animals most useful to man). The science of plants; a knowledge of everything relating to the natural history of the vegetable kingdom, embracing the terminology, classification, synonyms, sensible qualities, anatomy, physiology, etc., of plants.

**Both'ria** (*bothria*). A little pit. A small cavity; the socket of a tooth; a small, deep ulcer of the cornea.

**Bot'tum.** A bronchocele.

**Boug'le.** Literally, a wax rundle. A slender, flexible instrument, designed to be introduced into the bladder through the urethra. Bougie, Armed, or Bougie, Canu'tic. A bougie with a piece of lunar caustic fixed in its extremity.

**Bougie, Solubis, Medicatad.** A bougie medicated with different remedies for use in gonorrhea and gleet. They are introduced and left to dissolve, which occurs in one or two hours.

**Bow'-drill.** A drill turned by a stock with a bow and string or cord.

**Box Plate.** A metallic plate with an air-tight chamber, used as an obturator, or in connection with artificial teeth, for the replacement of the loss of natural structure. See KATHENIANS.

**Brach'e'rium** (from *brachiale*, a bracelet). A truss or bandage for hernia.

**Brachio'us.** Same as brachial.

**Brach'ial** (*brachialis*). That which belongs to the arm.

**Brachial Aponeurosis.** An aponeurosis enveloping the muscles of the arm.

**Brachial Artery** (*arteria brachialis*). A continuation of the axillary artery, running down on the side of the arm to the bend of the elbow, where it divides into the radial and cubital arteries.

**Brachial Glands.** The lymphatic glands of the arm.

**Brachial Muscles, Anterior.** A muscle situated on the anterior and inferior part of the arm.

**Brachial Plexus** (*plexus brachialis*). A nervous plexus, seated deeply, in the hollow of the axilla, extending to the inferior and lateral part of the neck.

**Brachial Veins.** Two veins, which frequently anastomose with each other, and accompany the artery.

**Brachial'gia** (*brachialis*, the arm, and *algia*, pain). Pain of the arm.

**Brachia'lis Exter'mus.** See TRICEPS EXTERIOR ('INTI).

**Brachialis Internus.** A muscle of the forearm.

**Brach'ite** (*brachitis*; from *brachia*, an arm). Armed; brachiated. A term in Botany applied to the branches of a plant or tree which go off at nearly right angles from the trunk or stem.

**Brachio-cu'bit'al.** Pertaining to the brachium and cubitus or ulna.

**Brachio'cylo'sis** (from *brachia*, an arm, and *κύκλις*, curvature). Paralysis or loss of power from curvature of the arm.

**Brachio'cus** (from *brachia*, the arm, and *κύκλις*, a swelling). A tumor of the arm.

**Brachio'poda** (from *brachia*, an arm, and *πούς*, a foot). Arm-footed animals; an order of headless bivalve molluscan animals.

**Brachio-radial** (*brachio-radialis*). Pertaining to the brachium and radius.

**Brach'ium** (*brachia*, an arm). The arm from the shoulder to the wrist.

**Brachium Arterios** and **Brachium Posterius.** Two rounded processes which pass from the tubercula quadrigemina into the optic thalamus.

**Brach'us.** Nymphomaniac. Satyrical.

**Brachy'uchen.** Short-necked.

**Brachy'gnathus** (from *brachia*, short, and *γνάθος*, a jaw). A monster with too short an under jaw.

**Brachyp'nea** (from *brachia*, short, and *πνέω*, to breathe). Difficulty of breathing; shortness of breath.

**Brachypot'ic.** Persons who drink rarely.

**Brady'sethe'sia** (from *brachia*, difficult, and *αἴσθησις*, sensation). Impaired sensation.

**Brady'accol'a.** Deafness.

**Brady'tog'ia.** Difficulty of speech.

**Brady'mene'sia** (*brady'menesis*; from *brachia*,

difficult, and *perplex*, *mastication*). Difficult mastication. *Dysmasticia*.

*Brydypops'ia* (from *Brydys*, slow, *psyp*, to contract). Slow digestion.

*Brydys'ria* (from *Brydys*, difficult, and *urine*, to pass the urine). Painful evacuation of urine; *dysuria*.

*Broid'ism*. The hypnotic state caused by fixation of the eyes upon a shining object.

*Brain*. The cerebrum; the highest and largest portion of the encephalon; but according to the popular acceptance of the word, the entire contents of the cranium, comprising the cerebrum, cerebellum, pons Varolii, and medulla oblongata.

*Brain, Little*. The cerebellum.

*Brass* (*for'is tritius*). The proper coat of wheat, rye, or other farinaceous grain, separated from the flower.

*Branch* (from *βραχυς*, an arm, because branches of a tree, etc., go off like an arm). Generally applied to the principal division of an artery or nerve. It is usually employed as synonymous with *ramus*.

*Bras'chias* (from *βραχιος*, hoarseness). Swelling of the tonsils and thyroid gland.

*Bras'chias* (from *βραχιον*, the gills of a fish). Gills. The respiratory organs of those animals which extract oxygen from air contained in water.

*Braschilo'poda* (from *βραχιον*, gills, and *poda*, a foot). An order of crustaceans in which the gills perform the functions of feet.

*Branch's Appara'tus*. An instrument for producing local anesthesia by means of a mixture composed of two parts of ice and one of salt applied to the gum and tooth to be extracted, invented by Dr. Branch, of Chicago. It consists of a hollow tube, about 1½ inches in diameter, with about ½ of an inch cut out at one end on either side, that it may readily be placed over a tooth. To this is attached a sack of finely prepared membrane, large enough to hold a tablespoonful of the freezing mixture. The hollow of the tube is occupied by a steel wire spiral spring. Just before using it a sufficient quantity of the freezing mixture is put in the tube; the end of the latter is placed over the tooth, when the ice and salt are forced up gently around it by pressing on the spring at the other extremity of the instrument. Two tubes are employed: one straight, for teeth in the front part of the mouth; the other bent near one end, for the more convenient application of the mixture to a molar tooth.

*Bras'chias* (from *βραχιος*, hoarseness). Sore throat; overstraining of the voice.

*Bras'dy* (*spiritus gallicus*). A powerful and diffusible stimulant, obtained by distillation from wine.

*Branks*. Mamps.

*Bras'ma* (*bromas*; from *βρασω*, to boil). Fermentation.

*Brasque*. A French term to denote the firing of a crucible or a furnace with charcoal.

*Brass*. A yellow metal; an alloy of copper and zinc. Copper alloyed with twenty-five to forty per cent. of zinc.

*Brazil'-wood*. The wood of the *Casalpinia brasiliensis*. It is used in dyeing.

*Brank'-bone Fe'ver*. Common name for dengue.

*Breast*. The mamma; also the forepart of the thorax.

*Breath*. The air exhaled from the lungs, which has lost a portion of its oxygen and gained a varying amount of ammonia, aqueous vapor, and carbon-dioxide from the oxidation of the waste matter of the blood. The term is also applied to air inspired as well as to that exhaled.

*Breg'ma* (from *βραχω*, to moisten). The sinciput or upper part of the head; the junction of the parietal bones.

*Bre'vis Va'sa*. Short vessels. Applied to several branches of the splenic arteries and veins.

*Bre'vis Cu'bital*. The anconeus muscle.

*Brevis'simus Oculi*. The obliquus inferior.

*Brex'illa*. The coloring matter of Brazil wood.

*Brick, Oil of*. Oil of spike.

*Bridge-work*. The adaptation of artificial crowns of teeth to and over spaces made by the loss of natural teeth by connecting such crowns to natural teeth or roots for anchorage by means of a bridge, and thereby dispensing with plates covering more or less of the rest of the mouth and the alveolar ridge. See *BRIDGE-WORK, SYSTEMS OF*.

*Bridge-work, Systems of*. Bridge-work is a feature of a most primitive character, and was employed at a very early period, as evidenced by such prehistoric dentistry constructions as the Etruscan age, five hundred years B.C. and other specimens by the ancient Phoenicians can be found in the museums of the Louvre, France, and the Corneto, Italy. Bridge-work in France dates from 1806, as described by J. R. Garlot, and also Delabarre in 1890. In

this country bridge-work was described by Dr. A. B. Fitch in 1829, and by Dr. W. H. Dwinelle in 1836. In 1871 Dr. R. J. Ring, formerly of Maryland, and Dr. M. H. Wabsh, of Pennsylvania, again brought the system to the notice of the dental profession by improved methods of supporting and securing artificial crowns, by using adjoining or intervening natural teeth for points of anchorage, and thus bridging vacant spaces. Many improved methods have since been devised under the term of "bridge-work," in the use of which are provided not only the means of mastication, but also the cleanliness of such dentures, the want of which was an objectionable feature in the earlier devices of the more improved methods. Dr. George W. Evans, in his excellent treatise on "Artificial Crown and Bridge-work," gives the following rules which govern the number and position of the teeth or roots that are required as foundations or points of anchorage for this style of dentures:

"One central root will support two centrals, and, if spurs or bars from the sides of the bridge rest upon or are anchored in the adjoining teeth, a lateral (incisor) in addition."

"Two central roots will support the four incisors; spurs or bars resting on or anchored in the cusps to be used additionally, if the case requires them." "The cuspid roots alone, or with the aid of a central root, will support the six anterior teeth."

"One molar or bicuspid on one side, and a bicuspids or molar on the other, with one or two roots in an intermediate position, will support a bridge between them." "One right and one left molar, with the assistance of the two cuspids, will support a bridge comprising the entire arch."

"A bridge on one side of the mouth can be supported by two or three teeth or roots on that side. The cusps always afford the most reliable support."

Gold and plate-teeth are selected for the incisors and cuspids, and sections of teeth—known as "abutment facings"—for the bicuspids and molars of a bridge denture. Bridge-work is cemented on with a slow-setting oxyphosphate of zinc, and of a spur or bar is attached to the natural teeth by either a gold or amalgam filling. Shoulders on the anterior teeth, especially the cuspids, are often useful, and can be made by malleting gold plate-scrapes into a small mass or globe and then flattening it by the hammer, and soldering it to the backing; or gold can be flowed

by the blow-pipe on the backing. Bridges are either detachable and removable or immovable and permanent, the former in many cases being preferable. Low's system of bridge-work prevents a denture with self-cleaning spaces, and consists in attaching artificial teeth to continuous bands fitted and cemented to the adjoining permanent teeth, some of the crowns being of the "step-plug" character for attachment to the roots of natural teeth. A peculiar metallic socket or shell is employed, into which is fitted a porcelain front or facing, and it is of such a form as admits of self-cleaning. Minette's method consists in the construction of bridges supported by gold crowns and shells, or partial gold crowns, and the use of "moldine" in connection with fusible metal in crown and bridge-work. Little's method consists of a bridge, known as a "pin and plate bridge," constructed by using a plain plate-teeth which is locked with pure gold or platinum, and connected to adjoining teeth by buckings or linings of gold, accurately fitting the palato-approximal surfaces of such teeth, and secured to them by small platinum pins, which pass through holes in the linings, and also into holes drilled in the natural teeth, the free ends of the pins being cemented into the openings or holes. Parr's method consists of a bridge supported by two shoulders on the abutment crowns, which slide into grooves formed in the artificial crowns.

The supporting shoulders and slots are made by shaping two pieces of gold plate in such form that one shall telescope the other. Another form of the Parr bridge is so constructed that the crowns forming the abutments are permanently cemented in position, each section of the bridge between them being removable. A third form, by the same inventor, consists in forming a socket attachment with a section composed of a cap having a spring flange. The flange enters the socket, which the cap encloses on the top and sides. The spring is made by bending open a little a part of the flange. Winder's method consists in the construction of crowns forming the abutments in sections, the bridges being attached to the detachable section. The collar section of the artificial crown is capped and cemented on the natural crown or root, the gold forming the surrounding portion of the crown when the bridge is adjusted in position being secured to it with a screw. The screw may be made to enter the

body of the crown, or it may be soldered to the cap on the collar, passing through the occluding section of the crown and being secured by nuts on the screws. Waters' methods consist of a gold crown fitted to and sliding on a cap attached permanently to the root or natural crown; also a box cap and split post, the box cap being fitted permanently to the root, and the split post being soldered to the plate bearing the teeth; still another device consists in soldering to the side of the gold crown covering the natural tooth a split pin or post, which is inserted into an open tube attached to the bridge. Mallotte's system consists of bridge-work sustained by a shell-crown anchorage, the crowns being constructed on platinum forms burnished to the natural roots, and upon these forms the gold is flowed. See Harris' "Prin. and Pract. of Dentistry."

Starr's method consists of detachable bridges attached to anchorage natural teeth by gold cap-crowns made to fit over such teeth, and gold crowns to telescope the cap-crowns, the latter to be firmly cemented to the teeth by oxyphosphate cement. Suitable plate-teeth are fitted and backed, and attached to the telescoping crowns, thus supplying the lost natural teeth on a bridge between such teeth or roots. C. M. Richmond's method is the construction of a removable bridge by forming a collar of platinum faced with gold and a gold cap for the anchor tooth made by means of a sine die, the collar being made somewhat smaller than the tooth-cap. The die is driven into the collar so far that the extra sixteenth of an inch can be hammered over and burnished down on the die-end to form a flanged collar. Outside of this, in the same manner, another flanged collar is made, and the two collars soldered together, so that a close-fitting, stiff collar is formed, that will not stretch in being telescoped on and off the anchorage, and is kept by the flange from being forced too far over the tooth-cap. The Mandrel system consists in the shaping and adapting of the collar fitting around one or more anchorage teeth. The configuration of the necks of all the teeth is first determined, and a set of mandrels made for this style of bridge-dentures are used to shape seamless collars of gold plate, twenty-two carats fine, which are made tapering to provide for all required variations in size, and are adapted to removable or detachable bridges. The size and form of the collars are determined by a piece of No. 38

binding wire twisted by flat-nose pliers closely around the necks of the natural teeth, and the ends twisted together. The wire ring thus formed is carefully removed from the tooth, laid on a lead anvil, and a piece of flat metal placed over it, when a smart blow with a hammer will drive the wire into the lead, and thus give an accurate impression of the ring in the lead anvil. The wire is removed, cut, and straightened out, and a collar of the size and form portrayed by the ring of wire is selected, these collars being on hand of different sizes and forms. A half-round gold or platinum wire is so bent as to conform to the alveolar ridge of the space to be bridged, the two extremities of which are fitted into the roots of the anchorage and collared teeth; in this wire the collars and artificial teeth are soldered, and the bridge denture, connected by the collars attached to the wire entering the roots, attached permanently by quick-setting oxyphosphate cement. Brown's method consists of a porcelain and iridio-platinum bridge denture. It is formed entirely of porcelain, with an iridio-platinum bar running through the denture as a sustaining shaft, and presents a perfect continuity of porcelain surface. Knapp's method consists in the formation of a gold collar crown with a porcelain front or facing. Twenty-two-carat gold is used for the collar, which is adapted to the root by pliers; a cap of pure gold is made to this collar, and a gold pin is soldered in position for the root-canal; a plate-tooth is fitted and backed with pure gold and fastened with wax, and the piece removed from the mouth, when the side and turisive portions of the wax, including the edges of the buckings and contiguous portions of the cap, are enveloped with pieces of pure gold. The crown is then invested, so that when the wax is removed the backing on the tooth, with the gold on the sides, form a small mould. The flame of the Knapp blow-pipe is then applied, after proper heating up, until the solder melts and fills every part of the mould with gold, the excess of which enables contouring in the finishing process. The term "extension bridge" is applied to such dentures as are chiefly supported by one abutment or point of anchorage. Shell anchorage, or crown-bridge-work, according to Williams' method, consists in so forming a gold band around the crown of one or more natural teeth that it may pass a little beneath the margin of the gum and show as little of the

gold as is possible; on the inner surface of the tooth the band covers crown, extending very nearly its full length. To such a shell crown or crowns the bridge containing the artificial teeth is soldered. The Hollingsworth system supplies, in the first place, a variety of forms for the various teeth, there being in the set 304 forms of cusps and 36 of findings for abutments and similar—facsimiles of nature. This system permits cusps to be made either hollow or solid. Kemp gold can be used for casting solid cusps, and porcelain findings can be quickly inserted in crowns without investing; but its most important advantage is the exactness with which the fit and articulation of bridges are obtained and maintained. This system also includes a process for making the grinding surface of a bridge in one continuous piece.

**Bright's Disease.** A granular degeneration of the kidney, generally attended by the presence of albumen in the urine and a train of other morbid phenomena. The important symptom is albuminous urine. Nephritis albuminosa, or albuminuria.

**Brim of the Pelvis.** The iliopectineal line leading from the tubercles of the os pubis outward and backward to the prominent point of the sacrum, dividing the cavity of the pelvis from the cavity of the abdomen.

**Brimstone.** Sulphur. The sublimed sulphur of the pharmacopoeia is termed flowers of brimstone or of sulphur.

**Brit'ish Gum.** Starch reduced to a gum-like state by being heated to 700° Fahr.

**British Oil.** Common petroleum; also a rubefacient liniment, for the preparation of which there are various formulas.

**Broach, Watch-maker's.** A five sided steel instrument, three or four inches long, with a flattened point, very gradually increasing in size toward the extremity intended for the humile. It is sometimes used by dentists for enlarging the canal in the root and the opening into a decayed cavity in the crown of a tooth.

**Bro'chus.** According to some, a person whose teeth project, or one who has a prominent upper lip.

**Broken Circuit.** See CIRCUIT.

**Bro'ma** (*-bromos*, to eat). Food; anything masticated.

**Bro'mal.** An oily liquid; chloral in which bromine replaces chlorine.

**Bromal Hydrate.** An oily fluid with a

structure like chloral hydrate, but more irritating and narcotic. Dose, gr. ʒ-v.

**Bro'mate** (*bromas*). A combination of bromic acid with a base. A salt of bromic acid.

**Bromatog'raphy** (*bromatographia*; from *bromos*, fuel, and *graphein*, to write). A description of aliments.

**Bromatol'ogy** (*bromatologia*; *etiology*; from *bromos*, food, and *logos*, a discourse). A treatise on food.

**Bro'mic Acid.** A combination of bromine and oxygen, obtained by decomposing bromide of laryta with sulphuric acid.

**Bro'mide.** A compound formed by the union of bromine with a base.

**Bromide of Ethyl, or Hydrobromic Ether.**  $C_2H_5Br$ . It is prepared by distilling together absolute alcohol and bromide in the presence of amorphous phosphorus. It is a colorless, transparent liquid, with an ethereal odor and a warm, sweetish taste. It is used as a general anesthetic, but, like chloroform, it greatly depresses the circulation, and diminishes the force and frequency of the movements of the heart. It destroys life by paralysis of the respiratory centre.

**Bromide of Potassium.** *Potassii bromidum* (which see).

**Bro'midium.** Bromine.

**Bro'mine** (*bromus*; from *bromos*, a strong odor). A dark-red, liquid, non-metallic element, obtained from sea-water and saline springs, of a very volatile nature, offensive smell, and suffocating odor, resembling chlorine and iodine. In its pure state it is caustic, irritant, but when properly diluted it is tonic, diuretic, and resolvent. With oxygen it forms the bromic acid.

**Brom'ism.** The condition produced by the excessive use of the bromides or other bromine compounds. Symptoms: skin eruptions on face and body, fever of breath, sleepiness, lassitude, stupor, loss of memory and sexual power, muscular debility, and inertia.

**Bro'mium.** See BROMINE.

**Bro'moform.** A combination of bromine and formic acid, somewhat analogous in its effects to chloroform. A powerful anesthetic.

**Bromol.** Tri-bromo-phenol.  $C_6H_2Br_3OH$ . A compound of bromine and carbolic acid in the form of soft white needles; strong antiseptic properties; non-toxic.

**Brom'chia** (*bromchis*; *bromchi*; from *bromos*, the throat). The two tubes which

arise from the bifurcations of the trachea, with their ramifications.

**Bronch'ial** (*bronchiæ*). Belonging to the bronchia.

**Bronchial Arteries.** The arteries given off by the thoracic aorta which go to the lungs and accompany the bronchia in their ramifications.

**Bronchial Cells.** The air-cells at the termination of the bronchia.

**Bronchial Glands.** Numerous blackish glands, seated in the course of the bronchia and trachea.

**Bronchial Nerves.** The nerves of the bronchia, furnished by the two pulmonary plexuses.

**Bronchial Tubes.** The minute ramifications of the bronchia, terminating in the bronchial or air-cells of the lungs.

**Bronchial Veins.** The veins which arise from the left division of the bronchial arteries.

**Bronchic'ostia.** Dilatation of one or more of the bronchial tubes.

**Bronchiostenosis.** Contraction or narrowing of the bronchi.

**Bronchi'tis.** Inflammation of the lining membrane of the bronchial tubes.

**Bronchiom'ia.** Croup.

**Bronchocele** (from *βρογχος*, the windpipe, and *κῆλη*, a tumor). The Derbyshire neck; wen; polyp. A tumor on the forepart of the neck, resulting from an enlargement of the thyroid gland.

**Bronchoph'ony.** Bronchial resonance of the voice. The sound of the voice, heard by means of the stethoscope, in the bronchia.

**Broncho-pneumo'nia** (from *βρογχος*, bronchus, and *πνεῦμα*). Inflammation of the bronchia and lungs.

**Bronchorrhoe'a** (from *βρογχος*, bronchus, and *ῥοή*, I flow). Increased secretion of mucus from the air-passages.

**Bronchot'omy** (*bronchotomia*; from *βρογχος*, the windpipe, and *τομή*, to cut). Tracheotomy; an operation which consists in making an opening into the larynx or trachea for the removal of foreign bodies or the admission of air to the lungs.

**Bron'chus.** The trachea or windpipe; also its first divisions.

**Bronze.** An alloy of copper and tin.

**Brown's Crown.** An artificial, all-porcelain crown, which is attached to a natural root by means of an iridium-platinum pin baked in position. The pin has the greatest strength at the

neck of the tooth, where the strain is heaviest, and this strength is further increased by extending the porcelain up on to the pin.

**Brown Spar.** Pearl Spar. Siderocalcite. A white, red, brown, or black spar, harder than the calcareous.

**Bru'cia.** Brucine. A vegetable alkali, extracted from the bark of the false angustura, or *Brucia antidysenterica*. Dose, gr. j.

**Brulissement.** A French term for the purring tremor; same as bruit.

**Bruit.** Sound. A term from the French, applied in *Pathology* to the sounds heard on auscultation and percussion.

**Brun'son's Glands** (*Brunneri glandulae*). The muciparous follicles situated between the villous and cellular coats of the small intestines.

**Brunswick Green.** Friesland green. An ammonio-chloride of copper, used as a pigment.

**Brush.** An instrument for cleansing the teeth, for finishing metallic appliances for the mouth, and for the application of a solution of borax to pieces of metal that are to be united by soldering. See TOOTH BRUSH, POLISHING BRUSH. Brushes are also used for other purposes, as rubbing the surface of the body, painting, etc.

**Bru'ta.** *Juniperus sabina*. The savin plant.

**Bru'tia.** A resinous pitch, obtained from Brutia, in Italy, and used to make the Oleum platani.

**Bryan's Method of Regulating Interlocked Teeth.** Especially adapted to laterals and cuspids, and performed by first injecting cocaine and then cutting away the intervening alveolar process with drills and fissure-burns, or, when the process is thin, wedging the outer alveolar wall away with a half-round wedge-shaped chisel, and then forcing the interlocked tooth to its place in the arch by the use of forceps specially made for the purpose.

**Bryg'mus** (*βρυγμος*). *Strider dentium*. Grinding of the teeth.

**Bryo'nia** (from *βρύω*, to abound, from its abundance). Bryony; also a genus of plants of the order Cucurbitaceae.

**Bryonia Al'ba.** White bryony. The root is purgative, hydragogue, emmenagogue, diuretic, and, when fresh, emetic.

**Bryonia Mechoacan'na Ny'gricans.** Convolvulus jalapa. The jalap plant.

**Bu'bo** (from *βούβω*, the groin). A tumor

of the glands of the groin, and also of the axilla, resulting from local absorption of irritating matter, such as venereal poison, or it may be symptomatic of constitutional disease.

**Bu'bon.** In *Befey*, a genus of plants of the order Umbellifera.

**Bubon Gal'banum.** The name of the plant from which the official gallsoum, at first a greenish resinous juice, but which soon becomes concrete, is obtained.

**Bubon'al'gia** (from *bōn*, the groin, and *algia*, pain). Pain in the groin.

**Bubonoce'le** (from *bōn*, the groin, and *ocē*, a tumor). Inguinal hernia, or rupture of the groin.

**Bubon'itis.** A painful swelling of the lymphatics of the penis extending along the dorsum of that organ to the groin. It occasionally accompanies gonorrhoea.

**Bubonorex'is** (from *bōn*, the groin, and *rex*, a rupture). Bubonocoele accompanied by division of the peritoneum.

**Buc'ca** (*gnathos*). The mouth. The hollow of the cheeks. Also, the vulva.

**Buc'cal** (*buccalis*; from *bucca*, the mouth, or rather, cheek). Belonging to the mouth, and especially the cheeks.

**Buccal Artery.** The submaxillary artery.

**Buccal Glands** are small, round, racemose or compound tubular glands, smaller than the labial glands, and situated between the mucous membrane and the buccinator muscle, their ducts opening on the mucous membrane.

**Buccal Membrane.** The mucous membrane which lines the cavity of the mouth.

**Buccal Nerve.** Called also the bucco-labialis. A branch of the inferior maxillary nerve going to the buccinator muscle.

**Buccal Teeth.** The teeth behind the canines are so called because they are situated on the inside of the cheeks. In the human subject they are the bicusps and molars.

**Buc'cea** (from *bucca*, the cheek). A polypus of the nose, because it was supposed to come from the mouth; also, a morsel, a mouthful.

**Buccella'tio.** A method of arresting hemorrhage, by the application of small pieces of lint to the bleeding vessels.

**Buccina'tor** (from *buccina*, a trumpet; so named from its agency in forcing the wind into the trumpet). The buccinator, or trumpeter's muscle, which is broad and flat, forms a large portion of the walls of the cheek.

**Buc'co.** Same as **BUCCU**.

**Bucco-facial Obturator.** An instrument

for closing an opening caused by a wound or disease through the cheek into the cavity of the mouth. The inconvenience resulting from a very considerable opening from the mouth through the wall of the cheek is a very serious one, and the closure or replacement of it with an artificial substitute that can be worn with convenience becomes an object of great importance. When it can be done with natural integument, by means of a plastic operation, it is certainly better than any mere mechanical appliance, but inasmuch as it can not always be closed by means of a surgical operation, an artificial obturator sometimes becomes indispensable, and in France it has been successfully applied.

In treating upon bucco-facial obturators, M. Delabarre says: "In order to construct a proper and capabile instrument for filling this indication, it is only necessary to take an impression of the wound with soft wax. From the model procured from this a gold, platinum (or celluloid) cup is formed, composed of two parts, entering the one within the other, covered with a shield or plate. That for the mouth should be slightly concave, while that for the face should be slightly convex. If the loss of substance embraces the duct from the gland, it will be necessary, for the escape of the saliva in the mouth, to form a new channel by making it pass through a pipe formed in the appliance and opening through the buccal plate. Finally, the surface of the facial plate, if of metal, may be rendered unequal by cutting it with a knife, and afterward covering it with enamel," of a pale rose color, slightly tinged with yellow, so as to make it resemble the natural skin.

**Bucco-labial** (*bucco-labialis*). Pertaining to the cheek and lips. A name sometimes applied to a nerve of variable origin, but generally a branch of the inferior maxillary. See **BUCAL NERVE**.

**Bucco-pharyngeal.** Pertaining to the mouth and pharynx.

**Buc'cula** (from *bucca*, the mouth). A small mouth; the fleshy part under the chin.

**Buch'u.** *Diosma crenata*, a South African plant. Leaves of the *Barosma crenata* are stimulant and diuretic. Used in irritation of the bladder. Dose of powder, gr. xx to gr. xxx; of infusion, ℥j to ℥ij; of fluid extract, ℥j.

**Buck'horn.** Used by dentists, either powdered or calcined, for polishing enamel and fillings and for removing light deposits of tartar.



**Bucco'mia** (from *bucca*, a Greek augmentation, and *swell*, the lag). A diffuse inflammatory swelling of the lag.

**Buccemia Spargane'cia**. Phlegmonia dolens.

**Buccemia Trop'ica**. Elephantiasis Arabum.

**Bud'ty Coat** (*corium phlebotomicum*). The grayish crust or buff which appears on the surface of the coagulum of blood drawn in certain states of disease.

**Bugan'tia**. Chillslain.

**Bulb**. Parts of the body which have a bulbous shape, as the bulb of a tooth; the bulb of the urethra; the bulb or root of the hair; the bulb or globe of the eye, etc.

**Bulb of the Ure'thra**. The bulb-like commencement of the corpus spongiosum penis; hence the included urethra is called the bulbous portion.

**Bulbiferous** (from *bulbus*, and *fero*, to bear). Bulb-bearing. Having one or more bulbs.

**Bulbo-cav'erosus**. So called from its origin and insertion. The accelerator urinae muscle.

**Bul'bous**. A bulb. In *Anatomy*, parts of the body which bear some resemblance to the root of a bulbous plant.

**Bulim'ia**. Bulimura. Canine appetite.

**Bul'ia**. A clear vesicle arising from burns, scalds, or other causes; a blister.

**Burn'edonta**. Those ungulates in which the surfaces of the molar teeth are covered by rounded or conical cusps.

**Burn'yon** (*boalen*; from *burner*, an emmance). Inflammation and swelling of the burna mucosa at the inside of the bull of the great toe.

**Burpel'na**. See *BOLINIA*.

**Buphthal'mia** (from *buph*, an ox, and *ophthalmos*, an eye). Hydropthalmia. Dropsy of the eye.

**Bur Drills**. Burs. Dental instruments for opening and forming cavities, of spherical, cone-shaped, cylindrical, and wheel forms. Flexible burs and drills having spring-tempered stems are used for opening and preparing nerve canals. These instruments are generally used in connection with a socket handle or bur handle, or in the hand-piece of the dental engine.

**Bur Thim'ble**. An open ring for the middle or index finger, with a socket attached, in which rests the end of the handle of the drill used in excavating a cavity in a tooth preparatory to filling it.

**Bur'gundy Pitch**. The prepared resin of the *Pinus abies*.

**Bur'ris**. A scirrhous hernia, or hard shancer.

**Burn** (*ambustio*). An injury or lesion produced by the action or application of too great heat.

**Bur'nea**. *Pinus sylvestris*. Pitch.

**Burnett's Disinfecting Liquid**. See *DISINFECTING LIQUID*, BURNETT'S.

**Bur'nisher**. An instrument used in polishing different kinds of metals and, in the laboratory of the dentist, for finishing pieces of dental mechanism. The burnishers used by dentists are generally made of steel, and have differently shaped, rounded, and highly polished points, so that they may be readily applied to any part of the surface to be polished. Burnishers are also sometimes made of firm, fine-grained wood, bone, agate, or other stone.

**Burnt Alum**. See *ALUMEN EXSICCATUM*.

**Burnt Sponge** (*spongia usta*). Sponges cut into pieces and burnt in a close iron vessel until it becomes black and friable, then rubbed into very fine powder.

**Bur'ring Engine**. A dental appliance for the use of burs, etc., in forming cavities, etc. See *DENTAL ENGINE*.

**Burring Engine**, Electro-magnetic. A dental engine the motive power of which is electricity. See *DENTAL ENGINE*.

**Bur'ra** (from *dyra*, a leather bottle). A bag or purse.

**Bursa Cor'dis**. Pericardium.

**Bursa Test'ium**. The scrotum.

**Bur'sae Mucosae**. Small membranous bags or sacks, situated about articular cavities, filled with an oily mucus for lubricating the tendons, muscles, and bones.

**Bursa Synovialis**. Bursa mucosa.

**Bur'sal**. Relating to the bursa mucosa.

**Bur'sula**. Scrotum.

**Bur'tea Gum**. A gum from natural fissures and wounds made in the bark of the *Butea frondosa*, a leguminous plant of India.

**Bur'tiga**. Gutta rosea.

**Bur'ter of Antimony**. A sequi-chloride of antimony.

**Bur'tea**. See *L'AKKHA IRATA*.

**Butyl Chloral**. Formula,  $C_4H_9Cl_2O$ . It is analogous to chloral, and forms a hydrate, but is weaker. It is similar in its physiological action to chloral.

**Butyl Chloral Hydrate**. See *CETON CHLORAL HYDRATE*.

**Butyral'**. Oxyhydrate of butyryl. A clear,

thin liquid obtained by the dry distillation of butyrate of lime.

**Butyr'ic Acid.** A clear, thin, acid liquid, obtained by saponifying butter.

**Butyrin'.** The fatty matter of butter. It is a butyrate of oxide of lipyl.

**Butyrose'.** A colorless fluid, of peculiar penetrating odor and burning taste, obtained with butyrl by cautiously heating butyrate of lime.

**Buty'rum.** Butter.

**Butyrum Antimonii** (*marina antimonii*). Butter of antimony.

**Butyrum Zinci.** Chloride of zinc.

**Buty'ryl.** The base of butyric acid, etc.  $C_4H_7$ .

**By'ms** (*βρω*). Malt.

**Byreth'rum.** A sort of cap filled with cephalic substances.

**Byr'ma** (from *βρω*, a hide). A leather skin to spread plasters upon.

**Bysma'chem** (from *βρω*, to stop up, and *αγω*, the neck). Morbid stiffness of the neck.

**Bys'solite** (from *βρω*, flux, and *λιθος*, a stone). A stony mineral found on the Alps.

**Bys'sos.** The vulva. In Italy it is woven into clothes, which are worn, it is supposed, with benefit by rheumatic patients.

**By'thus** (*βυθος*, depth). The fundus of the stomach.

## C.

**C.** Chemical symbol for carbon; also an abbreviation for Congius, a gallon, and for Cathode.

**Ca.** Symbol for calcium.

**Caapo'ba.** Pareira brava.

**Cal.** Alchemical term for gold.

**Cal'amine.** A coarse kind of slown.

**Calaret'.** Asarum.

**Cacae'mia** (*cachemia*; from *σιν*, bad, and *αίμα*, blood). A bad condition of the blood.

**Cacethe'sis** (from *σιν*, bad, and *αἴσθησις*, feeling). Morbid sensation; indisposition.

**Caca'o.** The chocolate nut. See THEO BROMA.

**Cacat'ion.** Defecation.

**Cacophoba'sis** (from *σιν*, bad, and *φοβία*, phobety). Morbid pulcrity. Disease occurring at the period of puberty.

**Cacac'tic.** Pertaining to cachexia.

**Cacheco'ma** (from *σιν*, bad, and *μα*, an ulcer). A malignant ulcer.

**Cachex'ia.** An important class of diseases in the "Nomenclology" of Cullen and Hausergen depending upon a depressed habit of body.

**Cachex'ia Spl'e'nica.** The cachexy accompanying enlarged spleen.

**Cachexia Ven'e'ra.** Syphilis.

**Cachex'y** (from *σιν*, bad, and *αἴμα*, a habit). A depraved habit or condition of the body, as scorbutic, cancerous, etc.

**Cachinna'tion** (from *κακῶς*, I laugh). Excessive laughter; a symptom of hysterical and other affections.

**Cach'oloug.** A species of quartz.

**Ca'chous.** Catarchus.

**Cacocha'lia** (from *σιν*, bad, and *χολή*, bile). A vitiated or depraved condition of the bile.

**Cac'ochrola** (from *σιν*, bad, and *χρῶμα*, color). Disease in which the complexion is changed; unnatural color of skin.

**Cacochyl'ia** (from *σιν*, bad, and *χολή*, chyle). Depraved chylification.

**Cacochym'ia** (from *σιν*, bad, and *χυμος*, juice, humor). A morbid or depraved condition of the humors.

**Cacocne'mos** (from *σιν*, bad, and *αἶμα*, the legs). A defect in the legs.

**Cacocol'pia** (from *σιν*, bad, and *αἶμα*, the wash or vulva). A putrid condition of the vulva and vaginal entrance.

**Cacocore'ma** (from *σιν*, bad, and *σπέρμα*, I purge or cleanse). A medicine which purges off morbid or vitiated humors.

**Caco'dia** (from *σιν*, bad, and *αἴμα*, to smell). Anorexia, or defect in the sense of smelling.

**Cacodyl'** (from *σιν*, bad, and *ὀδύς*, odor). A limpid, ethereal liquid of a fetid odor, resembling arsenical compounds derived from acetyl.

**Cacodylic Acid.** Arsenogen; an acid obtained by oxidation of cacodyl and its oxide.

**Cacoe'thes** (from *cacoe*, and *thes*, disposition). A bad habit of body or a malignant sore.

**Cacogalac'tia** (from *cacoe*, and *gala*, milk). A bad or vitiated condition of the milk.

**Cacogon'oids** (from *cacoe*, bad, and *gonoe*, origin). A morbid, monstrous, or pathological growth or product.

**Cacomer'phala** (from *cacoe*, and *phala*, form). Deformity.

**Cacomych'ia** (from *cacoe*, and *mych*, a nail). A morbid condition of the nails.

**Cacopath'ia** (from *cacoe*, bad, and *pathoe*, affection). A disordered state of mind.

**Cacopho'nia.** Defective articulation.

**Cacopre'gia** (from *cacoe*, bad, and *pretra*, I perform). A morbid condition of the chlopoietic organs.

**Cacorrhach'i'tis** (from *cacoe*, and *rach*, the spine). Disease of the vertebral column.

**Cacorrhyth'mus** (from *cacoe*, and *rhythme*, rhythm). Irregular pulse or intermittent fever.

**Cacost'ia** (from *cacoe*, bad, and *stoma*, niment). Aversion to food.

**Cacosphyx'ia** (from *cacoe*, bad, and *sphyx*, pulse). A bad condition of the pulse.

**Cocoe'tomus** (from *cacoe*, bad, and *stoma*, mouth). A deformity or diseased condition of the mouth.

**Cocothym'ia** (from *cacoe*, bad, and *thymoe*, the mind). A vicious or diseased condition of the mind.

**Cocotroph'ia** (from *cacoe*, bad, and *trophoe*, nutriment). Bad nutrition.

**Cocox'ops** (from *cacoe*, bad, and *ops*, foreign). A mineral occurring in yellowish, radiating crystals, containing phosphoric and storic acids. Peroxide of iron and silicon.

**Cocoe'vor** (from *cacoe*, to fall). A body deprived of life; a dead body.

**Cocav'erine.** A ptomaine in the form of a syrupy liquid with a disagreeable odor, produced by the putrefaction of animal tissues and by the action of bacilli, and occurring in the urine in cystinuria.

**Cocav'erous.** Having the appearance of a dead body.

**Cocadi'a.** A name applied to several metallic compounds, as calamina, subalt, tellur, etc.

**Cocadi'l Sulphate.** Sulphate of cadmium; a salt used as a collyrium in diseases of the eye.

**Cadmi'um.** Symbol, Cd. Atomic weight, 111.6. A bluish-white metal found in carbonate of zinc, of a compact texture, and in general properties resembling zinc. It has been combined with mercury and other metals for the formation of an amalgam for filling teeth. It imparts a remarkable property of malleability to such an amalgam. The result of the experiments, however, which have been made with the compound has not been so satisfactory as was at first anticipated, on account of the rapidity with which disintegration of tooth-structure takes place, as the yellow sulphide of cadmium forms upon and around a filling of such an amalgam and permeates the dentine, causing rapid disintegration.

**Cadu'cosus** (from *cadere*, to fall). Deriduous. A term in *Botany* applied to parts or organs of a plant which are not permanent, but fall early; in *Anatomy*, to the *twines decidua uteri* and the temporary or milk teeth; in *Pathology*, to *epilepsy*, because its attacks are attended by the sudden falling of the patient; and in *Zoology*, to *insects*, as the caterpillar, the legs of which do not appear in all the changes through which the animal passes.

**Cae'cal.** Belonging to the caecum.

**Cae'citas Verbe'lis** (from *caecus*, blind). Word blindness.

**Cae'cum** (*intestinum caecum*; from *caecus*, blind). The caecum or blind gut is so called from its being perforated only at one end. **Caecum Fora'men.** A small cavity in the frontal bone at the inferior extremity of the external coronal crest.

**Cae'cus.** Blind. A term applied in *Anatomy* to cavities or holes which have but one opening.

**Cae'rulcan.** Blue.

**Cae'sarian Operation** (from *caesare*, to cut). Caesarian section. In *Obstetric Surgery*, an operation which consists in making an incision into the uterus through the parietes of the abdomen for the removal of the fetus.

**Cael'um.** Symbol, Ca. Atomic weight, 120.6. A metal that generally occurs with rubidium, and in the mineral waters of Italy, etc. It has not been obtained in the pure state. It is the most electro-positive of the metals.

**Cae'fee.** Coffee. The dried and roasted seeds in the form of an infusion act as a cerebral stimulant and stomachic tonic.

**Cae'feic Acid.** An acid obtained from coffee in the form of a white powder. When heated it yields the odor of roasted coffee.

**Cal'fein.** A white, silky, crystalline substance obtained from coffee. Its salts have been used as nervines. Called also theine and guaranine. It is a stimulant of the nerve-centres and also of reflex activity, thus indirectly stimulating the heart and elevating blood pressure. See **CAPFEA**.

**Cal'ca.** Chalcos. Calcos radix. The root of a species of *Chilococca*, celebrated as an antidote to the bite of serpents. It is tonic, emetic, and diuretic.

**Cal'sput Oil** (*oleum cajuputi*). Oil of cajuput. The volatile oil of the leaves of *Malaleuca cajuputi*. It is stimulant and aromatic, and is considered very efficacious in some forms of rheumatism. A drop placed in a decayed tooth has been used as a remedy for odontalgia. Dose, grs. ij to grs. vj.

**Cal'sar Bean.** See **PHYCOTOMA**.

**Calame'don.** A term applied to various fractures.

**Calami'na Præpara'ta.** Calcined calamine reduced to an impalpable powder.

**Cal'aminaris Lapis.** Ore of zinc.

**Cal'amine** (*calamine*). A native carbonate of zinc. Prepared calamine, in fine powder, is dusted or sprinkled on parts to prevent excoriation.

**Calami'ta.** *Drystrax*.

**Calami'tha.** Calamint. Calamint. An aromatic stimulant.

**Cal'amus.** The pharmacopœial name of the *Acorus calamus*. The acorus is a genus of seed-plants of the order *Araceæ*.

**Calamus Aromat'icus.** *Acorus calamus*. Sweet flag. The root is stimulant, tonic, and aromatic.

**Calamus Drs'co.** The plant which yields dragon's blood.

**Calamus Scripto'rius.** A small cavity or furrow at the bottom of the fourth ventricle of the brain, so called from its resemblance to a pen.

**Calca'neum** (*calc., the heel*). The largest bone of the tarsus; the heel bone, or os calcis.

**Cal'car** (*as calcis, the heel bone*). Calcanæum. Also, a spur.

**Calca'reous** (*calc., calcis, lime*). Belonging to lime; containing lime; of the nature of limestone.

**Calcareous Earth.** Lime.

**Calcareous Spar.** Crystallized carbonate of lime.

**Calic Inflammation of Omma and Peridontal Membrane.** Inflammation caused

and maintained by deposits of calculus on the necks of the teeth; it is dependent upon such deposits.

**Calci'fic.** Pertaining to the conversion into lime salts.

**Calci'fica'tion.** Conversion into lime salts, as in the formation of the teeth; the hardening process.

**Calcification of the Teeth.** Of the deciduous teeth: Seventeenth week of embryonic life the enamel and dentine of the central and lateral incisors begin calcification; eighteenth week, of the molars and cuspids; twentieth week, of crypts which encase the enamel and dentine germs; fortieth week, or at birth, the calcification of the incisor crowns is completed and roots begin to calcify; three months after birth the cuspid and molar crowns are completed and the roots begin to calcify. Of the permanent teeth: At the twenty-fifth week of fetal life the enamel and dentine of the first molars begin to calcify; first year after birth, the central and lateral incisors begin to calcify; at four years of age the cuspids, bicuspidæ, and second molars begin to calcify; at eight years the third molars begin to calcify.

**Calci'genous** (*calc., lime, and yvren, to generate*). Applied to metals which, with oxygen, form a calx, or earthy-looking substances.

**Calci'gerous Cells.** The cells of the bony or dentinal part of a tooth are so called by Professor Owen.

**Cal'cil Chlo'ridum.** Chloride of calcium.

**Calci'na'tion** (*from calc., lime*). Oxidation. The act of submitting to a strong heat any fusible mineral substance for the purpose of depriving it either of its water or any other volatile substance entering into its composition and reducing it to ashes or cinders.

**Cal'cine** (*calc., lime*). To burn as lime; to reduce to a powder or to an oxide by heat. The separation of the inorganic elements of a substance by exposing it to intense heat. Depriving a substance of moisture and of volatile and combustible substances by exposure to heat.

**Cal'cined Magn'e'sia.** The protoxide of magnesium.

**Cal'cis Liquor.** Lime water. Prepared by adding cold water to freshly slaked lime and the clear fluid poured off for use as it is needed. It is antacid, slightly astringent, antiseptic, and detergent. In Dental

*Practice*, lime water is a useful agent where the secretions of the mouth are viscid and stolid, and especially where the teeth are soft in structure and very sensitive owing to the acid condition of the oral fluids. Also where the teeth are sensitive from recession of gum and absorption of alveolar process. When added to milk it increases its digestibility and allays gastric irritability. See GORPUS' "Dental Medicine."

**Calcis Muriatis.** Muriate of lime; old name for the chloride of lime.

**Calcis, Os.** The bone of the tarsus which forms the heel.

**Calcis Oxy-muriatis.** Chloride of lime.

**Calcis Sulphuretum.** Hepar calcis. Sulphuret of lime.

**Cal'cium.** Symbol, Ca. Atomic weight, 40. A brilliant, silver-white metal which has a strong affinity for oxygen. The metallic base of lime.

**Cal'coglobulin.** Albumen changed into a remarkably insoluble and resistant substance, resembling chitine in its action with reagents. A thin spherule of formed material—lime—which encloses the osteoblast as the process of secretion proceeds. Cal'coglobulin is deposited within the tissues of an inflamed pulp, and is associated with the formation of pulp-nodules.

**Cal'cospherites.** A structural form made by inducing the very gradual precipitation of lime salts in solutions containing albumen or other organic constituents.

**Cal'cospherules.** Bone is an aggregation of calcospherules, which are at first secreted as a thin covering around the bone-cells or osteoblasts.

**Calc Spar.** Crystallized carbonate of lime. Calcareous spar.

**Cal'culi.** Earthy concretions.

**Calculi, Arthrit'ic.** Calculi articular. Concretions formed in the ligaments and within the capsules of the joints of persons affected with gout.

**Calculi, Bili'ary.** Biliary concretions; gall-stones.

**Calculi in the Ears.** Hard concretions formed in the meatus auditorius externus.

**Calculi, Intes'tinal.** Intestinal concretions. Bezoars.

**Calculi Lacrymal.** Concretions formed in the lachrymal ducts.

**Calculi, Nephrit'ic.** Concretions formed in the kidneys.

**Calculi, Pancreat'ic.** Concretions formed in the pancreas.

**Calculi of the Pine'al Gland.** Concretions formed in the pineal gland.

**Calculi of the Prostate Gland.** Concretions in the prostate gland, usually composed of phosphate of lime.

**Calculi of the Stomach and Intestines.** Concretions formed in the stomach and intestines.

**Calculi of the Ton'sils.** Concretions formed in the tonsils.

**Calculi, Salivary.** Concretions of a calcareous kind formed in the substance of the salivary glands, or in their excretory ducts, or upon the teeth. See LITHOLITHIC and SALIVARY CALCULI.

**Cal'culi, Spermatic.** Concretions found occasionally in the testicular seminiferous.

**Calculi, Urinary.** Concretions of an earthy nature formed in the bladder.

**Calculi'ragus** (from *calculus*, a stone, and *frango*, to break). A stone-breaker; an instrument for breaking a stone in the human body; a lithotriptic instrument.

**Cal'culus** (diminutive of *calx*, a lime-stone). An earthy concretion formed in the bladder, kidneys, mouth, or some other part of the body, stone-like in its nature.

**Calculus Dentat'is.** Salivary calculus.

**Calculus, Salivary.** See SALIVARY CALCULI.

**Caldar'.** The old Arabic chemical name for lime.

**Calda'rium.** A caldron; the hot bath.

**Califa'clent** (*califa-clent*; from *calidus*, warm, and *facio*, I make). To excite warmth. Any substance, as mustard, pepper, etc., capable of exciting warmth in the part to which it is applied.

**Calen'dula.** A genus of plants of the order Compositae. Stimulant and resolvent. Used locally for wounds, bruises, ulcers, and purulent otitis; internally, for constipation.

**Calendula Alpina.** Arvensis Montana.

**Calendula Arvensis.** Wild marigold. Used in jaundice and cachexia. Dose of the juice, from ℥ssj to ℥ssiv.

**Calendula Officina'lis.** The garden marigold, supposed to be antispasmodic, anodyne, deobstruent, and emmenagogue. The tincture, tinctura calendulae, is used in *Dental Practice* for an application to a wounded pulp, wounds of mucous membrane, especially after extracting teeth, and the soreness following the removal of salivary calculus. A few drops

added to an ounce of water forms an efficient mouth-wash in inflammations. For dental uses, see GORPES' "Dental Medicine."

**Calen'dula Martialis.** Ferrum ammoniatum.

**Calen'dula.** A peculiar principle, supposed by Berzelius to be analogous to isosarin, obtained from the marigold.

**Calentu'ras.** Sometimes applied to cinchona. Also a tree of the Philippine islands the wood of which is bitter and febrifuge.

**Calc'alum.** A Malabar tree, the bark of which, made into an ointment, is said to cure eruptions from venereal and to heal ulcers; and the juice of the bark, applied in dysentery.

**Cal'bra.** The diameter of any cylindrical body.

**Cal'ices.** Calyxes. From seven to thirteen funnel-shaped lobes, called the *infundibula*, into which the points of the papillæ of the kidneys project.

**Cal'idum Anima'le.** Animal heat.

**Calidum Inne'tum.** Animal heat, or *vis viva*.

**Cal'igo.** A mist, obscurity of vision caused by a speck on the cornea; also, the speck itself. It is divided into six species: (1) *Caligo palpebrarum*, undirected vision from disorder in the eyelids; (2) *Caligo cornæ*, opacity of the cornea; (3) *Caligo lenticulæ*, cataract; (4) *Caligo pupillæ*, blindness from closure of the iris; (5) *Caligo humorum*, blindness from loss of transparency in the aqueous or vitreous humors; (6) *Caligo opticæ*, blindness from closed pupil.

**Cal'ipers.** Compares with curved legs. Used by vulgarians and celluloid work to measure the thickness of the joints.

**Callosa's Bark.** *Chionodoxa flava*.

**Callithen'ics** (καλός, beautiful, and θηω, strength). An exercise for strengthening the body and giving ease and elegance to the movements of the limbs.

**Cal'ix** (*calyx infundibulæ*; from καλός, n. cup). Small membranous canals which surround the papillæ of the kidneys and open into the pelvis.

**Calliden'tia** (from καλός, beautiful, and δον, a tooth). The art of preserving the beauty of the teeth. See DENTAL HYGIENE.

**Callos'ity** (*callosities*). Prematural hardness; as in certain tumors.

**Cal'ions** (*callosus*). Hardened; indurated, as the edges of an ulcer.

**Cal'ina.** Callosus. The exudative deposit of bony matter thrown out between and uniting the fractured extremities of a bone. It is also applied to induration of a soft or fleshy part.

**Callus, Permanent.** The permanent bond of union in fractured bone after the re-absorption of the provisional callus first thrown out.

**Callus, Provisional.** The cartilage-like plastic material first thrown out in fractured bone, and which is re-absorbed when the permanent callus is formed.

**Cal'omel** (*calomelas*; from καλός, good, and μέλος, black). The tribromide of mercury. *Hydroargyri chloridum nigr.*, mild chloride of mercury (which see).

**Cal'or.** Heat.

**Calor Anima'lis.** Animal heat.

**Calor Per'vena.** Boiling heat.

**Calor Le'vis.** Gentle heat, between 90° and 100° Fahr.

**Calor Mordicans.** A term applied in *Pentecosty* to the biting and pungent heat of the skin. A dangerous symptom in typhus fever, which leaves an unpleasant smarting sensation on the fingers for several minutes after touching them.

**Calor'ic** (*caloricus*; from calor). The matter, cause, or agent by which all the effects of heat are produced.

**Caloric, Lat'ent.** Invisible heat. That portion of heat existing in all bodies not made evident by approaching the thermometer; also heat passing into fire as it becomes water, and into liquids to convert them into vapor.

**Caloric, Specif'ic.** The amount of heat required to raise different bodies to an equal degree of temperature.

**Calorifica'tion** (*calorificatio*; from calor, heat, and fieri, to become). The production of heat; especially the function of generating animal heat.

**Calorim'eter** (from calor, heat, and μέτρον, a measure). An instrument by which the whole quantity of absolute heat existing in a body in chemical union can be ascertained.

**Calum'ba.** Calumbæ; columba. A root having an aromatic smell, a bitter, pungent taste, and tonic and antiseptic properties. Dose, gr. x to ʒj in powder.

**Calumba, American.** Indian lettuce; yellow gentian; golden seal. The root is used in the same cases as the true calumba.

**Cal'va** (*calvaria*; sometimes improperly called *calvarium*; from calvus, bald). The scalp

or upper part of the cranium is so called because it often becomes bald.

**Calx** (from *calco*, to burn). Chalk, lime.

**Calx Antimonii**. Oxide of antimony.

**Calx Chlorina'ta**. Chloride of lime. Bleaching powder.

**Calx cum Ka'li Pu're**. Potash with lime.

**Calx Hydrargyri Alba**. Ammoniated mercury.

**Calx, Metal'lic**. A metal which has undergone calcination, combustion, or some other equivalent process.

**Calx Viva**. Quicklime.

**Calyc'ose**. Small membranous cups which cover the points of the papillae of the kidney. Their union forms the infundibula.

**Calyc'iform**. Shaped like a calyx or flower-cup.

**Calycoid** (from *calyx*, and *eidos*, a form). Resembling a calyx.

**Calyp'tra** (from *calyptra*, a cover). A veil or cover. In *Botany*, a membranous envelope placed over the capsule of mosses, enclosing their spores.

**Cal'yx** (*calyx*, the cup of a flower). The outermost of the enveloping organs of a flower. The flower-cup. The membranous cup or cup surrounding one or two of the papillae of the kidney.

**Cam'bium**. In *Physiology*, the nutritious humors supposed to be elaborated from the blood to repair the losses and accomplish the increase of the various organs of the body. In *Botany*, a colorless, viscid juice, found in the spring between the bark and wood of trees, which, it is supposed, becomes gradually organized, assuming the vegetable structure. In *Dental Physiology*, a layer of roundish cells with processes internal to the outer part of the pulp-chamber about the root of a tooth and forming a part of it.

**Cambo'gia** (from Cambodia, in the East Indies, where it is obtained). Gamboge (which see).

**Cambu'ca** (*cambeuca membric*). A bulb or ulcer in the groin or near the genitals.

**Cam'era**. A chamber or cavity. Applied to the chambers of the eye.

**Camera Laci'da**. An instrument making the image of any object appear on the wall in a light room.

**Camera Obscura**. An optical apparatus for throwing the image of external objects on a white surface in a dark room, and representing them in their proper colors and shapes.

**Campha'na**. A bell. In *Chemistry*, a dish or cover shaped like a bell, used in making sulphuric acid.

**Campan'ulate**. Bell-shaped.

**Camphene'**, or **Camphine**. A substance procured from common turpentine; with an equivalent of oxygen it forms camphor.

**Campho-phenique**. A limpid, volatile fluid with a hot, aromatic taste and the odor of camphor. Obtained from the chemical union of carbolic acid and camphor. It is antiseptic, anæsthetic, and germicidal.

**Cam'phor** (from the Arabian *camphar* or *camphar*). Camphor; a concrete substance derived from the *Laurus camphora* and purified by sublimation; of a crystalline texture, strong, fragrant odor, and possessing narcotic and diaphoretic properties. In *Dental Practice* the tincture, or "spirits of camphor," is used to allay pain arising from a near exposure of the dental pulp and of sensitive dentine, and for the pulp following the extraction of teeth affected with periodontitis; also, in periodontal inflammation, combined with creosote or carbolic acid it is thought to have the power of modifying the escharotic action of these agents. The oil is prepared by steam.

**Camphor, Borneo**. See *BORNEO CAMPHOR*.

**Camphor, Liquid**. Camphor oil; the fluid obtained from the young camphor tree, *Dryobalanops camphora*, by incision into the tree. **Camphor, Oil of**. Nitrate of camphor. A solution of camphor in dilute nitric acid; also applied to liquid camphor and liniment of camphor.

**Cam'phor Water**. *Aqua camphora*, U. S. *Mistura camphora*. Camphor mixture; a mixture of camphor, alcohol, carbonate of magnesium, and distilled water.

**Cam'phora Officina'rum**. The *Laurus camphora*, or camphor tree, a native of China and Japan.

**Camphora' Flores Compos'iti**. Camphor infused with benzoin.

**Camphora'ta**. See *CAMPHOROMATA*.

**Cam'phorate** (*camphorate*). A salt resulting from the union of camphoric acid with a salifiable base.

**Cam'phorated**. Relating to or containing camphor.

**Camphorated Tincture of Opium**. See *PAREGORIC*.

**Camphor'ic Acid** (*acidum camphoricum*). An acid obtained by repeated distillation of nitric acid from camphor.

**Camphrease.** A light oily substance obtained by dropping pieces of camphor into a porcelain tube containing quicklime, heated to redness, and condensing the vapor.

**Campylo'tis** (from *campylot*, bent). A preternatural incurvation of a part; also a distortion of the eyelids.

**Cam'wood.** A red dye-wood, the product of the *Haplia althia*, a native of Sierra Leone.

**Canaden'sia.** Canadum; the name of a balsam. See **CANADA BALSAM**.

**Can'adol.** A transparent liquid, very volatile, and resembling benzine in odor, which is used as a local anæsthetic in minor surgical operations.

**Canal** (*canalis; ductus; meatus*). A channel or passage for fluids or solids; a tube; a duct; the prolongation of a foramen for some distance in a bone.

**Canal, Aliman'tary.** The canal leading from the mouth to the anus.

**Canal, Arachnoid'ian.** A canal, supposed to have been discovered by Deland, formed by the extension of the arachnoid over the transverse and longitudinal fissures of the brain, and which surrounds the venæ sinuosæ. Cravellier denies the existence of this canal.

**Canal, Arterial.** Ductus arteriosus.

**Canal, Hy'aloid.** A cylindrical body formed by the reflection of the hyaloid membrane into the interior of the vitreous body.

**Canal, Intestinal.** That portion of the alimentary canal formed by the intestines.

**Canal, Medulla'ry.** The cylindrical cavity in the shaft of a long bone.

**Canal, Nasal.** Lachrymal canal.

**Canal of Fonta'na.** The minute vascular canal situated within the ciliary ligament. It is also termed the ciliary canal.

**Canal of Ja'cobson.** Tympanic canal.

**Canal of Nuck.** A cylindrical sheath formed around the round ligaments of the uterus by a prolongation of the peritoneum into the inguinal canal.

**Canal of Peth.** A triangular canal, situated immediately around the circumference of the crystalline lens.

**Canal of Schlemm.** A minute circular canal at the junction of the sclerotic and conjunctiva.

**Canal, Spi'nal.** Vertebral canal.

**Canal, Tympa'nic.** A canal opening on the lower surface of the petrous portion of the temporal bone, containing Jacobson's nerve.

**Canalic'ulate** (*canaliculatus*). Channelled; furrowed; grooved.

**Canalic'ulus;** plural, **Canaliculi** (diminutive of *canalis*, a canal). A small canal. Applied in *Anatomy* to some large lacunæ which secrete mucus in the urethra. In bone, the small canals through which nutrition is conveyed to all parts of the structure. Each lacuna is the outlet of a number of canaliculi.

**Can'a'la Arteriosus.** Arterial duct; a vessel through which the blood passes in the foetus from the pulmonary artery into the aorta, but which is obliterated after birth.

**Canalia Semicircular'a'ria.** The semicircular canal. There are three in the posterior portion of the labyrinth of each ear, which open by five orifices into the vestibulum.

**Canalia, Veno'sus.** A canal which conveys the blood in the foetus from the parts of the liver to the ascending vena cava, but it ceases to exist after birth.

**Canella'rus** (*canellus;* from *canell*). Cuneiform. Having a flattened appearance; cancellated; formed of cancelli.

**Cancel'li.** Lattice-work. The reticular or spongy texture of bones, consisting of numerous cells communicating with one another. They contain a fatty matter like marrow.

**Cancer** (*cancer;* literally, a crab). In *Zoology*, a genus of crustaceous animals. In *Pathology*, a malignant tumor, generally terminating in a fatal ulcer, called by the Greeks *carcinoma*, from *cancer*, a crab, from the resemblance of the affected part and the surrounding raised veins to that animal. The disease is ordinarily attended with severe lancinating pain, and the texture of the affected part is exceedingly variable. The following are the species enumerated by Dr. Hayn:

1. The *chondroid* (from *chondros*, cartilage, and *cancer*, likeness), or cartilaginous.
  2. The *hyaloid* (from *hyalos*, glass, and *cancer*, likeness), or vitreous.
  3. The *luteoid* (from *luteus*, fat, and *cancer*, likeness), or lardiform.
  4. The *bulboid* (from *bulbus*, a turnip, and *cancer*, likeness), or napiform.
  5. The *cephaloid* (from *cephalos*, the brain, and *cancer*, likeness), or cerebiform.
  6. The *colloid* (from *collos*, glue, and *cancer*, likeness), or gelatiniform.
  7. The compound cancerous, the mixed cancerous, and the *superficial cancerous*.
- Cancer Cell.** The cell which is supposed to characterize cancer.



**Cancer Gale'ni.** A bandage for the head, or a bandage with eight tails resembling gale's claws.

**Cancer Mandib'rum.** Cancer scroti. Chinney-sweeper's cancer. An irregular, asper-fied, painful ulceration, occurring in the scrotum of chinney-sweepers.

**Can'cerous.** Pertaining to cancer.

**Can'croïd** (*carcinoides*; from *cancer*, and *oides*, form). Having the appearance of a cancer.

**Can'crum.** Cancer; a spreading sore, a phagedenic ulcerative process. Water cancer is called *canes*.

**Cancrum O'ris** (*phagetrans oris*). Gangrenous stomatitis. Canker of the mouth; a spreading ulceration of the gums, inside of the lips and cheeks, and it may occur in any part of the buccal cavity or fauces, attended with a preternatural flow of saliva, inflammation and tumefaction of the neighbouring parts, fetid breath, fever, and constipation. The disease is usually confined to children of from two to six years of age, and is supposed to result from a debilitated state of the body, induced by want of cleanliness and improper food.

The disease evidently has some of the characteristics of gangrenous inflammation of the gums, as well as of other affections which consist of ulceration of the gums and refulation of the alveolar processes; yet it differs from both of these in many particulars, and therefore should not be confounded with either. The last named affliction, we believe, never occurs among the wealthy, but seems always to be confined to children of the poor, and to be dependent upon defective nutrition, bad air, and a cachectic habit of the body; whereas *cancrum oris* is occasionally met with among children of the wealthier classes of society.

In the treatment of this disease, as soon as the affection is recognized the ulcer should be destroyed with fuming nitric acid; any delay will insure fatal consequences. Disinfectant washes should be constantly employed, and the strength maintained by the free use of stimulants and tonics. Hydrochloric acid is recommended by some, instead of nitric acid, for application to the ulcer. Astringent washes are also serviceable in the after-treatment.

**Can'didum Ovi.** The white of an egg.

**Can'ida.** A genus of plants of the order Malvaceæ.

**Canella Al'ba.** The laurel-leaved canella, the bark of which is a stimulant and pungent aromatic. It is added to bitters and cathartics. Root, gr. x to gr. xxx.

**Can'icæ.** Meal containing much iron.

**Canic'ida.** Aronite.

**Canine'.** Pertaining to or partaking of the nature of a dog.

**Canine Foa'sæ.** A depression in the outer surface of the superior maxillary bone above the canine or cuspoid tooth.

**Canine Teeth** (*dentes canini*; *cyonodonta*; *dentes buccarii*; *dentes angulures*; *capidati*; *canides*; *cyonitici*). See CUSPID TEETH.

**Can'ine** (from *canis*, a dog). A cuspoid tooth is so called because it resembles that of a dog. See CUSPID TEETH. It is also the name of a muscle, the *levator anguli oris*, because it is situated near the canine tooth.

**Can'ram.** *Strychnos nux vomica*.

**Can'tiles.** Gynose of hair.

**Can'ker.** A corroding ulcer in the mouth. See CANCER ORIS.

**Can'na.** A reed or hollow tube. The fluted has been so called from its resemblance to a reed.

**Canna Fla'tula.** See CANNIA FORTULA.

**Canna In'dica.** *Sagittaria nivalpharmis-am*.

**Canna Ma'jor.** The tibia.

**Canna Mi'nor Cra'ria.** The fluted.

**Can'nabine** (*cannabin*). *Cannabis hemp*. A resin extracted from the *Cannabis indica*.

**Can'nabis.** A genus of plants of the order Urticaceæ. Hemp.

**Cannabis In'dica.** India hemp. The hemp cultivated in the East is thought to be different from the common hemp, but the two plants are regarded by most botanists as identical. It is admitted, however, that the former is more powerful in its action upon the system. An intoxicating liquor is prepared from the leaves, under the name of *bang*, or *ganga*, in India. It is a true cerebral stimulant, and may be employed when opium can not be. One-half to one grain will produce sleep. In *Practical Practice* it is applied to exposed pulp to relieve the pain. Dose of tincture, grt. xx to grt. xxx.

**Cannabis Sat'iva.** Common hemp. The tops of this plant have a strong narcotic smell, causing giddiness, dimness of sight, and a species of intoxication.

**Can'nel Coal.** A bituminous substance which yields on combustion a bright flame with little or no smoke.

**Can'mula** (diminutive of *canna*, a reed). A tubular surgical instrument, consisting of a tube or sheath obliquely pointed, and a stylet or stylet, introduced into a cavity or tumor to drain or draw off the fluid.

**Cantharidal Coffee-dion.** *Colodium cum cantharido*. Is composed of cantharides, sulphuric ether, and acetic acid, in two ounces of which mixture twenty-five grains of gum cotton are dissolved. It is an effectual vesicant, and in *Dental Practice* is a valuable application in periodontitis, relieving the inflammation by counter-irritation. It is applied by means of a camel's hair brush to the gum over the root of the affected tooth, and the blister which results is punctured with a needle. See *Gorham's "Dental Medicine."*

**Cantharidine** (from *cantharis*, Spanish fly). The active principle in cantharides, on which their vesicating quality depends.

**Cantharis** (*cantharis vesicatoria*; *urosemper*, a beetle). The blister-beetle; Spanish fly. A genus of culicigenous insects containing many species. Cantharides, when taken internally, are powerfully stimulant, producing a peculiar effect upon the urinary and genital organs: applied externally, they excite inflammation of the skin and a copious secretion of serum under the cuticle. *Dose*, gr. ss to gr. j, in a pill, with opium or extract of benzoin and camphor, twice a day. *Dose of the tincture*, grt. x. See CANTHARIDIAL CYCLOPIEDIC.

**Canth'itis** (*canthitis*). Inflammation of the angle of one or both eyes.

**Can'thoplasty** (*canthos*, the angle of the eye, and *plastia*, to form). The operation of transplanting a portion of the conjunctiva of the eyeball to the external canthus of the eyelids.

**Can'thus** (*canthus*). The angle or corner of the eye.

**Can'ula.** See CANNULA.

**Caout'chine.** A volatile oil obtained by the destructive distillation of caoutchouc.

**Caoutchouc'** (*lao choul'*). India-rubber; gum-elastic. The milky, concrete juice obtained principally from the *Euphorbia elastica*, or *Euphorbia cahucha*, a South American tree. It is remarkable for its elasticity, and, being insoluble in water and alcohol, is applied to various valuable purposes. It is used as a base for artificial teeth, etc.; also in the manufacture of catheters, bougies, pessaries, and in the prosthesis of the velum palati. It did not, however, answer very well at first for this

latter purpose, as the secretions of the mouth and nasal cavities soon destroyed it. But this objection has been completely obviated by the discovery of a peculiar method of preparing it, vulcanizing the rubber. See INDIA RUBBER, and also VULCANITE.

**Ca'outchouls** (*caoutchouls*). The principle on which the properties of caoutchouc depend.

**Caphoric'rite** (from *caphor*, to inhale, and *rit*, bitter). The bitter principle of rhubarb.

**Caph'ora** (*caphora*). Camphor.

**Capillaire'**. A syrup employed as a demulcent in coughs.

**Capillary** (*capillaris*; from *capillus*, the hair). Resembling a hair; hair-like; small. It is applied to the extreme radicles of the arteries and veins. A minute blood-vessel, connecting the smallest ramifications of the arteries with those of the veins. Also a very minute fissure in the skull; also the interlobular biliary passages.

**Capillary Attraction.** The power by which a liquid rises higher in a fine tube than the surface of the liquid in which one end of it is placed.

**Capill'ulus** (*capillus*, the hair). The arterial and venous radicles pervading more minutely than the capillaries the ultimate elements of every organ.

**Capil'lus.** The hair.

**Capit'rulum** (literally, a little). The single split-stitch bandage used in fractures and other injuries of the lower jaw.

**Cap'ital** (*capitalis*). Belonging to the head. Applied to surgical operations, it denotes those of greater magnitude, as amputations, excisions, etc.

**Cap'itate** (from *caput*, the head). Headed; terminated in a head or sudden enlargement.

**Capitulu'rium** (from *caput*, the head, and *lavare*, to wash). A lotion or bath for the head.

**Capitit'raha.** Instruments to draw down the head of the fetus.

**Capito'nos.** Pincers whose heads are so large as to interfere with delivery.

**Capit'ulum** (diminutive of *caput*, the head). A small head or knot. A term applied to any protuberance of bone received into a hollow part of another bone. In *Chemistry*, an alembic.

**Capit'vi Oil.** See COPAIBA.

**Capulo'mon.** Fermentation.

**Capno'mar** (from *capno*, smoke, *mar*, part).

A volatile, transparent liquid, obtained from tar, and having the property of dissolving caustic soda.

**Capping the Pulp of Teeth.** An operation first recommended by Dr. Koecker for the purpose of protecting an exposed dental pulp from injury in filling a tooth and for preserving its vitality. This operation consists, in the case of small cavities or those difficult of access, in the use of a dressing composed of carbolic acid and oil of cloves, equal parts, combined with zinc oxide in the form of a plastic paste, which is carefully flowed over the exposed area of pulp, without producing pressure. When the cavity leading to the exposure is large enough, it is preferable that the above dressing should be covered by a concave metal cap. Platinum caps are the best; caps are also made of pure tin. Other substances—such, for example, as the zinc-phosphate of lime—are also employed. In all cases the metal concave cap should be thick enough to prevent any interference, by pressure, with the pulp in the subsequent operation of filling the crown-cavity, especially if gold is used for such a filling. In every case it is necessary that the dressing should be in contact with the exposed surface of the pulp.

**Cap'sate.** A combination of cupric acid with a base.

**Cap'sula'ris** (*cap'sulatus*; from *cap'sula*, a sheath). Twisted, contorted; squigged by some to the spermatheca vein.

**Cap'ric Acid.** A volatile acid of a disagreeable odor, obtained from butter on its conversion into soap.

**Cap'site'quium.** Remyony.

**Cap'site'ic Acid.** An acid with a sweetish odor, obtained from butter in fine molecular crystals.

**Cap'sinyi.** The organic radical of the foregoing. Oil of rose is supposed to be its anhydride. Its formula is  $C_{26}H_{52}$ .

**Cap'site'ic Acid.** See CAP'RONI' ACID.

**Cap'son'ic Acid.** A clear, oily, unpleasantly smelling fluid, obtained from coconut oil, butter, and Limburg cheese.

**Cap'sonyl.** The base of the foregoing. Formula,  $C_{26}H_{52}$ .

**Cap'sy'ic Acid.** An acid combined with glycine and some animal fats; forms cap'sy'ic acid.

**Cap'sula.** An acid resin obtained from cayenne pepper.

**Cap'sulans** (from *cap'sula*, to bite; because of

its effect on the mouth). A genus of plants of the order Solanaceae.

**Cap'sicum Au'num.** Cayenne pepper; Guinea pepper. It is a powerful stimulant, and produces, when taken into the stomach, a sense of heat and a glow upon the skin. It is used as a condiment, and is valuable as a medicinal agent. Dose, gr. v. In *Dr. J. C. F. F. F.*, the tincture, tinctura cap'sici, is useful in acute periodontitis when it is necessary to hasten suppuration; also, in the chronic form, to resolve the inflammatory products. It is also useful to stimulate the gums in chronic inflammation and abscess, and in recession of the gums from the necks of the teeth. As a local stimulant and counter-irritant it may be placed in a small bag, or be applied in the form of a cap'sicum plaster to the gums over the root of the affected tooth. For other dental uses see Gargles. "Dental Medicine."

**Cap'sula** (diminutive of *cap'sa*, a chest or case). A capsule. A membranous bag enclosing a part of the body, as the capsular ligament, the capsule of the crystalline lens, etc. The membrane or sac of the teeth are sometimes called capsules. In *Botany*, the membranous pericardium or seed-vessel of a plant.

**Capsula Atrabilla'ria.** The supra-renal capsules, or supra-renal glands; two flattened triangular bodies, one on each side, surmounting the corresponding kidney.

**Capsula Cordis.** Capsule of the heart. The pericardium.

**Capsula Lumba'ria.** The receptaculum chyli.

**Cap'sular** (*cap'sularis*). Having the form or partaking of the nature of a capsule.

**Capsular Lig'ament.** A kind of ligamentous bag surrounding every movable articulation and containing the synovia.

**Cap'sule** (*capsula*). A tunic or bag which encloses a part of the body.

**Capsule, Gelatinous.** An envelope of gelatin enclosing medicinal agents to conceal their taste.

**Capsule of Glisson.** A dense cellular membrane surrounding the vena porta in its most minute ramifications in the liver; described by Glisson.

**Capsule, Renal.** Supra-renal capsule. See CAPSULA ATREBILIARIA.

**Capsule, Seminal.** A name given by Bartholine to the dilatation of the extremity of the

vas deferens. Some anatomists give this name to the vesiculae seminales.

**Capaula**, Synon'vial. A membranous bag enveloping an articulation, and secreting a lubricating fluid.

**Capau't'is** (capsule, a capsule). Inflammation of the capsule of the eye.

**Ca'put**. The head, cranium, or skull; the upper extremity of a bone, as the head of the femur. Also, the origin of a sinew, as the long head of the biceps; and it is sometimes applied to a protuberance resembling a head, as also to the beginning of a part.

**Caput Gallinag'inis** (*crucianellus*). A protuberance in the urethra in men, situated before the neck of the bladder.

**Caput Ob'stipum**. Wry neck.

**Caput Par'gum**. A remedy which causes a deflexion from the head, as an emetine, stannogenie, etc.

**Caput Scapulae**. Acromion.

**Caput Saccoda'naam**. A swelling of the head of the fetus which occurs in certain cases of labor.

**Caput Tax'is**. The epididymis.

**Car'abus**. A genus of orthopteron insects. Two species, the *Crysoccephalus* and *Ferrugineus*, were at one time much vaunted as a remedy for toothache, and even quite recently they were highly recommended in Germany for this purpose. They were first rubbed between the thumb and finger and then applied to the affected tooth and gum. See CHEYENNEA HEPTEMPUNCTATA.

**Caram'ma** (*carammar granuli*; *cariagat*). A concrete resinous substance, having an aromatic smell and bitter taste.

**Car'at** (from the Arab *Karat*, a weight, or *Qura Asqar*, a small weight, or, according to some, from *Kaara*, an African term for the bean used by the natives of the Golt (best for weighing gold dust). A weight of four grains, used in weighing diamonds. It is also used in reference to the fineness of gold. For example, suppose the man spoken of "to weigh twenty-four carats, of twelve grains each; and the pure gold is called *fin*. Thus, if gold is said to be twenty-two carats fine, or standard, it is implied that  $\frac{22}{24}$  are pure gold and  $\frac{2}{24}$  alloy. In the process of assaying gold, the real quantity taken is very small, generally from six to twelve grains; and this is termed the *assay pound*. It is subdivided into twenty-four carats, and each carat into four assay grains, and each grain into quarters; so that there are 384 separate

reports for gold. When the gold assay pound is only six grains, the quarter assay grain only weighs  $\frac{1}{4}$  of a grain. This will give some idea of the accuracy required in the weights and scales used for such delicate operations." The still further division of the carat brings it to  $\frac{1}{4}$  of the original weight. This method of expressing the fineness of gold, however, is gradually yielding to the more scientific decimal mode.

**Car'away**. See CARUM.

**Car'bo Anima'lis** (*carbo coralis*). Animal charcoal. Ivory-black. See CHARCOAL, ANIMAL.

**Carbo Fossilis**. *Stimulans*.

**Carbo Ligni**. *Charcoal* of wood.

**Carbohy'drates**. Hydrates of carbon. Organic substances composed of nearly equal parts of carbon, hydrogen, and oxygen. Cellulose, starch, and sugar belong to this class.

**Carbol'ic Acid**, or **Phenole**. *Phenic acid*. Distilled from coal-tar, and when perfectly pure is a colorless crystalline solid, and of a taste at first pungent and then sweet. Its odor is like that of tar. It is very soluble in alcohol, ether, chloroform, and benzole. For dental use it is rendered safe by diluting it with a little rosin-water. It is, chemically, an alcohol rather than an acid.

It is used in *dentistry* as an application to the exposed pulp of a tooth, preparatory to filling it, when without its aid the general practice would be to destroy the pulp; also, to sensitive dentine. Diluted, it is allowed to remain in contact with the pulp of a tooth for ten minutes in the conservative treatment of the organ. Some regard the superficial carbor caused by the strong acid when applied to the exposed surface of the pulp as an important factor in its treatment for preservation. When applied to sensitive dentine it is allowed to remain from five to fifteen minutes. Combined with glycerine in the proportion of one part to thirty parts of glycerine, it is a valuable injection for chronic forms of alveolar abscess. Carbolic acid is also used for putrescent pulps, but has given place to agents possessing greater germicidal power. It is also employed in inflammatory conditions of the oral mucous membrane. It is also used for the same purpose as creosote (which see). For dental uses, etc., see Gorgon's "Dental Medicine."

**Car'boline**. To mix or impregnate with carbolic acid.

\* Brand's "Encyclopedia."

**Carbomethyl'ic Acid.** An acid resulting from the action of carbonic acid upon pyroxylic spirit.

**Car'bon** (from *carbo*, coal). Charcoal. Symbol, C. Atomic weight, 12. A non-metal occurring in various forms of diamond, graphite, or black lead, and charcoal. In Chemistry this term is used to signify a pure combustible base of the varieties of charcoal and other carbonaceous substances. The diamond is the purest form of crystallized carbon.

**Carbon, Min'eral.** A term applied to charcoal with various proportions of earth and iron, without bitumen. It has a silky lustre and the fibrous texture of wood. It is found stratified with various kinds of coal.

**Carbon, Sesqui-iodide of.** A yellow precipitate, obtained by adding water to an alcoholic solution of iodine deprived of its color by potassa. It has been used in glandular and cutaneous affections.

**Carbon, Sulphuret of.** A transparent, colorless fluid, of an unpleasant taste and smell. It was formerly supposed to be diaphoretic, diuretic, emmenagogue, and antispasmodic.

**Carbon Tetrachloride.** The formula is  $CCl_4$ . An anæsthetic resembling chloroform, but is very dangerous.

**Carbonaceous** (*carbo*, coal, *carium*). Of the nature of carbon.

**Car'bonate.** Carbonate.

**Car'bonate.** A salt formed by the union of carbonic acid with a salifiable base; a combination of carbonic acid in which all the hydrogen is replaced.

**Carbonate of Ammonia** (*ammonii carbonas*).

Formula,  $NH_4HCO_3NH_4CO_3$ . Dose, jss. ℥ss. One of the preparations of ammonia. See AMMONIA.

**Carbonate of Sodium** (*sodii carbonas*).  $Na_2CO_3$ ,  $10H_2O$ . Dose, grs. v-xxx. The physiological effects and therapeutic uses are analogous to those of potassium—antacid and diuretic. It is employed as a mouth wash, and also to relieve the pain of pulpitis and to obtund sensitive dentine. It is also employed in the treatment of derelictized pulp as a disinfectant and antiseptic.

**Car'bonated** (*carbonatus; aeratus*). That which is combined with carbonic acid.

**Carbon'ic Acid** (*acidum carbonicum*). Fixed air; carbonaceous acid; mephitic acid. A transparent, colorless, gaseous acid, without smell, irreducible, and incapable of supporting combustion. It is a compound of carbon and

oxygen,  $CO$ . In the form of carbonic acid gas it constitutes a small proportion of atmospheric air. It is often found in mines, dry wells, etc. Breathing it is often fatal to animal life. See PHOSPH.

**Carbonic Acid Water.** Mineral or soda water, used as a vehicle for saline cathartics.

**Carbonic Oxide.** Gaseous oxide of carbon; the protoxide of carbon,  $CO$ . It is a colorless gas formed when carbon is burned with an imperfect supply of oxygen.

**Carbon'icum Na'trum.** Carbonate of soda.

**Carbo'nica Sulphure'tum.** Sulphuret of carbon.

**Carbo'nium.** Carbon.

**Carboniza'tion.** The conversion of organic substances into charcoal or carbon by heat until the volatile products are driven off and the carbon only remains.

**Car'bonize.** To char; to convert in part into charcoal.

**Carboran'dum.** A combination of carbon and silicon, effected by electrical action.

**Carborandum Wheels, Points, etc.** Used for grinding artificial teeth, finishing surfaces of filings, etc.

**Carbon'cle** (*carbunculus*). See ANTHRAX.

**Car'buret** (*carburum*). A compound of carbon with any simple combustible substance. For example, carburated hydrogen is hydrogen holding carbon in solution. Steel is a carburet of iron.

**Carburet of Sulphur.** A liquid compound of carbon and sulphur. It was formerly called alcohol of sulphur, and is now obtained by passing the vapor of sulphur over ignited charcoal.

**Carburet'ed Hy'drogen.** Carbon and hydrogen; light inflammable air; olefant gas; hydrosulphuret of carbon. There are two gaseous compounds of carbon and hydrogen, *olefant gas*, or oil-eating gas, so called because it forms an oily compound with chlorine, and *light carburetted hydrogen*, found in some coal mines, which is known by the name of *fire damp*, and is the cause of the explosions which sometimes took place previously to the invention, by Sir Humphry Davy, of the safety lamp. It is also evolved from the use of stagnant pools and ditches. Olefant gas is obtained by distilling a mixture of one part of alcohol and two in bulk of sulphuric acid, and collected over water, which is added to absorb more than one-seventh of its volume of the gas.

**Car'byla.** A term used by Læwig, in his

classification of animal substances, to denote those radicals which consist of two or more atoms of carbon.

**Carcinoma** (from *carcinus*, a crab, a cancer). A malignant new growth composed essentially of epithelial cells and developed from epithelial tissues. See **CANCER**.

**Carcinoma Hæmatoïdes** (*hæmatodes*; *fungus hæmatodes*). Most authors use the term in the same sense as **CANCER**. Some apply it to incipient cancer, and some to that species of cancer which resembles cerebrot substance.

**Carcinomatous** (from *carcinoma*). Belonging to carcinoma.

**Car'damom** (*cardamomum*; from *cardus*, the heart, because it was supposed to strengthen this organ). The fruit of *Alpinia cardamomum* is a warm and grateful aromatic, but chiefly employed as an ingredient in compound medicinal preparations. Dose, gr. x to gr. xxx.

**Cardamo'mum**. See **CARDAMOM**.

**Cardia** (*cardia*). The heart; also the upper orifice of the stomach.

**Cardiac** (*cardiacus*, from *cardus*, the heart). Relating to the heart, also to the superior opening of the stomach. Also applied to invigorating medicines.

**Cardiac Arteries**. Coronary arteries. Two arteries given off by the aorta above the free edge of the sigmoid valves and distributed to both surfaces of the heart.

**Cardiac Gang'lion**. A ganglion situated beneath the arch of the aorta.

**Cardiac Nerves**. The nerves of the heart. They are distinguished into right and left, and arise from the cervical ganglia.

**Cardiac Plex'us**. A network formed by the cardiac nerves at the back part of the aorta, near the heart.

**Cardiac Veins**. The coronary veins. They are four in number, two anterior and two posterior, and open by two orifices into the right atricle of the heart.

**Cardia'gra**. Gout of the heart.

**Cardiography** (*cardiographia*; from *cardus*, the heart, and *grapho*, a description). A description of the heart.

**Cardia'gia** (from *cardus*, the heart, and *gêr*, pain). Pain of the stomach. Heartburn.

**Cardiologia** (from *cardus*, the heart, and *logia*, a discourse). A treatise on the heart.

**Cardioma'ia** (from *cardus*, the heart, and *maia*, to eat). Dissection of the heart.

**Cardiostroph'ia**. Atrophy of the heart.

**Cardio'taxis** (from *cardus*, the heart, and

*trope*, extension). Dilatation of the heart.

**Cardiaco'alis** (from *cardus*, the heart, and *alis*, an ulcer). Ulceration of the heart.

**Cardiocele** (from *cardus*, the heart, and *cele*, a tumor). The protrusion of the heart through a wound of the diaphragm. A hernia of the heart.

**Cardiodynia** (from *cardus*, the heart, and *dynis*, pain). Pain in the heart. See **CARDIAGIA**.

**Cardiogram**. An instrument for automatically recording the movements of the heart.

**Cardiomala'cia** (from *cardus*, the heart, and *mala*, softened). Softening of the heart.

**Cardio'nchus** (from *cardus*, the heart, and *nchus*, a tumor). An aneurism of the heart, or of the aorta near it.

**Cardiopalm'us** (from *cardus*, the heart, and *palmus*, pulsation). Pulsation of the heart.

**Cardiop'athy** (*cardiopathia*; from *cardus*, the heart, and *pathis*, disease). Disease of the heart.

**Cardiopericardi'tis**. Inflammation of the heart and pericardium.

**Cardio-pneumatic** (from *cardus*, the heart, and *pne*, the breath). Pertaining to the heart and breath.

**Cardiorrhex'is** (from *cardus*, the heart, and *rhex*, rupture). Rupture of the heart.

**Cardioteno'sia**. Contracture of the opening of the heart.

**Cardio'tromus** (from *cardus*, the heart, and *tromus*, tremor). Feeble pulsation, or fluttering of the heart.

**Cardio'trotus**. The wound in the heart.

**Cardi'tia** (from *cardus*, the heart, and *itis*, inflammation). Inflammation of the heart.

**Car'do**. A hinge. The articulation called ginglymus.

**Carota'ria** (from *caro*, the head, and *ria*, weight). Heaviness of the head.

**Car'sna**. The twenty-fourth part of a drop.

**Car'eum** (*carum*). Caraway seed.

**Caribbe'an Bark**. The bark of *Excoecaria caribæum*; a false cinchona.

**Ca'ries** (from *caris*, to rot; according to some authors, from the Chaldean word *Karak*, to dig in). A chronic inflammation of bone with absorption of bony tissue, attended usually by pus formation. Ulceration of bone.

**Caries Dentium**. See **CARIES OF THE TEETH**. **Caries of Bone**. A disease of bone analogous to ulceration of soft parts.

**Caries of the Teeth**. A chemical decomposition of the earthy part of any portion of a

tooth, accompanied by a partial or complete disintegration of the animal framework of the affected part.

The elements of the tooth chemically disintegrate, particle by particle, the disease always beginning on the surface in some depression or irregularity, and very often at the point of contact of proximal surfaces and about the necks of the teeth. The fermentation of particles of food which find lodgment on the teeth or in the interspaces develops products—such as acids, for example—which decompose the tooth structure, and the destructive process extends toward the interior, advancing more or less rapidly according to the nature of the constituents of the enamel and dentine. The enamel, on account of its greater resistance to the disintegrating process, is undermined by the dissolving away of the dentine beneath until it is left unsupported, and, breaking away, an irregular cavity is formed, which increases until the entire crown of the tooth is destroyed.

The occurrence of the disease is ordinarily first indicated by an opaque or dark spot on the enamel; and, if this be removed, the subjacent dentine will exhibit a black, dark brown, or whitish appearance. It usually commences on the outer surface of the dentine under the enamel; from thence it proceeds toward the centre, until it reaches the pulp cavity.

If the diseased part is of a soft and humid character, the enamel, after a time, usually breaks in, disclosing the ravages the disease has made on the subjacent dentine. But this does not always happen; the tooth sometimes remains nearly perfect until its whole interior structure is destroyed.

There is no portion of the crown or neck of a tooth exempt from the disease, yet some parts are more liable to be first attacked than others; as, for example, the depressions in the grinding surfaces of the molars and bicuspids, the proximal surfaces of all the teeth, the posterior or palatine surfaces of the lower incisors—and, in short, wherever an imperfection in the enamel exists, it may develop itself.

In teeth that are very hard the decayed part is of a much firmer consistence and of a darker color than in soft teeth. Sometimes it is black; at other times it is of a dark or light brown; and at other times, again, it is ashy-gray or sandy white. There are many intermediate shades, some of which have a yellow-

ish hue. As a general rule, the softer the teeth, the lighter, softer, and more humid the decay. The color of the decayed part, however, may be, and doubtless is, in some cases, influenced by other circumstances—perhaps by some peculiar modification of the agents upon the presence of which the disease is dependent.

The causes of dental caries are divided into predisposing and exciting. The predisposing causes are such as render the tooth more liable to attack, but are not capable of directly disintegrating the tooth structure. The exciting causes, on the other hand, are such as directly inaugurate the disease. Among the prominent predisposing causes are faulty formation of the teeth, the manner in which the proximal surfaces come in contact, hereditary influences, diseases of various kinds which impair or diminish the vitality, etc. The exciting causes of dental caries may be ascribed to the action of agents which possess the power of directly disintegrating the enamel and dentine, and which have their source in the vitiated secretions of the oral cavity due to the processes of fermentation and putrefaction, assisted by micro-organisms, the invasion of which is always preceded by the extraction of lime salts by the more powerful disintegrating agents, such as acids.

This theory of the cause of dental caries explains the *rationale* of the treatment at present adopted for arresting its progress. By the removal of the decomposed part and filling the cavity with an indurifiable material, the presence of those agents upon the chemical action of which the disease depends is prevented and its further progress arrested.

Dental caries is most active from the eighth to the thirtieth year, and again when senile changes occur from a diminution of vital force. In middle life, owing to the secretions becoming acidulated, the power of resistance to this disease is often overcome, and similar conditions to those of senility occur.

Caries occurring in the deciduous teeth is also regarded as an indication of the disease, marking its appearance in the permanent teeth at an early period of their existence.

All acids do not act alike on the teeth. Some may exert but little influence, while others act with great energy. Some may have a greater affinity for the earthy portions, as hydrochloric acid; or for the animal portion, as sulphuric acid; while others, such as acetic

acid, act readily on all the constituents of the tooth.

All teeth are not equally liable to decay, or, in other words, not equally susceptible to the action of the causes that produce the disease. Teeth that are well formed, well arranged, and of a compact and close texture seldom decay, and, even when attacked by caries, the progress of the disease is less rapid than it is in imperfectly formed teeth or teeth which are of a soft texture or irregularly arranged.

**Ca'rious.** Affected with or pertaining to caries.

**Carious Teeth, Effects of.** Carious teeth may occasion facial neuralgia, facial paralysis, sciatica, hemiplegia and spinal irritation, paraplegia, trismus, headache, epilepsy, hysteria, chorea, insanity, etc.

**Carminan'tia.** See CARMINATIVE.

**Carmin'ative** (*carminatives*; from *carmin*, a vomo or charm; because their operation was ascribed by the ancients to a charm). Medicines which allay pain and disquietude from the alimentary canal.

**Car'mine.** A beautiful red pigment prepared from cochineal.

**Car'neæ Colum'næ.** The fleshy fasciculi in the ventricles of the heart.

**Car'neous** (*carneus; carnosus*; from *caru*, *carule*, flesh). Fleshy. Resembling flesh.

**Car'nacula** (diminutive of *caru*, flesh). The gums. A small fleshy substance.

**Carosification** (*carosifacilis*; from *caru*, flesh, and *feri*, to become). Becoming flesh; conversion into a substance resembling flesh; a term applied in *Pathology* to a morbid alteration in which certain organs assume the appearance of flesh, as in hepatization of the lungs.

**Carni'formis** (from *caru*, flesh, and *forma*, likeness). Having the appearance of flesh; usually applied to an abscess having a hardened orifice.

**Carni'vora.** An order of animals which subsist on flesh.

**Carni'vorous** (from *caru*, flesh, and *voru*, I eat). Feeding on flesh. Anything which eats flesh. Applied also to substances which destroy fleshy excrescences.

**Car'nose.** Resembling or of the consistency of flesh.

**Carno'sus.** Carnous; fleshy.

**Ca're** (*care; carule*). Flesh; the red part or belly of a muscle; the pulp of fruit.

**Caroli'na Pink.** *Spigelia marilandica*.

**Anthelmintic.** Dose of the powder, gr. x to gr. xx. The fluid extract is best, the dose of which, for children, is ʒj; for adults, ʒss, given with senna.

**Carot'a.** The carot.

**Carot'ic** (*carotus*, to stupefy). Having power to stupefy; carotid. Applied to the plural noster (*carotica*) to narcotics.

**Carot'id** (from *carotus*, to cause to sleep). The carotid artery is so called because, when it is tied with a ligature, the animal becomes comatose.

**Carotid Artery** (*arteria carotidea*). A large artery on each side of the neck for carrying the blood to the head. The right arises from the *arteria innominata*, and the left from the arch of the aorta. Each is divided into an *external* and *internal*. The *superior thyroid*, the *sublingual*, the *inferior external*, and *internal maxillary*, the *occipital*, the *external auditory*, and the *temporal*, are branches of the external carotid. The *anterior cerebral*, the *posterior*, the *middle* artery of the optic nerve, and the *internal orbital*, are given off within the cavity of the cranium by the internal carotid.

**Carotid Canal.** A canal in the temporal bone traversed by the carotid artery and several nervous filaments.

**Carotid Foram'ina.** The foramina at each extremity of the carotid canal. They are distinguished into external and internal.

**Carotid Ganglion.** See CERVICAL NERVE.

**Carotid Nerve.** A branch from the superior cervical ganglion of the great sympathetic, ascending by the side of the internal carotid artery, and forming, in the carotid canal, with branches of other nerves, the *carotid plexus*. The *carotid ganglion* is a small gangliform swelling on the under side of the artery.

**Caro'tin.** A peculiar, crystallizable, ruby-red, neutral principle, insoluble and tasteless, obtained from carrots.

**Car'pal.** Belonging to the wrist.

**Carpa'thian Balsam.** A product of the *Pinus cembra*.

**Carpholog'ia** (from *carpos*, the nap of cloth, and *logos*, I pluck). Delirious picking of the bedclothes; a dangerous symptom in disease.

**Car'po-po'dal Spasm.** A spasmodic affection of the larynx and chest occurring in young children, with croupy cough and spasmodic contraction of the thumbs and toes.

**Carpot'ica.** Diseases affecting hyphema-tion.



**Carpus** (*carpus*, the wrist). The wrist, consisting of eight bones, viz.: The *scaphoida*, *lunata*, *cuneiform*, *pisiform*, *trapezium*, *trapezoides*, *trapezium*, and *cuneiform*.

**Carraigan Moss**. Irish moss; the *Chondrus crispus*.

**Carraigan's**. The mucilaginous matter obtained by boiling carraigan moss; vegetable jelly.

**Car'ron Oil**. The *Liniacatus aque calcis*, or *Liniamentum calcis* (whites see).

**Car'rot**. A succulent root of the genus *Daucus*.

**Car'thamis**. A brilliant red or rouge coloring matter, obtained from safflower.

**Car'thamus**. A genus of plants of the order Compositae.

**Carthamus Tinctorius**. The systematic name of the saffron flower or bastard saffron. The seeds are cathartic, emetic, and diuretic. The flowers are used for dyeing, under the name of safflower.

**Cartilage** (*cartilago*). A white, hard, and elastic part of the body, which in the fetus serves as a substitute for bone, but in the adult is found only in the joints and at the extremity of the ribs. It is one of the three groups of connective tissues of the body, and is made up of cells imbedded in a matrix, which yields, on boiling, chondrin, the basament substance. The principal function of cartilage in the higher vertebrates is its physical property of elasticity.

**Cartilages, Artic'ular**. Cartilages which surround surfaces that are in contact with one another.

**Cartilages, Intercartilag**. Cartilages situated within the joints.

**Cartilages of Ossification**. The *temporary cartilages* of the fetus, which are turned to bone.

**Cartilagin'ous** (*cartilagineus*). Partaking of the nature of or resembling cartilage.

**Cartilago Annula'ria**. The ring-like or annular cartilage.

**Cartilage Arytenoidea**. Two cartilages of the larynx.

**Cartilage Cricoides**. The cricoid cartilage. A cartilage of the larynx, situated between the thyroid and arytenoid cartilages.

**Cartilage Emiformis**. The ossiform cartilage, attached to the lowest part of the sternum.

**Car'veum**. Non-oxygenated oil of caraway, obtained by distilling the crude oil with hydrous of potash.

**Car'veum** (*carveum*; from *Caris*, a province in Asia). Caraway. A genus of plants of the order Umbelliferae.

**Carum Carui**. The caraway plant. The seeds have a warm, aromatic, and spicy taste. They are used as a carminative and stomachic. Dose, gr. aa to gr. al.

**Car'uncle** (*caruncula*; diminutive of *corn* fish). A small fleshy excrescence or abnormal growth.

**Carun'cula**. Caruncle.

**Caruncula Lachrymalis**. A small, red, glandular body at the inner angle of each eye.

**Carun'cula Cuticula'ra**. Nymphae.

**Caruncula Myrtilor'ma**. Several small reddish tubercles near the orifice of the vagina, supposed to be the remains of the hymen.

**Caruncula Papilla'ra**. The papillae within the pelvis of the kidneys.

**Car'us** (*carus*; from *carus*, the dear), as being the part affected. Intendibility and sleep. *Cuma*; torpor.

**Carus Apoplex'ia**. Apoplexy.

**Carus Asphyx'ia**. Asphyxia.

**Carus Catalepsia**. Catalepsy.

**Carva'crol**. A product of the essential oil of caraway, obtained by treating this oil with iodine and washing the product with potash. Carvacrol is also found among the products of the action of iodine on camphor. When pure it is a colorless, viscid oil, lighter than water, in which it is nearly insoluble. The odor is somewhat like that of creosote, and the taste is persistent, strong, and acrid. It is a mild antiseptic, carminative, sedative, disinfectant, and escharotic. In *Dental Practice* it is employed as a substitute for creosote, carbolic acid, and glycerole of thymol in substituting sensitive dentine, ulcers, abscesses, and as an antiseptic in pulp canals. In the form of a gargle it is applied to inflamed mucous membrane. It is very effective in relieving the pain arising from an inflamed and exposed dental pulp, and it is thought to be less irritating than creosote. It has also been employed successfully to lessen the pain produced by friction in the use of the dental engine. For other dental uses see Gargle. "Dental Medicine."

**Carving of Teeth**. See BLACK TEETH, CARVING OF.

**Caryophyl'lic Acid**. Eugenic acid. Heavy oil of cloves.

**Caryophyl'lin**. A substance extracted from cloves by alcohol.

**Caryophyllina.** A genus of plants of the order Myrtaceae. Also the clove, or unexpanded flower buds of the *Caryophyllus aromaticus*. Dose, gr. v to gr. x.

**Caryophyllus Aromaticus.** The clove tree.

**Caryopala.** The fruit of *Cratinus*, as of wheat, oats, rye, etc.

**Cascarilla Cortex.** The bark of the *Croton eleutheria* and some of the other species. It is in quills; has an agreeable smell, and a slightly bitter taste, with considerable aromatic warmth. It is aromatic, tonic, and febrifuge. Dose, gr. xx to gr. xxx.

**Casation** (from *caseus*, cheese). The precipitation of casein during the coagulation of milk. Also a fatty degeneration of pus.

**Caseic Acid.** Acid extracted from cheese.

**Casein** (*caseine*; *caseum*; from *caseus*, cheese). A derived albumen. A protean compound, the only nitrogenous constituent of milk. It is obtained by precipitating milk with dilute sulphuric acid, dissolving the precipitate in a solution of carbonate of soda, reprecipitating with acetic acid, and washing out the fat and extractive with alcohol and ether. When dry it is a pale yellow mass, slightly soluble in water, but very readily so in an alkaline solution.

**Caseous.** Cheesy.

**Case's (Dr. C. K.) Appliance for Overbite.** A simple, black rubber plate that covers the roof of the mouth, with a thickened portion in front to receive the thrusts of the six lower anterior teeth, with outward clasps around the cusps to prevent the plate from moving. The prominence of the upper incisors is reduced at the same time by a labial metallic bar.

**Cashew.** *Catechu*.

**Cassia.** *Thorax*.

**Cassa'va.** A fecula separated from the juice of the root of *Jacquin mandibol* and exposed to heat. The same substance, differently prepared and granulated, constitutes *topioca*.

**Casserian (Goussier) Ganglion.** The ganglion of the fifth nerve, from which proceed the ophthalmic, the superior and inferior maxillary nerves.

**Cassia.** A genus of plants of the order Leguminosae. Also the cassia bark.

**Cassia Caryophyllata.** The clove bark tree. See MYRTES CARYOPHYLLATA.

**Cassia Chamæcristata.** A small prostrate shrub, common in the United States, resembling *Cassia marilandica* in its medicinal properties.

**Cassia Fistula.** The purging cassia; the fruit of the *Cassia fistula*. The pulp of the pods of this tree is generally laxative. Dose,  $\frac{\text{ss}}$  to  $\frac{\text{ss}}$  as a purge.

**Cassia Marilandica.** American senna. A native cassia, resembling the foreign in its medicinal qualities, but less active.

**Cassia Oil.** The oil of cinnamon procured from cassia buds.

**Cassia Senna.** One of the plants which produce senna.

**Cassia Fistula Pulp.** The pulp of purging cassia.

**Cassius' Precipitate.** A purple powder used as a coloring ingredient in gum enamel for porcelain teeth. It is commonly called *purple powder*, and the following is Thénard's method of preparing it:

"Make an *aqueo regis* of one part of muriatic or chlorohydric acid and two parts of nitric, to dissolve the gold. When it is dissolved, dilute it with water and filter it, then make it very dilute by the addition of a large quantity of water; make also an *aqueo regis*, to dissolve the tin, of one part of nitric acid and two parts of pure water, in which is to be added 120 grains of muriate of soda, or common salt, to each pint of the dilute acid. The tin should be very pure, and must be added to the acid a small piece at a time. When the first piece is dissolved add a second, and so on until the acid is saturated. The solution should be of a yellow color, and the operation carried on very slowly, and in a cool place. When it is finished filter the liquid and dilute it by the addition of about one hundred times its volume of water.

"Now place the dilute solution of gold in a glass vessel, and add the solution of tin, drop by drop, stirring with a glass rod incessantly, until the liquid takes the color of Port wine, suffer it to stand, and large flocks of the purple will fall to the bottom of the vessel; decant the solution, wash and dry the precipitate, which will be of the most splendid purple color."

**Cassonade.** Raw sugar; the crystallized and dried portion of sugar.

**Cassoumaria.** A bitter aromatic root, brought in irregular slices from the East Indies.

**Cast Metal Dentures.** Methods by which molten metal is poured into a mould containing the teeth and of such a form as to represent an accurate impression of the mouth. This is the

**Chief component** of the alloys thus melted and poured, and the mould or investment is of a material (equal parts of sand and plaster, plaster and asbestos, plaster and marble dust, chalk, or whiting) which will not change shape in drying or heating, and will not crack. Several of these alloys are proprietary,—such as Watt's, Weston's, Wood's, Moffitt's,—and their composition is unknown to the profession; but the following formulas have been made public: **Ross's alloy**: tin, 20 parts; gold, 1 part; silver, 3 parts. **Kingsley's**: tin, 16 ounces; bluish, 1 ounce. **Isaie's**: tin, 65 parts; silver, 5 parts. **Carroll's** is an alloy of aluminum and other metals according to the following formula: **Bass No. 1**, aluminum, 90 per cent; platinum, silver, copper, 2 per cent.; specific gravity, 2.8; fusing-point, 1300° F. This is for superior dentures and is cast under pressure. **No. 2** is for lower denture and is cast without pressure: Aluminum, tin, copper, and silver; specific gravity, 7.5; fusing-point, 700° F. Porcelain teeth can also be attached to cast plates by vulcanite or celluloid.

**Cacte'nea**. A genus of trees and shrubs of the order Cupulifera. The chestnut.

**Castile Soap**. Hard, olive-oil soda soap.

**Cast'ing**. In  *dental Mechanics*, running fused lead, tin, aluminum, or brass into a mould made in sand with a plaster transfer of any portion, or the whole, of the alveolar border, and as many of the teeth as may be remaining in it and the palatine arch when it becomes necessary to adapt a plate to it. The castings employed in mechanical dentistry are sometimes made by pouring fused metal directly upon the plaster model, and afterward into the mould thus formed. See Harris' "J'n. and Prac. of Dentistry."

**Castor**. A peculiar concrete substance, having a strong and unpleasant odor.

**Castor Oil** (*oleum ricini*). The oil obtained from the seeds of the *Ricinus communis*. Purgative. Dose, ℥ss to ℥jss.

**Castra'tion** (*castration*). The operation for the removal of the testicles.

**Castrum'ale**. Camp fever.

**Cata**. After. Used in reference to time.

**Catab'asis** (from *καταβαίνω*, to descend). An eruption of humors downward. Also a descent, as of the testicle.

**Catab'olism**. The process by which protoplasm is split up into successively simpler and more degenerate forms, and ultimately into waste products.

**Catacau'sma** (from *κατακαύω*, to burn). A burn or scald.

**Catacau'sis** (from *κατακαύω*, to burn). Combustion.

**Catacausis Ebrio'su** (from *κατακαύω*, to burn, and *εβρίω*, full of strong liquor). General combustibility of the body.

**Catac'tasis** (from *κατακτάω*, to break or distort). Distorted eyelids.

**Cataclais'** (from *κατα*, beneath, *κλαίω*, the clavicle). The first rib beneath the clavicle. Also applied to the acromion and the connection of the sternum with the ribs.

**Cataclysmus** (*catadipsia*; from *κατακλύω*, to submerge, inundate). A clyster. Also applied to a shower-bath and ablation.

**Catag'ma** (from *κατα*, beneath, and *αγω*, to break). A fracture.

**Catagmat'ica** (from *καταγιω*, a fracture). Remedies supposed to promote the formation of callus.

**Cat'alepsy** (*catadipsia*; from *κατακλύω*, to wine, to lodge). A disease characterized by sudden suspension of motion and sensation, the limbs and trunk remaining in any position in which they may be placed.

**Catalot'ic**. To break, or grind down.

**Catal'yasis** (from *καταλύω*, to dissolve). A force or power which decomposes a compound body by mere contact; decomposition by the catalytic force or the action of pressure.

**Catalyt'ic**. Relating to catalysis. Sometimes applied to medicines supposed to destroy a morbid agency in the blood.

**Catalytic Force**. That modification of the force of chemical affinity which determines catalysis.

**Catamane'sis** (from *καταμανεωμαι*, to manducate). Grinding of the teeth and biting of the tongue, as is often the case in convulsions and epilepsy.

**Catame'nia**. The menses, or monthly discharge from the uterus of females between the ages of fourteen and fifteen and forty-five.

**Cataplas'ma** (from *καταπλάω*, a sprinkle). A dry compound medicine powdered, to be sprinkled on ulcers.

**Catapnon'ica**. Reflection of sound.

**Cataph'ora** (from *καταφω*, to make sleepy). A term applied by some to a disposition to sleep, and by others to profound sleep.

**Cataphore'sis**. The act of inducing the absorption of medicines, such as local anesthetics, through the tissues by a process of currents set up by means of an alternating galvanic current.

**Cataphoric** (from *κατα*, and *φωσφω*, to carry). Relating to the transference of currents through membranous septa in the direction of a galvanic current. Treatment by cataphoresis. Relating to cataphoresis.

**Cataphracta** (from *καταφρασσα*, I fortify). A bandage for the thorax and shoulders.

**Cataplasm** (*cataplasma*; from *καταπλασσω*, to spread like a plaster). A poultice or plaster. **Cataplasm Alumina**. An alum plaster. **Cataplasm Coni'l.** A henlock poultice. **Cataplasm Dau'cl.** A carrot poultice. **Cataplasm Fermen'tl.** A yeast poultice. **Cataplasm Lini.** A linseed poultice. **Cataplasm Sivepla.** A mustard plaster.

**Cataplex'is** (from *κατα*, and *πλεσσω*, to strike). Sudden deprivation of sensation or power in any of the organs or members of the body.

**Catapyx'is** (from *καταπύξω*, I refrigerate). Coldness of the body without shivering.

**Catapto'is** (from *καταπτω*, to fall down). The action of suddenly falling, as in apoplexy.

**Cat'aract** (*cataracta*; from *καταρρασσα*, to run down or distill). A cataract. Loss of sight, caused by opacity of the crystalline lens or its capsule, which prevents the rays of light from passing to the optic nerve.

Cataract is divided into *true* and *false*—the former when the disease is seated in the lens or capsule, and the latter when consisting of a deposition of matter between the capsule and lens. It is also distinguished into *idiopathic* and *acquired*, and into *hard*, *membranous*, and *milk*, according to its consistence; also into *white*, *brown*, *gray*, *yellow*, *black*, *pearly*, and *green*, according to its color. It may also be *simple* or *complicated* with *glaucoma*, *aniridia*, *adhesion*, or *opake* on the cornea. Mr. J. Hutchinson ascribes imperfect teeth in connection with the lamellar or scissorial form of cataract occurring in childhood.

**Catarrh'** (*catarrhus*, from *καταρρηνω*, I flow down). Increased secretion and discharge of fluid from the mucous membrane of the nose, throat, and bronchia, accompanied with fever, cough, sneezing, loss of appetite, and lassitude. It sometimes assumes an epidemic form, prevailing very generally throughout a whole country. Coryza is catarrh of the mucous membrane of the nasal passages and adjacent sinuses—cold in the head.

Catarrh, Nasal. Coryza.

**Catar'rhial**. Relating to catarrh.

**Catart'ism** (from *καταρτιζω*, to repair,

replace). Operation of a fractured or lacerated bone.

**Catastat'ic** (from *καταστατω*, to restrain). Medicines that check evacuations, as astringents and styptics.

**Cat'as'tas** (from *κατασταω*, I establish). The state, condition, or constitution of anything.

**Cat'echu**. The various extracts from the wood of the *Amra catechu*. It is a powerful astringent, of a reddish-brown color, inodorous, and possessing a bitter, astringent taste. It is readily soluble in water, and yields its virtues to alcohol in the form of tincture. Its active principles are tannic acid and catechuic acid. Very efficient as a local styptic, and is indicated in the treatment of diseases of the gums, etc. Dose as an astringent, gr. x to gr. xxx.

**Catechu Tannin**. Catechu tannic acid. A tannin obtained from catechu. It is a yellow, amorphous mass, soluble in water, alcohol, and ether. It gives a grayish-green precipitate with salts of the peroxide of iron, and none at all with tartrate of antimony and potash.

**Catechu'ic Acid** (*catechina*). An acid obtained from catechu. It somewhat resembles gallic acid, and gives a bluish-lilac color to peroxide of iron.

**Cateclad'ion** (from *κατα*, and *ειω*, a blade of grass). A long instrument thrust into the nostrils to excite hemorrhage.

**Cath'arsis**. Evacuation.

**Cathart'ic** (*catharticus*; from *καθαρω*, to remove). Corrosive or caustic substances used for the destruction of exuberant granulations, warts, etc.

**Cathar'ma** (from *καθαρω*, to remove). Matters purged from the body, whether caused by purgatives or otherwise.

**Cathar'mus** (from *καθαρω*, to remove). Purgation. Applied also to the cure of disease by purgative.

**Cathar'sis** (from *καθαρω*, to take away, to purge). Natural or artificial purgation by any of the purgatives.

**Cathart'ic** (*catharticus*; from *καθαρω*, to purge). A medicine which, when taken internally, increases the number of alvine evacuations. The medicines belonging to this class are numerous.

**Cathart'ism**. The active principle of emma.

**Cathart'ica**. Mild emetics or cathartics.

**Cath'eter** (*catheter*; from *καθαω*, to thrust into). A hollow tube to be introduced into the urinary bladder to draw off the water; made of silver or elastic gum.

**Catheter, Eustachian.** A catheter for opening obstructions in the Eustachian tube.

**Catheter, Nasal.** An instrument for catheterizing the nasal duct.

**Catheter'ism** (from *catheter*, a catheter). The introduction of a catheter into the bladder.

**Cath'ode** (*cathode*; from *cata*, and *odos*, a way; the downward way). A term invented by Faraday, in his galvanic nomenclature, to indicate the negative pole of the battery; also the electrode of a galvanic battery.

**Cathod'ic.** An epithet applied by Dr. Marshall Hall to the downward course of nervous action.

**Cathol'icon** (from *cata*, and *olikos*, universal). A universal medicine or remedy supposed to be capable of curing diseases.

**Cat'il'ia.** A nine-ounce weight.

**Cat'ion** (from *cata*, and *ion*, that which goes). A term used by Faraday to illustrate the phenomena of a substance undergoing galvanic decomposition which appear at the *cathode*. Those appearing at the *anode* are called *anions*. The electro-positive element. In *Electrolysis* that one of the two electrolytes which accumulates at the negative pole (cathode) of the battery.

**Cat'lin.** A long, sharp-pointed, chisel-edged knife used chiefly for dividing the interosseous ligaments in amputations of the forearm and leg.

**Cat'ochus** (from *cata*, to drain). A squamous disease in which the body is held in an upright position; a species of catalepsy.

**Catop'tric Examination of the Eye.** A means of diagnosis in cataract, founded on the phenomena of reflected light. Thus, when a lighted candle is held before the eye, if the cornea and the crystalline lens and its capsule are transparent, three images will be seen: the first from the cornea, and the other two from the anterior and posterior surfaces of the crystalline lens, but opacity of any of these surfaces will destroy their reflecting property.

**Cat'ion** (*catation*; from *cata*, below). Disease which affects internal surfaces and produce a morbid condition of the fluids.

**Cat's Eye.** A variety of chalcedony or quartz, so called from the resemblance of the opalescent reflections from within to those observed in the eye of a cat.

**Caer'da Spinal's.** The spinal marrow, at its termination about the second lumbar vertebra, given off a large number of nerves, which,

when unraveled, resemble a horse's tail, and hence the name.

**Caud'ate** (from *cauda*, a tail). Having or resembling a tail.

**Caud.** The osmentum.

**Caul'e'don** (from *caudex*, a stalk). A transverse fracture.

**Caul'iflower Excrescence** (*carcinoma squibitica*). An excrescence which occurs in syphilitic diseases, chiefly about the anus and vulva.

**Cau'ma** (*causa*, heat, and *ma*, to burn). The heat of the body in fever; burning heat.

**Cause.** That which produces an effect. An act preceding another and in which the former is necessary to the latter.

**Cau'sis** (from *causa*, to burn). To burn. Act of combustion.

**Causo'ma** (from *causa*, to burn). Great heat. Inflammation.

**Caus'tic** (*causticus*; from *causa*, to burn). A substance which, when applied to the body, produces a burning sensation, and disorganizes animal substances by destroying their texture.

**Caustic Alkali.** Pure alkali.

**Caustic Holder, Colburn's.** An instrument intended to prevent fluid caustic, such as creosote or fluid nitrate of silver, from running down and centering the lips when being applied to the gums. It is constructed of a piece of wire two inches long, inserted in a handle, and over the wire is a glass tube one inch long. The tube slides over part of the handle to keep it firm, and a small cork, half-way up the tube, keeps the wire in the centre of it. When the caustic is taken up on a small piece of cotton, if any should run down, it is caught in the tube and prevented from touching the lips.

**Caustic, Lunar.** Nitrate of silver.

**Caustic Soda** (*soda caustica*). Protoxide of sodium. The impure sulphate, treated with quicklime and consequently deprived of its carbonic acid. It may be employed as a caustic, and is by some preferred to the potassa fusa, as it does not deliquesce and run. It is also used for purifying nitrous oxide gas.

**Caustic Volatile Alkali.** Amonia.

**Caus'ticum.** A caustic.

**Caus'ma.** A name applied by Hippocrates to an ardent fever, from its extreme heat; supposed to be a variety of bilious intermittent.

**Cauteriza'tion.** The act of cauterizing.

**Cau'tery** (*cauterium*; from *causa*, to burn). An instrument used for burning or disorgan-

izing the part to which it is applied. Formerly, cauteries were divided into *actual*, the hot iron, and *potential*, which consists of some anachrotic; but is now restricted to the first, or hot iron. Potential was then applied to *kali purum*, or potassa, but this term is now used synonymously with caustic. Electricity furnishes the electric cautery. The gas cautery is produced by instruments heated by ordinary burning gas.

**Cautery, Actual.** The application of the white-hot iron.

**Cautery, Button.** Iron heated in hot water.

**Cautery, Dento-alactic.** Consists of a looped wire, held by set-screws, in contact with metal conductors which pass through a hard rubber handle. The battery wires are coupled to two terminals. This appliance is held in the hand like a pencil in writing, and the current is closed by pressing a spring with the fore-finger, when the resistance of the loop of wire causes it to become heated. It is employed for stimulating sensitive dentine.

**Cautery, Galvanic.** The use of a platinum wire heated by electricity.

**Cautery, Gas.** The direction of a stream of burning gas on a part.

**Cautery, Potential or Virtual.** The application of caustic substances.

**Cautery, Thermo-.** Biquellin's cautery. A hollow platinum point kept at a uniform temperature by a current of benzene vapor.

**Cæva, Væna.** A name given to the two great veins of the body which meet at the right auricle of the heart.

**Cavernæ** (from *cavus*, hollow). A cavern; an utricle. Applied to the female organs of generation.

**Cavernous** (*cavernosus*). Filled with small caverns or cavities.

**Cavernous Sinus.** A sinus on the base of the cranium.

**Cavitas Pulvis.** The pulp cavity of a tooth. See DENTAL CAVITY.

**Cavity** (*cavitas*; from *cavus*, hollow). Any hollow.

**Cavity Plate.** A term applied in *Mechanical Dentistry* to a metallic base for artificial teeth, so constructed as to have one or more vacant spaces between it and the gums, which, when applied, and the air exhausted, contributes very greatly to the firmness of its adhesion. See Harris' "Prin. and Pract. of Dentistry."

**Cævaus Dentiæ.** See DENTAL CAVITY.

**Cavum Nasalum.** The nares.

**Cavum O'ria.** The mouth.

**Cæva.** A hollow; a cavity.

**Cawk.** A name for sulphate of barytes or heavy spar.

**Cayenne Pepper.** The ground seeds of *Capicum anuum*. Guinea pepper. See CAPSICUM.

**C. C.** Abbreviation for cathodal closure in electro-therapeutics.

**C.C.C.** Abbreviation for cathodal closure, contraction.

**C. C'. C'.** Abbreviation for various degrees of contraction in electro-therapeutics.

**Cæva'ma** (from *cavus*, in split or divide). A fissure.

**Cebadilla.** The seeds of the *Asclepias officinalis*, a plant of the order Melanthaceæ. See VERATRIA.

**Cæcal.** Belonging to the cæcum. See CÆCUM.

**Cæcum.** See CÆCUM.

**Ced'ma.** Anæsthesia. Varix; also rhincho rheumatism of hip-joint.

**Ced'mata** (*cedmata*). Pains in the joints, particularly those of the hips.

**Cedrele'um** (from *cedrus*, the cedar, and *oleum*, oil). The oil of cedar.

**Ced'rem.** The liquid portion of juniper oil.

**Ced'ret'.** A substance, crystallizing in red needles, obtained from the rosinous oil of the tur of leech-wood, by treating it with caustic potash and distilling.

**Ced'rimum.** Tur.

**Ced'ret'.** The solid portion of juniper oil.

**Cel'andine.** See CHELIDONIUM.

**Cel'e'as** (from *celo*, a tumor; a swelling). A tumor caused by the protrusion of a soft part, and hence the compound terms, *epididymic*, *subscrotal*, etc.

**Cel'ery.** The cultivated species of *Apium*. See APIUM GRAVEOLENS.

**Cel'la.** Cerebrum.

**Cell** (*cella*). A cavity or chamber. A minute cavity in the tissues, devoted to purposes of nutrition, growth, development, or secretion. A mature cell consists of a protoplasm and nucleus. The nucleus is the part first formed from the germinal matter, and of various shapes, as round, oval, rod like, or irregular. It encloses central points known as "nucleoli." The cell body or protoplasm is the formed material which surrounds the nucleus. The existence of a cell-wall is denied, as there is no abrupt demarcation between the

cell body and its outer edge, the one passing gradually into the other.

Cells derive their nourishment from the protoplasmic substance which circulates in the intercellular space.

**Cell Body.** The mass of a cell consisting of two substances, mitons or cytomitons, and peromitons. The nucleus is composed of karyomitons, or nuclear network, called chromatin, the substance in the meshes of chromatin called schromatin; and the nuclear membrane of two layers. The nuclei are composed of more refractile matter.

**Cell, Calciferous.** See CALCIFEROUS CELLS.

**Cell, Epidermic or Epithelial.** The cells which cover the free membranous surface of the body, and which form the epidermis and epithelium. They are developed from germs furnished by the adjacent membrane.

**Cell Formation.** Cytogeny. The continuous development of cells in tissue formation; called by Virchow "proliferation of cells." See CYTOGENY.

**Cell, Germinal.** See CYTOGENY.

**Cell Growth.** Growth by the agency of cells.

**Cell Life.** The life which is possessed by the separate cells that form the tissues, and by which the nutrition of the tissues is thought to be perfected.

**Cell, Nucleated.** See CYTOGENY.

**Cell, Pigment.** Cells in various parts of the body, secreting pigment. Pigment cells are mingled with the epidermic cells and are most manifest in the colored races. They are best seen on the inner surface of the choroid of the eye, where they form the pigmentum nigrum.

**Cell Territory.** According to Virchow the district of intercellular substance which is ruled over by the cell that lies in the middle of it, and exercises influence on the neighboring parts.

**Cell's. Hernia.**

**Cell's (cellules).** Resembling a cell or cells.

**Cells, Bronchial.** The air-cells of the lungs, in which the finest ramifications of each lobular bronchial tube terminate.

**Cells, Mastoid.** The irregular cavities in the substance of the mastoid process of the temporal bone.

**Cellular (cellularis).** Composed of cells or cells.

**Cellular Membrane (membrana cellularis).**

**Cellular tissue.** It contains irregular areolae

—not cells, and is more properly called areolar tissue—between the fibres, as well as serum, fat, and the adipose tissue. See ANIMAL TISSUE.

**Cellular System.** The whole of the cellular tissue of the body.

**Cellular Tissue.** The areolar tissue. See CELLULAR MEMBRANE, AND ANIMAL TISSUE.

**Cellular Tissue of Bones.** See CANCER.

**Cellule (cellule);** diminutive of *celle*, a cell). A small cell.

**Cellulitis** (diminutive of *celle*, and *itis*, inflammation). A diffuse inflammation of the cellular tissue, caused by a wound or the presence of septic matter.

**Celluloid** (from *cellulose*, the fundamental material in the structure of plants, and *oid*, like). A plastic base for artificial teeth, known under various names in different stages of its development in use as "rose pearl," "pyroxylin," "celluloid," etc. Cellulose may be obtained from any plant, but is most conveniently prepared free from lignite and other associated substances by the treatment of cotton fibre, or preferably flax, with nitro-sulphuric acid, converting the fibre into an explosive substance known as gun-cotton, which is soluble in a mixture of sulphuric ether and alcohol, and also in camphor. The former method was the first practised, producing an article known as "cellulose," the volatile fluids being afterward evaporated, leaving the celluloid a firm but somewhat plastic substance, of the color and almost the consistency of horn, capable of being moulded by pressure between cast-iron dies. The difficulties in the way of managing the material by this method (to which much credit is due Dr. A. J. McClelland, for its patient evinced), and the subsequent warping of the plates, in many cases, by the evaporation of the remaining solvent, led to its abandonment and the substitution of camphor, an equally perfect solvent, the bulk of which remained in the plate permanently. Celluloid plates are prepared under patents, and are manufactured in various shapes and sizes, and of a very natural gum color, the transparency and beauty of which are nearly, if not quite, equal to porcelain, and are made use of by the dental mechanic alone in combination with plain or gum teeth, though the former are mostly used as less liable to fracture, the pressure upon the teeth and plaster investment being much greater than in vulcanite work.

Any vulcanite teeth will answer for celluloid, though many prefer teeth made especially for this style of work—teeth resembling in shape those employed for continuous gum. The case is waxed up and invested as for vulcanite, a larger and stronger flask being used; only the best quality of plaster is admissible. Vents are cut for the surplus, and the case being thus prepared, it is ready for the shaping of the plate. Celluloid is rendered sufficiently plastic to mould into shape by exposure to a temperature of from 270° to 300° F.; above this last degree of heat it takes fire, and is rapidly consumed with copious flames and smoke, and the evolution of sulphur. A variety of apparatus is in use, for which different patents have been obtained, the general preference being for those in which dry heat is used, although oil, glycerine, and water (super-heated) are also employed. The advantage claimed for the dry process is that it allows the welding together of any imperfections, celluloid possessing this welding property to a considerable degree. The flask is closed slowly, as time must be allowed for the material to soften, as it does this slowly, and the temperature should be watched very closely. The plate will now be found to have perfectly conformed itself to the varying inequalities of the plaster mould, copying the finest outlines with minute fidelity. The flask, being perfectly closed, its contents must remain under pressure until cold; otherwise the plate will be warped. Celluloid is finished as is vulcanite; but if pulp is taken in finishing the wax plate, and in the formation of the plaster or metallic matrix, the gum portion can be moulded as so to require no finishing, the slight roughness of the plaster giving it a finish which is more natural in appearance than a fine polish. Celluloid can be repaired by investing the broken parts, scraping the surface to be united clean, and coating it with a thinfilm of sulphur, and also the pieces used in repairing, and heating and pressing as usual. It does not appear to lose its plasticity or to be injured by reheating. Its disadvantages are: The color fades in many cases to a dingy white; there is some liability to subsequent change in shape (warping), and at least, in partial cases, the teeth are held less strongly by the material, though the latter itself is quite tough, exceeding, in this respect, rubber. What appears to be specially wanted to perfect this exceedingly beautiful and desirable base is some solvent of cellulose which is

not volatile, and a more durable color. Possessing these qualities, it will become a valuable and unequaled base for artificial teeth. What is termed "new-made continuous gum" consists in vulcanizing a rubber denture and filling up the gum portion on the outer face of the alveolar arch about the bases of the teeth, and as high as the edge of the rim, with celluloid or zylolite. Celluloid is also employed for attaching teeth to a metal plate. See ZYLOLITE.

**Celluloid Heater.** A substitute even for packing while heating celluloid plates.

**Celluloid Steam Apparatus.** An apparatus for moulding celluloid plates in which steam, instead of oil, is used for the heating medium.

**Cellulose.** The fundamental substance of which vegetable tissue is composed, left after all products of secretion are dissolved out. Its formula is  $C_{12}H_{22}O_{10}$ . It is like starch. See CELLULOSE.

**Celotomy** is from *celo*, a hernia, and *tomia*, to cut. The operation of ligating for the cure of hernia.

**Celotomus.** A hernia knife.

**Cel'ia.** Nettle tree; branches are astringent.

**Cement'.** The name of substances employed by chemists for uniting substances. It has also been applied to amalgam, an alloy used for filling teeth. See AMALGAM.

**Cement, Quill's.** A preparation for filling teeth, similar to oxychloride of zinc.

**Cement Organ.** The dental sacculus. See TEETH, DEVELOPMENT OF.

**Cement, Plumb.** A German cement for filling teeth, similar to oxychloride of zinc.

**Cementation.** A chemical process which consists in surrounding a solid body with the powder of other substances, and exposing the whole to a red heat in a closed vessel for a length of time. It is in this way that iron is converted into steel. It is also a process adopted in some of the metals for refining gold. See GOLD, REFINING OF.

**Cements'rium.** A crucible.

**Cementification.** The formation of the cementum covering the roots of the teeth. It is analogous to the subperiosteal formation of the cortical substance of long bones.

**Cementoblasts.** The cells which form the cementum of the roots of teeth. They are analogous to osteoblasts or bone-forming cells.

**Cementum.** One of the substances or parts of a tooth. It covers the root, and is



thickest at the extremity of the root, and becomes gradually thinner as it approaches the neck of the tooth. It is confined to the roots, and, resembling ordinary bone, consists of a substance base combined with calcareous salts, and traversed by vascular canals. It is, therefore, regarded as a modification of bone, containing lacunae and canaliculi. See TEETH, DEVELOPMENT OF. Cementum also joins together the plates of compound teeth, like those of the elephant, and fills up the ravines and folds in the teeth of ruminants. It is of a cellular and vascular texture.

According to Professor Owen, cementum "always closely corresponds in texture with the osseous tissue of the same animal, and wherever it occurs of sufficient thickness, as upon the teeth of the horse, cloth, or ruminants, it is also traversed, like bone, by vascular canals. In reptiles and mammals, in which the animal basis of the bones of the skeleton is excavated by minute radiated cells, forming with their contents the 'corpuscles of Purkinje,' these are likewise present, of similar size and form in the 'cement,' and are its chief characteristic as a constituent of the tooth. The hardening material of the cement is partly segregated and combined with the periphery of the radiated cells and canals, and is partly contained in aggregated grains in the cells, which are thus rendered opaque."

With regard to the manner of the formation of the cementum, which is the last to appear of the dental tissues, it is supposed to originate from the periosteum, which, if fully formed, consists of an outer and inner layer, both highly vascular. The outer wall becomes the periodontal membrane, while the inner wall in the vicinity of the roots presents osteoblasts which calcify into cementum, as in the formation of ordinary bone.

**Ceocægal's** (from *cece*, empty, and *agalos*, a vessel). Deficiency of blood in the vessels.

**Ceocæstæsis** (from *cece*, empty, and *stasis*, to enter). Paracæstæsis; also the act of probing a cavity.

**Ceocænos**. The flanks.

**Ceocæsis** (from *cece*, empty). General evacuation; also sometimes applied to inanition.

**Ceocæsis** (emotions; from *cece*, evacuation). Morbid or excessive discharges.

**Ceotrigade** (centum, a hundred, and *grades*, degrees). Having a hundred grades or degrees.

**Centigrade Thermometer**. A thermometer with zero as the freezing-point and 100° as the boiling-point of water. To reduce Centigrade to Fahrenheit registration, the following formula may be employed:  $\frac{9}{5} C. + 32 = F.$  See THERMOMETER.

**Centigramme** (*centigrammum*; from *centum*, a hundred, and *grammum*, gramme). The hundredth part of a gramme, which is equal to about the fifth part of a French grain, or gr. 0.1544 troy, or  $\frac{1}{10}$  of a grain troy.

**Centilitre**. The hundredth part of a litre, equal to about 2.7053 fluid drachms. Equal to 0.0102 of an English cubic inch.

**Centimetre** (*centimeter*). The hundredth part of a metre, which is about four lines, 0.3937 English inch, or about  $\frac{1}{2}$ .

**Centradialph'anes**. Cataract due to opacity of the centre of the crystalline lens.

**Cent'ral**. Toward the centre or median line.

**Cent're of Attraction**. Centre of gravitation. The point to which bodies tend as a consequence of gravitation.

**Cent'res, Ner'vous**. The organs, as the brain and spinal marrow, from whence the nerves originate.

**Centrifugal**. Proceeding from the centre.

**Centrifugal Nerves**. Mostly motor nerves conveying impulses toward the peripheral portion of the body.

**Centrip'etal** (from *centrum*, the centre, and *peto*, to move toward). Approaching the centre. In *Dufay*, an infusorevire in which the marginal filices were first, and the central last.

**Centrostal'tic**. The action of the *ele nerve* in the spinal centre.

**Cent'rum** (from *cece*, to prick). The centre; the tubile point or place of anything.

**Centrum Commu'ne**. The solar plexus.

**Centrum Ova'le Ma'jus**. The large, white, medullary mass, surrounded by cortical substance, seen in each hemisphere of the brain when divided to a level with the corpus callosum.

**Centrum Ova'le Mi'nus**. The white, centred mass, surrounded by a stratum of gray, seen in each hemisphere of the brain when a horizontal section is made about half an inch above the corpus callosum.

**Centrum Tendinosum**. Centre of the diaphragm.

**Ce'ps** (from *cece*, a wool card, from the likeness of its roots). The callosa.

**Cephalæ'a** (from *κεφαλή*, the head). The fleshy covering of the skull; also headache.

**Cephalæmato'ma**. A bloody tumor under the scalp.

**Cephalæ'mia**. Accumulation of blood in the vessels of the brain.

**Cephalago'gia**. An instrument for drawing down the fetal head.

**Ceph'alagra**. Gout in the head.

**Cephalagra'phia** (from *κεφαλή*, the head, and *γραφω*, a description). Anatomical description of the head.

**Cephalai'gia** (*cephalæ*: from *κεφαλή*, the head, and *αἴμα*, pain). Headache.

**Cephalar'tica**. Cephalic remedies.

**Cephalato'mia**. Anotomy; dissection or opening of the head.

**Ceph'ale** (*κεφαλή*). The head.

**Ceph'al'ic** (*κεφαλή*). The head. Pertaining to the head.

**Cephalic Ramadica**. Medicines or remedies used for the cure of diseases of the head.

**Cephalic Veins** (*vena cephalica*). The anterior or external vein of the arm is so called, because taking blood from this vein was supposed to afford relief in affections of the head.

**Cephali'tis**. Phrenitis, or inflammation of the brain.

**Cephalodym'ia**. A class of double monstrosities, in which the heads are united.

**Cephalodym'ia**. Cephalalgia. Headache.

**Cephalogen'esia**. The doctrine of the formation of the brain.

**Cephalo'gia**. An anatomical treatise on the head.

**Cephalog'raphy**. A description of heads.

**Ceph'aloid**. Resembling the head.

**Cephalo'ma**. A medullary or encephaloid tumor.

**Cephalom'eter** (*cephalum* from: from *κεφαλή*, the head, and *μετρον*, a measure). An instrument for measuring the head.

**Cephalo'mosis** (*Fibris hæmorrhica*). From *κεφαλή*, the head, and *μωσις*, a disease. A disease which principally affects the head.

**Ceph'alo-pharynge'us** (from *κεφαλή*, the head, and *φαρυγξ*, the pharynx). Constrictor pharyngis superior, a muscle of the head and pharynx.

**Cephalopo'nia** (from *κεφαλή*, the head, and *πονη*, pain). Headache.

**Cephalosomatodym'ia**. A class of double monstrosities in which the union is between the heads and the trunks.

**Ceph'alo-spi'nal**. Belonging to the head

and spine, as the cephalo-spinal field, a fluid found beneath the arachnoid in both the head and spine.

**Ceph'alot** (*κεφαλή*, the head). A peculiar fat found in the brain, containing phosphorus and sulphur.

**Ceph'alotome** (*κεφαλή*, the head, and *τομο*, to cut). An instrument for cutting or breaking down the head of the fetus.

**Cephalot'omy**. Dissection of the head, also breaking down of fetal head.

**Cephalotrip'sy**. The operation of crushing the fetal head.

**Cephalotrype'ia** (*κεφαλή*, the head, and *τρύπω*, perforation). Trepanning.

**Cera**. Wax. Beeswax. A mixture of stearic acid, cerolin, and myricin. A solid concrete animal product, prepared by the bees, and extracted from their combs, after the removal of the honey. When first obtained from the comb it is called yellow wax, or *cera flava*, which is of a bright yellow color when fresh or recently extracted. When softened by the fire, or in warm weather, it is very malleable and tough, but it becomes brittle with age, and loses its fine yellow color. In *Dental Prosthetics* it is used for the procurement of impressions of the jaws, etc.; but when used for this purpose it should always be fresh.

By softening and reducing yellow wax into thin cakes, and exposing it for a long time to the sun and open air, it becomes white. This, when melted and poured into cakes, is termed virgin, or white, wax—*cera alba*. But most of the white wax sold in the shops is adulterated and brittle, and consequently not so good for taking impressions of the mouth as the yellow. The commercial impurities are lard and corn meal, which injure its properties.

**Cera Alba**. White wax.

**Cera Flava**. Yellow wax.

**Cera Vegetabilis**. Vegetable wax; natural wax.

**Cera'ceous** (*cera*, wax). Of the appearance or consistence of wax.

**Ce'raia**. A fatty matter obtained from white wax, not susceptible of saponification.

**Cerargy'rite**. Horn silver (which see).

**Ce'ra** (from *κερας*, horn). Horn. The white part only.

**Cera'sin**. One of the proximate principles of cherry gum; which is insoluble in cold water.

**Ceræ'us**. A genus of plants, instituted by Tournefort, of the order Drupaceæ.

**Ceræus, Laure-.** Cherry laurel, the leaves of which possess properties similar to those of hydrocyanic acid, and are employed for preparing cherry-laurel water.

**Ceræus Serotinus.** The wild-cherry tree, *Prunus virginiana*, the bark of which is a valuable medicinal agent.

**Cer'ute** (*ceratum*). A composition of wax and oil, or lard, with or without other ingredients, and of a consistence intermediate between that of ointments and plasters.

**Cer'ato** (from *κέρως*, horn). A term used as a prefix in composition in the names of numerous **See CERATO-GLOSSINE.**

**Cerastoc'le** (from *κέρως*, and *αὖξ*, tumor). Herds of the cornea, or protrusion of the membrane of the aqueous humor through an opening in the cornea.

**Cerato-glossine.** A muscle of the tongue. **See HYOGLOSSUS.**

**Cerato-hyoidæus.** The stylo hyoidæus muscle.

**Cerastoid'** (from *κέρως*, a horn, and *ειδής*, form). Resembling a horn.

**Ceratomyx'is.** Degradation of the crystalline lens by a needle introduced through the cornea.

**Ceratot'ome.** The name of a knife invented by Wenzel, for dividing the transparent cornea, in the operation of trichotom.

**Ceratot'omy** (*κέρως*, a horn, and *τομή*, to cut). Cutting the cornea.

**Cer'atum** (from *ceræ*, wax). A cerate composed of white wax and lard.

**Ceratum Calaminæ.** Cerate of calamine.

**Ceratum Canthar'idæ** (*ceratum lythæ*). Cerate of the blistering fly.

**Ceratum Cete'æol** (*ceratum spermaceti*; *ceratum album*). Spermaceti cerate.

**Ceratum Con'li.** Hemlock cerate.

**Ceratum Fism'bi Acetæ'is** (*argemone cerææ acedatæ*). Cerate of acetate of lead.

**Ceratum Fism'bi Carbonæ'is.** Cerate of carbamate of lead.

**Ceratum Fism'bi Compos'itum** (*ceratum lithargyri acetæi compositione*). Compound cerate of lead.

**Ceratum Resi'næ** (*ceratum resinæ flævæ*; *ceratum citrinum*). Resin cerate. **See BASTILLOUS.**

**Ceratum Sali'næ.** Savine cerate.

**Ceratum Sapo'is.** Soap cerate.

**Ceratum Sim'plex.** Simple cerate. It is prepared by melting together eight parts of lard and one of white wax, and stirring until

cool. Mild and emollient to inflamed surfaces.

**Ceræu'nion** (from *κέρωνες*, thunder, a thunderbolt). A meteoric stone.

**Ceræu'ria** (from *κέρως*, a tail). A family of infusorial animalcules, having an enlarged body with a slender, tail-like appendage, one of the most curious of which is found in salivary calculus. Indeed, M. Maull asserts that the tartar of the teeth consists of nothing more than a deposit of the skeletons of dead Infusoria, agglutinated together by dried mucus, very similar to certain corals, which, according to M. Ehrenberg, are composed almost wholly of fossil Infusoria.

If the theory of M. Maull were correct, tartar would be deposited upon all teeth alike. But this is not the fact. Some teeth, as the lower incisors and the outer surfaces of the molars of both jaws, and particularly the upper, are, by far, more liable to have it deposited on them than any of the other teeth. The Infusoria found in salivary calculi are doubtless generated in the mucous fluid of the mouth, which is always mixed more or less abundantly with this substance as it is deposited upon the teeth. It is in this way that their presence in the tartar of the teeth is to be accounted for.

**Cerch'nos** (*cerchænos*; from *κέρως*, to be lame). Wheeling.

**Cer'cis.** A sort of pestle. Also the mullus.

**Cerco'als** (from *κέρως*, a tail). A term applied in *Pathology* to elongation of the uterus; also to polypus of the uterus. The clitoris.

**Cer'rus** (from *ceræ*, wax). The cerumen aurium, or wax of the ear.

**Ceræu'lis** (from *Ceræ*, the goddess of harvest). Those species of Gramineæ, as wheat, corn, barley, and rye, from the seeds of which bread or any nutritious substance is made.

**Cerebell'itis.** Inflammation of the cerebellum.

**Cerebel'lum** (diminutive of *cerebrum*). The little brain, which is that portion of the ventral mass of the rarity of the cranium situated in the inferior part of the occipital fossæ, below the tentorium. It is divided by a septum into a right and left lobe, and, like the other part of the brain, is composed of cortical and medullary matter.

**Cer'ebrai** (*cerebralis*; from *cerebrum*, the brain). Pertaining to the brain. Similar to the brain.

**Cerebral Apophysis.** The pineal gland.

**Cerebral Arteries.** The arteries of the brain. There are three on each side, namely: The anterior, or *artery of the corpus callosum*; the middle, or *arteria Sylviana*, and the posterior, or *posterior and inferior*. The first two are furnished by the internal carotid, and the other by the vertebral.

**Cerebral Nerves.** The nerves which arise within the cranium.

**Cere'bric Acid.** A phosphoric acid found in the fatty matters of the brain and nervous system.

**Cerebrif'orm.** Eucyphaloid.

**Cere'brin or Cere'brine** (*cerebrase*, brain).

A reddish fatty substance found in the brain.

**Cerebri'tis.** Inflammation of the brain.

**Cerebro-spinal.** Pertaining to the whole of the cerebrum or brain and spinal structure.

**Cerebro-spinal Fluid.** The fluid found beneath the arachnoid membrane of the brain and within the sheath of the spinal marrow.

**Cerebro-spinal Meningi'tis.** A very fatal form of fever, attended with painful contractions of the muscles of the neck, retraction of the head, headache, vertigo, delirium, coma, pain in back, hyperæsthesia of the skin, etc.

**Cerebro-spina'nts.** Narcotics have been so called from their effects upon the cerebro-spinal system.

**Cere'brum.** The upper portion of the contents of the cranium, the posterior and inferior portion being called cerebellum. The upper surface is divided by a deep median cleft into two halves or hemispheres united at the base by the corpus callosum. On its surface are numerous convolutions. The inferior surface presents three lobes, distinguished as anterior, middle, and posterior. The cerebrum is enveloped in a triple covering consisting of the dura mater, pia mater, and arachnoid. Two substances are found in it: white and gray, the white occupying all the interior and base of the brain; the gray is the softer and is situated at the surface. It has three distinct *convolutes*, called *gyri*; two anterior, or lateral, which are divided from each other by the *optus fissura*, and in each of which is the *choroid plexus*, formed of blood-vessels; the third ventricle is a space between the thalami nervorum opticorum. The principal protuberances of the brain are the *corpus callosum*, a medullary eminence, conspicuous upon laying aside the hemispheres of the brain; the *corpus striatum*, two

striated protuberances, one in the anterior part of each lateral ventricle; the *thalami nervorum opticorum*, two whitish eminences behind the former, from which the optic nerves were said to originate; the *corpus quadrigeminum*, four medullary projections, called by the ancients *nates and testes*; a little cerebral tubercle lying upon the nates, called the *pituitary gland*; and, lastly, the *crura cerebri*, two medullary columns, which proceed from the basis of the brain to the *medulla oblongata*. The cerebral arteries are branches of the carotid and vertebral arteries. The veins terminate in sinuses, which return their blood into the internal jugulars. There are twelve pairs of cranial nerves, and the spinal marrow, from which thirty-one more pairs proceed, through whose means the various *nerves* are performed and muscular motion excited. The brain is also considered as the organ of the intellectual functions.

"Vauquelin's analysis of the brain is in 100 parts: 40 water, 4.53 white fatty matter, 0.7 reddish fatty matter, 7 albumen, 1.15 caseinose, 1.5 phosphorus, 5.15 acids, salts, and sulphur." The average human brain weighs from 44 to 50 ounces, and the blood circulating in it amounts to  $\frac{1}{4}$  of its volume. The average weight of the adult female brain is about five ounces less than that of the adult male brain.

**Cerebrum Elongatum.** *Medulla oblongata* and *medulla spinalis*.

**Cere'sum** (from *apoc.*, wax, and *claus.*, oil). Tyrite composed of wax and oil. Also, oil of tar.

**Cere'olus.** A bougie made of wax.

**Ce'rons** (from *cer.*, wax). Having a waxy appearance or texture.

**Ce'rin** (from *ceres*, soft, pliant). The fat worms found in the lubricines.

**Cer'ic Acid** (*cer.*, wax). An acid produced by the fixed alkalies on wax.

**Ce'rin.** Cereotic acid. Beeswax consists of this acid united with myricin.

**Cer'ion** (from *apoc.*, a honeycomb). A species of purrigo; also a honeycombed elevated affection of the head.

**Ce'rite.** A siliceous oxide of cerium.

**Ce'rium.** Symbol, Ce. Atomic weight, 140. A white brittle metal, difficult of fusion, but volatile when intensely heated, found in a Swedish mineral called *cerite*. The oxide is the only salt used medicinally. Useful as a gastric sedative. Dose, gr. iv to gr. v.

**Ce'rons** (*apoc.*, wax). A term applied in *Pulchology* to a fatty, waxy, or lardaceous tumor.

**Ceroplastics** (from *ceres*, wax, and *plastikos*, to form, the art of the modeller or carver). The art of modelling in wax. This art is of great antiquity, and to the dental surgeon who is anxious to preserve a transfer of the various cases of irregularity of the teeth which may come under his notice is particularly valuable.

**Cerotic Acid**. An acid obtained from sugar-cane wax.

**Cer'tum**. Certain.

**Cer'vus**. Waxlike.

**Cer'u'line**. Indigo dissolved in sulphuric acid. Coloring matter of indigo.

**Cer'u'men** (from *ceres*, wax). See CERE-MEN AURIUM.

**Cerumen Au'rium**. The mucinous secretion, which is of a waxy consistence, found in the meatus auditorius externus.

**Cer'u'minous**. Relating to or having the properties of cerumen.

**Ceruminous Glands**. The follicular glands, situated beneath the membrane lining the meatus which secrete the cerumen.

**Ceruse**. Ceruse. Carbonate of lead: white lead.

**Cer'us'a Acetata**. Sugar of lead.

**Cer'vean**. The brain: cerebrum.

**Cer'volet**. Cerebellum.

**Cer'vical** (*vertebralis*: from *ceres*, the neck). Pertaining to the neck: also everything that concerns it.

**Cervical Arteries**. The cervical arteries are three in number, namely: *The ascending anterior or superficial*, derived from the inferior thyrod; *the transverse or cervical profunda*, given off from the axillary artery; and *the posterior*, which is a branch of the subclavian.

**Cervical Gang'lions**. The three ganglions of the great sympathetic nerve. *The first* is situated opposite the second cervical vertebra; the *second*, or *middle cervical ganglion*, is opposite to the interval between the fifth and sixth cervical vertebra; and the *third*, which is sometimes called the *first thoracic*, is situated between the transverse process of the last cervical vertebra and the head of the first rib.

**Cervical Lig'aments**. The cervical ligaments are two in number. *The first* is called the *anterior*, and extends from the lamellar process of the occipital bone to the anterior part of the first cervical vertebra; and the *second* is designated the *posterior*, and extends from the upper occipital protuberance to the spinous process of the last cervical vertebra.

**Cervical Nerves**. The eight pairs of nerves that given off from the spinal marrow.

**Cervical Plex'us**. The net-work of nerves formed by the first three cervical nerves.

**Cervical Veins**. These veins have nearly the same distribution as the cervical arteries.

**Cervical Ver'tebrae**. The seven uppermost vertebrae of the spinal column.

**Cervica'lis Descend'ens**. The upper continuation of the nervo-lumbicalis.

**Cer'vico-fa'cial Nerve**. A branch of the facial nerve, distributed to the neck and face.

**Cer'vix**. Collum. The neck. Applied also to organs or parts, as the *cer'vix steel*, neck of the uterus, &c.

**Cer'vus**. A genus of ruminantia.

**Cervus El'aphus**. The stag, from the horns and heads of which hartshorn shavings are obtained.

**Cestol'deans** (from *cestus*, a girdle, and *deus*, likeness; ribbas-like). The order of Microplutha, or parasit-hymenous entozoa, to which tape-worms belong.

**Ceta'ceum** (*ASTRA*, a whale). Spermaceti. A white, insipid, mucinous substance, obtained from the blubber of the spermaceti and other varieties of whale. It resembles paraffine in its physical properties. Employed as an emollient.

**Cetic Acid**. The result of the action of alkalies upon cetine.

**Ce'tine**. Pure spermaceti.

**Cetra'ria island'ica** (*Lichen islandicus*). Iceland moss. It is demulcent, unisrictive, and tonic. The dose is  $\mathfrak{ss}$  to  $\mathfrak{ss}$ , being first steeped in water holding in solution some carbonate of potash to extract the bitter principle, and then boiled in milk.

**Ce'traria**. Bitter principle of Iceland moss.

**Cet'yl**. A hypothetical radical of a series of compounds obtained from spermaceti. Its formula is  $C_{25}H_{51}$ .

**Cevad'ic Acid**. An acid resulting from the action of potash on the oil of the *Vernatrum umbellula*.

**Cevadil'la**. See *VERNATRUM BABADILLA*.

**Cey'lante**. The name of a mineral of an indigo-blue color.

**Cey'lon Moss**. A cryptogamic plant of the order Algae, which has been introduced in Europe as an article of food.

**C. G. S. System**. Centimetre-gramme-second units. The system of fundamental units in which a centimetre is adopted as the unit of length, a gramme as the unit of mass, and a second as the unit of time.

**Chabasite**. A crystallised silicate of a faint rose color.

**Chaf'ing.** The red excoriations which occur in consequence of the friction of parts, or between the folds of the skin. Washing in cold water and dusting with zinc powder is the best preventive.

**Chain Saw.** A saw made of a watch-spring, having serratures on one side, the end is attached to a handle and the other to a hook. It is used in the operation for the removal of the lower jaw.

**Chale'sis** (from *χαλω*, to relax). Relaxation.

**Chale'smus** (*χαλasmus*). Relaxation.

**Chale'ticus** (from *χαλω*, I relax). A relaxing medicine.

**Chale'za.** In *Biology*, a vesicular disc at the base of the nucleus of an ovule. The chorion of the egg. With the oviducts, the chorion, or *chorion*, are the spirally twisted bands of the dense internal layer of albumen in the egg, adhering to the yolk and extending of the egg.

**Chale'xium** (from *χαλς*, a halstone). A species of boletus or fungoid tumor on the margin of the eyelid, commonly called a sty.

**Chalcan'thum** (from *χαλς*, brass, and *ανθε*, a flower). Red coloured citrid, or the flowers of brass.

**Chalced'ony.** A mineral, so called from having been found by the merchants in Chalcedon, in Asia Minor, supposed to be pure silex with a little water.

**Chal'cites.** Colcoluth, or the red scale of iron.

**Chalco'deum Os.** The emulsion bone of the fish.

**Chalk.** A calcareous earth of a white color. Carbonate of lime. See **CHALK**.

**Chalk, Black.** Drawing slate, used in crayon drawing.

**Chalk, Red.** A clay colored with oxide of iron.

**Chalk-stone.** Earthly concretions found in the hands and feet of persons affected with gonorrhea.

**Chalyb'eate** (*chalybeatus*: from *chalybs*, iron or steel). Of or belonging to iron. Any medicine into which iron enters, as chalybeate mixture, pills, waters, etc.

**Chalybeate Waters.** Any mineral water containing iron.

**Chal'ybs** (from *Chalybes*, a people of Pontus, who dug iron out of the earth). Acres steel, or the protocoriaret of iron. In the medicinal virtues steel does not differ from iron.

**Chalybe Rubigo.** Subcarbonate of iron.

**Chalybs Tartarizatus** (*ferrum tartarizatum*). Tartaric acid of iron and potash.

**Chamom'e-lum.** See **ANTHEMIS NOMILIS**.

**Cham'ber.** Magnesia.

**Cham'ber** (*camera*, a vault). A term employed in *Anatomy*, in speaking of the eye, in which there are two chambers, anterior and posterior. The space before the iris is termed the anterior chamber, that behind it the posterior.

**Chame'leon Mineral.** A compound of manganic acid and potash, preventing a variety of thins when dissolved in water.

**Cham'omile Drops.** Alcoholic spirits impregnated with essential oil of chamomile.

**Chamomile Flowers.** The flower heads of the *Anthemis nobilis*. They possess mild tonic properties, and in large quantities act as an emetic. They are valuable as a febrifuge.

**Chamomile, German.** See **MATHURARIA CHAMOMILLA**.

**Chamomile, Wild.** See **ANTHEMIS VULGA**.

**Chamomil'ia.** Chamomile.

**Chan'cre** (from *cancreo*, cancer). A sore resulting from the direct application of the venereal poison to any part of the body. It is almost always seated, in men, on the penis. The term is never applied to sores occurring in other parts of the body from absorption or general contamination of the system. The French apply the word *chancre* to numerous ulcers and malignant apthae of children.

**Chan'croid.** Simple, soft, or non-infecting chancre, propagated mainly by venereal infection, and characterized by the development of a violent ulcer, usually upon the genitals, and the secretion from which is contagious, but does not give rise to constitutional effects.

**Chan'cross.** Pertaining to a chancre.

**Chapman's Mixture.** *Copium* ℥i, *Sp. etheric nitric* ℥ss  $\frac{ss}{ss}$ ; *Pale. acids*,  $\frac{ss}{ss}$ ; *Sulphuric*,  $\frac{ss}{ss}$ ; *Distill. aqua*,  $\frac{ss}{ss}$ ; *Sp. lavendular composuit*,  $\frac{ss}{ss}$ . *Mix.* Dose,  $\frac{ss}{ss}$  three times a day. A remedy much used in gonorrhoea.

**Char'acter** (*χαρακτηρ*, a mark of impression). In *General Medicine*, the term is used synonymously with stamp or appearance. Thus, "a disease is of unfavourable character," or "has a bilious character," etc. In *Local Surgery*, it is applied to the appearances which the teeth present in their physiological and pathological conditions. It has, also, the same signification when applied to the gums.

**Characteristics of the Teeth.** See **TEETH, CHARACTERISTICS OF**.

**Charn'tis.** *Memordia alaterni.*

**Char'coal.** *Carbon.* An impure form of carbon, obtained by burning wood with imperfect access of air, or exposing it to a strong heat in a distilling apparatus composed of cylinders of iron, so constructed that the volatile product may be collected. Among this there will be a certain proportion of tar and pyroligneous acid, or impure vinegar. This, when a pure article is desired, should be suffered to escape, while the reabsorption of the crude vapor should be prevented, by cutting off the communication between the interior cylinders and the apparatus used for condensing the pyroligneous acid, after the removal of the fire from the furnace.

The charcoal obtained for common purposes, as fuel, etc., is made from wood, piled up in the shape of a pyramid, covered with earth, with a few air-holes, but which, as the pile becomes well lighted, are closed. In this way the wood is deprived of its volatile parts and converted into a black, brittle, porous substance, called charcoal, but retaining the shape of the vegetable from which it is obtained.

**Charcoal, Animal.** The carbonaceous residuum of bones or of blood, usually the former. Animal charcoal, bone charcoal, and ivory black, are names applied to bones calcined or converted into charcoal in a close vessel. It is also prepared by calcining dried blood, horns, hoofs, pieces of hide, etc., in contact with carbonate of potash, and washing the calcined mass with water. It is used to decolorize vegetable principles, such as gallic acid, quinine, veratrin, etc.

**Char'latan.** A medical impostor; a quack.

**Char'pie.** Scraped linen or lint.

**Chaser.** A dental instrument made of steel, copper, or bone, for forming awaged vacuum-cavities in dental plates.

**Chaw'me** (from *χαωμ*, to gape). Yawning; gaping.

**Chattering of the Teeth** (*dentium crepitus; odontogripius; elephentus*). A phenomenon resulting from tremor of the muscles of the inferior maxilla, and commonly dependent on vigor arising from cold or mental emotion.

**Cheek.** The side of the face, extending from the lower eyelid to the base of the jaw, and from the nose and commissure of the lips to the ear; composed of fat, areolar tissue, vessels, etc.

**Chalk Bone.** Kiefer bone.

**Chamberlinder.** An appliance for distend-

ing the cheeks of a patient during operations on the teeth, and to reflect light. It is made of spring wire, to which are attached polished nickel-plated cheek pieces.

**Cheese** (*caseus*). The coagulum of milk compressed into a solid mass.

**Chell-.** A prefix signifying pertaining to the lip.

**Chell'tis** or **Chillitis** (from *χελος*, a lip). Inflammation of the lip.

**Chelloc'ace** (from *χελος*, a lip, and *ααα*, evil). Swelling and induration of the lip, but without suppuration.

**Chellocardio'ma** (from *χελος*, a lip, and *καρδιον*, cancer). Cancer of the lip.

**Chellon'cus.** A swelling of the lip.

**Chelloplas'tice** (*chelloplasty*; from *χελος*, a lip, and *πλαστικος*, forming). The operation for an artificial lip.

**Chell'os.** The lip.

**Chelris'ter** (from *χειρ*, the hand, and *ααα*, a physician). A surgeon.

**Chelris'ma** (from *χειρ*, to labor with the hand). Any manual operation; the act of touching or handling.

**Chelrix'is** (from *χειρ*, to labor with the hand). Surgery in all its branches.

**Chelrooom'ia** (from *χειρ*, to exercise with the hands). An exercise resembling in using the hands, as in the exercise with the dumb-bells.

**Chelrop'tera.** Humil wing; the last tribe of animals.

**Che'ra** (*χρα*, forceps; from *κρα*, to take). A bifurcated probe used for the extraction of nasal polyp. Applied also to a shears in the feet, and to the claws of a crab.

**Che'ra.** Claws or cracks in the skin.

**Che'toid** (*cheloides*; from *χελος*, a tortoise, and *ειδω*, a form). Applied to a skin disease.

**Cheto'me** (*χελων*, a tortoise). A term applied in *Nervy* to an instrument for extending a limb, because the slowness of its motion resembles that of a tortoise. A genus of plants.

**Chelo'nios** (from *χελων*, a tortoise, from its resemblance to the shell of a tortoise). A hump or gibbosity of the back.

**Chel'ys** (*χελος*, the chest). The thorax.

**Chelys'cion** (from *χελος*, the chest). A dry, hacking cough, attended with soreness of the muscles of the chest.

**Chem'ical.** Of or belonging to chemistry. **Chemical Affinity** or **Attraction.** The force which draws dissimilar particles of matter together, causing them to combine and form

new bodies endowed with new properties. It acts only at insensible distances.

**Chemical Formals.** A symbolic expression of a chemical compound; but in the composition of chemical formulae, algebraic representations are employed.

**Chemical Nomenclature.** The technical terms appropriated to chemistry.

**Chemical Symbols.** The abbreviations used to designate the elements and radicals. See EQUIVALENTS, CHEMICAL.

**Chemico-biology.** The doctrine of the organic chemistry and morphology of tissues.

**Chem'ist.** One versed in chemistry.

**Chemis'try** (a word supposed to be derived from the Arabic *chems*, a secret). It is defined by Boode to be "a department of science the objects of which are to investigate the nature and properties of the elements of matter, and their mutual actions and combinations; to ascertain the proportions in which they unite, and the modes of separating them when united; and to inquire into the laws and powers which preside over and affect these agents."

**Chemo'sis** (from *chemo*, to seep, or from *choro*, a humor). Inflammation of the conjunctiva of the eye, characterized by distention of its vessels and the formation of an elevated ring around the cornea.

**Chenopodium.** A genus of plants of the order Chenopodiales.

**Chenopodium Ambrosioides.** Mexico tea; Spanish tea. This species of chenopodium is said to have been used with advantage in cholera.

**Chenopodium Anthelminticum.** Chenopodium. Wormseed; Jerusalem oak; stickweed. The fruit of this plant is celebrated for its anthelmintic properties. Dose of the oil for children, grt. iij to grt. vj; for adults, grt. vj to grt. xx.

**Chenopodium Bonus Henri'ca.** The systematic name of the English mercury.

**Chaeoplastic Base.** A plate made of chaeoplastic metal, adapted to a portion of the alveolar ridge deprived of natural teeth, and to be supplied with an artificial substitute. Dr. A. A. Blandy is the patentee of this method. See HARRIS' "Prin. and Pract. of Dentistry."

**Chaeoplastic Metal.** An alloy composed of tin, silver, and bismuth, with a small trace of antimony; and first brought to the notice of the dental profession by Dr. A. A. Blandy in 1867.

**Chaeoplastic Process.** The manner of mounting artificial teeth upon a plate composed of the alloy known as chaeoplastic metal. For process, see HARRIS' "Prin. and Pract. of Dentistry."

**Chaeoplastic Teeth.** Artificial teeth made expressly for chaeoplastic work. They are not provided with platinum pins, but have holes or dovetail grooves into which the metal runs, retaining them securely in the base.

**Cher'ry.** The fruit of the *Prunus cerasus*.

**Cher'sis.** A frequent desire to evacuate the bowels.

**Chestnut.** See *CASTANEA* and *FAUR*.

**Chestnut, Horse.** *Fagus Hippocastanum*.

**Chaveachment.** A French word, signifying, in *General Surgery*, the rilling of the extremities of a fractured bone on each other; and in *Dental Surgery*, defective arrangement of the teeth, consisting in the gradual displacement of a cuspid or incisor, which assumes a position in front of the dental arch and obliquely across one of the adjoining teeth. See IRREGULARITY OF THE TEETH.

**Chevestre** (*chevestre*). A double-headed roller, applied around the head, the middle supporting the chin, in cases of fracture or luxation of the lower jaw. It has received the names of simple, double, and oblique, according to the manner in which it is applied. This language, however, has, to some extent, been superseded by one contrived by Barton. See BARTON'S HANDSAW.

**Chi'a** (*chia terra*; from *Chia*, the island where it was originally found). A variety of white earth, formerly used for burna.

**Chia'due.** FURNACE.

**Chias'ma** (from *chias*, to make the letter X; chiasm). The crossing of the fibres of the optic nerve; also the crucial union of parts.

**Chias'ter.** See KIAS'TER.

**Chias'tolite.** A mineral having some resemblance to the stentils.

**Chias'tos.** A crucial bursage, so called because it resembles the letter X.

**Chick'en-pox.** See VARICELLA.

**Chi'cot.** Stamp of a tooth.

**Chicotin.** The bitter powder or juice of colocynth.

**Chigre** (*chiggre*, *chigre*, *chique*; from the Spanish *chiquito*, small). A small insect of the Southern States and the West Indies, which penetrates the skin, causing slight inflammation and intolerable itching.

**Chil'blain** (*perle*; *langentia*; *erythema par-*



*nie*; from *chill*, cold, and *bleu*, a pustule). Erythematous inflammation of the feet, hands, or other part of the body, resulting from exposure to cold. Chilblains are prevented by warming the parts to exposure; and are treated by stimulant, terribilinate, and balsamic washes, ointments, and liniments.

**Child-bed Fever.** Puerperal fever.

**Child-birth.** Parturition.

**Chil'lo-** (from *χίλος*, a lip). A word used as a prefix.

**Chil'ion** (*cheilion*; *cheilitis*; from *χίλος*, a lip). Inflammation and swelling of the lip.

**Chimaphil'a.** A genus of plants of the order Pyrolaceae.

**Chimaphila Umbel'ata.** *Chimaphila*, U. S. P. *Pipsissewa*; wintergreen; ground-holly. The fresh leaves have a fragrant odor, and a bitterish, astringent, and unamiable taste. They are diuretic, astringent, and tonic. Dose,  $\frac{vj}$  of decoction in twenty-four hours.

**Chim'ia.** Chemistry.

**Chim'ist** (from *χημία*, chemistry, and *ιστος*, a physician). One who applies the science of chemistry to medical purposes.

**Chimney-sweepers' Cancer.** Cancer of the scrotum.

**Chil'mogene.** Cold generator. A liquid produced by Mr. Yankewyde in experimenting with the highly volatile and gaseous products of distillation, which he proposes to use as an improved substitute for refrigerent, ether, etc., in producing local anæsthesia. It boils at any desired degree of temperature, say at 60°, 80°, 40°, or even at 32° F., causing by its evaporation the most intense cold.

**Ch'ia Glass.** A blue frit composed of ten parts glass, two parts lead, and three of blue calc.

**China Nova.** A variety of red bark, the product of *Cinchona chinensis*.

**China Root.** The root of the *Rhus chinensis*. It has the same properties as *sarsaparilla*.

**Chin'eroth.** A red substance, deposited from cinchona, on the absorption of oxygen.

**Chinchi'na.** See CINCINNA.

**Chin'cough.** Pertussis.

**Chin'anna.** See QUININA.

**Chinoid'ine** (*chinoidin*; *chinoidin*). A substance separated from cinchona, supposed to be an alkaloid, and to consist of a mixture of quinine, cinchona, and a peculiar resinous matter. It is really impure quinine.

**Chinoyan'tine.** An alkaloid of cinchona roots.

**Chip Blower.** A warm-air blow-pipe.

**Chir-.** The hand; a prefix.

**Chiron'um.** A malignant ulcer, with callous edges, difficult to cure.

**Chiro'podist** (from *χίρς*, the hand, and *πός*, the foot). One whose profession is to remove corns and bunions from the feet.

**Chirothe'ca** (from *χίρς*, the hand, and *θηκα*, a sheath). A bandage applied in spiral turns, so as to envelop the hand and fingers.

**Chirur'geon.** A surgeon.

**Chirur'gia** (from *χίρς*, the hand, and *ργία*, a work). Surgery.

**Chirur'gical.** Pertaining to surgery.

**Chirurgien Dentiste.** Surgeon dentist.

**Chil'eros.** Malign fever, in which the heat is not great.

**Chilaa'ma.** A triph and acid fermentation.

**Chilaa'ma** (*chilaa'ma pseudo-parryi*). Liver spots. blotches on the skin, of irregular shape and yellowish brown hue.


**Chlorac'etic Acid.** A modification of acetic acid, in which three atoms of chlorine take the place of three atoms of hydrogen.

**Chlorac'etyl.** A modification of acetyl.  $C_2Cl_3$ .

**Chlor'al.** A dense, oily, colorless, pungent-smelling liquid,  $C_2HCl_3O$ , obtained by the action of dry chlorine gas on anhydrous alcohol.

**Chloral, Hydrate of.** Formula,  $C_2HCl_3O.H_2O$ . Chloral, mixed with water, becomes the hydrate of chloral, and then exists in the form of a white, solid substance, with a pungent, peculiar odor, resembling that of a dry melon. It is only in the form of the hydrate that chloral is employed in medicine. It is hypnotic and anæsthetic. The average dose for an adult is gr. xxx to gr. lx. As a general rule, gr. xxx of the hydrate is equal in effects to gr. j of opium. For children, gr.  $\frac{vj}$  will suffice, and for adults gr. xxv to gr. xxx, where short intervals of sleep are required. In poisoning by chloral, strychnia acts as a speedy and complete antidote. See HYDRATE OF CHLORAL.

**Chlor'alamide.**



A hypnotic. It is chemically a union of chloral anhydride with formamide. It occurs in colorless, odorless, non-crystalline crystals, of a somewhat bitter taste, melting at 330° F., and soluble in from 8 to 14 parts of cold, and less

of warm, water, and in 1 part of absolute and  $1\frac{1}{2}$  parts of 96 per cent. alcohol. It induces an apparently natural sleep, commencing in from one-half to three hours, and lasting from six to ten hours. The dose varies from 15 to 30 grains. Thirty-grain doses are generally employed.

**Chloral'imide.** A substance,  $(C_2Cl_3CH_2N)_{12}$ , formed from chloral by substituting the molecule  $NH$  for oxygen. Odorless and tasteless; used as a substitute for chloral hydrate.

**Chloral'um.** See CHLORIDE OF ALUMINUM.

**Chloran'thus.** A genus of plants of the order Chloranthaceae; allied to Piperaceae. It is a most powerful stimulating agent.

**Chloras'ma.** (Chlorosis.)

**Chlor'ate.** A compound of chloric acid with a sulfide base.

**Chlorate of Potassa.** Potassio-chlorate (which see).

**Chlor'ic Ether.** A compound obtained by passing hydrochloric acid gas into alcohol to saturation, and distilling the product. See ETHYL CHLORIDE.

**Chlor'ide.** A compound of chlorine with different bases.

**Chloride of Aluminum** (*aluminium chloridum*). (Aluminum. Prepared by passing chlorine over aluminum and charcoal. Antiseptic and astringent. See Gargoe' "Dental Medicine."

**Chloride of Ammonia.** Muric acid of ammonia.  $NH_4Cl$ . Dose, gr. j in gr. ss. See AMMONIA.

**Chloride of Gold.** See TETRACHLORIDE OF GOLD.

**Chloride of Lime.** See LIME CHLORIDE OF.

**Chloride of Magnesia** (*magnesia chloridum*). Obtained from muric acid of magnesia. A bitter, deliquescent salt. See Gargoe' "Dental Medicine."

**Chloride of Methyl.**  $(CH_3Cl)$ . It possesses anesthetic and anodyne properties; has been employed for facial neuralgia, in the form of spray. It causes only a temporary irritation of the skin.

**Chloride of Tin** (*stannum chloridum*). Obtained from tin and hydrochloric acid. Used in form of injections for affections of mucous membranes.

**Chloride of Zinc.** See ZINC.

**Chlorinated Soda Solution.** See SODA CHLORINATE LIQUOR.

**Chlor'ine** (from  $\chi\lambda\omega\varsigma$ , green). A non-

metallic element. At ordinary temperature a yellowish-green colored gas, of a disagreeable taste and strong, suffocating odor, exciting great irritation and spasm of the glottis when inhaled, even in a diluted state; incapable of supporting combustion, and soluble in water. It is obtained by the action of hydrochloric acid on peroxide of manganese. In *Dental Practice* it is employed for bleaching discolored teeth.

**Chlorine Water** (*aqua chlorinica*). A solution of chlorine gas in water. It forms a good antiseptic lotion.

**Chlor'iodate.** A combination of chloric acid with a base.

**Chlorio'dic Acid.** A compound of chlorine and iodine.

**Chlor'ite.** An earthy mineral of various tints of green.

**Chlor'o-.** A prefix formed from the Greek, and used to indicate a clear, lively green color.

**Chlorocar'bon.** See TETRACHLORIDE OF CARBON.

**Chlorocarbon'ic.** An acid obtained from chlorine and carbon.

**Chlor'odyne.** A secret preparation proposed in 1845 by Dr. Brown, of India, and said by him to consist of perchloric acid with a new alkaliol. Supposed to contain chloroform, ether, morphine, camphor, hydnocyanic acid and quinine. It has been given as an anodyne chiefly.

**Chlor'roform.** Formula,  $CHCl_3$ . Trichloride of formyl; so called because it is a combination of chlorine with formyl, the basis of formic acid. A liquid, colorless, volatile liquid, possessing a fragrant, fruit-like, ethereal odor, and a sweetish, pungent taste. It is obtained by distilling a mixture of chloride of lime and alcohol. Taken internally it acts as a sedative anodyne. For inhalation the dose is a fluid drachm, equivalent to sixty minims, or more.

It consists of two atoms of carbon, one of hydrogen, and three of chlorine. Its formula is, therefore  $(C_2H)Cl_3$ , or  $PbCl_3C_2H$ , being the expression for formyl, otherwise written  $PO$ . Its specific gravity is 1.491, and the density of its vapor is 4.2. It is noninflammable, and boils at  $141^\circ$ . It is recommended in asthma, and in diseases in which a grateful and soothing agent is required.

Professor Simpson, of Edinburgh, discovered that the vapor of chloroform, when inhaled,

acts as a powerful anæsthetic agent, producing complete insensibility in from thirty seconds to three or four minutes, and it is extensively used, both in Europe and America, not only for the purpose of producing insensibility in surgical operations, but also to prevent the pain attending parturition. Its use, however, has, in a number of instances, been attended with fatal effects. For mode of administration see George's "Dental Medicine."

Large doses act as a violent irritant narcotic poison. Hypodermic medication with chloroform is sometimes practiced in the treatment of neuralgia. The local application of this agent to the skin is not so irritant as it is to mucous membrane. When the vapor of chloroform is inhaled, the effects are very closely analogous to those of the vapor of ether. See ETHER, SULPHURET. But it is more irritant to the pharyngo-laryngeal tract than ether vapor.

*Chloroformum purificatum* is previously used internally and externally, and also for anaesthetization. Dose,  $\mathfrak{m}$  x to  $\mathfrak{m}$  xxx, or more, diluted with water. It has a grateful soothing effect in asthma and other diseases. Dangerous symptoms are treated with nitrite of amyl, artificial respiration, fuscination or galvanism, stropha, stimulant enemata, and all the agencies connected with etherization. Nitelson's method—insertion of the patient—has proven successful when arrest of the heart's action is the primary and chief source of danger.

**Chloroform, Ammoniated.** Equal parts of ammonia in alcohol and chloroform; antipyrctic and anodyne.

**Chloroform Liniment.** Composed of chloroform 60, and soap liniment 80 parts.

**Chloroform Mixture.** Chloroform 8, camphor 2, yolk of egg 10, and water 80 parts. Dose, ʒj to ʒj.

**Chloroform Mortality.** 1:3000 in 800 cases.

**Chloroform Spirit.** Chloroform 10, alcohol 90 parts. Dose,  $\mathfrak{m}$  x to ʒj.

**Chloroform, Tincture of.** Chloric ether.

**Chloroformization.** A term applied to the aggregate of the symptoms produced by the administration of chloroform.

**Chloroma** (from  $\chi\lambda\omega\rho\varsigma$ , green, and  $\sigma\mu\alpha$ , tumor). A peculiar form of tumor containing a yellow-green substance, which takes the place, at times, of muscles and peritoneum.

**Chlorometer.** An instrument for estimat-

ing the quantity of chlorine in combination with water or a base.

**Chlorophanite.** A mineral which when recently broken is green, but afterward becomes black.

**Chlorophane.** A species of fluor spar, transmitting a beautiful pale-green light when heated.

**Chlorophyll.** The green matter of the leaves of plants.

**Chlorosis** (from  $\chi\lambda\omega\rho\varsigma$ , green). The green sickness. A disease affecting young females, particularly before menstruation, or those laboring under a suppression of menses; characterized by languor, palpitation of the heart, pain in the loins, fatigue, a pale, greenish hue of the face, a small, quick pulse, and sometimes with urticariæ swellings of the feet.

**Chlorotic.** Affected with or pertaining to chlorosis.

**Chlorum.** Chlorine.

**Chloruret.** Chloride.

**Chocolate.** A paste prepared from the cacao-nut, with sugar. It is a nourishing article of diet.

**Choke-damp.** A term applied by miners to irrespirable gas or vapors containing carbonic acid.

**Chole'mia** (from  $\chi\omega\lambda\epsilon$ , bile, and  $\sigma\mu\alpha$ , blood). A morbid state in which bile is found in the blood. Jaundice.

**Chole'mia.** Biliary.

**Choleagogue** (*cholagogue*; from  $\chi\omega\lambda\epsilon$ , bile, and  $\alpha\gamma\omega$ , I expel). Purgative medicines which excite biliary secretions.

**Chole.** Cholea. Bile.

**Choleate.** A combination of choleic acid with a base.

**Cholecchysis.** Effusion of bile.

**Cholecyst.** Gall-bladder.

**Cholecystitis.** Inflammation of the gall-bladder.

**Choled'ochous** (from  $\chi\omega\lambda\epsilon$ , bile, and  $\delta\omega\chi\epsilon\iota\varsigma$ , containing or receiving). Receiving or containing bile.

**Choledochus, Ductus** (*ductus communis choledochus*). The duct which conveys the bile from the liver to the duodenum.

**Choledochitis.** Inflammation of the choledoch duct.

**Cholelography** (*cholographia*; from  $\chi\omega\lambda\epsilon$ , bile, and  $\gamma\alpha\gamma\gamma\alpha\iota$ , to describe). A description of that which relates to the bile.

**Cholelology** (*chololegia*; from  $\chi\omega\lambda\epsilon$ , bile, and  $\lambda\omicron\gamma\omega\varsigma$ , a discourse.) A treatise on the bile.

**Chole'ic Acid.** Taurocholic acid. Bile. According to Liebig, that part of bile soluble in alcohol and containing the bilin.

**Chol'ein** (from  $\chi\omega\lambda\epsilon$ , bile). A mixture of several principles of bile.

**Chol'eithus** (from  $\chi\omega\lambda\epsilon$ , and  $\theta\acute{\iota}\theta\omicron\varsigma$ , a stone). Biliary calculus.

**Choleme'sia.** Vomiting of bile.

**Cholepyr'rhine.** The brownish-yellow coloring matter of the bile.

**Chol'er.** Bile. Anger was supposed to proceed from a superabundance of bile; hence the application of the term *cholera* to anger.

**Chol'era** (from  $\chi\omega\lambda\epsilon$ , and  $\epsilon\omicron\mu$ , I flow). Cholera morbus. Purging and vomiting, generally of bile, with griping and spasms of the abdominal muscles, and often in the legs and arms. In Asiatic cholera, or cholera mephitica, the discharges resemble rice-water, and the disease is generally of a more malignant and fatal character. Its pathology is but little understood.

**Cholera Infantum.** Cholera of infants.

**Chol'eric** (*chol'ericus*). Pertaining to cholera morbus or to the bile.

**Chol'erine.** A slight diarrhea during the prevalence of cholera; a preliminary symptom of the disease.

**Chol'eroid.** Resembling cholera.

**Choleroph'o'ne.** The peculiar voice of a patient affected with cholera.

**Cholero'pro'sopon.** The facial expression of one affected with cholera.

**Chole'stato'ma** ( $\chi\omega\lambda\epsilon$ , bile, and  $\sigma\tau\epsilon\lambda\omicron\varsigma$ ). A fatty tumor, laminated and pearly, and composed principally of crystals of cholesterol.

**Choles'teric Acid.** A substance obtained by heating cholesterol with nitric acid.

**Choles'terine** (*cholesterina*; from  $\chi\omega\lambda\epsilon$ , bile, and  $\sigma\tau\epsilon\lambda\omicron\varsigma$ , solid, or  $\sigma\tau\epsilon\lambda\omicron\varsigma$ , sweet). An isochlorous, pearly white, insipid, shining substance, found in certain biliary calculi, and in nearly all the animal fluids.

**Chol'ic Acid.** A resinous acid obtained from bile. It has been supposed to be oleic acid, conjugated with a radical  $C_{16}H_{31}$ , though other chemists regard it as a nitrogenous acid, and Lowig puts it among his hydnocarbonyls. The truth is that the same acid has received several different names, and the cholic acid of Debussey, Lehman, and other organic chemists is the cholalic acid of the classification of Lowig, who has followed Strucker.

**Cholice'ia** (from  $\chi\omega\lambda\epsilon$ , bile, and  $\alpha\pi\lambda\alpha$ , a tumor). A swelling caused by an accumulation of bile in the gall-bladder.

**Chol'inate.** Cholic acid combining with a base.

**Choll'ic Acid.** A white fluorescent acid obtained by Herzellus from cholic acid. It must not be confounded with Lowig's cholinic acid, which is the taurocholic acid of Lehman.

**Chol'olith** (*chololithus*). Biliary calculus or gall-stone.

**Chol'o'ma** (from  $\chi\omega\lambda\epsilon$ , bile, or maimed). Lameness or distortion of a leg.

**Chol'o'sea** (from  $\chi\omega\lambda\epsilon$ , bile). Disease of the liver and spleen generally.

**Chondral'gia.** Pain of the cartilage.

**Chon'drine.** A gelatinous substance obtained from the permanent cartilages by boiling; organic basis of cartilage.

**Chondel'itis** (from  $\chi\omega\delta\omicron\varsigma$ , cartilage, and  $\tau\iota\varsigma$ , a termination signifying inflammation), inflammation of cartilage.

**Chondrogenes'ia** (*chondrogenesis*; from  $\chi\omega\delta\omicron\varsigma$ , cartilage, and  $\gamma\epsilon\gamma\epsilon\sigma$ , formation). Formation of cartilage; conversion of parts into cartilage.

**Chondroglos'sus** (from  $\chi\omega\delta\omicron\varsigma$ , a cartilage, and  $\gamma\lambda\omicron\varsigma\varsigma$ , the tongue). A fasciculus of fleshy fibres extending from the lower corner of the os hyoides to the tongue, forming part of the hyoglossus muscle.

**Chondro'graphy.** A description of the cartilages.

**Chon'droid** (*chondroides*; from  $\chi\omega\delta\omicron\varsigma$ , cartilage, and  $\rho\acute{\alpha}\iota\delta\omicron\varsigma$ , resemblance). Cartilaginous, resembling cartilage.

**Chondro'ma.** A cartilaginous growth in bones.

**Chondro-pharynge'us** (from  $\chi\omega\delta\omicron\varsigma$ , cartilage, and  $\phi\alpha\gamma\iota\gamma\epsilon$ , the pharynx). The floor of the buccal part of the pharynx, arising from the lower corner of the os hyoides, which form part of the constrictor medialis.

**Chon'dros** ( $\chi\omega\delta\omicron\varsigma$ , cartilage). A cartilage.

**Chondro'sis.** Morbid formation or condition of cartilage.

**Chondrosyndes'mos** (from  $\chi\omega\delta\omicron\varsigma$ , a cartilage, and  $\sigma\upsilon\gamma\delta\epsilon\sigma$ , to tie together). Union of bones by means of a cartilaginous ligament.

**Chondrot'omy** ( $\chi\omega\delta\omicron\varsigma$ , cartilage, and  $\tau\omicron\mu\omicron\varsigma$ , to cut). Dissection or division of cartilage.

**Chon'drus.** A genus of sea-weeds.

**Chondrus Crispus.** Carrageen; Irish moss.

It possesses demulcent and nutritive qualities, and has been used in pulmonary diseases and bowel affections.

**Cho'ra** (*χωρη*, a region). Any void space; as the orbit of the eye, etc.

**Cho'rda** (from *χορδή*, a string). The word has several significations: An intestide, a tendon, an accumulation of fibrin; and it is sometimes applied to a painful tension of the penis.

**Chorda Dorsal'is**. The rudiment of the vertebral column in the fetus.

**Chorda Mag'na**. The tendo Achillis.

**Chorda Tendin'ea**. A cord-like tendinous substance connecting the earrow columns of the ventricles of the heart to the auricular valves.

**Chorda Tym'pani**. A branch of the seventh pair of nerves is so called because it crosses the tympanum of the ear, like a string across the bottom of a drum.

**Chorda Vocal'is**. Vocal cords. The thyroarytenoid ligaments of the larynx or of the inferior ligaments of the glottis.

**Chordap'ens**. Constriction or twisting of the intestine.

**Chordee'**. A French word applied in *Pudology* to a painful, spasmodic contraction of the penis attending gonorrhea.

**Chore'a** (*χορεία*; from *χορῶν*, a chorus, which formerly accompanied dancing). A disease called St. Vitus's dance, characterized by convulsive motions of the limbs, resembling the movements of a person dancing.

**Cho'rion** (*χωριον*, skin; from *χωρῶν*, a receptacle). The second membrane of the fetus.

**Choriom'itis**. Inflammation of the cellular tissue.

**Chor'ium** (from *χωρῶν*, skin). The cutis vera, or innermost layer of the skin.

**Cho'roid** (*choroidea*; from *χορῶν*, the chorion, and *ειδής*, resemblance). A name applied to several parts because of their resemblance, in the vascularity of their structure, to the chorion.

**Choroid Membrane** (*membrana choroidea*). The choroid tunic, a dark vascular membrane of the eye, between the sclerotic and the retina.

**Choroid Muscle**. Ciliary muscle.

**Choroid Plexus** (*plexus choroideus*). Two membranous and vascular duplicatures of the pia mater, situated in the lateral ventricle of the brain.

**Chor'um**. Spectrum.

**Chri'sis** (*χρῖσις*; from *χρῶν*, I anoint). Inunction. The anointing of any part.

**Christo'rian**. An ointment or liniment.

**Chro'a**. Chroma. Color in general. The surface of the body; the skin.

**Chro'maa**. A chromate, or salt formed by the union of chromic acid with salifiable bases.

**Chromat'ics** (from *χρῶσις*, color). That part of optics which treats of the colors of light and natural objects.

**Chrome Steel**. A variety of steel employed for enamel chisels, which gives hardness and strength to fine cutting edges, and possesses advantages over carbon steel.

**Chromic Acid** (*acidum chromicum*). Formula,  $CrO^3$ . Obtained by mixing bichromate of potash with pure concentrated sulphuric acid. In the form of brilliant prismatic crystals. It is a powerful recharotic, and its action, although slow and gradual, is deeply penetrating. In *Dental Practice* it is used as an escharotic for allaying extreme sensibility of dentine, and it is said that its application is not attended with pain like chloride of zinc and other escharotics, nor with any risk to the nerve, and that its effect is almost instantaneous. It is allowed to remain in the cavity of the tooth from two to five minutes. Chromic acid is employed in fungous growth of dental pulp and gums, and has been recommended for bleaching discolored teeth. It should be used with great care to avoid injuring the healthy tissues.

**Chromidre'nia**. Abnormal coloration of the sweat.

**Chromium** (from *χρῶσις*, color, because it gives color to its combinations). Symbol, Cr. Atomic weight, 52.3. One of the elements of the iron group. A whitish, brittle, and very infusible metal, extracted from the native chromate of lead or iron. By heating it with nitre it is converted into chromic acid.

**Chromium, Biquichloride of**. See Biquichloride of Chromium.

**Chromo'gen**. Vegetable coloring matter acted upon by acids or alkalis, producing yellow or green tints.

**Chromop'ia** (*χρῶσις*; from *χρῶσις*, color, and *οφθαλμ*, vision). Colored vision.

**Chron'ic** (*chronicus*; from *χρῶν*, time). A term applied to diseases of long continuance, and for the most part without fever, as distinguished from acute diseases.

**Chrono-ther'mal**. A fanciful notion that medicines are electrical in their action, erected, as usual, into a "system."

**Chrup'sia** (from *χρως*, color, and *οφθαλμος*, sight). A disease of the eye, or a state of vision in which a colored impression is made on the retina.

**Chrys-**. A prefix, meaning golden-yellow.

**Chrysalis** (from *χρυσος*, gold). The second or inactive state of a metatransformation or changeable insect, embracing the period when it is enclosed in a transparent covering, which sometimes reflects a metallic lustre, and hence the appellation.

**Chrysarobin**. A yellow crystalline substance used in skin diseases.

**Chrysalis** (from *χρυσος*, gold). Litharge.

**Chrysobalanus** (from *χρυσος*, gold, and *βαλανος*, a nut; so called because it is yellow before it is dried). The nutmeg. See MYRSINACEA MYRSINATA.

**Chrysoberyl**. A mineral of a green color and vitreous luster.

**Chrysocolia** (from *χρυσος*, gold, and *κόλλω*, cement). Old name for borax, because it was employed in soldering gold.

**Chrysogonia** (from *χρυσος*, gold, and *γονα*, to become, to become). A structure of gold.

**Chrysolite** (from *χρυσος*, gold, and *λίθος*, a stone). Topaz.

**Chrysophanic Acid**.  $(C_{12}H_8O_4)$ . A yellow crystalline acid, occurring in semen and rhubarb, and produced by the oxidation of chrysanthin.

**Chrysoprase**. A silicious mineral of a pale-green color.

**Chrysosceptulum**. Golden axillages.

**Chrysulcus** (from *χρυσος*, gold, and *αίμα*, to take away). Aqua regia, or ultra-muriatic acid.

**Chur'rus**. Bengalee. The redness of the Indian hemp. Cannabis indica. It is employed in the East as a narcotic and antispasmodic.

**Chus'ite**. A very fusible, yellowish green, translucent mineral.

**Chyaz'ic** (initials of carbon, hydrogen, and azote). Of or belonging to a combination of carbon, hydrogen, and nitrogen. Applied to prussic acid.

**Chyle** (*χυλος*, juice). A nutritive fluid of a milky appearance, found in the lacteal vessels of the mesentery, and in the thoracic duct, extracted from the food by the absorbents of the intestines, after it has been submitted to the action of digestion.

**Chyliferous Vessels**. The lacteals, which carry the chyle from the intestines to the thoracic duct.

**Chylification** (*chylification*; from *χυλος*, and *ποιεω*, to make). The process by which the chyle is formed or separated from the chyme, and absorbed by the villi of the small intestine.

**Chyll'ma** (from *χυλος*, juice). An extract or expressed juice.

**Chylography** (from *χυλος*, chyle, and *γραφω*, a description). A description of the chyle and of the parts which elaborate it.

**Chylopoietic** (*chylipoieticus*; from *χυλος*, chyle, and *ποιεω*, I make). Anything connected with the formation of chyle, as the chylopoietic vessels, vessels, etc.

**Chylopoiesis**. A term used by Claude Bernard to express the active principle of the pancreatic juice.

**Chyle'sia**. The process by which food is changed into chyle. Chylification, or the formation of chyle.

**Chylotag'ma**. Distillation or expression of juice from solids.

**Chyluria** (from *χυλος*, chyle, and *ουρος*, urine). A discharge of milky urine, without any apparent lesion of the urinary organs.

**Chylus** (*χυλος*). Chyle.

**Chyme** (*χυμος*; from *χυμος*, juice). A homogeneous mass, formed by the food in the stomach, and from which, after it passes into the intestines, the chyle is separated. It is formed by the food in its first great change in the process of digestion, and consists of the contents of the small intestine, after having been acted upon by the salivary, gastric, biliary, pancreatic, and intestinal secretions.

**Chymia** (*χημια*). Chemistry.

**Chymist'ry**. A chemical-physician.

**Chymist'ria**. The art of curing diseases by chemical remedies.

**Chymification** (*chymification*; from *χυμος*, juice, and *ποιεω*, to make). The conversion of food into chyme; the first process of digestion.

**Chymistry**. Chemistry.

**Chyl'leu Radix**. A cylindrical root, of a bitter taste, brought from China. The Chinese hold it in high estimation for its stomachic virtues.

**Cl'atome**. An instrument for dividing pseudo-membranous bands in the rectum or bladder.

**Ciba'lis** (from *cibus*, food). Of or belonging to food.

**Ciba'tio** (from *cibus*, food). The act of taking food.

**Cl'bus**. Food.

**Cicada.** A genus of insects, celebrated for their power of song, or shrill chirp, embracing the tree-hopper, frog-hopper, etc. The name of the shape is the inspissated juice of the *Fraxinus ornus*, exuded from the wounds inflicted by the Cicada ornil.

**Cicatrix.** Of or pertaining to a cicatrix; depending upon the shrinking of a cicatrix.

**Cicatricial Deformities.** Contraction of tissues caused by cicatrices.

**Cicatrixcula** (diminutive of *cicatrix*). A small cicatrix; applied also to the small white speck seen on the yolk of the fecundated egg.

**Cicatrixant** (*cicatrixans*; from *cicatrix*, to skin over). Such applications as are supposed to aid wounds and ulcers to dry up and heal.

**Cicatrix** (from *cicatrix*, to heal up or skin over). A scar or mark upon the skin after the healing of a wound or ulcer.

**Cicatrization.** The process by which a wound or ulcer cicatrizes. The process of healing.

**Cicissum Oleum.** An oil obtained from the bruised seeds of *Jatropha curcas*, possessing properties similar to castor oil.

**Cilia** (*ophariden*). The eyelashes, or hairs on the eyelids.

**Ciliary** (*ciliaris*). Pertaining to the eyelashes.

**Ciliary Arteries.** The ciliary arteries are divided into short or posterior, and anterior. The first are numerous, and penetrate the sclerotic coat of the eye near the optic nerve, spread out upon the choroid membrane, and supply the iris and ciliary processes. They originate from the ophthalmic artery in three or four branches, but are divided into about twenty by the time they arrive at the sclerotic. The anterior ciliary arteries are six in number, and pierce the sclerotic near the cornea, and are principally distributed upon the iris.

**Ciliary Body.** A ring of the choroid coat of the eye, surrounding the crystalline lens like a crown placed behind the iris and ciliary vessels.

**Ciliary Circle.** Ciliary ligament.

**Ciliary Ligament.** A grayish ring situated between the iris, cornea, and sclerotic.

**Ciliary Membr.** The border of the eyelid.

**Ciliary Muscles.** That part of the orbicularis palpebrarum in the vicinity of the cilia.

**Ciliary Nerves.** The nerves of the ciliary

**Ciliary Processes.** The radiated plates of the choroid membrane, which resemble the disc of a radiated flower, lodged in the depressions of the anterior part of the vitreous humor.

**Ciliary Striae.** Pale radiated striae in the posterior part of the ciliary body, so covered with pigment as not to be seen distinctly until that is removed.

**Ciliary Veins** (*venae vorticosae*). These follow the same course as the arteries, and discharge their blood into the ophthalmic vein.

**Ciliary Zons.** Ciliary crown; ciliary disc. The appearance, like the disc of a flower, which the pigment between the ciliary processes leaves on the hyaloid membrane.

**Ciliated** (*ciliatus*). Fringed with fine hairs, like the eyelashes.

**Cilium** (from *cilio*, to twinkle). The eyelash or eyelid.

**Cilio** (from *cilio*, the eyelid). One affected with cilia.

**Ciliosis.** A perpetual spasmodic trembling of the eyelids.

**Cimicifuga Racemosa.** Acton racemosa, black snakeroot, a plant possessing tonic, antispasmodic, and expectorant properties. Dose of powder, gr. x to gr. xxx.

**Cimicifugine.** Active principle of *cimicifuga*.

**Cincoila Purpurea.** Fuller's earth.

**Cincolite.** A grayish-white earth, consisting of silic, alumina, oxide of iron, and water. Canadian earth.

**Cina Cina.** Cinchona.

**Cincho-na.** The name of several kinds of Peruvian bark, the use of which is said to have been discovered by this circumstance: Some of the trees from which it is procured having been blown by the wind into a pool of water, they lay there until they had imparted to it such a bitter taste that everybody refused to drink it; but a person residing in the neighborhood was seized with a fever and, not being able to procure other water to quench his thirst, drank of this, and was soon completely cured. This circumstance was related to others ill of fevers, who drank it and were cured. Its use, however, as a medicinal agent, did not become general until about the year 1638, when the Spanish viceroy's lady, the Countess de Cinchon, was cured of fever by it at Lima, and hence the appellation of *Corteis Cinchona*, and *galeo condition*, or the Countess's Powder. It was afterward introduced into Europe by the

Jesuits, among whom the Conites, on her recovery, had distributed it, and thence arose the name of *Cortex or Pelis Jesuitica*, Jesuit's Bark. Called also *Cardinal de Lugo's Powder*, because a large quantity of it was taken to Rome for the use of the religious poor by that charitable prelate.

*Cinchona* is called, also: *Cortex*; bark; *Peruvian bark*; *cortex China*; *China chinchina*; *kina*; *kinkina*; *quina quina*; *quin-quina*. These barks are possessed of bitter, astringent, tonic, and febrifuge properties, and have constituted one of the most valuable remedies of the materia medica in the treatment of intermittent fevers, as well as other diseases; but since the discovery of their active principle, quinine, they have not been so much used. See *Gorge's "Dental Medicine."*

*Cinchona Alkaline*. *Cinchona*, quinine, and aricine. They are regarded as oxides of a common base, termed *quinagen*.

*Cinchona Barks, False*. Barks procured from trees formerly ranked among the *Cinchonaceae*, and distinguished from the true Peruvian bark by the absence of quinine and cinchonine.

*Cinchona Flava*. Yellow bark, called in commerce *callaya bark*. There are several other varieties of yellow bark, but the *callaya*, the product of the *Cinchona lanceolata*, is the most valuable.

*Cinchona Pallida*. Pale bark, called in commerce *losa bark*. There are several other commercial varieties, but this is the most highly esteemed, and is the product of the *Cinchona condaminensis*.

*Cinchona Rubra*. Red bark, called in South America *caecurilla roxa* and *colorado*. This is from an undetermined species of *cinchona*. See *PERUVIAN BARK*.

*Cincho'nia*. *Cinchonia*; *cinchonina*. The active principle of *Cinchona lanceolata*. An organic, crystalline alkali, of a white color, bitter taste, slightly astringent, soluble in 3500 parts of boiling water, but very soluble in boiling alcohol, and slightly soluble in ether and the fixed and volatile oils. But the sulphate of cinchonine, which is formed directly from cinchonine, is soluble in water as well as alcohol.

*Cinchon'ic Acid*. Kinic acid; an acid found in cinchona barks, and in the albumen of *Abies conmuta*.

*Cinchonic Red*. An insoluble red substance found in cinchona barks.

*Cin'chonin* or *Cin'chochina*. *Cinchona*.

A peculiar vegetable principle, or alkali, discovered in the *Cinchona condaminensis*.

*Cinclin'na*. The hair on the temples.

*Cin'cleus*. Involuntary winking or nictitation.

*Cinera'rium*. The ash-pit of a furnace.

*Cin'eres* (plural of *cinea*, ashes). Ashes.

*Cineras Clavellati* (*potius sagura*). Pearl-ash.

*Cincri'tious* (*cineritius*; from *cinea*, ashes).

Of the color of ashes. Pertaining to ashes. The cortical substance of the brain is sometimes so called, from its resemblance to ashes.

*Cinet'ica* (*convulsor*, having the power of motion). Diseases affecting the muscles. Spasms.

*Cine'tass*. The diaphragm.

*Cin'gulum* (from *cingo*, I bind). A girdle applied to the body below the ribs. The waist.

*Cin'gulus* or *Cin'gule*. A term applied to the division or valley which separates the body of the canine tooth from the tubercle on its lingual surface.

*Ci'nia*. Ashes.

*Cin'nabar* (*Hydrargyri sulphureum rubrum*). Mercuric sulphide. HgS. A sulphuret of mercury. It occurs native, and is made artificially. The former appears in the form of brilliant red crystals, and also in amorphous masses of different shades of red and brown; the latter is the red bisulphuret, the vermilion of commerce.

*Cinnam'ic Acid*. An acid obtained from the oil of cinnamon.

*Cinnamo'mum* (from *Kinnamon*, Hebrew). A genus of plants of the order Lauraceae. *Cinnamon bark*, *cassia bark*. A native of the East and West India, Brazil, and Egypt. It is an aromatic stimulant and an astringent; but is chiefly used as an adjunct to other remedies. Powdered cinnamon bark forms an ingredient of some dentifrices. See *OLEUM CINNAMOMI*. *Cinnamomum Cassia* (*cinnamomum avicennae*). The cinnamon cassia, which yields the cassia lignea, cassia bade, and cassia bark of commerce.

*Cinnamomum Zeylanicum*. The tree which yields the Ceylon cinnamon, the *Laurus cassia* of the gardens.

*Cin'namon*. The bark of *Cinnamomum Zeylanicum*, and of *Cinnamomum aromaticum*. See *CINNAMOMUM*.

*Cinnamon Stone*. A silicate of lime, alumina, and oxide of iron; a rare mineral from Ceylon, of a hyacinth-red, or yellowish-brown color.



**Cinnamon Sweet.** An oily and waxy product of the cinnamon tree, used in Ceylon for making unguents.

**Cin<sup>o</sup>namyl (cinamule).** The hypothetical radical of cinnamon oil, etc.

**Cir<sup>o</sup>on (cuv, a column).** The uvula was formerly so called from its pyramidal shape.

**Cir<sup>o</sup>cula (from cuv, a column).** Swelling and elongation of the uvula.

**Circu<sup>o</sup>litis (from cuv, a column, and *itis*, signifying inflammation).** Inflammation of the uvula.

**Circocor<sup>o</sup>rh<sup>o</sup>ph<sup>o</sup>lia (cuv<sup>o</sup>, the uvula, and *ph<sup>o</sup>ly*, a stem).** The same as staphylorrhaphy (which see).

**Circot<sup>o</sup>omy.** Excision of the uvula.

**Cir<sup>o</sup>clanta.** To make a circle; to compass.

**Circoc<sup>o</sup>le.** Circocole.

**Cir<sup>o</sup>cuit.** A path returning upon itself; particularly such a path consisting of conducting material through which a galvanic current is made to pass.

**Circuit, Open (or Broken or Interrupted).**

When there is a break in its continuity preventing the passage of the current. **Circuit**, when it is continuous and the current passes through it. **Short circuit**, when the direct connection is by a short line between the terminal elements of a battery; also a circuit formed within the battery-cell, the current passing from zinc to collecting plate and from plate back to zinc.

**Cir<sup>o</sup>cular (circularis; from *circulus*, a circle).** Having the form of a circle.

**Circula<sup>o</sup>tion (circulatio; from *circulus*, a circle; or from *circo*, around, and *ferre* *latens*, to carry).** In *Physiology*, the circulation of the blood through the different vessels of the body. In this vital action, the blood is ejected from the left ventricle of the heart into the aorta and taken to every part of the body, passes into the veins, and is returned to the right auricle of the heart, which, after distending to receive it, contracts and forces it into the right ventricle. Thence it passes into the pulmonary artery, is conveyed to the lungs, and brought back to the heart by the pulmonary veins; entering the left auricle, it is forced into the left ventricle, to be again conveyed by the arteries to the different parts of the body.

**Circulation, Arterial Systemic.** In which the blood, starting in the left auricle, passes successively into the left ventricle, aorta, and arteries.

**Circulation, Capillary.** The passage of the

blood through the minute vessels which lie between the arteries and veins, and penetrate all the tissues. The blood, in its passage through these vessels, is changed from arterial to venous.

**Circulation, Collateral.** The passage of the blood through branches and secondary channels after it is arrested through its principal or normal route.

**Circulation, Fœtal.** See FœTAL CIRCULATION.

**Circulation, Pulmonary.** In which the blood passes through the right auricle, right ventricle, pulmonary artery, pulmonary capillaries, and pulmonary vein to the left auricle.

**Cir<sup>o</sup>culus.** A circle or ring. In *Anatomy*, any part of the body which is round like a circle, as the *circulus cæli*.

**Circulus Articul<sup>o</sup> Vasculo<sup>o</sup>sus.** The narrow vascular border formed around the articular cartilages by the abrupt termination of the subynovial vessels.

**Circulus Oseeus.** The bony ring of the sutura, afterward united to the temporal bone, forming the mastoid process.

**Circulus Tonsillo<sup>o</sup>ris.** A plexus formed by the lingual and glossopharyngeal nerves around the tonsil.

**Circulus Willisii.** The circle of Willis; an anastomosis between the branches of the vertebral and internal carotid arteries within the cranium.

**Circumag<sup>o</sup>ent<sup>o</sup>es.** The oblique muscles of the eye.

**Circumcisa<sup>o</sup>lis Membrana.** The conjunctiva.

**Circumc<sup>o</sup>ision (circumcisio; from *circumc<sup>o</sup>de*, to cut about).** An operation practised among the Jews, consisting in the removal of a portion of the prepuce of the infant by a circular operation.

**Circumduc<sup>o</sup>tion (circumdactio).** See IKA-DIPHALADIA.

**Circumductio<sup>o</sup>nis Op<sup>o</sup>h<sup>o</sup>ex.** The worker of circumductum; an epithet for the superior oblique muscle of the eye.

**Circumflex<sup>o</sup>.** A name applied to various arteries of the extremities.

**Circumflex<sup>o</sup> a H<sup>o</sup>il.** An artery passing around the crest of the ilium, springing from the external iliac.

**Circumflex<sup>o</sup>us (from *circum*, around, and *flexus*, bent).** Bent circularly. In *Anatomy*, a name given to several organs of the body. A muscle of the palate.

**Circumflexus Palati** (*lateral palati*). A muscle of the palate, which arises from the spinous process of the sphenoid bone, and is inserted into the velum pendulum palati and the semilunar edge of the os palati, extending as far as the suture which unites the two bones.

**Circumsu'sa**. In *Hippocr.*, everything which acts externally and generally upon man.

**Circumgyr'atio** (from *circuagere*, to turn round). Turning a limb around in its socket. Vertigo.

**Circumossalis Membrana**. Peritonium.

**Circumscribed**. In *Medicine*, tumors which are distinct at their base from the surrounding parts.

**Circumval'ate**. Walled about; surrounded by a raised edge.

**Cirr'ois** (from *σῆρος*, yellow). A yellow coloring matter, sometimes secreted in the tissues, owing to a morbid process. Also a disease of the kidneys.

**Cirrhosis Hepat'is**. Granulated, tuberculated, and bimballed liver. It is dependent upon rejection of the terminal extremities of the biliary ducts with bile, together with altered nutrition of the intervening parenchyma, by which the liver becomes smaller, atrophied.

**Cirrho'le** (from *σῆρος*, a dilated vein, and *σῆμα*, a tumor). Morbid enlargement of the spermatic vein.

**Circom'phalus** (from *σῆρος*, a dilated vein, or varix, and *ομφαλός*, navel). Varicose condition of the veins surrounding the navel.

**Cirso'phthal'mia** (from *σῆρος*, and *ὀφθαλμός*, the eye). A varicose condition of the vessels of the eye.

**Circo's** (*σῆρος*; from *σῆρος*, to dilate). A morbid distention of any part of a vein. A varix.

**Circot'omy** (from *σῆρος*, a varix, and *τομή*, an incision). The removal, by incision, of varices.

**Cis'ta** (from *κίστη*, to lie). A cyst.

**Cistac'na** (from *cista*, a cyst). Parts of the body which serve as repositories for fluids. The fourth ventricle of the brain is also so called.

**Cit'rus**. A genus of plants of the order Citaceæ.

**Cistus Creticus**. The plant from which laudanum is obtained; a gum-resin which exudes from the leaves.

**Cit'rate**. A salt of citric acid.

**Citrate of Ammonia** (*ammonia citras*). A salt formed by neutralizing sesquicarbonate of ammonia with citric acid.

**Citrate of Potash**. A salt formed by evaporating to dryness a solution of citric acid, saturated by carbonate of potash.

**Cit'rates**. Salts of the acid of lemon.

**Cit'ric**. Of or belonging to the lemon.

**Citric Acid** (*acidum citricum*). Formula,  $H_2C_3H_3O_7$ . Acid of lemon, lemon juice. It resembles acetic acid in its effects and uses.

**Cit'rine Oint'ment**. Ointment of nitrate of mercury. Used as a stimulant and alterative application in cutaneous affections.

**Cit'rinus**. Lemon colored.

**Cit'ron**. See CITRUS MEDICA.

**Citru'l'us**. *Cucurbita citrullina*.

**Cit'rus**. The lemon. See CITRUS MEDICA.

**Citrus Aurantium**. The systematic name of the orange tree.

**Citrus Medica**. The systematic name of the lemon tree. The citron is the same species of tree as the lemon.

**Citrus Vulgar'is**. The Citrus aurantium.

**Cit'ia**. An inordinate or voracious appetite.

**Cl**. Abbreviation for chlorine.

**Clack'ing Pivot or Tension**. Clack-pivot; a method of attaching an artificial crown to the root of a natural tooth; invented by Magiola. See PIVOT TEETH, Harris' "Prin. and Pract. of Dentistry."

**Cladrus'tis Tincto'ria**. Yellow ash, fustic tree, yellow locust. An indigenous tree flourishing in the Western and Southern States. The bark and root are cathartic.

**Clairvoy'ance**. Clair-seeing. A power supposed to be communicated to persons by animal magnetism, by which they are said to discern objects not present, to see through stone walls, and to have the quality of vision diffused over the whole body.

**Clam'my**. Glutinous; adhesive; sticky.

**Clamp**. In *Surgery*, an instrument for compressing parts to fix them in position or to prevent hemorrhage. In *Mechanical Dentistry*, a piece of round or flattened iron wire, or other metal not easily fused, bent in such a manner as to hold two or more pieces of gold or silver in contact with each other while they are being soldered together. Another form of clamp, that of Dr. T. H. Burns, is designed for holding the plate firmly to the die when swaging it. Instruments called clamps are also used for screwing together the flaps in vuln'ers.

**Clasp.** Rubber-dam clamps are indispensable in the use of the rubber dam for retaining it in proper position, and are applied after the rubber sheet is drawn over the teeth. Some are combined with a tongue-holder. A suitable forceps is used to assist in placing these clamps in position.

**Clamp Forceps.** Instruments for the adjustment of the rubber-dam clamps, and so formed that the points pass into the curve of the clamp, and by pressure upon the handles open it enough to pass it over the crown of the tooth, the rubber then being drawn under the wings of the clamp.

**Clap.** Gonorrhoea.

**Claquement.** A French word signifying clattering of the teeth.

**Clar'et** (*claratus*; from *clarus*, to be clear). A light French wine possessing tonic and antidiyspeptic properties; used sometimes with advantage in typhoid fever.

**Clarification** (*clarification*; *dephuration*; *clarify*; from *clarus*, clear, and *facis*, I make). The process of freeing a fluid from all insoluble and heterogeneous matters.

**Clas's** (*classis*). Fracture.

**Clasp.** In *Mechanical Dentistry*, a hook fitted to a tooth and designed for the retention of a dental substitute or other apparatus to be worn in the mouth. See GOLD CLASP, Harris' "Prin. and Pract. of Dentistry."

**Class** (*classis*). In *Natural History and Medicine*, a group or assemblage of a certain number of objects having one or more common characters. A scientific division or arrangement of objects. A class comprehends the minor divisions of order, genus, species, and variety.

**Classification** (from *classis*, class, and *facio*, to make). The orderly arrangement of classes, names, objects, etc., in accordance with their properties, etc.

**Classification** (*classification*; from *classificare*, to be lame). Halting or limping.

**Claw'trum** (from *claudere*, to shut). An aperture capable of contracting itself, as the *Stomach*.

**Claw'ure** (*clawure*). In *Anatomy*, an imputation of a canal or cavity.

**Claw'vite.** A genus of fungi.

**Claw'vite.** Club-shaped; larger at top than at base.

**Claw'vite** (from *claw*, a club). An articulation which does not admit of motion, as that between the teeth and the sockets, called gomphosis.

**Clav'icle** (*clavicula*; diminutive of *clavis*, a key). The clavicle or collar-bone.

**Clav'is.** The clavicle. A key.

**Clav'us.** A nail. A term applied in *Pathology* to a horny, cutaneous protuberance having a central nucleus and sensitive at its base, as corns on the toes, produced by the pressure of tight shoes. Also a painful, pulsating affection of the forehead, giving a sensation like what might be supposed would be produced by driving a nail into this part of the head. When connected with hysteria it is termed *clavus hysterica*.

**Clavus Oculorum.** A staphyloma, or tumor on the eyelid.

**Claw.** In *Botany*, the taper base of a petal. In *Medical Surgery*, the hook of the key-instrument is sometimes so called.

**Clay** (*argilla*). An argillaceous earth, of which there are a number of varieties, consisting of silica, variable quantities of alumina, and generally of more or less oxide of iron. They are used in the manufacture of pottery, and some of them in the manufacture of porcelain-ware and mineral teeth. See MINERAL TERTH and KAOLIN.

**Clay, Pure.** The earth called alumina.

**Clean'sings.** Lædia.

**Clean'age.** The natural line of separation exhibited in crystals when their laminae are separated by mechanical force.

**Cleft.** In *Botany*, split or separated less than half way.

**Cleft Palate.** Congenital malformation of the palate, consisting of a separation or fissure extending sometimes through both the hard and soft palate in the direction from before backward, along the median line, causing the buccal and nasal cavities to communicate with each other. It usually occurs with hare-lip. See PALATE, CONGENITAL DEFECTS OF.

**Cleid'ion.** The clavicle. Also an astringent jelly or epithem.

**Cleido-mastoi'deus** (from *clavus*, the clavicle, and *mastoides*, the mastoid process). The sterno-cleido-mastoid muscle.

**Cleis'agra** (from *clavus*, the clavicle, and *agra*, a seizure). Gout in the articulations of the clavicle.

**Climac'teric** (*climactericus*; from *κλιμακτηρ*, a step). By degrees; but commonly applied to certain critical periods of life, or periods at which certain great changes occur, as the periods of puberty in both sexes, the cessation of the flow of the menses in women, etc.

**Climacteric Diseases.** A term sometimes applied to a general alteration of health, occurring at a certain period of life and characterized by gradual loss of the powers.

**Climacteric Teething.** The development of teeth at a very late period of life after the loss of those of the second dentition, and usually between the sixty-third and eighty-first year—the grand climacteric years of the Greek physiologists.

**Climacteric Years.** From remote antiquity a peculiar importance has been attached to certain periods in the life of man; periods at which great changes are supposed to occur in his health and fortunes. It is said that this superstitious belief had its origin in the doctrines of Pythagoras. Sixty-three was regarded by the ancients as a climacteric year of peculiar danger, and it was called by astrologers "herculeus," from a prevalent belief that it was particularly fatal to great men. This year seems to have derived its peculiar importance from its being a multiple of the mystical years of seven and nine. According to most writers, the climacteric periods in the life of man are multiples of the number seven; others have applied the term to years resulting from the multiplication of seven by an odd number. Almost all countries have attached a peculiar importance to those years indicated by compounds of the number seven. Hence, fourteen years have been fixed for the period of puberty, twenty-one for adult age; and Aristotle has selected thirty-five for the perfection of bodily vigor, forty-nine for the perfection of the mind, sixty-three as the *grand climacteric*, and seventy as the ordinary limit of the age of man. In old age, or after the vital powers of the system begin to decline, an effort is sometimes supposed to be made at these periods by the economy to renew the body.

**Climate** (from *κlima*, a region). The word climate is differently defined. According to some, it is a space upon the surface of the terrestrial globe, between two circles, forming a belt parallel to the equator, and measured according to the length of days. But in a hygienic sense, it is the prevailing constitution of the atmosphere, relative to heat, cold, moisture, and wind, peculiar to any region; also its purity and mixture with miasmatic and gaseous emanations. Climate depends upon a variety of circumstances, as its distance from the equator, its distance from and altitude

above the level of the sea, the extent, configuration, inclination, and local exposure of the country, the nature of the soil, the effects resulting from cultivation, the direction of the mountains by which it is intersected or that are in its vicinity, and the action of the winds by which the temperatures of different latitudes are blended.

The circumstances connected with climate exert a powerful influence upon the animal economy; they modify the character of disease as well as the action of remedies. They also determine the physical characteristics of the different races of mankind.

**Climatic.** Belonging to or dependent upon climate.

**Clin'ic** (from *κλινος*, pertaining to a bed). Medical or dental instruction given at the bedside or dental chair, where the patient is present, whose symptoms are described and treatment explained.

**Clin'ical** (*clinicus*; from *κλινος*, a bed). In *pathology*, the transactions which take place—especially the instructions given—at the sick-bed or dental chair.

**Clinical Lecture.** A lecture given at the bedside or dental chair on a particular case of disease.

**Clinical Medicine.** That which is occupied with the investigation of disease at the bedside, or with individual cases of disease.

**Clin'ique.** A school or lesson where medicine and surgery in any of its branches is taught by direct examination and treatment of patients.

**Clink'er.** The vitreous substance which collects in furnaces and stores where stone coal is used; also the black oxide of iron of the smith's forge.

**Clint-stone.** A dark greenish-gray, yellowish, bluish, or ashy-gray mineral, of a slaty structure, generally arranged in tabular masses, and usually translucent at its edges.

**Clin'oid** (*clinoides*; from *κλινος*, a bed, and *ειδος*, resemblance). Resembling a bed.

**Clinoid Processes.** The four processes at the upper surface of the sphenoid bone, which surround the sella turcica; are so called from their resemblance to the posts of a bedstead; two are anterior and two posterior.

**Clinom'eter.** An instrument for measuring the dip of mineral strata.

**Clinosom'eter.** An instrument for measuring the angle which the axis of the pelvis makes with that of the body.

**Clitoridis Mass/oides.** See **ERECTOR** **CLITORIDIS**.

**Clitoris** (gen. *clitoridis*; from *claus*, to en-  
close or hide; so called because it is hid by the  
*labia pudendorum*). A small round organ  
situated above the nymphæ at the upper part  
of the vulva, before the orifice of the urethra  
in females.

**Clitoris/mus.** An enlargement of the  
clitoris; also *sapphim*.

**Clitoritis** (*clitoris*). Inflammation of the  
clitoris.

**Clen'ic** (from *clonus*, agitation). Irregular,  
spasmodic, or convulsive motions; opposed to  
*tonic*.

**Cleno'des.** A term formerly applied to a  
vibrating pulse.

**Clo'mus** (from *clonus*, to agitate). Clonic  
spasms.

**Closed Circuit.** See **CIRCUIT**.

**Clot.** Coagulum; the crassamentum of the  
blood.

**Clove.** The unexpanded flower-bud of the  
clove-tree, *Caryophyllus aromaticus*.

**Club-foot.** A deformity, either congenital  
or acquired, but usually the former, caused by  
a contraction of the extensor muscles of the  
foot. The affection has been variously design-  
ated according to the nature of the deformity,  
as *tip-foot*, when the heel is drawn upward and  
the patient is compelled to walk on his toes;  
*hock-foot*, when he walks on the back of his  
foot; *cross-foot*, when he walks on the outer  
edge; *out-toe-foot*, when he walks on the inner  
edge; and *hock-club-foot*, when his toes are drawn  
upward so that he is compelled to walk on his  
heels.

**Clune'ris** (from *clonus*, the nates). Inflam-  
mation of the buttocks.

**Cho'ton Eleuther'ia.** Croton cascarilla.

**Cly'don** (*clidion*). Flatuses; fluctuation  
of the contents of the abdomen.

**Clype'us Cartil'ago.** The thyroid carti-  
lage.

**Clype'us** (from *clypeus*, a shield). Shield-  
bone.

**Clyster.** A clyster.

**Clyster** (*clysterium*; from *cluzo*, to wash).  
*Enema*. A liquid thrown into the rectum  
by means of a syringe or bladder with a  
tube, the handle of the instrument being in-  
serted into the anus. The enemata most  
commonly used consist of warm water having  
added either soap or common salt or

**C. M.** Abbreviation for *crescens*, to-mor-  
row morning.

**C. N.** Abbreviation for *crescens*, to-morrow  
night.

**Coe'me.** The tibia.

**Cosmo-dactyl'us.** Extensor longus  
digitorum pedis.

**Coe'sis** (from *cruis*, to scratch). *Cosmos*.  
Painful itching.

**Cel'cium.** A crystalline substance obtained  
from *Oniscus benedictus*.

**Cnido'ris** (from *cnidus*, the nettle). An itch-  
ing sensation like that produced by the nettle.  
A dry ophthalmia.

**Cry'ma.** A slight itching; also a puncture  
or vesication.

**Coag'ulable Lymph.** Liqueur sanguinis;  
plastic lymph; a clear, colorless fluid which  
exudes from wounds or inflamed vessels, and  
serves for the reparation of injuries and to pro-  
duce adhesions.

**Coag'ulant.** That which has the power of  
coagulating the blood.

**Coagula'tion** (*coagulatio*; from *coo* and *ago*,  
to drive together). The act of changing from  
a fluid to a jelly-like consistence.

**Coagulum.** Clot. A jelly-like or soft  
mass of fibrin that forms from the plasma of  
the blood after the latter has been drawn from  
the body. It is also called *crassamentum*, *crues*,  
*clot*, &c. It contains the fibrin, coloring mat-  
ter, a little serum, and a small quantity of  
milk. The clot of blood; the curd of milk,  
and the insoluble form of albumen.

**Coagulum Alu'minis.** A coagulum formed  
by heating the white of eggs with a little  
alum. It is used in cases of ophthalmia where  
an astringent is required.

**Coales'cence.** In *Medicine*, the union of  
parts previously separated, as in the case of  
preternatural adhesions.

**Coapta'tion** (*coaptatio*; from *coo*, together,  
and *aptare*, to adjust, adapt). The act of plac-  
ing the two extremities of a fractured bone or  
the ends of a wound in contact with each  
other, or of restoring a luxated bone to its  
proper place.

**Coarcta'tion** (*coarctatio*; from *coarctare*, to  
straighten). In *Pathology*, the contraction or  
straightening of a canal, as of the urethra or  
intestinal canal.

**Coarticula'tio** (from *coo*, and *articulatio*, an  
articulation). Articulation which admits of  
manifest motion. See **DIARTHROSES** and **SYN-  
ARTHROSES**.

**Cont'ed.** A term applied to the condition of the tongue as indicative of visceral disturbance.

**Co'halt.** A brittle, reddish-gray metal, fused with difficulty, and generally combined in its ores with nickel, arsenic, iron, and copper. Arsenic is the active principle of cobalt. Its oxide is largely used to color porcelain blue. It is frequently employed as a coloring matter in the manufacture of porcelain teeth, and also for destroying the pulp of teeth, and for application to sensitive dentine, but is not considered to be as reliable as other agents used for the same purpose.

**Co'hweb.** The web of the Aramen, or spider. Sometimes used to arrest hemorrhage. It acts mechanically as a styptic.

**Cocaine.** An alkaloid obtained from the leaves of the *Erythroxylon* caca of South America. Formula,  $C_{17}H_{21}NO_4$ . It is in the form of colorless, bitter crystals, sparingly soluble in water. The following salts of cocaine are employed in *Medicine and Dental Practice*: Hydrochlorate, citrate, salicylate, borate, oleate, and hydrobromate. It is soluble in alcohol and ether, and also in 704 parts of water. Its taste is bitter, and its reaction is strongly alkaline. As a local anesthetic it has been largely employed in dental practice, the most common preparation for use being a 4 per cent. solution composed of cocaine hydrochlorate,  $\frac{1}{2}$  grains; distilled water, f $\frac{3}{4}$  j. M. As an aqueous solution soon deteriorates, fresh solutions should be employed; or distilled water containing 7 grains to the pint of either thymol or salicylic acid or camphor water will act as preservatives. Cocaine solution, of 4 or 5 per cent. strength, is employed in dental practice as an anodyne agent for sensitive dentine, exposed pulps of teeth, and hypodermically injected as a local anesthetic in the extraction of teeth. It is generally applied for twenty minutes, and re-applied if necessary. Dose, gr.  $\frac{1}{4}$  to gr. ij. See *HEIMER OBTUNEX*. For dental uses see GORPUS' "Dental Medicine."

**Cocaine Hydrochlorate.** Used as a local anesthetic in 2 to 5 per cent. solution.

**Cocaine Oleate.** A 5 per cent. solution of cocaine in oleic acid for external use.

**Coccinella** (diminutive of *coccus*, a berry; from its resemblance to a berry). The cochineal insect. See *COCCUS CACTI*.

**Coccinella**. The coloring principle of cochineal. Carmine.

**Coc'colite.** A mineral of a green color, of various shades.

**Coc'culus Indi Aromaticus.** Jamaica pepper. See *MYRTUS PIMENTA*.

**Cocculus Palmatus.** The systematic name of a plant which affords the calumba root.

**Coc'cus.** A tribe of insects.

**Coccus Cacti.** The systematic name of the cochineal insect. Cochineal. Used in Harris' gum wash as a coloring matter.

**Coccus Lacca.** The insect from the supposed pinnate of which, in the extreme branches of certain East India trees, *lac* or *gum lac* exudes.

**Coccyzus** (from *coccy*, because it is inserted into the coccyx). A muscle which arises from the spinous process of the ischium, covers the inside of the sacro-lumbar ligament, and is inserted at the extremity of the sacrum.

**Coccygia Os** (as *occygia*; *coccy*; from *coccy*, the cuckoo, whose bill it is said to resemble). A bony appendage at the point or lower extremity of the sacrum, terminating in an acute point. Generally, it consists of four bones, and behind its base are two small tubercular eminences, called *cornua of the coccyx*.

**Coc'cyx.** The os coccygia.

**Cochineal.** *Coccus cacti*—an insect found on several species of cactus.

**Coch'lea** (from *coch'le*, to turn round). The anterior of the three cavities constituting the labyrinth of the ear; is so called from its resemblance to a snail.

**Cochlea'ra** (from *coch'le*, a cockle, because its bowl represents a shell). A spoon; a spoonful.

**Cochleare Magnum.** A tablespoonful, which is about half a fluid ounce.

**Cochleare Me'dium.** A dessertspoonful, or two teaspoonfuls.

**Cochleare Minimum.** A teaspoonful, or one fluid drachm.

**Cochlea'ria** (from *cochleare*, a spoon). A genus of plants of the order Brassicaceae.

**Cochlearia Armorica.** Horse-radish.

**Cochlearia Officinalis.** *Cochlearia hortensis*. The common scurvy-grass, said to be a powerful antiscorbutic.

**Cochlea'tas** (*cockle*). Spinal.

**Coch'lea.** The junction of the hip or punch with the seat or thigh. The break. The perineum. The coccyx.

**Co'cos Butyraceus.** The systematic name

of the plant from which the palm oil is obtained.

**Codition** (*codio*; from *coquere*, to boil). Digestion of the food in the stomach; boiling, or decoction. A term formerly used in *Medicine* to express the change morbid matters were supposed to experience before elimination.

**Codol'a** (*codein*; from *codein*, a poppy-head). An alkaloid extract of opium.

**Code'ic Acid**. An acid formed from *codein*.

**Co'doin** (*codein*, a poppy-head). *Codeine* or *codein*. An alkaloid in opium. As a narcotic, it is of half the strength of morphia.

**Code-liver Oil**. *Oleum morrhue* (which see).

**Codeco'le** (*codecole*). Babo.

**Colicula'tis** (from *colic*, hollow, and *alga*, a worm). A class of Entozoa, including such of the intestinal worms as have no intestinal canal continuing in a distinct abdominal cavity.

**Colic'e'tine**. A name applied by microscopists to sulphate of strontia, from its blue tint.

**Col'icula** (from *colic*, hollow). A cavity in any part of the body, as the abdomen, uterus, etc.

**Col'icac** (*colicac*; from *colic*, the abdomen). Pertaining to the abdomen.

**Col'iac Artery** (*arteria colica*). The first branch of the aorta given off in the abdomen.

**Col'iac Flux or Passion** (from *colic*, the abdomen). A chronic diarrhoea, in which the stool is discharged in an undigested state.

**Col'iac Plex'us**. A plexus formed of oomeric nervous filaments from the semi-lunar ganglia of the great sympathetic, and from branches of the right and left pneumogastric nerves. It is situated behind the stomach around the trunk of the colic artery.

**Col'ic'ac** (*colicac*; from *colic*, hollow). Diseases of the digestive functions; the first class in Good's "Nomenclature," containing two main, enteric and splencholes.

**Col'ic'icula** (*colic*, belly, and *alga*, pale). *Hyla* in the belly.

**Col'ic'um** (from *colic*, hollow). An ulcer of the cornea of the eye.

**Col'ic'scope**. An instrument used for examining the cavities of the body by means of reflected light.

**Col'ic'ulosis** (from *colic*, hollow, and *colic*, mouth). Defective enunciation, characterized by hollowing of voice.

**Col'ic'ulosis** (*coliculosis*; from *colic*,

common, and *colic*, perception). Common perception or general sensibility of the system.

**Coff'er Dam**, Barnum's. See **RUBBER DAM**.

**Cohabita'tion**. The act of living together. In *Legal Medicine*, intercourse between the sexes.

**Cohes'ion** (*cohesio*; from *coherere*, I hold together). Attraction or cohesion is that power by which particles of matter are connected and held together in such a way as to resist any attempt at separation. The force by which molecules of matter adhere to one another. The attraction of aggregation.

**Cohes'ive Foli**. Gold foil for filling teeth, of such a property that it manifests the peculiarity of one layer adhering to another when they are laid or pressed together, and becoming inseparably united. See **GOLD FOIL**.

**Cohoba'tion** (*cohabatio*). In *Chemistry*, the distillation of a fluid on a substance of the same kind as that upon which it was at first distilled, and repeating it several times.

**Col'i'ma**. Hardened swelling of the abdomen from flatulency.

**Col'idican'tia** (from *colic*, not Indian, to indicate). Signs furnishing the same indications, or which are confirmatory of the indications furnished by other signs. Such signs are called coincident.

**Col'ic'as**. Scrofula.

**Col'tion** (*colit*; from *colere*, to go together). Copulation. Carnal union, or conjunction of the sexes.

**Coke**. Pit coal deprived of its bitumen or other extraneous or volatile matter by fire.

**Colatu'ra** (from *colere*, to strain). A liquor which has been filtered or strained.

**Col'chicin** or **Col'chicine**. The active principle of *Colchicum autumnale*.

**Col'chicum** (from *Colchis*, the name of the place where this plant is supposed to have abounded). A genus of plants of the order Malanthaceae and family Colchicaceae. *Meadow-saffron*.

**Colchicum Autu'mnale**. *Meadow-saffron*; a bulbous plant, found in many parts of Europe, usually growing in meadows. It is an irritant; in over-doses, an acro-narcotic poison. In small doses it is a diuretic, diaphoretic, and cathartic, and is employed in the treatment of gout and rheumatism. All the species yield the alkaloid *veratrin*. The seed and root are used. Dose,

gr. ij to gr. viij. In *Dental Practice* it is used in the treatment of periodontitis resulting from gonit. See Gorgas' "Dental Medicine."

**Col'cothar.** Colcothar vitrioli; brown-red rouge; crocus martis vitriolatus seu adstringens. A brown-red oxide of iron, which remains after the distillation of the acid from sulphate of iron.

**Cold.** Privation of heat, or the sensation produced by the abstraction of caloric from the body. Also, the common name for a catarrh.

**Cold Cream.** Unguentum aquæ rose. U. S. Ph. Take of rose-water, oil of almonds, each two fluid ounces; spermaceti, half an ounce; white wax, a drachm. Melt together, by means of a water-bath, the oil, spermaceti, and wax; then add the rose-water, and mix until cool.

**Coleoce'le** (from *κύστις*, a vagina, or sheath, and *αἷς*, rupture). Hernia, vaginal.

**Coleop'tosis** (from *κύστις*, and *πτωσις*, a fall). Prolapsus, vaginal.

**Col'e'wort.** Cabbage.

**Col'ic** (*colicus*; from *κόλον*, the colon). Pertaining to the colon. A term applied in *Pathology* to almost all acute pains in the abdomen. So called because the seat of the pain is supposed to be in the colon.

**Colic Arteries.** These are six in number. Three are given off by the superior mesenteric, which are called the *colicæ dextræ*. The other three are given off by the inferior mesenteric artery, and are called the *colicæ sinistræ*.

**Co'lica.** The colic.

**Colica Flatulenta.** Colic from an accumulation of air in the intestines. Flatulent colic.

**Colica Hæmorrhoida'lis.** A colic supposed to precede hemorrhoids or to supervene on their suppression.

**Colica Hysteri'ca.** Colic attending hysteria.

**Colica Inflammato'ria.** Inflammatory colic; enteritis.

**Colica Menstrua'lis.** Colic which precedes or follows menstruation or depends on the suppression of that flux.

**Colica Mesenteri'ca.** Colic produced by disease of the mesentery.

**Colica Metal'lica.** Metallic colic. Painter's colic.

**Colica Nephret'ica.** Acute pains attending nephritis or calculi of the ureter.

**Colica Nerv'o'sa.** Nervous colic.

**Colica Pictor'um.** Painter's colic; metallic colic. Also called *colicæ æstivæ*, being produced by the poison of lead.

**Colica, Vena.** A branch of the upper mesenteric vein.

**Colica, Vena Recta.** A vein of the colon.

**Colica Vermino'sa.** Worm colic, or colic from the presence of worms in the intestines.

**Colicodyn'ia.** Colic.

**Coli'tis** (from *κόλον*, the colon, and *τις*, inflammation). Inflammation of the mucous membrane of the colon.

**Col'lagen** (from *κόλλα*, glue, and *γενναι*, to produce). The chief constituent of bone, cartilage, ligaments, tendons, etc. By boiling, it forms glue or gelatine.

**Col'lapse.** Extreme and often sudden prostration of the vital powers, caused by injury or disease. The symptoms are pallor and coldness of the surface; cold sweats; feeble and often irregular pulse; sighing; shallow respiration; great muscular debility; restlessness or even delirium; sometimes nausea, vomiting, and diarrhoea.

**Col'laps'us** (from *collaber*, to shrink down). Shrinking of the body. Prostration of strength.

**Collar-bone.** The clavicle.

**Collar-crown.** An artificial crown to be engrafted on a natural root, attached to which is a gold collar or band which encircles the exposed portion of the root, and is soldered to the lining or backing which holds the dowel in some cases, or to the dowel by means of a disc between the base of the artificial crown and the natural root.

**Collare Miserico'r'dis.** A bandage used for securing a patient during the operation of lithotomy.

**Collateral Circulation.** One carried on through an anastomosis between the lateral offshoots of a main vascular trunk; often established in case of obliteration or injury of the main trunk of an artery.

**Collec'tion** (*collectio*; from *colligere*, to collect). Used in *Pathology* to denote the collection or gathering of pus or some other purulent or serous matter.

**Col'let** (from *collum*, the neck). A neck or collar. A term applied by some French writers, in *Dental Anatomy*, to the neck of a tooth.

**Collic'ulus.** A little hill or eminence; applied, in *Anatomy*, to various elevations in the body.

**Colliculus Cavus Posterioris Ventricle'um Lateralium.** *Hypocampus minor*.



**Colliculus Nervi Ethmoidalis.** *Corpus striatum.*

**Colliculus Nervi Optici.** *Optic thalamus.*

**Colliculus Seminalis.** An eminence in the prostate gland.

**Colligamentum** (from *colligo*, to tie together). A ligament.

**Colligamentum** (from *colligo*, I melt). The first rudiment of an embryo.

**Colligatio.** Diminution of the solids, with copious excretion of liquids by one or more outlets. The liquefaction or breaking down of an organ or tissue.

**Colligative** (*colligatus*; from *colligo*, I melt). Applied to various discharges, as colligative perspiration, diarrhoea, etc., which occasion rapid loss of strength.

**Colloboma** (from *collo*, to glue together). Coloboma. Agglutination of the eyelids.

**Colloid** (from *collo*, glue). Glutinous.

**Colloidion.** Colloidium; pyroxylin; ethereal solution of gun-cotton. An impervious adhesive plaster is made of this solution, particularly adapted to the dressing of wounds which require water dressing. In *Dental Practice*, colloidion is useful to prevent alveolar abscesses from discharging on the cheek or under the jaw, successive layers being painted over the tender point, so as to act as a compress. Induce resolution or change the direction of the secretion. It is also used as an application to exposed pulps. A colored preparation is used in *Microchemical Dentistry* to prevent the rubber, when being vulcanized, from adhering to the surface of the plaster model. See CRISTALOID. For dental use, see GORPES' "Dental Medicine."

**Colloidion, Cantharidal.** A vesicating solution of cantharides in colloidion. See CANTHARIDIAL COLLOIDION.

**Colloidion, Elastic.** A solution of gutta-percha in chloroform.

**Colloid** (from *collo*, glue). Resembling glue. In *Pathology*, the jelly-like degeneration of some malignant tumors, as a colloid cancer.

**Colloids.** A transparent, amorphous matter, without vessels and nerves, found in cysts.

**Colloides** (*collo*, glue). A very soft tumor containing a clear, grayish-yellow substance like gelatine or fresh glue.

**Collum** (from *col*, a member, as being one of the ribs; or diminutive of *coluenda*, as being the pillar and support of the head). The part of the body between the head and chest. The neck.

**Collutio** (*collutio*). Washing the mouth or any other part.

**Collutivum** (from *colluo*, to wash). A mouth wash; gargarium.

**Colluvies** (from *colluo*, to cleanse). Filth; excrement; the matter discharged from an old ulcer.

**Collyrium** (from *collyre*, I check, and *μα*, I flow). A medicated wash or application to the eye; usually in the form of a lotion.

**Coloboma** (*coloboma*, anything truncated or shortened). A mutilated or maimed organ.

**Colocynthis.** The fruit of the *Cucumis colocynthis* deprived of its rind. It is a powerful drastic, hydragogue cathartic. Dose, gr. v to gr. x; of the compound extract, gr. v to gr. xxx.

**Colocynthis.** The bitter principle of colocynthis.

**Cologne** (*spiritus coloretus*). Cologne water. Osmols of alcohol, 800; water, 158; acetic ether, 2; oil of bergamot, 10; oil of lemon, 8; oil of rosemary, 8; oil of lavender flowers, 4; and orange flowers, 4 parts.

**Colombo.** See CALIMBA.

**Colon** (*colus*; *intestinus majus*). The portion of the large intestine which extends from the caecum to the rectum.

**Colonicitis.** Inflammation of the colon. Acute dysentery.

**Colophonia.** So called from Colophon, the city from which it was first brought. The black resin which remains in the retort after distilling common turpentine with a strong fire.

**Coloquin-tida.** Colocynthis.

**Col'or.** In *Physics*, an inherent property in light which gives to bodies particular appearances to the eye. The primary colors, according to Sir Isaac Newton, are red, orange, yellow, green, blue, indigo, and violet.

**Color Blindness.** Blindness for one or more colors. Inability to distinguish colors.

**Colorctitis.** Dysentery.

**Coloring flat'ter.** A coloring principle existing in vegetable substances. The colors which adhere to cloth without a basis are termed *substantive*, and those which require a basis, *adjective*.

**Colostratio.** A term for diseases of newborn infants, caused by the first milk they suck.

**Colostrum.** The first milk secreted in the breast after parturition.

**Colotomy.** Cutting into the colon.

**Colpocele.** Vaginal hernia.

**Colpoc'ose.** Gangrene of the vagina and labia.

**Colpocystotom'ia.** Lithotomy through the vagina.

**Colpol'gia.** Pain in the vagina.

**Colpopto'sis.** A prolapse of the vagina.

**Colporrhax'ia.** Rupture of the vagina.

**Colpo'sis (colpitis).** Inflammation of the vagina; vaginitis.

**Colpot'omy.** Incision of the vagina in parturition.

**Colpotre'sis.** Imperforation of the vagina.

**Colum'ba.** Columba.

**Colum'bic Acid.** An acid obtained from the ore of columbium.

**Colum'bium.** A metal discovered by Mr. Hatchet in Manganese. It is also termed tantalum.

**Columel'ia** (diminutive of *columna*, a column). A column or little pillar; also the navel and clitoris.

**Columella'res Dentes.** The conical teeth are so called from their shape.

**Colum'na.** A column. In *Anatomy*, applied to parts of the body which resemble in shape or office a column, as the *columna carnea* of the heart; *columna nasi*, etc.

**Columna Nasal.** The lowest part of the septum of the nose.

**Columna Oria.** The navel.

**Colum'nae Carnosae.** The small fleshy columns which project into the auricles and ventricles of the heart.

**Coluto'rium.** A gargle.

**Co'ma (coma).** A profound sleep from which the individual can not be roused. It occurs as a symptom in many diseases.

**Coma Somnolent'um.** A deep, morbid sleep. Lethargy.

**Coma Vi'gil.** A term for the lethargic condition of the patient in bad cases of typhus, in which he is watchful and muttering in delirium. Agrypno-coma.

**Coma'ta** (the plural of *coma*). Diseases characterized by a diminution of the powers of voluntary motion, with sleep or the senses impaired.

**Coma'tose.** Having a propensity to sleep. Affected with coma.

**Combina'tion** (from *cum*, with, and *binus*, two). The union of two or more bodies in definite proportions by chemical attraction, from which results a compound possessing new properties.

**Combination Denture.** See DENTURE, COMBINATION.

**Combining Weight.** Atomic weight. The relative weight (compared with that of hydrogen, which is regarded as 1) of that definite quantity of an element which can enter into combination with other elements. It is a simple multiple or fraction of the atomic weight.

**Combust'ible.** Capable of being burnt.

**Combust'ion** (*combustio*; from *combure*, to burn). Burning. The combination of oxygen with a combustible body. Among the phenomena which attend combustion is the evolution of heat and light; but as these are supposed to be dependent on chemical action they may also be expected in other chemical processes. The presence of oxygen, therefore, is not absolutely necessary to them.

**Combustion, Spontaneous.** This most remarkable phenomenon frequently occurs in accumulations of vegetable, animal, and even mineral substances, under circumstances favorable to its development. It is also said to occur sometimes in the human body.

**Comon'ic Acid.** A pale yellow crystalline and slightly soluble substance, produced by the decomposition of manganic acid by heat.

**Commenda'tio** (from *commendare*, to entrust). Mastication.

**Com'mi.** Gun.

**Com'minuted** (*comminutus*; from *comminuere*,—*com* and *minuere*,—to break to pieces). In *Surgery*, a comminuted fracture is where a bone is broken into a number of pieces; applied also to food after it has been masticated or ground between the teeth.

**Comminu'tion.** The fracture of a bone into a number of pieces; the trituration, breaking to pieces between the teeth, or mastication of food.

**Com'missure** (*commissura*; from *committere*, I join together). A point of union between two parts. The commissures of the lips and eyelids are the angles where they come together.

**Commissure, Anterior, of the Brain.** A small, medullary-like substance, crossing the anterior part of the third ventricle of the brain, uniting the two hemispheres.

**Commissure, Posterior, of the Brain.** A medullary substance uniting the two hemispheres of the brain across the posterior part of the third ventricle, and above the corpus quadrigemina.

**Communication of the Uvea.** The ciliary ligament.

**Communicans** (from *communis*, common). That which communicates or establishes a communication. Applied to two arteries of the cranium—one anterior and one posterior. The first extends from one anterior cerebral artery to the other; the second from the internal carotid to the posterior cerebral.

**Communicans Tibialis.** The external sphenal branch of the tibial nerve.

**Com'mosse.** In *Anatomy*, ending in a tuft.

**Com'pact** (*compactus*; from *co*, and *ponere*, to strike, to fix). Solid; close. In *Anatomy*, applied to the hardest and closest part of a bony tissue.

**Compa'gus** (from *componere*, to put together). An articulation; a commissure.

**Comparative.** In *Anatomy* and *Physiology*, that which illustrates by comparing with the human body or any part of it; as, for example, the comparative anatomy of the teeth embraces a knowledge of the differences that exist between these organs in different animals.

**Compat'ible.** Applied to medicines which may be mixed in the stomach without interfering with the action of one another.

**Complex'** (*complexus*; from *co*, with, and *plere*, to twist). Complicated.

**Complex'ion.** The color of the face; the aggregate of physical characters presented by a body, with reference to constitution, temperament, etc.

**Complex'us.** Complex. Composed of several distinct things.

**Complexus M'ior.** *Mastoidens lateralis.* The name of a muscle which arises from the transverse process of the last four cervical vertebrae and is inserted into the mastoid process of the temporal bone.

**Complexus Mus'culus.** *Complexus seu biventer cervicis*; *complexus major*; *dorsi*; *tracheo-lanceolipital.* A muscle situated on the back part of the neck.

**Complicated Fracture.** A fracture where, in addition to the injury done to the bone, there is a lesion of some important vessel, nerves trunk, or joint, etc.

**Complication** (*complicatio*). In *Pathology*, the presence of several diseases, or several circumstances, foreign to the primary disease.

**Compos'ition** (*compositio*; from *componere*, to put together). The act of composing or putting together, or that which results from such act; as, a *composition* of pharmacological ingredients.

tion or a composition for the body or enamel of porcelain teeth.

**Compos'ition.** A compound or composition of different things.

**Compound'.** To mix or unite two or more ingredients in one mass or body, or a mass or body resulting from such a mixture. *Compound medicines* have been divided into two classes—viz., *effusæ præparations* and *unguinal* or *cataplasmaticæ*. The former are those ordered in the pharmacopæia; the latter are constructed by the practitioner at the moment.

**Compound Cavities.** Cavities in teeth that are produced by the coalescence of two cavities or by the extension of a single cavity in such a manner as to include two surfaces of a tooth.

**Compound Fracture.** A fracture where the end of the fractured bone is forced through the skin or lacerates the soft parts.

**Compound Nerve.** A nerve endowed with both sensation and motion and possessing both motor and sensitive filaments.

**Compound Radicals.** Substances which, though containing two or more elements, have the capacity of uniting with elementary bodies to form new compounds.

**Com'press** (*compressus*; from *comprimere*, to press together). Pieces of lint or folds of a rag, or of any other substance, so contrived as, with the aid of a bandage, to make pressure upon any part. In *Surgery*, a compress is employed to arrest hæmorrhage, as well as for various other purposes.

**Compressed'** (*compressus*). A term applied, in *Surgery*, to a blood-vessel, canal, or other organ suffering compression; in *Botany*, to the various organs or parts of plants; and in *Mineralogy*, to crystals which have a flattened figure.

**Compressibility.** The property possessed by bodies of occupying a smaller space when subjected to the action of pressure.

**Compress'ion.** In *Physics*, the action exerted upon a body by external force whereby its constituent molecules are pressed more closely together. It is employed in *Surgery* for the repression of hæmorrhages and in the treatment of aneurisms, wounds, sores, and various injuries of the animal organs. The agents ordinarily used in such cases are the tourniquet, bandages, laced stockings, compresses, etc.

**Compression of the Brain.** This may be caused by extravasated blood, a depressed

portion of bone, an accumulation of fluid, or a tumor.

**Compress'or.** A name applied to muscles which draw together parts upon which they act. Also the name of instruments invented for compressing an artery or vein and for other purposes.

**Compressor Nari** (*compressus narium*; *transversalis nasi*; *distorsor alarum nasi*). A flat triangular muscle, arising externally at the root of the ala nasi, and inserted with its fellow into the extremity of the os nasal; when the two contract they draw the sides of the nose toward the septum.

**Compressor Prostatæ.** A name applied by Albinus to the anterior fibres of the levator ani, which embrace the prostate gland.

**Compressor Urethrae.** A muscle arising from the ramus of the ischium and inserted into the membranous urethra, which it embraces.

**Compunct'io** (from *compungo*, to prick). A puncture.

**Cone'rium** (from *conus*, a cone, because of its conical shape). A cone. The pineal gland.

**Concav'us.** Hollow; depressed in the centre.

**Concentra'tion** (*concentratio*; from *con*, and *centrum*, a centre). In *Medicæ*, an afflux of fluids or a convergence of vital forces toward an organ. Also, the evaporation of the water of fluids for the purpose of increasing their strength.

**Concent'ric** (*concentricus*). Composed of many layers arranged circularly, one within the other.

**Concep'tion** (*conscriptio*; from *concipio*, to conceive). The impregnation of the ovum in the ovarium by the contact of the cum seminis.

**Conception, False.** Term for blighted ovum or imperfect impregnation.

**Con'cha** (*concha*). In *Anatomy*, applied to several hollow parts of the body.

**Concha Auriculæ.** The concha of the ear.

**Concha Auris.** The hollow part of the cartilage of the external ear.

**Con'chæ Na'rismi.** The turbinated part of the ethmoid bones, and the inferior spongy bones, covered by the pituitary membrane.

**Con'cho-helix.** The small muscle of the helix.

**Con'choid** (*conchoides*). Shell-like.

**Con'chus** (from *concha*, a shell; so called from its resemblance to a shell). The cranium; the sockets of the eyes.

**Conchyl'ia.** The turbinated bones.

**Concidens'tis** (from *concidere*, to fall down). In *Pathology*, synonymous with collapse. A wasting or falling away.

**Concoct'ion** (*concoctio*; from *concoquo*, to digest). Digestion, coction, maturation.

**Concom'itant** (*concomitans*; from *con*, and *comitari*,—itself from *comire*, cum, and *ire*,—to go with). That which accompanies or goes with. In *Pathology*, a symptom which accompanies other symptoms.

**Concrema'tion.** Calcination.

**Concrescence of Teeth.** A growing together of the roots of two teeth after their complete development. See **OSSEOUS UNION OF TEETH** and **GERMINOUS or CONJUGATE TEETH**.

**Concrete** (from *concrevere*, to grow together). Condensed or solidified.

**Concre'tion** (*concretio*; from *concrevere*, to grow together). That which has thickened, condensed, and becomes more solid. It was formerly used to signify the adhesion of parts. **Concretion, Biliary.** Gall-stones.

**Concre'tion, Salivary.** A deposit of phosphate of lime and animal matter sometimes found in the substance of the salivary glands, or in the ducts, and on the teeth.

**Concretion, Urinary.** Calculi deposited from the urine in the kidneys, ureters, bladder, or urethra.

**Concur'sus** (from *concurrere*, to meet together). The congeries of symptoms which constitute and distinguish a particular disease.

**Concus'sion** (from *concute*, I shake together). In *Surgery*, agitation communicated to one organ by a fall upon another, as the brain from a fall on the buttocks. Concussion of the brain often causes very alarming symptoms.

**Concussion of the Brain.** A disturbance of the brain produced by a fall or blow. It has been supposed that some of the nervous fibres are broken under these circumstances. It differs from compression in the absence of stertorous breathing.

**Condensa'tion** (*condensatio*; from *condensare*, to make thick). A thickening of a fluid. In *Anatomy* and *Pathology*, an increase in the density of the blood or other fluids or in any of the tissues of the body. In *Chemistry*, the subjection of aëiform bodies to pressure or the conversion of vapors to fluids by cold. In *Dentistry*, the packing of the gold or other material into the prepared cavity of a tooth.

in the operation of filling by mechanical arrangement of the layers of soil, by their incorporation, and by cohesion of the layers or particles.

**Condenser.** An alembic. An instrument for condensing vapor.

**Condenser, Liebig's.** A contrivance of Liebig for condensing volatile liquids during distillation. It consists of two tubes, the inner of which contains the vapor and the outer a stream of cold water, constantly flowing.

**Con'diment** (*condimentum*; from *condire*, to preserve or season). Anything used for seasoning food, as butter, salt, pepper, spice, etc.

**Condi'tum.** A pharmaceutical compound of wine, honey, and some aromatics, especially pepper.

**Condi'tura.** Embalming a dead body.

**Conduc'tion** (from *condere*, to draw together). The passage or transfer of material or force from one part to another.

**Conduc'tor** (from *conducere*, to lead or guide). That which conducts or serves as a guide. In *Surgery*, an instrument used for directing a knife or bistoury in certain operations. In *Physics*, a body capable of conducting heat and electricity.

**Con'duit.** A passage of small dimensions. A canal. A pipe for conveying water.

**Condylarthro'sis.** Articulation by condyles.

**Con'dyle** (*condylus*; *κωνίλος*, the joint of the finger, a tubercle or knot). An articular process of a bone, flat in one direction and round in the other.

**Con'dyli Digito'rum Ma'nus.** The phalanges.

**Con'dyloid** (*condyloides*; from *κωνίλος*, a condyle, and *eidos*, shape). Shaped like a condyle.

**Condyloid Foram'ina.** Foramina condyloidea. Four foramina, two anterior and two posterior, in the occipital bone.

**Condyloid Process.** A condyle; the articulating process of the inferior maxillary bone.

**Condylo'ma** (*condyloma*; from *κωνίλος*, a knot, an eminence). A soft, wart-like excrescence, of an indolent character, which appears about the anus and orifices of the genital organs, and sometimes on the fingers. Also syphilitic condylomata.

**Condylo'meter** (from *κωνίλος*, the knob of a bone, a knot, a condyle, and *μετρον*, a measure). An instrument invented by Dr. J. B.

Bean for taking measurements of the position of the condyles of the inferior maxillary or the centre of motion of that bone relative to the plane of the dental arch. See FRACTURES OF THE MAXILLARY BONES.

**Condy'lopods** (*condylo-poda*; from *κωνίλος*, and *ποδ*, a foot). A subdivision of encephalous arthropod animals with jointed feet.

**Conc** (*conce*; from *conce*, to bring to a point). A solid body having a circle for its base and terminating in a point. Cones of felt, rubber, or walrus leather are employed in *Mechanical Dentistry* for polishing plates.

**Concels'.** Cencilus. The active principle of hemlock.

**Consec'tio** (from *consecrare*, to make up). Confection. In *Pharmacy*, anything made into a pulpy mass with sugar or honey. The term is nearly synonymous with *emulser* and *electuary*.

**Confirmat'io.** Tonica.

**Confla'tion** (*confusio*; from *confle*, to blow together). In *Aerology*, the blowing together, of fires in melting metals.

**Conflu'ent** (*confusus*; from *con*, and *fluere*, to flow). Running together. In *Pathology*, applied to certain exanthematous affections in which the eruptions are so thick that they run together.

**Confluent Small-pox.** This disease is divided into *dissect* and *confluent*. In the latter division the pustules run into one another.

**Conflux'io.** That sympathy of the different parts of the animal body by which the actions of life are sustained.

**Conforma'tion** (*conformatio*). In *Anatomy*, the natural disposition or arrangement of the parts of the body.

**Confric'tion.** Reduction of a friable substance to powder by rubbing it between the fingers.

**Confu'se Febris.** Intermittent fevers, irregular in their paroxysms.

**Confu'sio** (from *confundere*, to mix together). A disease of the eye in which the membranes become ruptured and the humors run together.

**Congela'tion** (*congelatio*; from *congelare*, to congeal, to freeze). The act of congealing, or passing from a fluid to a solid state, as in the case of water when it freezes. The word is also used synonymously with concretion and coagulation. It was formerly applied to diseases attended with stupor and numbness, as in paralysis and catalepsy. Congelation—freezing a part—is also employed to produce insensibility under surgical operations, and to

Dr. Richardson, of London, is due the credit of its applicability to surgery in the form of the ether spray. See SPRAY APPARATUS and BRAXTON'S APPARATUS.

**Con'gen'er** (*congen'erous*; from *con*, with, and *grew*, kind). Of the same kind or species. In *Anatomy*, muscles which concur in the same action.

**Con'gen'ital** (*congen'itus*). That which existed at birth. Thus, congenital affections are those which exist at birth, as a disease or deformity. See ENAMON OF THE TEETH.

**Con'genital Defectiveness of the Teeth**. Occasioned by either deficient nutrition, diseased nutritive fluids, or impaired or imperfect formative organs.

**Con'ges'tion** (*conges'tio*; from *congerere*, to amass, to accumulate). An accumulation of blood, bile, or other fluids in a part or organ.

**Con'ges'tive Diseases**. Diseases produced by congestion.

**Congestive Fever**. A fever associated with congestion of some viscera. It is attended with much oppression, obscure symptoms, and slow reaction.

**Con'g'ius** (*congr'ius*). A gallon.

**Conglo'bate** (*conglobatus*; from *conglobare*, to gather into a small ball). Applied to glands formed of a contortion of lymphatic vessels connected by cellular tissue, without a cavity or excretory duct.

**Conglom'erate** (*conglomeratus*; from *conglomerare*, to heap upon). Applied to glands which consist of a number of small glands.

**Conglutina'tion**. Agglutination.

**Co'nic**. Conic; conical. A volatile alkaloid of *Onium maculatum*, obtained by distilling the concentrated infusion with potash. Dose of tincture of conia, ʒss to ʒj.

**Con'icæ Papill'æ**. The lenticular papillæ of the tongue.

**Con'icæ**. Conical.

**Co'nic**. Dust; fine powder; ashes.

**Con'ium**. A genus of plants of the order Umbelliform. All the plants belonging to it are poisonous.

**Conium Macula'tum**. Hemlock; poison parsley. A plant possessed of narcotic and poisonous properties. When applied locally, conium possesses anodyne effects and is employed in neuralgias and the pain of cancerous tumors. It also relieves pain in pulpitis.

**Coni Vasculo'ni**. The conical convolutions of the vasa efferentia of the testicle.

**Con'jugated Acids**. Acids combined with basic substances without losing their saturating power. The organic substances, combined with the acid, materially alters its properties, while it does not interfere with its acidity.

**Con'junct'ion** (*conjunctio*; from *conjungere*, to yoke together). An assemblage; a union. Applied in *Anatomy* to the orifices on each side of the vertebral column which result from the conjugation of notches in each vertebra above and below.

**Con'juncti'va**. Membrana conjunctiva; conjunctiva tunica. A delicate, transparent, mucous membrane, covering the anterior surface of the eyeball and lining the inner surface of the eyelids.

**Con'junctivi'tis**. Inflammation of the conjunctive membrane.

**Con'junc'tus**. Conjoined.

**Con'itate** (from *con* and *aita*, born with). Congenital.

**Connective Tissue**. See ANIMAL TISSUE.

**Conniv'ent** (*connivens*; from *connivere*, to close). A term in *Anatomy* applied to the valvular folds of the mucous membrane of the small intestines, called valvule conniventes, from their approach to one another. It is applied in *Botany* to the calyx and corolla, the petals of which converge or bend inward.

**Co'nicoid** (from *conus*, a cone, and *eides*, shape). Of a conical shape.

**Conoid Ligament**. A ligament attached to the scapular extremity of the clavicle and to the conoid process of the scapula.

**Conol'des Cor'pus**. The pineal gland.

**Conquassa'tion** (*conquassatio*). In *Pharmacy*, the operation of bruising the different parts of a vegetable substance with a pestle.

**Consanguin'ity** (from *con*, together, and *sanguis*, blood). Relationship arising from a common parentage. Connected or allied in blood descent.

**Conse'cutive** (*consecutivus*; from *con*, with, and *sequer*, to follow). Following as a consequence.

**Consecutive Symptoms**. Phenomena which appear after or during the decline of a disease, and as a consequence of it.

**Consen'sus**. Sympathy; consent of parts.

**Conser'va** (from *conservere*, to keep). A conserve; a preparation composed of a recent vegetable substance and sugar, mixed together in a uniform mass of about the consistency of honey. It is the same as confectio.

**Confinement.** In *Horticulture*, a place or position in which exotic plants and shrubs are grown in a bed or floor of soil.

**Constituta'tio** (from *constitui*, to stand still). The name of a disease.

**Constituta'tio.** A name formerly applied to substances supposed to be capable of hardening recently healed wounds.

**Constant Battery, Element, or Cell.** A battery yielding a constant current. Such galvanic batteries as those of Bunsen, Calland, Daniel, Grove, Leclanche, and Mance.

**Constipa'tion** (*constipatio*; from *constipare*, to con and stipare, to cram close). Constriiction. A state of the bowels in which the alvine evacuations take place less frequently than usual.

**Constit'ens.** Constituent. The vehicle; that which imparts an agreeable form. See **PRESCRIPTION**.

**Constitu'tion** (*constitutio*). In *Physiology*, the general condition of the organs of the body, considered with reference to their junctional arrangement and the manner in which they perform their functions. Individual or general.

**Constitution of the Atmosphere.** The state of the air; its temperature, humidity, dryness, heat, etc., with respect to its influence upon the human body and during the prevalence of epidemics.

**Constitu'tional.** Hereditary; of acquired predisposition; general diseases involving the entire system.

**Constric'tive** (*constrictivus*; from *constringere*, to bind together). Nystic. Astringent.

**Constric'tor** (from *constringere*, to straighten). To bind in a circular direction). Applied to a muscle which contracts any opening in the body.

**Constrictor Alae Nasal.** The depressor labii superioris alique nasi.

**Constrictor Ani.** The sphincter ani.

**Constrictor Cunnal.** The sphincter vaginae.

**Constrictor Isthmi Fauclum.** Glossopharynx; palato-glossus. A muscle at the opening of the fauces, occupying the anterior lateral half arches of the palate; it arises from the side of the tongue near its root and is inserted in the vena near the uvula. It draws the velum down and closes the opening into the fauces.

**Constrictor Labiorum.** Constrictor oris. Orbicularis oris.

**Constrictor Oesophagi.** Constrictor of the

oesophagus. A muscle composed of a number of fibres, situated at the opening of the oesophagus.

**Constrictor Orls.** Orbicularis oris.

**Constrictor Palpebra'rum.** Orbicularis palpebrarum.

**Constrictor Pharyn'gia Inferior.** A muscle situated at the posterior part of the pharynx. It arises from the side of the thyroid cartilage and its inferior cornu, and from the side of the cricoid cartilage, and is inserted with its fellow in the middle line on the back of the pharynx. It serves to lessen the capacity of the pharynx, and thus compels the food to take the downward direction into the oesophagus.

**Constrictor Pharyn'gia Me'dius.** A muscle at the posterior part of the pharynx; it arises from the appendix and cornu of the os hyoides and from the thyro-hyoid ligament; its fibres ascend, run transversely, and descend, giving it a triangular appearance; the upper ones overlap the superior constrictor, while the lower are beneath the inferior, and the whole pass back to be inserted into the middle tendinous line of the pharynx.

**Constrictor Pharyngis Superior.** A muscle on the posterior part of the pharynx which arises from the rudiform process of the occipital bone, from the lower part of the internal pterygoid plate of the sphenoid bone, from the pterygo-maxillary ligament, and from the posterior third of the mylo-lingual ridge of the lower jaw, near the root of the last molar tooth, and is inserted with its fellow into the middle tendinous line on the back of the pharynx.

**Constrictor Vesicae Urinae.** Detractor urinae.

**Constrin'gens, Constrin'gent.** Astringent; styptic.

**Consulta'tion.** In *Medicine*, a meeting of two or more physicians to deliberate upon any particular case of disease.

**Consump'tion** (*consumptio*; from *consumere*, to waste away). A gradual or progressive emaciation of the body, especially in phthisis pulmonalis, and hence the name consumption which this disease has received.

**Consumption, Pulmonary.** See **PHTHISIS PULMONALIS**.

**Contabescent'ia.** Consumption; atrophy.

**Contact** (*contactus*; from *contingere*, to touch). The state of two bodies which touch each other.

**Contra'gion** (*contagio*; from *contingere*, to

touch). The communication of disease from one person to another, either by direct or indirect contact. This term has been employed to signify all atmospheric and morbid poisons, effluvia, miasmata, and infections which cause fevers or diseases that give rise to them. But according to the strict definition of the term, it means the communication of a disease by personal contact with the sick or by the effluvia from the body of the sick. It is generally regarded as synonymous with infection.

**Contagious.** Capable of being transmitted by direct or indirect contact.

**Contact'sio.** Tension.

**Contigu'ity.** Contact of bodies; a touching; applied to the teeth when in contact with one another.

**Cont'inence** (*continentia*; from *continere*, to hold or keep). Abstinence from physical indulgence, especially from sexual passions.

**Cont'inens.** A term applied in *Pathology* to any disease which, in its course, presents no marked exacerbations or remissions of its symptoms.

**Continens Fabris.** Continued fever.

**Cont'in'ued Fever.** A fever which proceeds without interruption.

**Cont'inu'ity** (*continuitas*). Adherence of two things. Connection; cohesion of two bodies which can not be separated without fracture or laceration.

**Continuity, Solution of.** The division of a tissue by inflammation or disease or by accident.

**Continuous-gum Work.** To Dr. John Allen is due the credit of having brought this method of constructing artificial dentures to its present state of perfection, and the following descriptions relate to his modes of practice: On a base plate of platinum, or platinum and iridium combined, plain artificial teeth with long necks, and manufactured expressly for this style of work, are arranged as in ordinary plate work, and properly antagonized. They are then covered with a thin coating of plaster of the consistence of cream, which is followed by another and thicker coating of plaster and asbestos, forming an investment which will not crack during the process of soldering the teeth to the plate. After the removal of the wax employed for holding the teeth in position until the plaster investment secures them, a rim of platinum is adapted to the lingual side of the teeth under the pins and to the plate. The platinum pins in the teeth

are then bent down over the edge of the rim and soldered with pure gold or an alloy of gold and platinum, and at the same time the rim, which is usually of the same thickness as the plate (from twenty-eight to thirty), is soldered to the plate. This soldering is done by first introducing the piece into the heated muffle of the furnace used for fusing and flowing the gum body and enamel and bringing the whole mass to a red heat, when it is withdrawn, and the pure gold ceased to flow by means of a blow-pipe. After the piece is carefully cooled the plaster and asbestos investment is removed from the teeth alone, the remainder acting as a base upon which the set is to rest during the subsequent bakings of the gum body and enamel. The teeth are then carefully cleansed of all particles of the plaster, and immersed for a short time in sulphuric acid, and this removed with a brush and water. The material known as the body, which is a colorless mineral compound,—for the composition of which, as well as that of the gum enamel, see Harris' "Prin. and Pract. of Dentistry,"—is then applied in a plastic state by means of a small spatula, and carved to represent the gum, and, when the palatine portion of the platinum plate is also covered, the roof and rugae of the mouth. The piece, which is now ready for baking, is placed upon a slide on the apron in front of one of the upper muffles of the heated furnace, and every eight or ten minutes is moved a little further into the muffle, until it has reached the centre, which should be at a red heat. It is then withdrawn and passed into a lower muffle, where there is a white heat, which soon semi-vitrifies the body—all that is desired for this first baking.

After removing it from this muffle the piece is then placed in a cooling muffle, the mouth of which is closed to prevent a too sudden change of temperature. When cool enough to handle, a second application of the body is made to remedy any defects, such as cracks, etc., and the piece again subjected to a second baking, which should make it a little harder than the first one, but not so much as to cause the surface to become glossy.

It is then cooled as before, and a thin coating of the flesh-colored gum-enamel, made plastic with water, is applied by means of a camel's-hair brush over the body and well packed around the necks of the teeth, care being observed to keep it from the crowns.



After the application of the gum-enamel, the piece is again placed in the furnace and subjected to a little greater heat than that for baking the body, which will produce a smooth, glossy surface. After this fusing of the enamel is accomplished, the piece is removed and placed in a hot muffle in order to pushing the molting process; otherwise it is rendered very fragile. Coke answers a better purpose for heating the furnace than bituminous coal, on account of there being less gas evolved; but anthracite coal, after the fire becomes clear of the blue flame, maintains a greater and longer continued heat than coke. To repair continuous-gum work, where a tooth is broken off, for example, the remaining portion is ground out and a new tooth fitted into its place. The new tooth need not be adhered to the rim, but can be securely attached by grinding a small notch or groove in the enamel which covers the buccal side of the rim for the platinum pin of the tooth to rest in. The pin is then covered with the body, which is also applied around the base of the new tooth, and baked hard, which will securely fasten it. The piece is then placed in the furnace and the new portion of the body semi-vitrified, after which it is carefully cooled and the gum-enamel applied, and fused in the furnace as before described. To prevent the old portion of enamel from changing color from the bakings necessary in repairing a piece, the entire surface of the old gum should be covered by a thin coating of the fresh gum-enamel before the last baking, so that all may be fused together.

Dr. J. W. Mott's formula for continuous-gum body is as follows:

Spar, . . . . .	12 ozs.
Quartz, . . . . .	4½ lbs.
Bohemian glass, . . . .	60 grs.
French china, . . . . .	35 grs.
German clay, . . . . .	2 dwts.

Ground coarsely.

Continuous-gum enamel, according to Dr. D. Smith's formula, is composed of:

Gum frit (of S. A. Widdell, . .	4½ dwts.
Flux without titanium, . .	16 dwts.
Granulated body, . . . .	11 dwts.

Granulated body:

Quartz, . . . . .	30 grs.
Spar, . . . . .	34 grs.
Caustic potash, . . . .	1 gr.
Titanium, . . . . .	2 grs. to 1 oz.

Flux:

Quartz (very fine), . . .	18 dwts.
Spar, . . . . .	10 dwts.
Glass of lens, . . . .	2 dwts.
Cryolite, . . . . .	1 dwt.
Potassic potash, . . .	10 grs.
Titanium, . . . . .	1½ grs. to 1 oz.

The following are Dr. Ambler Tree's formulas for body and enamel which will fuse at a lower heat than the majority of bodies and enamels used in this work:

Finely powdered feldspar, . .	40 dwts.
Kaolin, . . . . .	3 dwts.

These are mixed and ground dry for half an hour, and placed on a fire-brick slide previously coated with finely-ground silica, and burned in a muffle to a state of vitrification, and, when cool, broken up and ground until the powder will pass through a No. 10 lathing-cloth sieve.

The *gum enamel* is composed of:

Flux, . . . . .	12 dwts.
Feldspar, . . . . .	40 dwts.
Gum frit, . . . . .	2 dwts.

The gum frit is formed by mixing 8 grains of purple of Cassius with 200 grains of feldspar and 175 grains of a flux composed of pure quartz, 4 ounces, glass of lens, 1 ounce, potassium carbonate, 1 ounce, fused into a glass and ground fine.

**Contortion** (*contorsio*): from *contorque*, to twist. In *Pathology*, violent movement and twisting of the affected part or member.

**Contour** from *contere*, to lather. Turned in a lather. The line that bounds, defines, or terminates a figure. In the *art of Dentistry*, the restoration of lost parts of teeth by building them up with gold, etc.

**Contour Fillings**. Fillings in which the material is so built out as to restore the lost portion of the crown of the tooth, as distinguished from plane or flush fillings. Teeth-cups, etc., built out to correspond with the lost outlines of teeth structure.

**Contra-apertures**. In *Pathology*, a counter-opening to give exit to matter which can not escape from the opening that already exists.

**Contractility** (*contractilitas*). A property in living parts which gives to them the power of contracting or shortening.

**Contraction** (*contractio*; from *contrahere*, to draw together). Action of contraction, arising from excited contractility. The shortening of a muscle or fibre.

**Contractura.** Contraction of a muscle. In *Pathology*, the state of rigidity which the flexor muscles slowly and progressively assume as a consequence of gouty, rheumatic, paralytic, or other affection.

**Contra-extend'o.** Counter-extension.

**Contra-fleu'u'ra** (from *contra*, against, and *fleu'o*, to cleave). A fracture or injury is a part distant from that which received the blow. Counter-fluores occur most frequently in the cranium, but are not always confined to it.

**Contra-indication.** Counter-indication. A symptom which forbids the employment of a remedy which, under other circumstances, might be used; opposed to.

**Contr'i'tio** (from *con*, and *tere*, to bruise or make small). Comminution; trituration.

**Contro-stimulant.** A medicine which debilitates or diminishes the vital force.

**Contro-stim'ulus.** A doctrine of Ruess, founded on the contro-stimulant property of certain medicines, as tartar emetic, etc.

**Contund'ing.** That which causes contusions.

**Con'tus.** Contused; also, the penis.

**Contu'sion** (*contusio*; from *contundere*, to knock together). A bruise; an injury or lesion, in which there is extravasation of blood, caused by the shock of a body with a large surface. When the skin is divided, it is called a contused wound.

**Co'usa.** A race. Middle.

**Convales'cence** (*convalescentia*; from *convalescere*, to grow well). Recovery of health after the cure of disease.

**Convales'cent.** Recovering health after the cure or subsidence of disease.

**Convalla'ria** (from *convallis*, a valley, from its abounding in valleys). A genus of plants of the order Liliaceae.

**Convallaria Maja'lia.** The lily of the valley. May-lily. Its physiological action and therapeutics are similar to those of digitalis (which see).

**Con'vex.** A swelling of a round or spherical form on the exterior surface; gibbous; opposed to concave.

**Con'volute** (*convolutus*). Rolled up into a cylinder. A term applied to *Asclepias* to the upper and lower turricated bones of the nose, and in *Helix* to leaves of a plant.

**Convolut'ion** (*convolutio*; from *convolvere*, to roll together). A substance rolled upon itself.

**Convolution, Internal.** Convolution of the corpus callosum. A great convolution on the inner side of each hemisphere of the brain, surrounding the corpus callosum.

**Convolution, Supra-orbital.** A convolution on the under side of the superior lobe of the brain, resting on the orbital process.

**Convolutions of the Brain.** The round, undulating, winding projections of the surface of the brain.

**Convolutions of the Intestines.** The windings made by the intestines in the abdominal cavity.

**Convolv'ulus.** In *Pathology*, Intemperception. In *Botany*, a genus of plants of the order Convolvaceae, such as the jalap, scammony, and turbeth plants.

**Convul'sio.** Convulsions.

**Convulsio Canina.** *Rhus scortemtorum*.

**Convulsio Cereb'alis.** *Raplaalis*; a convulsive affection supposed to be brought on by eating spoiled corn.

**Convulsio Habitua'lis.** Chorea.

**Convul'sion** (*convulsio*; from *convellere*, to pull together). The manifestation of nervous irritation or disorder. Violent agitation of the whole body, attended by alternate violent involuntary contractions and relaxations of the muscles, and, as a consequence, distortion of the limbs, muscles of the face, etc. When the alternate contraction is slight, it is called *tremor*, but when violent and permanent, *tremor*, *tremens*, etc. It may be general or partial. When general, all the muscles of the body are more or less affected, as in the case of epilepsy and hysteria. When partial, it affects only several muscles, as in the case of chorea, *rimus mambucus*, etc.

**Convulsions of Dentition.** Spasms or convulsions coincident with or incident to dental evolution. Causes: Irritation of the fifth and trigeminal nerves or of gastric or intestinal disturbances. The treatment consists in lessening the nervous excitability by controlling the nerve centres.

**Convul'sive.** Tending to convulsions. Slightly spasmodic.

**Convul'sives.** Medicines which increase the irritability of the muscles and induce convulsions, as strychnia, brucia, etc.

**Cony'za.** A genus of plants of the order Compositae. Great fleabane.

**Copal'ite.** *Copaiva*. The resinous exudation of various copaliferous trees. Balsam of copalva. It has a peculiar odor and a bitter, pungent

white, and a spryly consistence. It is stimulant and diuretic; in large doses, purgative. It acts on the lining membrane of the urethra and on mucous membranes in general. It is used in gonorrhoea, gleet, leucorrhoea, etc., in the dose of gr. x to ʒj, twice or thrice a day. See CAPSULE, GELATINUM.

**Copall'era.** A genus of plants of the order Fabaceae.

**Copallera Officinalis.** The systematic name of the plant from which the copallin balsam is obtained.

**Copall'ic Capsules.** The balsam placed in capsules formed of a concentrated solution of gelatin.

**Copall'ic Acid.** The yellow, brittle resin of copallin balsam.

**Copal'.** A resinous substance used in making varnishes. A gum-resin.

**Cophe'ria** (cophe'ria; from *cophe'*, deaf). Deafness.

**Co'pus.** A state of the body in which the functions are languidly performed.

**Cop'per.** *Byssulic*, Cu. Atomic weight, 63.4. A metal of a reddish brown color, on shining to yellow, of a disagreeable taste and smell; very malleable and ductile, but possessing the former quality in a higher degree than the latter. It is possessed of greater tenacity than either gold, silver, or platinum. It is found native and in many ores, the most important of which are the pyrites, sulphurets of copper and iron. Its specific gravity is 8.6. It fuses in about 2000° of Fahrenheit's scale. It readily tarnishes, forming a red suboxide. The salts of copper are, for the most part, of a green color, and those which are soluble are poisonous. But for its medicinal preparations, see CUPRUM. In *Operative Dentistry* it is employed as a constituent of amalgams for filling teeth, being combined with other metals, such as silver and tin or mercury alone. In *Mechanical Dentistry* it is used for alloying gold and in gold solder. See GOLD, ALLOYING OF, and GOLD SOLDER.

**Copper Amalgam.** A metallic filling material composed of chemically pure copper and redistilled mercury. It is prepared in the form of pellets, in using which they are held in an alcohol or gas flame until small particles of mercury appear on the surface; they are then crushed and ground in a Wedgwood mortar. The setting or hardening is regulated by the amount of heat. Copper amalgam can be prepared by suspending a bar of iron in a solu-

tion of sulphate of copper, which will deposit in twenty-four hours. The precipitate is collected in another jar, and well washed by a stream of cold water running over it, as is shown by the color of the water. Sufficient of the precipitate is then ground up in a mortar with mercury until it begins to amalgamate, the amalgamation being hastened by the use of hot water to which a little sulphuric acid has been added, which removes all traces of the iron. The acid is then neutralized by adding to the water a few minims of liquor ammoniac before finally pouring it off. The amalgam is then rolled into small pellets, and not used for twenty-four hours.

**Cop'peras.** Sulphate of iron. A common name for the metallic sulphate.

**Cop'pernickel.** A copper-colored mineral of Westphalia; a native arsenuret of nickel.

**Coprem'ula** (from *copre'*, feces, and *ula*, I vomit). Vomiting of feces.

**Cop'tis.** *tupeis trifida*; a bitter plant sometimes used in aphthae and other ulcerations of the mouth.

**Coptis Tea'ta.** The root is a powerful tonic and stomachic. Dose, gr. x to gr. xxx.

**Cop'ula.** Ligament.

**Copulation.** Coition.

**Copyo'pia.** Weakness of sight.

**Cor.** The heart.

**Cor'aco-brach'ialis.** A muscle situated at the inner and upper part of the arm. It arises from the forepart of the coracoid process of the scapula, and is inserted about the middle of the inner side of the os humeri.

**Cor'aco-clavicular Ligament.** A ligament which serves to unite the clavicle to the coracoid process of the scapula.

**Cor'aco-hyoideus.** A muscle between the hyoides and shoulder. See HYOIDOIDEUS.

**Cor'acoid** *coracoides*; from *corax*, a bird, a crow, and *oides*, resemblance. Resembling the beak of a crow. A name applied to some processes from their fancied resemblance to a crow's beak. A process situated at the anterior part of the upper margin of the scapula is designated by this name.

**Cor'al** (from *corallum*, I burn, and *al*, the sea). A beautiful production attached to submarine rocks in the form of a shrub. It is of a bright red, black, or white color, and is principally composed of calcareous substance secreted by the animals which form it.

**Cornu'm.** A genus of marine productions, supposed to be polypifera, having the appear-

ance of a plant, and containing gelatin, albumen, chloride of sodium, phosphate, carbonate and sulphate of lime, carbonate of magnesia, silica, oxide of iron, and a coloring principle.

**Cord, Umbilical.** The cord formed by the union of the nuchal vessels and integuments, which connects the fetus with the placenta.

**Cor'da.** A cord.

**Cor'date** (from *cordis*, the heart). Heart-shaped.

**Cor'dial** (*cardialis*; from *cor*, gen. *cordis*, the heart). Warm and exalting medicines, formerly supposed to be strengthening to the heart.

**Cor'dis.** The heart.

**Cordolum** (from *cor*, the heart, and *dolor*, pain). Cardialgia, or heartburn.

**Corda, Vocal.** The ligaments of the glottis.

**Cora.** In *Anatomy*, the pupil of the eye. In *Pathology*, the slough in the central part of the iris. In *Prædilectæ Pathology*, an addition to a model to overcome the difficulty of undercuts when modelling in sand, etc., for making dies. A good method is to mix common flour with about ten per cent. of moulding sand or marble dust, first mixing dry and then moistening with water, and the core-lins made placed in an oven and exposed to a gentle heat. When dry, such cores can be safely handled, and, on withdrawing the model from the sand, can be readily repaired in their position in the mould.

**Corectom'ia.** Formation of artificial pupil by removal of a part of the iris.

**Corectop'ia** (from *corus*, the pupil, *ex*, out, and *rectus*, plane). A deviation of the pupil of the eye from the centre, occasioned by one segment of the iris being larger than the other.

**Corodial'yals.** Formation of artificial pupil by separating a part of the external margin of the iris from the *Choræa ciliæ*, ciliary folds, or processes.

**Cor'mata** (from *corus*, I cleanse). Lenses, dies for cleansing the skin.

**Cor'emorpho'sis.** The operation for artificial pupil.

**Cor'enclat'sis.** Operation for artificial pupil by drawing out a portion of the iris through an incision in the cornea and cutting it off.

**Cor'eos'cion** (*corœscia*; from *corus*, the pupil, and *œscion*, a hook). An instrument used for the formation of an artificial pupil.

**Cor'eplas'tice.** Term for the operation for artificial pupil in general.

**Cor'etom'ia** (from *corus*, the pupil, and *trætomai*, to cut). The operation for the forma-

tion of an artificial pupil, consisting of a simple cut through the iris without the removal of any part of it.

**Coria'ceous** (*coriaceus*; from *corium*, leather). Leathery.

**Corian'drum.** A genus of plants of the order Apiceæ.

**Coriandrum Sati'vum.** The coriander plant. The seeds of this plant have a slightly warm and grateful pungent taste, and are moderately emmenagogue.

**Co'rium** (*coria*, leather). The cutis vera or true skin. The proper layer of mucous membrane, situated beneath the basement membrane and in analogous in the derma of the skin. It is composed of two layers—the papillary and reticular. See TEXT, DEVELOPMENT OF.

**Corium Phlogis'ticum.** The grayish crust or buff which forms on blood taken from a vein during inflammation, etc.

**Cork.** The bark of *Quercus suber*.

**Corn** (from *cornu*, a horn; *cornu*; *spina pedis*). In *Pathology*, a horny induration of the skin, formed generally on the toes.

**Cor'nea** (*membrana cornea*; from *cornu*, horn). The anterior transparent tunic or sclerotic membrane of the eye is so called from its horny consistence.

**Cornes Opacæ.** The sclerotic coat of the eye.

**Cornel'tis.** Inflammation of the cornea.

**Cor'neous.** Horn-like; of a horny consistence.

**Cornic'ula Process'us.** The cornoid process of the scapula.

**Cornic'ulate.** Having horn-like processes.

**Cornifer'mis.** Shaped like a horn.

**Corn'ine.** An alkaline substance discovered in the bark of the *Cornus florida*. It has properties similar to quinine.

**Cor'nu.** A horn; a cornuous excrescence, as a wart on the skin; a corn. The singular cavities formed by the termination of the ventricles of the brain are called cornua, or horns. **Cornu Acous'ticum.** An ear-trumpet.

**Cornu Ammonis** (*cornu arictis*). The cortical substance of the human brain, as shown by cutting transversely through the *pes hippocampi*, is so called from its resemblance to the horn of a ram. The *pes hippocampi* is also sometimes called the *cornu ammonis*.

**Cornu Anter'ius** see *Anter'ium Ventricle Laterale*. Anterior cornu of the lateral ventricle. The curved process of the lateral ventricle advancing forward.

**Cornu Cervi.** Hartshorn. The horns of several species of the stag contain a considerable quantity of gelatin, which they impart to water when boiled. When burnt, they afford the *cornu satum*; and the spirits of hartshorn (*Aquæ volatile cornu cervi*), at present superseded by ammonia, is obtained from them by distillation. Hartshorn was once thought to possess a becardic power.

**Cornu Deocan'dans Ventric'uli Latera'lia.** The termination of the lateral ventricle of the brain in the middle lobe, behind the fissure of Sylvius.

**Cornu Posterius Ventric'uli Latera'lia.** The triangular prolongation of the lateral ventricle backward into the occipital lobe of the brain.

**Cornu Uetum** (*cornu cervi rubicundum*). Coloured cornu cervi, which consists of phosphate of lime with a very small proportion of carbonate of lime and phosphate of magnesia.

**Cor'nea.** The turbidated bones; also applied to the processes of the hyoid and other bones.

**Cornua Cartilag'inis Thyroidæ.** Embossures on the thyroid cartilage, the superior of which are articulated with the hyoid bone and the inferior with the cricoid cartilage.

**Cornu Coccy'gæ.** Two tubercular embossures at the base and outer side of the coccyx, articulated with those of the sacrum.

**Cornua Cutanea.** Horny excrescences.

**Cornua Hyoidæ Ossis.** The cornua of the hyoid bone, situated above its body, and designated by *small* or *superior*, and *great* or *inferior*.

**Cornua Lachrymæ'lia.** The lachrymal ducts.

**Cornua Sacra'lia.** The cornua of the sacrum.

**Cornua Sphenoida'lia** (*cornua sphenoidalia*; *antrala lertini*). Two small turbidated bones blocking up the orifices of the sphenoidal cells. They have been very carefully described by Wistar.

**Cornua Uteri.** The cornua of the uterus are the angles where the Fallopian tubes arise.

**Cor'nea.** A genus of plants of the order Onocaceæ. Dogwood.

**Cornua Fior'ida.** Dogwood. The bark is tonic, and has been used in the treatment of intermittents. Dose, of powder, gr. xz to gr. lx; of the infusion or decoction, ℥ij.

**Coro'ia** (*coronæ*; *coronæ*). The name of a very bitter bark, possessing febrifuge properties, obtained in the East Indies and recently brought to Europe.

**Coro'lary.** A consequent truth, drawn from a proposition already demonstrated.

**Coro'na.** A crown. A term used in *Anatomy* and *Botany* to designate parts which are supposed to resemble a crown.

**Corona Cilia'ria.** The ciliary ligament.

**Corona Dentis.** The crown of a tooth.

**Corona Olandia.** The margin of the glans penis.

**Corona Re'diana.** The radiating fibres of the optic thalamus.

**Corona Tubulo'rum.** A circle formed by the minute mouths of the excretory ducts of the glands of Peyer.

**Corona Veneris.** Venereal blotches or pustules on the foreskin.

**Coro'nad.** Toward the coronal aspect.

**Coro'nal coronælia**; from *corona*, crown). Pertaining to a crown; a name formerly given to the os frontis, because it is the part on which the crown of a king partly rests.

**Coronal Aspect.** An aspect toward the place of the coronæ, or crown of the head.

**Coronal Suture.** The suture which extends over the head from one temporal bone to the other, uniting the parietal bones with the frontal.

**Coro'nary coronælia**; from *corona*, a crown. In *Anatomy*, applied to parts which are supposed to resemble a crown.

**Coronary Arteries of the Heart.** Cardiac arteries. The two arteries which supply the heart with blood.

**Coronary Artery of the Stomach** (*arteria coronaria ventriculi*). A branch of the coeliac artery distributed upon the lesser curvature of the stomach. It is accompanied by a vein called the *vena coronaria ventriculi*.

**Coronary Ligament.** A reflection of the peritonæum which surrounds the posterior margin of the liver.

**Coronary Veins.** Veins following the coronary arteries.

**Coro'ne** (*coronæ*, a crown). The coronoid process of the lower jaw.

**Coro'noid coronælia**; from *coronæ*, a crown, and *oides*, likeness). Like the beak of a crow; applied to a process of the inferior maxillary and bone of the nose.

**Corpo'ra.** The plural of *corpus*, a body. **Corpora Albicant'ia.** Two white embossures, each about the size of a pea, at the base of the brain.

**Corpora Aran'tia.** Small tubercles on the semilunar valves.

**Corpora Cavernosa.** Two cylindrical, fibrous, absorbible bodies constituting the greater part of the penis and clitoris. The crura of the penis; also the mass part of the clitoris.

**Corpora Genicula'ta.** Two small eminences situated at the lower and outer part of the optic thalami.

**Corpora Malpighia'na** (*ovini of Malpighi*). A number of small dark points scattered through the plexus of blood-vessels and urinary tubes in the kidney.

**Corpora Mammilla'ria.** (*Corpor albicantia*).

**Corpora Oliva'ria.** Two whitish, oblong-eminences of the medulla oblongata, exterior to the corpora pyramidalia.

**Corpora Pyramida'lia.** Two small eminences, one on each side of the orbital surface of the medulla oblongata, and between the corpora olivaria.

**Corpora Quadrigem'ina.** Tubercula quadrigemina.

**Corpora Rostifor'mia.** Two oblong medullary eminences, one on each side of the upper part of the medulla oblongata.

**Corpora Stria'ta.** Eminences of a light brownish gray color, of a pyramidal shape, which form part of the floor of the ventricles of the brain.

**Corpora Striata Superna Posteriora.** The thalamic nervorum opticorum.

**Corpulency** (from *corpus*, the body). Excessive increase of the human body from accumulation of fat.

**Cor'pus.** A body. This term is applied to many parts of the human body, as the corpus callosum, etc.

**Corpus Aasula're.** Ives Varoli.

**Corpus Callo'sum.** The white medullary part of the brain joining the hemispheres.

**Corpus Denta'tum.** An oval nucleus of cartilagenous matter, seen in the cerebellum.

**Corpus Fimbria'tum.** The flattened extremity of the posterior crus of the fornix; the *crus hippocampi*.

**Corpus Glandulo'sum.** The prostate gland.

**Corpus Glandulosum Mulie'rum.** A vascular, spongy body surrounding the orifice of the female urethra.

**Corpus Highmore'num.** An oblong eminence running along the superior edge of the testicle.

**Corpus Lu'teum.** A yellow spot observed in the ovarium from which the ovum has proceeded.

**Corpus Musco'sum.** The second layer of the skin, situated between the cutis vera and cuticle, which gives color to the body.

**Corpus Nervo-spongio'sum.** The cavernous substance of the penis.

**Corpus Nervo'sum.** The cavernous body of the clitoris.

**Corpus Pampinifer'ne** (*pampiniforme*; from *pampinus*, a tentril). The plexus of veins which surrounds the spermatic artery in the scrotum.

**Corpus Papilla're.** The nervous and vascular papilla of the rete mucosum.

**Corpus Psalloi'des.** See LYRA.

**Corpus Pyramida'le.** The corpora pyramidalia.

**Corpus Retic'ulum.** The rete mucosum.

**Corpus Rhomboid'sum.** Corpus dentatum.

**Corpus Spongio'sum Ure'thræ.** The spongy structure around the urethra.

**Corpus Stria'tum.** The corpora striata.

**Corpus Varico'sum.** The spermatic plexus of vessels.

**Corpus Vit'reum.** Vitreous humor.

**Corpus Wolff'æum.** Two bodies situated in the region of the kidneys in the young foetus which disappear about the tenth week.

**Corpus'cle.** A very minute body; a mere atom. The freely moving cells usually suspended in a liquid; such as the red and white blood corpuscles, lymph, salivary mucus, and pus corpuscles—bodies resembling, and thought to be identical with, the white blood corpuscles found in the lymph, salivary secretion, mucus, and pus. Leucocytes denote white blood corpuscles.

**Corpuscles, Blood.** The globules of the blood; blood cells; blood discs; blood vesicles are small bodies, observable when the transparent parts of the red-blooded animals are examined by the microscope. They are flat in all animals, and generally composed of a central nucleus enclosed in a membranous sac. Chemically they consist of hæmatin, hæmato-globulin, or eructin. Besides the red blood corpuscles, the blood contains white or pale corpuscles or globules called leucocytes, leucocytes, or blood bioplasts, which are lymph and chyle corpuscles, and corpuscles produced through the action of the spleen, lymphatic and solitary glands, etc., in process of development into red corpuscles. The proportion of red to white corpuscles is about 2 to 3 to 1000. The average thickness of a red corpuscle is about the  $\frac{1}{1000}$  of an inch. The white corpuscles is larger than

the red, measuring, on an average,  $\frac{1}{16}$  of an inch.

**Corpuscles, Eosinophilic.** The organismic model contained in fibrinous fluids, which are the origin of the new tissues formed from such fluids.

**Corpuscles of Purkinje.** See CANALICULI.

**Corpuscles, Pacinian.** Small oval bodies connected with the terminations of some nervous fibrils.

**Corpuscular Action.** Molecular action.

**Corrigent** (*corrigan*; *correctivum*). That which corrects; in a medical prescription, the addition of a substance to modify or render the action of another more mild.

**Corrob'orant** (*corroborens*; from *corroborare*, to strengthen). Strengthening medicines; medicines which impart tone and vigor to the body, as wine, rhubarb, and iron. Tonics.

**Corrosion** (*corrosio*; *corro*; from *corro*, and *rodo*, to wear, to gnaw). The action or effect of corrosive substances.

**Corrosive.** Substances which corrode, or, when placed in contact with living parts, disorganize them. They act either *directly*, by chemically destroying the part, or *indirectly*, by causing inflammation and gangrene.

**Corrosive Sublimates.** Thiosulfate chloride of mercury; bichloride of mercury. *Mercurii chlorid.*, *Hydrargyri chloridum corrosivum*, oxy-muriate of mercury. A substance occurring in colorless crystals or in crystalline masses, which are soluble in water, alcohol, and ether. It is a dangerous poison taken internally, except in very minute doses. It is used externally as a stimulant and escharotic to indurated or malignant ulcers, etc. The white of eggs is the antidote; if that can not be procured, copious draughts of milk or wheat flour mixed with water may be substituted. Dose, gr.  $\frac{1}{16}$  to gr.  $\frac{1}{2}$ . The bichloride of mercury is one of the most powerful germicides employed, and is extensively used in antiseptic surgery. Strong solutions may be applied to the unbroken skin; but upon mucous surfaces and nerve tissues the common solution is 1 part to 2000 of water—1 grain to 4½ ounces of water. Combined with peroxide of hydrogen, f3j to bichloride of mercury, gr. ij, it is used as an injection in alveolar abscess and phagedenic parodontitis. For dental uses see Gargles "Dental Medicine."

**Corrugation** (*corrugatio*; from *corro*, and *rupe*, a wrinkle). Wrinkling, frowning.

**Corrugator.** Applied to muscles the

office of which is to corrugate the parts upon which they act.

**Corrugator Supercilij.** A small muscle of the eyebrow.

**Cor'sican Moss.** A cryptogamic plant, the *Urginea helminthorrhoea*, native of the Mediterranean, formerly much esteemed as a vermifuge. It has also been used as a remedy for cancer.

**Cor'tex.** Bark or the common integuments of plants. It is sometimes applied exclusively to the Peruvian bark, or *cortex cinchona*.

**Cortex Adstringens Brasiliensis.** An astringent bark from Brazil, introduced into Germany in 1828. It is said to be obtained from the *Mimosa catechu*. Dose of the powder, ℞j to ℥ss.

**Cortex Angusture.** Casquin.

**Cortex Antiscorbuticus.** The canella alba.

**Corten Canella Malebarica.** *Laurus canella*, or wild cinnamon tree.

**Cortex Cardinalis del Lugo.** The Peruvian bark.

**Corten Cer'ebr.** The gray portion of the brain, seen at the exterior of the cerebrum and cerebellum.

**Cortex Chinae Ruber.** Red rhubarb.

**Cortex Cincho'ne Cordifoliae.** Yellow or tulsiaw bark, obtained from the Cinchona lanceolata in flat or curled pieces. The quina is chiefly obtained from this species.

**Cortex Cinchone Lancifoliae.** Lance-leaved cinchona. Pale, lax, or crumpled bark, the produce of the Cinchona condalium.

**Cortex Cinchone Oblongifoliae.** Red bark. See CINCHONA RUBRA.

**Cortex Jamaica'nsis.** Bark of Ardisma coccinea.

**Cortex Massey.** Mussey bark.

**Cortical** (*corticalis*; from *cortex*, bark or rind). Pertaining to or resembling bark. A term applied in *Anatomy* to the exterior gray portion of the brain and kidney.

**Corundum.** A very hard crystalline mineral composed of nearly pure alumina; it is almost opaque and of a reddish color. It is allied to the sapphir.

**Corundum Wheels, Slabs, and Points.** Wheels and slabs composed of corundum reduced to powder and gum shellac; used for grinding mineral teeth. Also wheels and points for preparing the roots of teeth for crown- and bridge-work and for separating teeth. See EMERY.

**Coryd'alin.** An alkaloid found in the root of the *Corydalis bulbosa* and *Fumaria*.

**Cory'na** (*coryna*; from *corys*, the head, and *na*, to holl). Inflammation attended with increased discharge of mucus from the nose. A cold in the head; a catarrh of the nasal mucous membrane.

**Coryna Maligna**. Malignant coryna. Osena. Coryna entomia.

**Cosmet'ic** (*cosmeticon*; from *cosmos*, to adorn). An external medicine used for beautifying the skin.

**Cosmol'ogy** (*cosmologia*; from *cosmos*, the universe, and *logos*, a discourse). A treatise on the physical laws of the world.

**Cos'mos** (*cosmos*). Order; arrangement; the system of the world—the universe. Sometimes applied, in *Poetology*, to the order which is supposed to prevail over critical days.

**Cos'nis**. A little pimple on the face, caused by inflammation or an enlargement of a sebaceous follicle.

**Cos'sum**. A malignant ulcer of the nose.

**Cos'ta**. In *Anatomy*, the ribs of an animal.

**Cos'tal** (*costalis*; from *costa*, a rib). Pertaining to a rib; a name applied to some muscles, arteries, nerves, ligaments, etc.

**Cos'tiveness**. Constipation.

**Cos'to-** (from *costa*, a rib). A prefix applied to muscles, nerves, etc., connected with the ribs.

**Cos'tus Costico'sus**. The costalis ulna.

**Cot'ton**. A white, soft, downy substance, resembling the wool, the produce of the seeds of *Gossypium herbaceum*. It is employed, in *Dental Surgery*, for wiping out and drying the prepared cavity of a carious tooth preparatory to filling, being rendered more absorbent by the removal of the oil, in which form it is generally employed in connection with iodoform paper. **Cotton, Antiseptic and Styptic**. Antiseptic cotton is prepared by steeping cotton freed from oil in tannin, carbolic acid, and castor oil. Styptic cotton is prepared by steeping the purified cotton in alum and chloride of iron.

**Cotun'nius, Aqueeduct of**. Aqueductus cochleæ and vestibuli.

**Cotun'nius, Liqueur of**. A transparent fluid of the labyrinth of the internal ear.

**Cotunnina, Nerve of**. The nerve-jointive nerve.

**Cot'yis** (*cotyis*). Anything hollow. The acetabulum.

**Coty'edons**. In *Comparative Anatomy*, the esp-like processes of the chorion, which form the placenta.

**Cot'yoid Cavity**. The cavity in the ilium which receives the head of the thigh-bone, called the acetabulum.

**Couch'ing**. A surgical operation for the removal of the opaque lens from the axis of vision by means of a needle constructed for the purpose. See CATARACT.

**Couching Needle**. The needle used in couching.

**Coude-pied**. Instep.

**Cough**. A vigorous and energetic expulsion of air from the thorax and trachea. It occurs as a symptom of asthma, phthisis, pneumonia, catarrh, etc., and is often attended with expectoration.

**Cough, Hooping**. See L'ENTR'OEUX.

**Cough, Winter**. Chronic bronchitis.

**Coulomb**. The unit of measurement of electric quantity; the quantity of electricity that passes during one second through a conductor having a resistance of one ohm with one volt of electro-motive force.

**Coumarin'**. A concrete volatile substance, constituting the odoriferous principle of the tonka bean, *Diploxya odorata*.

**Coun'ter-exten'sion**. Contra-extension. In *Surgery*, holding one end of a dislocated or fractured limb firmly, by means of bandages or otherwise, while traction or extension is made upon the other end.

**Counter-indication**. Contra indication. Any circumstance which prohibits the employment of such therapeutical means as appear to be indicated by other circumstances.

**Counter-irritant**. See COUNTER-IRRITA-TION.

**Counter-irrita'tion**. Contra irritation. Irritation excited in a part, not the seat of the disease, for the purpose of inducing a derivation of blood and changing the seat of the morbid action to a part less important than the affected organ.

**Counter-opening**. See CONTRA APERTURA.

**Coun'ter-sink**. A steel stem fixed in a handle, with a cone-shaped bar at the opposite extremity, employed in the laboratory of the dentist for enlarging the orifice of a hole in a metal plate for the reception of the head of a rivet. Also a steel-burr so constructed as to be attached to the extremity of the mandrel of a lathe, and used for engraving ivory and various bases for artificial teeth and for cutting solder from a metallic plate.

**Counter-stroke** (*contre-coups*). A fracture, contusion, or injury produced by a blow in a part distant from that which is struck.

**Counter-sunk Teeth-crowns**. Artificial



teeth without gums, for attachment to vulcanite and celluloid base-plates, in which the platinum pins occupy positions in the constrictured space. They are more comfortable to the tongue than teeth backed in the ordinary manner, and articulation is rendered easier and more distinct by their use, and they are capable of being better adapted to the alveolar ridge.

**Coup.** A blow, shot, stroke, or impression.

**Coup de Sang.** Sudden emigration of an organ without hemorrhage; also loss of sensation and motion caused by congestion or hemorrhage in an important organ.

**Coup de Soleil.** A stroke of the sun. An affection produced by exposure to the rays of the sun, as phrenitis, etc. It is generally the result of exposure of the naked head to the sun's rays, and usually occurs in hot climates or during the hottest days of summer.

**Coup de Vent.** An affection produced by exposure to a keen wind, extremely cold or with rain and sleet.

**Courtes.** The menses.

**Court Plaster** (*emplastrum adhaesivum anglicum*). Black, white, or flesh-colored silk, covered on one side with some adhesive substance, most frequently with a solution of isin glass.

**Cow'die Gum.** Dammar gum. *Cordia pinnata* reed. The resinous juice from the *Dumara australis*, a ramifluous tree of New Zealand. It is one of the ingredients of equal varnishes. Dammar gum is also one of the ingredients of the impure material known as "modelling composition." Combined with gum-mandarin, it is employed in the form of a varnish to line cavities preparatory to the insertion of metallic fillings, especially amalgam, and is also used for incrusting gold fillings, the preparation being known as dammar-mandarin varnish.

**Cowper's Glands** (*glândulae corporis*). Two small groups of mucous follicles situated before the prostate gland, behind the bulb of the urethra, into which their excretory ducts open.

**Cowper's Glands in the Female.** Two small glands on each side of the entrance of the vagina, beneath the skin at the posterior part of the labia.

**Cow-pox** (*vacina*; *varicella*). Kine-pox. A pustular disease of the teats of cows, consisting of vesicles of a bluish and livid color, elevated at their margins and depressed in the center, containing a limpid fluid. One of the

greatest blessings that has ever been conferred upon mankind consists in the discovery by Dr. Jenner that the introduction of this matter under the skin of the human subject produces a similar disease and is a preventive against small-pox. See VACCINATION.

**Cox'a.** The hunch or hip-joint; also the ischium and os coccygis.

**Coxalg'ia.** A neuralgic affection of the thigh.

**Coxal'gia** (from *coxa*, hip, and *algia*, pain). Pain in the hip.

**Coxa'rius Morbus** (*coxarum*). Hip disease.

**Coxen'dix.** Cox or hunch. Applied to the ischium and sometimes to the ilium.

**Coxe's Hive Syrup.** See HYALINUS SUTURA CHYMISTIS.

**Cox'tis.** Inflammation of the hip-joint.

**Coxo-femoral** (*coxo femoralis*). Belonging to the coxal bone or ilium and os femoris.

**Coxo-femoral Articulation.** The hip-joint.

**Crab Louse.** See PAMPHILUS.

**Crame'ria.** Krameria.

**Cramp.** Sudden and involuntary contraction of one or more muscles. See SPASM.

**Cranio'logy.** Phrenology.

**Cranio'metry.** Measurement of the skull.

**Cranio'scopy** (from *cranium*, the skull, and *scopia*, to explore). The examination of the skull.

**Cranio'tomy.** Opening of the fetal head, when necessary, to direct delivery.

**Cranial Nerves.** These nerves consist of twelve pairs, designated by numbers, as follows:

NUMBER.	NAME.	FUNCTION.
1st Pair.	Olfactory.	Special sense, smell.
2d Pair.	Optic.	Special sense, sight.
3d Pair.	Motor oculi.	Motion to 3 ocular muscles.
4th Pair.	Trochlear.	Motion to ocular muscle.
5th Pair.	Trigeminal.	Sensation and motion and probably special sense - taste.
6th Pair.	Abducens.	Motion to ocular muscle.
7th Pair.	Facial.	Motion to muscles of face.
8th Pair.	Acoustic.	Special sense, hearing.
9th Pair.	Vagus-pharyngeal.	Sensation, motion, special sense - sight.
10th Pair.	Vagus-splanchnic.	Sensation and motion.
11th Pair.	Spinal accessory.	Motion.
12th Pair.	Hypoglossal.	Motion to muscles of tongue.

**Cra'nium** (from *cranium*, the head). The bony encasement of the brain and its membranes. It is composed of eight bones—namely, the *os frontalis*, the two *os parietalis*, the two *os temporum*, the *os occipitalis*, the *os ethmoides*, and the *os sphenoides*. The last two are common to the cranium and face.

**Cranium Humanum.** The human skull or cranium.

**Cranium, Perforation of, Craniotomy.** An operation sometimes performed by the accoucheur when, from deformity of the pelvis, the head of the fetus can not pass through it. It consists in the introduction of a perforator, invented by Bonelle, through the fontanelle, and rotating it so as to break up the lamina.

**Cran'ter** (from *cranium*, to finish, render perfect). The dentures suppletivæ are sometimes so called because the pressure of these teeth is necessary to a perfect denture.

**Cra'sals** (from *crassamentum*, I mix). A mixture of the constituents of a fluid. The term is applied to the fluids of the body. When their constituents exist in the proper proportion, health results; but when some predominate, as in dropsy, uræmy, etc., the healthy mixture of the principles of the blood or fluids is destroyed.

**Crassamentum** (from *crassus*, thick). The thick part of any fluid. The sanguinum or that including the fibrine and red globules of the blood. See CRASSULEM.

**Crassum Intestinum.** The colon.

**Crassus.** Thick; resplendent.

**Crassus Pulsus.** A strong, full pulse.

**Cra's (cræ's).** The anterior part of the leg. The skin.

**Cream of Sulphur.** Purified flower of sulphur.

**Cream of Tartar.** See POTASSÆ BITARTHEM.

**Cre'asote** (*creasol*; *creasol*; from *crea*, kash, and *sol*, to preserve). A colorless, transparent fluid, of a disagreeable, penetrating odor, soluble in alcohol and acetic acid, obtained from wood tar by distillation. It is irritant, narcotic, styptic, antiseptic, and somewhat escharotic. Externally it is applied to eruptions, ulcers, and wounds, and is used in injections and gargles. Internally, it has been given in epilepsy, neuralgia, hysteria, chronic catarrh, hæmoptysis, and phthisis. The dose internally is one or two drops. Externally, it is sometimes used in its pure state; at other times diluted, and commonly with water (℥ss to ℥℥vj); or in the form of ointment (℥ss to ℥j of vasce). Specific gravity, 1.048. It immediately coagulates albumen, hence its hæmostatic power. In *Dental Practice*, creasote was long considered to be a very valuable agent for obtaining the sensibility of dentine, relieving odontalgia, in the treatment of alve-

olar abscess, periodontitis, devitalized teeth; and as a gargle in mercurial stomatitis, superficial hæmorrhage, and as a disinfectant and deodorizer in dead and offensive pulps, and for other purposes. Although it is yet much used, other agents are supposed to possess the same properties to a greater degree, and are now employed as substitutes. See CARBOLIC ACID. For other dental use, see THURGE' "Dental Medicine."

**Creasote Water** (*aqua creasoti*). Of creasote, a fluid drachm; of distilled water, one pint.

**Creatine'.** A neutral, colorless, transparent, crystalline body, obtained by Liebig from the juice of muscles. It is one of the first steps in the metamorphosis of the products of decay to urea.

**Creatinine'.** A base formed from creatine by heating it in hydrochloric or nitric acid.

**Creeping Sickness.** The gangrenous form of erysipelas.

**Crema'ster** (from *crema*, I suspend). The muscle by which the testicle is suspended, drawn up, and compressed during the action of coition. It is a thin muscular fascia which detaches itself from the internal oblique muscle and passes through the abdominal ring to the tunica vaginalis.

**Cremon'cus** (from *crepus*, the Latin twilight, and *cus*, a tumor). A swelling of the labia pudendi.

**Cre'mor.** Cream. Any substance floating on the top of a liquid and skimmed off.

**Cre'mor Tartari.** Cream of tartar.

**Cre'na.** Cranium. The irregular projection or serratures by which an accurate junction of the bones of the cranium is formed by the sutures. The term "crenated" denotes notched or scalloped.

**Cre'nic Acid.** A sulphur-yellow acid, the product of vegetable decomposition, found in soils and springs.

**Cre'olin.** A product of coal tar derived from carboic acid, directly antiseptic and hæmostatic. More active than carbolic acid on microbes but less powerful in putrefying masses. It is also a good non-painful odorizer.

**Cre'osote.** Creosote (which see).

**Crep'itant** (*crepitans*; from *crepitare*, to crackle). Crackling. A term applied in *Pneumology* to the peculiar rattling sound heard during respiration in the first stages of pneumonia and in oedema of the lungs. In *Zoology*, the name of an insect of the *Bruchina* genus which emits a crackling sound when handled.

**Crepitation** (from *crepitare*, to crackle). In *Surgery*, the noise made by the friction of the extremities of fractured bones against each other when moved in certain directions. **Crepitus**, or crackling, is likewise met with in cases of gangrene, when air is effused into areolar membrane. The term is also used for the crackling of joints when there is a deficiency of the synovial fluid. In *Chemistry*, the crackling noise made by certain salts during calcination. The term is also applied to the crackling noise made by effused air into the cellular membrane when pressed between the fingers.

**Crepitus** (from *creps*, to make a noise). **Crepitation** (which see).

**Crescen'tia**. Increase; augmentation; growth.

**Crescentin**. Enlargement of the lymphatics in the glands. Waxing horns.

**Cresol**. Cresylic acid. A substance found in coal tar. Three isomeric varieties exist: ortho-cresol and para-cresol, which are crystalline solids, and meta-cresol, which is a liquid.

**Cress**. The name of several species of plants; a number of them have a pungent taste and are used as salads, and are esteemed in medicine for their antiscorbutic qualities.

**Crest**. An elevation extending some distance along the surface of a bone; a prominent border. See **CRESTA**.

**Crest** of the ilium. Superior margin of the pelvis.

**Cresylic Acid**. Aridium cresylicum. A colorless liquid having the odor of cresolate. Antiseptic and germicide.

**Creta** (from *creta*, the bluish) where it was first found). Chalk. Native friable carbonate of lime. See **CAIATIN**.

**Creta Preparata**. Prepared chalk. Precipitated chalk. Used externally as an absorbent, internally as an antacid. Dose, gr. ʒ to ʒj or more. In *Dental Practice*, prepared chalk is valuable as an ingredient of dentifrices, as an anesthetic in acidity of oral fluids, for obtaining sensitiveness of dentina, and as a polishing powder for gold and vulcanite plates.

**Creta coena**. Chalky. Containing or relating to chalk.

**Creticuli** (*creticulus*; supposed to be derived from *cretine*, old Italian for a poor creature). A peculiar endemic affection common in some parts of Valais, Tyrol, Switzerland, and the Pyrenees, characterized by an idiopathic eruption of acuminations, encephalment

of the mental faculties, obtuse sensibility, and gait.

**Cribra'tus** (*cribratus*). Like a sieve perforated with holes.

**Crib'riform Bone** (*cribriformis*; from *cribrum*, a sieve, and *forma*, likeness, because it is perforated like a sieve). The sphenoid bone.

**Cri'co-arytenoid** (*crico-arytenoides*). Pertaining to the cricoid and arytenoid cartilages.

**Crico-arytenoid, Lateral**. A muscle which arises from the cricoid cartilage and is inserted into the anterior part of the base of the arytenoid cartilage.

**Crico-arytenoid, Posterior**. A triangular muscle, situated at the back part of the larynx, arising from the middle of the posterior surface of the cricoid cartilage and inserted into the base of the arytenoid cartilage.

**Crico-pharyngeus**. See **CONTRACTOR PHARYNGIS INFERIOR**.

**Crico-thyroideus**. Crico-thyroid. A muscle of a triangular shape at the anterior and inferior part of the larynx. It arises from the side and anterior part of the cricoid cartilage and is inserted into the inferior margin of the thyroïd cartilage.

**Crico-thyro-pharyngeus**. The constrictor pharyngis.

**Cri'cold** (*crioides*, *crioides*; from *spoon*, a ring, and *cold*, resemblance). The name of one of the cartilages of the larynx. It is round like a ring.

**Cri'cos** (*crios*). A ring.

**Cri de Cuir**. Friction sound of pericarditis.

**Crismo'des** (*criomides*; from *spoon*, coarse meal, and *cold*, resemblance). Resembling meal. A term applied to urine when it deposits a sediment like coarse meal or bran.

**Cri'nis**. The hair.

**Crino'nes**. An infantile disease consisting in the eruption of black hairs from the skin of the back, arms, and legs, with sterile acrimonia and irritation.

**Cri'sis** (*diacrisis*, decision; from *spoon*, I decide; *spoon*, the final issue). A sudden change in diseases, especially fevers, for the better or worse. Its meaning is restricted by some to favorable changes.

**Crispa'tion** (*cripsare*; from *cripsare*, to wrinkle). Contraction of any part, whether natural or the result of morbid causes.

**Crist'a.** The comb of a cock; a crest. A term applied in *Anatomy* to several processes and parts of bones, and also to the clitoris. In *Surgery*, excrescences about the anus and near the genital organs produced by syphilitic diseases are so called from their resemblance to the comb of a cock.

**Crista Gal'li.** A triangular process or eminence of the ethmoid bone above the cribriform plate which gives attachment to the anterior part of the falx cerebri; so called from its resemblance to the comb of a cock.

**Crista Interna.** Frontal spine. Sphenoidal spine.

**Crista of the Ill'um.** The superior margin of the liliun.

**Crista Urethræ'lis.** The caput gallinæginis.

**Crista Vestib'uli.** A crest which divides the vestibule of the ear into two fossæ—the *fossa hemispherica* and the *fossa elliptica*.

**Cris'tate** (*cristatus*). Crested. Having an appendage like the comb of a cock.

**Crit'ical** (*criticus*; from *crisis*, and *spew*, to judge). Pertaining to a crisis, or determining the result of a disease from certain symptoms.

**Croc'us** (from *spew*, saffron). Saffron with saffron; colored with saffron. A mixture of oil and saffron.

**Crocon'ic Acid.** Rhodisouic acid.

**Croc'us.** A genus of bulbous-rooted plants. Saffron; the pharmacopœical name of the prepared stigma of saffron. Also the name of several preparations of metallic substances, as *Crocus martis* and *Crocus venereus*.

**Crocus Antime'nil.** A sulphuretted oxide of antimony.

**Crocus Mart'is.** Calcined sulphate of iron. See *PULVERIS RUFUS*.

**Crocus Sati'vus.** The saffron plant, which has a sweetish, fragrant odor, a warm, pungent, bitter taste, and is of a deep, orange-red color. It is sometimes used in exanthematic diseases and nervous affections, but more frequently as a coloring ingredient in compound preparations. Dose, gr. x to gr. xx.

**Crocus Vanad'is.** Oxide of copper, formed by coloring the metal.

**Crocomyox'yg'mia.** Sour, fetid, colonic-like eructations.

**Cross-eye.** Strabismus.

**Cross-wort.** *Eupatorium perfoliatum*. Bonaset; thoroughwort.

**Crotaphi'tes** (from *spew*, the temple). Pertaining to the temples. A term applied to the temporal artery, vein, or nerve.

**Crot'aphos** (*crotaphus*; from *spew*, to pulsate). Pulsating pain in the temples; also temple, temporal bone.

**Crotch'et.** A small hook. Applied by the French in *Dental Prostheses* to clasps employed for the retention of a dental substitute in the mouth. In *Gynecologic Surgery*, a curved instrument with a sharp hook for the extraction of the fœtus in the operation of embryotomy.

**Cro'ton.** A genus of plants of the order Euphorbiaceæ.

**Croton Benzoe.** See *STYRAX BENZIN*.

**Croton Cascari'la.** See *CROTON ELEUTERIA*.

**Croton Chloral.** See *HYDYL CHLORAL*.

**Croton Chloral Hydrate.**  $C_6H_5Cl_2O, H_2O$ . Obtained by the action of chlorine upon aldehyde. In the form of small, brilliant, silvery crystals; a sedative, hypnotic, and anæsthetic, (dose, gr. j to gr. x).

**Croton Eleut'ria.** The plant which affords the cascarilla bark.

**Croton Laccif'erum.** The name of an East Indian tree, the viscidulous juice of which affords gum lac.

**Croton Oli.** *Oleum tiglii*. The expressed oil of the seeds of the *Croton tiglium*, which, when pure, is a sinuous purge, operating with great rapidity; but its use is dangerous, from the irritation it sometimes produces. Dose, grt. i to i or j.

**Croton Tig'lium.** A Crysanthem plant, every part of which is said to possess medicinal properties. The root acts as a drastic cathartic. From the seeds the croton oil, *Oleum tiglii*, is expressed.

**Croton Tinctoria.** The lac plant.

**Cro'tonate.** A salt formed from crotonic acid with a base.

**Cro'to'ne.** A fungus found on trees, produced by an insect like a tick. Also by extension, applied to small fungous tumors of the peristœum.

**Croton'ic Acid.** An acid obtained from the seeds of *Croton tiglium*.

**Croup** (*rysacôr tracheitis*). Suffocating breathing, accompanied by a stridulous noise, dry cough, and expectoration of tough, membranous spits. See *CYANURIC TRACHEALIS*.

**Croup, Hysteric.** A spasmodic affection of the larynx attacking hysterical females.

**Crown** (*corona*). In *Anatomy*, applied to parts of a circular form surrounding other

portions of the same body, as the crown of a tooth, crown dental, etc.

**Crown, Collar.** See COLLAR CROWN.

**Crown, Logan.** See LOGAN CROWN.

**Crown of a Tooth.** The exposed part of the tooth above the gums, covered with enamel. See TEETH.

**Crown, Post and Collar.** See RHESBORN CROWN.

**Crown, Post and Plate.** A porcelain facing with a backing of gold, and a post fitting the enlarged pulp canal, and a disc covering the exposed surface of the tooth-root.

**Crown Setting.** The operation of minding an artificial crown to the root of a natural tooth, the operation being commonly known by the misnomer "jeweling."

**Crown Work.** The adaptation of an artificial crown of porcelain or gold on the cervical portion of the natural root of a tooth or to a remaining portion of the natural crown. Two general systems are employed—the porcelain crowns with metallic attachments, with or without collars, and the gold crowns with porcelain fronts.

**Crow's Bill.** In *Surgery*, a kind of forceps for extracting nails and other foreign bodies from wounds.

**Cru'cial** (*crucialis*; from *crux*, a cross). Having the shape of a cross.

**Crucial Bandage.** A bandage shaped like a capital T.

**Crucial Incision.** An incision made in the shape of a cross.

**Crucial Ligaments.** Two ligaments of the knee-joint.

**Cru'ciate** (*cruciatus*). Cruciform.

**Cru'cible** (from *crucis*, I torment, because metals were tortured by fire to yield up their various virtues). A vessel of a conical shape in which substances are exposed to the heat of a fire or furnace; formed of clay or earthenware, porcelain, iron, black lead or plumbago or graphite, silver, gold, or platinum. They are used by dentists, goldsmiths, and jewelers for refining and alloying gold and silver, and for this purpose they should be formed of substances capable of bearing considerable alterations of temperature without breaking or cracking. The good crucibles are formed from pure clay mixed with pulverized old crucibles, black lead, and powdered coals. The Hemplan or sand crucible is composed of what is known as refractory clay, which consists of silica, alumina, and ferrous oxide. When such crucibles

are used for melting gold or silver, they should be lined with powdered borax, to prevent the absorption of a quantity of the metal on account of their porous nature. All new crucibles should be tested before use in melting the precious metals by slowly heating them to redness and then allowing them to cool.

**Cru'ciform** (from *crux*, *crucis*, a cross, and *forma*, shape). Cruciformis; cross-shaped. Applied in *Anatomy* to the ligaments which close the articulations of the phalanges and to the crucial ligaments.

**Crude.** Unprepared; raw. Applied to natural or artificial products which require purification.

**Cru'dity** (*cruditus*; *crudus*, crude, unprepared). *Ruminans*, *cruditudo*. Applied to aliments in a raw state; also to unlighted substances in the stomach.

**Cru'or.** One of the solid parts of coagulated blood; coagulatum, crassamentum, the red part of the blood.

**Cru'ra** (the plural of *crux*, a leg). Applied to some parts of the body from their resemblance to a leg, as *crura vesicæ*, *crura cerebelli*, *crura of the diaphragm*, etc.

**Crur'eus** (*cruralis*; from *crus*, a leg). A muscle of the anterior part of the thigh.

**Cru'al** (*cruralis*). Belonging to the leg or lower extremity.

**Crural Arch.** The inguinal arch.

**Crural Artery.** The femoral artery.

**Crural Canal.** The femoral ring.

**Crural Hernia.** Femoral hernia.

**Crural Nerve.** A nerve situated on the outside of the femur and femoral artery, proceeding from the lumbar plexus.

**Crural Plexus.** A plexus formed by the union of the last four pairs of lumbar nerves.

**Crural Ring.** See CRURAL CANNAL.

**Crural Vein.** Temporal vein; has the same arrangement as the artery. It receives but one branch, the cephalic.

**Crura'lis.** *Cruralis*.

**Crur'is Radius.** Fibula.

**Crus.** The leg; also the thigh.

**Crus'ta.** A scab; a shell; the acuta of a fluid.

**Crusta Adamantina Dentium.** The enamel of the teeth.

**Crusta Carno'sa.** The middle tonic of the intestines.

**Crusta Inflammato'ria.** The buffy coat of inflamed blood.

**Crusta Lac'tea.** Porrigo larvata.

**Crusta Petro'sa.** The cementum of the teeth.

**Crusta Phillogiati'sa.** The yellowish layer of the upper stratum of a blood-clot coagulating slowly.

**Crusta Villo'sa.** The inner or mucous coat of the stomach and intestines.

**Crusta'sca.** A class of articulated animals protected by a hard shell.

**Crus'tula.** A small shell or scale; also an effusion of blood under the conjunctive membrane of the eye.

**Crymo'des** (*crymodyes*; from *cryos*, cold). A fever in which the internal parts are hot and the external cold.

**Crymodyn'ia** (from *cryos*, cold, and *dynes*, pain). Chronic rheumatism.

**Crymo'ses** (from *cryos*, cold). Diseases caused by the action of cold.

**Cryo'site** (from *cryos*, ice, and *stos*, stone). A rare mineral, fusible in the flame of a candle; a double fluoride of sodium and calcium.

**Cryoph'orus** (*cryos*, cold, and *oros*, to bear). An instrument in which water is made to freeze by the cold produced by its own evaporation, and indicating the degree.

**Crypt** (*crypte*; from *κρυπτεν*, concealed). In *dentose*, a small, oval, hollow body; a follicle or small pit; a follicular gland.

**Cryp'tim.** The rounded excrescences at the ends of the small arteries of the cortical substance of the kidneys. Sebaceous glands. Concealed mucous follicles.

**Cryptor'chia** (*cryptorchis*; *κρυπτεν*, concealed, and *ορχη*, testicle). One whose testicles have not descended into the scrotum.

**Cryp'tous** (*cryptus*; *κρυπτεν*, to hide). Hidden or concealed.

**Crypts, Synovial.** The lacune articular.

**Cryst'al** (*crystallus*; *κρυσταλλος*). When fluids become solid their particles unite, and frequently assume regular determinate forms, which are termed crystals. Crystallized quartz was supposed by the ancients to be water condensed by intense cold, and hence, says Cleve land, the term *κρυσταλλος*, which signifies ice; and as regularity of form is nowhere more beautifully exhibited than in "crystallized quartz, the name has been extended to all mineral and inorganic substances which exhibit themselves under the form of regular geometrical solids."

**Crystal, or Sponge, Gold.** An adhesive form of gold used for filling teeth, especially where lost portions of the crown are to be built up.

This preparation of gold was patented by Dr. A. J. Watts, of Utica, New York, in 1863. There are numerous formulae for preparing crystal gold, but they may all be embraced in two general methods: the one, to obtain simply a precipitate of the metal, adaptable to filling teeth; and the other to combine this precipitate with mercury, and obtain a definite crystallization. The preparation of A. J. Watts is made by introducing the precipitant gradually, and then carefully washing the precipitate, and heating almost to redness. For perfect crystallization of this gold, combine the precipitate with from six to twelve times its weight of pure mercury; let it stand a short time, subject to a gentle heat, and then remove the mercury with dilute nitric acid. Afterward wash the nitrate of mercury from the gold; place the latter upon a slide, and bring it up to a full red heat in a muffle, and the gold is then in a condition to be used for filling. A very fine article of this form of gold has also been prepared by Dr. H. W. Watts, of Ohio. For method of working crystal gold, see Harris' "Prin. and Pract. of Dentistry."

**Crystal'lin.** Vesicles filled with a watery fluid; also called *vesiculæ*.

**Crystall Tartar.** Trisulphate of tartar.

**Crys'tallin.** The protoplasmic compound of the fluid of the crystalline lens. See *GLAUCOMA*. The name has also been given to one of the products of the distillation of indigo; also the name of a colloidum, in which methyl alcohol takes the place of ethyl alcohol; this latter forms a part of flexible colloidum, and also of an inorganic varnish.

**Crystall'ina.** A vesicular phlyctenula on the cornea, surrounded by a red areola.

**Crystallina Membrana.** The arachnoid membrane.

**Crys'talline** (*crystallinus*). Crystal-like; having the form or appearance of crystal.

**Crystalline Lens.** A clear, transparent, spherical body, situated in a depression of the anterior part of the vitreous humor of the eye and embraced in a membranous capsule. It transmits and refracts the rays of light.

**Crystalliza'tion** (*crystallizatio*; from *crystallos*, a crystal). The act of crystallizing, or that process by which the particles of crystallizable bodies unite and assume a regular and determinate solid form. This property is possessed by most minerals, but in a more eminent degree by saline substances.

**Crystallization, Water of.** The water which

combination with certain salts to give them the form of crystals.

**Cry'stallized** (from *crystallos*, a crystal, and *idos*, form, resemblance). Resembling crystal or the crystalline lens. The capsule or membrane of the crystalline; also the crystalline lens itself.

**C. S.** Abbreviation for current strength in electro-therapeutics.

**Crown** (*corona*). Incisor teeth.

**Cr.** Symbol for copper.

**Cube** (*cubeus*). A solid, bounded by six equal squares at right angles to one another.

**Cubeb.** The berries of the *Piper cubeba*.

**Cubeba**; Java pepper. Stimulant, carminative, and stomachic, and acts specially on the genitourinary organs, and sometimes employed in gonorrhoea. Dose,  $\mathfrak{ss}$  to  $\mathfrak{ssij}$ ; of the oil,  $\mathfrak{gtt. x}$  to  $\mathfrak{gtt. xij}$ ; of the tincture,  $\mathfrak{ss}$ .

**Cubebins.** A peculiar neutral principle contained in cubeba.

**Cubebae.** See **CUBEB.**

**Cubeba, Oil of.** Oleum cubebae.

**Cubiferous Os.** Os cuboides.

**Cubitus Extensus.** An extensor muscle of the finger.

**Cubitus Internus.** A flexor muscle of the finger.

**Cubital** (*cubitalis*; from *cubitus*, the forearm). Connected with or relating to the forearm.

**Cubital Artery** (*arteria cubitalis*; *arteria ulnaris*). A branch of the humeral artery, given off a little below the bend of the elbow, which passes down along the inner part of the forearm.

**Cubital Nerve.** The ulnar nerve.

**Cubitus** (from *cubo*, to lie down). The forearm; also the larger of the two bones of the forearm, or *radius*.

**Cuboides Os** (from *cubus*, a cube or die, and *idos*, a likeness). A tarsal bone of the foot.

**Cucullaris** (from *cucullus*, a hood). The trapezius muscle has been so called from its broad, hood-like appearance.

**Cucullus.** A hood; an odoriferous cap or headgear for the head.

**Cucurbitula.** A cupping glass.

**Cul-de-sac.** A lake or cavity closed at one end.

**Culm.** In *Zoology*, a provincial synonym of *ostium*.

**Culture.** State of being cultivated; as the culture of micro-organisms.

**Cultures.** The products of cultivation; as collections of micro-organisms thus obtained.

**Ca'lus.** The anna.

**Canalis Suturae.** The suture between the great and little ala of the sphenoid bone and the os frontis.

**Ca'neate** (from *cuneatus*). Wedge-shaped.

**Ca'neiform** (*cuneiformis*; from *cuneus*, a wedge, and *forma*, shape). Shaped like a wedge; cuneate. A name applied to several bones, leaves, etc. It is applied to one of the bones of the carpus and to those of the tarsus; also to the basilar process of the occipital bone.

**Cunningham's (Dr. Geo.) Immediate Method.** A method of correcting the irregular position of a tooth by forcing with the forceps such a tooth into the position of one just extracted; while this is a possible operation, it is attended with danger to the pulp.

**Cupel'.** A shallow earthen vessel somewhat like a cup, generally made of bone-earth, and used in assaying and refining gold and silver.

**Cupella'tion.** A process of purifying or refining gold or silver by means of an addition of lead, which, at a sufficiently high temperature, vitrifies and promotes the vitrification and calcination of such base metals as may be in the mixture, which are carried off in the fusible glass thus formed, while the precious metals are left in nearly a pure state.

**Cup'ping.** The abstraction of blood by means of a scarificator and a cupping glass. The scarificator is an instrument containing eight or twelve blades, moved by a single spring, and so arranged as to be readily graduated as to the depth which they shall penetrate. They cover a small space of an inch and a half or two inches square, and make eight, twelve, or more parallel cuts. The cupping glass may be a simple tin or glass, of the proper size and shape, and applied by exhausting the air within by burning a few drops of alcohol, or it may have an exhaustive pump attached to the top; or it may have an India rubber top, which requires only to be squeezed to produce a vacuum. These latter are preferable to any other.

**Cupping Glass.** *Cucurbitula*. See **CUPPING**.

**Cu'pri Ammo'niati Liqueur.** See **LIGUOR**

**CUPRI AMMONIO-SULPHATIS.**

**Cupri Ammonioarsenatum.** See **CUPRUM AMMONIATUM**.

**Cupri Rubi'go** (*cupri aeris*). Verdigris. Impure subacetate of copper.

**Cupri Subacetat.** Subacetate of copper.

**Cupri Sulphas.** Sulphate of copper. Blue vitriol.

**Cuprif'erous** (*cuprum*, copper, and *ferre*, to bear). Bearing or containing copper.

**Cy'prus** (from *κύπρος*, the Greek name of the island Cyprus, where it was first found). Copper.

**Cuprum Ammonia'tum.** Ammoniated copper. Ammoniacal sulphide of copper.

**Cupulif'erm.** The oak and chestnut tribe of distyliaceous plants.

**Cura'tio.** The treatment or cure of a disease or injury.

**Cu'rative.** Relating to a cure; susceptible of cure.

**Curcu'lis.** The throat.

**Curcuma Paper.** Paper dyed in a decoction of *turmeric*, and employed as a test of free alkali, which gives it its brown stain.

**Curcumin'.** The coloring matter of turmeric.

**Curd.** Coagulum of milk.

**Curette'.** An instrument shaped like a spoon, for detaching substances from one another.

**Cur'rent** (from *currere*, to run). In Electricity applied to the transmission of force, like the flow of a liquid in a confined passage. Electrically in the act of transmission along a conductor.

**Current Action.** The action produced when a muscle contracts from an injury.

**Current, Alternating.** A current which is alternately direct and reverse, through the effect of an interrupter. Such a current is employed at the execution of criminals.

**Current, Battery.** A galvanic current.

**Current, Continuous.** A constant uninterrupted current in one direction.

**Current, Galvanic.** A current generated by the decomposition of acidulated water by metallic plates.

**Current, Induced or Secondary.** A momentary current produced by a coil of insulated wire is introduced within the field of another coil through which a continuous current is passing.

**Cur'vate** (*curvatus*). Bent.

**Curva'tor Coccy'gis.** A muscle of the rectum.

**Cur'vature** (from *currere*, to bend). Curved or bent; a departure from an erect or straight line, as in the case of the spine, duodenum, etc.

**Curvature of the Spine.** A deviation of the spinal column from its regular figure.

**Cusp** (Latin *cuspis*, a point). One of the projections on the crown of a tooth. A triangular or pointed prominence; one of the pointed segments forming a valve of the heart.

**Cus'pidate.** A term applied in *Anatomy* to a part terminating in a stiff joint.

**Cuspida'ti** (the plural of *cuspidentus*). The cuspid teeth.

**Cuspida'tus** (from *cuspis*, a point). A cuspid tooth.

**Cus'pid Teeth** (*dentes cuspidati*; *dentes canini*; *unguiformes*; *dentes humani*); and the *cuspides* of (tumors). The four teeth which have conical crowns. They are situated, one on each side, in each jaw between the lateral incisor and first molar. Their crowns are convex externally, and slightly concave and unequal posteriorly, and pointed at the extremity. Their crowns, when not worn, are longer than those of any of the other teeth. Their roots are larger and also the longest of all the teeth, and, like the incisors, are single, but have a vertical groove on each side, laterally, extending from the neck to the extremity, showing a step toward the formation of two roots.

The upper cuspid, sometimes called the *eye-tooth*, are larger than the lower, which have been called the *stomach-tooth*. The enamel upon these teeth is thicker than on the incisors. Both anteriorly and posteriorly a slight curve is seen in the neck, and the crown projects a little from the parabolic curve of the dental arch.

The cuspid of second dentition are larger and longer than those of first dentition, and as the teeth are situated nearer the attachments of the muscles which move the lower jaw than the incisors, which are at the extremity of the lever, they are enabled to overcome greater resistance. Being pointed at their extremities, they are intended for tearing the food, and in some of the voracious animals, where they are very large, they not only serve to rend, but also to hold prey.

**Cus'co (cous).** Anthelmintic. Dose for adult, ʒi to ʒss.

**Cuta'neous** (from *cutis*, the skin). Pertaining to the skin.

**Cutaneous Absorp'tion.** Absorption by the skin.

**Cutaneous Diseases.** Diseases attended with eruption on the skin.

**Cutaneous Exhalation.** Exhalation from the skin.



**Cutaneous Nerves.** Two nerves given off by the brachial plexus, an internal and an external, to supply the arm and hand. Also four nerves given off by the lumbar plexus, or anterior crural nerve, which go to the leg.

**Cutch.** Catechu. Also the name of the tool or block of parchment leaves between which gold was beaten into foil.

**Cuticle.** In *Aneloms*, the epidermis or scarf-skin. In *Beteu*, the thin vascular membrane covering the external surface of vegetables.

**Cuticula Dentis.** Enamed cuticle. Nannyth's membrane. A membrane which may be raised from the surface of an unworn tooth by the action of acids.

**Cutis (dermis; pellis).** The skin, which is said to consist of three parts: the *cutis vera*, or true skin; the *rete mucosum*, or mucous net; and the *epidermis*, or scarf skin. Others consider it as consisting of only two layers, the *cutis vera* and *epidermis*, the *rete mucosum* being the vascular network of the former. The outer surface of the skin is covered by conical eminences called *papillae*, which are very nervous and vascular. The skin serves as a medium of communication with external objects, while it protects the subjacent parts, and is the seat of touch. Its color, which is determined by the rete mucosum, varies according to age, sex, race, etc.

**Cutis Asperina (horrida cutis).** Goose skin. That contracted state of the skin which accompanies the cold stage of an intermittent fever, in which the papillae become prominent and rigid.

**Cutis Esterina.** The epidermis.

**Cutis Vera.** The true skin.

**Cutit'is.** Erysipelatous inflammation.

**Cuttle Fish.** A genus of molluscan animals of the order Cephalopoda and genus *Sepia*. The powdered bones form an ingredient of some dentifrices.

**Cyanhydric Acid.** Hydrocyanic acid.

**Cyanic Acid.** A compound of cyanogen and oxygen.

**Cyanides.** Cyanurets. Compounds of cyanogen which are not acids.

**Cyanite (from *cyanos*, blue).** A massive crystalline mineral, of pearly lustre, translucent, and of various shades of blue.

**Cyanogen (from *cyanos*, blue, and *γενος*, I am produced, because it is an essential ingredient of Prussian blue).** Bicaruret of nitrogen; a colorless gas, of a strong pungent odor. It is

condensed into a limpid liquid at a temperature of 45° and under a pressure of 3.6 atmospheres. It extinguishes burning bodies, but burns with a light purple flame, and supports a strong heat without decomposition. It is composed of nitrogen and carbon.

**Cyanop'athy (cyanop'athia; from *cyanos*, and *πάθος*, disease).** Cyanosis.

**Cyano'sia (from *cyanos*, the giving a blue color).** The blue disease. A disease in which the skin of the whole body assumes a blue color, arising generally from congenital malformation of the heart, consisting of a direct communication of the right and left ventricle, thus preventing the whole of the blood from being oxygenated in the lungs.

**Cyanuret.** Cyanide. A compound of cyanogen with a base.

**Cyanuret of Mercury.** Cyanide or bityanide of mercury. See HYDROCYANURETUM.

**Cyanuret of Potassium (potassi cyanuretum).** Cyanide of potassium is in white, opaque, amorphous masses, with a bitter-almond taste. It is poisonous, acting like hydrocyanic acid. Dose, gr. 1.

**Cyanuret of Silver.** Cyanide of silver.

**Cyanuret of Zinc.** Cyanide of zinc.

**Cyanuric Acid.** An acid obtained by decomposing urea by heat.

**Cyan'urin.** A very rare substance deposited from urine as a blue powder.

**Cy'ar.** The meatus auditorius internus.

**Cy'athus (cycathos, a cup).** A measure, both of the liquid and dry kind, equal to about an ounce and a half. A wineglass.

**Cycle'men.** A genus of plants of the order Primulaceae.

**Cyclaman Europaeum.** The sowbread. The root is bitter, and is a drastic purgative and antheumatic.

**Cyclamine.** A crystalline principle obtained from the root of *Cyclamen europaeum*, possessing acid, purgative, and emetic properties.

**Cy'cle (cyclos; from *κύκλος*, a circle).** A determinate period of a certain number of days or years, which finishes and commences perpetually; as cardiac cycle.

**Cycloph'ria.** Circulation.

**Cyclo'pion.** The white of the eye.

**Cye'mm (cye'm; from *κύω*, to bring forth).** The product of conception.

**Cyasiol'ogy (cyasiologia; from *κύω*, pregnancy, and *λογία*, a description).** The doctrine of generation.

**Cys'als.** Conception.

**Cylinder** (from *κύλινδρος*, I roll). A long, circular body of uniform diameter. A round tube is a hollow cylinder. The long bones are called cylindrical.

**Cylinder Filling.** A filling, the material of which is composed of gold or tin foil cylinders. Sometimes called block filling.

**Cylinder of Gold Foil.** A form of gold foil for filling teeth, made by rolling a tape of non-cohesive gold upon a fine branch, commencing at one end of the tape and continuing the movement until the desired size of the cylinder is reached.

**Cylind'rical.** Cylindrical, resembling a cylinder.

**Cylio'als** (*κύλιος*, distortion). Lameness, mutilation, malformation.

**Cymato'des** (*κυματώδης*). An undulating, unequal pulse.

**Cynan'che** (from *κύων*, a dog, and *αίμα*, I suffocate). So called from dogs being said to be subject to it. Sore throat; inflammation of the upper part of the pharynx and the supralaryngeal portion of the alimentary canal.

**Cynanche Epidemic** (*cynanche epidemica*; *cynanche fuscula*; *cynanche gangrenosa*). Tonsillitis. Epidemic sore throat.

**Cynanche Maligna** (*cynanche gangrenosa*; *angina streptococci*). Partial ulcerated sore-throat. Gangrenous inflammation of the pharynx, as in scarlatina.

**Cynanche Parotidis** (*cynanche parotidica*; *inflammatio parotidis*). The mumps.

**Cynanche Pharynge'a.** Inflammation of the pharynx.

**Cynanche Tonsillaris.** Inflammatory sore-throat, characterized by redness and swelling of the mucous membrane of the fauces and tonsils, accompanied by pain, fever, and difficult deglutition.

**Cynanche Trachealis** (*cynanche trachealis*; *inflammatio stridula*). Croup. A disease for the most part peculiar to children, and characterized by inflammatory fever, mucous expectorative breathing, and the formation of false membrane in the trachea beneath the glottis, which is sometimes coughed up or expectorated, and at other times causes dyspnoea and asphyxiation.

**Cyn'icous** (from *κύων*, a dog). Relating to or resembling a dog. A cynic spasm is characterized by a contortion of one side of the face, in which the eye, cheek, and mouth are dragged downward.

**Cynodes'mion.** The frenum of the prepuce.

**Cynodon'tea** (from *κύων*, a dog, and *ὄνεια*, a tooth). The canine teeth are so called from their resemblance to the teeth of a dog. See *CYNODONTIA*.

**Cynol'sia.** Hydrophobia.

**Cynopho'i.** The spinous processes of the vertebrae.

**Cynophor'ia.** Pregnancy.

**Cynorex'ia.** Ulnine appetite. Bulimia.

**Cypho'els** (from *κύρσις*, gibbosity). The hump of the spine.

**Cytosals Cretinis'mus.** Tetanus.

**Cytosals Rachis.** Rickets.

**Cys'tarus.** The vesica.

**Cys'tosis.** Inflammation of the anus. Tenosus.

**Cyst** (*κύστις*; from *κύω*, a bladder). A membranous sac or cavity in which morbid matters are collected; a pouch without an opening, and generally of a membranous nature, which is abnormally developed in the substance of an organ or in one of the natural cavities. Cysts are either simple or compound, the first containing fluid or an organized matter, the second, various organized bodies. Some have but one cavity, others have several separated by laminae septa. The matter contained in the simple variety is sometimes limpid, serous, viscid, yellowish-white, or case or less thick, albuminous, adipose, or mucous. The tumor formed by them is called encysted. They are named according to the nature of their contents, as serous, synovial, mucous, sebaceous, sanguineous, colloid, milky, serous, dermoid, dentigerous. See *HENRIKSEN'S Cysts*.

**Crystal'gia** (from *κύρσις*, a bladder, and *αἴμα*, pain). A painful spasmodic affection of the bladder.

**Cystaux'a.** Hypertrophy of the bladder.

**Cystoel'ithus.** A stone in the urinary or gall-bladder.

**Cystic** (*κύστις*; from *κύω*, a bag). Pertaining to a cyst. Belonging to the urinary or gall-bladder.

**Cystic Artery.** The artery of the gall-bladder.

**Cystic Duct.** The duct proceeding from the gall-bladder, and which, after uniting with the hepatic, forms the *ductus communis choledochus*.

**Cystic Oxide.** See *CYTIN*.

**Cys'tica.** Remedies used for diseases of the bladder.

**Cystitis.** *Cystitis acida.* A peculiar animal matter found in certain conditions of the urine and in some urinary calculi.

**Cystorrhagia.** Hemorrhage from bladder.

**Cystorrhoea** (from *cystis*, a bag, and *rhoi*, to flow). A copious discharge of mucus from the bladder, passing out with the urine. Venereal catarrh.

**Cystis** (from *cystis*, a bag). A cyst, a bladder, or a small membranous bag. The urinary bladder or a membranous bag enclosing any morbid matter.

**Cystis Urinaria.** The urinary bladder.

**Cystitis.** Inflammation of the bladder.

**Cystitome** (*cystis*, bladder, and *tomos*, to cut). An instrument for opening the capsule or one of the crystalline lens.

**Cystoblast.** See CYTOBLAST.

**Cysto-hubonocoele** (from *cystis*, the bladder, and *hubonocoele*, the groin). A species of hernia in which the urinary bladder is protruded through the abdominal ring.

**Cystoceles** (from *cystis*, the bladder, and *cele*, a tumor). Hernia of the bladder.

**Cystodynia.** Pain in the bladder.

**Cystoid** (from *cystis*, cell, and *oides*, resembling). Resembling a cyst or bladder.

**Cystolithiasis** (*cystis*, and *lithis*, a stone). Urinary calculus disease.

**Cystolithus.** A urinary calculus.

**Cysto-merocoele.** Protrusion of the bladder through the crural arch.

**Cystoplasty.** An operation for the cure of fistulous openings into the bladder, consisting in the dissection of skin from a neighboring part and uniting it by suture to the edges.

**Cystoplegia** (from *cystis*, the bladder, and *plegia*, I strike). Paralysis of the bladder.

**Cystoptosis** (from *cystis*, the bladder, and *ptosis*, to fall). Protrusion of the lateral coat of the bladder into the canal of the urethra.

**Cystospastic** (*cystis*, the bladder, and *spas*, to draw). Pertaining to spasm of the bladder.

**Cystotome.** An instrument or knife used in cystotomy.

**Cystotomy** (*cystotomia*; from *cystis*, the bladder, and *tomos*, to cut). Cutting or puncturing the bladder.

**Cyto** (*ky'*-*tsa*; from *cystis*, cell). A prefix meaning cell.

**Cytoblast** (from *cystis*, a cell, and *blastos*, a germ). A cell-germ, nucleus, or arched. A primary granule or minute spot on the growing cell, from which all animals and vegetables are supposed to be developed. The rudiment of every new cell. In the cell membrane of Prof. Agard's the cell wall is termed an *ectoblast*; the nucleus, *mesoblast*; the nucleolus, *catoblast*; and when a smaller body exists in this, *schutoblast*. The existence of a cell wall is now denied.

**Cytoblastema** (*blastema*). The fluid which nourishes the cytoduct. The dextrine in plants and liquor sanguinis in animals.

**Cytode** (*ky'-de*, likeness). A non-nucleated cell.

**Cytodieresis** (from *cystis*, a cell, and *dieresis*, division). Cell segmentation or division.

**Cytogenesis** (*kytoge-nesis*; *cystis*, a cell or cavity, and *genesis*, to be produced). The generation of cavities or cells; cell-development.

**Cytoglobin.** A protein substance resembling nucleobin, found in white blood-corpuscles. It prevents coagulation.

**Cytomitoema.** One of the two substances of which the mass of a cell is composed.

**Cytoplasm.** The mass of a cell exclusive of its granular contents. See PROTOPLASM.

**Cytozoon.** Protozoic cell masses.

## D.

**D** (*deus*). A deus. Also abbreviation for Dementia; in *Electro-therapeutics*, also for Density; also for Dexter, right.

**Dacry-** (from *deacrew*, a tear). A prefix denoting connection with the lachrymal apparatus.

**Dacrylucosis.** A morbid condition of the tears.

**Dacrygelois.** A species of insanity in which the patient laughs and weeps at the same time.

**Dacryodacryitis** (from *deacrew*, a tear, *oides*,

a gland, and the terminal eye). Inflammation of the lachrymal gland.

**Dacryoblenorrhoea's.** A flow of tears mixed with mucus.

**Dacryocyst'.** The lachrymal sac.

**Dacryocystoblenorrhoea's.** Discharge of mucus from the lachrymal cyst.

**Dacryohemorrhoea's.** A flow of tears mixed with blood.

**Dac'ryolite.** A secretion in the lachrymal passages.

**Dacryo'ma** (from *δακρυω*, to weep, See EPIPHORA).

**Dacryops'us.** That which causes the tears to flow.

**Dac'ryops** (from *δακρυω*, to weep, and *ως*, eye). A weeping eye. A swelling of the lachrymal ducts or cyst.

**Dacryops Fistulo'sa.** Fistula of the lachrymal gland.

**Dacryopyorrhoea's.** Flow of tears mingled with pus.

**Dactyl'e'thra.** Substances introduced into the throat to excite vomiting.

**Dactyl'ion** (*δακτύλιον*: from *δακτυλ*, a finger). Adhesion of the fingers to one another. It may be a congenital deformity or be caused by a burn.

**Dactyl'itis** (from *δακτύλιον*, a finger, and *εις*, a terminal signifying inflammation). Inflammation of the finger: a whitlow. See PARONYCHIA.

**Dactyl'ius.** A ring; anything ring-shaped.

**Dactylus** (*δακτύλιος*). A finger; also the shortest Greek measure of length, a finger's breadth, which is about seven-twelfths of an inch.

**Dac'dion.** A bangle.

**Dah'lin.** The fecula obtained from colocynthis. A kind of starch.

**Dammar Gum.** Cowrie gum, one of the ingredients of the modeling composition employed for obtaining impressions of the mouth, etc. See CASTING GUM.

**Dam'maric Acid.** A resinous acid of cowrie gum.

**Damp.** A term applied to noxious gases found in mines.

**Dan'druff, Dan'driff.** A scurf which forms on the head and comes off in small scales. See ITTILIANUM.

**D'Arce't's Metal.** An alloy fusible at 212° F., composed of eight parts bismuth, five parts lead, and three parts tin. It was at one time much used for filling teeth, especially of the lower jaw, into the cavities of which, while in

a fused state, it can be easily introduced. The use of it, however, for this purpose, was soon abandoned, for the reason that the temperature at which it had to be applied could not, in all cases, be borne, and it frequently caused inflammation of the pulp. Besides, it was found that it shrank from the walls of the cavity in cooling, so as to admit the secretions of the mouth, consequently it did not prevent a recurrence of disease. A formula for D'Arce't's metal, composed of sulphur, lodanth, antimony, etc., is used for counter dies in swaging plates on Spencer metal dies, by means of a screw or hydraulic press. It fuses at 201.3° F., and, it is claimed, neither expands nor contracts. See SPENCER'S METAL.

In preparing D'Arce't's, the lead is first melted, the tin is then added, and afterward the bismuth. It may be rendered still more fusible by adding a small quantity of mercury.

**Dar'sin** (from *δαρ*, I excoriate). A condensed cellular structure under the skin of the scrotum, which the surgeons supposed to be muscular, and by means of which the outer covering is corrugated.

**Dar'is.** See IMPETIGO.

**Dar'tos** (from *δαρ*, I excoriate, I skin). Excoriation.

**Dar'tre.** Herpes, impetigo. A general name for cutaneous eruptions.

**Dac'y'ma** (from *δαρ*,ough, hairy). A disease of the eye. See TRACHOMA.

**Dac'yten.** Lamellae, particularly of the tongue and valves. Halfness.

**Dath'olite, Dat'olite.** A mineral composed of silica, lime, and boracic acid. A brecciated of lime.

**Davenport's Appliance for Raising the Bite.** A bridge appliance fastened by gold caps to the second inferior molars and brought forward a few lines above the molars and bicuspids, resting with a gold saddle on the six front teeth. In two weeks the arch may be spread and the teeth drawn up to a normal position by the use of ligatures, which are to be looped around the bicuspids and molars, and fastened at the lingual surface, then tied to the mucous surface of the bridge above.

**Davier.** A French word signifying tooth-forceps.

**Dead'ly Night'shade.** A plant of the genus *Atropa*. See *ATROPA BELLADONNA*.

**Deafness.** Diminution or complete loss of hearing. This affection has sometimes been ascribed to diseased teeth. See DYSCOGIA.

**Death.** The final cessation of all the vital functions, the aggregate of which constitutes life.

**Death, Apparent.** Asphyxia, or merely a suspension of the vital functions.

**Death, Partial.** Gangrene; mortification.

**Desens'tle.** Tincture of nitric, etc., of a golden color; also the operation of gilding pills.

**Debit'tants.** Remedies which, when exhibited, reduce excitement. Antiphlogistics.

**Debit'ty** (*debtitas*). Asthenia. Weakness.

**Débris.** A French word signifying, *literally*, remains, wreck, ruins. Applied in *Dental Surgery* to the remains of decayed teeth; also the fragments and small particles removed from various teeth in the preparation of a cavity for filling.

**Dec'agon.** A figure having ten equal angles and sides.

**Dec'agramme.** Ten French grammes, equal to 8.65 denarius apothecaric, or 154.34 grains Troy.

**Decalcified.** Deprived of calcium or of its salts, as decalcified enamel or dentine.

**Dec'alitre.** A French metrical measure of 10 litres, equivalent to 610.28 English cubic inches.

**Dec'etre.** A French measure of 40 metres, or 262.17 English inches, about 22.75 feet.

**Decanta'tion** (*decantatio*). A pharmaceutical operation consisting in pouring off a liquid clear from the sediment, by decanting the vessel which contains it.

**Decapita'tio Articulo'rum.** Dissection.

**Decarboniza'tion.** In *Physiology*, the transformation of venous into arterial blood by respiration. Haemolysis.

**Déchaussement.** A French word applied, in *Dental Surgery*, to the separation of the gum from the neck of a tooth previous to extraction.

**Déchaussoir.** A French word signifying gum-lancet.

**Deciden'tia.** Cataplexia. Epilepsy.

**Decid'ua Membra'na.** The foetal membranes of the uterus during pregnancy.

**Decid'uons** (*decidens*; from *decidere*, to fall off or down). Falling off; dying. In *Botany*, applied to trees and shrubs which lose their leaves on the approach of winter; in *Dental Anatomy*, to the milk, or temporary, teeth. Also the membranes which form the sac that enclose the teeth of both dentitions previous to their eruption. In *Physiology*, the outermost membrane of the fetus in utero.

**Deciduous Membranes of the Teeth.** A name applied by Mr. Thomas Bell to the two lamellæ which form the sac that envelope the rudiments of the teeth, and which, on the eruption of these organs, disappear, being, as he supposed, wholly absorbed.

**Deciduous Teeth.** The temporary, or milk, teeth are so called because, after subserving the purposes of early childhood, they are removed by an operation of the economy, to give place to others of a larger size and of a more solid texture. See **TEETH, TEMPORARY**.

**Dec'igramme.** The tenth part of a gramme, equal to 1.543 grains Troy.

**Dec'alitre.** The tenth part of a litre; 6.1028 English cubic inches.

**Decima'na Fabris.** A fever appearing on every tenth day.

**Dec'etre.** A French measure, the tenth part of a metre, equivalent to 3.937 English inches.

**Decline'** (*declinatio*). The abatement of a disease or psychosis. Enfeeblement of the vital powers of the body from age. Wasting of the powers of the body, accompanied by fever and emaciation, as in the case of tuberc. It is also applied to persons affected with phthisis pulmonalis.

**Decoc'tion.** The process of boiling certain ingredients in a fluid for the purpose of extracting the parts soluble at that temperature. Also the product of this operation.

**Decoc'tum** (from *decogere*, to boil). A decoction.

**Decoctum Quercus Albar.** Decoction of white oak bark. Take of the inner bark of young green, white oak, ℞ij. water, tlbss. Boil down to a pint and strain. It is astringent, and in the treatment of inflamed, spongy, and elevated gums may be employed with advantage as a gargle.

**Decolla'tion** (*de*, and *collum*, the neck). Applied to the removal of the head of the child in cases of difficult parturition.

**Decolora'tion** (*decoloratio*). Loss of the natural color; the removal of coloring matters from any object.

**Decomposi'tion** (*decompositio*). Decay, putrefaction. In *Chemistry*, the separation of the component parts or principles of compound bodies from one another.

**Decompos'itum.** A term applied in *Botany* to the stem of plants when divided into numerous ramifications at its base, and to leaves when split into many irregular divisions.

**Decortication Process.** A term sometimes applied in *Dental Pathology* to a species of caries of the teeth, designated by Duval *peeling decay*, which consists in the detachment from the osseous tissue of the tooth of small portions of the enamel. See **CARIES OF THE TEETH**.

**Decortica'tion** (*decorticatio*). The removal of the bark, husk, or shell from anything.

**Decos'tis.** Without ribs.

**Decremen'tum.** Decrease, decline.

**Decrepita'tion** (*decrepitatio*). A crackling noise, as made by salts when exposed to a certain degree of heat.

**Decrep'itude** (*decrepitudo*). Old age; the last period of life; last stage of decay.

**Decu'bitus** (from *decubare*, to lie down). Art of lying down or assuming a horizontal posture. Also manner of lying.

**Decurva'tus.** Bending to a point. Sometimes applied to a throbbing pulse.

**Decus'sate** (*decussatus*; from *decussare*, to cross each other). Decussation. In *Anatomy*, applied to nerves, muscles, and fibres, which cross each other, as a *decussation* of the optic nerves.

**Decussa'tum.** An instrument used for depressing the dura mater after trepanning.

**Dedenti'tion** (from *de*, and *dens*, teeth). The shedding of the milk, or deciduous, teeth.

**Dedola'tion.** The lullation of a wound with loss of substance.

**Defeca'tion** (from *de*, and *feces*, excrements). Expulsion of the feces from the body. In *Pharmacy*, the separation of any substance from a liquid in which it may be suspended.

**Defec'tio Animæ.** Syncope; fainting.

**Def'erens.** The excretory canal of the testicle. See **VAN DEPERENS**.

**Def'erens Vas.** See **VAN DEPERENS**.

**Defibrina'tion** (from *de*, and *fibrin*). The removal of fibrin from blood or lymph.

**Deflex'us.** Inopotent.

**Deflagra'tion** (*deflagratio*). Rapid combustion, as that which occurs when a mixture of sulphur and nitre is inflamed.

**Deflec'tio.** Derivative; revulsive.

**Deflex'us.** Deflex. Bending slightly outward.

**Deflores'tion.** A term applied in *Female Medicine* to the extinction of the marks of virginity by connection with the male.

**Deflu'vium Capillo'rum.** Baldness. Loss of the hair.

**Deflux'ion** (*defluxio*; from *defluo*, to run

off). A catarrh, or cold. A descent of humors from a superior to an inferior part.

**Deforma'tion.** A deformity. Abnormal shape or structure.

**Degenera'tion.** Degeneracy. Deterioration. In *Pathology*, a morbid change in the structure of an organ. Derivation, degradation, or retrogression of the molecular or cellular structure of a tissue, organ, or cell, so that it can no longer maintain its function.

**Deglutit'ion** (*deglutitio*; from *de*, and *glutire*, to swallow). The act of swallowing. The various muscles of the soft palate and tongue are all concerned in conducting the food into the pharyngeal cavity. The elevation raises the palate, and at the same time protect the posterior nares from regurgitation of the food, while the tongue puts it on the stretch, and after having, by the approximation of the tongue and palate, been conveyed behind the velum, the constrictor lateral funicular and palato-pharyngeus draw the palate down, which, by the aid of the tongue, cuts off the communication between the fauces and mouth, while at the same time the passage into the posterior nares is nearly closed by the contraction of the muscles of the posterior palatine arch. The food is now conveyed by the action of the constrictor muscles of the pharynx into the œsophagus, through which it is forced by the contraction of the muscular coat into the stomach.

The passage of the food from the mouth to the œsophagus is mostly the result of voluntary action, but the propulsion of it down this duct is involuntary.

The deglutition of liquids is always more difficult than solids, because the particles of a fluid have a greater tendency to separate; to prevent which it is necessary that it should be more accurately embraced by the parts which convey it from the mouth into the œsophagus.

**Deglutition, Difficult.** Difficult swallowing.

**Deg'mos** *degimus*. A gnawing sensation; a biting pain about the upper orifices of the stomach.

**Degree** (from *gradus*, a step). A step or stage. The 360th part of a circle. Also the rank or title conferred by the faculty of a college. An arbitrary measure on a scale of temperature, etc. The French use it to signify the intensity or particular stage of an incurable disease, as phthisis, cancer, etc.

**Degusta'tion.** The act of tasting.

**Dekis'cant** (*dekisens*; from *dekino*, to gaze

or open). A term applied in *Botany* to the opening of the capsule for the discharge of the seed.

**Dehydration** (from *de*, and *hap*, water). The removal of the constitutional water of an organic substance or the water of crystallization of a chemical salt.

**Defec'tio Alvi**. The discharge of the feces. **Defec'tion** (*defectio*; from *defecio*, to go to stool). The expulsion of the feces.

**Defecto'rium**. Cathartic. **Delap'sus** (*delapsus*). Prolapsus.

**Delate'rious** (from *delatus*, I injure). Poisonous; destructive; hurtful; injurious.

**Deliga'tio** (from *deligare*, to bind up). The act of applying a bandage.

**Deliga'tion**. Deligation.

**Deliques'cence** (*deliquescentia*; from *deliquere*, to melt down). The assumption of a fluid state by the absorption of moisture from the atmosphere. There are certain salts which do this, as the chloride of lime, acetate of potash, and carbonate of potash, and hence they are called deliquescent salts. Deliquescent indicates liquefying spontaneously through the absorption of moisture from the air.

**Del'iquium** (from *delinquere*, to leave). In *Chemistry*, the spontaneous solution of a deliquescent salt. In *Pathology*, fainting; syncope.

**Deliquium Anim'i**. Fainting; syncope. **Deliquium Vita'e**. Death.

**Delir'ious**. One afflicted with delirium.

**Delir'ium** (from *delire*, to rave). Wandering of the mind, as in cases of disease, from disturbed functions of brain. It may be violent, as in the case of acute inflammation of the membrane of the brain, or low and muttering, as in typhoid fever.

**Delirium Furio'sum**. Mania.

**Delirium Sen'ile**. Senile insanity; imbecility and moral insanity resulting from old age.

**Delirium Trem'eus** (*tremens a potu*, delirium drunkenness; *delirium potatorum*). Delirium peculiar to drunkards, attended with great agitation and sleeplessness.

**Delitas'cence** (from *deliterare*, to hide). Sudden termination or complete disappearance of symptoms of inflammation by resolution or before structural lesion.

**Deliv'ery**. Parturition.

**Delphinato**. A salt resulting from the combination of delphinic acid with a base.

**Delphin'ia**. Delphinia. A nitrogenous base, found in the seeds of *Delphinium staphylegria*.

It has been used like veratria, as a local anesthetic in various forms of nervous disorder.

**Delphiu'ic Acid**. An acid extracted from the oil of the dolphin.

**Delphin'ium** (from *delphos*, the dolphin. So called from the resemblance of its flower to the head of the dolphin). The larkspur. Also a genus of plants of the order Ranunculaceae.

**Delphinium Consol'ida**. The systematic name of the Consolida regalis, or the larkspur. The root and seeds are bitter, and in large doses purgative and emetic.

**Delphinium Staphyle'gria**. The systematic name of the stavogaria. The seeds are bitter, acrid, and narcotic, and sometimes used in decoction as an anthelmintic. They contain delphinia.

**Del'ta**. Delta. **Del'tiform**. Deltoid.

**Del'toid** (*deltoideus*; *deltoideus*; from the Greek letter Δ [delta], and *oides*, a likeness). A triangular muscle of the shoulder, extending from the outer third of the clavicle, and from the acromion and spine of the scapula to the middle of the os humeri.

**De'manus**. Without a hand.

**Demen'tia** (from *de*, and *mens*, without mind). Insanity; absence of thought.

**Demi'bain**. A French term applied in *Hygiene* and *Therapeutics* to a bath in which the lower half only of the body is immersed. A hip bath.

**Dem'odex Folliculo'rum**. A minute acarus found in the sebaceous follicles of persons living in large cities, whose skin is not sufficiently excited by pure air.

**Dem'onstrator** (from *demonstrare*, to exhibit). In *Anatomy*, one who exhibits the various parts of the body; an instructor. In *Dental Surgery*, one who demonstrates and teaches the method of performing the various operations connected with this branch of medicine.

**Demot'vus Lapsus**. Sudden death.

**Demul'cent** (*demulcent*; from *demulcere*, to soothe). A medicine capable of soothing and preventing the action of acid and irritating humors, and which forms with water a viscid solution, as gum Arabic, gum, gum tragacanth, etc.

**Demuscula'tus** (from *de*, and *musculus*, a muscle). Without flesh; emaciated.

**Dem'gus**. Dandy. A fever which first prevailed in the West Indies and in the Southern States in 1837 and 1838, attended with violent

pains in the joints and eruptions on the skin, and soreness of flesh and bones.

**Denigra'tion** (*denigra'tio*; from *denigrare*, to blacken). Act of becoming black, as in cases of a bruise and aphæreas.

**Dens** (plural, *dentes*). A tooth. See **TEETH**.  
**Dens Ejectus** (from *dens*, a tooth, and *eo*, and *ere*, to thrust out). A gag tooth, a tooth which projects or stands out from the dental arch.

**Dent**. A tooth.

**Dent'agra** (from *dens*, a tooth, and *agra*, a salience). Denticope. An instrument for extracting teeth; tooth-forceps. The term is also applied to toothache.

**Dent'al** (*dent'alis*; *dentarius*; from *dens*). Pertaining to the teeth.

**Dental Apparatus**. The teeth, together with the alveoli in which they are implanted, and jaws. Also a set of artificial teeth. The instruments and appliances employed in dental operations are likewise so termed.

**Dental Arches** (*arcus dentales*). The arches formed by the teeth when arranged in their cavities around the margins of the jaws or alveolar ridges.

**Dental Arch, Round**. A circular or horseshoe arch, the cusps on a level with the arch, with no prominence, the bicuspids and molars following the line of the curve; peculiar to Germans.

**Dental Arch, Round-square**. The median arch, peculiar in well-developed, robust Americans. The cusps are prominent enough to give the squareness, the incisors vertical, the line curving slightly from one cuspid to the other.

**Dental Arch, Round V-shaped**. The round arch is constricted in front, the incisors marking a small curve, the apex of which is the centre. This is the most beautiful arch, and is peculiar to women of the Latin races.

**Dental Arch, Square**. Peculiar to strong, osseous organizations of Celtic extraction, the squareness depending upon the prominence of large cusps.

**Dental Arteries**. The arteries which supply the teeth with blood. The teeth of the upper jaw are supplied from the *superior dental*, which winds around the maxillary tuberosity from behind forward, sending off twigs through the posterior dental canals to the molars and bicuspids, and from a twig of the *infra orbitary*, sent off just before it emerges from the infra orbital foramen, which passes

down the anterior canal to the incisors and cuspids. The teeth of the lower jaw are supplied from the *inferior dental artery*, given off by the internal maxillary. It enters the posterior dental foramen, and as it passes along beneath the roots of the teeth, sends up a twig to each, until it arrives at the mental foramen, from which, after sending a small branch to the incisors, it emerges.

**Dental At'rophy** (*atrophia dentalis*). See **ATROPHY OF THE TEETH**.

**Dental Bone**. Dentine. The osseous part of a tooth.

**Dental Canals**. The canals which perforate the alveoli and give passage to the blood vessels and nerves that enter the teeth at the extremities of their roots.

**Dental Caries**. See **CARIES OF THE TEETH**.

**Dental Cartilage**. The cartilaginous ridge along the margins of the gums which serves as a substitute for the teeth during the first months of infancy.

**Dental Cav'ity** (*corona palpe*; *corona dentis*; *enfram dentis*). The pulp cavity. The cavity occupied by the dental pulp in the interior of a tooth. Its shape resembles that of the tooth; it is larger in young persons than in old, and when the teeth suffer great loss of substance, either from architectural or spontaneous abrasion, it sometimes becomes completely obliterated. See **ANATOMY OF THE TEETH**.

**Dental Engine**. A machine first introduced in 1878, but since greatly improved, and which has almost wholly superseded the use of hand-levers and drills. It is operated like a dental lathe, and possesses a flexible table or an adjustable arm and hand-piece which afford great facility of movement and adaptation. Its means of attachments to the hand-piece, drills can be operated at a right angle with the shaft, at an acute angle, or with a backward inclination of nearly forty-five degrees. Burnishers, disks, etc., are also adapted to these dental engines. See **ENGINE, DENTAL**.

**Dental Engine, Suspension**. In this form of engine—constructed on the plan of suspension from the ceiling—the driving-power is halted directly to the shaft of the hand-piece, without the intervention of a flexible joint or a flexible cable. The hand-piece is balanced and tension given to the driving belt by a small pulley on the hand-piece spindle, and, being suspended by a cord, can be moved in every direction, hence the burr can be readily applied to all cavities.



**Dental Excavator.** An instrument employed for the removal of the decayed part of a tooth, preparatory to the operation of filling. A number of instruments varying in size and shape are required for this purpose by every practitioner of dental surgery, to enable him to remove with facility caries from any part of a tooth and to give to the cavity such shape as may be required for the permanent retention of a filling. Instruments of this description should be made from the very best steel, and so tempered as neither to break nor bend at their points. See TEMPERING.

**Dental Exostosis.** See EXOSTOSIS OF THE TEETH.

**Dental File.** A file manufactured for operations on the teeth. See FILE, DENTAL.

**Dental Follicle** (*Folliculus dentis*; *follicule dentaire*). A follicle formed of the enamel organ, dental papilla, and dental sacculus. See TEETH, DEVELOPMENT OF.

**Dental Forceps.** See FORCEPS FOR EXTRACTING TEETH.

**Dental Formula.** A notation used to designate the number and class of teeth in mammiferous animals, forming an important generic character. In the rats, or *gamb. filix*, for example, the formula is: Incisors, 2; canini, 1; 2; premolars, or bicuspids, 5; 2; molars, 5; 5. 30, signifying that they have six incisors in each jaw, one canine tooth on each side of each jaw, two premolars, or bicuspids, on each side in each jaw, and two true molars. In man, the dental formula is: Incisors, 2; canines, or cuspidati, 1; 1; premolars, or bicuspids, 2; 2; molars, 3; 3. The upper figures refer to the upper and the lower figures to the lower jaw.

**Dental Instruments.** Instruments employed in operations on the teeth, such as excavators, filling instruments, files, forceps, etc. There is no class of surgical instruments in which more care and mechanical skill are required in their manufacture than those used by dental surgeons.

**Dental Laboratory.** A room or place where the operations connected with mechanical dentistry are performed. The principal fixtures and instruments for a dental laboratory are: A work-bench, a large vise, a small anvil set in lead, a large swaging block of metal or stone, a swaging hammer, grinding lathe and appliances, moulding-bench, moulding apparatus, rollers, furnace mouth, blow-pipe, soldering support, automatic blow-pipe, plaster-

table and ran, burnishers, bench, brush, saw, chisels, clasp-holder, files, saw-frame and saw, plate gauge, gravers, a two-ounce hammer mallet, plate-shears, plate-punch, plate-bender, plate-nippers, pliers, round and flat, callipers, scrapers, wax-spatula, plaster-spatula, plaster-knife, tweezers, borax-glass, sharpening stone, Bensen-burner, solder-pot, brush-wheels, vulcanizer and flasks, ladles for melting, roamer, pointed excavators, crucibles, chisels, long solder pliers, stove and rammer, ingot-mould, crucible tongs, metal articulator, lead or copper acid dish, burrs, drills, and circular saw, plaster-bowl, varnish-bottle, oil-bottle, Scotch-stone.

**Dental Necrosis.** Odontonecrosis. See NECROSIS OF THE TEETH.

**Dental Nerves.** The nerves which go to the teeth. The teeth of the upper jaw are supplied from the *superior maxillary*. Three or four branches descend on the tuberosity of the superior maxillary, and entering the posterior dental canals, are conveyed to the molar teeth. The incisors, cuspids, and bicuspids are supplied by a branch from the *infra-orbital*, which passes along the front of the maxillary sinus in the anterior dental canal, sending off twigs to each of these teeth.

The teeth of the lower jaw are supplied from the third branch of the *inferior maxillary*, which, in its course, passes beneath the pterygoid muscles, then along the margin of the lower jaw under the pterygoid interna to the posterior dental foramen, which it enters along with the artery and vein, sending off twigs to the roots of the molar and bicuspid teeth, until it arrives at the mental foramen; here it divides into two branches; the smaller is continued in the substance of the jaw, supplying the cuspid and incisor teeth; the larger passes out through the mental foramen to be distributed to the muscles and integuments of the lower lip, and finally communicates with the facial nerve.

**Dental Neuralgia.** A form of neuralgia the immediate exciting cause of which is owing to some disease of the dental pulp. See ODONTALGIA.

**Dental Operation.** An operation upon the teeth.

**Dental Organism.** The organism of the teeth; the organized structure of these organs; the vital forces which govern them.

**Dental Orthopædia.** The art of correcting deformity, occasioned by irregularity or other

cause, of the teeth. See **IRREGULARITY OF THE TEETH**.

**Dental Pathology.** The pathology of the diseases of the teeth.

**Dental Pericostium** (*periosteum dentium*).

**Periodental membrane.** A white fibrous membrane which invests the roots of the teeth and to which it is intimately united by fibrous prolongations and numerous minute blood vessels. It is through the medium of this and their lining membrane that these organs receive their nutritive fluids.

The dental periosteum is supposed to be a reflection of the alveolar; it covers the root of each tooth, is attached to the gums at the neck, and to the blood-vessels and nerves where they enter the extremity, and enters the cavity and, in a modified form, becomes the lining membrane. This membrane constitutes the band of union between the roots of the teeth and alveolar cavities.

**Dental Periostitis** (*periostitis dentium*). Inflammation of the dental periosteum or periodental membrane. See **OSTEALGIA** and **PERIOSTITIS**.

**Dental Pulp.** A soft, vascular, and highly sensitive substance, of a reddish-gray color, occupying the cavity of a living tooth. It also constitutes the rudiment of a tooth. The dental pulp is the principal blood- and nerve-supply to the dentine. It presents its largest volume at the time calcification begins in the dentine, and is the medium through which this substance is formed. At adult age the dental pulp consists of bulbous, thin, filarous connective tissue containing numerous cells, the outer layer of the organ being composed of dark granular cells, known as *odontoblasts* and the layer of such cells is known as the *membrana choris*. The odontoblasts contain large oval nuclei, and are provided with three sets of processes—the *dentinal*, *interal*, and *pulp* processes. Three or more arteries enter the pulp at the apical foramen, and form a rich capillary plexus a short distance beneath the *membrana choris*. The nerves enter the substance of the pulp with the arteries, and divide into a fine network in the organ. The dental pulp is divided into two portions—the coronal portion, or bulk, which occupies the crown-cavity, and the canal portion, which occupies the root-canal. See **THESE**, **DEVELOPMENT OF**.

**Dental Pulp, Degeneration of.** A condition of the organ due to long continued irritation

of a low grade. The original cells of the pulp disappear and lose their identity, and are converted into fine filers. Alveoli develop in the matrix, and all the characters common to normal pulp-tissue are completely changed.

**Dental Pulp, Destruction of.** There are two methods of destroying the pulp: one by an operation, such as the use of a barbed broach; the other by the application of some devitalizing agent, as arsenious acid.

**Dental Pulp, Development of.** This organ first appears in the form of the dentinal papilla, or germ, as a slightly condensed area of tissue in close relation to the most dependent portion of the enamel organ. In its embryonic stage it is composed of connective-tissue cells, and does not differ from the surrounding *membrana choris* vessels appear and form numerous anastomosing loops, which give the papilla a highly vascular nature. It becomes the formative organ of the dentine of the human tooth in the form of four months. A layer of cells is developed upon the apical surface of the papilla, these cells being known as *odontoblasts*.

They are at first oval in form, and then gradually become elongated, sending out processes which connect them with one another and with the cells of the pulp, and also extend outward toward the inner limb of the enamel organ. These latter become the dentinal fibrils. The *odontoblasts*,—the layer of which is known as the *membrana choris*,—when completed and about to assume the function of dentine formation, become columnar in shape, and, as calcification progresses, are joined by new *odontoblasts* developed on the sides of the papilla, until the *membrana choris* forms an outer covering to this organ and also to the fully formed pulp. When the dentine is completely calcified, the *odontoblasts* again change form into oval cells, and continue as such throughout the existence of the pulp. The *odontoblasts* may again resume their former functional activity, and develop what is known as "secondary dentine," under the influence of irritation resulting from caries, thermal changes due to attrition, abrasion, or loss of tooth structure.

The coronal portion of the pulp has a process of its tissue under each of the cusps of the larger teeth, known as the *horn* of the pulp, which are long and slender in young teeth with prominent cusps. The form of the pulp generally corresponds

to that of the tooth it occupies, but is more slender.

**Dental Pulp, Exposed.** A condition of this organ where it is exposed owing to decay or to mechanical or chemical abrasion. To preserve the vitality of the pulp after exposure, a number of expedients have been resorted to, such as capping with disks of gold, lead, platinum, and pure tin, forming an arch over it by the filling, first applying to the exposed surface a thick solution of gutta-percha and chloroform or a paste composed of carbolic acid, oil of cloves, and oxide of zinc, in order to prevent any vacuum between the pulp and the cap, and also to act as a non-conductor. Arsenates, dried silk, Hill's stopping, oxychloride and oxyphosphate of zinc, and other materials have also been employed to shield the pulp, but have not given satisfactory results. It is necessary that the dressing should be in contact with the exposed surface of the pulp. Inflamed pulps are treated by heaving or counter-irritation of the gums, by depletion of the pulp itself, by excision of a portion, and by topical treatment with astringents, tonics, stimulents, reclusives, and antiseptics; among the latter agents is pyrolin, either liquid or formed into a paste with diluted hydrochloric acid, and employed where there is offensive matter in contact with the pulp or a portion of the organ is devitalized. A paste of oxide of zinc and creosote, applied after all irritants have been removed, has proved useful in restoring an exposed pulp to a normal condition; also metaphosphate of lime, prepared by adding lactic acid to phosphate of lime so as to form a paste. See CAPPING THE PULP OF TEETH.

**Dental Pulp, Sensory Functions of.** Besides the physical function of the pulp,—that of forming the dentine and maintaining its vitality,—it has also a special sensory function, which consists in a resentment to thermal changes. Both the pulp and peridental membrane supply the sensory functions of the tooth. While the pulp has not the sense of touch, this sense resides wholly in the peridental membrane, so far as relates to the slightest touch on any part of the surface of the tooth.

**Dental Sac.** Dental sacculus. Cement organ. The sac enclosing the enamel organ and dental papilla. See TEETH, DEVELOPMENT OF.

**Dental Science.** The principles which under-

lie the practice of dentistry. The abstract knowledge as distinguished from the art.

**Dental Substitute.** Any mechanical contrivance used for the replacement of one or more of the natural teeth. See ARTIFICIAL TEETH.

**Dental Surgeon** (*chirurgus dentide*). Surgeon dentist. One who devotes himself to the study and treatment of the diseases of the teeth and their connections, and the adoption of substitutes for them when, by age, accident, or disease, they are lost.

**Dental Surgery** (*chirurgia dentium*). That branch of medicine which has reference to the treatment of the diseases of the teeth and their connections, and which, at the same time, embraces the prosthesis, or replacement of the loss, of these organs with artificial substitutes, though the latter definition is usually embraced in the term "dental mechanics."

No wonder is the origin of dental surgery, and so imperfect the records of ancient medicine, that it can not at the present time be traced with any degree of accuracy. We learn, however, from HIERONYMUS, the Grecian historian, that when he went to Egypt from his then comparatively barbarous home to learn the moral mysteries and the sciences in the world's earliest sanctuary of learning and civilization on the banks of the Nile, he found surgery and medicine divided into distinct professions. There were surgeon physicians for the eye, others for the ear, and so on—for the different classes of disease the appropriate professor was found.

It is evident from the writings of HIPPOCRATES, who flourished about three hundred and sixty years before the Christian era, that little was known concerning the anatomy, physiology, and pathology of the teeth.

The teeth were not entirely overlooked by ARISTOTLE, ARISTARCH, and CLEON; but the best writings of ancient times on these organs now extant are those of GALEN, who wrote in the second century after Christ, after having enjoyed the surgical advantages offered by that oldest and most splendid of libraries which was so soon afterward doomed to the flames by the hand of barbarian power.

From the time of Galen until the sixteenth century few traces of the art are to be found among the records of medicine. In connection with the anatomy of the teeth, ARISTARCH mentions the fact that they have an opening in their roots for the admission of small nerves, which he regards as the reason that these

organs are the only bones which are liable to become painful, and RHAKEN has described, though very imperfectly, the process of dentition, but with regard to the replacement of the loss of the natural teeth. ALBERTUS is said to have been the first to touch that it might be done, either with other human teeth, or with substitutes made from bone.

VESALIUS, the author of "*De Corporis Humani Fabrica*," published at Basel in 1543, and who has been styled the restorer of human anatomy, describes the temporary teeth as constituting the germs of the permanent teeth, an error into which some other of the older writers have fallen. EUSTACHIUS, however, may be regarded as the first to have given anything like a correct description of the number, growth, and different forms and varieties of the teeth. URBAIN HERMANN, also a writer of the sixteenth century, gave a very good description of the teeth of both dentitions, both before and after their eruption, and describes some of their diseases. About this time the subject began to attract some attention in Germany, Spain, and Switzerland.

But it was not until nearly three hundred years ago, about the time of the revival of letters, that AMBROSE PAULI, in his celebrated work on surgery, gave evidence of the vitality of dentistry amidst the awakening times of ancient science and erudition. From this time the treatment of the diseases of the teeth began to attract much attention.

But it is in PIERRE FAUVHARD that we are indebted for the first systematic "*Treatise on Dental Surgery*." This was published in France in 1734—a work making two 12mo volumes, and, altogether, about 900 closely-printed pages.

Although a number of works were contributed to the literature of dental surgery,—among which we should not omit to mention those of BRUN, LARLON, JOURDAIN, BOURNET, HERMANT, and HERDMORE,—yet, with the exception of the original suggestions of these authors, but few improvements were made in practice until toward the close of the eighteenth century. PAULI wrote in 1579, and in 1771 JOHN HUNTER wrote the first, and in 1778 the second, part of his "*Treatise on the Teeth*," on which the broad and firm foundation of the English school of dentistry was laid. This has subsequently been improved and beautified by BLAKE, FOX, KOCKER, BELL,

NARETH, ROBINSON, TOMES, and other distinguished men of the dental profession.

What that eminent anatomist and surgeon, John Hunter, was to the English school of dental surgery, RICHAU was to the French modern school, as he, with others equally philosophic, taught that no theory should be received, however plausible, which could not be proven by demonstration. Neither Hunter nor Richat were practical dentists; but the mighty energy of their minds embraced the dental with the other branches of surgery; and the principles of physiology and pathology at large included this important branch, and revealed the connection and sympathies of the teeth with the entire framework of man. BLANCH, Richat's editor, although not a practical dentist, was much better acquainted with the science of the teeth than Richat himself; and Cuvier's extensive knowledge into osteology, as well as the arena of nature at large, all came in to aid the French dental surgeons. NERON, DELABARRE, P. CUVIER, LACROIX, MARY, LEPOLLON, and DESHAUSSIER have illustrated the modern improvements of the art and science, building on they have, on the foundation laid years before by FAUVHARD, HENON, BOURNET, LECLEUX, JOURDAIN, HERDMANT, BAUME, LAPORTE, and others.

It would, doubtless, be interesting to the dental student if we were to trace more in detail the progress of this branch of surgery through the eighteenth century; but the limits to which we have restricted this article will not permit us to do so. Among the writers who have contributed most largely to the advancement of dental science in France since the commencement of the present century are Laforgue, Garlot, Baume, Jourdain and Magglois, Duval, Deslaure, Lemaire, Ferras, Audieron, P. Cuvier, Mell, Rousseau, Mary, Hamlin, Lafoucau, Schauge, and Desobry and Wau.

To the foregoing we might add the names of many more, but those we have already mentioned will suffice to show the progress which the science of dental surgery has made in France since the commencement of the present century.

Leaving the French school, we shall proceed to examine very briefly the progress which dental surgery has made in Great Britain during the same period. The publication of Dr. Robert Blake's "*Inaugural Dissertation*

on the Structure of the Teeth in Man and Various Animals," at Edinburgh, in 1796, was followed in 1808 by the first part of Fox's celebrated "Treatise on the Natural History and Diseases of the Human Teeth," and in 1806 by the second part. Both of the above works hold a deservedly high place in the literature of this department of medicine. The publication of this work at once gave to the subject, as a branch of the healing art, an importance which it had never before had, and awakened a spirit of inquiry which soon led to the adoption of a more correct system of practice than had hitherto been pursued.

Among the authors who have contributed to the advancement of dental science in Great Britain are Faillor, Murphy, Hew, Koecker, Bell, Waite, Snell, Johnson, Robertson, J. P. Clark, Namyth, Jno. Tomes, Gushair, Lintot, Sanders, Robinson, Clemon, Chas. Tomes, and Professors Owen, Richardson, Beale, Walker, etc.

The names of many other writers might be added to the above list, but in most of their contributions were intended for the general rather than the professional reader, we have not thought it necessary to mention them.

In Germany dental surgery, though its progress has been less rapid than in France and Great Britain, has attracted considerable attention. Few works, however, of much merit have emanated from that country since the commencement of the present century. There are two, however, published at Berlin, particularly worthy of notice—one in 1841 and the other in 1843. The first of these works, written by BEKER, treats of dental operations and instruments, and forms an octavo volume of nearly six hundred pages, illustrated with upward of thirty plates. The last is by C. J. and J. LIEBERER, and treats of Dental Anatomy, Physiology, Materia Medica, and Surgery, forming an octavo volume of about five hundred pages, illustrated with several plates. Mr. J. Lüscher is the author of two ably written works on the tooth, one published in 1846 and the other in 1861. The work of Prof. Wedl, of Vienna, on dental pathology, has also attracted great attention, as have also the researches of Prof. Müller, of Berlin.

The researches of Professor ERICSSON, of Sweden, are also interesting, and, though they do not go to confirm previous opinions with regard to the minute structure of the teeth,

have nevertheless thrown much valuable light upon the subject. These researches consist of microscopic examinations of the teeth of man and other animals, conducted upon an extensive scale, and would seem to prove the structure of these organs to be tubular.

Having now glanced very briefly at the progress of the science and art of dental surgery in most of the principal countries of Europe, we shall proceed to notice their introduction and growth in the United States.

The first dentist in the United States of whom we have any account was Mr. R. Woelfendale, who came over from England to New York in 1766, and remained in this country about two years, practicing in New York and Philadelphia; but, not meeting with much encouragement, he returned to England in 1769. It is believed, however, that Mr. JAMES GARRETT, a surgeon from the French navy, was the first medically educated dentist in the United States. He came to New York in 1763, and the following year went to Philadelphia.

Mr. JOHN GREENWOOD, however, it is believed, was the first regular native American dentist. He commenced practice in New York about the year 1776, and is said to have been the only dentist in that city in the year 1780. But Mr. Greenwood did not remain long alone in the profession in New York. About the year 1790 Mr. Woelfendale, of London, came to the United States, and commenced practice in that city. About the year 1806 Dr. Hudson, of Dublin, commenced the practice of dental surgery in Philadelphia. But about five years previous to the last-mentioned period, Dr. H. H. Hayden established himself in practice in Baltimore, where, in 1807, he was joined by Dr. Koecker; but in a short time the last-named gentleman moved to Philadelphia, where he remained until 1822, when he went to London.

But until 1830 dental surgery had made but little progress in the United States. Since that period its advance has been more rapid. In 1839 a periodical devoted to the interests of the profession, entitled, "The American Journal of Dental Science," was established. In February, 1840, the Legislature of Maryland chartered the Baltimore College of Dental Surgery, and in July following the American Society of Dental Surgeons was organized. The combined influence of the "Journal," the College, and the American Society gave an

impetus to the science which it had never before had, and contributed in an eminent degree to the dignity and respectability of the profession.

Since the Baltimore College of Dental Surgery and the American Society was organized, a large number of colleges, journals, and associations of dentists have been established.

The United States has contributed quite as much to the literature of this branch of medicine as Europe, and dental surgery has progressed much more rapidly here than there, and the works of American authors upon this subject will not suffer by comparison with similar publications of other countries. But comparatively few elementary treatises on the subject have ever been published anywhere, and of those purporting to be such which have appeared during the last fifteen or twenty years American dentists have contributed the greatest number.

In thus briefly glancing at the rise and progress of dental surgery, the author has necessarily been compelled to avoid entering into details of particular modes of practice and of improvements and inventions which have from time to time been made, as well as from an analysis of the works which have been mentioned; for if he had done so it would have swelled this article to a size wholly incompatible with the design of a work like the present.

**Dental Therapeutics** (*odontotherapy*; from *odon*, a tooth, and *therapeia*, to heal). The branch of medicine which relates to the treatment of diseases of the teeth.

**Dental Tubuli**. The microscopic canals occurring in the dentine. See DENTINAL TUBULI.

**Dental'gia** (from *odon*, *dentis*, a tooth, and *algos*, pain). Toothache.

**Denta'lis Lapis**. Salivary calculus; tartar of the teeth.

**Denta'lium** (from *odon*, a tooth). The dog-like tooth shell. A genus of shell resembling to shape a tooth.

**Dentar'paga** (from *odon*, a tooth, and *pagos*, to force away). An instrument for the extraction of teeth. Anciently this operation was performed with rude and clumsily constructed forceps, and hence the operation was regarded as formidable and difficult to perform. See EXTRACTION OF TEETH.

**Denta'ta Vertebra**. The axis. The second vertebra of the neck is so called from its having a tooth-like process at the upper part of its body.

**Dent'ate** (*dentatus*; from *odon*, a tooth). Having points like teeth; applied to roots, leaves, etc.

**Denta'tus**. The second of the cervical vertebra.

**Dent'ies** (the plant of *odon*). Teeth. See TEETH.

**Dentes Acuti**. The incisive teeth.

**Dentes Adulti**. The teeth of second dentition.

**Dentes Adversi**. The incisor teeth.

**Dentes Angulares**. The canines or cuspid teeth; so called, probably, because they are situated at the angles of the alveolar arch at the corners of the mouth, or from the angular shape of their crowns.

**Dentes Bicuspidati**. Bicuspid teeth.

**Dentes Canini**. The cuspid or canine teeth; so called from their resemblance to the teeth of a dog.

**Dentes Cariosi**. Carious teeth.

**Dentes Columellares**. The molar teeth.

**Dentes Cuspidati** (*acrobates*). Cuspid teeth.

**Dentes Essendi** (from *odon*, a tooth, and *essen*, to thrust out). Teeth which project or are in front of the dental arch, but applied now particularly to the cuspidati.

**Dentes Insulares**. Incisor teeth.

**Dentes Lactei**. The milk, temporary, or deciduous teeth. See DEXTERO-DENTIT.

**Dentes Molares**. Molar teeth.

**Dentes Primores**. The incisor teeth; so called because they occupy the front or anterior part of the dental arch.

**Dentes Septentim**. The wisdom or third molar teeth. So named because they are erupted in mature years.

**Dentes Tomici** (from *odon*, a tooth, and *temeo*, to cut). The barbor teeth.

**Dentic'epe**. See DENTAURA.

**Dentic'ulate** (*denticulatus*). Furnished with small teeth; finely denticate or notched.

**Dentic'ulus**. A little tooth.

**Dentic'usum**. Denture. Tooth forceps.

**Dent'ier**. A French word signifying a base of metal, ivory, or any other substance, employed as a support or attachment for artificial teeth. The term is also sometimes applied to a set of artificial teeth.

**Dent'ific'ation** (from *odon*, tooth, and *facio*, to make). The formation of teeth.

**Dent'iform** (*dentiformis*; from *odon*, a tooth, and *forma*, form). Having the shape of a tooth.

**Dent'ifrice** (*dentifricum*; from *odon*, a tooth, and *fricare*, to rub). A topical remedy for the teeth; a local application for the pro-

servation of the teeth, which is generally in the form of a fine, insoluble powder or paste for cleaning the teeth. On account of the relationship existing between microscopic organisms and dental caries, dentifrices should be composed of germicide ingredients in addition to those of a dentifrice character. Although the teeth can in most cases be kept clean by the use of a suitable brush and waxed floss silk, a powder or paste may often be advantageously employed for the removal of discolorations, stains, or clammy mucus, calculus, etc.

The following are the formulae of a few of the many dentifrices at present employed :

R.—Creto prep.,	℥iv
Pul. orris root,	℥iss
Cortex cinchona,	℥ij
Saccharum aliam,	℥ss
Carb. soda,	℥j
Oleum cinnamon,	gtt. xv.

Mix and reduce to an impalpable powder.

R.—Pul. orris root,	℞ ij
Pul. cinnamon,	℥iv
Creto prep.,	℞ j
Susp. carb. soda,	℥ss
Muc. alium,	℥viij
Oil rose,	gtt. xij.

Mix and reduce to an impalpable powder.

*Astringent and Aromatic Dentifrice.*

R.—Pul. galla,	℥ss
Pul. orris root,	℥ij
Creto prep.,	℥ij
Cortice cinchona,	℥j.

Mix and reduce to an impalpable powder.

*Antiseptic and Germicide Mouth-wash.*

R.—Thymol,	4 grains
Benzoic acid,	48 grains
Eucalyptol,	3j drachms
Alcohol,	26 drachms
Oil of wintergreen,	36 drops.

Mix.

—Dr. Müller, of Berlin.

*Paste for Cleaning the Teeth.*

R.—Pul. orris root,	℥v
Pul. cinnamon,	℥ss
Creto prep.,	℥iv
Cortice cinchona,	℥ij.

Mix, pulverize to a fine powder, and add a sufficient quantity of honey to form a stiff paste.

Other formulae might be given, but the foregoing will suffice.

Dentig'erous (from *dens*, a tooth, and *gero*, to carry). Producing or containing teeth.

Dentigerous Cyst. A cyst containing a tooth which arises in connection with a developing or a retained tooth.

Dentinal. Of or pertaining to dentine ; as dentinal tubes, fibrille, etc.

Dentinal Fibrille. Contents of the dentinal tubuli. See DENTINAL TUBULI.

Dentinal Papilla. The germ of the dentine and pulp of the tooth, which arises from the corium. See TEETH, DEVELOPMENT OF.

Dentinal Tubuli. A multitude of fine canals in the structure of the dentine. They are described by microscopists as having distinct parietes, of a harder material than the intertubular tissue. These tubuli commence on the walls of the pulp-cavity and radiate in a wavy course through every part of the dentine to its periphery ; near the masticating surface of the crown of a tooth they have a nearly vertical direction, and toward the approximal surfaces a horizontal direction. They contain soft, homogeneous fibrils, which are either continuous with the odontoblast cells on the surface of the pulp or with the lining membrane of the pulp-canal. See DENTINE.

Dentinal Tumors. Rare deposits of secondary dentine attached to the wall of the pulp-chamber by a pedicle.

Dentinal'gia (from *dens*, *densis*, a tooth, and *ago*, pain). Pain in dentine.

Dent'ine (*denticine*). Tooth-bone : Ivory. The name given by Professor Owen to the tissue which forms the chief part of a tooth, termed by German anatomists, *Knochenstoff*, *Skleritis*, and *Zahnsubstanz*, and situated between the enamel of the crown, cementum of the root, and the pulp-cavity. The structure of dentine, according to Professor Retzius, of Stockholm, is tubular. The tubes radiating from the pulp are "directed perpendicularly to the surface of the tooth," and pursue a wavy, more or less parallel, course. Besides these primary curves, the tubes, when examined with a high magnifying power, are seen to present smaller secondary undulations, which are less perceptible in the deciduous than in the permanent teeth, and less marked at the external extremity of the tubes than in the middle of their course. The undulations are nearly parallel in the different tubes, and thus give rise to the appearance of concentric lines around the cavity of the pulp in a section of ivory.

The dentine is the body of the tooth, with a central cavity occupied by the pulp, and is completely encased by the enamel forming the surface of the crown and by the cementum covering the root. Dentine is a hard, elastic, and translucent substance possessing a yellowish-white tinge and a silky lustre when fractured.

It consists of an organic matrix, which is greatly impregnated with lime salts, and throughout its substance parallel tubes radiate from the pulp-cavity toward the periphery in a direction at right angles to the surface of the tooth. The analysis of dry dentine, according to von Jilms, consists of organic matter (tooth-cartilage), fat, phosphate, carbonate and fluoride of lime, phosphate of magnesia, and other salts. Enclosed and passing through each tube of the dentine is a soft fibril, which, together, are known as dentinal fibrille, originating from the cells of the odontoblastic layer of the pulp, of which they are supposed to be processes or elongations. The substance between the tubes, and forming their walls, is known as "inter-tubular substance." In the outermost layer of the dentine, which underlies the cementum, globular spaces are found, in which many of the tubes end, these spaces being filled with a soft, living plasma; and the layer of dentine, to which these spaces give a granular appearance, is called by Mr. Townes the "granular layer." Another structure, composed of what are known as "interglobular spaces," is often seen in dried dentine, and presents a ragged outline and short-pointed processes. These interglobular spaces are regarded as being due to a pathological condition of the dentine, and are most abundant a little distance below the surface. Each tube of the dentine is also furnished with a structure known as the "dental sheath," which accompanies the fibril throughout its radiations within the tube and is distinguished for its great resistance to the action of strong acids and caustic alkalies. The following is the composition of dry dentine:

Organic matter (tooth cartilage), . . .	27.01
Fat, . . . . .	0.40
Calcium phosphate and fluoride, . . .	66.73
Calcium carbonate, . . . . .	3.36
Magnesium phosphate, . . . . .	1.16
Other salts, . . . . .	0.63

Organic matter, 28.01; inorganic matter, 71.99.

**Dentine, Hypersensitiveness of.** An exaltation of the normal sensitiveness of the dentine of a tooth, occasioned by irritation of the dentinal fibrils, and often necessitating the use of substitutes for its relief, especially during the operation of preparing carious cavities for the filling material. Such remedies as chloride of zinc, tannin, chromic acid, carbolic acid, creosote, camphorated spirits of wine, tetrachloride of gold, cocaine, alkaline caustics, eucalyptus, etc., are recommended for its treatment. See HYPERSENSITIVENESS OF DENTINE.

**Dentification.** The formation of the dentine of the teeth—a more modified form of bone tissue—by means of the odontoblasts, which are a modified form of connective-tissue cells.

**Dentitis** (from *dens*, *dentis*, a tooth, and *itis*, inflammation). Irritation of the dentinal fibrils.

**Dentical'plum** (from *dens*, a tooth, and *scraper*, to scrape). An instrument employed for the removal of malvay calcinosis and for scraping the teeth. A number of instruments are often required for these purposes, so shaped that they may be readily applied to any part of a tooth. The name has also been applied to a gum-lam and toothpick.

**Dentist** (*dentista*; *odontist*; *dentarius*). A dental surgeon. See DENTAL SURGEON.

**Dentistry** (*odontotechny*; *odontia*; *odontoterapies*). Dental surgery, embracing everything pertaining to the treatment and replacement of the loss of the natural teeth and oral surgery.

**Dentition** (*dentitio*; from *dentire*, *dentition*, to breed teeth). Teething. The emergence of the teeth from the alveoli and gum. Also the arrangement and evolution of the teeth.

With regard to the manner in which this operation of the economy is affected, it is thought that there is a gradual elongation of the teeth, the crown being first formed. As the tooth lengthens, it presses against its bony socket, which gradually absorbs or dissolves away to provide for its elongation or protrusion. The approximal edges of the alveolar borders of the maxillary bones disappear by an absorptive process, the teeth rise in their cavities, and their roots lengthen to such a degree that the crowns press upon the opposing gums, which, under such pressure, become thinner and thinner, until finally the crowns escape. The growth of the teeth keeps pace



with this absorption, and the advancing crowns find a passage through the attenuated and transparent membranous coverings. See Harris' "Prin. and Pract. of Dentistry."

**Dentition, First.** The eruption or "cutting" of the deciduous, milk, or temporary teeth. The following may be regarded as a very near approximation to the periods when they are most frequently erupted:

The central incisors from five to eight months after birth; the lateral incisors from seven to ten; the first molars from twelve to sixteen; the cuspidati from fourteen to twenty, and the second molars from twenty to thirty months. The teeth of the lower jaw are frequently erupted before those of the upper jaw.

No general rule, however, can be laid down from which there will not be frequent variations. The indications of first dentition are as follows: An increased flow of saliva, red and swollen gums, a disposition to keep the fingers in the mouth, and to bite upon them or upon some foreign substance, skin hotter than normal, and some slight fever and restlessness.

**Dentition, Morbid.** Although dentition may be regarded as a healthy operation of the economy, it is sometimes performed with difficulty and attended with serious and occasionally alarming effects. There are few children who do not suffer more or less during the progress of dentition, and when we consider the early age at which this operation commences, and the irritable state of the body while it is going on, it will not appear strange that it should often be attended with painful effects. Even in later life, during the dentition of the wisdom teeth, it is sometimes productive of very alarming symptoms. The symptoms of morbid or difficult dentition are as follows: Skin hot, gums red and swollen, considerable fever, frequent diarrhoea, eruptions on face and head, ulcers on lips, inside of cheeks, gums, and tongue, itching of nose, twitching of muscles, disturbed sleep, general wakefulness, dilation of pupils of eyes, loss of appetite, great thirst, irritability of temper, violent convulsions, and sometimes death. See Harris' "Prin. and Pract. of Dentistry."

**Dentition, Second.** There is no operation of the animal economy more curious or interesting than that which is exhibited in the gradual destruction of the roots of the temporary, and in the growth and dentition of the permanent

teeth. The time of life when this occurs constitutes an important epoch in the history of every individual.

During childhood each of the alveolar arches forms only about the half of a circle, but by the gradual elongation of the jaws each ultimately forms nearly the half of an ellipse, so that the number of teeth required at the one period is but little more than half the number required at the other.

The rudiments of the permanent incisors and cuspidati have attained their full size at birth, and each is situated immediately behind its corresponding temporary tooth. The process of eruption of the permanent teeth is as follows: The roots of the temporary teeth dissolve away before the advancing permanent teeth by a process of absorption until nothing remains but the crowns, which become so loose that they are pushed aside and easily removed from their slight adhesion to the gums, and no symptoms of irritation are manifested except in the eruption of the third molars or wisdom teeth, which frequently cause considerable pain, resulting in the formation of pus, violent swelling which may interfere with deglutition, meningitis, hysteria, St. Vitus' dance, convulsions, delirium, disordered vision, spasms, &c.

**Shedding of the Temporary Teeth.**—With regard to the manner of the destruction of the roots of the temporary teeth, there exists much diversity of opinion. Most writers believe they are removed by the absorbents, while some are of the opinion that it is a chemical operation. Laing, observing a fleshy body behind the root of the temporary tooth, which, in fact, had been seized by himself, and supposed by him to exude a fluid which possessed solvent qualities,—gave it the name of absorbing apparatus, and assigned to it the office of removing the root of the primary tooth.

DeLamarre, who has treated this subject at greater length, and apparently investigated it more closely, corroborates the views of Laing, and gives the following description of the manner of the formation and function of the carious substance spoken of by this author as the absorbing apparatus: "While the crown of the tooth of replacement," says DeLamarre, "is only in formation, the exterior membrane of the matrix is deeply crossed by some blood vessels; but as soon as it is completed, the capillaries are then developed in a

very peculiar manner, and form a tissue as fine as cobweb; from this tissue the internal membrane, instead of continuing to be very delicate, and of a pale red color, increases in thickness and assumes a redder hue. As was before said, it is at the instant in which commences the retraction of the coats of the matrix that are conveyed from the gum to the neck of the tooth that the pulsing of the vessels that enter into their tissue compose a body of a carious appearance, whose absorbents extend their empire over all the surrounding parts. It is, therefore, the dental matrix itself which, after being diluted to serve as a protecting envelope to the tooth, is contracted to form not only this bud-like body which we find immediately below the milk tooth at the instant in which it naturally falls out, and whose volume is incessantly augmented as absorbents gradually grow on, but also a carious mass by which the whole is surrounded, and whose thickness is the more remarkable as the organ that it envelops becomes its orifice."

After giving this description he asks, "Is there a dissolving fluid that acts chemically on the surrounding parts, or do the absorbents, without any intermediary, destroy everything that would obstruct the shooting up of the tooth?" In reply to this he says, "Not possessing positive proof suitable to guide me in the decision of this question, and finding those of others of little importance, I shall not attempt to answer them."

It oftentimes happens that the root of a temporary tooth fails to be destroyed, and that the crown of the replacing organ comes through the gum in a wrong place. Whenever this happens, the carious body is developed only beneath the parts through the opening of which the new tooth has emerged, and is not brought in contact with the bony partition between it and the root of the temporary tooth.

The manner of the destruction of the roots of the temporary teeth has been a subject of close and critical inquiry with the writer for several years, and the more he has examined the subject, the more fully has he become convinced that it is the result of the action of those fleshy tubercles upon them. And while its formation seems to be the result of the contraction of the mass of the permanent teeth and their appendages, for the purpose of effecting their eruption, they are especially charged with the removal of everything that would obstruct their passage.

In conclusion, it is only necessary to observe that the temporary teeth are shed in the order in which they at first appear. After one pair has been shed, a sufficient time usually elapses before the shedding of another for those of the same class of the permanent set to come forward and take their place. Thus, the jaws are never deprived, unless from some other cause than the destruction of the coats of the temporary, of more than two teeth in each jaw at any one time. See *TEETH, DEVELOPMENT OF*.

*Eruption of the Permanent Teeth.*—Second dentition usually commences at about six or seven years after birth, and is generally completed, as far back as the second molar, by the twelfth or fourteenth year. The dentes sapientie seldom appear before the eighteenth or twentieth year. The periods of the eruption of the adult teeth are, however, so variable that it is impossible to state them with perfect accuracy. Sometimes the first permanent molars appear at four years, and the central incisors at five; at other times they are several years later.

But as it is of some importance that the periods of the eruption of the several classes of the permanent teeth should be known, the author will state them with as much accuracy as possible.

First molars, from 5 to 6 years; central incisors, from 6 to 8 years; lateral incisors, from 7 to 8 years; first bicuspids, from 9 to 10 years; second bicuspids, from 10 to 11½ years; cuspids, from 11 to 12 years; second molars, from 12 to 14 years; third molars (dentes sapientie), from 17 to 21 years.

But, as before stated, the periods of the eruption of the permanent teeth, like those of the temporary, are very variable. The cuspidal often appear before the second bicuspids, and, in some cases, the dentes sapientie not until the thirtieth, or even fortieth, year, and sometimes they never show themselves. See Harris' "Prin. and Pract. of Dentistry"; also *DENTITION, MAXILL*.

*Dentition, Third.* That nature does sometimes make an effort to produce a third set of teeth is a fact which, however much it may have hitherto been disputed, is now as well established that no room is left for civil or doubt.

No attempt that the writer is aware of has ever been made to explain the manner of the formation of these anomalous productions.

The rudiments of the teeth of first and second dentition are the product of mucous membrane, while those of third dentition would seem to have their origin in the periosteal tissue.

In obedience to what law of developmental anatomy are they formed? If the establishment of the law which governs the development of a part depends upon a certain condition of other contiguous parts, it is possible that the following may furnish a correct explanation of the phenomenon. Certain parts, in certain states or conditions, and in particular locations, perform functions peculiar to the latter. In other words, the condition and location of a part determine the functions which it performs. Hence, it would seem that this particular state or condition of this tissue, and in these particular locations, is necessary to determine the development of teeth. *germs*. This arrangement or condition of mucous membrane in these particular locations, which always results from the development of the fetus, may be sometimes produced by accidental causes after all the organs of the body have obtained their full size, or at any time during life; and when it does occur, it is not unreasonable to suppose that a new tooth papilla should be formed. Proceeding still further, the development of a dental papilla is the signal for the production of an enamel organ which ultimately supplies the tooth, now considerably advanced in the process of formation, with a covering of enamel. But as the maxillary bone has previously attained its full size, it rarely, if ever, happens that alveoli are formed for these accidental productions, and, consequently, they seldom have roots, or, if they do, they are very short and blunt. They are usually connected to the periosteum of the alveolar border, and this union is sometimes so close and intimate that very considerable force is necessary for their removal. As a general rule, however, they loosen in the course of a few years and drop out, never becoming serviceable.

**Dent'tium Cavernae.** The sockets of the teeth.

**Dentium Cor'tex.** The enamel of the teeth.

**Dentium Dolor.** Pain in the teeth; tooth-ache.

**Dentium Elix'or.** Enamel of the teeth.

**Dentium Scape'tra.** Lancing the gums.

**Dentium Vacillan'tia.** Loosening of the teeth.

**Dent'to** (from *dens*, a tooth). One who has prominent teeth; one whose teeth project.

**Dento-alveolar Abscess.** Alveolar abscess. Septic inflammation affecting the tissue of the alveol space, resulting in cellular necrosis and pus formation.

**Dentography** (*dentographia*; from *dens*, a tooth, and *graphein*, a description). A description of teeth.

**Dentoides'us.** Odontoid; tooth-like.

**Dentology** (*dentologia*; from *dens*, a tooth, and *logos*, a discourse). A treatise on the teeth.

**Dentonomy** (*dentonomia*; from *dens*, a tooth, and *nomos*, a law). The arrangement of the teeth into classes. Also the classification of the teeth according to their physiological characters and their pathological and physiological indications. See **TEETH**, CHARACTERIZATION OF.

**Dent'tos** (from *dens*, tooth, and *os*, bone). Tooth bone; tooth substance.

**Dents Barrées.** See **HARKED TEETH**.

**Dents Bicuspidées.** The bicuspid teeth.

**Dents, Col des.** Neck of the tooth.

**Dents Columella'ria.** The canine tooth.

**Dents de Lait.** The milk, or temporary, teeth.

**Dents Mâchelières.** The molar teeth.

**Dents Mulaires.** The molar teeth.

**Dents Multicuspidées.** The large molar teeth.

**Dents Ocellares.** Canine teeth.

**Dent'ture.** A complete set of teeth; the whole assemblage of teeth in both jaws.

**Denture, Combination.** Under this designation are included metal plates with vulcanite attachments for the teeth; vulcanite plates with metal linings; cast-metal plates with vulcanite attachments; vulcanite dentures strengthened with perforated metal plates; vulcanite in combination with the continuous-gum method.

**Dentuda'tion** (*dendutatio*; from *dendurare*, to make bare). The laying bare, or deprivation of a part of its covering or envelope. In *Surgical Pathology* it is usually applied to bones deprived of their periosteum; in *Dental Pathology*, to the teeth when deprived of their enamel or when the roots are exposed by the recession of the gums and the destruction of their sockets.

**Dent'ding of the Teeth.** Erosion. An affection which consists in the gradual destruction of the enamel of the anterior or labial surfaces of the incisors, cuspids, and sometimes

of the bicuspids; the molars are rarely affected by it. It generally forms a continuous horizontal groove, as smooth and regular as if it had been made with an oval file, though sometimes it spreads over nearly the whole of the anterior surface, completely denuding this part of the organs of enamel. Commencing on the central incisors, it extends to the laterals, the cuspidati, and bicuspidi. After having removed the enamel, it attacks the subjacent dentine, the groove becoming gradually deeper and deeper until the pulp cavities of the teeth are exposed. The color of the enamel is rarely changed, but the luster, as soon as it becomes exposed, assumes first a light, and afterward a dark-brown appearance—the surface of the groove the whole time remaining perfectly hard and smooth. This most various and singular affection usually commences at a single point upon each of the central incisors and proceeds horizontally backward; at other times it attacks several points almost simultaneously, but gradually the affected parts approach and unite, giving to the enamel the appearance of having been scooped out with a broad, round, or square pointed instrument.

The cause of this affection appears to be involved in some obscurity. We are decidedly of the opinion that it is the result of the action of an acid contained in the mucus of the mouth. The other teeth being more constantly bathed in the saliva than the anterior surfaces of the incisors, cuspidati, and bicuspidi, the mucous fluids of the mouth are either washed from them or so diluted as to render them harmless, but upon the parts of the teeth last mentioned it is often permitted to remain for days. That this is the true cause would seem to be relieved certain by a case which fell under the observation of Dr. E. Harny a number of years ago, in which the crowns of human teeth, used as a dental substitute, were attacked by this curious affection, thus proving most conclusively that the loss of substance was caused by the action of chemical agents; and if such cause is capable of producing it in one case, it is in all others.

In the treatment of this affection the most that can be done is to widen the groove at the bottom, after it has gone far enough to require it, and fill it with gold. This will arrest its further progress.

**Denutrition** (from *de*, and *nutris*, to nourish). The atrophy or breaking down of tissue caused by want of nutrition.

**Deobstruent** (*deobstruens*; from *de*, and

*obstruere*, to obstruct). Medicines which remove obstructions, as aperients. The word has an indefinite meaning and is now seldom used.

**Deodorants**. Agents or bodies which absorb or destroy the odors of putrefaction or fermentation.

**Deodorization**. The correction of any foul or offensive odor through the action of chemical agents capable of absorbing the odoriferous matter.

**Deop'pilans** (*deop'pilans*). Deobstruent.

**Deoxidation** (from *de*, from, and *oxide*, a compound of oxygen). The separation of oxygen from any compound. Deoxidation.

**Deoxidize** (*de* + *oxidize*). To deprive of chemically combined oxygen.

**Depart**. In *Metallurgy*, an old name for *parting* (which see).

**Depas'cus**. Phagocenic.

**Depend'ens**. Dependent. In *Biology*, hanging down.

**Depend'tio**. Abortion.

**Dephlegmation** (*dephlegmatio*; from *de*, from, and *phlegma*, a watery distilled liquor, as distinguished from a spirituous liquor). In *Chemistry*, the separation, by distillation or other means, of the water existing in admixture with another liquid.

**Dephlegmicated** (from *de*, from, and *phlegma*, the inflammation principle). Without phlegm.

**Dephlegmicated Air**. Oxygen gas.

**Dephlegmicated Marine Acid**. Chlorine.

**Depile'tion** (*depile'tio*; from *de*, and *pilus*, hair). Loss of hair.

**Depil'atory**. That which causes the loss of the hair, as *rusticoline*, &c.

**Depil'is**. Hairless.

**Deple'tion** (*deple'tio*, *depletio*; from *depleo*, I exhaust). The act of diminishing the fulness of the vascular system by the abstraction of blood or by any other system of evacuation.

**Deple'tory**. That which tends to deplete, as blood-letting, emetics, and cathartics.

**Depluma'tion** (*deplumatio*; from *deplumis*, without feathers). A disease of the eyelids which causes the loss of the eyelashes.

**Depolarization**. Destruction of polarity. The neutralization of the opposite poles of a magnet.

**Depos'it** (from *depono*, to lay down). In *Dental Pathology*, the precipitation of an earthy substance (commonly called tartar) upon the teeth. In *General Pathology*, the accumulation of fat in an abnormal position, or morbid

growth. The sediment of the urine is also called a deposit.

**Depression** (*depressio*; from *de*, and *pressus*, to corrupt). A depraved condition or morbid change in the solids or fluids of the body; also deprivation of taste or sight.

**Depressants**. That which reduces the vital energy by diminishing the frequency of the pulse or the action of the heart and arteries.

**Depressed** (*depressus*). Flattened from above downward. Applied in *Zoology* to the whole or part of the animal body when its vertical motion is shorter than the transverse.

**Depression** (*depressio*; from *deprimere*, to press down). In *Anatomy*, a fissure, hollow, or excavation. Applied in *Pathology* to the jaw when its structure is feeble and slow; in *Surgery*, to fractures of the cranium in which portions of the bone are depressed; also to an operation for enlarging, which consists in the depression of the squama lani from the axis of vision into the vitreous humor. In *Dental Anatomy*, the indentation on the grinding surfaces of the molar and bicuspid teeth.

**Depressor**. In *Anatomy*, any muscle which depresses the part on which it acts. In *Dental Surgery*, an instrument employed for confining the tongue to the floor of the mouth while introducing a filling into a tooth of the lower jaw. See **TONGUE HOLDER**.

**Depressor Alae Nasal**. A muscle which arises from the canine fossa of the superior maxilla.

**Depressor Anguli Oris**. A muscle of a triangular form, situated beneath the lower lip. It arises broad and fleshy from the base of the lower jaw at the side of the chin and is inserted into the angle of the mouth.

**Depressor Labii Inferioris**. A small thin muscle which arises from the side and front of the lower jaw at its base and is inserted into the greater part of the lower lip.

**Depressor Labii Superioris**. A muscle situated above the mouth; it arises from the alveolar processes of the incisor and cuspid teeth, and is inserted into the upper lip and side of the ala of the nose.

**Depressorium**. An instrument used to guard the dura mater when the skull is cut or sawed through.

**Depressans Auriculae**. See **RETRAHEN AURIS**.

**Depurant**. A term applied in *Therapeutics* to medicines which are supposed to purify the fluids of the body. Also to clarify.

**Depuration** (from *depurare*, to purify). In

*Pathology*, a process for purifying the animal economy; also the clarification of anything.

**Depuratory** (*depuratore*). That which purifies the body or removes from it morbid humors, whether it be by disease or medicines and diet.

**De R**. Abbreviation for reaction of regeneration in *Electro-therapeutics*.

**Deradenitis** (from *deris*, neck, *adens*, a gland, and *itis*, signifying inflammation). Inflammation of the glands of the neck.

**Deradenocous**. Tumors of the glands of the neck.

**Derbyshire Neck**. Branchioma.

**Derbyshire Spar**. Fluor spar. Spar of various colors, the large nodules of which are peculiar to Derbyshire and are beautifully veined. It is found in some places in rude crystals of a pale sea-green color. It consists of fluorine and calcium.

**Derivation** (*derivatio*; from *derivo*, to draw off). The drawing away of any morbid vital action from its original seat to a less important part, by exciting irritation or inflammation in it by the application of some local stimulant.

**Derivative**. That which procures a derivation. A remedial medicinal agent.

**Derma** (*dermaticus*). The true skin, or cutis.

**Dermad'**. Dermal aspect: aspect toward the skin.

**Dermal**. Relating to the skin.

**Dermal Aspect**. An aspect toward the skin or external surface.

**Dermatogra** (from *derma*, and *gros*, a seizure), Pelagra.

**Dermatoglia** (*dermatodalgia*; from *derma*, the skin, and *algos*, pain). Pain in the skin, lumbago neuralgia.

**Dermatitis** (*dermatitis*). Inflammation of the skin. Erysipelatous inflammation.

**Dermatocholeala**. Icterus.

**Dermatoid** (*dermatoides*; from *derma*, the skin, and *oides*, form). Resembling the skin. Applied to tumors which resemble the skin.

**Dermatol**. Fresh galate of blennius, which resembles ichthium in appearance, but is non-odorless and non-irritant; used externally in wounds, ulcers, and inflammations of mucous membrane, and internally in diarrhoea.

**Dermatology** (*dermatologia*; from *derma*, the skin, and *logos*, a discourse). A treatise on the skin.

**Dermatolysis** (*cutis pendula*. From *derma*, and *lysis*, to loosen). Hypertrophy of the skin

characterized by great extension of this organ, whereby it hangs in large loose folds or in pendulous masses.

**Dermatophy'ma.** A transfection of the skin.

**Dermatorrha'gia.** A discharge of blood from the skin.

**Dermato'ses** (from *derma*, skin). Diseases of the skin.

**Dermatozo'a.** Animals parasitic upon the skin.

**Dermog'raphy** (*dermographia*; from *derma*, the skin, and *graphein*, I describe). A description of the skin.

**Dermohæ'mia** (from *derma*, and *haima*, blood). Hyperæmia, or excessive vascularity of the skin.

**Der'moid.** Dermoid.

**Dermol'ogy.** Dermatology.

**Dermot'omy** (*dermatomia*; from *derma*, the skin, and *temno*, to cut). The dissection of the skin.

**Desoane's Salt.** A crystalline substance obtained by treating opium with ether.

**Desraunce's Alloy.** Used to alloy gold and silver plate and for making solders. It is composed of silver, 1 part; copper, 3 parts; zinc, 2 parts.

**Der'tron.** The mesentery, peritoneum, or small intestines.

**Descen'dens Nervi.** The descending cervical branch of the ninth pair, or hypoglossal nerves.

**Descenso'rium.** A furnace in which the distillation is performed by descent.

**Descen'sus.** A term sometimes applied in *Pharmacy* to distillation when the fire is applied at the top and sides of the vessel while the orifice is at the bottom.

**Desicca'tion** (*desiccatio*; from *desicco*, to dry up). The drying up of anything moist; the act of making dry.

**Desic'cative** (*desiccativus*; from *desicco*, to dry up). Medicines possessed of drying properties, used for drying up ulcers.

**Desipien'tia.** Delirium.

**Des'ma** (from *derma*, a ligament). A ligament or bandage.

**Desmatur'gia.** Bandaging.

**Desmi'tis.** Inflammation of ligaments.

**Desmochoano'sis** (from *desmos*, a ligament, and *chanoos*, relaxation). Relaxation of an articular ligament.

**Desmodyn'ia.** Pain in the ligaments.

**Desmog'raphy** (*desmographia*; from *desmos*,

a ligament, and *graphein*, a description). A description of the ligaments.

**Desmoid' Tissue.** Ligamentous tissue. This tissue has a close resemblance to the cellular, and in some places is continuous with it. It constitutes aponeuroses and ligamentous membranes, and consists of condensed cellular tissue.

**Desmol'ogy** (*desmologia*; from *desmos*, a ligament, and *logos*, a discourse). A treatise on the ligaments.

**Desmoph'logy** (*desmophlogia*; from *desmos*, a ligament, and *phlogos*, inflamed). Inflammation of the ligaments.

**Desmorrhex'is** (from *desmos*, a ligament, and *rhxis*, ruptures). Rupture of a ligament.

**Des'mos.** A ligament.

**Desmot'omy** (*desmotomia*; from *desmos*, a ligament, and *temno*, to cut). Dissection of the ligaments.

**Despuma'tion** (*despumatio*; from *despumare*, to clarify). Applied in *Pharmacy* to the clarification of a fluid by separating from it the scum and other impurities.

**Desquama'tion** (*desquamatio*; from *desquamare*, to scale off). The separation of scales of a greater or less size from the skin.

**Destructive Distilla'tion.** Distillation of organic bodies at a red heat, whereby they are disorganized and yield their volatile empyreumatic products.

**Desuda'tio** (from *desudo*, to sweat much). Profuse and excessive sweating. Applied also to a military eruption with which children are sometimes affected.

**Detent'is** (*detentio*). Cataplexy.

**Deter'gent** (from *detergere*, to cleanse). Cleansing medicines which cleanse ulcers, wounds, etc.

**Determina'tion.** In *Pathology*, the reflux

of blood or other humors in a part, causing congestion.

**Deter'sive.** Detergent.

**Detonat'ing Powder.** Fulminating mercury and silver, and other compounds which explode suddenly on being struck or heated. They are used for igniting powder in percussion locks.

**Detona'tion** (*detentio*). Explosion; the report which accompanies the chemical combinations or decomposition of certain bodies. Sudden explosion.

**Detrac'tor** (from *detraho*, to draw). Applied to muscles which draw the parts to which they are attached to some other part.

**Detritus.** Detritus.

**Detritus Quadratus.** *Platysma mydion.*

**Detrition** (from *detra*, to wear off). The act of wearing or wasting of an organ or part. Sometimes applied to the wearing of the teeth. See **KNOWLEDGE OF THE TEETH**.

**Detritus** (from *detra*, to bruise or wear out). The inorganic remains of a disorganized organic texture. The waste matter from ulcerative processes.

**Detraction** (*detractionis*; from *de*, from, and *trahere*, the body or trunk). In *Detritio Surgery*, the separation of the head from the trunk or body of the fetus.

**Detrusor Urinæ** (from *detrahere*, to thrust out). The muscular coat of the bladder, which, by contracting, causes the expulsion of the urine.

**Detrusus Febris.** Ardent fever.

**Detritus.** Detention of the secundines.

Also old name for a weak or inferior wine.

**Detritus.** The secundines.

**Deuteropathia** (*morbus secundarius*; from *deuteros*, the second, and *pathos*, disease). A sympathetic affection, or secondary disease, arising from sympathetic influence of a first affection.

**Deuto-** (from *deuteros*, second). A prefix denoting two, twice, or double; as *deuteroxide*, having two equivalents of oxygen, the second oxide.

**Deutroxis.** See **DEUTO**.

**Devalgatus.** How-legged.

**Development.** In *Physiology*, increase, growth.

**Development of the Teeth.** Influences Modifying the. These are: Heredity; misregeneration; nutrition; food; nervous disturbances; disease; drugs and artificial diseases.

**Deviation** (*deviatio*; from *de*, from, and *via*, the way). A departure from normal. Vicious curvature of the spine or other bones; a faulty direction or position of one or more teeth, etc.

**Devitalize** (from *de* and *vitalis*). To destroy the life of an organ or of living tissue.

**Devitalization of Dental Pulp.** See **DENTAL PULP, DEVITALIZATION OF**.

**Devonshire Colic.** Painters' colic; a species of colic occasioned by the introduction of lead into the system.

**Dew.** The deposition of water from the atmosphere on the surface of the earth from cold.

**Dew Point.** The temperature of the atmo-

sphere at which its moisture begins to be deposited.

**Dewberry.** The fruit of a species of brier belonging to the genus *Rubus*. Astragalus. Dew of the bark of the root, gr. x to gr. xx.

**Dextrocardia** (from *dexter*, right, and *cardia*, the heart). The beating of the heart on the right side, as in pleurisy and pneumothorax.

**Dextor** (Latin). Right; upon the right side.

**Dextrod.** Toward the right side.

**Dextrod.** Pertaining to the right side; right-handed.

**Dextrotrine** (from *dexter*, right-handed). So called from its possessing the power of reflecting the rays in the polarization of light toward the right hand. A amorphous substance obtained from starch. It also exists abundantly in plants.

**Dextrose.** See **GLUCOSE**.

**Di-**. A prefix from *di*, twice, used in anatomy, chemistry, etc. Hence *digestivus*, *diastole*, *dichloride*, etc.

**Dia-**. A prefix from *dia*, through. In *Compositio*, extension, perversion, separation. It was anciently used to signify the presence of an ingredient before which it was written, as *diapnoicum*, a medicine containing the quinine, etc.

**Diabetes** (from *dia*, through, and *baivō*, I pass). A disease attended by immoderate secretion of urine, excessive thirst, and gradual emaciation. It is divided into three species: (1) *Diabetes insipidus*, characterized by a superabundant discharge of flapid urine having the usual urinary taste. (2) *Diabetes mellitus*, in which there is an excessive secretion of urine, of a sweetish taste and containing a considerable quantity of saccharine matter. (3) *Diabetes rhaphicus*, in which there is a copious secretion of urine of a whitish color.

**Diabetic Sugar.** The sweet principle of diabetic urine.

**Diabroxis.** Corrosion; the action of substances which occupy an intermediate rank between excharotics and rustics.

**Diacusis** (from *di*, twice, and *acus*, a burn). Excessive heat.

**Diacusis** (*diacusis*). Caustic by refraction, as a double convex lens, or, as it is sometimes called, a burning-glass.

**Diacetate of Copper.** Verdigris.

**Diachasma.** Fracture of the skull or opening of the sutures.

**Diachorema** (*diachorema*). Excrements, especially feces.

**Diachry'sia.** Inunction.

**Diachylon** (*diachylon*; from *dia*, and *chylon*, juice; i. e., composed of juices). Formerly an emollient plaster made of certain juices, but at present the term is only applied to the *emplastrum plumbi*, or lead plaster.

**Diachylon cum Gummi.** Yellow diachylon. (iam diachylon.)

**Diachylon Simplex.** The *emplastrum plumbi*.

**Diachyt'ica.** Diacientia.

**Diacine'ma** (from *dia*, and *aineo*, I move). A subluxation.

**Diadys'ma** (from *diadysma*, to wash net). A purple, a mouth-wash.

**Dia'cops** (*diacops*; from *dia*, through, and *cops*, a stroke). In *Burgery*, a fracture or laceration of a cranial bone, a deep wound or cut.

**Diacra'nian** (from *dia*, separation, and *crania*, the skull). A term sometimes applied in *Anatomy* to the lower jaw, because it is merely connected with the skull by a loose articulation.

**Dia'crises** (from *dia*, and *crisis*, I separate). A class of diseases characterized by a vitiated state of the secretions.

**Diacr'isis** (from *dia*, and *crisis*, judgment). Diagnosis.

**Diadermistr'ia** (from *dia*, *derma*, the skin, and *stripo*, healing). The emulsive method of treating diseases. See EXTRACTIVE.

**Diadex'ia** (from *diadexis*, I transfer, I succeed to). The transformation of one disease into another of a different character and seat.

**Diado'sis** (*diadochus*, to illustrate). Distribution of nutritive matter throughout the whole body; nutrition; the evolution of disease.

**Diare'sis** (from *diareis*, I divide or separate). A solution of continuity, as a wound or ulcer, or, as in the case of a surgical operation, consisting in the division of some part of the body.

**Diaeret'icus** (from *diareis*, I divide). Cauteritic; escharotic.

**Dia'ta** (*diatesis*; from *diatreis*, I nourish). Diet; aliment.

**Diagno'sis** (from *dia*, and; *gnosis*, I know). The art of discriminating a disease by its symptoms, and one disease from another.

**Diagnosis, Differential.** Determining the distinguishing features of a disease when nearly the same symptoms belong to two different classes of disease, as rheumatism, gout, etc.

**Diagnos'tic.** A pathognomonic sign or symptom which is characteristic of a disease.

**Diag'onal** (*dia*, through, and *gonia*, an angle). A right line drawn between any two opposite angles of a four-sided figure.

**Diaby'dric.** A term invented by Dr. C. J. B. Williams to express the peculiar sign of *pericarditis* through a liquid, as when, in examination of the liver, an effusion separates that organ from the walls of the abdomen.

**Dialem'ma.** Intermision of fever.

**Dial'lage.** A mineral of a foliated structure easily separated in one direction.

**Dialuric Acid.** An acid obtained by the action of hydrosulphuric acid on xanthin in solution.

**Dial'yals** (from *diatreis*, to dissolve). Weakness of the limbs; loss of strength. In *Chemistry*, the operation of separating crystalline from colloid substances by means of a porous diaphragm.

**Diamagnet'ic.** A term invented by Faraday to express those bodies which are repelled by both poles of the magnet, so that, when suspended over a horseshoe magnet, they take a position at right angles to the line joining the poles.

**Diamaste'ma.** Mastectomy.

**Diam'eter** (*dia*, through, and *metron*, a measure). A right line drawn through the center of a circle. The extent and shortest dimension of a sphere or cylinder.

**D'amins.** See AMINES.

**Diamond** (*adamas*; from *ad*, priv., and *amas*, I conquer, from its extreme hardness). Pure or crystallized carbon; the most valuable of precious stones and the hardest known substance. It was formerly supposed to possess valuable medicinal virtues.

**Dian'a.** Old name for silver.

**Diapas'ma** (from *diapasnai*, to sprinkle). A medicine reduced to powder and sprinkled over the whole or some part of the body.

**Diapede'sis** (from *diapnedeis*, I leap through). Transudation or escape of elements of the blood, especially the white corpuscles through the walls of the vessels, skin, or any membrane, and due to stagnation.

**Diaphanes'copy.** The examination of the cavities of the body by means of an incandescent electric light.

**Diaph'amous** (*diaphanous*; from *dia*, through, and *paos*, to shine). Transparent. In *Anatomy*, applied to delicate serous membranes, as the arachnoid.



**Diaphoresis** (from *diapnoo*, I convey, I disperse). A perspiration more profuse than natural.

**Diaphoretics**. Medicines which excite perspiration.

**Diaphragm** (from *diapnoo*, to separate by a partition). The midriff. A thin, almost circular muscle, tendinous in the center, which separates the thorax from the abdomen.

**Diaphragma**. Diaphragm.

**Diaphragma Cerebri**. The tentorium.

**Diaphragma Narium**. The septum narium.

**Diaphragmat'gia**. Pain in the diaphragm.

**Diaphragmat'ic** (*diaphragmaticus*). Belonging to the diaphragm; applied to several vessels and nerves.

**Diaphragmatic Arteries**. Pleuric arteries. The arteries of the diaphragm.

**Diaphragmatic Hernia**. Intrusion of some of the abdominal viscera through a rupture of the diaphragm.

**Diaphragmatic Nerves**. See PHRENIC NERVE.

**Diaphragmatic Plex'usaa**. There are two in number—one situated on the right and the other on the left side of the diaphragm.

**Diaphragmatic Ring**. An aperture through the diaphragm giving passage to the venous system.

**Diaphragmat'itis**. Inflammation of the diaphragm.

**Diaphragmat'ocele** (*diaphragma*, and *ocele*, a tumor). Hernia or tumor from some portion of the viscera swaying through the diaphragm.

**Diaphtheria**. See OXYPTERISANTHUS.

**Diaphthora** (from *dia*, and *apthoro*, to corrupt). Corruption of any part.

**Diaph'ysis** (from *diagno*, I rise between). An interspace. Anything which separates two bodies. It is sometimes applied to the middle part of a long bone and to the crucial ligaments.

**Diap'ysma** (from *diagynao*, to smoothen). The application of an unguent to the whole or any part of the body.

**Diap'noe** (from *diapnoo*, to breathe through). Gentle perspiration.

**Diap'noic**. That which promotes gentle perspiration.

**Diapoph'ysis**. A name given by Owen to the homologous of the upper transverse process of a vertebra.

**Diap'ysma** (*diapysis*; from *dia*, and *pyro*, heat). Suppuration.

**Diap'ysic** (*diapysicus*; from *dia*, and

*pyro*, a suppuration). Medicines which promote suppuration.

**Diarrh'mia** (from *dia*, through, *rho*, I flow, and *rho*, blood). Thinness of the blood from deficiency of the globules, and, as a consequence, transudation of it through the coats of the vessels.

**Diarr'ius**. Lasting one day; ephemeral. Applied to fevers.

**Diarrhage**. A fracture.

**Diarrhoe'a** (from *dia*, through, and *rho*, I flow). Purging; looseness of the bowels; frequent liquid alvine evacuations, usually attended with slight griping pains, but ordinarily without any fever. There are several varieties of diarrhoea, as the bilious, serous, mucous, etc.

**Diarrhoea Alba** (*diarrhoea colica*). Diarrhoea with white, milky evacuations.

**Diarrhoea Carno'sa**. Dysentery in which the discharges resemble pieces of flesh.

**Diarrhoea Choleric'a**. A diarrhoea in which the alvine evacuations are loose, copious, and of a yellow color.

**Diarrhoea Chylo'sa**. Urine passed; or diarrhoea. Chylous diarrhoea.

**Diarrhoea Hepat'ica**. A diarrhoea attended with copious bilious evacuations.

**Diarrhoea Sero'sa**. A diarrhoea in which the alvine evacuations are of a watery or serous character.

**Diarrhoea Urino'sa**. Diabesis.

**Diarrhoea Vermino'sa**. A diarrhoea caused by the presence of worms in the intestines, especially in the rectum.

**Diarthro'dial**. Relating to diarthrosis.

**Diarthro'sia** (from *diarthro*, I articulate). A movable articulation of bones, in which there are five species—namely, *condrois*, *arthrois*, *glenoidis*, *trochoidis*, and *emphiarthrosis*.

**Diastor'dium** (from *dia*, and *astor*, the water germener). So called because scordium enters into its composition. An electrolyte.

**Diasot'ic**. Propylætic.

**Diasthyx'ia**. The pulse.

**Diastalt'ic**. A term applied by Dr. Marshall Hall to the reflex action of the excitatory system of nerves.

**Diastase'mia** (from *diastase*, separation, and *mia*, blood). Disorganization of the globules of the blood and separation of the fibrin and albumen from the coloring matter.

**Diastase'**. A vegetable principle having the property of converting starch into dextrine and grape sugar. It is the principal agent in

the germination of seeds, and is produced when they sprout.

**Dias'tasis** (from *dia*, and *stasis*, to place; separation, distention). Separation of bones and cartilages from each other, as of those of the cranium in some cases of hydrocephalus, etc.

**Dias'tema**. A term applied in *Zoology*, by Illiger, to the interspace which exists in most mammiferous animals between the canine and premolar teeth.

**Diastematelyt'ria**. A congenital defect consisting in a longitudinal division of the vagina.

**Diastematoche'l'ia** (from *diastema*, and *chele*, the lip). Congenital deviation consisting in longitudinal division of the lip.

**Diastematoglos'sis** (from *diastema*, and *glossa*, tongue). A congenital longitudinal division of the tongue.

**Diastematognath'ia** (from *diastema*, and *gnathos*, jaw). An organic longitudinal division of the jaw.

**Diastematorrh'nia**. A congenital longitudinal division of the nose.

**Diastematostaphyl'ia**. A congenital longitudinal division of the nostril.

**Dia'stole** (from *diastolē*, I send, I dilate, I open). Dilatation of the heart and arteries when the blood enters them. It is immediately followed by contraction, which sends forth the blood, and this latter movement is called *systole*.

**Diastol'ic**. Relating to diastole, as the diastolic action of the heart.

**Diastomo'tris** (from *diastomōs*, I dilate an aperture). Any dilating instrument, as a speculum for the mouth, etc.

**Diastrem'ma**. Distortion or squint.

**Dia'strophe**. Distreuma.

**Diat'asis** (from *diastasis*, I distend). The reduction of a fractured limb by extension and counter-extension.

**Diather'mal** (from *dia*, through, and *thermos*, heat). Substances that are transparent to waves of radiant heat.

**Diather'manous**. Free permeability to heat.

**Diatherman'ia**. The transit of the rays of heat.

**Diath'esia** (from *diastichōs*, I dispose). Disposition, constitution; predisposition to certain diseases. The most common diatheses are the *scrophulous*, *scrobutic*, *rheumatic*, *gauc*, *cancerous*, *calculus*, and *nerveous*.

**Diathet'ic**. Belonging to diathesis.

**Diat'ritis** (from *dia*, and *trios*, three). Diet of three days. The plan pursued by the medical physicians in the treatment of disease.

**Diazo'ma**. The diaphragm.

**Diazo'ter** (from *diastereōs*, I surround). The twelfth vertebra of the back, because it corresponds to the girdle.

**Di'basic**. Doubly basic; of a salt containing two molecules or equivalents of a base.

**Diblast'ic** (from *di*, and *blastōs*, sprout). A disease ascribed to a double agency.

**Diceph'alus** (from *di*, double, and *kephala*, head). Having two heads.

**Dichaste'res** (from *di*, to divide). Had name for incisors.

**Dichophy'la** (from *di*, double, and *phylōs*, I grow). The condition of the limbs in which they split and grow forked.

**Dichot'omous** (from *di*, twice, and *temno*, to cut). Forked; bifurcate.

**Dichro'ism** (*di*, twice, and *chroma*, color). The property by which some minerals exhibit different colors, according to the direction in which the rays of light pass through them.

**Diclidosto'sis** (from *di*, a double diast, and *osteo*, ossification). Ossification of valves, as of the heart.

**Di'clic** (*di*, twice). Valve.

**Dicra'nus** (*di*, twice, and *cranus*, a head). Having two heads; biall; phryen.

**Di'crotus ciliat'is** (from *di*, twice, and *crotus*, I strike). A pulse which seems to beat double, or twice as fast as usual; a rebounding like a double pulsation.

**Dictamnus Cre'ticus**. See *ORDIANUM DICTAMNUS*.

**Did'y'm**. A metal.

**Did'y'ml** (from *di*, twice). The testicles.

**Didym'i'tis**. Hernia humeralis.

**Didym'tum**. A metal united with cerium ore.

**Dielec'tric** (from *di*, and *ektreis*). Of a body allowing electric action to take place across it by induction, but not conducting electricity; insulating.

**Dies and Counter-dies**. Metallic casts obtained by moulding in sand or dipping in molten zinc and lead or other alloys, such as Babbitt metal, the plaster model, and which are used for stamping up dental plates; generally described as a male and female casting between which the plate is swaged.

**Diet** (*dieta*). Food such as is most conducive to health and its preservation. The term

was formerly used to designate the general manner of living, comprehending everything necessary for the sustenance of life.

**Dietetic** (*dieteticus*; from *dieta*, I nourish). Pertaining to diet.

**Dietetics** (*dietetica*). Dieting according to medical rules.

**Dietetists**. Physicians who treat disease only by the application of dietetic rules.

**Differential Diagnosis**. See **DIAGNOSIS, DIFFERENTIAL**.

**Differential Thermometer**. A thermometer showing the difference of the temperature of its two bulbs.

**Differentiation**. Specialization of tissues, organs, etc., or their functions. Also the gradual change of homogeneous material into special organs or tissues.

**Diffusio**. Transpiration.

**Diffraction**. The inflection which the rays of light undergo in passing near any opaque body.

**Diffuse** (*diffusus*). Spreading; applied in *Pathology* to diseases which spread, in contra-distinction to those which are circumscribed.

**Diffusible**. A term applied in *Medicine* to stimulants which augment the action of the vascular and nervous systems, but which are transitory in their effects, as ammonia, alcohol, and sulphuric ether.

**Diffusion of Gases**. The intermingling of the particles of two or more gaseous bodies, without chemical action, so that ultimately, whatever may have been their relative densities, they become thoroughly mixed. The exact proportions with which the components of the atmosphere are mixed furnish a fine example of the diffusion of gases. The rate of diffusion of gases is inversely as the square roots of their densities (*Law of Graham*).

**Diffusion Tube**. A graduated tube, closed at one end with plaster of Paris, for determining the rate of diffusion for different gases.

**Diffusion Volumes**. The different tendencies of gases to interchange particles. See **DIFFUSION OF GASES**.

**Diffuse**. An indifferent body produced by the evaporation of silicic acid.

**Digastic Groove**. A depression in the mastoid process from which the digastric muscle arises.

**Digastricus** (from *di*, and *gaster*, a belly). A muscle with two bellies, united in the middle by a tendon which passes through the stylohyoid muscle and is attached to the hyoid

bone. Of the two bellies, the one is posterior and occupies the space at the end of the mastoid process of the temporal bone; the other is anterior, extending from the os hyoides to the base of the lower jaw by the side of the symphysis. Its use is to depress the lower jaw, to raise the os hyoides, or to move it forward or backward, as in deglutition.

**Digere** (from *digerere*, to digest). Digestives; medicines which promote the secretion of lachrymæ pus in wounds and ulcers.

**Digest'er**. A strong and tight iron or copper vessel with a tightly adjusted lid, provided with a safety-valve, in which bodies may be subjected to the action of high-pressure steam.

**Digestible**. Capable of being digested.

**Digestion** (*digestio*; from *digerere*, to dissolve). In *Physiology*, the change which food undergoes on being taken into the body. A function by means of which alimentary substances, when introduced into the digestive canal, undergo different alterations. The object of it is to convert them into two parts: the one, a respiratory juice, destined to renew the perpetual waste occurring in the economy; the other, deprived of its nutritious properties, to be rejected from the body. Digestion may be divided into six stages: prehension, mastication, insalivation, deglutition, gastric digestion, intestinal digestion. In *Chemistry* and *Pharmacy*, an operation which consists in subjecting substances to the action of one another at a slightly elevated temperature, as a solid to water, alcohol, or other menstruum.

**Digestion, Gastric**. The changes which occur in the food induced in its physical and chemical composition, during the time it is retained in the stomach, by the solvent action of the gastric juices or acid fluid.

**Digestion, Intestinal**. The changes which occur in the food or alimentary principles, during its retention or passage through the small intestine, where it is subjected to the solvent action of the intestinal and pancreatic juices and the bile, each one exerting a transforming influence upon one or more substances, and preparing them for absorption into the blood.

**Digestives**. In *Surgery*, substances which, when applied to a wound or ulcer, promote suppuration.

**Digestic Tube**. The alimentary canal.  
**Digital** (from *digitus*, a finger). Pertaining to or resembling a finger.

**Digitā'lis** or **Digitalis**/. The active principle of digitalis. Dose, gr.  $\frac{1}{2}$ .

**Digital'is** (from *digitus*, a finger, because its flowers resemble a finger). A genus of plants of the order Scrophulariaceæ.

**Digitalis Purpu'ra**s. Foxglove. The leaves of this plant are powerfully sedative and diuretic, and require to be administered with great caution. Dose of powdered leaves, gr. j to gr. v. Causing arterial contraction. It is usefully employed as a hæmostatic in the hæmorrhagic diathesis or in traumatic hæmorrhage.

**Digita'tion**. Divided into finger-like processes. Applied to muscles, as the *artus magnus*, which exhibit digitations.

**Digita'tus**. Digitate; fingered.

**Digit'iform**. Finger-like.

**Digit'ium**. Contraction or atrophy of the fingers. Paronychia.

**Dig'itus**. A finger.

**Digitus Annu'l'ris**. The annular or ring finger.

**Digitus Indicato'rius**. The index finger.

**Digitus Pedis**. A toe.

**Dig'nathus**. A monster with a double jaw.

**Digne'tio**. Diagnosis.

**Dihyste'ria**. The condition in which there is a double uterus.

**Dilacera'tion** (from *di*, and *lacerare*, to tear). Laceration. Applied to teeth, it signifies a condition resulting from displacement of the calcified portion from the tissues which were instrumental in its production, the development being continued after the normal position of the calcified part had been lost.

**Dilata'tion** (*dilatatio*; from *dilatare*, to enlarge). Increase of bulk of a body by separation of some of its molecules. Increase of the size of a canal or opening.

**Dila'tor** (*dilatatorius*). In *Anatomy*, applied to muscles the office of which is to dilate certain parts. In *Surgery*, an instrument for dilating a natural or artificial opening.

**Dilato'rium**. A speculum; also a piece of sponge or any other mechanical contrivance for dilating a wound.

**DIL**. The common name of the *Anethum graveolens*. The seeds are warming, purgative, and aromatic.

**DIL'ueats**. Medicines which increase the fluidity of the blood.

**Dilat'ed**. Mixed; weakened.

**Dime'diate**. Half-round.

**Dimethyloxyquinizina**. Antipyrina (which see).

**Dimorph'ism** (from *di*, twice, and *morpe*, form). The property of crystallizing into two distinct forms not derivable from each other.

**Dimorph'ous**. Dissimilarity of structure; two forms of crystallization.

**Di'nus**. Vertigin; glidiness.

**Diodonceph'alous** (from *di*, double, *odon*, tooth, and *kephale*, head). A monostody with two rows of teeth.

**Dionco'sis** (from *don*, and *oncos*, a tumor). Tumefaction or pletoria.

**Dionysis'cus**. One who has a bony or horn-like excrescence near the temporal or frontal region.

**Diop'tra** (from *dioptra*, to see through). Dioptron. A speculum; a dilator.

**Diop'trica** (from *di*, through, and *optra*, I see). That branch of optics which treats of refraction.

**Dioptria'mus**. The dilatation of a part or opening with a speculum.

**Diorrh'o'sis** (*diarrhois*; from *di*, and *rhoe*, the running). The conversion of any part into serum.

**Diorthro'sis** (from *diorthro*, to direct). The reduction of a fracture or dislocation.

**Diox'ide**. A compound of oxygen with a base in which there is one atom of the former and two of the latter.

**Diphthe'ria** (from *diphthe*, a skin or membrane). An epidemic, infectious disease, of contagious origin, attacking the mucous membranes of the air passages and causing great depression of the vital forces. It is characterized by the formation of layers of whitish or yellowish membranes, apparently of the solidole or mycoterminic form of a microbic organism.

**Diphtheri'tis** (from *diphthe*, a skin or membrane). Diphtheria. Angina pellenlaris. A name given by M. Bretonneau to a form of pharyngitis attended by the formation of false membranes, and which affects the dermoid tissue, as the mucous membranes, and even the skin.

**Diphtheritis of the Throat**. Diphtheritic pharyngitis; cynanche trachealis.

**Diphtheritis Trachealis**. Croup.

**Diplas'tomus**. Duplicated. Re-exacerbation of a disease.

**Dip'locar'diac** (*diplous*, double, and *cardes*, heart). Having a double heart.

**Dip'loë** (from *diplous*, I double). The com-

collated structure which separates the two tables of the skull.

**Diplogene'sis** (from *dentoe*, double, and *genesis*, generation). Organic defect caused by the union of two germs.

**Diplo'ma**. An instrument of writing conferring some privilege. In medical and dental affairs, a licence to practise physic or dentistry; usually applied to a document issued by a chartered college, certifying that the title of Doctor has been conferred upon the person who has received it. In *Pharmacy*, a vessel with double walls, as a water-bath.

**Diplo'my'e'lis** (*dentoe*, double, and *myelos*, marrow). Congenital division of the spinal marrow lengthwise.

**Diplo'pia** (from *dentoe*, double, and *opsis*, I see). An affection of the sight in which an object makes a double impression upon the retina. Double vision.

**Diplo'sis**. Diploë.

**Diplozo'ma** (from *dentoe*, double, and *zoo*, lady). The *Diplozoon cecum* is an entozoon, having the appearance of two worms united, which has sometimes been known to pass the urinary bladder.

**Diproso'pus** (from *di*, double, and *prosope*, countenance). A monster with two faces.

**Dipsot'icus** (from *dipsa*, thirst). Productive of thirst.

**Dipsoman'ia** (from *dipsa*, thirst, *mania*, madness). The thirst of drunkards. Absdelirium tremens.

**Dipso'sis**. Morbid thirst.

**Dip'terous**. Having two wing-like appendages.

**Dire'a Panlus'tris**. Leatherwood: a small indigenous shrub which grows in wet, boggy places in many parts of the United States.

**Direct'or** (from *dirigere*, to direct). A grooved sound for guiding a knife in some surgical operations.

**Dirig'ent** (*dirigere*). That constituent in a prescription which directs the action of the associated substances.

**Dis-**. A prefix denoting two or double, or apart from.

**Disc** (from *discus*, a round plate). A circular organ or body.

**Discharge'**. In *Pathology*, increased flow from any secreting organ or part.

**Discolor'ation**. Alteration of color, especially for a darker hue.

**Discoloration of the Teeth**. The teeth often lose their natural whiteness and peculiar brilli-

ancy, assuming a yellowish, brownish, greenish, or blackish appearance. Any of these changes may take place at any period of life by the exposure of the teeth to the action of the causes that produce them and from want of proper attention to their cleanliness. Discolorations of the teeth may result from devitalization, from the action of caries, from depositum on the surface, from increase of density, and from a change of color on or in the enamel.

When it occurs from devitalization of the pulp and its subsequent decomposition, the discoloration is produced through a slow disintegration of the organic material and the deposit of carbonaceous matter. When it occurs from the action of caries, the discoloration may extend considerably beyond the limit of the decayed tissue, the color extending deepest immediately over the pulp, where its removal must be governed by a due regard for this organ. When it occurs from depositum on the surface, such as stains from fruits, berries, tobacco, etc., or from chemical agents, such as nitrate of silver, the stains from the former may not leave any permanent discoloration if the enamel of the tooth remains perfect, owing to the confirmation of the enamel prism and the want of vascularity in the tissue. If the dentine, however, is exposed, the vascularity of this tissue or that of the cementum at the necks of the teeth will permit permanent discoloration by any of the agents referred to. When it results from increase of density, the degree of discoloration depends mainly on the density, the varying shades being white, yellow, blue, and modifications of such shades. Certain shades indicate strong, compact teeth, — the yellow, for example, — while others indicate the opposite, such as the white or pearly-blue. When the discoloration results from change of color on or in the enamel, such stains are not superficial, but are pigmentary deposits in the tissue, due, it is supposed, to malnutrition or maldevelopment. See BLEACHING TEETH.

**Discrete'** (*discretus*). Distinct, separate. Applied to exanthemata in which the eruptions or pustules are not confluent but are distinct and separate from one another.

**Discreto'rium**. The diaphragm.

**Discri'men**. A bandage used in bleeding from the frontal vein; so called because it passed over the sagittal suture, dividing the head into two equal parts.

**Discrimen Calvarie Medullum.** Dipleth.

**Discrimen Nasal.** An X-bandage for the nose.

**Discrimen Thoracis et Ventrís.** Diaphragm.

**Discus'sion** (*dissection*). In *Surgery*, resolution; the subdivision or subablation of the inflammatory action of a tumor.

**Discus'sivas.** Dissective.

**Discu'tients** (*dissectivus; dissecans*; from *dissecto*, to shake apart). Applied to substances which have the power of repelling or moving tumors.

**Disease's.** According to Cline, a perceptible disorder occurring either in the material disposition of the parts composing the living body or in the exercise of its functions. It is termed *local* when affecting only some particular part; *constitutional*, when affecting the whole system; *specific*, when characterized by some disordered vital action not common to diseases generally; *idiopathic*, when not dependent on any other disease; *symptomatic*, when the result of some other disease; *periodical*, when recurring at fixed periods; *acute*, when severe and not of long duration; *chronic*, when not severe and of long continuance; *epidemic*, when arising from a general cause; *endemic*, when prevailing in a certain region; *intercurrent*, when arising from adventitious causes and occurring in the midst of epidemic or endemic disease; *contagious or infectious*, when it can be communicated from one person to another by contact or effluvia diffused through the air; *congenital*, when existing from birth; *hereditary*, when descended from parent to offspring; *acquired*, when dependent on some cause operating after birth; *athletic*, when attended by strong activity of the vital energies; *asthenic*, when attended with sinking of the vital powers; and *sporadic*, when arising from occasional causes, as cold, etc., affecting the individual.

**Diseases, Infants or Acquired.** Those which are accidental and acquired after birth. The most important are the exanthematic diseases, which affect the enamel of the teeth, on account of their relation to the skin and epithelium and their tendency to attack the parenchyma of enamel. Such diseases modify the growth of the teeth, impairing their nutrition, and occasion erosions, pittings, and loss of substance. See EXANTHEMATA.

**Discol'a.** Discolor.

**Disfigura'tion.** Deformation.

**Disgorge'ment.** The opposite of engorge-

ment. Act of disgorging or discharging any fluid previously collected in a part or viscera, as the disgorgement of bile or a portion of the contents of the stomach, as in vomiting.

**Disinfect** (*dis+fect*). To free from putrefactive and other infectious products by destroying them or rendering them inert.

**Disinfect'ants.** Agents which destroy or neutralize morbid effluvia or infective matter.

**Disinfect'ing Liquid, Burnett's.** A solution of chloride of lime, first used to preserve timber, etc., and afterward as an antiseptic and antiseptic, especially in the case of dead bodies.

**Disinfecting Liquid, Condy's.** Supposed to be a concentrated solution of the permanganate of potassa. It is a good antiseptic.

**Disinfecting Liquid, Labarraque's** (*liquor sodæ chlorinate*, L. N. Dis.). A solution of chlorinated soda. Used in the same cases as chloride of lime. Internally, ten drops to a fluid drachm for a dose. Diluted with water, it is an excellent and disinfectant in various external diseases. Used in *Operative Dentistry* for bleaching discolored teeth, and is considered less objectionable than the chloride of lime, which is used for the same purpose. This solution of chlorinated soda is allowed to remain in the teeth for thirty minutes. It is introduced on a pellet of cotton, and, when the discoloration is slight, a single application will often answer. Repeated applications are necessary where the discoloration is great or has existed for a long time.

**Disinfection** (*disinfectio*). The act of neutralizing or destroying the contagious miasmata with which the air or clothing may be infected.

**Disinfect'ntol.** A new disinfectant discovered by Dr. Hraun Lowenstein, the principal constituents of which are resin soap, the combination of sodium, and phenol. It is employed in 2 to 75 per cent. solution.

**Disin'tegrate** (from *dis*, apart, and *integrare*, whole). The process of breaking up or decomposing.

**Disk.** An instrument in the form of a wheel, made of emery, cuttle-fish bone, or sand-paper, for rubbing fillings on surfaces between teeth.

**Disk, Carrier.** An instrument applied to the dental engine for the better application of corundum disks to the teeth.

**Disk, Corundum.** Derived by Dr. Robert Arthur for separating teeth by cutting away

a portion, and used with the dental engine. It is applied by means of carriers, which admit of ready adjustment and change of the disk to any desired angle with the shaft containing it.

**Dislocation (*dislocatio*).** *Luxation.* Displacement of the articular extremity of bone; a solution of contiguity. *Complete* dislocation is when the bones are entirely separated; *compound*, when the coverings of the joint are ruptured; *consecutive*, when the displaced bone is not in the position it occupied when originally misplaced; *old*, when inflammatory changes have occurred; *partial* or *incomplete*, when the articulating surfaces remain in partial contact—called also *subluxation*; *primitive*, when the bones remain as originally misplaced; *recent*, when no inflammatory changes have taken place; *simple*, when there is no laceration of the surrounding parts.

**Dislocation of Lower Jaw.** From the peculiar manner in which the inferior maxilla is articulated to the temporal bones it is not very liable to be dislocated, and when one or both of its condyles are displaced, the luxation is always forward.

Dislocation of the lower jaw is rarely caused by a blow, except it be given when the mouth is open; it is more frequently occasioned by yawning or laughing. It has been known to occur in the extraction of teeth and in attempting to bite a very large substance.

After the jaw has been dislocated once it will ever after be more liable to this accident, in consequence of which Mr. Fox very properly recommends to those to whom it has once happened the precaution of supporting the jaw whenever the mouth is opened widely in gaping or for the purpose of having a tooth extracted.

In the reduction of a dislocation of the lower jaw the ancients employed two pieces of wood, which were introduced on each side of the mouth between the molar teeth, and while they were made to act as levers for depressing the back part of the bone, the chin was raised by means of a bandage.

The method usually adopted by surgeons at the present day for reducing a dislocation of this bone consists in introducing the thumb, wrapped with a napkin or cloth, as far back upon the molar teeth as possible; then depressing the back part of the jaw, and, at the same time, raising the chin with the fingers. In this way the condyles are disengaged from

under the zygomatic arches and made to glide back into their articular cavities. But the moment the condyles are disengaged the thumb of the operator should be slipped outward between the teeth and cheeks, as the action of the muscles at this instant in drawing the jaw back causes it to close very suddenly and with considerable force, rendering this precaution necessary to prevent being hurt, unless a piece of cork or soft wood has been previously placed between the teeth—a precaution which should never be neglected. By the foregoing simple method of procedure the dislocation may, in almost every case, be readily reduced.

The method proposed by Sir Astley Cooper consists, when both condyles are displaced, in introducing two corks behind the molars and then elevating the chin. He, however, first placed his patient in a recumbent posture.

**Disorganization.** A morbid change in the structure of an organ, or even total destruction of its texture, as in the case of sphacelous and some kinds of ulcers.

**Dispensary (*dispensarium*;** from *dispendere*, to distribute). A place where medicines are prepared; also a place where the poor are furnished with advice and the necessary medicines.

**Dispensation, or Dispensing.** In *Medicine*, the putting up of prescriptions.

**Dispensator.** Apothecary.

**Dispensatory (*dispensatorium*).** A book which treats of the properties and composition of medicines.

**Dispersal.** The scattering of inflammation or other morbid condition. In *Optics*, the angular separation of the rays of light when decomposed by the prism.

**Displacement.** A process in *Pharmacy* by which any quantity of liquid with which a powder may be saturated may, when put into a proper apparatus, be displaced by an additional quantity of that or any other liquid. See **PERCOLATION**.

**Disposition (*dispositio*;** from *dis*, and *ponere*, to put or set). In *Anatomy*, a particular arrangement or mutual relations of different parts. In *Pathology*, it is synonymous with *dibthesis*, but has a more extensive signification.

**Dissecting Abscess.** An abscess which incrustates itself between muscles, separating them from one another.

**Dissecting Aneurism.** An aneurism in which the inner and middle coats of the artery are

ruptured and the blood passes between them and the outer coat.

**Diasc'tion** (*diasc'tis*; from *diasc'rere*, to cut asunder). The cutting to pieces of a dead body for the purpose of exposing the different parts and examining their structure, or cutting to pieces any part of an animal or vegetable for this purpose.

**Diasc'tor**. Prosector. A practical anatomist. One who cuts to pieces a dead body for the purpose of examining the structure and arrangement of its different parts or for anatomical lectures.

**Dissipa'tion** (from *dissipatus*, scattered). A dispersion of morbid conditions or matter.

**Dissolu'tion** (*dissolutio*; from *dissolvere*, to loosen, to melt). In *Anatomical Pathology*, a diminution of the cohesiveness of the blood. Also decomposition arising from death.

**Dissol'vent** (*dissolvens*; from *dissolvere*, to loosen). Medicines which are supposed to be capable of dissolving morbid concretions, swellings, etc. Also a menstruum.

**Dis'tad**. Away from a center; toward the distal aspect.

**Dis'tal**. The side farthest from the heart; opposed to proximal. The surface of a tooth farthest from the median line. The surface or end of a bone farthest away from the center.]

**Distal Aspect**. An aspect of an extremity furthest from the trunk.

**Distem'per**. A disease occurring among dogs, consisting of irritation of the brain and spinal marrow, and attended by a sort of catarrh. It is vulgarly termed the *angry*. Also disease in general.

**Disten'sion** (*distensio*; from *distendere*, to stretch out). Distention of a viscus by inordinate accumulation of its contents.

**Distich'i'asis** (from *dis*, double, *στίχας*, a row). Increased number of eyelashes, with some turning in, irritating the eye, while the others retain their proper places, forming, with the first, two rows.

**Distilla'tion** (*distillatio*; from *distillare*, to drop little by little). The separation, by the aid of heat, of the volatile from the fixed parts of bodies. The operation is effected in a retort or still.

**Distillation, Destructive**. See **DESTRUCTIVE DISTILLATION**.

**Distillation, Dry**. Sublimation.

**Distillation in Vacuo**. Distillation in a vessel in which there is little or no air.

**Disto'ma** (from *dis*, and *stoma*, a mouth). Having two mouths. A genus of worms.

**Distomn Hepat'icum** (*fasciola hepatica*). The liver fluke; a small flat worm, about an inch in length, and nearly an inch in width, sometimes found in the gall ducts of man.

**Distor'tion** (*distorsio*; from *distorque're*, to wrest aside). Deformity of parts, as a preternatural curvature of a bone, curved spine, etc. Also contraction of the muscles, as in strabismus.

**Distor'tor Orls**. The zygomaticus minor.

**Dis'trix** (from *dis*, double, *τρις*, the hair). A morbid condition of the hair, characterized by splitting at the extremities.

**Dithymol-bisiodide**. Arsenic (which see).

**Dithymol-dilodide**. Arsenic (which see).

**Diure'sis** (from *dis*, through or by, and *ουρος*, I pass the urine). Abundant excretion of urine.

**Diuret'ic** (*diureticus*). A medicine which increases the secretion of urine.

**Divar'icate**. Standing wide apart; to diverge at an obtuse angle, as do sometimes the roots of a molar tooth.

**Divarica'tion**. The separation of two things previously united.

**Divel'tent** (*dis*, apart, and *vell*, to pluck). Separating or pulling asunder.

**Diver'gent**. Diverging; proceeding from each other.

**Diverso'rium Chyli**. The receptaculum chyli.

**Divertic'ulum** (from *divertere*, to turn aside). A small pouch or cal-de-sac. Any receptacle capable of holding more than an ordinary quantity of blood, for temporary purposes, when the circulation is obstructed, serves as a diverticulum. Malformation. Variation from a normal structure.

**Diverticu'lum Chyli**. The receptaculum chyli.

**Divertic'ulum Nuc'kli**. An opening on each side through which the round ligament of the uterus passes.

**Diverticulum Pharyn'gie**. Pharyngocele.

**Divisibil'ity**. The properties which all bodies possess of being separated into parts.

**Divul'sio**. In *Surgery*, a rupture or laceration caused by external violence.

**Divulsio Uri'næ**. Urine which has a cloudy appearance.

**Dix'ziness**. Vertigo.

**Doberseiner's Lamp**. A means of obtaining an instantaneous light by turning a stream



of hydrogen gas from a reservoir upon spongy platinum, by which the metal instantly becomes red hot and sets fire to the gas.

**Doct'me/ala** (from *doct'ma*, to examine). Applied in *Minerology* to the art of examining minerals for the purpose of discovering what metals, etc., they contain.

**Doct'mas's Pulmo'nium**. The examination of the respiratory organs of a new-born child for the purpose of ascertaining whether it had breathed after birth.

**Doct'mas'tic Art** (from *doct'ma*, I prove). The art of assaying minerals or ores with a view of ascertaining the quantity of metal they contain.

**Doc'tor** (from *doctus*, learned). A title commonly applied to practitioners of medicine and dentistry, but properly confined to one who has received from a regularly chartered institution or college the degree of doctor of medicine or dental surgery. The power for conferring the latter degree was first invested in the Baltimore College of Dental Surgery by the Legislature of the State of Maryland in an act of incorporation granted in 1840, and conferred for the first time at the first annual commencement of that institution on the 9th of March, 1841.

**Doc'trina**. In *Medicine*, the theory or principles of any medicinal art, teacher, or writer.

**Dodecadac'tylon**. Duodenum.

**Dodecahed'ron**. A solid of twelve sides; a form frequently met with in crystals.

**Dog'matists** (from *dog'ma*, a doctrine). A set of ancient physicians who founded their practice upon conclusions drawn from certain theoretical inferences.

**Dol'erite**. A trap rock composed of augite and feldspar.

**Dol'omite**. A magnesian limestone.

**Dol'or**. Pain.

**Dolor Den'tium**. Pain in the teeth. See *ODONTALGIA*.

**Dombey's Tur'pentine**. A strong-scented whitish turpentine, obtained from the Dombeya cactus of Chili.

**Domey's Solution** (*liquor arsenici et hydrargyri iodidi*). Composed of iodide of arsenic, red iodide of mercury, and water. Used as an alternative in skin diseases. Dose is from gr. v to gr. xx, three times a day, in water.

**Dore'nium**. A genus of plants of the order *Compositæ*.

**Doronicum Germanicum** (*ernice montana*). Leopard's bane.

**Dor'and**. Toward the back.

**Dor'al** (*dorsalis*; from *dorsum*, the back). Relating to the back or to the back of any organ.

**Dorse**. A fish which yields some portion of the cod-liver oil. The *Gadus callarias*.

**Dor'so-costs'tis**. The serratus posticus superior muscle.

**Dorso-supra Acromia'nus**. The trapezius muscle.

**Dorso-trachealis'nus**. The epitricus collis muscle.

**Dor'sum** (from *dorsum*, downward, because it may be bent downward). The back. The posterior part of the trunk. The vertebral column. The back of any part, as the *dorsum pedis*, back of the foot; *dorsum manus*, back of the hand, etc.

**Do'sage**. A term applied in *Chemistry* to a plan of analysis in which the reagent is added in measured quantities from a graduated tube to a measured and weighed solution of the assay.

**Dose** (*dosis*; from *do*, to give). The amount of medicine to be given at one time producing a desired effect. The dose for an infant one year old should not be more than one-twelfth part of a dose for a grown person; for a child three years of age, one-sixth; for one seven years old, one third; and for one of twelve years, one-half as much as for an adult. Women usually require smaller doses than men.

**Do'sis**. A dose.

**Do'ss**. In *Surgery*, a pledget of lint made up in a cylindrical form, to be applied to a wound or bleeding surface.

**Dothinenter'i'tis** (from *dothys*, a boil, and *enteron*, an intestine). Inflammation and enlargement of the glands of Peyr and Brunner, and supposed by Bretonneau to be the cause of the symptoms which constitute a large class of fevers.

**Double Wedge**. An instrument invented by Dr. Elliott, of Montreal, for removing an artificial crown from the root of a tooth upon which it has been set.

**Douche**. A French word applied in *Therapeutics* to a dash of water or other fluids upon any part of the body. A stream or jet of water poured on the body or falling from a height upon a part. Douches of air are sometimes used in cases of obstruction of the Eustachian tube by mucus. They are forced by an air-pump.

**Douleur.** Pain.

**Douleur des Dents.** Pain in the teeth. See DONTALGIA.

**Dover's Powder** (*pulvis ipecacuanhæ compoſitus*, or *et opii*). Powder of ipecacuanha, opium, and sulphate of potassa. Take of ipecacuanha, 1a fine powder, and of opium, dried and in fine powder, each sixty grains; sulphate of potassa, a troy ounce. Rub them together into a very fine powder. Emetic. Dose, gr. v to gr. xij. Ten grains at bedtime is a useful remedy in inflammation of the peridental membrane.

**Dow'el.** The piece of wood or metal uniting an artificial crown to the root of a natural tooth.

**Dracæna.** A genus of plants of the order Rubiaceæ.

**Dracena Dra'co.** The dragon tree. The inspissated juice constitutes the purest variety of dragon's blood.

**Drachm** (*drachma*). An eighth of an apothecaries' ounce, or 60 grains, or 3.8 grammes; also the  $\frac{1}{8}$  part of the avoirdupois ounce, equal to 27.34 grains.

**Drachm, Fluid.** The eighth part of a fluid ounce, equal to 60 minims.

**Dra'cline.** A precipitate obtained from a concentrated alcoholic solution of dragon's blood.

**Draco Mitigatus.** Calomel; protochloride of mercury.

**Dragonis San'guis.** Dragon's blood.

**Dragacan'tha.** Dragonet gum. Dragastin. Tragacanth gum.

**Dragan'tin.** A mucilage obtained from gum tragacanth.

**Drag'on.** The popular name of a genus of scurion reptiles; also of certain plants of the genus *Dracoution*. Also applied to extract or to opaque spots on the cornea.

**Dragon's Blood** (*sanguis draconis*). A concrete, resinous substance, of a blood-red color, used in varnishes and sometimes in dentifrices.

**Dra'stic** (*drasticus; cruetic*; from *drus*, I operate strongly). Generally applied to purgatives which operate powerfully.

**Draught.** In *Therapeutics*, a sufficient quantity of fluid medicines for a dose.

**Draw Bench.** A bench for drawing wire, so constructed as to confine a wire plate at one end, with a roller and windlass at the other for drawing the wire through the plate. It is used in the mechanical laboratory of the dentist.

**Drawer, Gold.** For use in the dental laboratory to collect gold scraps and filings. Two feet long, 18 inches wide, 6 inches deep, with the front cut out in a half-circle. In it a gold-pan, 14 x 10 and 1½ inches deep, with top depressed in the centre, and perforated with small holes for the filings to pass through.—*Haddock.*

**Dream** (*sonnolus*). Imaginary transactions which occupy the mind during sleep.

**Dregs.** Feculence.

**Dress'ing.** The proper application of bandages, plasters, and apparatus to a diseased part.

**Dress'ings.** The bandages, plasters, and apparatus used in dressing a diseased part.

**Drill.** A small steel instrument, either with a flat point or a burr at the end, sometimes used by dentists in the removal of caries from a tooth preparatory to filling, and for other purposes.

**Drill Bow.** A bow and string for rotating a drill stock, which it does by passing the string around it and moving it backward and forward. An obsolete instrument in dental practice.

**Drill, Burr.** An instrument used in *Dental Surgery* for removal of caries of the teeth and for enlarging the canal in the root of a tooth preparatory to the application of an artificial crown. It consists of a small steel stem attached to a handle, or so constructed as to be introduced into a socket-handle or socket of a drill stock, or the "hand-piece" of the dental engine, with a bulb at the other extremity, having a surface like that of a coarse single-cut file.

**Drill, Flat.** A small steel stem, fitted to a socket in a handle or drill stock, with the other extremity flattened and presenting a sharp, triangular-shaped point.

**Drill, Retaining-pit and Fissure.** An instrument for making retaining-pits in both cavities for the retention of the filling material and for opening enamel fissures in molar teeth.

**Drill Stock.** An instrument for holding and turning a drill, moved either with the thumb and finger or with a handle.

**Drink.** Every liquid introduced into the stomach for the purpose of allaying thirst, diluting the alimentary mass, and repairing the losses which the fluids of the body are constantly experiencing.

**Driv'elling.** An involuntary flow of saliva from the mouth, as in infancy, old age, and in idiots.

**Drop (gutta).** A minute spherical portion of a liquid separated from a quantity of liquid. It varies, however, in volume and weight, according to the nature of the liquid and the size of the orifice or mouth of the vessel from which it is poured. In Pharmacy it is generally estimated at one grain.

**Drop Tube.** An appliance designed to accompany the dental engine for the purpose of keeping the disk or burr-drill wet; a sponge is also attached to it for the purpose of cleansing the disk.

**Drop Tube, Dentists'.** A glass tube in the form of a dental syringe, with a rubber bulb at the end for the convenient application of liquid preparations to the teeth, or in mixing plastic filling material.

**Drops.** Certain liquid medicines.

**Drops, Anodyne.** A solution of acetate of morphia.

**Drop'alcal.** Affected with singuy.

**Drop'sy** (from *drop*, water, and *os*, the look or aspect). An effusion of serum into the cellular tissue or into any of the natural cavities of the body. It is designated according to the part affected by it. See **HYDROPS**.

**Drop'sy, Cardiac** (*Hydrops cardiacus*). Drop'sy from disease of the heart.

**Drop'sy, Pi'lorious.** Drop'sy in which the effused blood contains fibrin.

**Drop'sy, General.** **ANASARCA.**

**Drop'sy, Hepatic** (*Hydrops hepaticus*). Drop'sy from disease of the liver.

**Drop'sy of the Belly.** See **ANASARCA**.

**Drop'sy of the Cellular Membrane.** See **ANASARCA**, **HYDROTHORAX**, etc.

**Drop'sy of the Chest.** **HYDROTHORAX.**

**Drop'sy of the Eye.** **HYDROPTALMIA.**

**Drop'sy of the Pericardium.** **HYDROPERICARDIUM.**

**Drop'sy of the Skin.** **ANASARCA.**

**Drop'sy of the Spine.** **HYDROCHILIS.**

**Drop'sy of the Testicles.** **HYDROCELE.**

**Drop'sy of the Uterus.** **HYDROMETRA.**

**Drop'sy, Renal** (*Hydrops renalis*). Drop'sy from disease of the kidney.

**Drug.** A simple medicine.

**Drug'gist.** One who sells drugs.

**Drum of the Ear.** The tympanum.

**Drum'ine.** An alkaloid obtained from the plant *Euphorbia drummondii*. A tincture is made with rectified spirit, acidulated with hydrochloric acid. Drum'ine is said to have properties similar to cocaine as a local anesthetic.

It is insoluble in ether, but freely soluble in chloroform and water. It is a narcotic poison, but three grains injected subcutaneously only produced local anesthesia.

**Drunk'ennes.** Intoxication; inebriety. The habitual use of intoxicating liquors is attended by loss of appetite, restlessness, tremulous motion, delirium tremens, etc.

**Dry Cupping.** The application of the cupping-glass without previous scarification.

**Dry Pile.** A galvanic apparatus with pairs of metallic plates separated by layers of farinaceous paste mixed with common salt.

**Dual'ity.** The quality of being double. Applied in *Physiology* to a theory that the two hemispheres of the brain are distinct and independent organs. This is spoken of as the "duality of the mind," as if each individual actually possessed two distinct minds.

**Ductil'ity** (from *ducere*, I draw). A property possessed by certain bodies which enables them to be drawn out or elongated without causing any interruption in their constituent particles. A quality somewhat allied to but distinct from malleability. According to Minkus, seven grains of platinum have been drawn into a wire of wire.

**Duct'or.** Director.

**Ducts, Biliary.** The ducts communis cholecdochus. The cystic and the hepatic ducts.

**Ducts of Ballini.** The urinary canals of the kidneys.

**Ductus.** A duct. A vessel. A tube for the conveyance of certain fluids of the body.

**Ductus Aquosus.** The lymphatics.

**Ductus Arterialis** (*canalis arteriosus*). The arterial tube which forms a direct communication between the pulmonary artery and the aorta of the fetus. It becomes obliterated after birth.

**Ductus Au'ris Palati'ous.** The Eustachian tube.

**Ductus Bartholinian'us.** Duct of Bartholin. From Bartholin, its discoverer. The duct of the sublingual gland.

**Ductus Ballini'ani.** Uriniferous tubes.

**Ductus Bili'aris.** Biliary duct.

**Ductus Commun'is Cholec'ochus.** The common excretory duct of the liver and gall-bladder.

**Ductus Cys'ticus.** The cystic duct.

**Ductus Ejaculat'orius.** A duct within the prostate gland opening into the urethra.

**Ductus Excret'orius.** An excretory duct.

**Ductus Hepat'icus.** The hepatic duct.

**Ductus Hygrobloph'ari** (*ductus hygroblasticus*). The Malpighian gland.

**Ductus Lacri'vus**. A small canal leading from the foramen lacrimale into the cavity of the naris.

**Ductus Lacrym'alis**. The lachrymal duct.

**Ductus Lacti'ari**. The excretory ducts of the glandular substance of the female breasts.

**Ductus Nasal'is**. The ducts which convey the tears from the lachrymal sac to the nose.

**Ductus Omphalomesenter'icus**. Duct leading from the umbilical vesicle to the intestine in the human ovum, and becoming afterward a constituent of the umbilical cord.

**Ductus Pancreat'icus**. The pancreatic duct.

**Ductus Saliv'aris Inferior** (*ductus Wharton'ianus*). The excretory duct of the submaxillary gland.

**Ductus Saliv'aris Superior** (*ductus Stenon'ianus*). The excretory duct of the parotid gland, which opens into the mouth opposite the upper second molar tooth.

**Ductus Stenon'ianus**. The Stenonian or parotid duct.

**Ductus Thorac'icus**. Thoracic duct.

**Ductus Umbilic'alis**. Umbilical cord.

**Ductus Urin'ae**. The ureter.

**Ductus Veno'sus** (*canalis venosus*). A venous canal, forming in the fetus a communication between the umbilical and left hepatic veins. It becomes obliterated after birth.

**Ductus Whartonian'us**. Called so after the name of its discoverer. The excretory duct of the submaxillary gland.

**Ductus Wirsungianus**. The pancreatic duct.

**Dulcedo Saturni**. White lead.

**Dulcedo Sputatorum**. A term applied by Frank to that form of phylisium in which the saliva has a sweetish or unwhisk taste.

**Dulcification** (*dulcificatio*; from *dulcis*, sweet, and *facio*, to make). A term applied to the act of mixing mineral acids with alcohol for the purpose of diminishing their caustic and corrosive properties.

**Dumaine'**. An empyreumatic oil obtained by rectifying acetous derived from the acetates.

**Dumb'ness**. Aphonia. Inability to utter articulate sounds.

**Du'mone**. Bushy.

**Duodeni'tis**. Inflammation of the duodenum.

**Duode'mum** (from *duodeci*, twelve; so called because it was supposed it did not exceed the

breadth of twelve fingers). The first part of the intestinal canal.

**Duo-ster'nal**. A name given by Becard to the second lobe of the sternum.

**Du'plicature** (*duplicature*; from *duplex*, double, twofold). In *Anatomy*, a reflexion of a membrane upon itself.

**Du'ra Ma'ter** (*dura mater*; from *durus*, hard). A thick, semi-transparent, sero-fibrous membrane, of a pearly-white color, which invests the brain, lines the cranium, and continues on the spinal marrow.

**Dutch Gold**. An alloy of copper and zinc.

**Dutch Mineral**. Copper lichen cut into very thin leaves.

**Dwale**. The dusky nightshade. See *ATROPA BELLADONNA*.

**Dwarf** (*nanus*). An animal or plant whose average height is greatly inferior to the species to which it belongs.

**Dyes**. Coloring matter obtained from vegetable substance.

**Dynam'ic** (*dynamicus*; from *dynamis*, strength, power). In *Biology*, that which relates to the vital forces, increased action or force, and used in contradistinction to *edynamic*. In *Pathology*, synonymous with *sthenic*.

**Dynam'ics**. The science of motion; or a treatise on the laws and results of motion.

**Dy'namic**. A power or faculty.

**Dynamo**. A machine consisting of a coil of wire containing wrought-iron cores which is placed before a permanent magnet. The rapid rotation of the coil generates powerful currents of electricity. Such machines are used for electric lighting and heating. By reversing the arrangement and leading a current into the coils of wire a rotation is caused, establishing a principle upon which is based the dental electric motors for rotating drills, burs, and giving motion to pluggers.

**Dynamo-electricity**. The electricity generated by the use of dynamo.

**Dynamo'graph**. An instrument to record muscular strength.

**Dynamom'eter**. An instrument for measuring the comparative muscular power of man and animals, or of man or animals at different periods and in different conditions.

**Dyne**. In *Electricity*, the unit of force.

**Dys-** (from *δύς*, difficult, faulty). Used as a prefix, and often signifying painful. In ordinary cases it implies negation, as *dysence*, want of hearing.

**Dyssthe'sia** (from *δύς*, with difficulty,

and *carbamoyl*, I feel). Diminished availability  
or abolition of the source.

**Dysmethe'sia.** A term used to designate an order of diseases characterized by an impairment or extension of one or all of the senses.

**Dysmenorrhoea.** Difficulty of expectoration on account of viscosity of the mucus.

**Dysmenorrhoea's.** Diminished absorption.

**Dyscatalase's.** Difficult degradation.

**Dyscystopoda.** Difficulty of swallowing fluids.

**Dyschezia.** Difficult and painful defecation.

**Dyschromia** (from *dys*, and *chroma*, color).  
Morbid change in the color of the skin.

**Dyscines'ia** (from *dys*, with difficulty, and *cinē*, I move). Loss or difficulty of motion, as in the case of rheumatism or paralysis.

**Dyscophonia** (from *δύσ*, with difficulty, *σῆμα*, I am deaf). Impairment of the sense of hearing.

**Dysco'ria** (from *δύς*, and *οὐρα*, the pupil).  
Irregularity of the pupil.

**Dyscrasia** (from *dis*, and *crasis*, temperament). A bad temperament or habit of body.

**Dysacus's** (from *δυ*, and *ακου*, bearing).  
Deafness: hard of hearing.

**Dysmenorrhea.** Painful and ineffectual efforts at vomiting.

**Dysentery** (*dysenteria*; from *dys*, with difficulty, and *enteron*, intestine). Bloody flux; diarrhea attended by excretion of blood. Inflammation of the large intestine, fever, and painful tenesmus. The stools are mostly mucous, sometimes streaked with blood, and mixed with hard substances called scybala.

**Dynepulot'ic** (*dynepulotēs*; from *dyn*, and *evalein*, to electrify). Applied in Pathology to a place difficult to be healed.

**Dysgonēsia** (from *dys* and *gonēsis*, generation). Lesion of the functions or organs of generation.

**Dysgeusia** (from *δυσ*, and *γεύω*, taste). A morbid condition or impairment of the sense of taste.

**Dyshaemia** (from *dy*, and *haima*, blood).  
 Debased condition of the blood.

**Dyskhamorrhoea** (from *δυσ*, with difficulty, *αμα*, blood, and *ρηναι*, to flow). Difficulty in the flow of blood. Difficulty in the hemorrhoidal flux. Also symptoms caused by its distribution or extension.

**Dysæsthesia** (from *dys*, and *æsthe*, touch).  
Impairment of the sense of touch.

**Dyspnoea** (from *dy*, and *σπνσς*, sweat).  
Morbid condition of the respiration.

**Dyslalia** (from *δys*, and *λαλία*, speech).  
Difficult or indistinct articulation of words.

**Dysly'sin.** A resin obtained by decomposing chalcidic acid with dilute hydrochloric acid and alcohol.

**Dysmastic's** (from *dis*, and *mastic*, mastication). Difficult mastication.

**Dysmenorrhoea's** (from *dys*, and *menstron*, the menses). Difficult or retarded menstruation. Catamenia passed with great local pain and sometimes with a membranous discharge.

**Dysmnē'sia** (from *dy*, bad, and *mnēmē*, memory). Impaired or defective memory.

**Dyso'dia** (*dreaded, fear*). Diseases attended with cold emanations.

**Dysodonti'asis** (from *dog*, with difficulty, and *odontic*, dentition). Difficult dentition.

**Dysopia** (from *dry*, with difficulty, and *opsis*, I see). Defective vision. Inability to see except in an oblique direction.

**Dysorexia** (from *dys*, with difficulty, and *orexis*, appetite). Deprived appetite.

**Dysosmia** (from *dys*, with difficulty, and *osm*, smell). Diminished sense of smell. Unpleasant field odor.

**Dysosphresia** (from *dys*, with difficulty, and *osphresis*, the sense of smell). An impaired condition of the sense of smell.

**Dysostosis** (from *dys*, and *osteo*, a bone). A faulty conformation or diseased condition of bone.

**Dyspepsia** (from *δύς*, with difficulty, and *πέψις*, I concoct). Indigestion. Weak or impaired digestion; a disease consisting, usually, of a want of appetite, eructations, pyrosis, a painful burning sensation, and transient distention in the region of the stomach; sometimes accompanied by flatulence and frequently by constipation of the bowels or diarrhoea, together with a long train of nervous symptoms and other discreditable concomitants.

**Dysphagia** (from *δύσ*, with difficulty, and *φαγέω*, I eat). Difficult or impeded deglutition.

**Dysphagia Constricta** (*dysphagia pharyngea*; *dysphagia esophagea*). Stricture of the oesophagus or pharynx.

**Dyspho'nia** (from *δύς*, and *φωνή*, the voice). Alteration in the state of the voice; difficulty in the pronunciation and articulation of sounds.

**Dyspho'ria** (from *δύς*, and *φέρω*, to bear). The restlessness and anxiety which accompany many diseases.

**Dyspnea**'s (from *δύσ*, with difficulty, and *πνέω*, I breathe). Difficult respiration; shortness of breath.

**Dyspnea Convulsiva**. Asthma.

**Dysthet'ica** (from *δυσήτης*, a bad state of body). A bad habit of body.

**Dysthym'ia** (from *δύσ*, with difficulty, and *θύμω*, mind). Depondency of mind. Melancholy.

**Dysto'chia** (from *δύσ*, and *τοκεῖν*, to encheimer). Difficult parturition.

**Dystaschia'nia** (from *δύσ*, and *τάσσειν*, order). A vicious disposition of the eyelashes.

**Dyston'ia** (from *δύσ*, and *τῶν*, tone). Morbid condition of the tone of a tissue or organ.

**Dystroph'ia** (from *δύσ*, difficult, and *τροφή*, nourishment). Imperfect or faulty nourishment.

**Dysu'ria** (from *δύσ*, with difficulty, and *οὐρῶν*, urine). Difficulty of voiding the urine.

**Dys'ury**. The same as *Dysuria*.

## E.

**E-, or Ex-**. Latin prefix signifying out or out of.

**Ear** (*auris*). The organ of hearing, which is divided into *external*, comprehending the auricle and *middle* and *internal* external; *middle*, which includes the tympanum and its connections; and the *internal*, which includes the semicircular canals, cochlea, vestibule, and whole labyrinth.

**Ear, Inflammation of**. Otitis.

**Earache**. Otitis.

**Earth**. In *Chemistry*, the earths are certain metallic oxides, of which there are nine—namely, baryta, strontia, lime, magnesia, silicium, glucina, alumina, yttria, and thorina.

**Earth, Aluminous**. Alumina or clay.

**Earth, Bolar**. Argillaceous earth of a pale but bright-red color. See *BOLX*, *ARMENIAN*.

**Earth Closet**. An arrangement by which the deodorizing properties of dry earth are made use of to destroy the odor of feces. Used in the sickroom more especially.

**Earth, Fuller's**. Cimolia porpureusca.

**Earth, Heavy**. Baryta.

**Earth, Japan**. See *ACACIA CATECHU*.

**Earth of Bones**. Phosphate of lime.

**Earths, Absorbent**. Earths with the property of neutralizing acids, as magnesia, chalk, etc.

**Ear-trumpet**. An instrument used by persons partially deaf for collecting and increasing the intensity of sound.

**Ear-wax**. Cerumen aurium.

**Eau**. The French name for water.

**Eau de Cologne**. Cologne water; a perfume made of alcohol and essential oils, originally

prepared at Cologne. Often used in headache, fever, as an evaporating lotion, etc.

**Eau de Lucs**. Marcinated spirit of ammonia.

**Eau de Vie**. Brandy.

**Ebe'num** (*ebena*). Ebony.

**Eb'lanis**, or **Eb'lanine**. Pyroxanthin, a substance obtained from raw pyroxyle spirit.

**Ebr'ety** (*ebrietas*; from *ebrius*, intoxicated). Intoxication by spirituous liquors.

**Ebullition** (*ebullitio*; from *ebullire*, to boil). The motion of a liquid by which it gives off bubbles of vapor produced by heat or fermentation, boiling.

**Ebur**. Ivory.

**Ebur Ustum Nigrum**. Ivory black.

**Eburnated** (from *ebor*, ivory). A term applied to dentine in which the dentinal tubuli have been obliterated by calcareous deposit within their walls.

**Eburnation** (from *ebor*, ivory). The increase of the earthy constituents of bone, resulting in greater size and density; the conversion of bone into a hard, ivory-like mass.

**Eburnification** (*eburnatio*; from *ebor*, ivory, and *facere*, to be made). An incrustation of the articular surfaces of bones with phosphates of lime, which gives them the hardness and whiteness of ivory. It attends the latter stage of cachexia.

**Echo'lie** (from *εχολή*, to expel). In *Materia Medica*, medicines calculated to facilitate the expulsion of the fetus in difficult parturition or to cause abortion.

**Eccath'ricus**. Cathartic.

**Eccen'tric**. A way from the centre; irregular; odd.

**Ecephale'sia.** Ophthalmotomy.

**Echely'sia.** Expectoration.

**Echle'ma.** An extract.

**Ec'hyma.** Ecchema.

**Ec'hymo'ma** (from *ex*, out of, and *χυμος*, juice). Ecchymosis.

**Ecchymoma** Arterio'sum. False aneurism.

**Ec'hymo'sia** (from *ex*, to pour out). A black or blue spot occasioned by an extravasation of blood into the areolar tissue from a contusion. A bruise. Spontaneous effusions occurring from disease or after death are called *suppurations*.

**Ec'hysia.** Effusion.

**Ec'h'sia.** A laxation.

**Eccondro'ma** (from *ex*, and *χονδρος*, cartilage). Eccondroma. A tumor originating in cartilage.

**Ec'copia.** Excision of any part: also a perpendicular division of the cranium by a cutting instrument.

**Ecocopro'sia** (from *ex*, and *σκαπος*, excrement). Defecation.

**Ecocopro'tic** (*ecoproticus*; from *ex*, and *σκαπος*, excrement). Laxatives which simply remove the contents of the alimentary canal.

**Ecortol'ogy** (*ecortologia*; from *excoria*, I separate, and *λογος*, a discourse). A treatise on the secretions.

**Ec'crisia.** Excretion of any kind.

**Ecort'ica.** Diseases of the excrement function. Also medicines that act on the secretions.

**Ec'cye'sia** (from *ex*, and *σμερ*, gravidity). Extra-uterine fixation.

**Ec'cyllo'sia** (from *ex*, and *κύλλω*, to turn round). A disease of evolution or development.

**Ec'demic** (from *εχθρος*, away from home). Disease originating in a distant locality.

**Ec'dora** (from *ex*, and *δωρ*, I flay). Excoriation, especially of the nethers.

**Ec'doria.** That which excoriates.

**Ec'dysis.** Moulting. Desquamation.

**Ec'hetro'sia.** White leprosy.

**Ec'hinococ'cus** (from *εχινος*, a hedge-hog, and *συσ*, a cyst). A genus of hydatids or cystic animals; one of the species is said by Rudolphi to infect the human subject.

**Ec'hinophthal'mia** (from *εχινος*, a hedge-hog, and *οφθαλμος*, an inflammation of the eye). Inflammation of the eyelids, characterized by projection of the eyelashes.

**Ec'hinochys'chus** (from *εχινος*, a hedge-hog, and *χυς*, a beak). A genus of intestinal

worms of the order Acanthocephalæ. One species, the *echinochylus bicornis*, has been found in the human subject.

**Eclampsia** (from *εκλαμψις*, vivid light). A term applied in *Pathology* to the appearance of flashes of light before the eyes occurring in some diseases; also to the epileptic convulsions of children and to puerperal convulsions. Eclampsia is considered to be one of the most active and prolific of the nervous diseases affecting the development of the teeth, owing to the close connection of the nervous system and nervous tissue with the teeth.

**Eclect'ic** (*eclecticus*; from *εκλεγω*, I select). A class of physicians who select from all sects in medicine.

**Ecleg'ma** (from *εκλεγω*, to elect). A pharmaceutical preparation of a soft consistence and a sweet flavor; a linctus.

**Ec'lysis** (*eclysis*; from *εκλυω*, I loosen). Faintness; prostration of strength.

**Econ'omy** (from *οικον*, a house, and *νομος*, I rule). In *Animal Physiology* the assemblage of laws which govern the organization of animals.

**Ecp'hly'sia.** Vesicular eruption. A generic term, including herpes, eczema, pompholyx, and mpia.

**Ecp'hract'ic** (*ecp'hracticus*; from *εκφρασσω*, to remove obstructions). Deobstruent.

**Ecp'hro'sia.** Insanity; melancholy.

**Ecp'hyma.** A cutaneous excrescence, as a wart, corn, pyramula, &c.

**Ecp'hys'e'sia** (from *εκφυσω*, to blow). hurried respiration, as of a person out of breath.

**Ec'p'hysia.** Asphyxia.

**Ec'ples'ma** (from *εκπιω*, I press out). In *Surgery*, a fracture of the skull, with depression of the bone.

**Ec'ples'mos** (from *εκπιω*, I press out). Protrusion of the eye from an influx of humors without increase of its volume.

**Ec'p'lixia.** A stupor from fright.

**Ecpto'ma.** Erythema. A falling down of any part; applied to luxations, expulsion of the secondaries, falling off of gangrenous parts, avulsed hernia, and prolapsus uteri.

**Ec'pyc'tica.** See INCRAMENTIA.

**Ec'pye'ma** (from *ex*, out of, and *πυρ*, pus). Suppuration; an abscess; a collection of pus.

**Ec'pye'sia** (from *εκπυω*, to suppurate). Epyema. A generic term for suppurative diseases of the skin.

**Ec'pye'tic.** Suppurative; promoting suppuration.

**Ecraseur** (French. From *écraser*, to crush). A loop of steel chain tightened by a screw, used for removing piles, polypi, or malignant growths.

**Ecreg'ma**. In *Pathology*, a segment or rough fragment. Also an eruption or pustule.

**Ecrex'is**. Rupture; laceration, especially of the vulva or womb.

**Ecrhyth'mos** (from *is*, out of, and *ecrhyth-*, rhythm, irregular). In *Pathology*, irregular pulse.

**Ec'rysis** (from *ecryu*, I ran from). A discharge.

**Ecarco'ma** (from *ex*, out of, and *carc*, flesh). A fleshy excrescence, or sarcoma.

**Ec'stasis** (from *ekstasis*, I am beside myself). An ecstasy. A total suspension of sensibility and voluntary movements, with retarded vital action.

**Ec'stasy**. *Ecstasis*.

**Ecstat'ic Trance**. *Catlepsy*.

**Ec'tasia**. Extension; expansion; distention or dilatation of a part.

**Ecstasis I'ridis**. That expansion of the iris which occasions dilatation of the pupil.

**Ectex'is**. Emaciation. Chillsquation.

**Ecthim'ma**. Chafing or excoriation produced by external violence.

**Ec'thyma** (from *ekthyma*, I break out, as heat, etc.). A cutaneous eruption of large, round, and distinct pustules, inflamed at their bases. They are seldom numerous, and appear most frequently upon the extremities, neck, and shoulders. Three species are noticed—namely, *ecthyma vulgare*, *ecthyma infantile*, and *ecthyma luridum*.

**Ectillot'icus**. Having power to pull out. Applied to that which exfoliates corns or hairs, as a depilatory.

**Ec'toblast** (from *ecare*, without, and *blast*, a germ). The envelope of a cell.

**Ec'toderm**. See *HELIOTHEISM*.

**Ec'tomis**. Excision; amputation of any part.

**Ectop'is** (from *ectopis*, out of place). Morbid displacement of any part; luxation.

**Ectopia A'ni**. Prolapsus ani.

**Ectopia Cor'dis**. Displacement or unnatural position of the heart.

**Ectoso'on** (*ectos*, without, and *so'on*, an animal). *Ectosoa*. Parasitic insects, as fleas, that infest the surface of the body, differing from entosoa found within the body.

**Ectrim'ma**. In *Pathology*, ulceration of the

skin, especially of those parts of the body in contact with the bed after long confinement.

**Ectro'plum** (from *ectro*, to avert). *Ectropion*. Eversion of the eyelids so that the inner surface is turned out.

**Ectro'sis**. *Ectroma*. Miscarriage; abortion.

**Ectrot'ic**. That which is calculated to cause abortion. Applied, also, to the treatment of disease, or to that line of treatment which destroys at once the morbid action without giving it a chance to involve the economy.

**Ec'zema** (from *eczu*, I boil out). Heat; eruption. An eruption of small vesicles, thickly crowded together, on the skin or mucous surfaces, and usually attended with the discharge of serum.

**Eczema Marcaris'is**. *Eczema rubrum*. Eczema caused by the irritation of mercury.

**Eczema of the Face**. This sometimes occurs in advanced age and in young children; called *crusta lactea* and *parigo larvalis*.

**Eczema of the Scalp**. *Eczema capitis*. Scald head. It occurs during dentition, and also afterward, and the discharge is very profuse. After a time the secretion dries into crusts and mats the hair into small separate tufts. The scalp shows signs of inflammatory excitement, and the lymphatic ganglions of the neck are liable to become inflamed and to suppurate.

**Edenta'ta**. *Edentals*. The name of an order of mammals characterized by the absence of the incisor, and, generally, of the cuspid teeth.

**Edenta'tion** (from *e*, without, and *dens*, tooth). A deprivation of teeth.

**Eden'tulous** (*anedentous*; *anedous*; *edentulous*; from *e*, and *dens*, *dentis*, a tooth). Without teeth; one who never had teeth or one who has lost his teeth. The causes which most frequently give rise to the loss of the teeth are caries and chronic inflammation of the gums and periodontal membranes. See *CARIES OF THE TEETH*, and *GUMS, DISEASES OF*.

Although it is impossible completely to remedy this defect, yet to such a high state of perfection has the prosthesis of these organs been brought that their loss is now replaced with artificial substitutes which subserve a most valuable purpose. See *ARTIFICIAL TEETH*.

**Edes**. Amber.

**Ed'ible** (from *edibilis*, eatable). Good and nourishing food.



**E'fic.** Iron.

**E'xerc'ation, Phys'ical.** The trudging of the body in such exercises as are calculated to give strength, vigor, and health to all of its organs.

**E'xtr'ac't (ex'terac'tus).** Medicines which are supposed to deprive fluids of their astringency.

**E'xtrac'tion (ex'terac'tio).** The art of rendering substances mild, either by the affusion of water for the removal of their saline and other disagreeable qualities, or by the addition of mochanine matter.

**E'ffluent (effluens; from effere, I carry, I transport).** Applied to vessels which convey fluids from glands, as the *vein effluens*, which carry lymph from the lymphatic glands to the thoracic duct, and to nerves which convey the nervous influence from the nervous centres to the circumference.

**E'fferves'cence (effervescentia; from effervere, to boil over, to ferment).** In *Chemistry*, the commotion produced by the escape of gas from a liquid at the ordinary temperature of the atmosphere. In *Human Pathology*, a supposed ebullition of the blood or other fluids, produced either by elevation of temperature or the action of the principles contained in them on one another.

**E'fferves'cing Draught.** A carbonated beverage, used sometimes as a vehicle for saline medicines. Dissolve a scruple of carbonate of soda or potash in an ounce of water; mix two drachms of cinnamon water with a drachm and a half of syrup of orange peel; add to these a tablespoonful of fresh lemon juice, and drink the mixture immediately.

**E'ffete' (effetus).** Impoverished; worn out; useless.

**E'f'f'le.** Freckles.

**E'ffluen'cence (effluens; from effervere, to blow, as a flower).** In *Chemistry*, the spontaneous conversion of a solid into a pulverulent substance; or the formation of small crystals on the surface of certain crystalline bodies, occasioned by the loss of a part or the whole of their water of crystallization. In *Medicine*, act of sweating. In *Pathology*, acute exanthemata.

**E'fflu'via (effluvia; from effere, to flow out).** An exhalation, generally noxious or disagreeable; impalpable emanation.

**E'fflux'ion.** Abortion during the first three months of pregnancy.

**E'fract'ure.** Fracture of the cranium with much depression.

**E'ffu'sion (from effunde, to pour out).** In *Pathology*, extravasation of a fluid into a visceral cavity or into the cellular tissue.

**E'gries.** An excretion.

**E'ges'ta (from egere, to carry out).** The expulsion of feces from the healthy body. The excretions; waste materials from the body.

**Egg.** The ovum of birds and oviparous animals.

**Egroph'onic.** Pertaining to egophony.

**Egroph'ony (egophonia; from ege, a goat, and onos, the voice).** Goat's voice. Applied by Laennec to the human voice where it gives through the stethoscope a clear and acute sound, resembling the voice of the goat, and which is regarded as indicative of moderate effusion into one of the pleura.

**Eg'regor'ia.** Morbid watchfulness.

**Eighth Pair of Nerves.** See PNEUMOGASTRIC.

**Elami'des.** The meninges or membranes of the brain.

**Ele'm'a.** A painful convulsion of the intestines or tormina produced by flatulences. Also used by Vogel to express a fixed pain in the intestines, as if a nail were driven into the part.

**Ele'm'on.** The ileum.

**Ele'm'os.** Ileus.

**Elol'des.** A dermoid tumor; coils of skin like folds of intestine; convoluted.

**E'lanthe'm'a.** Eruption on a mucous membrane, such as aphthae.

**Ela'bole.** The urtica of a disease or of a particular paroxysm. Also injection.

**E'lep'nos.** Inspiration of air.

**E'jacula'tion (ejaculatio; from ejaculare, to cast out).** The act by which the semen is darted through the urethra.

**E'jac'ulato'y (ejaculator).** Concerned in the ejaculation of the semen.

**E'jaculato'y Ducts.** The vessels which convey the semen to the urethra.

**E'jec'tion (ejectio; from ejicere, to throw out).** Excretion of the feces, urine, etc.

**E'labo'ration (elaboratio; from e, and laborare, to work).** In *Physiology*, the various changes which assimilative substances undergo, through the action of living organs, before they become subservient to nutrition.

**E'limon'e'ter.** A delicate glass hydrometer for estimating the purity of oils.

**E'le'm'on.** Oil.

**E'le'moph'anes (from e'le'm'on, oil, and phanai, I appear).** Having the appearance of oil.

**Elaïd'ine.** A substance resulting from the action of nitrous acid upon olive, almond, and some other oils. It resembles stearine.

**Ela'in** (from *elaine*, oil). Oleine. The oily principle of solid fats and oils.

**Elaïd'ic Acid.** One of the compounds resulting from the saponification of castor oil. Oleicetic acid.

**Elaïom'eter.** An instrument for detecting the adulteration of olive oil. In pure olive oil it floats at 50°, and the space between 0, or zero, and 50° is divided into fifty equal parts and numbered accordingly.

**El'æolite** (from *elæus*, oil, and *lithos*, stone). A mineral of a brittle, crystalline texture, greasy lustre, grayish, greenish, or reddish shade, composed of silica, alumina, and potash.

**Ela'stic** (*elasticus*; from *elastor*, limplion, itself from *elastu*, to inspire, to push). Endowed with elasticity. Belonging to the original form when bent from the same by force.

**Elastic Bandage.** An India-rubber bandage exerting compression on a part or forcing parts into new positions, as in regulating the arrangement of teeth.

**Elastic Fluid.** A gas.

**Elastic Gum.** Caoutchouc.

**Elastic Tissue.** A variety of connective tissue, some of the ligaments of which have elastic properties.

**Ela'sticity** (*elasticus*, elastic). The peculiar solid material of the elastic tissue.

**Elastic'ity.** A property in bodies which restores them to their original form after having been made to deviate from it by external force.

**Ela'stin.** An albuminous substance which is the fundamental element in elastic tissue. It yields tyrosin and leucin.

**Ela'terin** (*elaterin*). A crystallizable substance found in the juice of elaterium. It is distinct from elatin.

**Ela'terium.** A substance deposited from the juice of the wild cucumber. See MUMON-NUA EI-ATKEI'UM.

**Ela'tin.** The active principle of elaterium.

**El'bow** (from *el* and *bent*). Applied to the articulation of the arm with the forearm, and especially to the projection formed by the ulna.

**Elco'sis** (from *elcus*, an ulcer). Ulceration. Applied by Sauvages to cancerous diseases attended with fetid, carious, and chronic ulcers.

**Eld'er.** *Sambucus.* An undershrub.  
**Elder, Dwarf.** *Sambucus cœules.*

**Elecam'pane.** The popular name of the Indian helentum (which see).

**Elect'ive Affin'ity.** See AFFINITY, ELECTIVE.

**Elect'ric.** Relating to or containing electricity.

**Electric Attraction.** The attraction which exists between certain electrified substances, as glass, amber, sealing-wax, sulphur, and other light bodies.

**Electric Aura.** The current or breeze produced by the discharge of electricity from a highly-charged conductor. It has sometimes been employed as a mild stimulant to delicate parts, as the eye.

**Electric Fishes.** A term applied to certain fish, the species of the class *Pisces*, which have the power of discharging the electric shock.

**Electric Friction.** The irritating action produced by the reception of sparks from a person in the electrical bath through flannel.

**Electric Repul'sion.** The repulsion of light bodies from certain electrified substances after having come in contact with them.

**Electric Shocks.** The partial and rapid convulsions produced by the sudden administration of a large amount of electricity from the Leyden jar or other apparatus.

**Electric Units.** See AMPERE, COLUMB, OHM, VOLT, WATT, DYNE, FARAD, ECG, VOLT-AMPERE, UNIT OF CURRENT, VOLT-COULOMB, WEHRE, JOULE, MILLIAMPERE, (1 G. S. SYSTEM), UNIT MAGNET POLE, MEGALERO, MINIVOLT, MICRO-COLUMB, MICRO-FARAD, MICROVOLT, UNIT OF WORK.

**Elect'rical.** Pertaining to or containing electricity.

**Electrical Battery.** A number of Leyden jars placed in a box lined with tin foil and communicating with one another by means of metallic rods.

**Electrical Column.** A species of electrical pin consisting of thin plates of different metals, arranged in pairs, with paper between them.

**Electrical Diffusion.** See CATAPHORESIS.

**Electrical Machine.** A mechanical contrivance, consisting of a round plate or cylinder of glass, made to revolve upon its axis, and pressed during each rotation by a cushion of leather covered with silk and smeared with an amalgam of tin and zinc. There is also attached to the machine the prime conductor, usually made of brass and sustained by one or

more glass lags. The end nearest the glass plate or cylinder is furnished with a number of small wires, which come in such immediate proximity with it that the electric condition of the one is immediately transferred to the other.

**Electrical Mouth-lamp.** An incandescent electrical lamp, the current supplied by two or three cells of a Bunsen or a small Leclanché battery, and regulated by a resistance coil in the handle, which facilitates ready adjustment of the current. It is employed to determine the condition of the teeth. By placing the bulb of the lamp within the mouth and against any part of the surface of the cheeks or lips, and the patient being in a dark room, the presence of pus or other deposits and the existence of decay in the teeth can be detected by the opacity produced as contrasted with the translucency of the healthy tissue.

**Electrical Osmosis.** See CATAPHORESIS.

**Electricity** (*electricitas*; from *ἤλεκτρον*, amber, the substance in which it was first discovered). A subtle fluid or principle which certain bodies exhibit, either naturally or when subjected to the action of various excitants, or by friction, causing them to attract or repel light bodies, emit sparks or streams of light, and to produce involuntary muscular contraction in the bodies of animals when it is made to pass through them. Also the science which treats of the phenomena of electricity. There are three kinds of electricity: *Frictional electricity*, *galvanism*, and *magnetism*.

Medicinally, electricity is used as an excitant, and has been employed with success in paralysis, rheumatism, deafness, anæmia, etc. It may be communicated by means of the electric bath, by points, sparks, or by shocks, according to the intensity required.

**Electricity, Animal.** See GALVANISM.

**Electricity, Static.** Electricity produced by friction.

**Electricity, Voltaic.** Galvanism.

**Electricity.** To charge with electricity.

**Electrization.** The medical application of electricity.

**Electricity's, Harrington's.** Plates of copper and zinc, or silver and zinc, employed for medicinal purposes.

**Electro-biology.** The science of the electrical relations and laws of organic beings.

**Electro-caustery.** Caustery by means of electricity; *galvano-caustery*.

**Electro-chemical Action.** Chemical

action or changes induced by electrical arrangement.

**Electro-chemistry.** That branch of science which treats on the application of electricity as a chemical agent. The science of the inter-relations and laws of electricity and chemistry.

**Electro-contraction.** The contractile response of a muscle to the electric current.

**Electrode.** In electro-chemical action the electrodes are the surfaces by which electricity passes into or out of other media; in other words, the ways or roads along which the electric current or fluid passes. A device by means of which electricity is made to pass into or out of the body. The terminal pieces attached to the conducting cords of an electric battery.

**Electro-deposit Plates.** See WARD'S ELECTRO-METALLIC DEPOSITES.

**Electro-dynamics.** The science treating of the effects or phenomena of electricity in motion.

**Electro-force.** The potential, or tension of a current.

**Electrogenesis** (*ἤλεκτρον*, amber, and *γενε*, to be born). The production of electricity. The results, after withdrawal, of the application of a current of electricity to the spinal cord, a nerve, or a part.

**Electrogenic** (*ἤλεκτρογενε*). Pertaining to electrigenesis.

**Electrology** (*ἤλεκτρολογία*; from *ἤλεκτρον*, amber, and *λογ*, a discourse). A treatise on the science of electricity.

**Electrolysis.** Chemical decomposition of bodies by electricity. The change that is effected by the passage of an electric current to such a degree as the electricity exhibits itself.

**Electrolyte.** A substance undergoing direct decomposition by the action of the electric current.

**Electrolytic.** Of or pertaining to decomposition effected by electricity.

**Electro-magnet.** A temporary magnet made out of a piece of soft iron by passing an electric current through it.

**Electro-magnetic Apparatus.** An apparatus by which a current of electro-magnetism is excited. A convenient form consists of a battery of six curved permanent magnets and an intensity armature around whose cylinders 1500 yards of fine insulated copper wire are coiled. The ends of the wire communicate respectively with a pair of directors, each of which holds a piece of sponge dipped in vinegar or a

solution of common salt. When the armature is rotated and a portion of the body is interposed between the directors, a succession of shocks is received. It has been used in paralysis, etc.; also as a local anesthetic. See **BATTERY**.

**Electro-magnetic Battery.** See **BATTERY**, **GALVANIC**.

**Electro-magnetism.** Magnetism produced by an electric current.

**Electro-massage.** Massage combined with electricity.

**Electro-metallic Dentures.** See **WARRIUM**, **ELECTRO-METALLIC DENTURE**.

**Electro-metalurgy.** The electro-deposition of metals, various forms of batteries being used, such as Housen's, Mance's, and Wollaston's.

**Electrometer.** An instrument for measuring the force of electricity, especially static electricity.

**Electro-motive.** Pertaining to the mechanical or motor effects of electricity.

**Electro-motive Force.** The force by which electricity overcomes the resistance of a conductor and transfers its manifestations from one part of the latter to another.

**Electro-muscular.** Pertaining to the action of electricity upon muscles.

**Electro-negative.** Electric and negative.

**Electro-pathology.** The diagnosis of a disease by the aid of electric irritation.

**Electrophorus.** An instrument invented by Volta for collecting weak electricity, consisting of a flat cake of resin and a disk of metal of rather smaller diameter, supplied with a glass handle; used in electrical experiments to show the generation of electricity by induction.

**Electro-physiology.** The physiology of the phenomena which have for either cause or result the production of electricity in the body. The study of electric reactions, properties, and relations of organs and organic tissues.

**Electro-plating.** The art of cutting articles of cheap metals with a thin covering of gold, silver, etc., by the action of the electric current.

**Electro-polar.** A term applied to a conductor in which one end or surface is positive while the other is negative.

**Electro-positive.** Electric and positive.

**Electro-puncture.** Electrization by needles passed in the tissues.

**Electroscope.** An instrument for deter-

mining the presence and character of static electricity.

**Electro-sensibility.** The impression by electric irritation upon a sensory nerve.

**Electrostatics** (from *electricity*, and *staticus*, *stationary*). The science of static electricity, or that developed by friction and induction.

**Electro-surgery.** The application of electricity for surgical operations.

**Electro-thanasia.** Death by electricity.

**Electro-therapeutics.** The employment of electricity as a therapeutical agent; the induction and galvanic currents are employed.

**Electrotint.** A process by which an engraving may be made by the electrotone from an original painting in thick colors.

**Electrotonus** (from *tonus*, *tension*). The change of condition in a nerve during the application of a current of electricity.

**Electrotype.** The precipitation, by means of a galvanic current, of a metal from a solution upon any metallic object immersed in it. Electrical production of fine-plate metals, etc., on copper.

**Electro-vital.** Pertaining to both electricity and the phenomena of life.

**Electro-vital or Neuro-electric Currents.** Two electric currents supposed to exist in animals—the one external, the other internal.

**Electro-voltaic.** Same as galvanic or chemical electricity.

**Electrozone.** A fluid resulting from sea air salt water subjected to an electrolytic current; an antiseptic and disinfectant.

**Electrum.** Amber; also the name for a mixture of four parts of gold and one of silver.

**Electuarium.** An electuary; a confection.

**Electuarium Cassie.** A confection of cassia.

**Elef'olin.** The granules of the superficial cells of the stratum granulosum of the epidermis.

**Element.** A substance which can not be divided or decomposed by chemical analysis; chiefly metallic.

**Elementary Body.** A body, matter, or element which physical or chemical processes fail to decompose or separate into more than one kind of matter. There are sixty-six elementary bodies, of which fifty-two are metallic.

**Ele'omi.** Amyris elemifera. A fragrant resinous exudation from several species of Amyris.

**Eleopt'ena.** The permanent liquid principle of the volatile oils.

**Elephantinum.** *Apium graveolens*.

**Elephantiasis** (from *elephas*, an elephant). A chronic inflammation of the skin, occurring in warm climates,—as in Africa, the West Indies, Madeira, and the Isle of France,—in which the integument becomes rough, indurated, wrinkled, and scaly, like the skin of an elephant, attended by a diminution and sometimes a total loss of sensibility, the formation of fissures in the skin, ulcerations, etc. This variety is nearly allied to leprosy, if it is not the same disease, and is called *Elephantiasis Græcorum*; also *Lepus Arabum*. Another variety is characterized by the leg being much swollen and misshapen, and thus supposed to resemble that of an elephant. This form is known as the *Elephantiasis Arabum*, *Scurwin*, *Barbados Leg*, etc.

**Elephas.** The elephant; ivory.

**Eletharia.** A genus of plants of the order Zingiberaceæ.

**Eletharia Cardamomum.** The official cardamom, the seeds of which are aromatic and gently pungent when chewed.

**Eleutheria.** Cascarilla bark.

**Elevating Teeth in their Sockets.** It may be necessary to elevate a tooth on account of its not being fully erupted or on account of the fracture of its cutting edge. Dr. C. L. Goddard's appliance is described as follows: On the adjacent teeth cement bands or caps of metal, which are connected by a wire at or near the cutting edge. On the short tooth, as near the gum as possible, cement a wide band which has a hook or pin on both labial and lingual surfaces. From one hook stretch a very slender rubber band or twisted ligature over the wire to the other hook.

**Elevator** (from *elevare*, to lift up). In *Anatomy*, a muscle whose function consists in raising the part into which it is inserted. See **LEVATOR**. In *General Surgery*, an instrument used to raise depressed portions of bone, especially of the cranium, or for the removal of the circle detached by the trephine. In *Dental Surgery*, an instrument sometimes employed in the extraction of roots of teeth. The elevator used in the last-mentioned operation is of a pointed shape, bearing some resemblance to the tongue of a carp, and is hence called by the French *dentiste langue de carpe*. It is flat or slightly concave on one side and convex on the other, attached to a straight or curved shank, according to the fancy of the operator or the part of the jaw on which it is designed to be

employed, and inserted in a large, strong ivory, wood, or pearl handle.

**Elevator Ani.** Levator ani.

**Elevator La'ti Inferio'ris Pro'pria.** Levator labii inferioris.

**Elevator La'ti Superio'ris Pro'pria.** Levator labii superioris alæque nasi.

**Elevator Labio'rum.** Levator anguli oris.

**Elevator Na'si Ala'rum.** See **LEVATOR LABII SUPERIORIS ALÆQUE NASI**.

**Elevator Oc'uli.** Nectus superioris.

**Elevator Pal'pebræ Superio'ris.** Levator palpebræ superioris.

**Elevator Scap'ulæ.** Levator scapulæ.

**Elevator Testic'uli.** The cremaster muscle.

**Elevator Ureth'rae.** The transversus perinei muscle.

**Elevato'rium.** The elevator; a surgical instrument.

**Eliminate.** To set free, to expel, to throw off.

**Elimination** (from *e*, out, and *limen*, household). Excretion; putting forth or out; expelling.

**Eliguation.** Liquefaction. In *Metallurgy*, a process of separating two metals of different fusion points by heating the mixture sufficiently to melt that metal which fuses at the lower temperature, when it runs out, leaving a porous cake of the more infusible metal. The same process is applied to the separation of fusible sulphurets, as that of antimony, from their ores. This operation is sometimes called *levating*. In *Pathology*, coagulation.

**Elizætion** (*eliza*; from *eliza*, boiled, sudden). The act of boiling or seething.

**Elizæ** (generally supposed to be from *eliza*, quiescence). A solution of various medicinal substances, or their active principle, in alcohol. It is analogous to tincture; also a sweetened, aromatic, spirituous syrup.

**Elizæ of Vit'riol and Tan'aln.** A saturated solution which is a powerful astringent and hæmostatic; applied to bleeding surfaces, fungous growths, etc.

**Elizæ Vit'rioli.** Aromatic sulphuric acid.

**Elizætion.** Lixivation.

**Elizæic Acid.** An acid obtained from nutgalls; distinct from gallic and tannic acids.

**Elo'ëes** (from *elos*, a marsh, and *ëos*, resemblance). Marsh fever.

**Elongated or Extruded Teeth.** Teeth sometimes elongate in erupting. A simple method of reduction is to tie a ligature around the necks of the adjacent teeth with the knots

between each and the elongated tooth; then extend one end of each ligature lingually and one labially, and tie the lingual ends together behind the elongated tooth, and in the same knot tie a slender rubber band; tie the labial ends together in front of the elongated tooth; next stretch the rubber band from the lingual surface of the neck over the cutting edge, and tie it to the knot on the labial surface. Another method is that of Dr. William Herriot, which consists in cutting a short and narrow strip from a piece of rubber dam and perforating it in such a manner that when it is in position the crowns of two teeth on either side of the elongated one will protrude through the openings, while the elongated tooth will be partly covered and pressed upon by the intervening portion of the rubber which covers the cutting edge. Another method consists in banding the adjoining teeth with a wire passing from one band to the other across the labial surface of the elongated tooth and another wire passing over the lingual surface; the labial wire is either soldered at one end to a band, the other end resting in a hook on the other band, or both ends of the wire resting in tubes soldered on the labial surfaces of the two bands; a twisted ligature or a slender rubber band is then stretched from the lingual to the labial wire over the cutting edge of the elongated tooth, so as to force it up in its cavity.

**Elongation** (*elongatio*; from *elongare*, to lengthen). In *Surgery*, an imperfect luxation, in which the ligaments are stretched and the limb lengthened. Also the extension required in the reduction of a dislocation or fracture.

**Elutriation** (*elutriatio*; from *elutrio*, to cleanse). In *Chemistry* and *Pharmacy* the separation of the light from the heavy particles of a powder by suspending both in water, allowing the coarser grains to fall and decanting the fine powder.

**Eluvies** (from *eluo*, to wash out). A premenstrual discharge of any fluid; also the fluid itself. Applied sometimes to leucorrhœa.

**Elytratre'sia**. Inflammation of the vagina.

**Elytritis** (from *elytron*, the vagina, and *itis*, inflammation). Inflammation of the vagina.

**Elytrocele** (from *elytron*, the vagina, and *celle*, a tumor). Vaginal hernia.

**Elytroides** (from *elytron*, and *eidos*, resemblance). The tunica vaginalis.

**Elytrea** (from *eluo*, I involve). A sheath;

the vagina. In *Anatomy*, the membranes enveloping the spinal marrow are called *elytra*. In *Zoology*, the coriaceous envelope which sheaths the inferior or membranous wing of coleopterous and orthopterous insects.

**Elytroncus** (from *elytron*, and *cytus*, a tumor). A swelling or tumor of the vagina.

**Elytroplasty**. Operation for the cure of vesico-vaginal fistula, consisting of transplanting skin from the labia or testes.

**Elytropne'sis** (from *elytron*, a sheath, and *pneus*, full). Applied to leucorrhœa and prolapsus vaginae.

**Elytrorrhœ'gia** (from *elytron*, and *pyrrhos*, to burst forth). Vaginal hemorrhage.

**Elytrorrhaphy** (from *elytron*, and *raphe*, a suture). The restoration of the vagina by suture in cases of fissure and prolapsus.

**Elytrorrhœ'a** (from *elytron*, and *rhoi*, to flow). Puslike hemorrhage from the vagina; also a mucus discharged from the vagina.

**Emaciation** (*emaciatio*; from *emaciare*, to grow lean). Wasting of the flesh. The condition of a person who is losing flesh. Becoming lean.

**Emanation** (*emanatio*; from *emanare*, to issue from). A term applied to fluid or gaseous bodies which proceed or originate from other bodies, as light from the sun, odors from plants, and miasms from the decomposition of animal and vegetable substances.

**Eman'sio Men'sium**. Amenorrhœa; usually applied to that form of the disease in which the patient has never menstruated.

**Emasculate** (*emasculatio*). A man deprived of the generative power.

**Emasculatio** (*emasculatio*; from *emasculare*, to render impotent). The act of destroying or removing the male generative organs or testicles.

**Embalming**. The preservation of the dead body by impregnating it with substances capable of preventing it from becoming putrid, and thus preserving it. Among the Egyptians it was usually done by saturating every part with asphaltum.

**Embaum'ma** (from *emballon*, to immerse in). A medical condiment or sauce in which the food is dipped.

**Em'bole**. Reducing a dislocation.

**Embo'lie** (*em, in*, and *bolein*, to throw). Obstruction of an artery or vein from coagulated blood.

**Em'bolism**. The obstruction of an artery and the stoppage of the flow of blood through

it by a part or the whole of a thrombus becoming detached from its point of formation and floating away with the blood-stream to a part where the calibre of the vessel is too small to allow it to pass. The term "embolism," however, is applied to such a condition brought about by anything, whether a thrombus or not. If from an embolus, the clot may become organized or partially absorbed as a result of the organization, and the part of the artery about which it lodges may be reduced to a solid cord. If the embolus contains supple matter, an abscess may form.

**Embolus.** A wedge or stopper. Applied to a clot of blood (embolus) formed in large vessels in certain morbid conditions and afterward forced into a small artery so as to obstruct the circulation.

**Embon'point.** A French word signifying in good condition or in full flesh.

**Embroc'tion** (*embroc'tio*; from *em'bro*, I sprinkle). A fluid application, especially a liniment, to be rubbed on any part of the body.

**Embroche.** Embrocation.

**Em'bryo** (*embryon*; from *em'bro*, I grow). The fetus in utero up to the fourth month of its development. Also the germ of a tooth or of a plant.

**Embryog'raphy** (*embryographia*; from *embryon*, the embryo, and *graphein*, a description). An anatomical description of the embryo.

**Embryol'ogy** (*embryologia*; from *embryon*, and *logos*, an account). A description of or a treatise on the embryo.

**Embryonic.** Pertaining to the embryo.

**Embryot'omy** (*embryotomia*; from *embryon*, the embryo, and *temno*, to cut). In *Obstetric Surgery*, the dismembering of the fetus in utero in order to effect its removal.

**Embryot'ria** (from *embryon*, and *traheo*, to draw). The removal of the dead fetus with a blunt hook.

**Embryot'rous** (from *embryon*, and *traheo*, to draw). The blunt hook forceps for the extraction of the fetus from the uterus.

**Em'ery.** A variety of corundum characterized by extreme hardness. The powder is used for cutting and polishing glass and in the composition of wheels for grinding porcelain teeth.

**Emery Strips.** Strips made of fine emery cloth and employed for cutting down the excess of gold on proximate fillings to the correct shape.

**Emery Wheels.** Wheels varying in thickness from an eighth to three-quarters of an inch, and in diameter from one to nine or ten inches,

composed of asbestos and emery. They are employed in the mechanical laboratory of the dentist for grinding porcelain or mineral teeth. When well made they are preferable to any other grinding wheel, except the corundum, used for this purpose.

**Em'eals** (*em'eis*). The act of vomiting.

**Emetastroph'ia.** Atrophy induced by vomiting.

**Emet'ic** (*emet'ic*; from *emet*, I vomit). A substance capable of exciting emesis or vomiting.

**Emetis.** Tartar. Tartarized antimony.

**Emetis Weed.** *Lebelia inflata*.

**Em'etine** (*emetine*). A vegetable alkali discovered by Rivetier in Ipocuanha, to which it owes its emetic power.

**Em'eto-cathar'tic** (*emeto cathartica*). A medicine which excites vomiting and purging at the same time.

**E. M. F.** Abbréviation for electro-motive force in electro-therapeutics.

**Em'inece** (*eminence*). A projection or protuberance on the surface of an organ.

**Eminen'tia Assula'ria.** The pons varolii.

**Eminen'tia Caudica'tes.** The corpora alba of the brain.

**Eminentia Lenticula'ria.** The corpora striata.

**Eminentia Magna Cereb'ri.** The thalami nervorum optiorum.

**Eminentia Quadrigem'ina.** The talamula quadrigemina.

**Emissa'ria** (from *mittere*, to send or let out). A term applied in *Anatomy* to excretory ducts.

**Emissaria Dura Mat'ria.** The processes of dura mater which accompany the cerebral nerves through the cranial foramina.

**Emissaria Seniori'ni.** The minute veins which communicate with the sinuses of the dura mater through the foramina of the cranium, and may sometimes convey to the exterior the blood circulating within.

**Emis'sion** (*emissio*; from *mittere*, to send out, drive out). The act by which matter of any kind is thrown from the body.

**Emisso'rius.** Emissory; that which conveys any fluid out of the body.

**Emmen'agogues** (*emmenagogue*; from *emmeno*, the menses, and *ago*, I drive or expel). Medicines which promote or favor the discharge of the menses.

**Emmen'ia.** The menses.

**Emmenolog'ia** (from *εμμηνα*, the menses, and *λογος*, a discourse). A treatise on menstruation.

**Emollients** (*emollientia*; from *emollire*, to soften or relax). Substances which soften or relax inflamed parts, as bland oils, fomentations, cataplasms, etc.

**Emol'tion** (*emollitio*). Affection of the mind. Delirium.

**Empathe'ma** (*εμπάθημα*; from *πάθημα*, suffering). Ungovernable passion.

**Empet'ria**. Empiricism; medicine founded exclusively upon observation.

**Em'phlysis** (from *εφ*, in, and *αίσις*, a vesicular tumor or eruption). Vesicular eruption, with a discharge of an acrid fluid, as in asthma, erysipelas, pemphigus, etc.

**Emphrac'ticus** (*εμφρακτικός*; from *εμφραττω*, I close, I obstruct). A medicine which closes the pores of the skin when applied to it.

**Emphrag'ma**. That which obstructs. **Emphragma Lachryma'la**. Fistula lachrymalis.

**Emphragma Saliva're**. Stomach.

**Emphrax'ia**. Obstruction of any cavity or canal.

**Emphy'ma**. A tumor or morbid growth.

**Emphyse'ma** (from *εφύσω*, to inflate). A elastic, crepitant swelling, caused by the introduction of air or other aërial fluid into the cellular tissue.

**Emphysema Abdom'inis**. See **TYMPANITIS**.

**Emphysema of the Lungs**. Infiltration of the intercellular tissue of the lungs with air.

**Emphysema Pec'toris**. See **PNEUMOTHORAX**.

**Empir'ic** (*empiricus*; from *εμπειρα*, experience). Formerly applied to one who, in the practice of physic, followed experience alone, but at present to one who deviates from the course pursued by regular practitioners and vents nostrums. The term is used in nearly the same sense as that of charlatan or quack.

**Empir'icism**. The practice of empirics. Quackery.

**Emplas'ticus**. An emphractic.

**Emplas'trum** (from *επιχρᾶσκω*, I spread upon). A plaster. A solid, glutinous compound which, at the ordinary temperature of the body, adheres to the part on which it is placed.

**Emplastrum Adhæsivum** (*emplastrum resinosum*). Resin plaster; adhesive plaster.

**Emplastrum Adhæsivum Anglicum**. Court plaster.

**Emplastrum Belladon'um** (U. S.). A plaster of belladonna.

**Emplastrum Calefa'ciens** (Dub.). A calefacient plaster.

**Emplastrum Canthar'idie** (Lond.). A plaster of Spanish flies.

**Emplastrum Cantharidis Compositum** (Ed.). Compound plaster of Spanish flies.

**Emplastrum Cere** (Lond.). A wax plaster.

**Emplastrum Diach'yion** (*emplastrum plumbi*). Litharge plaster.

**Emplastrum Epispas'ticum** (*emplastrum cantharidis*). Blistering plaster.

**Emplastrum Opti** (U. S.). An opium plaster.

**Emplastrum Pice** (Lond., Ed., *emplastrum picis compositum*). Compound pitch plaster.

**Emplastrum Plumb'i** (U. S., Lond.). Lead plaster.

**Emplastrum Plumbi Carbona'tis**. Plaster of carbonate of lead.

**Emplastrum Resinæ** (U. S., Lond.). Resin plaster.

**Emplastrum Sapo'nis** (U. S.). Soap plaster.

**Emplastrum Saponis Compositum**. Adhesive plaster.

**Emplastrum Sim'plex** (Ed., *emplastrum cere*). Wax plaster.

**Emplastrum Vesicatore'um** (*emplastrum cantharidis*). Plaster of Spanish flies.

**Empo'rism**. A mart. The linen was formerly so called because all the affairs of the mind are immersed there.

**Empres'ma** (from *εμπρησσω*, I burn within). Visceral inflammation; inflammation of any of the viscera.

**Emprosthot'omos** (from *εμπροσθεν*, forward, and *τομος*, I stretch, I extend). A form of tetanus in which the body is drawn forward.

**Empsycho'ais** (from *εψυχω*, I animate, I vivify). The act of animating. The union of soul and body.

**Empto'ais**. Imbibition. Endosmosis.

**Empty'ais** (from *εμπτω*; to spit out). Hemoptysis; spitting of blood.

**Empye'ma** (from *εφ*, within, and *πυρ*, pus). A collection of pus in the chest, atrium, or other cavity of the body.

**Empye'ais**. Suppuration. A phlegmonous eruption in which the pimples gradually fill with purulent fluid, and, after a while, dry up, leaving thick scabs.

**Empyoc'le** (from *εφ*, in, *πυρ*, pus, and *αἷμα*, a tumor). A tumor of the scrotum formed by a collection of pus.

**Empyom'phalus** (from *εφ*, in, *πυρ*, pus,



and epider, the navel). A suppurating tumor under the navel; umbilical hernia.

**Empyreæ.** Ferulent.

**Empyreæal Air.** Oxygen gas.

**Empyreuma** (from *pyreus*, I kindle).

A peculiar, offensive odor which animal and other substances contract when decomposed by being exposed to heat in a closed vessel.

**Empyreumatic** (*empyreumaticus*). Possessing the qualities of empyreuma, as an empyreumatic smell or taste.

**Empyreumatic Oil.** Oil derived from the destructive distillation of animal matters.

**Emul'gent** (*emulgens*; from *emulger*, to milk out, to draw out). The renal artery and vein are so called because the ancients imagined they strained or milked the urine through the kidneys.

**Emul'sin.** Albumen of almonds.

**Emul'sio.** An emulsion.

**Emulsiō Aca'cia.** Gum Arabic emulsion.

**Emulsiō Amyg'dala.** Almond emulsion; almond milk.

**Emulsiō Camphora.** An emulsion composed of camphor, blanched sweet almonds, refined sugar, and water.

**Emul'sio (emulsiō).** A medicine of a milky-white appearance, composed of oil and mucilage.

**Emulsiō, Almond.** Mixture amygdalæ; almond mixture.

**Emulsiō, Camphorated.** See EMULSIO CAMPHORA.

**Emulsiō of Gum Arabic.** Mucilage of gum Arabic.

**Emul'sivo.** Applied to seeds and to the kernels of nuts which yield oil when pressed.

**Emunct'ory** (*emuncterium*; from *emungere*, to drain off). Any excretory organ of the body or cavity containing fluids to be excreted.

**Emunct'oria.** Cleansing or purifying; applied to washes for ulcers.

**Emundat'ia.** Detergents.

**Emus'mos.** A topical application for arresting hemorrhage by agglutinating the parts.

**Emus'sma** (from *er, in, and asper*, I lift up; that which hangs or floats in). A deposit floating in the urine.

**Emus'sol.** A vitreous substance used for painting on porcelain and glass and for covering metals with various kinds of ornamental work. It is composed of coloring matters which consist of metallic oxides, fluxes of vitrifiable sub-

stances, as silicates, borates, or boro-silicates. See PORCELAIN TEETH.

**Enamel Chisel.** A dental instrument of a chisel shape, with a straight or oblique edge, used for cutting away the enamel and dentine of the teeth.

**Enamel, Cuticle of the.** Nasmyth's membrane. According to Mr. Nasmyth, a delicate membrane which covers the enamel, but so closely united with it that it can be demonstrated only by the use of hydrochloric acid.

**Enamel Organ.** An organ formed in the epithelium of the mucous membrane of the gums of the infant by a dome-shaped involution or projection of the epithelium which dips down into the corium. See TEETH, DEVELOPMENT OF.

**Enamel of Porcelain Teeth.** See PORCELAIN, TEETH.

**Enamel of the Teeth** (*cortex dentis*; *ademantina dentium*; *crusta dentium adamantina*; *substantia vitrea*). A seemingly semi-vitreous substance which covers the crown and extends to the neck of a tooth. It is the hardest of all animal substances, is usually of a pearly, milk-white color, and is extremely smooth and glossy on its surface. Like dentine, it varies in density, being much harder on some teeth than on others; it is thickest on those parts most exposed to friction, as on the protuberances of the molars, the cutting edge of the incisors, and the cusps of the bicusps and cuspids, and is thinnest toward the neck. The structure of the enamel is fibrous, its fibres radiating from the dentine to the surface of the tooth, an arrangement by which immense strength and power of sustaining great pressure are given to it.

In describing the microscopic structure of the enamel of the human tooth, Professor Owen says: "It consists of long and slender, solid, prismatic, for the most part hexagonal, fibres of phosphate, carbonate, and fluoride of lime," which "are essentially the contents of extremely delicate, membranous tubes, originally subdivided into minute, depressed compartments or cells, of which membranes scarcely a trace can be detected in fully-formed teeth. The fibres are arranged closely together, side by side, with occasional narrow, angular fissures or interspaces, which are most common between the ends nearest the dentine; their general direction is perpendicular to the surface of the dentine, where the ends of the prisms are fixed in shallow de-

prominent; the opposite and larger ends form the exposed surface of the enamel; the fibres proceeding to the horizontal masticating surface are, therefore, vertical; the greater number, which are directed to the surface of the crown, are horizontal, or nearly so; every fibre, as a general rule, having, like the tubes of the dentine, that direction which is best adapted for resisting either the external force of mastication or the effect of lateral pressure. Besides the minute pits corresponding with the inner ends of the enamel fibres, the outer surface of the dentine sometimes presents larger depressions. . . . The enamel fibres describe a flexuous course, the curves being much stronger and shorter than the primary curves of the dentinal tubes. The parallelism of the fibres continues over a much smaller extent of any part of the enamel than that of the calciferous tubes in the dentine: in some parts of the enamel they curve in opposite directions to one another, like the vans of a feather. Sometimes the fibres may be traced through the entire thickness of the enamel; where they fall short, and where the larger fibres diverge from one another, shorter complementary ones fill up the interspaces. Each fibre is  $\frac{1}{16}$  of an inch in thickness, and is marked throughout its entire course by faint, close-set, transverse striae. When a section of enamel includes several fibres in its thickness, certain of the overlapping curves intercept a portion of light and occasion the appearance of dusky, brownish waves. Another appearance, more immediately related to the formation of enamel, is produced by lines crowding the enamel fibres, parallel with the outer margin of the enamel, but not always parallel with that attached to the dentine. These lines are not of equal clearness, but are very nearly equidistant, being about  $\frac{1}{16}$  of an inch apart; they are more plainly seen in transverse sections of the crown than in longitudinal sections, and they have the same relation to the fibres of the enamel which the contour-lines of the dentine bear to the calciferous tubes. Without doubt they indicate, in like manner, strata of segments of the fibres and stages in the formation of the substance. Where these strata, which are arranged very obliquely to the vertical surface of the dentine, cross out upon that surface, they occasion those wave-transverse, annular delicate markings—which Leewenhook noticed upon the exterior of the enamel, and which he sup-

posed to indicate successive stages in the protrusion of the tooth through the gum in taking its place in the dental series."

The chemical composition of enamel in an adult human tooth, according to von Hübner, consists of:

Calcium phosphate and fluoride, 80.82	
Calcium carbonate, . . . . .	4.37
Magnesian phosphate, . . . . .	1.34
Other salts, . . . . .	.88
Cartilage, . . . . .	3.39
Fat, . . . . .	.30

Organic matter, 3.59; inorganic matter, 96.41.

The proportions vary in the enamel of the teeth of different individuals.

**Ecnanth'sis.** The confluence or near approach of ascending and descending blood-vessels.

**Ecnanthema** (from *ανθω*, to bloom). A name for certain eruptions of the mucous membrane.

**Ecnanth'sis** (from *εν*, in, and *ανθω*, to bloom). An eruption on the skin; rash exanthem, including scarlet fever, measles, and urticaria.

**Enarthrosis** (from *εν*, in, and *αρθρω*, a joint). A species of diarthrosis in which the round head of one bone is received into the cavity of another, so as to admit of motion in all directions.

**Enarthrum.** A foreign body in a joint.

**Encanthis** (from *εν*, and *ανθω*, the angle of the eye). A tumor or excrescence in the internal angle of the eye.

**Encanthis Benigna.** A soft, red, and sometimes rather livid excrescence of the caruncula lachrymalis, which generally yields to astringent collyria.

**Encanthis Maligna.** A malignant excrescence of the caruncula lachrymalis.

**Encarpos.** Pregnant.

**Encatalepis.** Catalepsy.

**Encathisma.** Semicupium.

**Encema** (from *εν*, in, and *εμω*, to burn). The scar of a burn or the vesicle caused by a burn; also an ulcer of the cornea, followed by escape of humor; also the old name for nitrate of silver.

**Encema'sis.** A burn; encema; moribundation.

**Enccephalgia.** Headache.

**Enccephalgia Hydropica.** Hydrocephalus, or dropsy of the brain.

**Encephale'tis.** The great sub-kingdom of vertebrates in which the brain is protected by a bony case.

**Encephal'ic** (*encephalic*; from *ev*, in, and *enkele*, the head). Relating to the encephalon.

**Encephali'tis.** Inflammation of the brain. **Encephalitis Exudato'ria.** Hydrocephalus internus.

**Encephalocoe'le** (from *encephalos*, the brain, and *coele*, hernia). Hernia cerebri. Fungus cerebri.

**Encephaloid** (from *encephalos*, and *eidos*, resemblance). Cerebriform. This term is applied by Laennec to a species of morbid substance which frequently constitutes the mass of scirrhous or cancerous tumors, because of its resemblance to the medullary substance of the brain.

**Encephalo'ma.** Fungus cerebri.

**Encephalomal'cia.** Mollities cerebri, or softening of the brain.

**Enceph'alon** (*encephalon*; from *ev*, in, and *enkele*, the head). The contents of the cranium, including the cerebrum, cerebellum, and medulla oblongata, with their vessels, nerves, and investing membranes.

**Encephaloph'y'mata.** Tumors of the brain.

**Encephalopyo'sis** (from *encephalos*, the brain, and *pyo*, pus). Ulceration of the brain.

**Encephalo'sis.** A tumor of a brain-like appearance.

**Encephalosis'mus.** Emulsion of the brain.

**Encharax'is.** Scarification.

**Enchond'al, or inter'cartilagi'nous Ossification.** When the bone is preceded by cartilage, which, first of all, becomes calcified, and this is invaded and, for the most part, removed by an embryonic tissue, which deposits bony matter in the interior of the cartilage, while at the same time layers of bone are being formed outside, underneath the periosteum.

**Enchondro'ma** (from *ev*, in, and *chondros*, a cartilage). A cartilaginous tumor.

**Enchond'rium** (*ev*, in, and *chondros*, a cartilage). Cartilaginous; also granular, having grains.

**Enche'rites.** Endemia.

**Enchymo'ma** (*enchyma*; from *ev*, in, and *chuo*, I pour). Infusion or pouring in of blood into the capillary vessels, caused by joy, anger, or shame; blushing.

**Enclys'ma** (from *ev*, in, and *eklyo*, to cleanse out). A clyster.

**Encyst'is** (from *ev*, in, and *ecystis*, the belly). The abdominal viscera.

**Encysti'tis.** Inflammation of the abdominal viscera.

**Encolp'e'mus.** Introduction of any medicament into the vagina.

**Encyst'ed** (from *ev*, in, and *ecystis*, a bladder). Applied to a tumor or other matter enclosed in a cyst or sac.

**Encys'tis.** An encysted tumor.

**End Organ.** The terminal organ or part of a sensory nerve-fibre of any kind.

**Endan'gium** (*endangium*). The lining membrane of vessels.

**Endarteri'tis.** Inflammation of the inner coat of an artery.

**Endem'ic** (*endemius*; from *ev*, in, and *demos*, the people). Prevalent disease in a particular or circumscribed region or district of country.

**Endento'sis** (from *ev*, in, and *dens*, dentis, a tooth, and *entis*, bone). Dental exostosis.

**Enderm'ic** (*dermotic*; from *ev*, in, and *derma*, cutaneous). The treatment of disease by the application of remedies to the skin, especially after the removal of the cuticle by puncturing a blister. Morphine and strychnine are often administered in this way.

**En'do-** (from *ender*, within). A common prefix.

**Endocorti'tis** (from *ender*, within, and *cortis*, inflammation of the aorta). Inflammation of the inner membrane of the aorta.

**Endo'blast** (from *ender*, within, and *blastos*, a germ). The cell nucleus.

**Endocardi'ac.** Within the heart; applied to sounds produced within that organ.

**Endocardi'al** (*ender*, within, and *cardis*, the heart). Within the heart.

**Endocardi'tis.** Inflammation of the lining membrane of the heart.

**Endocoli'tis.** Dysentery.

**Endo'derm** (from *ender*, skin). The inner of the two layers of a two-layered embryo; the hypoblast. See BLASTOCHEM.

**Endodonti'tis** (from *ender*, within, *odous*, a tooth, and *entis*, signifying inflammation). Inflammation of the living membrane of a tooth. This may arise from exposure of the pulp-cavity and the presence or contact of acrid and irritating agents, or from exposure to sudden transitions of temperature, or from mechanical violence, as in the case of a blow or improperly

performed dental operations. It may also occur as the result of constitutional disease. But from whatever cause produced, it is always attended with the severest and most agonizing pain, and is seldom relieved, when acute, by any other means than the extraction of the tooth or the destruction of the pulp.

**Endocenteritis.** Enteritis.

**Endogastritis.** Inflammation of the lining membrane of the stomach.

**Endogen'esis.** Cell-formation within a cell.

**Endog'enous.** Increasing by internal growth.

**Endolymphia.** The liquid contained in the membranous canals of the ear.

**Endometri'tis.** Inflammation of the lining membrane of the womb.

**Endomya'lum.** The extension of the perimyrium, or connective-tissue lamina, separating the muscular fibres in the same fasciculus.

**Endoneur'ium.** The delicate connective-tissue holding together the fibrils of a bundle of nerves.

**Endopath'ic.** The rise of disease not from external causes.

**En'doscope.** An instrument for examining a cavity of the body through its natural outlet.

**Endo'sia.** Hemisium.

**Endosmos'eter.** An instrument for measuring the force of the endosmotic action.

**En'dosmosis** (*endosmosis*; from *en'don*, within, and *mosis*, impulse). Imbibition. The transmission of a fluid through a membrane from the interior, or the passage of a thin fluid from without by a dense one within. The property depends mainly upon the capillary attraction of the walls of the cavity. *Endosmosis* is also sometimes used to signify the passage of a more transmissible fluid, while *exosmosis* signifies that of the least transmissible. (See *Osmosis*.) M. Lint, an English dentist, and author of a small treatise on the teeth, is of the opinion that dental caries is the result of the chemical action of an acidulated fluid of the mouth upon the dentinal tissue while undergoing an endosmotic action on it. That such action might, under certain circumstances, take place through the cells of the dentine is not improbable, and in the event of its occurrence would, it is fair to presume, hasten the decomposition of the part of the tooth in which it was taking place.

**Endosmo'sis.** The passage of liquids or gases through dividing membranes.

**Endosmot'ic.** Relating to endosmosis.

**En'dosperm** (*en'don*, within, and *sema*, a seed). The albumen between the integuments and the embryo.

**Endostetis.** Inflammation of the lining membrane or endosteum of a bone.

**Endoste'um.** The vascular membranous layer of connective tissue lining the cavity of a bone.

**En'dostome** (*en'don*, and *stoma*, a mouth). The inner opening of the uvula. Also a chronic tumor within a bone.

**Endothel'oma.** A tumor of the endothelium.

**Endothellum** (from *en'don*, within, and *thela*, nipple). The internal lining membrane of veins, synovial, and other internal surfaces.

**En'ema** (plural, *enemas*; from *en'ein*, to inject). An injection; a clyster. The enemas commonly used consist of warm water having in solution either soap or common salt, or both. For an adult, from a pint to a quart may be injected; for infants and children, from half an ounce to six ounces, according to age.

**Enepider'mic** (*enepidermicus*; from *en*, in, *epi*, upon, and *derma*, the skin). The treatment of disease by the application of remedies, such as plasters, blisters, etc., upon the skin.

**En'ergy** (*energia*; from *en'ein*, to act). In *Physiology*, the active operation of the various organs of the body. Thus we say, the vital energy, the muscular energy, the nervous energy, etc.

**Enerva'tion** (*enervatio*; from *e*, out of, and *verrus*, strength). The act of debilitating; a state of weakness.

**Engelso'ma** (*engisoma*; from *engon*, I approximate). A fracture of the skull in which a broken portion of bone passes beneath a sound portion and compresses the brain. Also an instrument used in fractures of the clavicle.

**Engine, Dental.** A foot-power machine embracing the following devices and combinations: The use of a flexible wire shaft with a flexible sheath over it. The combination of a base or stand with the upper works; a device for operating the power from either side of the dental chair; a hand-piece, with hardened steel bearings and tool mutually locking, the latter readily placed or removed and remaining undisturbed by the pulling-out or by the swift revolution without pressure. The driving-wheel is operated by a pedal and flat

or spiral steel spring piston, which gives to the crank when on the down center an upward motion, allowing the foot of the operator to run the engine with ease. See DENTAL ENGINE.

**Engine, Suspension.** A machine modeled on the plan of suspension from the ceiling, and in which the driving power is belted directly to the shaft of the hand-piece without the intervention of an adjustable arm or flexible cable. The hand-piece is balanced and tension given to the driving-belt by a small pulley attached to the hand-piece spindle, and, being suspended on a cord, it is free to move in any and every direction, and causes the hurr-drill or other instrument used by means of the engine, and which is carried by a fly-wheel on the shaft, to be readily applied to any cavity in the mouth. See DENTAL ENGINE.

**Engine-bits.** Burrs—such as the round, rose-head, oval, wheel, inserted core, and square-burr—for use with the dental engine.

**English Teeth.** Artificial teeth manufactured by Ash & Sons which possess beautiful coloring and soft translucency, rendering them well adapted for matching the natural teeth.

**Engomphosis.** Goniphosis.

**Engorgement** (from *er*, in, and *gorge*, the throat). Inordinate flow of blood to the vessels of a part or organ and consequent obstruction and increase of volume.

**En'ui.** Mental languor; weariness.

**Enosto'sis** (from *er*, and *osteo*, a bone). A tumor formed in the medullary part of a bone.

**Enrhyth'mus** (from *er*, and *rhyth'mos*, number). Irregularity in the beating of the pulse.

**Ess.** Being; entity; existence. In Chemistry, a substance supposed to contain, in a small compass, all the virtues of the ingredients from which it is drawn.

**Ess Martia.** Ammoniated iron.

**Ess Primum Solis're.** Antimony.

**Ess Ven'eria.** Chloride of copper.

**En'siform** (from *enae*, a sword, and *forma*, form). Sword-like. In *Anatomy*, applied to some parts from their resemblance to a sword, as the uniform cartilage.

**Enstalar'is.** Instillation, or drop by drop.

**En'strophie.** Inversion of a part.

**Ente'sis** (*entelo*; from *entreno*, to stretch).

A term applied by Dr. Good to constrictive spasm, embracing wry-neck, cramp, locked jaw, etc.

**Entero'stasis** (from *enter*, within, and *stasis*, a worm). Synonymous with *entose*.

**En'tera** (*entera*, the bowels, from *enter*, within). The intestines.

**Enterod'ones** (from *enteron*, an intestine, and *on*, a gland). The mucous intestinal glands.

**Enterol'gia** (from *enteron*, intestine, and *algia*, pain). Colic; pain in the intestines.

**Enterangiomphrax'is.** Obstruction of the vessels of the intestine.

**Enteratroph'is** (from *enteron*, intestine, and *atrophia*, want of nutrition). Atrophy of the intestine.

**Enteraxe.** Hypertrophy of the muscular coat of the intestine.

**Enteremphrax'is** (from *enteron*, intestine, and *emphrax*, obstruction). Obstruction of the intestines.

**Enter'ic** (*entericus*; from *enteron*, an intestine). Pertaining to the intestines.

**Enter'ica.** Disease affecting the intestinal canal.

**Enteritis** (from *enteron*, an intestine, and *itis*, signifying inflammation). Inflammation of the intestines. Dental erosions have been ascribed to chronic enteritis.

**Enteritis, Pollic'ular.** Typhoid fever.

**Entero-**. A prefix; from *enteron*, an intestine.

**Enterobro'sis** (from *enteron*, an intestine, and *broo*, the act of gnawing). Perforation of the intestines.

**Enteroc'ace.** Adynamic dysentery accompanied by diptheritis and gangrene of the colon and rectum.

**Enteroco'le** (from *enteron*, an intestine, and *cola*, hernia, tumor). Intestinal hernia.

**Enterocystoco'le** (from *enteron*, intestine, *colec*, a bladder, and *cola*, a tumor). Intestinal hernia in which a portion of the bladder is included.

**Enterode'ia** (from *enteron*, and *deia*, manifest). A section of a class of *Polypodictes*, in which the alimentary canal is terminated by a mouth and anus.

**Enteroccepho'le** (from *enteron*, an intestine, *cephalo*, the osmentum, and *cola*, a tumor). Hernia containing both intestine and osmentum.

**Enteroccephom'phalus** (from *enteron*, intestine, *cephalo*, the osmentum, and *phalos*, the navel). Umbilical hernia containing both intestine and osmentum.

**Enterogastral'is** (from *enteron*, intestine, *gastro*, the belly, and *cola*, a tumor). Abdominal hernia.

**Enterography** (*enterographia*; from *en-*

*enteron*, intestine, and *opsis*, description). An anatomical description of the intestines.

**Enterohydrocele** (from *enteron*, intestine, *utero*, water, and *cele*, tumor). Scrotal hernia complicated with hydrocele.

**Enterolischiale** (from *enteron*, intestine, *ischion*, the ischium, and *cele*, a tumor). Intestinal hernia at the ischiatic foramen.

**Enterolithus** (from *enteron*, intestine, and *lithos*, a stone). Intestinal calculous concretion.

**Enterology** (*enterologia*; from *enteron*, intestine, and *logos*, a discourse). Anatomical treatise on the intestines.

**Enteromeseenteric Fever**. Typhus fever attended by ulceration of the small intestines and enlargement of the mesenteric glands.

**Enteromphalus** (from *enteron*, intestine, and *omphalos*, umbilicus). Umbilical intestinal hernia.

**Enteron** (*enteron*). Intestine.

**Enteropathy** (*enteropathia*; from *enteron*, intestine, and *pathos*, a disease). A generic term for intestinal disease.

**Enterophlogia**. Enteritis.

**Enterorrhagia** (from *enteron*, and *rhoia*, to issue forth). Hemorrhage of the intestines.

**Enterorraphia**, or **Enterorrhaphy** (from *enteron*, intestine, and *raphia*, a suture). A suture of the intestines.

**Enterorrhoea**. Diarrhoea.

**Enterossarcocele** (from *enteron*, intestine, *oncos*, flesh, and *cele*, a tumor). Intestinal hernia complicated with sarcocele.

**Enteroses**. A class of diseases embracing all that affect the intestines.

**Enterotomy** (*enterotomia*). In *Lutetia*, dissection of the intestines. In *Nuremberg*, an operation for an artificial anus or for the evacuation of accumulated feces.

**Enterozo'a**. Worms. See ENTROZOA.

**Esthal'ia**. Fracture of the cranium with depression of the fragments.

**Esthelinth'ia**. Worms.

**Ethet'ic** (*et*, and *thetis*, to place). Diseases arising from a morbid virus placed or implanted in the system, as syphilis, leprosy, etc.

**Entoblast**. The nucleolus, or germinal spot; the inner of the two primitive embryonic layers; the hypoblast.

**Entocyte**. The entire contents of a cell, including the nucleolus, granulations, etc.

**Entoderm**. See BLASTODERM.

**Entomology** (from *entom*, insects, and *logos*, a discourse). A treatise on insects.

**Entom'ia**. Tension. Tonic spasm.

**Enton'ic** (*entensius*; from *en*, denoting excess, and *tonos*, tone). Having great tension or increased action.

**Entophyte**. A vegetable parasite.

**Entozo'a** (*entozoa*; from *en*, within, and *zoo*, an animal). Lowly organized invertebrate, and generally vermiform, animals, the most of which are parasites on the internal organs of other animals.

There are five species of worms which infect the human intestines—viz.: (1) *Ascaris lumbricoides*, the long round-worm; (2) *Ascaris tricuscularis*, the maw, or thread-worm; (3) *Tenia lata*, or *vulgaris*, the broad tape-worm; (4) *Tenia solium*, the long tape-worm; (5) *Trichocephalus*, the long thread-worm.

There is another class of entozoa which, though of rare occurrence, have been found in different parts of the body: (1) The *Fasciola hepatica*, called the *Dicrocoelium*, or fluke, sometimes found in the gall-bladder; (2) the *Neurostoma*, or beetle grubs, several species of which have been found in the ear, intestines, and vagina; (3) the *Cisteca*, a fly, the larvae of which are deposited in wounds or fistulous ulcers; (4) the *Giardiasis*, or horse-hair worm, found in stagnant water, and sometimes taken into the stomach; (5) the *Musca*, several of which genera—as the *Musca canalis*, or flesh-fly, the *Musca vomitoria*, or blow-fly, the *Musca stabulans*, or pantry-fly, and the *Musca putris*, or housefly maggot—deposit their eggs in the nose, maxillary antra, and rectum.

There is still another class of entozoa which infect different parts of the body, as: (1) *Acephalocystis*, or hydatid; (2) the *Cysticercus*, or bladder-tail hydatid; (3) the *Polycephalus*, or many-headed worm; (4) *Rohissomus*, the small granular bodies found in *Acephalocystis*; (5) the *Filaria medinensis*, or guinea-worm; (6) the *Acanthia* of the litch; (7) the *Trichina spiralis* (which see).

**Entozoon Polliculo'rum** (*Acanthia polliculorum*). An articulated animalcule found in the cutaneous follicles.

**Ent'rails**. The abdominal viscera; the intestines.

**Entrich'oma** (from *en*, in, and *trichos*, hair). The ciliary edge of the eyelids.

**Entropium** (from *en*, in, and *tropon*, I turn). Entropion. Inversion of the eyelids so that the eyelashes are brought in contact with and irritate and inflame the globe of the eye.

**Encrusts** (*encrusta*, a kernel). Tumors taken from the substance in which they were imbedded, like a kernel from a shell.

**Excresc'ion** (from *ex*, out of, and *crevus*, a kernel). Excrescing from its seat or capsule a tumor, etc.

**Exure'sis** (from *exureo*, to void urine in bed). Involuntary flow of urine from paralysis or relaxation of the sphincter of the bladder.

**Exzyme** (*ex*, in, and *zyme*, leaven). A non-organized ferment formed within the body.

**Exosome'** (from *exo*, sature, and *soma*, recent). A term applied in *Geology* to the earlier tertiary deposits, in which there are only a few organic remains of existing species of animals.

**Ep-, Eph-, Epi-** (*epi*, *ep*, *epi*, upon, above). Used as prefixes, and meaning above, exterior, augmentation, addition, increase, reciprocal action, repetition, etc.

**Epacmas'ticos** (from *epi*, and *acmasis*, to increase). Fevers which increase in violence from the commencement to the crisis.

**Epa'se'tus** (from *epistemo*, to remit). A generic term applied by Dr. Good to remittent fevers.

**Epanetus Hec'ticus**. Hectic fever.

**Epanetus Malignus Flavus**. Yellow fever.

**Epanetus M'itis**. Remittent fever.

**Epa'ph'or'osis** (from *epa'phoro*, I take away). Repeated obstruction, particularly of blood.

**Epa'r'ma** (*epareia*). A tumor.

**Ependym'a Ventricle'rum**. The lining membrane of the cavities of the brain.

**Eph'e'bus** (from *epi*, toward, and *phib*, puberty). A term applied in *Physiology* to one who has attained the age of puberty.

**Eph'e'lis** (from *epi*, upon, and *elao*, an ulcer). The crust of an ulcer.

**Eph'e'rides** (from *epi*, upon, and *phos*, the sun). Freckles; sun-burn. A cutaneous affection characterized by small and large brown spots upon the skin, caused, as the name imports, by the direct action of the rays of the sun.

**Eph'e'lis**. Ephelides.

**Ephem'era** (from *epi*, during, and *ephoro*, a day). In *Pathology*, an epithet applied to diseases, especially a fever, which lasts but a day, and also, by the French, to a poison which passes fatal within a day.

**Eph'e'ctes** (from *epaleo*, to leap upon). Nightmare; a disturbing sensation which

occurs during sleep, in which the individual fancies himself threatened by the approach of an enemy or of imminent danger from which he can not escape.

**Ephidro'sis** (from *epidros*, to perspire). A copious, morbid perspiration. A colligative sweat.

**Ep'iblast** (from *epi*, upon, and *blastos*, a sprout). The external or upper layer of the blastoderm, called also the *ectoderm* or *neuro-epidermal* layer, from which is developed the central nervous system and epidermal tissues (such as the epiderm, hair, nails, cutaneous glands), including the epithelium of the organs of sense and the mucous membrane of the mouth, pharynx, and anus.

**Epican'thus** (from *epi*, upon, and *anthos*, the angle of the eye). A fold of skin extending from the exterior of the nose over the inner angle of the eye.

**Epicar'pum** (from *epi*, upon, and *carpos*, the wrist). Application to the wrist.

**Epichro'sis** (from *epi*, upon, and *chrois*, color). Discoloration of the surface. Ephelides.

**Epicol'ic** (from *epi*, upon, and *colon*, the colon). The part of the abdomen over the colon.

**Epicon'dyle** (from *epi*, upon, and *anthos*, a condyle). A protuberance at the lower extremity of the os humerus which gives attachment to the outer lateral ligament of the elbow joint and to a very strong tendon to which several muscles of the posterior part of the forearm are attached: so called because it is above the condyle.

**Epicondyl'o-cubiti'lis**. The anconeus muscle.

**Epicondyl'o-radial'is**. The supinator radii brevis.

**Epicondyl'o-supra-metacarpia'nus**. The extensor carpi radialis brevis.

**Epicondyl'o - supra - phalangettia'nus Communis**. The extensor digitorum communis.

**Epicondyl'o - supra - phalangettia'nus Minimalis Digiti**. The extensor proprius minimi digiti.

**Epico'ph'is**. Epiphonia; deafness.

**Epicra'nium** (from *epi*, upon, and *cranium*, the cranium). Applied to various parts of the cranium, as the tendinous expansion of the occipito-frontalis muscle, and even to the whole scalp.

**Epicra'sis** (from *epi*, upon, and *epanema*, I temper). The treatment of disease by sooth-

ing and demulcent remedies, which the humors supposed possessed the power of correcting the vitiated humors.

**Epici'asis.** The judgment of the natural causes, treatment, and probable termination of a disease, founded on scientific principles.

**Epict'e'nium.** The parts upon and above the pubes.

**Ep'icyle** (from *επι*, and *κυκλος*, cell). The hyaline cuticle of cells; the membrane investing a cell.

**Epidem'ic** (*epidemicus*; from *επι*, upon, and *δημος*, the people). A disease which simultaneously attacks multitudes of persons at the same time and in the same district, or extending over an extensive district, and which is dependent on a noxious condition of the atmosphere.

**Epidem'y.** An epidemic disease.

**Epide'ria.** The clitoris; the nymphæ or the prepuce of the clitoris.

**Epider'mic** (*epidermicus*; from *επιδερμις*, the scarf skin). Pertaining to the epidermis.

**Epider'mis** (from *επι*, upon, and *δερμα*, the skin). The outer layer of the skin. The cuticle, or scarf skin; a thin, dry, transparent membrane, devoid of nerves and vessels, which covers all the surface of the body except the parts that correspond to the nails. It consists of minute scales, placed one above the other.

**Epider'moid** (from *επιδερμις*, and *ειδος*, resemblance). Resembling the epidermis or cuticle.

**Epide'ria.** In *Surgery*, the act of binding up a wound; also the application of a ligature to a wounded vessel.

**Epides'mon.** A bandage or ligature.

**Epidd'y'mis** (from *επι*, upon, and *διδρυμις*, a testicle). A hard, grayish, oblong substance upon the superior margin of the testicle, formed by the convolutions of the vas deferens. It is a canal formed by the union of all the seminiferous vessels folded several times upon themselves after having traversed the corpus Highmorianum.

**Epide'osis** (from *επι*, and *δωκο*, to give). Increase, as of a disease or in the growth of the body.

**Epide'rome** (from *επιδερμις*, I run upon). An afflux of humors.

**Epigas'tric** (*epigastricus*; from *επι*, upon, and *γαστρον*, the stomach). Relating to the epigastrium.

**Epigastric Ar'tery.** An artery given off by the external iliac when it passes under Pou-

part's ligament, ascends between the rectus muscle and the peritoneum, and anastomoses about the umbilicus with the internal mammary artery.

**Epigastric Region.** The region on each side below the short ribs, extending from the diaphragm to within two fingers of the umbilicus.

**Epigas'trium.** The epigastric region or part situated immediately over the stomach.

**Epigastro'e'ia** (from *επι*, upon, and *γαστρον*, the stomach, and *ειδος*, a tumor). Hæmorrhæa at or near the epigastric region, whether of the stomach or not.

**Epigen'esis** (from *επι*, upon, and *γενεσις*, a generation). A theory of generation which regards the fœtus as receiving atoms from each parent the materials necessary for its formation.

**Epiginom'ena** (from *επι*, and *γενωμαι*, to succeed or supervene). A term applied in *Pathology* to symptoms which occur in the course of a disease, but not necessarily belonging to it.

**Epiglott'ic** (*epiglotticus*). Pertaining to the epiglottis.

**Epiglottic Gland.** A collection of small glands situated at the base of the anterior surface of the epiglottis.

**Epiglott'is** (from *επι*, upon, and *λωττις*, the tongue). An oval cartilage, concave posteriorly and convex anteriorly, situated at the root of the tongue upon the superior opening of the larynx. It is here at its superior extremity and attached at its inferior to the thyroid cartilage. Its use is to close the glottis, or superior opening of the larynx, and prevent the introduction of alimentary substances into the air-passages during deglutition.

**Epiglottit'is.** Inflammation of the epiglottis.

**Epiglott'itis** (from *επι*, upon, and *λωττις*, the buttock). The superior region of the buttocks.

**Epigra'thus.** A parasitic monstrosity where the parasite is attached to the superior maxillary bone.

**Epilepsy** (*επιεπλη*, from *επιβαλμις*, I seize upon). A disease of the cerebro-spinal organs, attended with violent convulsions, coma, and, generally, foaming at the mouth. The disease may be idiopathic or symptomatic. In the former case it results from a morbid affection of the encephalon; in the latter, from worms, intestinal irritation,



external violence, or from some other accidental cause.

**Epilep'tic** (*epilepticus*). Affected with or relating to epilepsy.

**Epilep'toid**. Resembling epilepsy.

**Epinor'tus**. An unequal pulse.

**Epimysium** (*epi*, upon, and *mys*, muscle). The sheath surrounding an entire muscle.

**Epineph'elous**. Cloudy; applied to urine.

**Epineur'rium**. The connective-tissue nerve-sheath.

**Epiroc'tides** (from *epi*, upon, and *roc't*, night). Eruptions which appear during the night and disappear in the morning. A kind of nettle rash.

**Epiroxy's'mus**. The too frequent occurrence of the febrile paroxysm.

**Episan'tic**. Plasters sprinkled with some vesicant agent, such as cantharides.

**Epiphlogis'ma** (from *epi*, upon, and *ephlogis'ma*, to inflame). Inflammation or burning heat in any part.

**Epiph'ora** (from *epi*, upon, to carry to). Weeping. Continued involuntary flow of tears, caused by disease or irritation of the lacrimal passages.

**Epiphy'ma'ta**. Diseases of the skin.

**Epiph'ysis** (from *epi*, upon, and *epi's*, I arise). Any portion of bone separated from the body of the bone by intervening cartilage, which ultimately becomes converted into bone. The epiphysis then becomes a process.

**Epiph'gia**. Paralysis of the upper extremities.

**Epiplo'e'ria**. Repletion, distention.

**Epiplo'e'le** (from *epi*, upon, omentum, and *eplo'e*, hernia). Hernia formed by the omentum.

**Epi'ploc**. Pertaining to the epiploon or omentum.

**Epiploic Appendages**. Numerous small prolongations of the peritoneum extending beyond the surface of the colon and rectum and filled with adipose matter.

**Epiploic Arteries**. The branches from the gastro-epiploic artery which are distributed to the epiploon.

**Epiploelchlo'e'le** (from *epi*, upon, the epiploon, *eplo'e*, the ischium, and *eplo'e*, a tumor). Protrusion of the omentum through the ischiatic notch.

**Epipol'tis** (from *epi*, upon, the omentum, and *pol'tis*, denoting inflammation). Inflammation of the omentum.

**Epiplopyro'e'le** (from *epi*, upon, the omentum, *pyro'e*, the thigh, and *eplo'e*, a tumor). A

femoral hernia formed by a protrusion of omentum.

**Epiplo'm'phalon** (from *epi*, upon, the omentum, and *phalon*, the navel). An omental umbilical hernia.

**Epiplo'm'phrasis** (from *epi*, upon, the omentum, and *phrasis*, I obstruct). Obstruction of the omentum.

**Epip'loon** (from *epi*, above, and *plon*, I swim or float). The omentum, or omentum, which consists of a duplication of the peritoneum, and is so called because it floats, as it were, above a portion of the intestines.

**Epiplocheoc'e'le** (from *epi*, upon, the omentum, *cheoc'e*, the scrotum, and *eplo'e*, a tumor). Omental hernia in the scrotum.

**Epiporo'ma** (*epiporoma*). A hard tumor about the joints; the callus of a fracture.

**Epi'chesia** (from *epi*, upon, I restrain). A suppression of excretion.

**Episcopa'les Val'vulae**. The mitral valves of the heart.

**Episema'ala**. A sign. A symptom.

**Epi'sion'cus**. A swelling or tumor of the penis pediculi.

**Epispad'ias** (from *epi*, above, and *spad*, I draw). A malformation of the urethra, consisting in its opening on the upper side of the penis.

**Epispas'tic** (*epispasticus*; from *epi*, above, and *spas*, to draw). Any substance which, when applied to the skin, excites inflammation and causes an effusion of serum under the epidermis. Among the substances which produce these effects are cantharides and mustard.

**Epispas'ticum**. A blister.

**Epi'taxis** (from *epi*, upon, and *taxis*, to rest). A substance which floats on the surface of urine.

**Epistax'is** (from *epi*, upon, and *stax'is*, to flow, drop by drop). Nasal hemorrhage.

**Epistern'al** (from *epi*, upon, and *sternum*, the sternum). The first or anterior portion of the sternum, which, in birds, sustains the forked clavicle.

**Episthot'onos** (from *epi*, upon, forward, and *sthot'onos*, to extend). A variety of tetanus in which the body is drawn forward.

**Episyman'che**. Spasm of the pharynx.

**Epi'taxis** (from *epi*, upon, and *taxis*, to extend). The period of violence of a fever, paroxysm, or disease.

**Epithelial** (Latin, *epithelialis*). Of, pertaining to, or consisting of epithelium.

**Epithelial Cells**. The several layers of cells composing the epithelium of the mouth, which

are held together by an intercellular cement substance. There are three kinds of these cells—the *infant*, *older*, and *oldest*. See EPIPLASM.

**Epithelioid** (*epithelium* + *oid*). Resembling epithelium.

**Epithelioma**. Carcinomatous formation of the skin or mucous membrane composed of epithelial cells. It often arises from the irritation of a diseased tooth, and first presents the appearance of an indurated plane, somewhat raised, with an eroded or ulcerated surface about the centre. Pain is a prominent symptom. The base and edges are of a pink color, and it extends along the jaw. The lymphatics are early involved. The treatment consists in the early removal of the epithelioma, or affected gum, and the adjacent bone, and in the application of chlorids of zinc paste, etc.

**Epithelium** (from *επι*, upon, and *δερμα*, a nipple). This is a very delicate membrane, forming the outer covering of the corium or true mucous membrane, and enters into the structure of glandular organs. It is cellular in its structure and presents itself under different forms, each differing somewhat from the others. The *lamellated epithelium* is composed of oval uncrested cells, and is found on the conjunctiva, in the mouth, pharynx, œsophagus, on the vulva, in the vagina, and some distance into the uterus, and in the entrance of the urethra. The *columnar or ciliated epithelium* consists of elongated cells. This variety extends from the cardiac orifice of the stomach to the anus; it also lines the principal gland ducts opening upon the mucous surface of this tract and the greater part of the male genito-urinary organs. The *ciliated epithelium*, consisting of columnar particles, with palmellid, hair-like processes at their extremities, which are constantly undergoing a vibratory motion. The *vacuolated*, consisting of circular or hexagonal cells with a nucleus. The *apneumous*, where the cells are reduced to flattened scales. The *stratified*, where the cells are arranged in distinct layers.

There is also another variety of epithelium, called the *spheroidal*, found in the urinary passages, succeeding the columnar, near the inner orifice of the urethra, in the bladder, ureters, pelvis of the kidneys, and some mucous glands.

The epithelium of the mouth is composed of several layers of cells, designated *infant*, *older*, and *oldest*, which are held together by an intercellular cement-substance. The oldest layer of cells is made up of flattened discs con-

taining nuclei. The middle or older layer of cells are more or less polyhedral in shape, with an imbricated border; they extend beyond the oral cavity into the pharynx. The deepest or infant layer of cells are spheroidal or slightly cylindrical, and are placed vertically on the dividing line between the epithelium and dermal or corium layers.

**Epithelium of the Mouth**. On the structure of that portion of the epithelium which lines the cavity of the mouth, Mr. Nannayth observes: "In the fetal subject, previous to the extrusion of the teeth, it forms on the alveolar arch a dense projecting layer, distinguishable from the surrounding membrane by its whiteness and by the existence on its surface of ridges and sulci having a waving course and a variable direction. The alveolar epithelium is thicker in proportion to the youth of the subject examined. It is most prominent where it corresponds with the molar teeth: its internal surface is concave, receiving the projecting mucous membrane or corium. This portion presents various aspects for investigation.

"First, as regards its composition: It is made up of a mass of scales, lying one on the surface of the other. As in other portions of the epithelium, the external scales here are larger, and this holds good generally until we come to the surface of the vascular mucous membrane, which presents simple cells with their corpuscles.

"In the interior of this alveolar epithelium, where it corresponds to the molar teeth, small vesicles may be frequently observed, varying in size from one-quarter to one-eighth of a line in diameter. They appear to the naked eye to be transparent; under the microscope, their parietes are found to consist of attenuated scales, and their cavity to contain a fluid abounding in minute granules and cells.<sup>a</sup> The internal surface of the epithelium, covering the alveolar arch, frequently presents convolutions or indentations, which are from a line and a half to three or four lines in circumference; they correspond to projections from the mucous membrane formed by a larger species of vesicle. The latter is deeply implanted in

<sup>a</sup> The vesicles here alluded to are most probably those which Serres describes as glands for the secretion of tartar; they are very numerous, even after the extrusion of the inferior teeth of the calf, and are seen with great facility internally.

the vascular mucous membrane. The parietes of these vessels are composed of a very delicate membrane; they contain a transparent fluid, which coagulates on the application of heat or acid or on immersion in spirit, and in this fluid float numerous globules and scales similar to those of the epithelium generally. The internal or attached surface of the alveolar epithelium also presents numerous fringed processes measuring from one line to one and a half lines in length and half a line in breadth, which sink into the substance of the adjacent mucous membrane. Under the microscope, these fringes are found to be composed of elongated scales connected together, forming masses which divide and subdivide until they attain such an extreme tenuity that the most minute terminations consist but of two scales in marginal apposition. If the epithelium be carefully separated from the surface of the mucous membrane corresponding to the unextruded molar teeth, and placed in water or in diluted spirit of wine for some little time, its internal or attached surface presents these fringes much enlarged, and forming a mass more considerable in size than the dense epithelium itself.

"The epithelium covering the mucous membrane of the palate presents transverse rugæ, corresponding to those of the mucous membrane. If these palatal rugæ of the epithelium of the calf be carefully examined from the internal surface with a magnifying power of one inch focal distance, each will be found to consist or to be composed of numerous depressions or cul-de-sacs, which receive prolongations or pointed processes of the subjacent mucous membrane.

"They are of extreme tenuity, and, when viewed by the aid of high magnifying powers, are observed to consist of distinct scales."

The epithelium of the mouth is of the aqueous stratified variety, and the general arrangement of its cells is similar to that of the epiderm. There is little pigment in its deep or Malpighian layer, which is columnar in form, except in embryonal life. It is analogous with the skin, and is developed from the same layer of the blastoderm. The corium of the mucous membrane is situated immediately below the basement membrane, and, like the corresponding layer of the skin, is made up of areolar connective tissue, containing at times a large amount of lymphoid tissue. It also contains white and yellow fibrous

connective tissue, vessels, lymphatics, and nerves. It varies in thickness in different parts. On the alveolar processes the corium is composed of dense connective tissue, and is firmly attached to the musculo-periosteum or gum-tissue. Upon the hard palate this gum-tissue is united to the ridges of the bony surface.

The blood-vessels of the mucous membrane are very numerous, and the lymphatics are in the form of a network, communicating with larger vessels in the submucous layer. The nerves are chiefly distributed to the muscular fibres, when such exist in mucous membrane.

Papillæ and villi are present upon some parts of mucous membrane, especially upon the tongue. The epithelium consists of two layers—the corneous and Malpighian.

The outer layer, the corneous, known as the *stratum corneum*, is formed of old epithelial scales, which, during their migration from the internal to the external surface, have become thin, devitalized, and devoid of function. The internal, or Malpighian, layer is formed of living cells, or scales, of various forms and sizes, placed vertically on the basement membrane which separates the epithelium from the corium or true mucous membrane.

**Epithem** (*epithema*: from *epi*, upon, and *them*, I put). A term which comprehends all topical remedies with the exception of plasters and ointments.

**Epith'eals**. The straightening of crooked limbs by means of instruments.

**Epithym'ia**. Morbid desirous or longings.

**Epizoot'ia** (*epizooty*: from *epi*, upon, and *zoot*, an animal). The simultaneous occurrence of a disease among a great number of the lower animals. In the *Veterinary Art* it has the same meaning that *epidemic* has in medicine.

**Epizo'oa** (from *epi*, upon, and *zoo*, animal). An animal existing as parasite upon another.

**Epizoot'ic**. Relating to epizootia.

**Epo'mis** (from *epi*, upon, and *omus*, the shoulder). The acromion; the upper part of the shoulder.

**Epostoma** (*epostoma*). An exostosis.

**Epos'ma**. Decection.

**Epsom Salts**. Sulphate of magnesia (which see).

**Epu'la** (from *epi*, upon, and *ulsa*, the gum). A hard, fibrous tumor of the alveolar processes of the gums. It is sometimes soft, at other times hard, and makes its appearance upon the gum between two teeth or from the

sockets of decayed teeth. It is sometimes of a simple and at other times of a malignant character. The term *epulis* is often employed to indicate a tumor of any kind growing from or in connection with the gum. As it has no anatomical significance, it is rather indefinite. See JAW, MOUTH GROWTHS OF.

**Epulo'sis.** *Clasiriation.*

**Epulot'ic** (*epulotius*; from *epulus*, to cicatrize or heal up a wound). Applied to remedies which promote clasiriation.

**Equilib'rium** (from *aynus*, equal, and *libere*, to weigh). In *Medicine*, harmony in the reciprocal actions of the organs of the body.

**Equi'sis** (from *aynus*, belonging to a horse). Glanders. A contagious and sometimes a dangerous disease, produced by inoculation with certain diseased fluids generated in the horse, mule, etc. Two species are met with—*equine mella*, caused by inoculation with the fluid of *griete*, and *equine glandulosa*, a malignant and usually fatal disease.

**Equi'nis.** A variety of talipes, or club-foot.

**Equiv'alents, Chem'ical.** In *Chemistry*, a term introduced by Dr. Wallston to express the proportional weight in which elementary and compound bodies respectively unite; a law of proportions in chemical combinations.

**Erasion** (from *er*, and *raio*, to scrape). The act of scraping.

**Er'blum.** A metal occurring with yttria.

**Erec'tile Tis'sue.** A peculiar tissue of the osseal venosity, described by some writers but not recognized by others, consisting of a vascular network, liberally supplied with nerves, and susceptible of erection by an increased flow of blood. It enters into the composition of the corpora cavernosa of the penis and clitoris, of the inferior part of the vagina and corpus spongiosum urethrae, of the lips, iris, albugo, nervous papilla, etc. The same tissue is sometimes developed as a morbid structure, as exemplified in verrucosa metastema, many hemorroidal, varicose, polypous, and other tumors.

**Erection** (*erecio*). The action or enlargement which takes place in erectile tissues.

**Erec'tor Clitor'idis.** A name applied to certain muscles, the functions of which are to raise the part into which they are inserted. The ischio cavernosus. A muscle which, by drawing the clitoris downward and backward, forces the blood into it from its crum and serves to make the body of it more tense.

**Erec'tor Penis.** The ischio-cavernosus. A

muscle of the penis which, by its contraction, forces the urine and semen forward and causes the blood to flow into the corpus cavernosum and the glans, and thus to distend them.

**Eremac'e'sis** (from *erapo*, waste, and *asis*, combustion). The slow combustion, oxidation, or decay which takes place in organic bodies when freely exposed to air and moisture.

**Er'ethism** (*erethismus*; from *erethico*, I irritate). Exaltation or increase of vital phenomena in any organ or tissue. Irritation. Excessive nervous irritability.

**Erethis'ma.** Itubefarient.

**Erethis'mus.** Irritation.

**Erethismus Ebris'corum.** Delirium tremens.

**Erethismus Hydropho'bia.** Hydrophobia.

**Erethismus Mercuri'sis.** A state of the constitution produced by mercury, characterized by depression of strength, anxiety about the puerelia, frequent sighing, irregular action of the heart, small, quick, sometimes intermitting pulse; tremors, shrivelled countenance, a sense of coldness, etc.

**Erethit'ic.** Appertaining to erethism.

**Ereug'mos.** Excitation.

**Erg.** The unit of electric work.

**Ergot'.** Squared rye. See HCALE COMMITTEA.

**Ergo'ta.** Ergot.

**Ergo'tine** (*ergotin*). A peculiar principle discovered in ergot consisting of an amorphous, reddish, neutral powder.

**Ergotism.** The effects produced by ergot.

**Ergotole.** A preparation of ergot of rye, which, it is claimed, possesses all the therapeutic properties of ergot and is bland and unirritating. Locally, it is employed in all affections of the mucous membranes. Dose,  $\mathfrak{m}\mathfrak{v}$  in  $\mathfrak{m}\mathfrak{x}\mathfrak{x}$  hypodermically;  $\mathfrak{m}\mathfrak{v}$  to  $\mathfrak{f}\mathfrak{ss}$  by the mouth.

**Erige'ron.** A genus of plants of the order Compositae.

**Erigeron Canade'sis.** Canada fleabane; a bitter, acrid, and somewhat astringent plant.

**Erigeron Philadel'phicus.** Philadelphia fleabane; a biennial herb used in aperitive and diaphoretic doses.

**Eroded.** Gnawed; loss of substance.

**Ero'dium Moecha'tum.** Geranium moechatum.

**Ero'sion** (*erocio*; from *erodere*, to eat away). The gradual destruction of a part by the action of a corrosive substance.

**Erosion of the Teeth.** Denudation. An affection of the teeth characterized by a loss of substance occurring without any apparent

cesses. It begins on the surface of a tooth over a limited space and gradually forms a groove or pit, which gradually widens and deepens. It appears most frequently on the labial surfaces of the anterior teeth. In the canines and bicuspid teeth it often forms a cup or dish-shaped pit or excavation on the labial surfaces about the free margin of the gum.

The surface of the exposed dentine is generally firm and hard, with a perfect polish over its entire area. It sometimes exists in connection with mechanical abrasion. The more generally accepted theory as to the cause of this obscure affection is that it is in some way effected by acids under some peculiar modifying influences. Some writers ascribe it to the influence of electrolysis. See ATROPHY.

**Erosive.** Producing or accompanied by erosion.

**Erotic** (*eroticus*; from *eros*, love). Relating to the passion of love, as erotic melancholy, erotic delirium, etc.

**Erotomania** (*erotomania*; from *eros*, love, and *mania*, madness). Melancholy or alienation of mind produced by love.

**Ervatic** (*ervaticus*; from *errare*, to wander). Wandering; irregular. In Pathology, applied to fevers which observe no regular type and to pains and cutaneous diseases which shift from place to place.

**Erythme** (*erythme*; from *ei*, to, and *mu*, the nose). A substance which, when applied to the nose, excites sneezing and increased secretion; also applied to medicines which promote the secretion from the mucous membrane of the nostrils.

**Erythysia** (from *er*, in, and *mu*, to flow). A slight hemorrhage.

**Eryror Lo'cl.** An epithet employed by Boerhaave to express deviation of fluids when they enter vessels not destined to receive them; as, for example, when red blood enters vessels which circulate only the serous part of this fluid they become obstructed by *error of place*.

**Eruca'ic Acid.** A crystalline acid obtained from oil of mustard-seed.

**Eructa'tion** (*eructatio*; from *eructare*, to belch). The act of bringing up gas from the stomach through the mouth.

**Eruption** (*eruptio*; from *erumpere*, to break or burst out). In Pathology, according to the usual acceptance of this term, the development of an exanthematous affection on the surface and the exanthema itself. It is, however, sometimes applied to a copious evacuation of a

fluid—blood, serum, pus—or of gas from a canal or cavity. Also the emergence of the teeth from the gums.

**Eruption of the Teeth.** See DENTITION.

**Eruptive** (*eruptivus*). Applied to diseases, especially fevers, which are accompanied by an eruption on the skin.

**Erysipelas** (from *erysē*, red, and *pelos*, or *cellar*, a skin). A cutaneous phlegmated, vulgarly termed St. Anthony's fire, accompanied with swelling, diffused, but more or less circumscribed redness, pain and heat, and venation. It is an acute affection, its medium duration being from ten to fourteen days. It yields, in the majority of cases, to general refrigerant remedies. Topical applications are seldom of any use. In the majority of cases it is necessary to give tonics. Several species are described by medical writers.

**Erysipelatous.** Pertaining to erysipelas.

**Erysos** (*erysōs*, red). Erythema.

**Erythema** (from *erythē*, red). Redness. A diffused redness, or blush, of the skin produced by capillary congestion.

**Erythema Anthrax.** A carbuncle.

**Erythema Centrifugum.** Erythema of the face, characterized by a small red spot, which sometimes spreads over the entire face.

**Erythema Epidem'icum.** See PELLAGRA.

**Erythema Fu'gax.** An erythema of an irregular shape, and which sometimes occurs in febrile diseases and during dentition.

**Erythema Leve.** A slight blushing redness of the skin of persons affected with anasarca, especially on the lower extremities.

**Erythema Margina'tum.** Erythema bounded by a hard, irregular red border, and in which the patches are distinctly separated from each other.

**Erythema Mercuriale.** See ERYTHEMA MERCURIALE.

**Erythema Nodosum.** A form of erythema peculiar to females, consisting of oval patches on the legs which soon rise into hard oval protuberances.

**Erythema Papula'tum.** Erythema which appears in irregular patches on the neck, arms, and breast, and which, in about two weeks, disappears, leaving a bluish hue upon the skin.

**Erythematous.** Associated with erythema; having the characteristics of erythema.

**Eryth'ric Acid.** Purpuric acid; a red substance obtained by the action of nitric on uric acid. Allouzan.

**Erythrine.** A red coloring matter obtained from *Roseella tinctoria*.

**Erythroblast** (from *hæma*, sprout). A rudimentary red blood corpuscle.

**Erythrodes.** The tunica vaginalis testis.

**Erythroïd Vesicle.** A pyriform vesicle of the fetus, longer than, but of the same diameter as, the umbilical vesicle.

**Erythronium.** A metal called vanadium. Also a genus of plants of the order Liliaceæ.

**Erythrosia** (from *erythros*, red). Flacid plethora.

**Erythroxylon.** Coca. The leaves of a South American shrub. Its alkaloid is cocaine (which see).

**Esaphe.** Examination of the uterus by touch.

**Eschar** (*eschara*; from *scrapo*, to scratch over). The crust or scab, or disorganized portion of animal substance produced by the application of caustic, by burns, etc.

**Escharotic** (*escharoticus*; from *scrapo*, scratch). Any substance which, when applied to living tissues, is capable of producing an eschar or which destroys the life of the part to which it is applied and produces a slough. Among the substances which produce this effect are the caustic potash, concentrated mineral acids, sulphate of copper, etc.

**Esculent** (*esculentus*; from *esco*, food). Such plants and animals as may be used for food.

**Esmerch's Bandage.** A rubber bandage applied to a limb, with continuous pressure from below upward, in order to expel blood from a part that is to be operated on.

**Eso- (æu, within).** A prefix signifying, in Pathology, an internal disease.

**Esocollitis.** Dysentery.

**Eso'dic** (from *æu*, within, and *oikos*, way). Relating to afferent or centripetal nerves, or those conveying impressions toward the central nervous system.

**Esenteritis** (*æu*, within, and *enteritis*). Inflammation of the lining membrane of the intestines.

**Esogastri'tis.** Inflammation of the inner membrane of the stomach.

**Esoter'ic.** The changes resulting from internal causes proper to the organism. Arising within the organism.

**Ephial'sis** (from *phao*, to break). A fracture of the skull in which the fragments are depressed.

**Es'sence** (*essentia*). A volatile oil ob-

tained from plants by distillation and diluted with alcohol.

**Essen'tia.** An essence; also a tincture.

**Essen'tial.** Pertaining to an essence.

**Essential Oils.** Any volatile oils. The essential oils are compounds of carbon and hydrogen, and comprise, among others, oils of peppermint, clove, caraway, saffron, mustard, and turpentine.

**Essential Salt of Bark.** A watery extract of Peruvian bark.

**Essential Salt of Lemons.** A mixture of cream of tartar and bisulphate of potash.

**Es'sera** (*sera*; *ser*). A species of cutaneous eruption, consisting of broad, itching, red spots. Nettle-rash.

**Esthion'eus** (from *estho*, to eat). An eroding disease, as some forms of herpes and ulcers.

**Es'tival** (*æstivus*). Pertaining to summer, as summer diseases.

**E'thal.** A peculiar oily substance obtained from spermaceti; also termed the hydrate of oxide of ethyl.

**E'ther** (*æther*; from *ætho*, the upper air). In Chemistry, a very light, volatile, and inflammable fluid, produced by the distillation of alcohol with a concentrated acid, especially the sulphuric.

**Ether, Absolute.** Sulphuric ether freed from the small portion of alcohol and sulphurous acid it contains by the process of rectification. Used in Richardson's spray apparatus as a local anesthetic.

**Ether, Acetic.** An acetate of the oxide of ethyl. Acetic naphtha.

**Ether, Camphorised.** Sulphuric ether and camphor. Employed in Dental Fractures for obtaining sensitive dentine.

**Ether, Chloric.** See CHLOROPFORM.

**Ether, Hydric.** Sulphuric ether.

**Ether, Hydrochloric.** The extremely volatile chloride of ethyl.

**Ether, Hyponitrous.** Nitrous ether. Nitric ether.

**Ether Mortality.** Twenty cases (1:16,000) of death from its use.

**Ether, Muratic** (*æther hydrochloricus*). Hydrochloric ether.

**Ether, Nitric.** Nitrous ether.

**Ether, Oenanthic.** The aromatic liquid which imparts to wines their peculiar odor.

**Ether, Sulphuric** (*æther sulphuricus*). Common ether, prepared by distilling alcohol with sulphuric acid. It is a powerful diffusible

stimulant, possessed also of expectorant, antispasmodic, and narcotic properties. It is employed as a general anesthetic. For administration, see Gorgue's "Dental Medicine." Dose,  $\frac{ss}$  for internal use. Dose for inhalation, about two fluid ounces, the quantity being very variable in different cases. The effects of ether, when internally administered, are analogous to those of alcohol, and the degree of irritation will depend upon the purity of the agent. When inhaled there is a momentary stimulation of the intellectual functions, due to an increased supply of blood to the brain. Ideas are developed with greater rapidity than in the natural state, are not always coherent, and are dominated by exhilaration. These effects are followed by giddiness, a rush of undefined impressions, and unconsciousness. The action of general anesthetics, according to Bruntton, is divided into four stages: The stimulant; the narcotic, or anodyne; the anesthetic; the paralytic. Ether is contraindicated in cases of cerebral congestion, existence of tumors or abscesses in the brain, disease of the cardiac valves, disease of lungs or air-passages, oedema of the glottis, enlargement of the tonsils, cancerous diathesis, in shock following severe injuries, in very painful operations on the teeth in certain conditions, in consequence of reflex impressions through the fifth pair of nerves upon vital ganglia.

The methods of revivification for dangerous symptoms consist in the use of nuxvom, manipulative and postural, for producing artificial respiration, such as Hall's, Sylvester's, and Howard's methods; also faradization, electro-puncture, stimulation by tetrise of amyl, especially for chloroform narcosis, heat, and friction. Etherization is also produced by the introduction of ether vapor into the rectum.

**Ethereal.** Pertaining to or of the nature of ether.

**Ethereal Oil** (*oleum æthereum*). The *oleum vini*, found in the residuum of sulphuric ether.

**Ethification.** The conversion of fluids into ethers.

**Etherine.** A solid body deposited from etherole in the cold. It contains the same elements in the same ratio with etherole.

**Etherism.** The symptoms or effects of etherization.

**Etherization, Etherise.** The inhaling of the vapor of ether to produce insensibility to pain.

**Etherole.** An oily product of the decomposition of the sweet oil of wine when heated with water. It is insoluble, and isomeric with olefant gas. Known as light oil of wine.

**Ethine.** A gaseous substance formed during the incomplete combustion of hydrocarbon fuels.

**Ethionic Acid.** A product obtained by the action of anhydrous sulphuric acid on alcohol.

**Ethmoid** (*ethmoides*; from *ethos*, a sieve, and *eidos*, form). Sieve-like.

**Ethmoid Bone** (*os ethmoides*). One of the eight bones of the cranium, situated between the eyes and ethmoidal notch of the os frontis, of a light cellular texture and cubical form. It is articulated with the frontal, lachrymal, sphenoid, superior maxillary, palatine, the vomer, and inferior spongy bones.

**Ethmoid'al.** Applied to parts which pertain to, or are connected with, the ethmoid bone, as the *ethmoidal cells*, *ethmoidal arteries*, etc.

**Ethnography** (from *ethos*, nation, and *graphein*, description). A description of the different natural races and families of men.

**Ethnology** (from *ethos*, nation, and *logos*, discourse). A treatise on the different natural races and families of men.

**Ethyl.** A term applied by Berzelius to the elementary carbon-hydrogen of ether.  $C_2H_5$ ; the second of a series of alcohol molecules.

**Ethyl Bromide.** See ILLUMINE OF ETHYL.

**Ethyl Chloride.** Chloric ether. Obtained from an alcoholic solution of zinc chloride and hydrochloric acid gas. An anæsthetic resembling chloroform in its properties or action.

**Eth'ylate.** A compound of ethyl alcohol in which the hydrogen of the hydroxyl of the latter is replaced by the base.

**Ethylate of Sodium** (*æther ethylæ*). Caustic alcohol; employed in *Dental Practice* to obtain sensitive dentine.

**Ethylene.** Ethylene dichloride; ethene chloride. The formula is  $C_2H_4$ . Odorless gas. Said to be safer than chloroform, when used as a general anæsthetic, as it affects the respiration before depressing the heart, and hence its effects are more readily observed.

**Ethylene Chloride.**  $C_2H_4Cl_2$ . A chlorinated hydrochloric ether, colorless, and employed as an anæsthetic.

**Etiology.** The causation or theory of causation of a disease.

**Eumæmia** (from *eu*, well, and *mæ*, blood). A healthy state of the blood.

**Eumesthæsia** (from *eu*, well, and *mesthæ*, perception). Good perception.

**Eucaine'**.  $C_{10}H_{12}NO_4.HCl.H_2O$ . An artificial alkali produced by the reaction between acetone and ammonia. The hydrochloride is employed as a local anæsthetic.

**Eucalyptus**. The leaves of the tree *Eucalyptus globulus*, which contain tannic acid and a volatile oil similar to camphor, among the constituents of which is eucalyptol,  $C_{15}H_{26}O$ , oil of eucalyptus. It is antiseptic and germicidal. The oil of eucalyptus is employed in *Dental Practice* in chronic alveolar abscess, pyorrhea alveolaris, putrescent pulpæ, etc. It is frequently combined with carbolic acid, wintergreen, and iodoform. For dental use, see Gorgus' "Dental Medicine."

**Eucalyptus Resinifera**. An astringent gum resembling kino.

**Euchlorhydria**. The state in which the normal amount of free hydrochloric acid is present in the gastric juice.

**Euchlorine** (from *eu*, brilliant, and *chloros*, green). The protoxide of chlorine; so called from its deep yellow-green color.

**Euchroic Acid**. An acid obtained by the decomposition of the neutral mellitate of ammonia by heat.

**Euchymia** (from *eu*, well, and *chymos*, juice). A good condition of the humors.

**Eucise**. A rare mineral, consisting of small greenish crystals, a silicate of glaucine, and alumina.

**Eucra'sia** (from *eu*, well, and *cra'sis*, temperament). An excellent temperament.

**Eudiometer** (from *eidos*, purity of air, and *metron*, a measure). An instrument for measuring the quantity of oxygen or any other gas in a given mixture of gases.

**Eudiometry**. The art of ascertaining the quantity of any gas contained in a given bulk of atmospheric air.

**Euxia** (from *eu*, well, and *eis*, constitution). An excellent constitution.

**Eugenic Acid**. An acid obtained from cloves and Jamaica pimento. Antiseptic.

**Eugenol**. The oxygenated derivative and active principle of oil of cloves, having no poisonous qualities, and, in a concentrated form, coagulating albumen. Sometimes called eugenic acid. It is used in *Dental Practice* for odontalgia from exposed and inflamed pulp, dressing for root canals, and in pyorrhea alveolaris for

cleansing out pus cavities and alveolar abscesses. For other dental uses see Gorgus' "Dental Medicine."

**Eupathia** (from *eu*, well, and *pathos*, suffering). Easily affected by pain; also health.

**Eupatorium**. Agrimony. Also a genus of plants of the order Compositæ.

**Eupatorium Cannabisinum**. Hempagrimony. The juice is emetic and purgative.

**Eupatorium Perfoliatum**. Thoroughwort; horse-net. It is esteemed a tonic and diaphoretic. Dose, of powder, gr. x to gr. xxx; of the infusion, ℥i.

**Eupesia** (from *eu*, well, and *pe'sis*, I digest). Good digestion.

**Euphlogia** (from *eu*, well, and *phlogos*, to burn). Mild inflammation.

**Euphony** (from *eu*, well, and *phos*, voice). An excellent voice.

**Euphorbia**. A genus of plants of the order Euphorbiaceæ.

**Euphorbia Capitata**. An astringent Brazilian plant.

**Euphorbia Hypericifolia**. A species of euphorbia indigenous in the United States, used as an astringent and tonic.

**Euphorbia Officinærum**. The systematic name of the plant which affords the euphorbium, an isochlorous gas-resin.

**Euphorbium** (*euphorbia gum resinæ*). The concrete juice of several species of euphorbia. It is caustic and cathartic, often acting with great violence.

**Euphron**. A laipid, colorless liquid, obtained by distillation from fatty oils, especially that of rape seed.

**Euplastic** (from *eu*, and *plastikos*, formation). Becoming organized readily; adapted for forming new tissues. The elaborated matter out of which animal tissues are formed.

**Eupnea** (from *eu*, well, and *pneus*, to breathe). Normal and easy respiration.

**Eupyrion** (from *eu*, easily, and *pyr*, fire). Any contrivance for obtaining instantaneous light, as the phosphorus bottle.

**Eurhythmia** (from *eu*, well, and *rhymos*, rhythm). A regular pulse.

**Eurodonia** (from *euro*, varies, and *odon*, a tooth). Caries of the teeth.

**Eurodonicus**. One suffering from caries of the teeth.

**Europhene**. Isobutyl-orthoarsen iodide. An amorphous yellow precipitate in the form of powder. Used as a substitute for iodoform.

**Eurya**. Corruption of the humors.



**Eusarcous.** *Fleshy and robust.*

**Eusemnia** (from *eu*, well, and *sema*, a sign). A favorable sign.

**Eusplanchnia.** A healthy state of the viscera.

**Eustachian Tube.** The tube, which forms a communication between the upper part of the pharynx and the ear. It is bony and cartilaginous, and lined by a continuation of the mucous membrane of the pharynx. The entrance from the pharynx is indicated by a depression in the mucous membrane.

**Eustachian Valve** (*valvula Eustachii*). A membranous, semilunar fold, which corresponds to the opening of the vena cava inferior into the right auricle of the heart.

**Eusthesia.** Exuberant health.

**Eutaxia.** A constitution in which every part has its proper relation.

**Euthanasia** (from *eu*, well, and *thanatos*, death). An easy death.

**Euthymia.** Mental sanity or tranquillity.

**Euthymol.** Compound of anaclyptus, wild indigo, menthol, oil of gaultheria, borie acid, and thymol. Antiseptic and germicidal.

**Eutocia.** An easy labor.

**Eutrophia** (from *eu*, well, and *trophé*, nourishment). Healthy nutrition.

**Eutrophic** (*eutrophicus*). A term introduced in medical terminology by Professor Dunglison "for an agent whose action is exerted on the system of nutrition, without necessarily occasioning manifest increase of any of the secretions."

**Evacuants** (*evacuantes*; from *e*, and *vacare*, to empty). Medicines which occasion a discharge from some excretory, as ennetic, cathartics, etc.

**Evacuation** (*evacuatio*). Any discharge from the animal body, whether from the natural passages or by an artificial opening, or whether spontaneous or provoked by artificial means.

**Evans' (W. W.) Celluloid Heater.** A very desirable oven for moulding celluloid, which has a dry oven surrounded by steam. A thermometer is attached to it, and it has capacity for two large flasks. It is 10 inches high by 7½ in diameter, and will withstand from 250 to 300 pounds pressure.

**Evaporation** (*evaporatio*; from *e*, and *vaporare*, to emit a vapor). The conversion of a fluid or any other substance into a vapor for the purpose of obtaining the fixed matters in

a separate state while the volatile parts are dissipated and lost.

**Evagination** (*evaginatio*; from *e*, out of, and *venter*, the belly). A tumor from general relaxation of the walls of the abdomen and protrusion of the viscera; also hernia which takes place through any other than the natural openings of the abdominal walls; and, lastly, the protrusion of the viscera through a wound of the walls of the abdomen.

**Everricism.** An instrument used for the removal of fragments of calculus or coagula of blood from the bladder after the operation of lithotomy.

**Eversion.** A turning outward or inside out.

**Evolution** (*evolutio*; from *evolvere*, to unfold). In *Physiology*, increase, growth, or development. Also that theory of generation which supposes the germ of the new being to exist previous to fecundation, and to be only developed by the process of generation.

**Evolution, Spontaneous.** In *Obstetrics*, a term applied by Dr. Denman to spontaneous turning and natural delivery after the protrusion of the arm and shoulder of the child from the vagina.

**Evulsion** (*evulsio*; from *evellere*, to pluck out). The forcible extraction of any part, as a tooth; a plucking out.

**Exacerbation** (*exacerbatio*; from *exacerbare*, to provoke). An increase of intensity in the symptoms of a disease which recurs at intervals. It is synonymous with paroxysm.

**Exeresis** (from *exire*, to remove). The removal of whatever is unnecessary to the human body; as the extraction of a carious or decayed tooth, the amputation of a limb, the removal of foreign bodies, tumors, etc.

**Exalene.** One of the derivatives of the aromatic series of synthetic compounds. An analgesic and antineuralgic.

**Exalgine** (from *ex*, and *algos*, pain). One of the four isomeric methyl derivatives of acetanilide, occurring in lung, needle like crystals, colorless and sparingly soluble in cold water, but quite soluble in hot water and also in water to which a little alcohol is added. Its formula is  $C_9H_9NO$ . Dose, gr. iv to gr. vj, two to three times a day. All forms of neuralgia are said to be benefited by it. It causes no gastro-intestinal irritation, but occasionally may produce slight vertigo and tinnitus.

**Exal'ma.** Displacement of the veridum.

**Exaltation of the Vital Forces.** A

morbid increase of action, as that which takes place in an inflamed part. It is used by some authors as synonymous with inflammation.

**Example'ma.** Abortion.

**Exang'e's** (from *εχω*; *εχω*, to evacuate from a vessel). An enlargement or perforation of a blood-vessel without external opening.

**Exan'gulous** (*εξαγγυλος*; from *ex*, out of, and *angulus*, blood). Deicient in blood, as is those who have suffered from hemorrhage, *See* ANÆMIA.

**Exa'nia** (from *ex*, out of, and *anus*). Pro-lapsus of the rectum.

**Exanima'tion.** Death, real or apparent.

**Exan'them** (from *εξανθηω*, to flourish). Exanthema. A cutaneous eruption or rash. The term is employed by some writers to designate every sort of eruption that appears on the skin, but Dr. Willan uses it as synonymous with rash.

**Exanthem, Carbon'cular.** Anthrax.

**Exanthem Mercurialis.** Exema mercurialis.

**Exanthema'ta.** An order of diseases of the class *Pyrexia*, of Dr. Cullen's "Nomenclature." Under this term is comprehended every kind of eruption of the skin which is accompanied by fever and which attacks a person usually but once in his life, as small-pox, measles, chicken-pox, scarlatina, all of which modify the nutrition of the teeth at their formative organs, and may also cause necrosis and exfoliation of the maxillary bones in childhood, together with the retained teeth.

**Exanthemat'ic.** Eruptive.

**Exanthemat'ica.** Eruptive fevers; the third order in the class *Humores* of Dr. Cood.

**Exanthemat'icæ.** Suppression of an eruption of the skin.

**Exanthematous.** Of, or pertaining to, or characterized by, an exanthema.

**Exanthe'sis** (from *εξανθηω*, to effloresce). The breaking out of an efflorescence on the skin; also the efflorescence itself.

**Exanthrop'ia** (from *εξανθρωπις*, misanthropic). A misanthrope.

**Exarchia'ter** (*εναρχιατρος*; from *εναρχος*, a leader, and *ατρος*, a physician). The first or principal physician.

**Exar'ma.** Swelling.

**Exar'sio.** A burning heat.

**Exarter'itis.** Inflammation of the outer coat of an artery.

**Exarticulation** (from *ex*, out of, and *articulus*, a joint). A dislocation.

**Excarn'a'tion.** Making anatomical preparations by corrosion.

**Excava'tora.** Dental instruments for opening and forming cavities and removing decay from them. Although a great variety of these are in use, a few general forms will comprise the whole, such as the hatchet, hoe, and chisel.

**Excement'oids** (from *εξ*, from, and *excrementum*). Excrescences of the roots of teeth by excessive development of the cementum.

**Excern'ment.** Functions of secretion and absorption.

**Excip'ient.** A substance used for receiving or hiding the nauseous taste of medicines; a vehicle or medium.

**Excising Forceps.** An instrument for excising the crown of teeth, having narrow transverse edges closing squarely together, and which is so constructed that a tooth is in no danger of being moved in its socket by the operation.

**Excising Forceps, Elliott's Improved.** This improvement consists in placing between the handles of a common excising instrument a joint operated by a key handle, capable of closing the instrument with a force five or six times greater than can be produced by the hand alone.

**Excis'ion** (*excido*; from *excidere*, to cut off). The removal of a tumor or other part with a cutting instrument; also amputation at a joint.

**Excitabi'lity** (*excitabilitas*). The capability of living bodies being brought into action under the influence of exciting agents or stimuli. Irritability.

**Excit'ant.** A stimulant.

**Excita'tion.** Excitement. The action of excitants upon the living body.

**Excito-mo'tory System.** A term applied by Dr. Marshall Hall to the fibres of the anterior and posterior roots of the spinal nerves, which are supposed to derive their origin and power of action from the encephalic matter of the spine, in which they arise, and to be brought into action by exterior agency, independently of the direct power of the will.

**Excoria'tion** (*excorialis*; from *excoriare*, to remove the skin). Abrasion of the skin.

**Excre'tion.** The act of spitting.

**Excre'ment** (*excrementum*; from *excernere*, to separate). All matters evacuated from the animal body by the natural excretories as superfluous, as the feces, urine, perspiration, etc., but generally applied to the feces.

**Excrement-to-excrementit'ious.** A term

applied to secretions which are partly absorbed and partly rejected.

**Excre'scence** (*excre'scentia*; from *excrevere*, to grow out). Any preternatural growth, as a tumor, corn, or wart, from an organ or tissue, especially from the skin, the mucous membrane, or an ulcerated surface.

**Excre'tion** (*excretio*; from *excreare*, to separate). The expulsion, by the various outlets of the body, of such matters as are useless, as the urine, feces, perspiration, etc. The fluids excreted as waste products out of the blood.

**Ex'cretory**. Pertaining to excretion.

**Excretory Duct**. A vessel or duct which conveys a secreted fluid from the gland which has secreted it.

**Excretory Organ**. An organ destined for excretion.

**Ex'edens**. Eating, consuming.

**Execo'sis**. Ulceration.

**Exe'cys'mos** (from *ex*, from, and *exco*, to draw). Extraction.

**Exe'ra'ma** (from *exerere*, to throw out). The act of vomiting, or the matter vomited.

**Ex'er'cise** (*exercitatio*; from *exercere*, to work). Movements of the body produced by the contraction of muscles in obedience to the will.

**Exercita'tion** (*exercitatio*; from *exercere*, to work). Exercise; gymnastics.

**Exe'rib'sis** (from *ex*, out of, and *erue*, to flow). The discharge from inensurable perspiration.

**Exe'rtu'tion**. Extra uterine foetation, or the development of the ovum in some organ exterior to the uterus.

**Exfolia'tion** (*exfoliatio*; from *ex*, from, and *folium*, a leaf). Desquamation. The separation or detachment of dead portions of bone, cartilage, fascia, or tendon. The definition, however, is generally restricted to the separation of portions of bone.

**Exfo'liative**. Medicines that promote exfoliation. Also instruments for effecting or accelerating exfoliation.

**Exfoliative Marginal Glossitis**. A peculiar and rare inflammation of the tongue, found most frequently in children, but is liable to occur in advanced age. The characteristic symptoms are an irregular and sinuous patch of superficial inflammation and desquamation; a raised margin of whitish or grayish color surrounding the affected part; a tendency to migration, causing the lesion to

change its form and seat rapidly. It is never accompanied by pain and may remain for a long time undetected. The cause is obscure. The treatment consists in the avoidance of irritating food and drink and the use of soothing applications.

**Exha'lant** (*exhalens*; from *exhalare*, to exhale, to throw out). A small vessel which performs the function of exhalation.

**Exhalant Vessels**. A distinct system of vessels, which, according to Bichat, originate from the capillary arterial system and are distributed to all the tissues of the body, pouring out on the surfaces of the mucous and serous membranes and skin a peculiar fluid. They are purely imaginary.

**Exhala'tion** (*exhalatio*). The emanation which arises from organized and inorganic bodies in the form of vapor. The subtile particles, etc., given off by the body through the skin, lungs, etc.

**Exhaust'ion**. That state of body which results from great fatigue, privation of food, excessive exertions, great mental effort, anxiety, or from disease. Also the effect resulting from the removal of air from a vessel with an air-pump or from a vacuum cavity.

**Exhib'it**. To administer to a patient some medicinal substance.

**Exhib'itants**. Agents which enliven and gently stimulate.

**Exhuma'tion** (*exhumatio*; from *ex*, and *humus*, the ground). The disinterment of a corpse.

**Exis'chion** (from *ex*, out of, and *ischion*, the ischium). Location of the thigh bone.

**Ex'itus**. The outer opening of a canal. The termination of a disease.

**Exo-** (*exo*, outward). Used as a prefix to other words.

**Exo'chias** (from *exo*, without, and *chias*, to leave). A tumor at the anus.

**Exocula'tio**. Absence of eyes. Blindness.

**Exocyn'te** (*exocypsis*; from *ex*, out of, and *cynx*, the bladder). Protrusion of the urinary bladder.

**Exod'ic** (*exo*, without, and *odex*, a way). Proceeding out of the spinal marrow. Also applied to nerves transmitting impulses outward from the central nervous system; efferent.

**Exodont'o'sis**. Exostosis of the teeth (which see).

**Exola'tion**. Syncope. Trance.

**Exom'phalos** (from *ex*, out of, and *omphalos*, the navel). An umbilical hernia.

**Exomema** (from *εξ*, and *μαμα*, a tumor).

A large tumor or protuberance.

**Exophthalmia** (from *εξ*, out of, and *οφθαλμος*, the eye). A protrusion of the bulb of the eye.

**Exomosis** (from *εξ*, out of, and *ωμος*, impulse). Transudation. The property of exudation or transpiration by which rarer fluids pass out of a cavity, through membranes, into denser fluids. The opposite of endomosis.

**Exostoma** (from *εξ*, out of, and *στος*, mouth). The foramen through the outer integument of an ovula. Also *exostosis*.

**Exostosis** (from *εξ*, out of, and *στος*, bone). Hyperostosis. An osseous tumor formed on the surface or in the cavity of a bone. Three varieties are enumerated—namely, *irreg. exostosis*, from its resemblance to structure of ivory; *articulated exostosis*, from its being developed in joints; and *spongy exostosis*, from its resemblance in structure to the tissue of bones.

**Exostosis of the Alveoli**. The alveoli, as well as the teeth and other osseous structures of the body, are sometimes attacked by exostosis, which may develop itself in the form of a bony tumor or in the thickening of their walls and a consequent displacement of the teeth.

**Exostosis of the Teeth** (*exostosis dentium*; *exodontosis*). The only part of a tooth subject to exostosis is the root, and the development of the affection usually commences at or near the extremity; extending from thence upward, it sometimes covers a greater or less portion of the external surface. Occasionally, however, it commences on the side, and so great a deposition of osseous matter takes place that a large, irregular tubercle is formed; at other times the bony deposit is diffused regularly over nearly the whole of the root, but more frequently it is irregular. The bony matter thus deposited is generally of the nature of cementum, of a slightly yellowish hue and of a semi-transparent appearance.

Although sound as well as carious teeth are liable to be attacked by exostosis, the occurrence of the affection is evidently the result of increased action of the vessels of the pericorion, arising sometimes from caries, sometimes from the loss of one or more antagonizing teeth; and at other times from pressure of the adjoining teeth, or from malposition of a tooth, or from some operation that has been performed upon it. But none of these causes would be sufficient to produce the disease if it

were not favored by some peculiar constitutional idiosyncrasy. As the cementum of the affected part of the root increases in size, the alveolus enlarges, so that the pressure of the former upon the latter is rarely very great, and hence the deposition often goes on for years without being attended with much pain, but at other times it causes the tooth to ache and become sore to the touch, and in some instances it gives rise to neuralgia of the face. In the museums of the colleges of dental surgery are many very remarkable examples of dental exostosis. In one specimen—a present from Dr. E. O. Hawes, of New York—the three superior molar teeth of one side are united by a deposit of bony matter. In another—a present from Dr. Hlandin, of Columbia, N. C.—two upper molars are united. In the third—a present from Dr. Ware, of Wilmington, N. C.—there is a deposition of bone on the roots of a first superior molar as large as a hickory nut; and on the root of a cuspidatus, placed there by the author, the deposition of osseous matter forms a bulb at its apex the size of a large pea. But besides the above there are many other very remarkable examples of the disease. See Harris' "Prin. and Pract. of Dentistry."

The disease, having more established itself, does not admit of cure, and when it has progressed so far as to be productive of pain the loss of the affected tooth becomes necessary. But as the pyramida is exceedingly obdurate, its existence can only be inferred from the unpleasant symptoms to which it gives rise.

When the enlargement is very considerable and confined to the extremity of the root, and has not been followed by a corresponding enlargement of the alveolus around the neck of the tooth, its removal is often attended with difficulty, and can only be effected by cutting away a greater or less portion of the socket.

**Exostosis Stomatodosis**. See OSTEO-STOMATODOSIS.

**Exotic** (*exoticus*; from *εξ*, without). That which comes from a foreign country. In *Natural History* and *Medicine*, animals, plants, and medicinal agents which are procured from abroad.

**Exotico Symphysis**. A union of foreign bodies or of a foreign body with the human body.

**Expansion** (*expansio*; from *expandere*, to spread out). The dilatation of an expandible

body; the increase of bulk or size which it undergoes by recession of its particles from one another. In *Anatomy*, the prolongation or spreading out of an organ or structure, as of aponeuroses.

**Expectant Medicine.** A theory which restricts practitioners of medicine to the observation of disease without any effort to control or arrest its progress, leaving the cure to the effects of nature unless very alarming symptoms occur.

**Expectorant** (*expectorans*; from *ex*, out of, and *pectus*, the breast). A medicine which promotes expectoration.

**Expectoration** (*expectoratio*). The act by which mucus and other fluids are expelled from the respiratory passages.

**Expectoratio Sanguiinis.** See HÆMOTYSIS.

**Expellant.** Expulsive; driving out.

**Experience** (*experientia*). The knowledge of things acquired by long practice.

**Experiment** (*experimentum*). In *Medical Science*, a trial made upon man or other animals with a view of making discoveries in the structure or functions of organs or for the purpose of testing the effects of a new medicinal agent or of an unknown alimentary substance.

**Expers Neptis'rum.** Virgin.

**Expiration** (*expiratio*; from *expirare*, to breathe out). The act of breathing forth, or the expulsion of the air from the lungs.

**Expiratory** (*expiratus*). An epithet applied to those muscles which, by their contraction, diminish the cavity of the chest and thus effect the expulsion of air from the lungs.

**Exploration** (*exploratio*; from *explorare*, to search into). The act of investigating the physical signs of disease with the eye, hand, or instrument.

**Explorator.** Exploring needle. A long needle, enclosed in a cannula or grooved on the surface, for introduction into tumour or cavities to determine the nature of the fluids with which they are filled.

**Exploratorium.** A sound.

**Explorers.** Fine-pointed, flexible steel instruments employed to detect minute defects and fissures in the teeth and capable of being applied to all points where caries is likely to occur.

**Expressed Oil.** An oil obtained by pressing.

**Expression** (*expressio*; from *exprimere*, to

press out). The separation, by pressure, of the fluids which a substance contains; compression, as for extracting oil from plants or seeds. Also the manner in which impressions are depicted upon the countenance.

**Expulsion** (from *ex*, out of, and *spere*, to spit). The act of spitting.

**Expulsive** (*expellens*; from *expellere*, to drive out). In *Surgery*, a bandage used for the expulsion of pus or other fluid from a part. Also applied to medicines which are supposed to have the power of driving the humors toward the skin.

**Exsanguis** (from *ex*, out of, and *sanguis*, blood). Exsanguinity; exsanguinous. Bloodless. Applied to persons who have little blood.

**Excision** (*ex*, and *scindere*, to cut). The cutting out of anything, as of a nerve.

**Exsertus.** Protruding; sometimes applied to teeth which protrude. See *EXsertus*.

**Exsiccation.** Drying. Depriving a solid of its water of crystallization, or moisture, by moderate heat.

**Exstipulatus.** Without stipules.

**Exstrophila** (from *ex*, out of, and *strophe*, turning). Exstrophy. The displacement of an organ, especially the urinary bladder.

**Ext.** Abbreviation for *extremum*.

**Extemporaneous** (from *ex*, out of, and *tempus*, time). Medicines compounded from written prescriptions made at the spot or at the bedside of the patient and not by formulae.

**Extension** (*extensio*; from *extendere*, to stretch out). In *Surgery*, the pulling of a limb for the reduction of a fracture or dislocation.

**Extension Thim'ble.** An instrument invented by Professor Taft to be used by dentists to aid in holding the napkin or whatever may be used to prevent the encroachment of saliva when filling teeth. The point of this instrument can extend into the mouth to a part where the fingers can not go. It is also used for holding down a piece of gold till it is secured in the proper position when filling teeth.

**Extensor.** In *Anatomy*, an epithet applied to a muscle whose function it is to extend or strengthen certain parts.

**Extensor Bre'vis Digito'rum Pe'dis.** A muscle of the foot.

**Extensor Car'pi Radia'lis Bre'vior.** An extensor muscle of the wrist.

**Extensor Carpi Radialis Longus.** An extensor muscle of the carpus.

**Extensor Carpi Ulnaris.** A muscle which arises from the condyle of the os humeri and from the edge of the ulna and is inserted in the metacarpal bone of the little finger.

**Extensor Digtorum Communis.** A large flat muscle of the forearm which extends to the fingers.

**Extensor Digitorum Communis Longus.** See **EXTENSOR LONGUS DIGITORUM PRIMI.**

**Extensor Longus Digitorum Pedis.** A muscle of the leg extending to the joints of the four small toes.

**Extensor Magnus.** The gastrocnemius muscle.

**Extensor Osseus Metacarpi Pollicis Manus.** A muscle of the wrist.

**Extensor Primi Internodii.** A muscle of the thumb.

**Extensor Proprius Pollicis Pedis.** An extensor muscle of the great toe.

**Extensor Secundus Internodii Indicis Proprius.** See **EXTINGUISH.**

**Extensor Tertius Magnus.** The gastrocnemius and solens muscles combined.

**Extenuatio.** Emaciation.

**Extensusio.** Detergents.

**External Diseases.** Diseases occupying the surface of the body.

**Extensus Auris.** The laxator tympani muscle.

**Extinctio.** Death.

**Extinctio Vo'cis.** Incomplete aphonia.

**Extinction of Mercury.** The trituration of mercury with other substances, as lard, until its metallic globules disappear.

**Extraction** (*extrahere*; from *extrahere*, to draw out). The complete removal of a part (applied generally to a useful structure) by evulsion or with caustic.

**Extractor.** A name applied to an instrument invented by Mr. C. T. Goodwin, of Philadelphia, for the extraction of the roots of carious teeth. It is shaped something like the common straight punch which is sometimes employed for the removal of roots of teeth.

**Extract** (*extrahere*; from *extrahere*, to draw out). In *Pharmacy*, a tenuous substance obtained by the evaporation of a vegetable solution. Also a substance held in solution by the juice of a fresh plant, as well as that to which some menstruum has been added at the time of its preparation.

**Extraction** (*extrahere*; from *extrahere*, to

draw out). In *Chemistry*, the separation of a simple or compound substance from a body of which it forms a part. In *Surgery*, the act of removing foreign or diseased bodies or organs from any part of the body; as a urinary calculus from the bladder, a bullet or splinter from a wound, or a tooth from a jaw.

**Extraction of Teeth.** "Of all the remedies," says Desmarade, "for diseases of the teeth, there is none which has been used as long as their extraction; for not only is it spoken of in formal terms by Hippocrates, who also attempts to correct the alveolus to which it might lead, but a passage in Celsus designates Ectropides, the third of that name, as the person by whom it was first proposed."

**Indications for the Operation.**—Beginning with the teeth of first dentition, it will be sufficient to state that when a tooth of replacement is about to emerge from the gums, or has actually made its appearance either before or behind the corresponding temporary, the latter should at once be removed; and when the aperture formed by the loss of this is as narrow as to prevent the former from regaining its proper position, it may sometimes be necessary to extract even an adjoining temporary tooth. Alveolar abscess, necrosis of the walls of an alveolus, and pain in a temporary tooth which can not be assuaged by any of the usual remedies may also be regarded as indications which call for the operation.

With regard to the ballastness which should determine the extraction of a permanent tooth, the following may be mentioned as constituting the principal:

**First.**—When a molar, from the loss of its antagonizing teeth or other causes, has become partially displaced or is a source of constant irritation to the surrounding parts it should be removed.

**Second.**—A constant discharge of fetid matter from the pulp-cavity and the canal of the root through a carious opening in the crown may also be regarded as an indication for the operation.

**Third.**—A tooth which is the cause of alveolar abscess should not, as a general rule, be permitted to remain in the mouth, but, if it be an incisor or cuspidatus, and the discharge of matter through the gums is small, occurring only at long intervals, and especially if the organ can not be securely replaced with an artificial substitute, it may be advisable to permit it to remain.

**Fourth.**—Irregularity in the arrangement of the teeth, resulting from a disproportion between the size of these organs and the alveolar arch, is another indication which calls for the operation.

**Fifth.**—All dead teeth and roots of teeth, and teeth which have become so much loosened from the destruction of their sockets as to be a constant source of disease to the adjacent parts, or teeth which are otherwise diseased and are a cause of neuralgia of the face, a morbid condition of the maxillary sinus, dyspepsia, or any other local or constitutional disturbance, should, as a general rule, be extracted.

There are other indications which call for the extraction of teeth, but the foregoing are among the most common, and will be found sufficient in most cases to determine the propriety or impropriety of the operation. The general conditions unfavorable to or contra-indicating the extraction of teeth are debility, irritability, hemorrhagic diathesis, epilepsy; but preliminary measures will often enable the patient presenting one among such conditions to undergo such an operation with safety. For debility, a tonic of iron, quinine, and strychnia, preceded by a blue pill; local irritability may be remedied by the use of astringent washes or the application of escharotics, and general irritability may be treated by the internal use of bromides; hemorrhagic tendency may be guarded against by opium and gallic acid; and in cases subject to epilepsy preliminary measures should be taken to prevent the patient doing injury to himself during the paroxysm.

**Conditions to be Observed in this Operation.**—There are certain conditions of the system which contra-indicate, or at least require, careful consideration before the performance of this operation; as debility, nervous irritability, affections of the heart, the presence in the mouth or parts adjacent of erysipelas or other malignant inflammations, pregnancy, epilepsy, and a hemorrhagic diathesis.

**Accidents Which Sometimes Result from the Operation.**—The extraction of a tooth, though in the majority of cases a simple operation, is, nevertheless, sometimes attended by trifling accidents which the most skillful and prudent can not always avoid. The conformation or condition of a tooth is sometimes such as to render its removal without fracturing it or the alveolus impossible, but no accident of a

serious nature need ever occur if the operation be performed with a suitable instrument and by a skillful hand, except such, perhaps, as may result from a hemorrhagic diathesis of the general system or from peculiar states of the constitutional health.

The removal of a wrong tooth or of two, or even three, instead of one are such common occurrences that it were well if the precautions given by the illustrious Astruc and Paré were more frequently observed. No fearful was he of injuring the adjacent teeth that he always isolated the tooth to be extracted with a file before he attempted its removal. For instruments employed in the operation and manner of using them see Harris' "Prin. and Pract. of Dentistry."

**Extractive.** In *Chemistry*, a peculiar, immediate principle in extracts, supposed to consist of combinations of acid, coloring matter, and an astringent body.

**Extractum.** An extract. The term is applied to a variety of organic principles which have not been studied, their only resemblance to one another being the fact that they are soluble in the same mixture. They are divided into *aqueous*, *alcoholic*, and *etheral* extracts or extracts.

**Extractum Fluidum.** A fluid extract.

**Extra'neous.** Foreign to the body.

**Extraneous Bodies** (*corpora extranea*; from *extra*, without). In *Hypnotism*, all substances, whether solid, liquid, or gaseous, solid or insensate, introduced from without or formed in the body without constituting any part of the organism.

**Extrapolar.** Outside the poles; not occurring in the space between the poles or electrodes, as in an electric current.

**Extra-polar Region.** That lying outside the electrodes.

**Extra-uterine Pregnancy.** The development of the ovum outside of the uterus.

**Extravasation** (*extravasatio*; from *extra*, out of, and *vas*, a vessel). Escape of fluids, especially blood and serum, from their proper vessels, and infiltration or effusion of the same into the meshes of the surrounding texture.

**Extrem'ity** (*extremitas*). A term applied in *Anatomy* to the limbs, as the upper and lower extremities; but, in common language, the end or point of anything. Also applied to the last moments of life.

**Extrin'sic** (*extrinsecus*). External, outward.

In *Anatomy*, applied to the external muscles of certain organs, as the ear, tongue, etc.

**Extro'sal** (from *ex*, and *tertio*, turning). Turned outward.

**Extrover'sion**. Turned inside out; applied to hollow organs, especially to the bladder, when turned inside out.

**Exu'ber** (from *ex*, from, and *uber*, a tent). Weaned from the breast.

**Exuda'tion** (*exudatio*; from *exudo*, to sweat out). A sweating or discharge of a fluid or moisture from the skin, the surface of a membrane, an ulcer, etc. Also the filtration or oozing of the serum of the blood through the walls of the vessels.

**Exulcera'tion** (*exulceratio*; from *exulcero*, to cause to ulcerate). Incipient ulceration.

**Exu'vise** (from *exuo*, to put off). Any matter cast off.

**Exuvia'tion** (from *exuo*, to put off). The shedding of the deciduous teeth.

**Eye**. The globular organ which occupies the cavity of the orbit, constituting the especial apparatus of vision. Its appendages are the eyelids, cilia, lachrymal apparatus, etc. The globe of the eye is composed of membranes arranged one within the other, and humors enclosed by them. It is moved by four straight and two oblique muscles. With the exception of the optic, it is principally supplied with nerves from the ophthalmic ganglion.

**Eyebright**. A plant of the genus *Euphrasia*.

**Eye-brow**. See SUPERCILIUM.

**Eyeglass**. An optical instrument used to assist vision.

**Eyelid**. See PALPEBRA.

**Eye-teeth**. The cuspidate of the upper jaw are so called because their roots extend nearer to the orbit than those of any of the teeth.

## F.

**F**. In *Chemistry*, the symbol of fluorine. In *Medical Prescriptions* it is used as an abbreviation of *fat* or *fuss*, let it or them be made. Also of Fahrenheit.

**Face** (*facies*). The lower and anterior part of the head, consisting of the forehead, eyes and eyebrows, nose, cheeks, lips, and chin. In an anatomical point of view it consists of that portion of the head situated below and in front of the cranium.

**Face Ague**. Neuralgia in the nerves of the face.

**Face Bones of**. The face is formed of fourteen bones—namely, the two superior maxillaries, the two inferior, the two nasal, the two lacrimal, the vomer, the two palatine, the two inferior turbinate, and the inferior maxillary. To these may be added the os frontalis and thirty-two teeth.

**Face Grippes**. The pinched-to face, as seen in persons affected with peritonitis.

**Fac'et** (*facies*). A small, circumscribed, smooth plane or surface of bone which is distinguished from adjacent portions of same surface by difference of its curvature.

**Fac'ial** (*facialis*). Pertaining to the face, as the facial nerve, facial dermograph, etc.

**Facial Angle**. See ANGULUS FACIALIS.

**Facial Artery**. The third branch of the external carotid. It ascends to the submaxillary gland, behind which it passes on to the lower of the lower jaw—thence it goes in front of the masseter muscle to the angle of the mouth, and finally terminates at the side of the nose by anastomosing with the ophthalmic artery.

In its course it gives off the submental, inferior labial, superior and inferior coronary arteries, which mainly supply the elevators, depressors, and circular muscles of the mouth, or those agents concerned in the first steps of digestion—the prehension of food.

**Facial Nerve** (*portio dura*). Seventh pair. The facial nerve arises from the medulla oblongata, between the corpus olivare and restiforme, close by the lower margin of the pons Varolii; it then passes forward and outward with the portio mollis to the foramen auditivum interius, which it enters and passes on to the base of this opening; here these two



nerves separate, the latter going to the labyrinth of the ear, while the facial enters the aqueduct of Fallopius, where it is joined by the Vidian; it then goes on in a curved direction outward and backward behind the tympanum where it parts with the Vidian, and proceeds thence to the stylomastoid foramen, from which it emerges.

At this point it sends off three branches: (1) The *posterior auricular*; (2) the *stylo-hyoid*; (3) the *digastric*. The posterior auricular ascends behind the ear, crosses the mastoid process to the occipito-frontalis muscle. The stylo-hyoid is distributed to the stylo-hyoid muscle and the digastric to the posterior belly of the digastric muscle.

The facial nerve, being deeply imbedded in the substance of the parotid gland, divides into two branches—a superior and an inferior; these have frequent anastomoses called the *par auricular*, or parotidian plexus, and send branches to the whole of the side of the face.

The upper branch, called the *temporo-facial*, ascends in front of the ear upon the zygoma, supplying the sides of the head, ear, and forehead, and anastomosing with the occipital and supra-orbital nerves; it set of branches just transversely to the cheek, main branches furnishing the lower eyelids, lips, side of the nose, and uniting with the infra-orbital nerve.

The inferior or *servico-facial* branch descends, supplying the lower jaw and upper part of the neck, giving off the following branches: (1) The *massillary*, which passes the mass of the jaw and masseter muscles to the lower lip and its muscles; (2) the *submental*, which passes along the base of the lower jaw, supplying the muscles which arise from this part; (3) the *servical*, which go to the platysma and superficial muscles of the neck.

**Facial Neuralgia.** See NEURALGIA, FACIAL.

**Facial Spasm.** Spasmodic contraction of the superficial muscles of the face due to irritation of the facial or portio dura nerve. Dental irritation has been ascribed as a cause of this affection.

**Facial Vein.** The vein which returns the blood of the facial artery. It generally descends obliquely on the face to the external or internal jugular.

**Facies.** The face; also any given portion of an animal or vegetable body or organ.

**Facies Hippocraticæ.** That peculiar alteration of the human face which immediately

precedes death; so called from having been first described by Hippocrates.

**Facies Rubra.** Gutta serena, or red face.

**Facio-lingual.** Of or pertaining to or involving the face and tongue.

**Facit'ious** (*facit'ius*; from *facere*, to make). That which is made by art. Artificial, as fictitious teeth, etc.

**Fac'alty** (*faculties*). The power by which any function is executed. In medical and dental colleges, the professors.

**Fæces.** The plural of *feces*. Alvine excretions. Also drops or sediment.

**Fæc'ula.** See FÆCULA.

**Fæx.** An excretion. Also a sediment.

**Fægine.** A narcotic extract obtained from leech-nuts.

**Fagopy'rium.** See POLYTRICHUM FAGOPYRUM.

**Fahrenheit's Thermometer.** A thermometer so graduated that the freezing point is at 32° and the boiling point at 212°.

**Faint'ing.** See SYNCOPE.

**Fal'chion** (*falciformis*; from *fals*, a scythe, and *forma*, shape). Scythe-shaped. Applied to parts of the body which resemble a scythe.

**Falciform Process.** The falx. A process of the dura mater which separates the two hemispheres of the brain.

**Falling Sickness.** Epilepsy.

**Fallo'pian Ligament.** Pampart's ligament.

**Fallopian Tube.** See TUBE, FALLOPIAN.

**Fallo'pian, Aqueduct of.** See AQUEDUCT OF FALLOPIUS.

**False** (*falsus*). Pseudo; spurious. That which is not pure. Adulterated. Deviating from nature.

**False Aneurism.** See ANEURISM.

**False Conception.** Conception and gestation in which the product, instead of a well-organized infant, is a mole or some other abnormal body.

**False Joint.** See ARTIFICIAL JOINT.

**False Membrane.** A morbid product resembling a membrane formed from an exudation of coagulable lymph. It is produced in croup, pleurisy, etc.

**False Passage.** An accidental passage sometimes made in carefully performed operations, as in the introduction of a catheter when armed with cautery.

**False Ribs** (*costæ spurie*). The five inferior ribs, except the last two, or floating ribs, joined anteriorly to each other and to the cartilages of the last true rib.

**False Waters.** An accumulation of serous fluid between the chorion and the amnion, discharged at different periods of pregnancy.

**Falsification** (from *falsus*, false, and *facere*, to make). Adulteration.

**Falx.** A scythe. See **FALCIFORM PROCESS**.  
**Falx Cerebelli.** A triangular process of the dura mater between the lobes of the cerebellum.

**Falx Cerebri.** The falctiform process.

**Falx Major.** The falx cerebri.

**Falx Minor.** The falx cerebelli.

**Falx Peritonei.** The great falx of the peritoneum. A process of the peritoneum extending from the umbilicus.

**Famine** (from *perire*, to eat). Famine; hunger.

**Fames Bovine.** Inevitable hanger.

**Fames Canine.** Canine appetite.

**Fames Lapine.** A species of hallucin in which the patient eats ravenously and passes his undigested food very soon through the anus.

**Family.** In *Natural History*, a collection of a number of genera allied to one another by common characters and having a close affinity in organization.

**Fancy Mark.** Nevus.

**Fang** (Ger. *fänge*, to take, or seize, or bite). The sharp, perforated tooth of venomous reptiles; also the root of a tooth.

**Fanon.** A peculiar splint employed in fractures of the lower extremities.

**Farad.** The unit of electric capacity. The amount of electrical capacity equal to that of a condenser which contains one coulomb with a potential of one volt.

**Faradism.** Electricity produced in the form of a constantly reversed secondary current by the inducing action of a primary galvanic current which is constantly made and broken.

**Faradization.** Galvanism.

**Farci'men.** The equine species of scrofula called farcy.

**Farctus** (*farctus*, to stuff). Stuffed, filled, crammed.

**Far'ina** (from *fer*, corn, of which it is made). Meal or flour.

**Farina Amygdalærum.** Almond powder.

**Farina Fos'phila.** The aqueous mineral; a pure carbonate of lime or mountain milk.

**Farina'ceous.** Resembling flour. All alimentary substances which contain farina. Mealy.

**Farina'cea.** Farina'ceous.

**Farrar's Cantilever Crown.** An artificial thin-plate-crown of gold so constructed on one of the roots of a posterior tooth as to project in the form of a cantilever bridge over a space left by the amputation of one of the roots or by the loss of a tooth—a bicuspid, for example—so as to connect the broken line of masticating surfaces.

**Farrar's Method of Moving the Roots of Teeth.** Consists in changing the position of the roots as well as of the crowns of irregular teeth by skillfully devised apparatus which exerts traction over the entire tooth; especially applicable to inclined tilting toward one another.

**Farrar's Transpalatal Screw-Jack.** An apparatus for moving forward the roots of incisors by working on the lingual side of the arch.

**Far-sight'edness.** An affection resulting from a natural malformation of the eye. See **PHOSPHORIA**.

**Fascia** (from *fascis*, a bundle). A bandage, fillet, or roller. Also an sponenrotic, or tendinous expansion which binds parts together. It is one of the divisions of areolar tissue, and is composed of a multitude of soft, fine, and somewhat elastic fibres, which, with the lamina form net-like meshes of different sizes. Fascia are divided into two varieties, deep and superficial, the former being immediately beneath the latter, and extending like the superficial, over nearly the entire surface of the body, and holding the muscles to their shape and in their proper position. The superficial or subcutaneous fascia connects the skin with the deeper and firmer parts beneath. It varies in thickness and density in different parts.

**Fascia Aponeurotica Femoris.** See **FASCIA LATA**.

**Fascia Crithiform'is.** A fibrous substance, pierced with numerous openings, extending from Poupart's ligament over the inguinal glands.

**Fascia Dividens.** A dividing bandage, used to keep parts separated from one another.

**Fascia Ill'aca.** A sponenrotic covering of the psoas and iliacus muscles.

**Fascia Inguinal'is.** The spica bandage.

**Fascia Lata.** The fascia of the thigh, which is attached superiorly to Poupart's ligament, the crest of the ilium, sacrum, coccyx, tuberosity of the ischium, ramus of the ischium, and pubes, and is inserted into the linea aspera of

the thigh and to the prominent points of the knee-joint.

**Fascia Lata Musc.** The tensor vaginæ femoris, a muscle of the upper and outer part of the thigh.

**Fascia Propria.** The proper cellular envelope of a hermal sac.

**Fascia Scutell.** A bandage of separate strips.

**Fascia Spiralis.** A spiral bandage.

**Fascia Superficialis.** The aponeurotic covering of the abdominal muscles.

**Fascia T-formis.** The T-bandage.

**Fascia Tortilis.** A tourniquet.

**Fascia Transversalis.** A cellulo-fibrous membrane which lines the inner surface of the transversalis muscle.

**Fascial (fasciis).** Of or belonging to a fascia.

**Fasciatio.** The binding up with bandages a diseased or wounded part.

**Fasciculata.** Clustered; bundled. In *Anatomy*, applied to nerves.

**Fasciculi Teretes Cordis.** The carnea columnæ.

**Fasciculus (from fascis, a bundle).** In *Anatomy*, an assemblage or bundle of fibres, either muscular, nervous, or aponeurotic.

**Fasciculi** are the bundles of the fibres composing muscles, these fibres varying in length, running parallel with one another, never interlacing, but extending from one terminal to the other, except when interrupted by the interposition of tendinous tissue.

**Fasciculus Cuneatus.** A band of fibres which ascend from the corpus innominatum of the brain over the upper part of the pons Varolii into the optic thalamus, forming in its course the anterior side of the fourth ventricle.

**Fasciola Ciliaris.** The tuberculum ciliarium.

**Fastidium Cib.** Diænet. Aversion to food.

**Fasting.** Abstaining from food. Loss or want of appetite without any other apparent affection.

**Fat.** A solid or semi-solid oily substance contained in the cellular membrane of animals or obtained from animal liquids, such as milk.

**Fatty.** Adipose; adipoma. Relating to or of the nature of fat.

**Fatty Ligament.** A reflection of the synovial membrane of the knee-joint, which passes from the ligamentum patellæ to the cavity that separates the condyles of the femur.

**Fatty Liver (adiposis hepatica).** A diseased state of the liver, characterized by increase of bulk and accumulation of fat.

**Fatuity (fatuitas; from fatuus, foolish).** Idiocy.

**Fauces (the plural of *fovea*).** The gullet or windpipe. The space surrounded by the palate, tonsils, and uvula. The communication between the throat and pharynx.

**Fascial.** Pertaining to the fauces or situated therein.

**Fauces.** The group of animals peculiar to a country or section of country.

**Faux (in the plural, *fauxes*).** In *Anatomy*, the opening of the throat.

**Favo-sus (from *favus*, a honeycomb).** Resembling a honeycomb.

**Favus.** A honeycomb. Applied in *Pathology* to a state of ulceration resembling the honeycomb. Also a contagious parasitic affection of the skin.

**Fe.** The symbol of iron.

**Febris (febris).** An order in the class *Pyrexia* of Dr. Cullen, characterized by fever without primary local affection.

**Febrico-sus.** Febrile.

**Febricula (diminutive of *febris*).** A slight degree of fever.

**Febriferous (from *febris*, a fever, and *ferre*, I carry).** Fever-bearing. Engendering fever.

**Febrifuge (from *febris*, a fever, and *ferre*, to drive away).** A medicine that possesses the property of curing or abating fever.

**Febrile (febrilis).** Caused by or connected with fever, as a febrile pulse, etc.

**Febris (from *ferre*, to be hot).** Pyrexia; fever. A term which has been applied to every case of disease in which there is an acceleration of pulse, increased heat, thirst, etc.

**Feces.** See *Fæces*.

**Fecula.** An immediate principle of vegetables, obtained by grinding or bruising them in water and composed of hydrogen, carbon, and oxygen. An impure starch.

**Fecula Amylacea.** Starch.

**Fecula Maranta.** Arrow-root starch.

**Feculence (feculentia).** The deposit from turbid fluids. Dregs.

**Feculent.** Excrementitious. Of the nature of feces or dregs.

**Fecundation (fecundatio; from *fecundo*, to make fruitful).** Impregnation. The act by which the germ contained in the organs of the female receives from those of the male the vivifying principle necessary for its development.

**Fecundity.** The faculty of reproduction possessed by organized bodies.

**Feet, Distortion of the.** See CLUB-FOOT.

**Felgued Diseases.** Pretended diseases. Diseases simulated by impostors to answer some particular end; as by beggars to excite sympathy, criminals to escape punishment, and soldiers to avoid service.

**Fel. Nile.**

**Fel Bovinum.** The bile of an ox.

**Fel Nativum.** Aloes.

**Feldspar.** A mineral of various shades of white and red, composed of silica, alumina, and potash, with traces of lime and sometimes of oxide of iron. It is the chief ingredient in fine porcelain ware and in the translucent porcelain teeth, forming the greater portion of the body of such teeth. It gives transparency and acts in the nature of a flux, and, by its heat-conducting property, it prevents porcelain teeth from cracking during the soldering process. But for the last-named purpose the only kind suitable for use is the pure white or that which is nearly so. Previously to being used, it is put into a fire and heated to a red heat, then thrown into cold water. It is then broken into small pieces and, after removing the impurities, reduced in a mortar to a fine powder. This is easily fused, and, when united with silica and kaolin, diffuses itself, in baking, throughout the mass, giving to it a beautiful semi-transparent appearance. Delaware and Pennsylvania spars are considered to be the best by American manufacturers. See ARTIFICIAL TEETH.

**Fellinus Passio.** Gall-flux disease; cholera.

**Fellin'ic Acid.** An acid obtained from bile by digesting it with dilute hydrochloric acid.

**Fellis Obstruc'tio.** Jaundice.

**Felon.** See PARONYCHIA.

**Female** (from *fémina*, a woman). In animals, the one which bears the fetus.

**Femur.** Inner part of the thigh.

**Femin'ous.** Female.

**Femoris'us.** Another name for the crureus muscle, an extensor of the leg.

**Fem'oral** (*femorale*; from *femur*, the thigh bone). Pertaining to the thigh.

**Femoral Artery.** The artery of the thigh, a continuation of the external iliac artery from Poupart's ligament to the bend of the knee.

**Femoral Bone.** The os femoris; the thigh bone.

**Femoral Hernia.** Hernia cruralis.

**Femora'tis.** The triceps cruris muscle.

**Fem'orocole** (*femur*, thigh, and *colis*, a tumor). The disorder termed hernia cruralis.

**Fem'oro-tib'al** (*femoro-tibialis*). Pertaining to the femur and tibia.

**Femur.** The os femoris, or thigh bone.

**Fenes'tra.** A window. A term applied by anatomists to two orifices in the ear.

**Fenestra Oc'ali.** The pupil of the eye.

**Fenestra Ova'lis.** An oval-shaped orifice, covered by the base of the stapes, between the tympanum and vestibule of the ear.

**Fenestra Rota'nda.** A round foramen communicating with the internal spine of the cochlea and closed by a delicate membrane.

**Fenes'tral Band'age.** A bandage performed for the escape of pus or other matters.

**Fenes'trate.** Having the appearance of a window; applied to plants in which the leaves are perforated between the woody fibres.

**Fera'lis Pedic'ulus.** See PEDICULES.

**Fergusonsite.** A crystallized compound of columbic acid and yttria, with a small quantity of silicic acid, oxides of tin, cerium, iron, and uranium.

**Fergusson's Incision.** An incision for removing the upper jaw. It is made along the junction of the nose and cheek, and passing round the wing of the nose to the median line, where it descends to bisect the lip.

**Ferine** (*ferina*). Savage, brutal. Applied to a malignant or scaly disease.

**Ferment'.** In *Chemistry*, an insoluble precipitate, composed of oxygen, hydrogen, carbon, and water, capable of exciting fermentation in certain solutions, as sugar, etc. Ferments are bodies exciting chemical changes in other bodies. Ptyalin, in the saliva, converts starch into maltose. Pepsin, in the gastric juice, converts proteids into peptones in an acid medium. Yeast causes fermentation by changing sugar into CO<sub>2</sub> and alcohol. A ferment, when present in a very small quantity, is capable of affecting fermentation in a large amount of another substance. An *asporoid* or *sclerid* ferment is a chemical substance, such as may be extracted from the different digestive fluids capable of producing fermentation by purely chemical processes. An *asporoid* ferment is a living micro-organism causing fermentation directly or by the agency of some substance that it produces. A *fibrin-forming* ferment is also found in the blood.

**Fermenta'tion** (*fermentatio*). An ite-

tial movement developed spontaneously or by the agency of a ferment in a liquid, from which result substances not previously existing. The molecular decomposition of an organic structure by means of an organized or unorganized ferment. There are three kinds of fermentation—namely, the *alcoholic* or *vinous*, the *acid* or *acetic*, and the *putrid* or *putrefactive*.

**Fermentum.** The substance which excites fermentation. Yeast.

**Fermentum Cerevisiae.** Yeast; harm; the foam formed on beer during the process of fermentation.

**Ferraria** (*acryfularia aquatica*). The water spout.

**Ferri** (genitive of *ferrum*, iron). See **IRON**.

**Ferri Acetas.** (Ph. D.) Acetate of iron. Iron water. Carbonate of iron and acetic acid. Dose, as a tonic and astringent, five to twenty drops in water.

**Ferri Acetatis Tinctura.** (Ph. D.) Tincture of acetate of iron.

**Ferri Alkalini Liqueur.** Alkaline solution of iron.

**Ferri Alumina Sulphas.** Sulphate of iron and alumina. A valuable astringent. Dose, from five to ten grains.

**Ferri Ammonia Sulphas.** Sulphate of iron and ammonia.

**Ferri Ammonia Tartras.** Tartrate of ammonia and iron. Dose, four to ten grains.

**Ferri Ammonio-chloridum.** (Ph. L.) Ammonio-chloride of iron.

**Ferri Ammonio-citras.** Citrate of ammonia and iron. Dose, gr. v to gr. viij.

**Ferri Arsenias.** Arseniate of iron.

**Ferri Carbonas.** Common iron rust.

**Ferri Carbonas Saccharatum.** (Ph. E.) Saccharine carbonate of iron.

**Ferri Chloridum.** Chloride of iron. Sesquichloride, perchloride, or muriate of iron is obtained by dissolving sesquichloride of iron in muriatic acid or by the action of muriatic and nitric acids on iron. It is generally used in the form of tincture *ferris chloridi*. It is a powerful styptic.

**Ferri Citras.** Citrate of iron. Dose, five grains or more.

**Ferri Cyanuretum.** Ferrocyanidum. Prussian blue.

**Ferri Ferro-sesquicyanidum.** (U. S.) Ferrosesquicyanide of iron.

**Ferri Filum.** Iron wire.

**Ferri Iodidum.** (Ph. L., E., D., and U. S.)

Iodide of iron. Iodine and iron. Dose, three grains to ten or more. See **BLANCHARD'S PILLS OF IODIDE OF IRON**.

**Ferri Lactas.** Lactate of iron. Lactic acid and iron. Twelve grains may be given in the twenty-four hours, in the form of lozenges.

**Ferri Limaturis Purificatis.** Purified iron filings. The iron purified by the magnet. They possess the general properties of iron, the iron becoming oxidized.

**Ferri et Magnesia Citras.** Citrate of iron and magnesia. Made by dissolving hydrated oxide of iron in a solution of citric acid saturated with carbonate of magnesia and evaporated to dryness. It does not coagulate. Dose, four grains to fifteen, in solution.

**Ferri Muria'tis, Tinctura.** Tincture of the muriate of iron. See **TINCTURA FERRI MURIATICA**.

**Ferri Oxidi Squamas.** (Ph. D.) The scales of iron from a smith's forge.

**Ferri Oxidum Nigrum.** (Ph. D. and E.) Black oxide of iron. Iron scales.

**Ferri Oxidum Rubrum.** (Ph. E. and D.) Red oxide of iron. Iron rust.

**Ferri Pernitras.** Ipernitrate of iron.

**Ferri Persulphas.** Persulphate of iron. Moseley's salt. Made of sulphate of iron, sulphuric and nitric acids, and distilled water. See **IRON, PERSULPHATE OF**.

**Ferri Phosphas.** (U. S.) Phosphate of iron. Phosphate of iron and phosphate of soda. Dose, five to ten grains, as a chalybeate, rarely used.

**Ferri Pila.** Iron filings.

**Ferri Potassia Tartras.** (Ph. L.) Potassotartrate of iron.

**Ferri Protocarbonas.** Protocarbonate of iron. Dose, ten or fifteen grains in the course of twenty-four hours.

**Ferri Protosulphas.** Protosulphate of iron. Prussian blue.

**Ferri Pulvis.** Powder of iron; reduced iron, prepared by passing a stream of hydrogen gas over the sesquichloride of iron. Dose, gr. iij to gr. vj, in a pill.

**Ferri et Quina Citras.** Citrate of iron and quina. Prepared from four parts of citrate of iron and one part of citrate of quina. Used where a combination of these tonics is indicated.

**Ferri Ramen'tis.** Scrapings of iron. A name for iron filings.

**Ferri Rubigo.** Rust of iron.

**Ferri Sesquioxidum.** (Ph. L.) Sesquioxide

of iron. Subcarbonate of iron. Dose, gr. v to ʒss and more.

**Ferri Sesquioxidentum Hydratum.** (U.S.) Hydrated sesquioxide of iron. See **SESQUIOXIDE OF IRON**.

**Ferri Subcar'bonas.** Subcarbonate of iron. See **FERRI SESQUIOXIDUM**.

**Ferri Sulp'phas.** In the form of Moser's powder, a powerful styptic; very useful in alveolar hemorrhage.

**Ferri Sulphas.** (Ph. U. S., L., E., and D.) Sulphate of iron. Green vitriol, or copperas, made by the action of sulphuric acid on iron wire. It is tonic and anthemorrhagic. Dose, one grain to six and more.

**Ferri Sulphas Calcina'tum.** Peroxide of iron. Calcothar.

**Ferri Sulphas Exalc'entum.** (Ph. E.) Dried or exsiccated sulphate of iron. Sulphate of iron exposed to a moderate heat until it is capable of being reduced to a fine powder. In this form it can be made into pills. Three grains are equal to five grains of the sulphate.

**Ferri Sulphure'tum.** (Ph. U. S., D., and L.) Sulphuret of iron.

**Ferri Tan'nica** (*ferrum tannicum*). Tannate of iron. Obtained by mixing a solution of a salt of sesquioxide of iron, as the persulphate, with a decoction of nutgalls. It is tonic and astringent, and is especially useful in chlorosis.

**Ferri Valer'icæ.** Valerianate of iron. Formed by the action of valerianic acid on oxide of iron. Dose, two to four grains.

**Ferridcyan'ogen.** A hypothetical compound radical of iron and cyanogen.

**Ferrif'erous** (*ferrus*, iron, and *fero*, to bear). Containing iron.

**Fer'ro-** (from *ferrus*, iron). A prefix in *Acidology*, attached to compounds in which this element unites with cyanogen and other radicals.

**Ferro-cy'anata.** Ferro-cyanide.

**Ferro-cyanate of Potash.** The old name for ferro-cyanide of potassium. Yellow prussiate of potash.

**Ferro-cyanates.** Salts formerly called triple prussiates.

**Ferro-cyanic Acid.** A yellow, acid, crystalline body; a compound of ferro-cyanogen and hydrogen.

**Ferro-cyanide of Iron.** Prussian blue.

**Ferro-cyanide of Potas'sium.** Yellow prussiate of potash.

**Ferro-cy'anogen.** A hypothetical radical,

supposed to form the basis of the ferro-cyanides.

**Ferro-prussic Acid.** Ferro-cyanic acid.

**Ferro-tartrate of Ammo'nia.** A salt of tartrate of iron and ammonia.

**Ferro-so-fer'ric Ox'ide.** Magnetic iron ore. Scales from the smith's anvil.

**Fer'rous Oxide.** Protoxide of iron.

**Ferru'ginous or Ferru'ginous.** Pertaining to iron rust. Chalybeate.

**Ferru'go.** (Ph. E.) Ferri sesquioxidentum hydratum.

**Fer'rum.** Iron. Symbol, Fe. Atomic weight, 56. It has a silver-white or gray lustre.

**Ferrum Ammonia'tum.** Ammoniated iron. Ammonio-chloride of iron.

**Ferrum Oxid'atum Hydratum.** Hydrated sesquioxide of iron.

**Ferrum Salitum.** Chloride of iron.

**Ferrum Subsulph.** Liq. Moser's solution. An aqueous solution of basic sulphate of iron, greatly astringent, styptic, and hæmorrhagic; rarely used internally.

**Ferrum Sulphas.** Copperas. Proto-sulphate of iron. Ferrous sulphate. Astringent and styptic.

**Ferrum Tartarisa'tum** (*ferru sesquioxidentum*). Tartarized iron. It is one of the mildest of the preparations of iron. Dose, gr. x to ʒss.

**Ferrum Vitriola'tum.** See **SULPHATE OF IRON**.

**Fer'tile** (*fertilis*). Fruitful. Applied in *Physiology* to women and the female of brute animals which are prolific.

**Fer'vor** (from *fervor*, to boil). A violent and scorching heat.

**Fes'tering.** Applied to a sore, signifying the discharge either of pus or of a morbid, watery fluid.

**Fet'icide.** See **FERTILINE**.

**Fet'id.** See **FETID**.

**Fet'or.** A bad smell, or odor. See **FETOR**.

**Fet'us** (*foetus*). See **FETUS**.

**Fever** (*febris*; from *fervor*, heat). A disease characterized by rigors, increased heat of the skin, quick pulse, disturbed circulation, languor, and prostration. Fevers are divided into *idiopathic* and *symptomatic*. The former occur independently of or without any apparent or local cause; the latter are dependent upon local irritation. But these divisions admit of many subdivisions. Pinel makes the following: (1) *Angustæmia*, or inflammatory fevers situated in the organs of circulation; (2)

the *meningo-gastric*, or bilious, which have their origin in the mucous membrane of the intestines; (3) *adeno-meningeal*, or gastric fever, resulting from disease of the mucous follicles; (4) *steno*, or irregular fever, affecting principally the brain and nervous system; (5) *adynamic*, or fever attended by great prostration of the vital powers.

**Fever, Adynamic.** Typhoid fever.

**Fever, Asthenic.** Typhus fever, or fever attended by debility.

**Fever, Asthmatic.** An intermittent, accompanied with symptoms of asthma.

**Fever, Ataxo-adynamic.** A fever characterized by prostration and by disturbance of the nervous system.

**Fever, Bilious.** Summer and autumnal remittent fever.

**Fever, Bilious Remittent, of Infants.** Infantile remittent fever.

**Fever, Bilious Remitting.** Bilious fever.

**Fever, Blad'ery.** Pemphegus.

**Fever, Brain.** Phrenitis.

**Fever, Camp.** Typhus gravior.

**Fever, Catar'hal.** Adeno-meningeal fever.

**Fever, Cerebral.** Phrenitis.

**Fever, Childbed.** Puerperal peritonitis.

**Fever, Congestive.** A fever attended with great oppression, obscure symptoms, and remission of some virus.

**Fever, Continued.** Fever, at first inflammatory, but in its latter stages typhoid.

**Fever, Convulsive.** An intermittent fever attended with convulsions.

**Fever, Digestive.** The chills and fever which sometimes accompany digestion.

**Fever, Double.** A complex intermittent, in which two paroxysms occur in a given time instead of one.

**Fever, Endemic.** Remittent fever.

**Fever, Entero-mesenteric.** Typhoid fever.

**Fever, Ephem'eral.** A simple fever of short duration.

**Fever, Epileptic.** An intermittent, accompanied with attacks of epilepsy.

**Fever, Eruptive.** Exanthematic.

**Fever, Exacerbating.** Remittent fever.

**Fever, Gas'tric.** Bilious fever.

**Fever, Hospital.** Typhus gravior.

**Fever, Icteric.** Fever followed by jaundice.

**Fever, Infantile Remittent.** A low fever occurring in childhood, supposed to originate from gastro-intestinal disturbance.

**Fever, Inflammatory.** Synocha.

**Fever, Intermittent.** Ague and fever.

**Fever, Jail.** Typhus gravior.

**Fever, Lung.** Catarrh. Pneumonia.

**Fever, Malarious, or Miasmatic Fever.** Intermittent and remittent fever.

**Fever, Malignant.** Typhus gravior. A fever which is insidious in its attacks and of a formidable and dangerous character.

**Fever, Masked.** An intermittent fever in which the stages of the paroxysms are irregular.

**Fever, Milk.** The slight febrile disturbance which precedes or accompanies the secretion of milk.

**Fever, Mixed.** Synocha.

**Fever, Paludal.** Ague.

**Fever, Paroxysmal.** Remittent fever.

**Fever, Pestilential.** The plague; also typhus gravior.

**Fever, Putrid.** Typhus gravior.

**Fever, Ship.** Typhus gravior.

**Fever, Spotted.** Typhus gravior, attended by vomiting, hemorrhages, or purple or black petechie.

**Fever, Syphilitic.** The fever which accompanies syphilis.

**Fever, Tertian.** An intermittent in which the paroxysms return every third day.

**Fever, Typhoid.** Entero-mesenteric fever.

**Fever, Vermineous.** Fever caused by the irritation of worms in the intestinal canal.

**Fever, Ver'nal.** An intermittent or other fever occurring in the spring.

**Fever, Vesicular.** Pemphegus.

**Fever, Yellow.** An endemic malignant fever, supposed to be caused by miasm, of a more or less adynamic character, attended by yellowness of the skin and vomiting of black matter.

**Feverish.** A state of fever or that causing fever.

**Fibra San'guinea.** Fibreia.

**Fibre (fibr).** In *Anatomy* and *Botany*, a simple organic filament which enters into the tissues of animal and vegetable bodies; an elongated, thread-like structure.

**Fibres of Tomes.** The elongated and branched processes of the odontoblast cells of the dental pulp, which occupy the tubules of the dentine and are known as the *dental fibrille*.

**Fibril.** A small, thread-like fibre; especially one of a number of minute filaments composing a larger fibre.

**Fibril, Dental.** The soft fibril which occupies each canal or tube in the dentine, and

which, according to Temes, is continuous with the odontoblast cells upon the surface of the pulp.

**Fibril'ia** (dim. of *fibra*, a thread). A small fibre or filament of a fibre. Minute nerve filament.

**Fibril'ia**. The identical fibrils, which are prolongations of the odontoblasts and occupy the tubes of the dentine.

**Fibril'lar**. Pertaining to fibrille.

**Fibrillar Contractions**. Short contractions occurring alternately in different bundles of muscular fibres.

**Fibrilla'tus** (*fibrilla*, a little fibre). Disposed in very delicate filaments.

**Fibrin**, *Fibrine*. A native substance or protein, an immediate principle of animal bodies, composed of azote, hydrogen, oxygen, and carbon, existing in chyle, coagulum of the blood, and once thought to constitute the chief part of the muscles of red blooded animals. It is solid, white, and insoluble; heavier than water; elastic when moist; hard and brittle when dry. See LIQUOR SANGUINIS. It is also a proximate principle of vegetables, and is very nutritious.

**Fibrinoplast'ia**. See PARALOGISM.

**Fibrinous** (*fibrineus*). That which is composed of or has the nature of fibrin.

**Fibroblasts**. Cellular elements for the augmentation or renewal of the fibrous tissue.

**Fibro-cartil'age** (*fibro-cartilago*). A tissue composed of an admixture of fibrous and cartilaginous tissues.

**Fibro-mucous** (*fibro-mucosus*). Fibrous membranes intimately united with others of a mucous structure; also membranes of a fibrous and mucous structure, as the inner membrane of the ear or of a tooth.

**Fibro-plas'tic**. Forming fibres. Applied to an organized tissue, from the corpuscles enclosed on wires.

**Fibro-serous** (*fibro-serosus*). Membranes which are of a fibrous and serous texture.

**Fibroid** (from *fibra*, and *eidos*, resemblance). Such structures as possess a fibrous appearance. Also a fibroid tumor.

**Fibro'ma**. A benign tumor composed of fibrous or fully formed connective tissue.

**Fib'rous** (*fibrosus*). Composed of fibres.

**Fibrous Membranes**. Membranes composed of fibres.

**Fib'ula**. The outer or splint-bone of the leg.

**Fil'cus** (*filcin*). In Pathology, a soft,

though sometimes scirrhous, reddish, fleshy excrescence, attached by a small peduncle to the tongue, chin, eyelids, anus, or organs of generation.

**Ficus Elae'tica**. A plant which furnishes caoutchouc in India.

**Fidg'ets**. General restlessness, with constant inclination to change position.

**Fiducia'les**. The lambdoid muscles of the head, so called from their usefulness in moving the fingers.

**Fifth Pair of Nerves**. See TRIGEMINI.

**Fil'ament** (*filamentum*: from *filum*, a thread). In Anatomy, a small fibre or thread-like substance adhering to any part. A minute cellular or nervous fibre.

**File**. In Dental Surgery, a steel instrument cut in fine serrations and used in operations on the teeth.

**File Car'rier**. A file-holder. An instrument employed by dentists for holding a file while separating the molar teeth. File carriers have also been employed for holding the thin files used for separating the front teeth, but these last are little used. Those employed in separating the molar teeth are sometimes so constructed as to require two, one for the right and one for the left side of the mouth; but the necessity for two has been obviated by having the part of the instrument which holds the file so connected with the other part as to admit of being turned from side to side or to revolve upon a screw when loosened.

**File, Den'tal** (*dentularis*; *scalprum dentarium*; *lima dentarie*). A tooth-file, an instrument for the removal of a portion of one or more teeth. See FILES FOR SEPARATING FRONT, BITEPIED, and MULAR TEETH, etc.

**Files for finishing metallic and enamel plates, etc.**, are of various forms,—flat, half round, etc., with double and single ends,—and used for removing an excess of material and securing a smooth surface.

**Files for preparing the root of the tooth for an artificial crown** are oval or half round, having a diameter as nearly equal to that of the neck of the tooth as possible. With a view of obviating the difficulty sometimes experienced in making a perfect joint between the root and crown, Dr. F. Townsend, of Philadelphia, had two files constructed, one oval and the other grooved, the former exactly fitting into the latter. But the grooved file is only useful in those cases where the crown of a natural tooth is employed.



**Fil**es for *finishing fillings* are of various forms for dressing down fillings, some having single and others double ends.

**Fil**es for *separating bicuspid teeth* may be oval on one side and flat on the other, or they may be shaped like the piston file of a clock, their two sides coming nearly together at one edge while at the other they are an eighth or a twelfth of an inch apart. The length of files used for separating the bicuspid teeth, including the handle, is from six and a half to seven and a half inches.

**Fil**es for *separating front teeth* are from three and a half to five inches in length, from a third to a half of an inch in width, and from a twentieth to a thirtieth part of an inch in thickness. Some are cut only on one side, others on both, and all are cut on both edges. Those which are cut only on one side are termed *one-sided*, and are intended to set into upon one tooth at a time. Those which are cut on both sides are designed for separating two teeth preparatory to using the *one-sided*.

**Fil**es for *separating molar teeth* should be bent in such a manner as not to interfere with the corner of the mouth, with a file either flat or shaped like the piston file of a clock, and from an inch and a quarter to an inch and a half in length. They are made in pairs, one for the right and one for the left side of the mouth, and their construction is such that they may be used with the greatest facility on the molar teeth of either jaw.

The molar teeth can be separated with much greater ease with files of this description than with files held in a file carrier.

**Fil**iform (*Filiformis*; from *filum*, a thread, and *forma*, form). Thread-like. In *Anatomy* and *Botany*, parts which resemble the form or have the shape of a thread, as the *filiform papilla* of the tongue, formed by the termination of the filaments of the lingual nerves, etc.

**Filiform Papillae**. The small and numerous papillae over the surface of the tongue.

**Fil**ing Teeth. An operation for the removal of superficial caries in the approximal surfaces of the teeth, and in cases of deep-seated caries occupying the same locality, preparatory to removing the diseased part and filling. It is also sometimes performed for other purposes, such as separating the teeth to obtain the necessary space for excavating and for introducing the filling. Separation by pressure or by slight wedging with wood, is, however, preferable where it can be accomplished by

these methods. See Harris' "Prin. and Pract. of Dentistry."

**Fil**let (from *filum*, a thread). A little band.

**Fil**ling, **Combination**. A filling composed of more than one material: as zinc phosphate and amalgam, cement and gold, amalgam and gold, gutta-percha and cement, gutta-percha and gold, gutta-percha and amalgam, tin and gold, tin-iron, the latter consisting of a combination of sheets of tin and gold, milled, folded, or crimped together.

**Fil**ling Teeth (*odontophraxis*). An operation for arresting the progress and preventing a recurrence of caries in the teeth, consisting, after the removal of the carious tooth substance in filling the cavity with some induritable substance, either malleable or plastic, single or compound,—as gold, amalgam, Hill's stopping, oxyphosphide of zinc, etc.,—and resulting, in some cases, in a more or less perfect restoration of the original shape of the tooth. This is the most frequent and often the most difficult of dental operations, and, when skillfully performed, the most effective remedy for dental caries. The return of decay, if the tooth structure be of good quality and the surface of the tooth adjacent to the filling be kept scrupulously clean, is unlikely. Many causes operate to make this operation somewhat uncertain, as full teeth are often difficult to preserve from a return of the affection.

The operation should be performed, if possible, before the caries has reached the pulp-cavity, for after this the chances of securing the permanent preservation of the tooth are somewhat diminished. For manner of filling teeth see Harris' "Prin. and Pract. of Dentistry."

**Fil**ter. Common name for variety of the cornet.

**Fil**ter. Device for straining a liquid. A chemical instrument, generally consisting of paper, linen, sponge, sand, pulverized charcoal, or glass, properly arranged in a funnel for the purposes of filtration.

**Fil**tration (*Filtratio*; from *filum*, a strainer). A pharmaceutical operation which consists in freeing a fluid from any feculent, earthy, or other insoluble matters, too light for precipitation.

**Fil**trum. A filter.

**Fil**trum. A filter or thread.

**Fim**bria. A fringe. In *Anatomy*, any fringe-like body, as the fringed extremity of the Fallopian tube.

**Fimbria**ted. Fringed.

**Finger** (*digitus*). A small member tapering to a point.

**Fir**. The name of several species of the genus *Abies*, allied to the pine. See **PINE**.

**Fir, Balsam**. *Canula balsam*. See **PINE BALSAM**.

**Fir, Canada**. The popular name of *Pinus balsamea*.

**Fire** (*igne*). According to Prof. Willman, heat and light emanating visibly, perceptibly, and simultaneously from any body; caloric.

**Fire Damp**. The explosive carbonated hydrogène gas of coal mines.

**Fire, Saint Anthony's**. *Erysipelas*.

**First Intention, Union by**. Adhesive inflammation without suppuration, as when the lips of a punctured wound are brought into immediate contact and quickly healed without much inflammation.

**Fish Bone**. *Isinglus*; a glue obtained from different fish. See **ISINGLUS**.

**Fish Tongue**. A name given by some dentists to an elevator used for the extraction of teeth, more especially their roots after the crowns have decayed and broken off. It is more frequently called carp's tongue, *langue de carpe*, by the French, as it is the tongue of this fish which this instrument is question is supposed most to resemble. See **ELEVATOR**.

**Fissile** (*fusus, to cleave*). Cleavable; easily cleft or cloven.

**Fissiparition**. See **FELL**.

**Fissure** (from *fusus, to cleave*). A fissure, crack, or cleft. A fracture in which the bone is not completely separated. Also a lesion of the skin or mucous membrane, as a chaps on the hand or a deep depression in a part.

**Fissure**. A groove or cleft. In dental physiology, a term applied to imperfections left by the imperfect fusion of the enamel of the cusps of the molar and bicuspated teeth. The most frequent location is on the grinding surfaces.

**Fissure, Capillary**. See **PILATE**.

**Fissure, Central**. The aggregate of the cavities or ventricles of the brain. Regarded by Meckel as but one, in the form of a cross.

**Fissure, Glenoid**. A fissure situated in the deepest part of the glenoid cavity of the temporal bone.

**Fissure of Rolando**. A fissure passing transversely between the two superior convolutions of the brain.

**Fissure, Semilunar**. A notch at the anterior edge of the cerebellum.

**Fissure of Sylvius**. A deep, narrow sulcus on each side, parting the middle and anterior lobes of the cerebrum, ascending obliquely backward from the temporal ala of the sphenoid bone to near the middle of the parietal.

**Fissure of the Palate**. Cleft palate. A division of the soft and sometimes of the hard palate.

**Fissure of the Tragus**. A fissure on the anterior surface of the tragus of the ear.

**Fissure, Transverse, of the Brain**. Fissure of Ricst. A fissure which passes beneath and behind the edge of the middle lobe of the brain and extends beneath the hemisphere of one side to the same point of the opposite side.

**Fistula** (from *fusus, to cleave*). Divided; cleft; cloven.

**Fistula**. A deep, sinuous ulcer kept up by an altered texture of the parts and communicating with a natural cavity, excretory duct, or secretory gland. A fistula is said to be complete when it has an external and internal opening, and incomplete when it has but one opening.

**Fistula Cibalis**. The empyema.

**Fistula Ano**. A sinuous ulcer by the side of the rectum.

**Fistula Lachrymalis**. An ulcerative opening into the lachrymal sac, giving access to a puriform fluid.

**Fistula Salivary**. An ulcerous opening in the cheek communicating with the parotid duct.

**Fistulous**. Of the nature of fistula. Also plants having many tubes.

**Fixed** (*fusus; from fere, to fasten*). In Chemistry, a substance not capable of being volatilized by fire.

**Fixed Air**. Carbonic acid gas.

**Fixed Bodies**. Substances which do not evaporate by heat, especially those that can not be fused or volatilized, as carbon, etc.

**Fixed Oils**. Such as remain in a permanent state and are not easily volatilized.

**Fix'd Den'tes**. The teeth of second dentition.

**Fix'ity**. A property by which bodies withstand heat.

**FL** or **Flid**. Abbreviation of fluid.

**Flabellation** (*flabellatio; from flabellum, to agitate the air*). Agitation of the air with a fan.

**Flaccid'ity** (*flacciditas; from flaccidus, flabby, soft*). Softness of a part.

**Flagg's Drill Stock.** An instrument invented by Dr. J. F. Flagg for drilling into the pulp-cavity of a tooth for the purpose of giving access to matter formed there by the suppuration of the pulp—an operation proposed by Mr. Fox.

**Flake-white.** The oxide of blanchet is so called from its occurring in small flakes.

**Flame.** A light, glowing, luminous fluid, proceeding from the surface of a burning body and resulting from the combustion of its volatile particles. The flame of a spirit or oil lamp is used in mechanical dentistry for uniting or soldering the different parts of a piece of dental mechanism.

**Flank.** The iliac region.

**Flask-clamp.** An instrument in the form of a press, employed in vulcanite work for closing flasks after packing.

**Flask, Moulding.** See Moulding FLASK.

**Flask, Vulcanite.** An iron, brass, or bronze box for holding the model and teeth in the vulcanised rubber process. It is divided into two sections generally, one of which is closed by an adjustable lid, the other having a bottom, and is locked by pins or bolts.

**Flask-press.** A screw flask for closing the sections of a vulcanite flask after packing.

**Flatulence.** An accumulation of gas or wind in the stomach or intestines.

**Flatulent.** Windy.

**Flatul.** Wind or gas in the stomach and bowels.

**Flatvor.** The quality of a rapid substance which affects the taste or smell.

**Flavus.** Yellow.

**Flaxseed.** The seeds of *Linum usitatissimum*.

**Fluam.** A surgical instrument for the operation of phlebotomy.

**Fleck.** Abrasion.

**Fleg'men.** See FLEMEN.

**Fle'men.** Swelling of the ankles.

**Fler'cia.** Gout.

**Flesh.** The soft part of animals, especially the muscles.

**Flesh Brush.** A brush for rubbing the surface of the body.

**Flesh, Fung.** Fungous granulations.

**Flexib'l/ty.** A property possessed by certain bodies of bending or yielding without rupture.

**Flexible** (from *flexus*, bent). That capable of being bent.

**Flexile Colloidum.** *Flexile colloidum*. Con-

tains colloidum 66, Canada turpentine 5, castor oil 3 parts.

**Flexible.** Easily bent.

**Flex'ion** (*flexio*; from *flexere*, to bend). In *Physiology*, the action of the flexor muscles and the state of a joint bent by them.

**Flex'or.** A muscle, the function of which is to bend a certain part or organ.

**Flexor Brevis Digito'rum Pedis Perforatus.** A flexor muscle of the toes, situated at the middle part of the foot.

**Flexor Brevis Minim' Digiti Pedis.** A flexor muscle of the little toe, situated at the inferior and outer edge of the metatarsal bone of the same.

**Flexor Brevis Pollicis Manus.** A flexor muscle of the second joint of the thumb, situated at the outer part of the palm of the hand.

**Flexor Brevis Pollicis Pedis.** A flexor muscle of the first joint of the great toe, situated at the anterior and middle part of the sole of the foot.

**Flexor Carpi Radia'lis.** A long thin muscle of the forearm, which serves to bend the hand.

**Flexor Longus Digito'rum Pedis Profundus Perforans.** A flexor muscle of the toes, situated at the posterior and inner part of the leg.

**Flexor Longus Pollicis Manus.** A flexor muscle of the thumb, situated at the anterior part of the forearm.

**Flexor Longus Pollicis Pedis.** A flexor muscle of the great toe, situated at the posterior part of the leg.

**Flexor Osis Metacarpi Pollicis.** A muscle of the thumb which serves to turn the first bone of it upon its axis.

**Flexor Parvus Minim' Digiti.** A muscle situated along the inner side of the metatarsal bone of the little finger. It assists the abductor muscle in bending the little finger.

**Flexor Profundus Perforans.** A long, thick, flat muscle of the fingers, situated under the perforatus.

**Flexor Sublimis Perforatus.** A thick, flat muscle of the forearm, which serves to bend the second joint of the fingers.

**Flexuosus.** Full of windings.

**Flint.** A mineral consisting of nearly pure silicious earth; silice.

**Flint Glass.** A species of glass so called because flint was formerly employed in its manufacture. It contains from twenty to thirty

per cent. of lead. It is extensively used for domestic purposes; also in optical instruments and sometimes in the enamel of porcelain teeth.

**Floating Ribs** (*costæ fluctuantes*). The last two false ribs, whose anterior extremities are not connected with the rest or with each other.

**Flocci.** The fine down or villi which form the nap of mucous membranes.

**Flocci Volitantes.** Imaginary vision of objects. See **PARAKINESIS**.

**Floccitation** (*fæctatio*; from *fævus*, the nap of cloths). Picking the bed-clothes; a dangerous symptom in disease.

**Flocculif.** See **FLUXX**.

**Flocculus.** A laminated lobule on the front part of the pneumogastric lobule of the cerebellum.

**Flood'ng.** Urine haemorrhage.

**Flores** (the pluri of *flor*). Flowers; a term applied in *Chemistry* to several crystalline bodies.

**Flores Antimonii.** Flowers of antimony. Small, elongated, and very brilliant crystals of the sesquioxide of antimony.

**Flores Benzoes.** Flowers of Benjamin. Benzoin acid.

**Flores Bismuthi.** A yellowish oxide of bismuth.

**Flores Boracis.** Boracic acid.

**Flores Martiales.** Antimonio-chloride of iron.

**Flores Sulphuris.** Multilaminated sulphur.

**Flores Stæci.** Oxide of stæc.

**Flow'ers.** The menses.

**Flowers of Benjamin.** Benzoin acid.

**Flowers of Sulphur.** Multilaminated sulphur.

**Fluate.** A fluoride.

**Fluctuation** (*fluctuatio*; from *fluctus*, a wave). The movement or undulation of a fluid accumulated in a natural or artificial cavity, distinguishable by pressure with the finger.

**Fluid** (*fluidus*; from *fluere*, to flow). A body the inherent particles of which yield to the slightest pressure and move with the greatest facility in all directions. Fluids are divided into *Natural* or *incompressible fluids*, and *gross* or *aëriiform fluids*. The greater part of the human body consists of fluids.

**Fluid Drachm.** Sixty minima.

**Fluid Ounce (aëria).** Eight fluid drachms.

**Fluid'ity.** A liquid or gaseous state; the state of a fluid.

**Fluids of the Body.** The fluids of the

body consist of blood, lymph, the perspiratory, follicular, and glandular fluids.

**Fluids of the Mouth.** The saliva furnished by the parotid, submaxillary, and sublingual glands and by the secretions of the mucous membrane which lines it.

The saliva, in healthy persons having good constitutions, has a light, frothy appearance, and but very little viscosity. Inflammation of the gums, from whatever cause produced, increases its viscosity and causes it to be less frothy. In a healthy state it is inodorous, floats upon and mixes readily with water, but when in a viscid or albumen condition it sinks and mixes with it with difficulty.

Irritation in the mouth, from diseased gums, aphthous ulcers, inflammation of the mucous membrane, the introduction of mercury into the system, or taking anything pungent into the mouth, increases the flow of this fluid and causes it to be more viscid than it is in its natural and healthy state.

M. Delabarre says: "When this fluid" (the saliva) "has remained in the mouth some moments, it there obtains new properties, according to each individual's constitution and the integrity of the mucous membrane or some of the parts which it covers.

"In subjects who enjoy the best health, whose stomach and lungs are uninjured, the saliva appears very scarce, but this is because it passes into the stomach almost as soon as it is furnished by the glands that secrete it. It only remains long enough in the mouth to mix with a small quantity of mucus and absorb a certain portion of atmospheric air to render it frothy.

"On the other hand, the saliva of an individual whose mucous system furnishes a large quantity of mucus is stringy and heavy, is but slightly charged with oxygen, contains a great proportion of acrolein and sulphur, and stains silver."

Increased redness and irritability of the mucous membrane of the mouth is an almost invariable accompaniment of general acidity of these fluids. Excoriation and aphthous ulcers of the mouth and bleeding of the gums also frequently result from this condition of the salivary and mucous fluids of this cavity.

Anorexia, languor, general depression of spirits, headache, diarrhoea, and rapid decay of the teeth are very common among persons habitu-

\* Vide "Traité de la Seconde Dentition."

ally subject to great viscosity of the buccal fluids. It is likewise among subjects of this kind, and particularly when the viscosity is so great as to cause clamminess of these fluids, that the green discoloration of the enamel of the teeth is most frequently met with.

The saliva in good constitutions and during health is slightly alkaline, and the mucous secretion of the mouth, slightly acid, but the alkalinity of the one, in this case, is sufficient to neutralize the acidity of the other.

**Flu'idum.** A fluid.

**Fluke.** *Distoma hepaticum.* A small, flat worm, found in the bile ducts of sheep and man and sometimes in the human subject.

**Fluoboric Acid.** A passiva acid produced by the decomposition of fluoride of sodium by vitrified boracic acid.

**Fluor.** To flow; an increased discharge.

**Fluor Albus.** Leucorrhœa.

**Fluor Albus Mellig'ens.** Gonorrhœa.

**Fluoric Acid.** The hydrofluoric or fluohydric acid, obtained by treating fluo-spar with sulphuric acid.

**Flu'oride.** A compound of fluorine.

**Flu'orine** (*fluorine*). A halogen, known only in combination, the nucleic of hydrofluoric acid. It is powerfully corrosive, dissolving silver and all the metals but lead and platinum.

**Fluor-spar.** Native fluoride of calcium.

**Flux** (*fluxus*; from *fluere*, to flow). In *Chemistry*, any highly fusible substance or mixture, as the sub-borate of soda, employed in the fusion of metals. In *Physiology*, a natural discharge, as the menstrual flux. In *Pathology*, a morbid evacuation, as in the case of dysentery, diarrhœa, etc.

**Flux, Bilious.** A discharge of bile either by vomiting or purging.

**Flux, Black.** A mixture of charcoal and carbonate of potash, obtained by the deflagration of cream of tartar with about half its weight of nitre. It is used in the separation of metals from their ores.

**Flux, Bloody.** Dysentery.

**Flux, Chemical.** A mixture employed to assist the fusion of minerals. Alkaline fluxes are the ones most frequently used.

**Flux, Crude.** A mixture of nitre and cream of tartar, used to assist in the fusion of metals.

**Flux, White.** Subcarbonate of potash obtained by the deflagration of equal parts of cream of tartar and nitre.

**Flu'ion** (*fluio*; from *fluere*, to flow). In *Chemistry*, fusion. In *Pathology*, an efflux or

determination of blood toward any organ or part of the body as a consequence of irritation or inflammation.

**Flux'us.** A flux; a discharge.

**Fly, Spanish.** See CANTHARIS.

**Focal Distance.** A term applied in *Optics* to the distance between the centre of a lens and the point at which the rays meet.

**Focle.** A bone of the forearm or leg.

**Fo'cus.** The point at which converging rays of light and heat come together.

**Fœ'tal** (*fœtalis*). Pertaining to the fœtus.

**Fœtal Circulation.** There being no pulmonary circulation in the fœtus, the blood seems to undergo in the placenta a change similar to that which it experiences in the lungs after birth, and is conveyed from here through the umbilical vein to the liver and venæ cavae by the ductus venosus. Thence it is conveyed into the right auricle of the heart. From thence a small portion is sent into the right ventricle, then into the pulmonary artery, and is returned by the ductus arteriosus into the aorta; but larger portions pass directly through the foramen ovale into the left auricle; from thence it is thrown into the left ventricle and passes into the aorta, to be conveyed through the arterial system. The umbilical arteries then return it to the centre.

**Fœtal Head.** The measurements of the fœtal head are the *transverse*, or *biparietal*, between the parietal protuberances,  $3\frac{1}{2}$  inches; the *temporal*, across the temples, 3 inches; the *occipito-frontal*, from the occiput to the chin, 5 inches; the *antero-posterior*, or *occipito-frontal*,  $4\frac{1}{2}$  or  $4\frac{3}{4}$  inches; the *fronto-mental*,  $3\frac{1}{2}$  inches; the *occipito-bregmatic*, from the nape of the neck to the centre of the anterior fontanel; the *ischio-bregmatic*, from the front of the neck to the anterior fontanel,  $3\frac{1}{2}$  inches; and the *vertical diameter*, from the vertex to the base of the cranium, 3 inches.

**Fœ'tation.** Pregnancy.

**Fœ'ticide** (from *fetus*, and *cido*, to kill).

The destruction of the fœtus in utero; criminal abortion.

**Fœtid** (*fœtus*, to become putrid). Having a bad odor.

**Fœ'tor** (from *fœtus*, to stink). An offensive smell.

**Fœtor Oris.** An offensive breath. This may result from disease of the lungs or stomach; but the most frequent cause of fœtor of the breath is a morbid condition of the gums or caries of, or accumulations of salivary calcu-

les on, the teeth. Inflammation, sponginess, and necrosis of the gums and large accumulations of light brown or yellow salivary calculus, however, impart to the breath a much more offensive odor than caries of the teeth. See GUMS, DISORDERS OF, and HALI-VARY CALCULUS.

**Fœtus.** A young animal before birth. The product of conception from the fourth month of intra-uterine life to delivery or birth. Often applied to the whole period of intra-uterine life.

**Foil.** A thin plate of metal used in dentistry for filling teeth, etc.

**Foil Carrier and Plugger.** A form of tweezers with long and serrated points used for carrying the gold, etc., to the cavity and partially condensing it.

**Foil Crimp/ers.** An instrument made of thick tin, four inches wide and five inches long, used in *Dental Surgery* for folding gold foil.

**Follicle/ous.** Leafy or leaf-like.

**Foliate (foliatus).** Leafy.

**Folium.** A leaf.

**Follicle.** A mark or bag. In *dentology*, a very small secretory cavity or sac. See FO-LICULE.

**Follicles, Ciliary.** See MEIBOMIAN GLANDS.

**Follicles, Dental.** See DENTAL FOLLICLES.

**Follicular Stomatitis.** See APATHIA.

**Follicule (folliculus; diminutive of follis, a bag).** A little bag. In *Anatomy*, a simple gland or invagination consisting of a roundish hollow and an excretory duct, like the mucous and sebaceous follicles. In *Botany*, a seed-vessel.

**Follicle, Ciliary.** See MEIBOMIAN GLANDS.

**Folliculose.** Full of follicles. Having the appearance of follicles.

**Folliculus Dentis.** See DENTAL FOLLICULE.

**Folliculus Felleus.** The gall-bladder.

**Fomentation (fomentatio).** A partial bathing with simple or medicated warm water, effected with cloths previously dipped in it and then applied to the part.

**Fomentum.** Fomentation.

**Fomes.** In medical language, substances imbued with contagious effluvia, as woollen goods, cloths, etc.

**Fomes Morbi.** In *Pathology*, the exciting cause of a disease.

**Fonites.** Plural of *fons*.

**Fons Pulmonis.** A fontanel.

**Fontana, Canal of.** A triangular canal at the inner side of the ciliary circle of the eye.

**Fontanelle (diminutive of fons, a fountain).** A fontanel. The opening between the frontal and parietal bones, which is not closed until about the third year after birth. There is sometimes a second opening between the occipital and parietal bones; the first is called the *anterior fontanel* and the other the *posterior fontanel*.

**Fonticulus.** An abscess. A small ulcer or hole produced by art.

**Food.** Nutrient, digestible substances containing no poisonous ingredients.

**Foot (pes).** The lower extremity of the leg, or that part on which an animal stands or walks.

**Foot Bath.** Pediluvium.

**Foot, Flat.** See KYLLAGUS.

**Foramen (plural, foramina; from fore, to pierce).** A little opening. An aperture in a bone or between several bones. A passage or opening.

**Foramen Apical.** The natural opening leading to the root canal of a tooth.

**Foramen Cæcum.** An opening in the base of the cranium between the ethmoid and frontal bones. A depression near the root of the tongue has also received the appellation of *foramen cæcum*, as well as a little sulcus between the corpora pyramidalia and the pons Varolii.

**Foramen Centrale.** See FORAMEN OF SCHEMERLING.

**Foramen Incisivum.** A foramen behind the inferior teeth of the upper jaw, common to the two bones below but proper to each above.

**Foramen Lac'rum Anterior.** The opening between the greater and lesser wings of the sphenoid bone, through which the third, fourth, first branch of the fifth, and the sixth pair of nerves and the ophthalmic artery pass.

**Foramen Lac'rum in Basil Crani.** A foramen in the base of the cranium which gives passage to the internal jugular vein and the eighth pair of accessory nerves.

**Foramen Magnum Occip'itis.** The great opening at the base and anterior part of the occipital bone which transmits the spinal cord and its membrane, the spinal accessory nerves, and the vertebral arteries.

**Foramen Monrois'um.** The aperture beneath the anterior part of the body of the fornix through which the lateral ventricles of the brain communicate; called so after Monro, its discoverer.

**Foramen of Semmaring.** The central foramen or depression in the retina.

**Foramen of Winslow.** An opening in the omentum situated behind the capsule of Gallien.

**Foramen Opticum.** The opening through which the optic nerve passes.

**Foramen Ovale.** The opening between the two auricles in the heart of the fetus. Also a foramen of the sphenoid bone.

**Foramen Rotundum.** See **ФОРУМЕН РОТУНДУМ**.

**Foramen Supra-orbitarium.** The supra-orbital hole or notch on the ridge over which the eyebrow is placed. It gives passage to the supradiliary artery.

**Foramen Vesalii.** A scarcely perceptible hole between the foramen rotundum and foramen ovale of the sphenoid bone.

**Foramina.** The plural of *foramen* (which see).

**Foramina Thebesii.** Openings in the right auricle of the heart through which the blood from the substance of the auricle enters that cavity.

**Forbes's Gouge.** A dental instrument consisting of a socket-handle which receives a screw-clamp, and this receives a number of bits of various forms which fit into the clamp, and are grasped by it as it is screwed into the handle. The bits are gauge, chisel, and V-shaped for opening and enlarging crown cavities of molar teeth.

**Force** (from *fortis*, strong). Any power which determines an action. By *molecular force* is meant the power of the muscles; *vital force*, the powers inherent to organization, etc.

**Forceps** (from *ferre*, iron, and *capio*, to take). An instrument for taking hold of and extracting bodies or parts which it would be difficult to seize or remove with the fingers.

**Forceps, Clasp and Plate Bending.** An instrument for bending clasps and metal plates to facilitate the swaging.

**Forceps, Compound Screw, Dubbs'.** Similar to Halliher's, except that the screw works with a nut instead of a spring.

**Forceps, Compound Screw, Halliher's.** An instrument combining the advantages of the conical screw and upper incisor forceps invented by Dr. S. P. Halliher for the extraction of the roots of the upper incisors and canines.

It is thus described by the author: "Longitudinally, within and between the blades of the beak, is a steel tube, one end of which

is open, the other solid and flat, and joined in a mortise in the male part of the joint of the forceps. When the forceps are opened this joint permits the tube to fall backward and forward from one blade of the beak to the other without any lateral motion. Within this tube is a spiral spring which forces up a shaft two-thirds of the tube; the other part is a well-tapered or conical screw. . . . The shaft and tube are so fitted together, and to the beak of the forceps, that one half of the rounded part of the shaft projects beyond the end of the tube, so that the shaft may play up and down upon the spring; about half an inch, and the screw or shaft is embraced between the blades of the beak of the instrument.

"The forceps," says Dr. H., "are used by first embracing the shaft between the blades. Then, screwing it as gently and deeply as possible, the blades are opened, pushed up on the root, which is then seized," and extracted.

"The screw thus combined with the forceps," as is justly remarked by Dr. H., "prevents the root from being crushed. It acts as a powerful lever when a lateral motion is given; it is likewise of advantage when a rotary motion is made: it prevents the forceps from slipping or of their action being lost should even one side of the root give way in the act of extracting it; and is used with equal advantage where one side of the root is entirely gone."

**Forceps, Duck-bill.** A form of forceps having grasp or duck-bill shaped beaks. Root forceps with beaks of this shape were first introduced by Dr. Hornly. These beaks are now applied to tincor, blenquill, and canine forceps, and are found to be very serviceable.

**Forceps, Excising.** A form of forceps with cutting edges about an eighth of an inch wide, used for clipping off a portion of the crown of a tooth in preparing the root for an artificial crown.

**Forceps for Extracting Teeth.** Tooth forceps. This was probably among the first, and, perhaps, almost the only instrument employed for the extraction of teeth until the invention of Harengood's instrument in the early part of the eighteenth century. But from the time of Celsus, who wrote in the first century of the Christian era, down to this period, the forceps used for the extraction of teeth were so rude in their construction and so ill adapted for the purpose that for the removal of the molar teeth the employment of the key-instrument

became general, both among dental and medical practitioners. At the present time, however, forceps have been so greatly improved by the beaks being made thin enough to penetrate between the root and alveolus, and this adaptation is so perfect, together with the form of both beaks and handles, that the key is but little used.

*Forceps for the Extraction of Bicuspids of Both Jaws and the Lower Caninates.*—Forceps for the extraction of the above-mentioned teeth should be bent so as to be easily and readily applied to them; their jaws should be narrow, thin, and slightly grooved. If but one pair be employed, both handles must be straight. But the form known as the "Foster pattern" is better adapted for the removal of inferior cuspids and bicuspids than any other form of forceps.

*Forceps for the Extraction of the Dentures Supra-orbitales.*—Forceps for the removal of the superior dentures supra-orbitales have two single-concave beaks, the instrument having two curves above the joint, so as to form nearly two right angles, which facilitates their application to these posterior teeth. Root forceps of the same general form, with narrow beaks, are also very serviceable. Forceps for the removal of the inferior dentures supra-orbitales have two single concave beaks with but one curve above the joint and a straight handle. The Harris pattern of inferior molar forceps is also a very useful instrument for the removal of the inferior dentures supra-orbitales. An elevating forceps, with beaks somewhat resembling the separating forceps, is employed for the removal of partly erupted dentures supra-orbitales, and is adjusted by applying the points of the beaks between the one to be removed and the second molar, using this last as a fulcrum.

A variety of root forceps are also used, some of which have long, narrow, and slightly curved beaks, and may be used in the removal of roots from both jaws.

*Forceps for the Extraction of the Lower Incisors.*—The lower incisors, being narrower than any of the other teeth, require very narrow-beaked forceps for their removal, to prevent interfering with the teeth adjoining the one upon which the instrument is applied. The width of the beaks, with crescent-shaped edges, should not exceed the twelfth part of an inch. They may have either a lateral or a transverse curve.

*Forceps for the Extraction of the Lower Molars.*—

Each jaw of the beak of the lower molar forceps should have two grooves, with a point in the centre which, in grasping the tooth, comes between the two roots just at their bifurcation. Some employ two pairs for the extraction of the lower as well as the upper molars, that for the right side being curved outward and forward, and that for the left forward and upward, the beak forming almost a right angle with the joint of the instrument and the inner beak being longer than the outer one. An improvement was made by the author in 1863, which consists in having the handles of the instrument so bent that it may be as readily applied to one side of the mouth as to the other, while the operator occupies a position at the right and a little behind the patient. By this improvement the necessity for two pairs is wisely superseded.

*Forceps for the Extraction of the Upper Incisors and Caninates.*—For the extraction of the upper incisors and caninates one pair of forceps only is necessary. These should be straight, with grooved or crescent-shaped jaws, accurately fitted to the necks of the teeth, and thin, so that when it becomes necessary, from the decay of the tooth, they may be easily introduced under the gum up to and between the alveolus and root. Their handles should be large enough to prevent them from springing in the hand of the operator; one of them should be bent at the extremity so as to form a hook to pass around the little finger to prevent the hand of the operator from slipping.

*Forceps for the Extraction of the Upper Molars.*—For the extraction of the upper molars two pairs, one for each side, are required. They should be curved just below the joint so that the jaws of the beak form an angle with the handles of about twenty or thirty degrees, or just enough to clear the lower teeth. The lower jaw of each is grooved to fit the palatine root or side of the neck of a superior molar, while the outer jaw has two grooves in it with a point in the centre to fit the depression just below the bifurcation of the two outer roots. One of the handles is bent, forming a hook. This passes around the little finger of the hand of the operator and prevents it from slipping. The handles should be curved and large enough to prevent them from springing under the grasp of the hand wide; and accurately fitted to it, and their length should not exceed five or six and a half inches. The beak should not be bent any more than is ab-



is entirely necessary to prevent the handles from coming in contact with the lower teeth, for in proportion to the greatness of the curvature will the force applied to the instrument be disadvantageously exerted.

**Forceps, Maynard's.** Two instruments, a right and a left, invented by Dr. E. Maynard for the extraction of the roots of the upper molars before they have become separated from one another. The outer jaw of each instrument is brought to a sharp point for perforating the alveolus between the buccal roots, and for securing between them a firm hold, while the inner tip is intended to rest upon the edge of the alveolus and embrace the palatal root. A form of superior molar forceps has also been devised, somewhat after the principle of the Maynard forceps, which substitutes two sharp-pointed beaks for the concave beak of the Maynard pattern. Many other forms of forceps are now made, many of which have proved to be serviceable instruments.

**Forceps, Punching.** An instrument for punching holes in gold backing for the platinum pins.

**Forceps, Separating.** A form of forceps with curved cutting edges, but at almost a right angle with the handles. Used for the separation of roots of teeth where they diverge greatly. A form resembling these, but with blunt edges to the beaks, are used in elevators, the tooth in front of the one to be extracted acting as a fulcrum.

**Fore'arm (cubitus; pars inferior brachii).** The portion of the upper extremity extending from the elbow to the hand.

**Fore'head.** The part of the face between the orbits of the eyes, the hair above, and the temples at the sides.

**Forensic Medicine.** The application of medical science to the solution of judicial questions.

**Fore'skin.** The prepuce.

**For'lex.** A pair of scissors; also an iron hook.

**Forficula Auricularis.** The earwig: an insect of the order Orthoptera which enters the external auditory meatus and causes severe pain by its presence in that canal. It is killed by blowing tobacco smoke or dropping oil into the ear.

**Forme.** See FURNACE, FORME.

**Formal.** Basic formate of methyl; obtained by distilling equal parts of wood-spirit, peroxide of manganese, sulphuric acid, and water. It is a colorless, aromatic fluid.

**Formaldehyd.** Formic aldehyd. Alcohol deprived of two atoms of hydrogen, or acetic aldehyd. It is a colorless, limpid liquid with a characteristic odor. When exposed to the air or to oxygen it is converted into acetic acid. Internally it is used in the form of vapor in catarrhal congestions and oena.

**Formaline.** A forty per cent. solution of formaldehyd gas ( $\text{CH}_2\text{O}$ ). An efficient and convenient disinfectant, germicide, deodorant, and preservative.

**Formamide (formic + amide).** The amide  $\text{CH}_3\text{ONH}_2$  of formic acid. Compounded with chloral it forms chloroformid.

**Formic Acid (acidum formicum).** An acid found in the ants, or *Formica rufa*, and obtained by distillation. It is also prepared artificially.

**Formi'ca.** The ant; a genus of insects. Also the name of a black wart with a broad base and cleft surface. The epithet is applied, too, to a varicose tumor which appears on the anus and glans penis.

**Formication.** A slight tingling sensation such as one might suppose would be produced by a number of ants creeping on a part.

**Form'ula (from forma, a form).** A medical prescription. In *Chemistry*, the algebraic expression of the constitution of a body.

**Formula, Dental.** A collection of symbols representing the arrangement of teeth in the upper and lower jaws: also a collection of dental recipes.

**Formu'lary.** A collection of medical prescriptions or formulae.

**For'myl.** The radical,  $\text{CH}$ , of formic acid.

**For'myle, Perchloride of.** The fluid substance of chloroform.

**For'micate.** Arched; vaulted.

**For'mix.** An arch or vault. A medullary body beneath the corpus callosum is so called, because, in one direction, it presents an arched appearance.

**Fos'sa (plural, fossæ; from fossa, to dig).** A cavity with an orifice wider than the base. A broad, shallow depression, furrow, or sinus.

**Fossa, Amygdaloid.** The depression in which the tonsil is lodged.

**Fossa Amyn'te.** A double-headed bandage used in fractures of the nose.

**Fossa, Canina.** The depression above the superior canine teeth.

**Fossa Cerebel'li.** The inferior occipital fossa.

**Fossa Corona'ris.** A depression in the orbital plate of the frontal bone.

**Fossa Coronol'dea.** The depression in the

humerus for receiving the coronoid process of the ulna.

**Fossa Hyaloidea.** A depression in the vitreous humor for the reception of the crystalline lens.

**Fossa Insular.** The depression above the superior incisor teeth.

**Fossa Innominate.** The space between the helix and antihelix of the ear.

**Fossa Lachrymalis.** A depression in the frontal bone for the reception of the lachrymal gland.

**Fossa Magna.** The great groove of the ear. Also the pulvum mallei or valve.

**Fossa Mandibularis.** The depression on the side of the symphysis of the lower jaw.

**Fossa Navicularis.** The dilatation toward the extremity of the spongy portion of the urethra. Also the name of a small cavity within the fourchette.

**Fossa Ovalis.** A depression in the right auricle of the heart occupying the place of the foramen ovale in the fetus.

**Fossa Pylorica.** The acia tunica or cavity in the sphenoid bone for receiving the pituitary body.

**Fossa Sylvii.** The fifth ventricle of the brain.

**Fossil** (from *fodis*, to dig). Literally, anything dug out of the earth, but usually applied to the organic remains of animals and vegetables.

**Foster Crowns.** An artificial, all-porcelain crown resembling the Bonwill crown but having less convexity at the base. It is attached to the natural root by a headed screw or by a screw with a nut instead of a pin.

**Fothergill's Pills.** Pills composed of aloes, colocynth, scammony, and oxide of antimony.

**Fetus.** A foetus.

**Fetus Communis.** A deviation of popples.

**Fourchette** (*fourche*). A fork. In *Surgery*, a forked instrument used for raising the tongue in the operation of dividing the frenum. In *Anatomy*, the posterior commissure of the lula magna, the cartilage costiforme, and the acromiolar notch of the sternum.

**Fusel Oil.** Fusel oil. Oil of grain or potato spirits.

**Fovea** (from *fodis*, I dig). A slight depression; the pulvum mallei. Also a vapor bath.

**Fowler's.** Manganese spar.

**Fowler's Solution** (*liquor arsenicidis*). An arsenical solution, colored and flavored with

compound spirit of lavender. It is similar to the arsenical solution of the pharmacopoeia. One drachm of this solution is equal to one-half a grain of arsenic. Dose, gr. x to gr. xv.

**Foxglove.** *Digitalis purpurea*.

**Fractura Dentis.** Fracture of a tooth (which see).

**Fracture** (*fractura*; from *frangere*, to break). In *Mineralogy*, the surface of a broken mineral, a character which is important in the diagnosis of different species. In *Surgery*, the breaking of a bone in two or more pieces; the solution of continuity. See FRACTURE, COMMINUTED, etc.

**Fractura, Comminuted.** Where the bone is broken or crushed into several pieces.

**Fracture, Compound.** Where the fracture is accompanied with laceration of integuments, causing an external wound.

**Fracture of a Tooth** (*odontoclasis*; *fractura dentis*). This is an accident of daily occurrence. The molars, and even bicuspids, are sometimes so securely articulated as to render extraction difficult, and occasionally impossible, without fracturing one or more of their roots, especially when the alveolar processes are firm and unyielding. In this case if the fractured portion is not deep it should always be removed, though in so doing it may be necessary to cut away a small portion of the edge of the alveolus. But when it is deep and not productive of pain or inconvenience to the patient, it may be suffered to remain until, by the gradual destruction and filling up of the alveolus, it can be removed with a pair of forceps or elevator, when it may be readily removed.

**Fracture of the Alveolar Processes.** An accident which more frequently results from the extraction of teeth by unskillful hands than from any other description of mechanical violence. "The danger of the occurrence of this accident," as Maury very properly observes, "also depends upon several circumstances, as the adhesion of the tooth in the socket by its periosteum, the thickness of the alveolar walls, the length, number, curvature, and divergence of the roots," etc.; and, as Mr. Thomas Bell correctly remarks, "as many of the molars occupy a considerably smaller space at the neck, where the edge of the alveolus surrounds them, than at the extremities of the diverging roots, it is obvious that no tooth of such form can be extracted without more or less yielding of the alveolar process. This should, if pos-

sible, be confined to a simple suture in that part toward which the tooth is moved; but even should a small portion of bone be attached to the side of the tooth and be removed with it, not the slightest injury is inflicted by such a circumstance, unless it should extend to the next tooth and partially deprive it of its support. If the portion of alveolar process which is broken should still remain in the socket, attached to the inner part of the gum, it is better at once to remove it, which may be easily done with a pair of common dressing forceps."

Very serious accidents of this nature sometimes occur in the extraction of teeth when the requisite care and skill are not exercised in the operation. Cases are on record in which nearly half of the jaw has been brought away in an attempt to extract a tooth.

**Fracture, Simple.** When the bone only is divided without an external wound.

**Fractures of the Maxillary Bones.** Fractures of these bones may be produced by violent blows or falls on the face or by gunshot injuries. A fracture of the upper jaw implies the application of direct mechanical injury in a concentrated and severe form. It is always accompanied by severe injury of the soft and hard parts, and is usually easy of recognition. Violent inflammation generally follows, requiring prompt measures for its relief. Fractures of the lower jaw may occur near the symphysis or between this point and the coronoid process of the ramus, and at one or two places. The condyloid or coronoid process may be fractured or the alveolar border, and the solution of continuity may be perpendicular with the lower, oblique, or longitudinal, and, as the accident is the result of great mechanical violence, the soft parts are generally more or less injured. The symptoms of fracture of the lower jaw are pain, swelling, and inability to move the jaw, and irregularity of the teeth, because the anterior fragment is generally drawn downward by the muscles arising from the hyoid bone, while the posterior fragment is fixed by the temporal. On moving the chin, while the hand is placed on the posterior fragment, crepitus will be felt; and the gums are lacerated and bleeding. The symptoms of the fracture of the ascending ramus are often obscure, but the chief signs are great pain, difficulty of motion, and obscure swelling.

The treatment varies according to the indications to be met with. For a simple fracture

of the inferior maxillary the four-tailed bandage or pasteboard or gutta-percha splints will be found sufficient. Interdental splints of vulcanised rubber have, however, given more satisfaction in all forms of fractures of the maxillary bones than other appliances. An impression of the jaw in wax or plaster is taken, - and this may be done without any attempt being made to place the fragments in position, - a cast of plaster made, and the displacement remedied by making sections of the cast and again setting them. On this cast the vulcanite interdental splint, which fits the crowns of the teeth, is formed and vulcanised, and on adjusting it to the mouth the fractured parts are reduced to their proper positions. Free escape for the pus is necessary, and care should be observed that no great pressure is brought to bear on the integument beneath the ribs; otherwise abscesses may form.

A method of treating fractures of either or both of the maxillary bones by means of a very ingenious apparatus devised by Dr. J. B. Hens, of Baltimore, has received the highest encomiums of some of the most eminent surgeons of America and Europe, and was used by the inventor during the late war in over fifty cases of gunshot wounds and fractures of these bones with the most perfect success, and in many cases that were unmanageable by the ordinary course of treatment. The apparatus consists of an improvement on the gutta-percha interdental splint of Prof. Frank Hamilton, of New York, together with a nasal compress and an occipito-frontal bandage. See Harris' "Prin. and Pract. of Dentistry."

**Frænulum.** A little frown.

**Frænulum Labiorum.** Fourchette.  
**Frænulum Væli Madullæris Aorticæ.** A slip of nervous matter at the upper edge of the valve of Ventricle.

**Frænulum.** A bridle. In *Anatomy*, a term applied to a fold of membrane which binds down or restrains the movement of a part.

**Frænulum Clypeidis.** The nodule of the cymphæ over the alveolaria.

**Frænulum Glandis** (*frænulum penis*). See **FRÆNUM PREPUTII**.

**Frænulum Labiorum.** Forms of mucous membrane which bind down the lips to the maxillary bone at the medial line. Also the fourchette.

**Frænulum Lingue.** A triangular fold of mucous membrane from the floor of the mouth,

which binds down, or, rather, restrains, the motion of the tongue.

**Frenum of Under Lip** (*frænum labii inferioris*). A fold of the mucous membrane of the mouth opposite to the symphysis of the chin.

**Frenum Præputii**. A membranous fold connecting the prepuce with the lower part of the glans penis.

**Fragaria** (from *frago*, I smell sweetly). A genus of plants of the order Rosaceæ.

**Fragaria Sterile**. The barren strawberry.

**Fragaria Vesca**. The strawberry plant.

**Fragaria Virginiana**. The wild strawberry of the United States. Its leaves are astringent.

**Fragilitas Ossium**. Brittleness of the bones.

**Fragment** (*fractus*, *fragmentum*; from *frangere*, to break). In *Surgical Pathology*, a splinter of bone.

**Frangipian**. An extract of milk, used for the preparation of artificial milk.

**Frankincense**. At present the resin of spruce fir, but formerly olibanum.

**Fræcula**. See **ERUPELIDUM**.

**Fræzing Mixture**. A preparation capable of suddenly producing cold. The two following are selected from Mr. Walker's table of frigorific mixtures:

MIXTURE WITH SNOW.	PARTS.	TEMPER. FALLS
Snow or pounded ice, by weight, . . . . .	5	to — 12°
Muriate of soda, . . . . .	2	
Muriate of ammonia, . . . . .	1	

MIXTURE WITHOUT SNOW.	TEMPER. FALLS
Muriate of ammonia, . . . . . 5	from + 50° to — 10°
Nitrate of potash, . . . . . 5	
Water, . . . . . 18	

**Fræzing Point**. For water, thirty-two degrees of Fahrenheit.

**Fræmitus**. Shuddering; vibration. In *Pathology*, a peculiar tremulous sensation communicated to the hand under certain circumstances when applied to the chest, as in lesions of the left auriculo-ventricular orifice of the heart or ossification of the tricuspid valve.

**Fræmitus, Vocal**. The vibration of the chest during the exercise of the voice.

**Fræna**. The socket of a tooth.

**French Polish**. Gum lac dissolved in alcohol.

**French Red**. Carmine mixed with fine sifted starch according to the shade required.

**French White**. Finely pulverised talc.

**Fræibility** (*fræibilitas*; from *fræio*, to break or crumble). The property of being easily broken into small fragments or coarse powder.

**Fræible**. Easily crumbled.

**Fræiar's Balsam**. The tinctura benzoini composita.

**Fræiction** (*fræictio*; from *fræio*, *fræicare*, to rub). The act of rubbing any part of the body with the hand, a piece of flannel, or a brush, or with medicinal substances.

**Fræisland Green**. An ammonio-chloride of copper.

**Fræidarium**. Cold bath.

**Fræidity** (*fræiditas*; from *fræidum*, cold). A sensation of cold. Also impotence. Fræigibility of the stomach, *anærcia exanthematica*, consists of loss of appetite occasioned by excessive venery.

**Fræigorific**. Possessed of the power of producing extreme cold. See **FREERING MIXTURE**.

**Fræigorific Mixture**. See **FREERING MIXTURE**.

**Fræigus**. Cold; trembling with cold.

**Fræigus Tæsus**. A rigor.

**Fræit**. The mass produced by the materials of glass on calcination. See **PORCELAIN TEETH**.

**Frog Tongue**. Mucous; salivary tumor under the tongue.

**Frons**. The forehead.

**Front**. Anterior part of a body or organ.

**Frontal** (*frontalis*). Belonging or relating to the forehead.

**Frontal Artery**. A branch of the ophthalmic, the *supra-orbital*, distributed to the muscles of the forehead.

**Frontal Bone**. The os frontis.

**Frontal Furrow**. The groove in the middle of the ventral surface of the frontal bone which lodges the superior longitudinal sinus.

**Frontal Nerve**. A branch of the ophthalmic, which divides into two branches—one passing up through the supra-orbital foramen, and the other beneath the pulley of the superior oblique muscle.

**Frontal Protuberance**. The protuberance above the superciliary ridge.

**Frontal Sinuses**. Two deep cavities in the os frontis, separated from each other by a median septum and communicating with the anterior cells of the ethmoid bone.

**Frontal Spine**. A vertical ridge on the middle of the inner side of the os frontis which gives attachment to the falx cerebri.

**Frontalis**. Frontal.

**Frost-bites.** Numbness and imperfect or arrested circulation in a part, arising from the action of severe cold.

**Fructification** (*fructificatio*; from *fructus*, fruit, and *facio*, to make). The collection of phenomena which attend the formation of fruit. **Fructification.**

**Fructus.** The fruit of a plant.

**Fragivorous** (from *fruges*, fruits, and *vor*, to eat). An animal that feeds on fruits, grains, or seeds.

**Fruit-sugar.** Glucose. An uncrystallizable sugar found in fruits in connection with grape-sugar.

**Fransen'tum.** Wheat; also the revulsion from the grain of which bread is made.

**Frus'tum.** That part of a pyramid or cone which remains when any part next the vertex is cut off by a plane parallel to the base.

**Ft. or Flat.** Make; let it be made.

**Fuga'cious** (*fugax*; from *fugere*, to fly). Fading quickly. In *Medic.*, applied to organs which speedily fade away. In *Pathology*, symptoms which appear and almost immediately afterward disappear.

**Fu'gile.** A name with various significations. It has been used to denote *erremus*, *volatility* of the urine, *ebullis* in the region of the ear, and *ebullis* in general.

**Fu'ora** (from *futurus*, a prop). In *Botany*, tendrils, prickles, hooks, spines, or any other processes by which plants support themselves upon other plants.

**Fu'crum.** A prop or support: the fixed point about which a lever moves. The fulcrum of the key instrument used for the extraction of teeth is the bulb around which the hook moves, and is placed on the opposite side of the tooth. In *Medic.* the term—in its plural sense, *fulcra*—signifies the appendages of the axis of the plant, except the leaves.

**Fulgo'ra** (from *fulgere*, an effluence). The generic name of certain hemipterous insects of the family Cicadario. The lantern fly is one of the larger species.

**Fulgura'tion.** The sudden brilliancy emitted by gold and silver in the cupel of the assayer immediately the last film of vitreous lead and copper leaves the surface.

**Fulgi'neous** (*fuliginosus*; from *fuligo*, soot). Having a smoky or dark brown color. Applied to the lips, tongue, and teeth when they assume this appearance.

**Ful'igo** (*fuligo ligna*). Soot. Wood soot.

**Fuligo'kali** (from *fuligo*, soot, and *kali*, potash). An alkaline medicine prepared by boiling soot and potash in certain proportions in water, and afterward evaporating and filtering the solution.

**Ful'ler's Earth.** An argillaceous earth. Like other soft aluminous minerals, it has the property of absorbing grease.

**Ful'minam.** A hypothetical radicle assumed as the basis of fulminic acid, which is the acid of the fulminates. Its formula is  $N_3O$ , and its symbol Fu.

**Ful'minate** (from *fulmen*, lightning). A compound of fulminic acid with a base, usually silver, gold, or mercury; very explosive.

**Fulminat'ing Gold.** A detonating compound powder prepared by keeping recently prepared peroxide of gold in strong ammonia for about twenty-four hours.

**Fulminating Mercury.** A detonating powder employed in making percussion caps, and obtained by dissolving mercury in nitric acid and pouring the solution into alcohol.

**Fulminating Mixture.** A term applied to certain mixtures which detonate by heat or friction.

**Fulminating Platina.** A substance obtained by the action of ammonia on a solution of sulphate of platinum.

**Fulminating Powder.** A compound of three parts nitre, three of chlorate of potash, one of sulphur, and two of carbonate of potash.

**Fulminating Silver.** A black powder prepared by leaving oxide of silver for ten or twelve hours in contact with a strong solution of ammonia.

**Fulmin'ic Acid.** An acid composed of cyanogen and oxygen. It corresponds in ultimate composition with cyanic acid.

**Ful'mes** (*trypetio*). Pichura.

**Fumar'ic Acid.** An acid obtained from fumaric and Iceland moss, and also from malic acid.

**Fumiga'tion** (*fumigatio*; from *fumus*, smoke). The application of vapor, as fumus, to purify the atmosphere from some obnoxious emanation or miasma. Chloride of lime is supposed to be a powerful disinfecting agent, and, consequently, is frequently employed for this purpose.

**Fu'mus.** Smoke.

**Fumes Albus.** Mercury.

**Fumes Citrinus.** Sulphur.

**Fumes Duplex.** Sulphur and mercury.

**Fumes Terra.** Fumaria.

**Function** (*functio*; from *fungere*, to execute an office). In *Physiology*, the action of an organ or system of organs in the animal economy. A power or faculty by the exercise of which the vital phenomena are produced. The functions of the living body may be divided into: (1) Those which relate to the preservation of the individual, as nutrition,—including digestion,—absorption, secretion, circulation, assimilation, respiration, exhalation, and the evolution of heat; (2) those which relate to the maintenance of the species, as coition, gestation, parturition, and lactation; (3) those of relation, embracing sensation, the intellectual and moral faculties, locomotion, and voice.

**Functional**. Relating to the special action or function of an organ.

**Functional Disease**. A disease in which the function or secretion of an organ is vitiated, with its structure but little if at all changed.

**Functions, Vital**. Functions immediately necessary to life—viz., those of the brain, heart, lungs, etc.

**Funda**. A bandage applied at each end to within two inches of the middle, employed in diseases of the nose, and especially in cases of fracture or dislocation of the lower jaw.

**Fundament** (*fundamentum*). The foundation or base of anything; also the anus.

**Fundus**. The base of an organ which has an external opening or ends in a neck.

**Fungate**. A combination of fungic acid with a base.

**Fungi** (the plural of *fungus*). In *Botany*, the mushroom tribe of acotyledonous plants; toad-stools.

**Fungic Acid**. An acid obtained from several species of fungi.

**Fungiform** (*fungiformis*). Resembling a fungus or mushroom.

**Fungiform Papilla**. A term applied to the papilla near the middle and front of the tongue.

**Fungin**. The whitish substance which forms the base of mushrooms.

**Fungoid** (*fungoides*; from *fungus*, a mushroom, and *-oides*, resemblance). That which has the shape of or resembles fungus.

**Fungosity** (*fungositas*). A fungous excrescence. Pronounced *fungus*.

**Fungus**. In *Surgery*, a soft, spongy, luxuriant growth or tumor developed on the membranes or other textures of the body.

**Fungus Articularis**. Spina vertebrae.

**Fungus Bleeding**. Fungus hæmatodes.

**Fungus Cerebralis**. An encephaloid tumor.

**Fungus Cerebri**. Hematoma cerebri.

**Fungus Hematodes**. Medullary sarcoma; soft cancer; squagoid inflammation; a morbid excrecence of a malignant character, and somewhat similar to the brain. Three varieties are enumerated by Lacaze: (1) The *encapsulated*; (2) the *unencapsulated*; and (3) the *infiltated or diffuse*.

The first rarely attains a very great size, the second sometimes grows to the size of a child's head, and the third consists of unencircled vessels.

**Fungus Medullaris**. Fungus hæmatodes. Also an encephaloid tumor.

**Funiculi Oculi**. Posterior median columns of the medulla oblongata.

**Funiculi Scitulum**. Lymphatic filices enclosing the base of the corpus alvum.

**Funiculus** (dim. of *fusus*, a cord). A little cord.

**Funiculus Spermaticus**. The spermatic cord.

**Funiculus Umbilicalis**. The umbilical cord.

**Funiculus Varicosus**. A varicose enlargement of the spermatic vaine; cliviscle.

**Fusula**. A cord.

**Fusula Umbilicalis**. The umbilical cord.

**Furcate** (*furcata*). Forked.

**Furcula**. The clavicle.

**Furfur**. Bran; a desquamation of the cuticle.

**Furfura**. A genus of scaly diseases.

**Furfura ceous**. Itawaiking bran; applied to the burn-like wellment sometimes deposited in the urine.

**Furnace** (*foras*). An apparatus in which a vehement fire and heat may be made for melting ores or metals, baking clay or porcelain ware, or teeth, supplied with air by various means, for the purpose of facilitating the combustion of the matter employed for heating it.

**Furnace, Blast**. A furnace the heat of which is produced by a current of air forced through the burning fuel by artificial means, as by a bellows.

**Furnace, Cupelling**. A dome furnace containing a muffle for cupellation.

**Furnace, Down's Gas**. For baking crowns, porcelain inlays, and sections, and for soldering, heating up, etc. The muffle is made of porcelain,  $\frac{1}{2}$  of an inch wide by  $\frac{1}{4}$  of an inch high; it can also be used for baking continuous-gum work, and is used in brazing.

**Furnace, Evaporatory.** A furnace used for the purpose of reducing substances into vapor by means of heat, in order to separate the fixed from the volatile principles.

**Furnace for Baking Porcelain Teeth.** A muffle furnace which is made of fire-clay, cased or hooped with iron bands to prevent it from cracking when heated, with a muffle or an arched clay vessel with a flat bottom in the side for the reception of a slide or tile, on which the teeth are placed. Some furnaces used for this purpose are in two pieces, the top one being shaped like a dome; others constructed on a more extensive scale are cased with brick. See PORCELAIN TEETH.

**Furnace, Forge.** A furnace in which the current of air is supplied by a bellows. It is sometimes used in the laboratory of the dentist.

**Furnace, Goldsmith's Ceylonese.** A small, low earthen pot, filled with cluff or sawdust, on which a charcoal fire is placed. This is excited with a small bamboo blow-pipe inserted in a nozzle placed at the bottom of the fire. It is sometimes used by dentists for refining and alloying gold.

**Furnace, Injector Gas.** A furnace invented by Mr. Fletcher, with a power and speed of working in melting metals in the dental laboratory practically without limit, depending only on the gas- and air-supply.

**Furnace, Laud's Hi-muffle Gas.** A furnace operated by gas in combination with the air-blast; for fusing porcelain in dental laboratory work.

**Furnace, Mayer's Oil.** This furnace is provided with a preparatory muffle and annealing oven to be used with the furnace for continuous-gum and other porcelain work. The heat distributed around the muffle reaches a temperature of about 1400° F. The preparatory muffle is large enough to receive five cases, which number, by means of this furnace, can be fused in rapid succession.

**Furnace, Oxycarbon.** A gasless furnace for melting metals. By means of a rubber bulb a continuous pressure is made upon the contents of the reservoir, and a strong, steady, and continuous heat is maintained, the flame being smokeless and nearly odorless.

**Furnace, Reverberatory.** A furnace in which the flame is made to diffuse itself over an heated surface, as in distillation.

**Furnace, Tees' Lollipop.** Made of fire-clay bound around with sharp iron, and in three

sections, the entire furnace being but 10½ inches high, 12 inches wide, and 8 inches deep, with walls 1 inch thick; for making continuous-gum work.

**Furnace, Varrier's Gas.** A furnace operated by coal gas or benzoline vapor in conjunction with the blast from the feet bellows; its dimensions are 6 cubic inches; for fusing porcelain in the dental laboratory.

**Furnace, Wind.** Air furnace. A furnace depending for its supply of air upon the natural current.

**Furor.** Violent delirium without fever.

**Furor Uteri'vus.** Nymphomania.

**Furuncululus** (from *furor*, to rage). A species of phlegmon, or boil, seated in the dermoid texture, which, after some days, suppurates and discharges a bloody pus. It is vulgarly called a boil.

**Furunculus Gangrenos'vus.** Anthrax.

**Fusel Oil.** Oil of grain; corn-spirit oil; potato-spirit oil.

**Fusibility.** Capability of being fused.

**Fusible** (from *fusus*, melted). Possessed of fusibility. That which can be easily fused or melted.

**Fusible Alloy, Rose's.** An alloy composed of two parts bismuth, one of lead, and one of tin.

**Fusible Metals.** Fusible alloys. Prof. Austin's table of fusible alloys, in which zinc is introduced for the purpose of reamurism, is as follows:

METALS.	MELTING POINT.	HARDNESS.
Zinc, . . . . .	773°	.018
Lead, 2; tin, 1. . . . .	440°	.050
Lead, 1; tin, 2. . . . .	340°	.040
Lead, 2; tin, 3; antimony, 1. . . . .	420°	.020
Lead, 5; tin, 6; antimony, 1. . . . .	320°	.035
Lead, 5; tin, 6; antimony, 1; bismuth, 3. . . . .	300°	.030
Lead, 1; tin, 1; bismuth, 1. . . . .	250°	.042
Lead, 5; tin, 3; bismuth, 8. . . . .	200°	.045
Lead, 2; tin, 1; bismuth, 3. . . . .	200°	.048

McBette's fusible metal—used in his system of bridge work—consists of tin, 5 parts; lead, 3 parts; bismuth, 4 parts. Dr. C. M. Richmond's fusible alloy, for use in crown- and bridge-work, consists of tin, 20 parts (by weight); lead, 10 parts; cadmium, 13 parts; and bismuth, 46 parts. It fuses at 150° F., and is hard. See D'ARCY'S METAL.

**Fusiform.** Spindle-shaped.

**Fus'ion** (*fusio*; from *funder*, to melt). The transformation of solids into liquids by

exposure to the action of heat. The liquefying is solid by the employment of heat.

**Fusion, Aqueous.** Deliquescence; spontaneous fusion of crystalline salts.

**Fusion of Teeth.** See **CONTRACEDIVE OF TEETH** and **GERMINATION TEETH**.

**Fus'ile.** A yellow dye-wood, of which there are two kinds; one in the wood of the *Morus tinctoria*, called *old fustic*, and the other

in the wood of *Rhus cotinus*, which is called *young fustic*.

**Fustiga'tion, Electric.** An application of electricity in which the surface of the body is rapidly tapped with the electrodes of an induced current.

**Fu'sus.** In the plural, the papille through which in the anemones the delicate threads pass.

**Futu'tio.** Cotton.

## G.

**G.** With the ancient Greeks, *galea*, or an ounce; also symbol for platinum. Abbreviation of *gummy*.

**Gahr'ea.** A fatty kind of myrrh.

**Gad'olinite.** A mineral, so called from its discoverer, Gustaf, a Swedish chemist.

**Gad'uin** (*gadus morhua*, the codfish). A peculiar substance found in cod-liver oil.

**Ga'dus.** A genus of fishes containing many species highly valued as articles of diet, among which are the codfish, haddock, etc.

**Gadus Morhua.** The codfish, the liver oil of which is a highly valuable medicinal agent.

**Gag** (from *pappas*, to suffocate). An instrument, generally made of flexible rubber, placed between the teeth to prevent the closing of the jaws during the administration of nitrous oxide gas.

**Gai.** Abbreviation of *gallon*.

**Galactagogue** (from *gala*, milk, and *ago*, to lead or bring away). Substances which promote or suppress the flow of milk. To the former class belong fennel seeds, extract of vanilla, sape, milk liquors, tea, etc. To the latter belong diaphoretics, castor oil, tartar emetic, belladonna, camphor, peppermin, etc.

**Galac'tia** (from *gala*, milk). A morbid flow or deficiency of milk; mislactation. Botanical "Noseology," a genus of disease.

**Galac'tic Acid.** Acid of milk. Lactic acid.

**Galac'tin.** An alkaloid obtained from the juice of the *Galactodesium urile*, or cow tree of South America, and used in place of cream; also the coagulating principle of milk.

**Galact'ites.** A calcareous mineral supposed by the ancients to possess the property of promoting the secretion of milk.

**Galact'ocole** (from *gala*, milk, and *co*, a

lumen). A tumor or swelling containing a milky fluid.

**Galactom'eter** (from *gala*, and *metron*, measure). An instrument to determine the quality of milk by the proportion of lactose it contains.

**Galactoph'orus** (from *gala*, milk, and *phoros*, to bring). A term applied in *lactology* to the lactal absorbents, on account of the color of the fluid which they convey; absorb the excretory ducts of the glands of the breast, which convey the milk to the nipple.

**Galactopiero'sis** (from *gala*, milk, and *pirosis*, the act of filling up). Redundant secretion of milk.

**Galactopole'sis.** The function possessed by the glands of the female breast of secreting milk.

**Galactopoiet'ica.** A term applied in *Medicine* to substances which possess the property of increasing the secretion of milk.

**Galactopo'sis.** A term employed in *Hygiene* and *Therapeutics* to designate a milk diet.

**Galactopy'ria** (from *gala*, milk, and *pyria*, fever). Milk fever.

**Galactorrhoe'a** (from *gala*, milk, and *rhoi*, to flow). An excessive secretion of milk.

**Galact'ose** (from *gala*, milk). A carbohydrate formed by boiling lactose with dilute mineral acids. It ferments and crystallizes, and has the reaction of glucose.

**Gai'banum.** A fatid, aromatic-gum-resin, the product of *Babon galbanum*, possessing properties similar to those of *sassafras*.

**Gai'busus** (from *galba*, yellow). A natural yellowness of the skin with which some persons are affected.



**Galen.** A helmet. In *Pathology*, headache involving the whole head. In *Surgery*, a bandage for the head, called Galen's bandage.

In *Anatomy*, the upper petal of the lobate corolla.

**Galenite.** Native sulphuret of lead.

**Gallipot.** White turpentine. Also an earthen pot for ointments, etc.

**Gall.** Bile.

**Gall-bladder** (*vesicula fellea*). An oblong membranous receptacle serving as a reservoir for the bile, and attached to the inferior surface of the right lobe of the liver.

**Gall-ducts.** The ductus communis cholechicus and the cystic and hepatic ducts.

**Gall-nuts.** Excrevences produced on the tender shoots of the *Quercus infectoria*, a species of oak, by the deposition of the eggs of a small insect, called the *galls*. The best galls are obtained from Aleppo and Smyrna. Their principal ingredients being tannin and gallic acid, they are powerfully astringent. See **GALLIC**.

**Gall-stones.** Biliary calculi, found in gall-bladder and ducts.

**Gall'um.** Gall-nuts. Powerfully astringent and tonic. Dose, internally, gr. x to ℥j; much used as an astringent for piles in the proportion of ℥ij to ℥ss and powdered opium ℥j.

**Gall'ate.** A salt of gallic acid.

**Gal'lic Acid** (*acidum gallicum*). A silky, crystalline substance, obtained by the oxidation of tannic acid. Astringent. Dose, gr. v to gr. x. Gallic acid is employed as a styptic in arterial hemorrhage.

**Galls** (*galls*). Nut galls. Gall-nuts. The excrevences of plants produced by the puncture of insects, and characterized by excessive deposits of cellular tissue. They are obtained in Asia and Persia. Galls are powerfully astringent, containing 35 per cent. of tannic acid and 5 per cent. of gallic acid. The dose of the powder is gr. x to gr. xx. Locally, the powder is employed in hemorrhage, chronic diarrhoea and dysentery, relaxed uvula, uterine diseases, etc.

**Galvan'ic.** Pertaining to galvanism; electric, and produced by chemical action.

**Galvanic Battery.** An apparatus by which a current of galvanism is produced. A simple form of battery consists of a zinc plate, connected with one of copper or silver, immersed in dilute sulphuric acid. A galvanic or voltaic battery, as now constructed, consists of one or more galvanic cells so united as to

furnish a galvanic current. Grove's battery consists of a hollow cylinder of amalgamated zinc, immersed in dilute sulphuric acid, and having within it a porous earthenware cup containing strong nitric acid, in which is immersed a thin plate of platinum; metallic connection being made between the zinc and platinum, a bright spark is produced and a strong current set up. The galvanic current has been used as a local anæsthetic during the extraction of teeth, as has also the electro-magnetic apparatus (which see). See **BATTERY**. See **LOCAL ANÆSTHETIC**.

**Galvanic Caustery.** A term applied in *Therapeutics* to the employment of voltaic electricity for producing cauterizing effects by means of a platinum wire heated by electricity.

**Gal'vanism** (*galvanismus*; from *Galvani*, the discoverer). The electricity produced by chemical action. A series of electrical phenomena manifested by animal parts capable of being irritated when placed in connection with two metallic plates of different nature joined together by means of a metallic wire. These phenomena consist of sensible movements when the parts are placed in contact with the plates. The additional discoveries of Volta led to the term *Voltaism*, or *Voltaic electricity*, and its effect on the muscles of recently killed animals is known by the term *animal electricity*. Galvanism is employed medicinally in neuralgic affections, and in the same cases as electricity. See **ELECTRICITY**.

**Galvaniza'tion.** The medical application of the current of galvanic electricity. The art of exciting with galvanism.

**Galvano-caustery.** A current of electricity passed through a fine wire, generally platinum wire in the form of a loop, and used, not very highly heated, to cut through tissues without causing much bleeding.

**Galvano-magnetism.** Electro-magnetism. An assemblage of phenomena produced by the passage of a magnetic current through a wire wound around a centre of soft iron.

**Galvanom'eter** (from *galvanism*, and *metron*, a measure). An instrument for measuring the force of galvanic electricity.

**Galvano-puncture.** The introduction into the skin or other tissue of fine needles that complete an electric circuit.

**Galvan'escope** (from *galvanism*, and *scopus*, to examine). An instrument for ascertaining the direction of an electric current; a magnetic needle.

**Gamb'bir.** An astringent extract obtained from the *Uncaria gambir*, called square catechu, and, by tanners, term japonica.

**Gambog'e.** *Gambogia*. *Gambogia*. The coney-like juice of an uncertain tree, probably a species of *Elephantopus*. It is an active hydragogue and drastic cathartic. In a full dose it is apt to produce nausea and vomiting. Full dose, gr. ij to gr. vj.

**Gambog'ic Acid.** An acid obtained from the ethereal tincture of gamboge.

**Gamphe'le.** The cheeks; the jaw. Maxillary bone.

**Gan'gila, Abdom'inal.** The semilunar ganglion and solar plexus.

**Ganglia Cerebri Pontis.** The thinned nervous sphincters.

**Ganglia, Cervical.** The superior, middle, and inferior cervical ganglia.

**Gangliform.** Having the form of a ganglion.

**Gang'lion** (γ;γ;ον, a knot). In *Anatomy*, a tubercle or knot-like enlargement, varying in form, texture, color, size, and consistence, composed of a network of nervous filaments or blood vessels united by cellular substance and enveloped in a capsular membrane. In *Surgical Pathology*, a hard, colorless tumor of variable size, situated in the course of an exterior tendon and formed of a viscid albuminous fluid coagulated in a cyst, sometimes uniting either with the sheath of the tendon or the synovial capsule of a contiguous joint.

**Ganglion, Abdom'inal.** See GANGLIA, ABDOMINAL.

**Ganglion As'ygos, vel Impar.** A small ganglion situated on the first bone of the coccyx which serves to connect the inferior extremities of the sympathetic system.

**Ganglion, Car'diac.** A ganglion situated upon the convexity of the arch of the aorta.

**Ganglion, Cil'ary.** A small ganglion situated within the orbit between the external optic muscle and the optic nerve.

**Ganglion, Ehrenrit'ian's.** A ganglion on the pneumogastric nerve above the ganglion of Andersch.

**Ganglion, Gasserian or Casserian.** Ganglion of Casser. A large semilunar ganglion on the posterior root of the fifth pair of nerves before its division into three branches, and situated near the extremity of the petrous portion of temporal bone.

**Ganglion Ju'gular.** The superior ganglion

in the jugular fossa of the glosso-pharyngeal nerve.

**Ganglion, Meckel's.** See MECKEL, GANGLION OF.

**Ganglion, Optic.** A small, flattened, oval-shaped ganglion, situated immediately below the foramen optic.

**Ganglion Petro'sum.** Ganglion of Andersch. The inferior ganglion of the glosso-pharyngeal nerve, situated in the jugular fossa.

**Ganglion Plexiform's.** A gangliform swelling of the pneumogastric nerve, situated between the internal carotid artery and internal jugular vein.

**Ganglion, Sphe'no-pal'atine.** The largest of the cranial ganglia of the sympathetic nerve, and situated in the sphenoidal fossa.

**Ganglion, Submax'il'ary.** A round ganglion, situated above the submaxillary gland.

**Ganglion'es'ra** (γ;γ;ον, a nerve, and ν;ν;ος, a nerve). A term applied in *Zoology* to the rudimentary and articulated division of the animal kingdom, characterized by a ganglionic type of the nervous system.

**Ganglion'ic** (ganglionicus). A term applied in *Anatomy* to nerves which have ganglia in their course.

**Ganglionic System, or Ganglionic Nerve.** The triplicanular or great sympathetic nerve, with its system of ganglia, constituting the system of organic life.

**Ganglion'ica** (γ;γ;ον, a nerve knot). A class of medicinal agents which affect the sensibility or muscular motion of parts supplied by the ganglionic or sympathetic system of nerves.

**Gangra'na Orla** (gangrænopsia; necrosis infantilis; necrosis oris; stomatitis; stomatitis; stomatitis). Gangrene of the mouth. Blebbing phlegmons of the mouth. An affection which seems to be peculiar to children, occurring more frequently during the shedding of the temporary and the dentition of the permanent teeth than at any other period of life. Although regarded as a result of inflammation, Dr. Wood, in treating of it as it occurs in the mouth, says, "It is an unsettled point whether it lies in general any dependence upon it." He further states that it is thought "by many to be an original affection, and the inflammation which sometimes attends it" is regarded "rather as an effect than a cause."

Among the symptoms which characterize the affection are itching, ulceration, and separation of the gums from the necks of the teeth

and alveolar processes, and the discharge, at first of muco-purulent, but ultimately of fetid, laborous matter. The gums and lips assume a deep red or purple color, and ulcers are formed in various parts of the mouth; the gums ultimately slough and the alveolar processes exfoliate, bringing with them the temporary and sometimes the crown of the permanent teeth. To these symptoms may be added loss of appetite, dryness of the skin, small, quick pulse, and constipation of the bowels, though sometimes there are diarrhea, lassitude, and frequently a disposition to sleep.

With the exfoliation of the alveolar process the disease usually abates, and sometimes entirely disappears. DeLaharrie says among the great number of children brought to the Orphan Asylum, he has had frequent occasion to notice singular complications of the affection, which are modified according to the strength, "sex, and idiosyncrasies of the different subjects." The gums and lips, in some, he describes as being of a beautiful red color; in others the lips are raw and the gums pale, and sometimes much swollen. He also enumerates among the symptoms burning pain in the mucous membrane of the cheeks, elevation, pain, and swelling in the submaxillary glands.

In the majority of cases the disease is confined to one jaw and to one side, though sometimes both are affected with it. DeLaharrie says if children reach the seventh or eighth year the permanent teeth are not injured, except that it causes them to be badly arranged, owing to the want of proper development of the jaw; but the author has never met with a case in which they had not suffered more or less seriously from it.

The author just referred to enumerates among the symptoms of the disease in its most aggravated form inordinate appetite, burning thirst, a small spot on the cheek or about the lips, resembling anthrax, which rapidly increases in size, turns black, separates, discharges an ichorous fluid, and its edges "roll themselves up like flesh exposed to the action of a brisk fire." The flesh separates from the bone; the bones become exposed; hectic fever ensues, and in the course of fifteen or twenty days death puts an end to the sufferings of the child. We are also informed by DeLaharrie that this affection is more common among females than males, and that the bones of the jaws are so much softened as to be easily cut with a knife.

The disease seems to be dependent upon a

cachectic habit of body and defective nutrition or unwholesome food. "It is most prevalent," says Dr. Wood, "in miasmatic districts, and in public establishments where children are crowded together. It is a frequent sequel of other diseases, especially of intermittent and remittent fever and the exanthemata. Mercury has sometimes been accused of producing it, though upon insufficient grounds. It is possible that mercurial sore mouth may sometimes have degenerated into this complaint in persons predisposed to it. The opinion is highly probable which ascribes constitutional predisposition to the disease to a depraved condition of the blood." This opinion is also maintained by DeLaharrie, who says its "seat is in the organs of nutrition and in the fluids conveyed to them." The bad disposition which gives rise to it, the last mentioned writer thinks, is sometimes hereditary and at other times the result of unwholesome diet.

In the treatment of the disease such constitutional remedies should be prescribed as are best calculated to sustain and strengthen the enfeebled energies of the system. Sulphate of quinine, mineral acids, and a nutritious diet are recommended.

The local treatment should consist, in the early stages of the disease,—that is, before sloughing has commenced,—in astringent gargles, and a solution of chloride of lime or soda may also be advantageously used. The ulcerated and discolored parts should be occasionally washed with a strong solution of nitrate of silver, and DeLaharrie says he has derived great advantage from touching them with the actual cautery. A strong solution of sulphate of copper is recommended by Dr. H. H. Hunt, to be applied to every part of the diseased surface. Dr. Wood says: "Solid nitrate of silver or a strong solution of the salt if ulcers are already formed. The mineral acids and undiluted tincture of chloride of iron have also been recommended as topical applications, and will, in most cases, be found effectual." As soon as exfoliation of the alveolar processes takes place, the detached portions of bone should be removed. See CANCER OF ORIS. Gangraena Sanit'ia. The dry gangrene which sometimes occurs in old age, commencing, generally, in a purple or black spot under one of the small toes, and thence gradually extending up the leg. Gangrenop'alis. Gangrenous sore mouth; also gangrene of the eyelids.

**Gangrenous'sis.** Gangrenous; also the state of becoming gangrenous.

**Gan'grene** (*gangraena*; from *gano*, to feed upon). Incipient mortification. That condition of a part which immediately precedes mortification; moist gangrene when the parts contain much fluid, in which case they putrefy, evolve offensive gases, and become emphysematous and covered with blisters; dry gangrene when the parts are hard and dry, shrivelled, and devoid of color. The slough, or dead mass, is at last separated from the living parts by necrosis of the latter and is cast off. See MORTIFICATION.

**Gan'grenous.** Relating to or of the nature of gangrene.

**Gangrenous Stoma'titis.** See HANGRENA ORIS.

**Gan'gulus.** Tumor; irritation; itching. Maculation. Animal magnetism.

**Garga'reon.** The gurgler.

**Garg'arism** (*gargarisma*; *gargariasmus*; from *gargazo*, to wash the mouth and throat). A gurgle or wash for the mouth and throat. Gargles are employed in cases of inflammation and ulcération of the mucous membrane of the mouth and fauces, larynx and trachea; they are made of astringents, stimulants, sedatives, refrigerants, etc., according to the indications of the case which rules for their employment.

**Garg'le.** A liquid to be held in the fauces and to be agitated so that it is carried to the nasopharynx by rhythmical movements of the pharyngeal and palatal muscles.

**Garnet-blende.** A sulphate of zinc.

**Gas.** An ethereal, elastic fluid. Any permanently elastic fluid, whether simple or compound, except the atmosphere; known as vapor when a liquid or solid substance is changed to an ethereal condition.

**Gas, Ammoni'acal.** See AMMONIA.

**Gas, Azot'ic.** Nitrogen.

**Gas, Carbon'ic A'cid.** Formed in the burning of charcoal and very abundant in nature.

**Gas, Carbonic Oxide.** A colorless gas generated when carbon is burned with an imperfect supply of oxygen.

**Gas, Heavy Carburet'ed Hy'drogen.** Carburetted hydrogen. (Inflant gas.)

**Gas, Hepat'ic.** Sulphuretted hydrogen gas.

**Gas, Light Carburetted Hydrogen.** Marsh gas.

**Gas, Nitrous Oxide.** See NITROUS OXIDE.

**Gas Regulator.** A device for regulating den-

tal vulcanizers, the lining being operated by the minute motion of a clock. It is capable of very delicate adjustment as to time. The regulator turns down the gas when the thermometer registers the highest steam degree required in vulcanizing, and will cut off the gas after the degree of vulcanization—time for hardening the rubber—is reached.

**Gaseous.** Of the nature of gas.

**Gaseous Oxide of Carbon.** Carbonic oxide.

**Gaseous Pulsa.** One in which the artery seems full and very soft, as if it were filled with air.

**Gas'iform.** Having the nature or form of gas.

**Gas'oline.** A substance produced in the distillation of petroleum, one of the lightest and most volatile liquids known. Its specific gravity is less than that of ether. It is highly inflammable, burning on the surface of water. It has been used for illuminating purposes.

**Gasom'eter.** A reservoir or measure for gas.

**Gasometer, Liquid Nitrous Oxide.** An apparatus designed for the use of large quantities of the gas. It is nickel plated, mounted on a stand, and is designed to contain ten gallons of the gas, which is supplied by a 1000 gallon cylinder in position under the gasometer. On the bell of the gasometer is a scale, graduated in gallons and fractions of a gallon, so that the operator can determine the quantity of gas he has administered. The bell gives warning of any leakage and a peculiar water-check or valve automatically shuts off the gas when the patient stops breathing it. In this apparatus, as well as in the oxygen case (which see), the gas can be kept for any length of time, and is constantly on hand and of the best quality.

**Gasometer, Nitrous Oxide.** A reservoir for the nitrous oxide gas so constructed that the patient can breathe the gas through a rubber tube directly from the gasometer without the use of a bag. The valves of the inhaler (which see) prevent the gas retained in the gasometer from becoming impure by the exhalations passing into it, as is the case where a bag is used from which the patient receives the gas.

**Gasp** (from *gaipo*, to yawn). To catch for breath. Apnoeic breathing with the mouth open.

**Gasser'ian Gas'gion.** The semilunar ganglion of the fifth pair, discovered by Gasser,

situated on this nerve at the point it divides into three branches, near the extremity of the petrous portion of temporal bones.

**Gas'ter** (*γαστήρ*). The abdomen. Also the stomach.

**Gastric**. Same as *gastric* (which see).

**Gastricula** (*γαστήρ*, stomach, and *αίμα*, blood). Congestion of the veins of the stomach.

**Gastr'al**. Relating to the stomach or alula-man.

**Gastr'al'gia** (from *γαστήρ*, and *αἰμα*, pain). Pain in the stomach. See *CARDIALGIA*.

**Gastrocephalo'ma** (*γαστήρ*, stomach, and *κεφαλή*). A brain-like fungus of the stomach.

**Gastron'chya** (*γαστήρ*, and *κύμα*, to pour in). A stomach syringe or stomach pump.

**Gastr'ic** (*gastrius*; from *γαστήρ*, the stomach). Pertaining to the stomach.

**Gastric Acids**. See *GASTRIC JUICE*.

**Gastric Arteries**. The *gastro-epiploica dextra*, *gastro-epiploica sinistra*, and the *coronaria ventriculi*. The first is a branch of the hepatic artery, the second a branch of the splenic, and the third of the celiac.

**Gastric Fever**. See *FEBRIS GASTRICA*.

**Gastric Juice**. The fluid secreted by the lining or mucous membrane of the stomach. It contains, in man, hydrochloric and acetic acids, associated with a ferment, *pepsin*.

**Gastric Nerves**. The two roots or terminal branches of the pneumogastric and sympathetic nerves, which descend on the two surfaces of the stomach.

**Gastric Plexus**. A nervous network formed by the solar plexus.

**Gastric Veins**. Distributed the same as the gastric arteries. They open into the vena porta abdominalis.

**Gastr'icisms** (from *γαστήρ*, the stomach). A term applied in *Pathology* to gastric affections in general, and especially to the theory which refers nearly all diseases to the accumulation of impurities in the stomach and intestines.

**Gastr'mus**. Glutinous.

**Gastri'tis** (from *γαστήρ*, the stomach, and *εἶς*, signifying inflammation). Inflammation of the stomach.

**Gastroenter'i'tis**. Gout.

**Gastrobronchi'tis**. Catarrhal fever.

**Gastrobro'nia** (from *γαστήρ*, the stomach, and *βρωα*, the act of gnawing). Perforation of the stomach.

**Gastro'e'ia** (from *γαστήρ*, the stomach, and *εἶς*, a tumor). Hernia formed by a protrusion

of the stomach through the superior part of the linea alba.

**Gastrocho'lia** (*γαστήρ*, and *χολή*, bile). Biliary disease of the stomach.

**Gastrocholo'ia**. Gastric bilious fever.

**Gastrocnem'ius** (from *γαστήρ*, the belly, and *αἶμα*, the leg). The name of a large muscle on the posterior part of the leg. It constitutes the chief part of the calf of the leg.

**Gastrod'id'y'mus** (from *γαστήρ*, the belly, and *διδυμος*, a twin). A monstrosity, consisting of twins united by the aldeman.

**Gastrodyn'ia** (from *γαστήρ*, and *αἶμα*, pain). Pain in the stomach; gastralgia.

**Gastro-enter'i'tis** (from *γαστήρ*, the stomach, *εἶς*, an intestine, and *εἶς*, signifying inflammation). Inflammation of the stomach and intestines.

**Gastro-epiplo'ic** (from *γαστήρ*, the stomach, and *επιπλόη*, the epiphon). Relating to the stomach and epiphon or omentum.

**Gastro-epiploic Ar'teries**. The *gastro-epiploica dextra* and the *gastro-epiploica sinistra*, derived from the hepatic and splenic arteries.

**Gastro-epiploic Gland's**. The lymphatic glands situated between the anterior laminae of the great omentum.

**Gastro-hepat'ic** (from *γαστήρ*, the stomach, and *εἶς*, the liver). Pertaining to the stomach and liver.

**Gastro-hysterot'omy** (from *γαστήρ*, *τετομή*, the womb, and *τομή*, incision). In *Obstetric Surgery*, the abdominal Cæsarean operation.

**Gas'troid** (*γαστήρ*, stomach, and *εἶς*, form). Resembling belly or stomach.

**Gastro-intes'tinal**. Pertaining to the stomach and bowels; applied in *Pathology* to diseases in which both are implicated.

**Gastrol'ithus** (*γαστήρ*, and *λίθος*, a stone). A calculus in the stomach; a gastrolith.

**Gastrol'ogy**. A dissertation on the stomach. Also the science of the stomach.

**Gastro-male'cia** (*gastro-malecia*; from *γαστήρ*, the stomach, and *μαλacia*, soft). Softening of the stomach.

**Gastro-metrit'is** (from *γαστήρ*, *μετρίτις*, the womb, and *εἶς*, inflammation). Inflammation of the stomach and womb.

**Gastro-mucous**. A term applied in *Pathology* to fevers attended with gastric irritation and inordinate secretion of mucus.

**Gastro-nephri'tis** (from *γαστήρ*, and *νεφρίτις*, inflammation of the kidney). Inflammation of the stomach and kidneys.

**Gastromyos** or **Gastromyosis** (*gastro*, and *myos*, a disease). Disorder of the stomach.

**Gastro'pathy** (*gastropathia*; from *gastro*, the stomach, and *pathos*, disease). A morbid condition of the stomach.

**Gastro-phren'ic** (from *gastro*, the stomach, and *phren*, the diaphragm). Pertaining to the stomach and diaphragm, as the gastro-phrenic ligament. A process of the peritoneum which descends from the inferior surface of the diaphragm to the stomach.

**Gastrorrha'gia**. Hemorrhage of blood from the stomach. Hematemesis.

**Gastrorrha'phy** (*gastrorrhaphia*; from *gastro*, the stomach, and *phos*, a suture). The union, by suture, of wounds of the abdomen.

**Gastrostoma** (from *gastro*, the stomach, and *stoma*, to flow). Excessive secretion of mucus from the mucous membrane of the stomach; or a regurgitant flow of gastric mucus or liquid from the mouth.

**Gastroscop'ia** (from *gastro*, and *scopia*, to survey). Examination of the abdomen as a means of diagnosis.

**Gastro'sis**. A generic name for diseases of the stomach.

**Gastrosplic'nic** (from *gastro*, and *splic*, the spleen). Pertaining to or connected with the stomach and spleen.

**Gastrot'omy** (from *gastro*, the stomach, and *tomos*, to cut). The operation of opening the stomach or abdomen.

**Gastropal'gia** (*gastro*, and *pain*, under, in a slight degree, and *algia*, pain). Slight or mild pain in the stomach.

**Gates Crown**. An artificial crown, all porcelain, for suggesting on the natural roots of the teeth. It is similar to the Howell crown, but is usually attached to the root by a metallic screw, and amalgam packed around it.

**Gath'ring**. Name as disease and suppuration.

**Gauchir**. A word applied by French dentists to artificial pieces or dental substitutes which have been awkwardly constructed, or which have shrunk or warped and lost their proper adaptation.

**Gauge for Rubber**. An apparatus used in *Mechanical Dentistry* for ascertaining the quantity of rubber required for any given case.

**Gauge-plate**. In *Mechanical Dentistry*, an instrument for measuring the thickness of plate employed for bases for artificial teeth, clasps, buckings, etc. See manner of making gold into

plate, in Harris' "Prin. and Prac. of Dentistry."

**Gaultheria**. A genus of the order Ericaceae.

**Gaultheria Procumbens**. Partridge-berry; mountain-tea; chicken-berry; wintergreen. It is stimulant, anesthetic, and slightly astringent. See *OLEUM GALLICUM*.

**Gay'acine**. A resinous substance obtained from the bark guaiacum.

**Gaz**. Gas.

**Gel'ic Acid**. Acro-acid of vegetable mould.

**Gelatin'eous** (from *gelatin*, and *erous*, I append). That which forms gelatinous structure. According to Carpenter, yielding gelatin.

**Gel'atin**. Gelatine; gelatina. Jelly. A peculiar animal substance, obtained by boiling the skins, cellular tissues, bones, etc., of animals in water. Gelatin is an isomeric form of gelatin. According to Liebig, gelatin is not capable of sustaining life, but serves to repair the waste of the cellular and other tissues.

**Gel'atin Capsules**. Capsules made from a concentrated solution of gelatin and filled with medicines; used to avoid the nauseous taste.

**Gelatin of Wharton**. Jelly of the cord. A soft, dense, thick, gelatinous substance which envelops the umbilical cord and is thought to be conducive to the nutrition of the fetus.

**Gelatin, Sugar of**. See *GLYCOSILL*.

**Gelat'inous**. Of the nature of gelatin.

**Gelatinous Tissue**. Tissues which have for their basis gelatin, as mucous membrane, the epidermis, etc.

**Gela'tio** (from *gelis*, to freeze). Freezing, congelation. In *Pathology*, rigidity of the body, as in catalepsy.

**Gelly**, or **Jelly**. A soft, tremulous, transparent substance obtained from animal and vegetable matters.

**Gel'ose**. A culture medium for bacteriological investigation, the base being a mucilage.

**Gelsemium Sempervirens** (*gelsemium sibiricum*; *peruviana*). Yellow jessamine. This plant is narcotic, antispasmodic, and sedative. It is largely used in the South as a febrifuge. In moderate doses its effects are chiefly confined to the nerves of the jaws. The tincture is the form generally used. It rarely fails to give relief in neuralgic pains of face and jaws associated with carious teeth, the dose

being fifteen minutes of the tincture every six hours.

**Gel'u.** Gelly.

**Gemel'ina.** Double; twin. One of two children produced at a birth. In *Anatomy*, muscles disposed in pairs. See **GEMINI MUS'CLE**.

**Geminate** (from *geminus*, twin). In pairs.

**Gemina'tion** (from *geminare*, to double). A doubling; duplication; repetition.

**Gem'ini.** Twins. In *Anatomy*, applied to muscles disposed in pairs.

**Gemini Mus'culi** (*gemelli*). A muscle of the thigh consisting of two portions united by a tendinous and fleshy membrane.

**Gem'inous.** Same as *Geminate*.

**Geminous or Connate Teeth.** Twin formation of teeth from the occurrence of a double dental germ in a single jaw, from which are developed two teeth of the same class where normally there should be but one. The two teeth are generally united, although they may be separate, this is usually larger than the other. See **TRICUS**, **QUADRUS UNICUS** &c.

**Gem'ma.** A gem. In *Surgery*, a granulation. In *Botany*, a bud on the stem of a plant.

**Gemma Oculi.** The crystalline lens.

**Gemma'tion.** Budding. See **GENERATION**.

**Gemmisip'arous** (from *gemma*, a bud, and *paris*, to produce). Plants which produce buds and saplings which propagate by a like process.

**Gemmula'tion** (*gemmula*, a little bud). A kind of reproduction of simple growth and development without the agency of sexes.

**Ge'ma.** The shock.

**Gem'ives.** The gums. See **TRICHYX**.

**Gen'eral Anat'omy.** The anatomy of the textures—or, more properly, of the tissues—of which the body is composed, as distinguished from descriptive anatomy, which consists of a description of the various organs formed by these tissues.

**Gen'erate** (from *gignere*, to beget). To beget, to produce of the same kind.

**Genera'tion** (*generatio*; from *gignere*, to beget). The aggregate vital functions concerned in the production of organized beings, comprehending conception, pregnancy, and parturition.

**Generation, Equiv'ocal.** Spontaneous generation; a theory that indicates an existing plastic energy in the universe, by means of which, under certain circumstances, new living beings are spontaneously produced, as

minute animals are apparently formed from putrefaction.

**Generation, Pissip'arous.** The production of an organism from a part separated from the parent, as in certain infusoria and polyp or as from shoots of certain plants.

**Generation, Organa of.** In women they are divided into external and internal. The external are the *mons veneris*, the *labia*, the *clitoris*, the *vaginal*, and the *perineum*; the internal consist of the *ovaries*, the *uterus*, the *Fallopian tubes*, and the *ovaria*. In men they consist of the *penis*, *testicles*, *vesiculae seminales*, *sem deferentia*, and *prostate gland*.

**Gener'ic** (*genericus*). Pertaining to the same genus or kind.

**Gene'al.** Relating to generation.

**Gen'e'sis** (*genesis*, to be born). Birth, origin, or generation. The act of begetting.

**Genet'ic** (*geneticus*, generational). Pertaining to generation. Also anything inherited.

**Genet'ica** (from *genesis*, origin). Diseases of the sexual functions.

**Genet'ica.** Substances which act on the sexual organs. Of two kinds—*aphrodisiacs*, which increase sexual desire, and *emphrodisiacs*, which elude such a desire.

**Gen'al.** Relating to the chin.

**Genial Tubercles.** Four prominences on the inner surface of the inferior maxillary bone for the attachment of the genio-hyoides and genio-hyoides muscles.

**Genic'ulate** (*geniculatus*; from *genu*, the knee). Abruptly bent; knee-jointed.

**Gen'io.** A prefix from *gignere*, the chin.

**Genio-glossus** (from *gignere*, the chin, and *glossa*, the tongue). Genio-hyoglossus. A muscle extending from the genial tubercles to the base of the os hyoides and to the root, middle, and extremity of the tongue.

**Genio-hyoides** (from *gignere*, the chin, and *hyoides*, the os hyoides). A long, thin, and fleshy muscle extending from the genial tubercles to the base of the os hyoides.

**Genio-pharyngeus** (from *gignere*, the chin, and *pharynx*, the pharynx). Constrictor pharynx superior.

**Gen'ital** (*genitalis*). Relating to generation.

**Genital Organs.** The organs of generation.

**Genito-cru'ral.** A name applied by Bichat to a branch of the second lumbar nerve distributed to the genital organs and thigh.

**Genito-urinary.** Of or pertaining to generation and the excretion of urine.

**Genitu'ra.** The male seed. Also the genital organs of the male or female.

**Genonu'al** (from *gēnos*, sex, and *nos*, disease). Sexual diseases.

**Genos.** Sex.

**(Genang'.** See *GENOSKIN*.)

**Gen'tian.** The root of the *Gentiana lutea*.

**Gentia'na.** A genus of plants of the order Gentianaceæ. *Gentian*.

**Gentiana Alba.** White gentian.

**Gentiana Cateubai.** Blue gentian.

**Gentiana Lutea.** *Gentiana rubra*. The official gentian. The root is tonic, stomachic, and febrifuge.

**Gentiana Major.** *Gentiana lutea*.

**Gentiana'com.** The gentian tribe of diastylidæan plants.

**Gent'ianine.** A neutral substance obtained from gentian.

**Genti'lli Morbi.** Hereditary diseases.

**Ge'nu.** The knee-joint. The articulation of leg with thigh.

**Gen'ua Val'ga** (*ruigæ*, crooked). Knock-kneed.

**Genu'gra.** Joint in the knee.

**Ge'nus.** An assemblage of subjects possessing common characters; a kind or family; a group of species.

**Gennyant'al'gia** (*typhæ*, jaw, *anæsa*, rate, *algæ*, pain). Pain in the maxillary sinus.

**Gennyant'ri'tis.** Inflammation of the maxillary sinus.

**Gennyant'rum.** Maxillary sinus.

**Gennyplast'y** (from *gēnos*, and *plastos*, to form). The operation for restoring the cheek, injured by an injury or from congenital malformation.

**Geol'ogy** (from *gê*, the earth, and *logos*, a discourse). The science of the structure and mineral constitution of the earth, and the mode in which the different materials that compose it have been formed and deposited.

**Geophag'iam** (from *gê*, the earth, and *phagō*, to eat). The practice of dirt-eating.

**Georgia Bark.** The bark of the *Pinckneya pubens*, an American plant. It has been used as a substitute for cinchona.

**Germ.** The germin; the rudiment of a being; the rudiment principle. Blastema. The ovum, spore, or zoospore, which, by fecundation, possesses the power of developing into an organism like that whence it was derived.

**Germ Cell.** The cell or spore out of which an animal or vegetable organism is evolved; es-

pecially a cell which ultimately develops into either an ovum or a spermatozoon.

**Germ, Dental.** A tooth papilla or pulp.

**Germ Plasma.** A portion of the protoplasm of a germ cell which is reserved for a new individual; opposed to histogenetic plasma.

**German Silver.** An alloy consisting of one hundred parts of copper, sixty parts of zinc, and forty of nickel.

**Germen.** A germ.

**Germicide.** An agent which has the power of destroying parasitic or microscopic growths or organisms. This term includes all substances which destroy any form of microbe or diseased germ.

**Germ'inal Cell.** A cytotoblast.

**Germinal Membrane.** See *BLASTOGERM*.

**Germi'ation** (*germinatio*). In *Botany*, the act of sprouting. The first development of a seed. Sprouting of a seed or spore.

**Germ-theory.** The theory that all living things are produced solely by development from organized living matter; also that infectious diseases are produced by the development of bacteria in the body.

**Geruco'mia** (from *gēnos*, old age, and *nosos*, to be concerned about). That part of hygieine which relates to the health of the aged.

**Geronto'pia.** Weakness of sight of the aged.

**Gerontox'om.** A low-shaped inequality around the vertex occurring in aged persons.

**Gessa.** Plumbic subcarbonate. White lead.

**Gesta'tion** (*gestatio*; from *gestare*, to carry). The period during which the pregnant female carries the fetus in her womb. Also passive exercise—such as swinging, riding in a carriage, etc.

**Gesticula'tion.** The act of making many movements or gestures, a symptom exhibited in many diseases.

**Geu'ma.** Tumor.

**Geu'sion'nal** (from *gēnos*, taste, and *nosos*, disease). Diseases of the function or organ of taste.

**Geu'sis.** Taste.

**Giantoblast'.** A giant varicose red blood-corpuscle.

**Gibbos'ity** (*gibbosities*; from *gibbus*, a hump or swelling on the back). Gibbosity. A curvature and protuberance of the spine.

**Gib'bus.** A hump or swelling on the back.

**Old' disease.** Vertigo.

**Gil'ead, Bals of.** The resinous juice of the *Amyris glandulosa*.



**Gills.** The respiratory organs of fishes, frogs in their tadpole state, lobsters, etc.

**Glaberment's Ligament.** The lower border of the spongy tissue, stretched from the anterior and superior spinous process of the ilium and ends of the os pubis.

**Gla (gumme).** A spirit distilled from corn and juniper berries.

**Gla'ger.** The rhizome of *Zingiber officinale*. It has a spicy, pungent, hot, and biting taste, and an aromatic and penetrating odor. It is a grateful stimulant and carminative.

**Gingibra'chium** (from *gingivæ*, the gums, and *brachium*, the arm). Nervy is so called because the gums and arms are the parts affected by it.

**Gingiv'um** (sing. *gingivæ*). The gums. The fibrous tissue covered with mucous membrane on the summit of each alveolar ridge and embracing the necks of the teeth.

**Gingiv'al** (*gingivalis*). Relating to the gums.

**Gingival Line.** The blue or purplish line along the margin of the gums, indicative of chronic lead poisoning.

**Gingival Margin.** The line or edge of the gums where they meet the teeth: the free edge of the gums.

**Gingiviti's** (*gingivæ*, the gum). Inflammation of the gums, generally of the gum-border and marginal portion of the periodontal membrane, occurring mostly from constitutional causes, including salivation from mercury or other agents.

**Gingivomoid** (*gingivomoides*; from *gingivæ*, a gingivum, and *oides*, resemblance). A hinge-joint; a species of iliofemoral articulation.

**Gingivomus.** A hinge-joint.

**Gir.** Quicklime.

**Gir'neol** (from *gyro*, I turn, and *neol*, the sun). A milk-white or bluish opal, which reflects a reddish hue when turned to the sun.

**Gir'mir.** Tartar.

**Glabel'ia.** The triangular space between the eyebrows.

**Gla'ber.** Glabrous (which see).

**Gla'brous** (*glaber*, smooth). Smooth, without hairs or pubescence.

**Gla'cial Acet'ic Acid.** The strongest acetic acid. See ACETUM.

**Gla'cial Phosphor'ic Acid.** A colorless, glass-like substance, sometimes used as a tonic and refrigerant.

**Gla'cium.** Ice.

**Gla'diate.** Eniform. Shaped like a sword.

**Gla'ir, or Glair.** The white of an egg.

**Gla'ir'ine.** A gelatinous vegetable substance found in some thermal waters.

**Gla'ma.** The sorles of the eye.

**Gla'nce** (from *glans*, splendor). A term applied in *Mineralogy* to the pseudo-metallic luster of certain minerals, as glance coral, etc.

**Gland** (*glandula*; from *glans*, an acorn). In *Anatomy*, an organ destined for the secretion or alteration of some peculiar fluid. It is composed of blood-vessels, nerves, and absorbents, and may consist of a *folliculus*, or small bag, at the termination of a duct; *lacuna*, or sac, opening into the passage; *crypta*, as in the large intestines and kidneys, or *acinus*, which is a round body not regularly invested with a membrane, as is seen in the structure of the liver, which is principally made up of acini. Glands are divided into *simple*, *compound*, *conglobate*, and *conglomerate*. A simple gland is a small hollow follicle, with an excretory duct. The mucous glands of the tongue, fauces, nose, intestines, urinary bladder, and the sebaceous glands of the ear, etc., belong to this class. A compound gland is made up of a number of simple glands, the excretory ducts of which unite in one common duct. A conglobate is an absorbent or lymphatic gland. The mesenteric and lumbar glands are of this description. A conglomerated gland is formed of many simple glands, the excretory ducts of which open into one common duct, as the salivary and pancreatic glands.

**Gland, Salivary.** See SALIVARY GLANDS.

**Gland'ers.** See EQUINA.

**Gland'iform.** Having the form or texture of a gland.

**Gland'ium.** A kernel in the flesh.

**Gland'ula.** A little gland.

**Glandula Bartholin'ia.** The sublingual gland.

**Glandula Basill'ia.** The pituitary gland.

**Glandula Innomina'ta Gale'ni.** The lachrymal gland.

**Glandula Pinac'ia.** The pineal gland.

**Glandula Rivin'ia.** The sublingual gland.

**Glandula Saliva'lis Abdom'inalis.** The pancreas.

**Glandula Thyroid'a.** The thyroid gland.

**Gland'ula Articula'res.** The synovial glands.

**Glandula Brunneri.** Brunner's glands.

**Glandula Cervic'alis U'teri.** Naboth's glands.

**Glandula Du'rne Ma'tris.** See GLANDULE FACIATIONIL.

**Glandula Intestina'les.** *Feyer's glands.*

**Glandula Myrtifor'mes.** *Carnaculi myrtiformes.*

**Glandula Odorif'era.** A number of very small glands around the corona of the penis and clitoris. They are also called Tyson's glands.

**Glandula Pacchion'i.** A number of small, round, whitish granulations, clustered along the margin of the longitudinal fissure of the hemispheres between the dura mater. In infancy they do not exist.

**Glandula Placifer'ae.** *Feyer's glands.*

**Glandula Sebace'a Ciliares.** The Meibomian glands.

**Glandula Vasculo'ae.** Conglomerate glands.

**Gland'ular** (*glandulous*). Glandulous. Having the form, structure, function, or appearance of glands.

**Gland.** A gland. Also an score.

**Glena Clitor'idis.** The extremity of the clitoris.

**Glena Pe'nis.** The extremity of the penis.

**Glebe's.** Gravel.

**Glebe (r'tra).** A compound of silica and potash, soda or lime. In *Chemistry*, a substance or mixture, earthy, saline, or metallic, brought by fusion into the state of a hard, brittle, transparent mass, as the glass of antimony, etc.

**Glass of Antimony** (*antimoni citrat*). Vitriol of antimony.

**Glass, Sol'uble.** Liquid silica. This is formed by combining potash or soda with silicic acid or silica. It presents the usual vitreous aspect, but is easily dissolved in water. It is used as a paint for paper, cloth, wood, etc., to prevent or retard their infusibility. Also used to prevent the adhesion of the rubber during vulcanization and to repair broken plaster casts. There are four kinds of soluble glass: (1) The silicate of soda; (2) silicate of potash; (3) silicate of soda and potash; (4) silicic glass for staining colors, a combination mainly with silicic—saturated double silicic.

**Glass'wort.** The popular name of some species of *Salicornia*, a plant that yields a large quantity of soda; used in the manufacture of glass.

**Glass'ber's Salt.** Sulphate of soda (which see).

**Glauc'e'co.** See GLAUCOMA.

**Glauci'na.** A term applied in *Pathology* to cow-pox, from the grayish-blue tint of the vesicles.

**Glauc'colite** (from *γλαυκός*, sea-green). A mineral of a bluish-green color; a silicate of alumina and lime.

**Glauc'o'ma** (from *γλαυκός*, sea-green). Dimness of vision from opacity of the vitreous humor; also cataract. Ophthalmia has given rise to this affection of the eye.

**Glauc'o'sis.** *Glaucoma.*

**Glauc'ous** (*glauous*). Of a bluish-green or light-gray color.

**Gle'chon** (*maras paliginus*). Pennyroyal.

**Glechon'i'is.** Wine impregnated with pennyroyal.

**Gledit'achine.** See STYKOCARPINE.

**Gleet.** A mucous discharge from the urethra, sometimes the sequel of gonorrhoea.

**Gle'ne** (*γλας*, the pupil of the eye). Also a shallow cavity in a bone for receiving the articular extremity of another bone.

**Glenoid'** (*gleno*; from *γλας*, pupil, and *οειδής*, resemblance). A shallow articular cavity in a bone, as the glenoid cavity of the scapula and of the temporal bone.

**Glenoid Ligament.** A fibro-cartilaginous ring which surrounds and increases the depth of the glenoid cavity of the scapula, formed, apparently, by the expansion of the long head of the biceps flexor cubiti muscle.

**Glin'adine** (from *γλιν*, glue). Vegetable albumen, one of the constituents of gluten.

**Glinchroch'olous** (from *γλιν*, glue, and *χρῶμα*, color). Bluish, vivid asurement.

**Glincomar'go.** Chalk.

**Glinson's Capsule.** The fibrous envelope of the liver. See CAPSULE OF GLINSON.

**Glo'bata** (*globatus*). Spherical, spheroidal, globe-like.

**Globe.** A term applied in *Anatomy* to the eyeball, from its globular shape.

**Glo'ble** (from *globus*, a globe). A native pyritous substance which, combined with hematite, forms hematoglobine.

**Globos'e'** (*globosus*). Round; globular.

**Glob'ular** (*globus*, a globe). Like a globe.

**Globular Dentine.** Dentine first deposited in the matrix in the form of isolated globules, which increase in size and ultimately coalesce, their outlines becoming obliterated by the deposition of calcareous salts in their interstices.

**Glob'ule** (*globulus*). A minute sphere or globe.

**Globules in Pulp.** Globular masses of dentine within the substance of the dental pulp.

**Globules, Red, of the Blood.** Blood corpuscles. Blood disks. Small globular bodies observed in the blood when examined with a microscope. Chemically, they consist of hematin and globulin. Their average long diameter is about  $\frac{1}{2000}$  part of an inch. The blood also contains white or pale globules, thought to be lymph and chyle corpuscles in process of development into red corpuscles. They are circular in mammals and elliptical in birds and reptiles.

**Glob'ulin.** A peculiar albuminous principle mixed with hematin in the red corpuscles of the blood. It is found pure only in the crystalline lens.

**Glo'bus.** A globe or ball.

**Globus Hyster'icus.** A sensation experienced by hysterical persons, as if a round body were rising from the abdomen to the larynx.

**Globus Major Epidid'ymlis.** The upper end of the epididymus, which is much larger than the lower.

**Globus Martia'lin.** Polished-knife of iron.

**Globus Minor Epidid'ymlis.** The lower portion of the epididymis.

**Globus Uteri'nus.** The round ball of the uterus after delivery is so termed, as it may be felt through the parietes of the abdomen.

**Glo'mer.** A conglomerated gland.

**Glo'merula (glomerulus).** In *Anatomy*, a gland having no cavity but furnished with an excretory duct, as the lacrimal and mammary glands; descriptive of a gland consisting of vessels so congregated together as to form a great surface of tissue in a small space.

**Glo'mula.** Nitroglycerine (which see).

**Glossa (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue).** The tongue.

**Gloss'agra (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\alpha\gamma\gamma\alpha$ , a seizure).** Severe pain of the tongue.

**Gloss'al (from  $\gamma\lambda\omega\sigma\varsigma$ , tongue).** Pertaining to the tongue.

**Gloss'al'gia.** Glossagra.

**Glossan'tharax (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\alpha\sigma\theta\rho\alpha\varsigma$ , a carbuncle).** A carbuncle of the tongue.

**Glossin'us.** The lingual muscle.

**Gloss'tis (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\tau\iota\varsigma$ , a termination signifying inflammation).** Inflammation of the tongue.

**Glossost'achia (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue,**

and  $\alpha\sigma\theta\rho\alpha$ , I arrest).

An instrument for depressing the tongue.

**Glossoco'le (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\kappa\lambda\epsilon$ , a tumor).** Protrusion of the tongue.

**Glossoc'oma.** Retraction of the tongue.

**Glossoc'epiglott'ic.** Pertaining to the tongue and epiglottis.

**Glossography (glossographia; from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\gamma\rho\alpha\phi\iota\alpha$ , a description).** A description of the tongue.

**Glossol'des (from  $\gamma\lambda\omega\sigma\varsigma$ , and  $\lambda\iota\delta\epsilon\varsigma$ , a firm).** Reaching the tongue.

**Glossol.** Of or pertaining to the tongue.

**Glossol'ogy (glossologia; from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\lambda\omicron\gamma\gamma\alpha$ , a treatise).** A treatise on the tongue. The term, however, is usually used to designate a vocabulary or dictionary explanatory of obscure, antiquated, or local words.

**Glossol'yula (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\gamma\upsilon\lambda\alpha$ , solution).** Family of the tongue.

**Glossomant'ia (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\alpha\sigma\theta\rho\alpha$ , distention).** Prognosis from the appearance and condition of the tongue.

**Glosson'eus (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\nu\epsilon\omega\varsigma$ , a tumor).** A swelling of or tumor in the tongue.

**Glossopharynge'al Nerves.** The eighth pair of cranial nerves.

**Glossopharynge'us.** Pertaining to the tongue and pharynx, as the glossopharyngeal nerves and muscles.

**Glossop'le'gia.** See GLOSSOPHYRIA.

**Glossorha'phy (from  $\gamma\lambda\omega\sigma\varsigma$ , and  $\rho\alpha\upsilon\varsigma$ , a suture).** The suture or sewing up of a wound of the tongue.

**Glossoco'pia (from  $\gamma\lambda\omega\sigma\varsigma$ , and  $\kappa\alpha\tau\alpha$ , to exhaust).** Exhaustion of the tongue as a principal means of diagnosis; glossocopy.

**Glossostere'ia (from  $\gamma\lambda\omega\sigma\varsigma$ , and  $\sigma\tau\epsilon\rho\epsilon\omega$ , to deprive).** Exclusion or extirpation of the tongue.

**Glossot'omy (glossotomia; from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue, and  $\tau\omicron\mu\alpha\iota$ , to cut).** Excision or dissection of the tongue.

**Glot'tis (from  $\gamma\lambda\omega\sigma\varsigma$ ).** Tongue.

**Glot'tis (from  $\gamma\lambda\omega\sigma\varsigma$ , the tongue).** A triangular opening at the upper part of the larynx, bounded on the sides by the chordæ vocales and arytenoid cartilages and behind by the arytenoid muscle.

**Glin'ic Acid.** An acid obtained by the action of alkalies on sugar.

**Glucl'at (from  $\gamma\lambda\omega\varsigma$ , sweet).** An earth found in the emerald, beryl, and enamel.

**Glucin'um.** The metallic base of the earth glucina.

**Gluc'ose** (from  $\gamma\lambda\upsilon\kappa\omicron\varsigma$ , sweet). Grape-sugar. Diabetic or starch sugar. The sugar found in acid fruits and plants; grape sugar; dextrose; a form of sugar occurring in the blood, lymph, and other animal fluids and tissues.

**Glucoside** (from *glucose*, sweet, and *-osis*, resemblance). A number of compounds that may be resolved by the presence of acids into glucose and another principle.

**Glucosine.** Phosphate bases formed by the action of ammonia on glucose.

**Glucosuria.** See DIABETES.

**Glue.** Insinuated jelly from the parings of hides, hoofs, etc. Impure gelatin.

**Glut'mus.** See GLUTTERA.

**Glutamic Acid.** A crystalline acid,  $C_5H_7NO_4$ , occurring as a product of proteid decomposition.

**Glutaric Acid.** A crystalline acid,  $C_5H_8O_4$ , found in decomposed pus.

**Glute'al.** Pertaining to the buttocks.

**Gluteal Ar'tery.** A continuation of the posterior internal iliac artery.

**Gluteal Nerve.** A branch of the lumbo-sacral nerve.

**Glut'on.** A peculiar viscid substance found in wheat and other grains possessing glutinous and nutritive properties. It resembles albumen.

**Glute'us** (from  $\gamma\lambda\upsilon\tau\epsilon\alpha$ , the buttocks). A name given to muscles, arteries, etc., of the buttocks.

**Gluteus Max'imus.** A thick, fleshy muscle of a quadrangular shape, forming the convexity of the buttocks.

**Gluteus Me'dius.** A thick, dense muscle situated in front and partly beneath the gluteus maximus.

**Gluteus Min'imus.** A radiated muscle situated beneath the gluteus medius.

**Glut'in.** The buttocks, or mucus. Also the corpus quadrigenum.

**Glut'in.** A variety of gelatin obtained from bone and skin; contains sulphur and eighteen per cent. of nitrogen.

**Glut'inous** (*glutinosus*). Adhesive; sticky; tenacious.

**Gluti'tis** ( $\gamma\lambda\upsilon\tau\epsilon\alpha$ , the buttock). Inflammation of the buttocks or of the gluteal muscles.

**Glut'ton.** One who eats to excess.

**Glut'tony.** Balism. Excessive appetite.

**Glut'tus.** The buttock.

**Glycas'ma** (from  $\gamma\lambda\upsilon\kappa\omicron\varsigma$ , sweet). A sweet medicated wine.

**Glycerat'um.** See GLYCERITE.

**Glyceride.** A compound of glycerin with an acid; a salt of glyceryl.

**Gly'cerin, or Gly'cerine.** A sweet substance obtained from fats and fixed oils, resulting from a modification of oxide of glyceryl. Alternative, demulcent, nutrient, and emollient.

In *Dental Practice* glycerin is used as a solvent of other remedies and as an emollient in alveolar abscess, diseases of mucous membrane, etc. Combined with kaffir, carbolic acid, etc., very valuable preparations are employed in the treatment of rhinoid affections of the mouth and teeth. For dental application see GARGLE "Dental Medicine."

**Gly'cerite, or Glyceri'tum.** A glycerite, or mixture of medicinal substances with glycerin.

**Glycer'ohorate of Calcium.** A powerful antiseptic obtained from borate of calcium and glycerin.

**Glyceroborate of Sodium.** A powerful antiseptic obtained from borate of sodium and glycerin.

**Glyc'erole of Thy'mol.** Glycerin combined with thymol; employed in *Dental Practice* in the treatment of abscesses of the dental pulp and alveolar abscess, and as an antiseptic generally. See THYMOL. For dental uses see GARGLE "Dental Medicine."

**Glyc'eryl.** (*Glycerin*). A hypothetical radical of glycerin; the trivalent radical,  $C_3H_5$ , of glycerin.

**Gly'cine.** (*Glycerol*). Sugar of gelatin. A sweet substance obtained from gelatin by boiling it with sulphuric acid or with caustic potash.

**Glycocho'lic Acid.** Cholic acid conjugated with glycine.

**Glycolinn.** (*Glycerol*). A crystalline substance,  $C_3H_5NO_3 \dots C_3H_5(N-H_2)O.OH$ , or aldohexetic acid, having the properties of both an acid and a base; produced by the decomposition of gelatin and of hippuric and glycocholic acids.

**Gly'cogen.** A carbohydrate. A white amorphous powder known as animal starch. Occurs in the blood, liver, growing cartilage, and leucocytes. Changed by ferments into glucose.

**Glycol.** A diatomic alcohol.

**Glycolin.** Glycerite of yolk of egg.

**Glycose.** See GLUCOSE. See GLUCOSE.

**Glyco-thymoline.** A combination of thymoline, sodium, boracic acid, benzoin, salicylic acid, eucalyptol, betula-resin, menthol, and pine pantholone. It is alkaline, antiseptic, and deodorizing.

**Glycyrrhiza** (from *glykys*, sweet, and *rhiza*, a root). A genus of plants of the order Fabaceae. *Liquorice*.

**Glycyrrhiza Glabra.** The official liquorice. The root and extract are demulcent, emollient, and nutritive, and are used in inflammatory affections of the mucous membranes, especially of the respiratory organs.

**Glycyrrhizine.** The sugar of liquorice.

**Glyster.** An enema.

**Gnathidia** (from *gnathos*, a jaw). A term in *Oralology*, applied to the mandible of the lower jaw, which are joined to the cranium behind and meet in front at a greater or less angle.

**Gnathitis** (from *gnathos*, the cheek, the jaw). Inflammation of the cheek or upper jaw.

**Gnathoplesty.** Operation for repairing any deficiency of the cheek by appropriating a sufficient portion of the soft parts contiguous.

**Gnathoplegia** (from *gnathos*, and *plegia*, a stroke). Paralysis of the cheek.

**Gnathorrhagia** (from *gnathos*, and *rhageia*, to burst forth). Hemorrhage from the internal surface of the cheek.

**Gnathopneumia** (from *gnathos*, and *pneuma*, a spirit). A spasmodic contraction of the muscles of the lower jaw.

**Gnathotheca** (from *gnathos*, and *theca*, a sheath). In *Oralology*, the horny integument of the buccal.

**Gua Powder.** The powder containing chrysarobin.

**Gua's Solution.** A preparation for preserving animal substances, made of bay salt, corrosive sublimate or arsenious acid, and water.

**Goffra.** Bronchocela (which see).

**Gold** (*aureum*). Atomic weight, 196.2. Symbol, Au. The most valuable of metals, found either in its native state or combined with silver, copper, or iron. It is of a yellow color, very brilliant, and possessed of great density, ductility, and malleability.

In *Therapeutics* various preparations of it are used, and in *Dental Surgery* it is very extensively employed, both for filling teeth and in the construction of dental embellishes and artificial plates and obturators. With the exception of platinum and aluminum, it is the

only metal that can be placed in the mouth without change of color. When used for filling teeth it should be pure, but for other dental purposes it should contain a small quantity of alloy.

**Gold, Alloying of.** Gold plate. Gold in an unalloyed or pure state is too soft to serve as a basis or support for artificial teeth, and, consequently, it has been found necessary to combine with it some other metal or metals to increase its hardness and elasticity. Silver and copper are the alloys most frequently employed. The following standards of fineness may be regarded as the best that can be adopted for gold to be used in connection with artificial teeth:

Plate for the upper jaw, twenty carats; for the lower, twenty-one; and for clasps and wire for spiral springs, eighteen. In reducing perfectly pure, or twenty-four carat, gold to these standards the following are the proper proportions of alloy to be employed:

1. For twenty-two carat gold take 22 dwts. pure gold, 1 dwt. pure copper, 18 grs. pure silver, and 11 grs. pure platinum.
2. For twenty carat gold take 20 dwts. pure gold, 2 dwts. fine copper, and 2 dwts. silver.
3. For twenty-one carat gold take 21 dwts. pure gold, 2 dwts. pure copper, and 1 dwt. pure silver. Or, gold coin, 20 dwts.; pure silver, 11 + grs.
4. For eighteen carat gold take 18 dwts. pure gold, 4 dwts. pure copper, and 2 dwts. pure silver. Or, gold coin, 20 dwts.; pure copper, 2 dwts.; pure silver, 2 dwts.

Gold twenty or twenty-two carats fine, in which the reducing constituents are copper and platinum, has greater strength and greater power of resisting the chemical action of the fluids of the mouth: for example, plate composed of gold coin, 20 dwts., and pure platinum, 10 grs.

The gold should be first melted in a clean crucible, in the manner to be hereafter described, and as soon as it has become thoroughly fused the silver and then the copper should be thrown in, with two or three small lumps of borax. After keeping the whole in a fused state for some five or ten minutes it may be poured into an ingot mould of the proper size, previously warmed and thoroughly oiled. If the gold cracks during the process of hammering or rolling it should be again melted and a few small pieces of borax, with a little

mariate of ammonia, thrown in. In five or ten minutes it may be again cast into an ingot. When scraps and filings are to be converted into plate they should first be refined and afterward properly alloyed. This may also be necessary with all gold the quality or fineness of which is not known; but with national coins having a known fixed standard this will not be necessary, unless they are below twenty-one or twenty carats. See GOLD PURIFIERS.

**Gold and Porcelain Crowns.** An artificial crown attached to the natural root of a tooth, the exposed portion of which consists of a porcelain facing, backed with gold, and to which is attached the pivot, inserted into the root canal by means of oxyphosphate or other cement.

**Gold and Porcelain Partial Crowns.** The form consists of a crown-pin plate tooth ground down to a size and shape that will properly reduce the lost part of the crown of a natural tooth and form an accurate joint with the labial edge, the cap being backed with gold and soldered to a post or pivot of platinum connected with a thin platinum cap, which, in the form of a disk, covers the exposed surface of the root. The partial crown is secured in position with oxyphosphate of zinc.

**Gold, Annealing of.** The softening of gold by means of heat to reduce the hardness caused by the mechanical forces to which it has been subjected in its manufacture. When annealing a gold plate it is necessary to frequently anneal or soften the gold, as the hammering renders it hard and unyielding. In the case of a gold plate this is readily done by means of the blow-pipe, the plate being held on a piece of charcoal in contact with the alcohol flame until it is heated to a cherry-red color, when it can be plunged in water to cool it. The annealing of gold for filling teeth can be performed by rapidly passing it through the flame of a spirit-lamp until all foreign matters are driven from it, or by placing a sheet upon a wire grating and holding it over the flame of a spirit-lamp. Some use a thin plate of platinum or mica, upon which the gold is placed, and the plate heated; others place the gold sheet directly upon a charcoal fire. Another process is to hold the sheet of foil in dilute sulphuric or muriatic acid, and, after carefully washing off the acid, to dry it by means of heat. See ANNEALING.

**Gold, Chloride of.** Tetrachloride. This form

of gold is obtained by dissolving pure gold in three times its weight of muriatic acid with the aid of moderate heat. The solution is evaporated by a gentle heat nearly to dryness, being at the same time well stirred with a glass rod. It is in the form of a crystalline mass of a deep red color. Its solution has a fine yellow tinge. Being deliquescent, it must be kept in ground-stoppered bottles. It is a virulent poison, even more active than corrosive sublimate. It has been used as a caustic. In dentistry it has been employed in the form of an ethereal solution for the treatment of sensitive dentine.

**Gold Clasp.** The following formula will prove suitable for clasps, buckles, spring wire, and hand wire for crown-pieces, and wherever elasticity and great strength are required:

Pure gold, . . . . . 20 dwts.  
Pure copper, . . . . . 2 dwts.  
Pure silver, . . . . . 1 dwt.  
Pure platinum, . . . . . 1 dwt.

Or

Gold, . . . . . 20 dwts.  
Pure copper, . . . . . 8 grs.  
Pure silver, . . . . . 10 grs.  
Pure platinum, . . . . . 20 grs.

**Gold, Cohesive Shred.** A preparation of gold for filling teeth invented by E. Lamm. This form of gold is similar in some respects to crystal or sponge gold. The following directions are given for using direct gold: "Separate the gold with a small excavator, or, more properly, a fork and hook made for the purpose into pieces suitable to the size of the cavity to be filled—half or two-thirds the size of the cavity. Should there be any tendency to crumble, pass it through a spirit-flame and bring it to a moderate red heat arranged in a metallic or porcelain vessel over a spirit-lamp, as may be preferred. The observance of this rule will insure perfect cohesion and freedom from crumbling. Ordinarily, the heating process is not requisite. Either hand pressure or mallet plungers may be successfully used, provided the points are not too small or deeply serrated. Instruments best suited to this preparation should be tolerably blunt, with shallow serrations resembling somewhat the ordinary hand-pressure condensers. Care should be observed in handling the gold not to compress the fibre."

**Gold Crowns.** Portions of the natural crowns of teeth capped with gold, thereby restoring the contour. Gold crowns are also constructed on the roots of teeth by building up cohesive gold or caps fitting the necks of such roots and secured by oxyphosphate cement, a pin or pivot or screw fixed in the root-canal giving additional stability.

**Gold Crowns, Partial.** Caps of gold plate employed for the protection of plastic fillings in large cavities and for the restoration of contour when, for any cause, a solid metallic filling can not be inserted. Such caps are secured by the oxyphosphate filling.

**Gold, Crystal or Spongy.** See CRYSTAL GOLD.

**Gold, Crystallized and Spongy.** Preparations of gold bearing these titles have been introduced to the notice of the dental profession and have been pretty extensively used. They weld well and are especially adapted to fillings in crown cavities in the lower jaw.

The *crystallized gold* is usually obtained in flat masses of a porous texture, of a reddish-brown or yellow tint, with here and there a golden lustre. Some of the specimens have a brilliant golden hue. All of these when examined with a lens will be found to be made up of a mass of confused crystals of the precious metal. See CRYSTAL GOLD.

*Spongy gold* is commonly found in small, reddish-brown masses, destitute of the lustre which we occasionally see in the crystallized variety. It is prepared very much in the same manner as the other. Some have made it from an alloy of gold and silver by dissolving out the latter metal with nitric acid and heating the sponge to redness. This method is objectionable, because some silver is always retained. It is better procured by igniting the tetrachloride.

**Gold Foil, Cohesive.** That condition of gold foil in which the leaves unite readily and firmly together—a property of cohesion. To Dr. Robert Arthur, of Baltimore, is due the credit of having first directed the attention of the dental profession to this form of gold foil and to the manner of working it. It is necessary that the first gold introduced into the cavity should be firmly fixed, in order that it should act as a base for the bulk to be built upon it. See GOLD FOIL, DENTIST'S; also COHESIVE FOIL.

**Gold Foil, Dentist's (crown foil).** Gold leaf. Gold foil, as used by dentists for filling

teeth, is gold hammered into a thin leaf, but finer in quality and of much greater thickness than the article ordinarily known as gold leaf.

The art of preparing gold foil is an exceedingly nice and difficult one, and has attained greater perfection in the United States than in any other country, as one evidence of which we may mention that many of the most eminent European practitioners procure their supplies from this country.

Gold, as at present supplied to the dentist, is divided into soft or plain gold foil and adhesive gold foil, the appreciable difference between them being that the latter possesses the quality of adhering or welding together with much less pressure when freshly prepared than the former.

The thickness of the individual sheet or leaf is, or should be, indicated by the expression of the weight in grains of each sheet. Thus, a sheet of No. 4 should weigh four grains; No. 5, five grains, and so on. Consequently, a troy ounce of No. 4 contains 120 sheets, while the same weight of No. 6 will contain only 80 sheets. The numbers most in use are 2, 4, 5, 6, 10, 20, 30, 60, 120, and 240, the latter numbers being seldom employed and mostly for completing the surfaces of fillings.

When properly prepared, gold foil is made from absolutely pure gold, and particular attention given to the annealing process by the manufacturer; this latter is of as much vital importance as the former. There are various methods of freeing gold from foreign matter or alloy, for a general account of which see REFINING OF GOLD, but the most effectual and certain method by which gold can be made absolutely pure is by dissolving in aqua regia (royal water) a mixture of nitric and muriatic acids in proportion of one part of the former to four of the latter.

The bullion to be refined (composed, say, of gold, silver, and copper), previously prepared by grinding or panning through the rolls, is put into a glass matras and a suitable quantity of the aqua regia poured on it and then submitted to heat in a water or sand-bath. The gold and the copper are dissolved and remain in solution, while the silver is precipitated to the bottom of the matras as a chloride in a grayish-white powder.

The solution must be carefully decanted from the chloride into a solution of protosulphate of iron, at the bottom of which, after a short interval, the gold will be found precipitated in

the form of a reddish-brown powder. This precipitate must be well digested in muriatic acid, then in boiling water, and, after drying, may be melted with a little borax. The whole operation is a very delicate one, requiring considerable experience and the exercise of great patience, care, and attention to insure success. The gold is cast into ingots about one inch wide, and portions of it (varying in weight according to the number intended to be made) are cut off and pressed between fine steel rolls until the proper thickness is reached, which for No. 4 is when a piece of the ribbon one inch square will weigh about five grains. Two hundred of these inch-square pieces of gold are filled into the centre of a four-inch square packet, composed of pieces of vellum or of a peculiar paper, a square of the gold and a piece of the vellum or paper alternating all the way through. The packet, which is technically called a "cutch," is then tightly incased on all sides by strong parchment casings, and is ready for beating. The hammers used weigh from twelve to sixteen pounds, and are wielded with one hand, the other being employed in regularly turning the cutch around and over, so as to bring every part of it equally under the hammer.

The beating is commenced upon the centre of the cutch, where the squares of gold are piled, but as the squares enlarge by the force of the blows, the direction of the hammering is moved outward space, the skill of the workman being proved by his ability to keep the enlarging gold in the cutch as nearly square as when started. The beating is continued until the edges of the gold are driven out beyond the edges of the cutch, when it is carefully scraped off and weighed from time to time, until the proper quantity has been taken off. The sheets of foil are then laid out from the cutch, the rough edges trimmed smooth and even, and they are ready for the process of softening or annealing. This is an important process, and each manufacturer has his own method of doing it, the details of which are seldom made known. The general principle is that by exposure to heat; the soft, kid-like quality of absolutely pure gold may be restored to sheets of foil that have been rendered hard, harsh, and unyielding by the hammering they have been subjected to. After annealing, the foil is placed in books, preparatory to exposure for sale. See GOLD, ANNEALING OF.

The vellum books formerly made use of for tools were the relics of centuries gone by, many of them beautifully illuminated, the different colors remaining as bright as when first put on. Some of them must have required the greater part of an ordinary lifetime for their completion, and, after having performed their part in the world as literary productions, were made to perform a very different part, one never contemplated by their authors—namely, that of forming an indispensable tool for the manufacture of dentist's gold foil.

**Gold Leaf Electrometer.** An instrument for detecting the presence of electricity by the divergence of two slips of gold leaf.

**Gold, Peroxide of.** Dissolve gold foil or pure gold in aqua regia composed of one part muriatic acid and two parts of nitric acid; precipitate the solution with ammonia, being careful not to add too much ammonia; then pour off the acid and wash the precipitate with warm water several times, or until there is no acid left; then dry it over a gentle fire.

A decidedly better method is to precipitate with oxide of zinc or magnesia, and then to wash the precipitate with water and to digest it with nitric acid. This oxide is yellow when hydrated and black when anhydrous. It is easily reduced by heat and even by light.

**Gold Plate for Dental Uses.** See GOLD, ALLOYING OF.

**Gold Plate, Manner of Making.** This being an article used in the construction of dental substitutes, the author will here describe the manner of making it:

The gold, after being melted in a clean crucible, rubbed on the inside with borax (subborate of soda), is poured into an ingot-mould of the proper length, width, and thickness, and, after it is cooled, is reduced by hammering on an anvil to the thickness of about an eighth of an inch. It is now annealed by placing it in a charcoal fire or in a furnace, and heated until every part becomes red. It may be necessary, during the operation of hammering, to subject it several times to this process to prevent the gold from cracking, and if, notwithstanding this precaution, it still cracks, it should be remelted, and a little muriatic ammonia thrown on it in the crucible while in a fused state. It may then be recast into an ingot and the hammering proceeded with as before.

When it is reduced to the thickness above



mentioned, it should be annealed, and then placed between the rollers of a rolling mill, so adjusted as to be the same distance apart at both ends, and not so near to each other as to require a very great effort to force the gold between them. The rollers should be brought a little nearer to each other every time the plate is passed between them, until the gold is made sufficiently thin.

**Gold Plate, Michael's Method.** A method of Dr. Michael, of Paris, France, which consists in burnishing a very thin and pliable gold plate to the plaster model obtained from an impression of the mouth. The sheet of gold forming the plate is smooth on the surface to be adjusted to the plaster model and roughened or quadrilateral on the outer surface. This gold plate is burnished into form and position on the plaster surface of the model, and retained in place by little nails, half an inch in length, driven into the plaster by the side of the plate, and the free ends so bent over with pliers as to secure the plate in position. The teeth are then adjusted to the plate and secured with adhesive wax, and the whole invested in a mixture of sand and plaster, leaving the entire roughened surface of the plate exposed. After proper heating up, solder is run all over the plate to obtain the desired thickness. After the whole surface and backings have been well covered with borax, the soldering of the teeth to the plate is accomplished. See *ELASTIC METALLIC PLATE*.

**Gold Plated with Platinum.** A form of gold employed for filling surfaces of teeth exposed to view, and made by soldering a bar of pure gold upon a bar of platinum and rolling the two down to any desired thickness. To be used as heavy gold.

**Gold, Refining of.** There are several processes for refining gold, one of which is known by the name of "parting." By this process a quantity of silver equal to three times the weight of the gold to be refined must be melted with it, and well mixed by being stirred up in the crucible, and then poured into an ingot, rolled very thin, and cut into small pieces; or, instead of this, the melted mixture may be poured into a vessel containing water which is rapidly revolving; this latter procedure is called granulating, and will serve equally as well as the other. The whole mass is now put into a glass matras, and a quantity of nitric acid poured on it. The matras is now placed in a sand-bath, moder-

ately heated at first. The action of the acid commences immediately, and when it becomes completely saturated with the silver it must be carefully poured off into a vessel containing water and a fresh supply of acid poured into the matras, and the action continued until the whole of the silver is decomposed or dissolved, which may be known by the colorless appearance of the fumes. The pure gold remaining in the matras has a brown appearance, is easily broken with the fingers, but its metallic qualities have not been affected, and it only requires to be melted to be ready for use. Another process employed in some of the mines is termed "cyanidation." This consists in first rolling the gold out into exceedingly thin plates, then placing it with a mixture of four parts of brick-bat, one of sulphate of iron, calcined to redness, and one of muriate of soda, in a crucible. A bed of this mixture, or cementing powder, is first placed in the bottom of the crucible; the gold is then put in and covered with it. The crucible is covered with another crucible, the joints well luted with clay, and exposed to a heat gradually raised to a red heat, at which elevation of temperature it is kept for from twenty to twenty-four hours. The crucible is now removed from the fire, the top broken off, and, after the latter has cooled, the gold is separated from the cement and washed with hot water, or, what is still better, boiled in water.\*

For separating copper, tin, lead, or zinc from gold the following simple method may be adopted: Put the gold in a crucible covered with another crucible, leaving a small opening or hole through the top; lute the two together with clay, place them in a bed of charcoal in the furnace, ignite the coal gradually, afterward increase the combustion by means of a current of air from a pair of bellows, such as are usually used in connection with small furnaces; after the gold has melted, throw in several small lumps of nitrate of potash and borax, and keep in a fused state for thirty or forty minutes; then separate the two crucibles and pour the metal into an ingot-mould of the proper size, previously warmed and well oiled. Most of the base metals will be dissipated during the process of fusion in the form of vapor, the lead escaping into the pores of the crucible. The chloride of mercury (corrosive sublimate) is sometimes used instead of the

\* "Chemistry of the Arts," vol. II, p. 241.

nitrate of potash for the purpose of dissolving the base metals, and often with more certain and better results. If the gold cracks on being hammered or rolled, it should be melted again, and more nitrate of potash and borax thrown into it, and the inside of the crucible well rubbed with the latter before the metal is put in. It is sometimes necessary to repeat this process several times, and if the gold continues brittle a little moricote of ammonia should be thrown into the crucible when the gold is in a fused state, and after the vapor ceases to escape the metal may be poured into an ingot-mould, warmed and oiled as before directed. This last method of treatment will make the gold tough, and prevent it from cracking under the hammer or while being rolled if it is properly quenched.

To separate platinum from gold it is necessary to dissolve the alloy in a mixture of ammonia and nitric acid, which will cause the former metal to be precipitated. The acid should then be poured into another vessel, and the gold precipitated by pouring a solution of sulphate of iron into it.

**Gold, Rolled.** A few of heavy gold for filling teeth, prepared by rolling pure gold to give it softness and toughness, and, when pure, a great degree of colorlessness.

**Gold Solders.** Gold alloyed with one or more metals: but the metals used for this purpose should be pure. The gold should be placed in a clean crucible with a little borax, and as soon as it has become completely fused, the silver, and afterward the copper,—those being the proper alloys for gold solder,—may be added. When the whole is melted, the alloy may be immediately poured into an ingot-mould, previously warmed and oiled.

The ingot should now be hammered on an anvil, and afterward passed through a rolling-mill until it is reduced to a very thin plate, when it is ready for use.

The solder employed in mechanical dentistry should be sufficiently fine to prevent its being easily acted on by the secretions of the mouth. The following formulas show the relative proportions of the metals most frequently employed for three different qualities of gold solder:

*Fine Floating Gold Solder.*

No. 1.—Twenty-two

carat gold, . . . 2 dwts.  
Fine silver, . . . 16 grs.  
Roast copper, . . . 12 grs.

No. 2.—Twenty-two

carat gold, . . . 1 dwts., 15 grs.  
Fine silver, . . . 16 grs.  
Roast copper, . . . 12 grs.

The following makes a finer solder than either of the former, and although it requires a little stronger blast to fuse it, it flows very freely:

No. 3.—Pure gold, . . . 6 dwts.  
Roast copper, . . . 2 dwts.  
Fine silver, . . . 1 dwt.

*Gold Solder, 14 carats fine.*

Pure silver, . . . . . 2½ dwts.  
Pure copper, . . . . . 20 grs.  
Pure zinc, . . . . . 35 grs.  
Eighteen carat gold plate, 20 dwts.

*Gold Solder, 15 carats fine.*

Gold coin, . . . . . 6 dwts.  
Pure silver, . . . . . 36 grs.  
Pure copper, . . . . . 20 grs.  
Brass, . . . . . 10 grs.

*Gold Solder, 16 carats fine.*

Pure gold, . . . . . 11 dwts., 12 grs.  
Pure silver, . . . . . 3 dwts.  
Pure copper, . . . . . 1 dwt., 12 grs.  
Pure zinc, . . . . . 12 grs.

*Gold Solder, 20 carats fine. For Crown- and Bridge-work.*

Am. gold coin (21.6 carats fine), \$10 piece, . . . 255.00 grs.  
Spelter solder, . . . . . 20.64 grs.

Spelter solder is composed of equal parts of copper and zinc.

*Gold Solder, 20 carats fine; also for Crown- and Bridge-work.*

Pure gold, . . . . . 5 dwts.  
Pure copper, . . . . . 6 grs.  
Pure silver, . . . . . 12 grs.  
Spelter solder, . . . . . 6 grs.

*Gold Solder, 20 carats fine; also for Crown- and Bridge-work.*

Pure gold, . . . . . 30 grs.  
Zinc, . . . . . 1½ grs.  
Silver solder, . . . . . 3 grs.

*Dr. C. M. Richmond's Solder for Bridge-work.*

Gold coin, . . . . . 5 dwts.  
Fine brass wire, . . . . . 1 dwt.

*Dr. Loe's Formula for 12-carat Gold Solder for Crown- and Bridge-work.*

Thin gold, . . . . .	1 dw.
Copper, . . . . .	2 grs.
Silver, . . . . .	4 grs.

**See SILVER SOLDERS.**

In making gold solder, if the proper relative proportions of the different metals are varied even half a grain, it will affect the flowing of it, a quality which it is very desirable for it to possess. See **SOLDERS, GOLD AND SILVER**. Gold Trichloride. See **TRICHLORIDE OF GOLD**.

**Goldbeater's Skin.** The fine outer membrane of the osseum of the ox, which has been beaten quite smooth for the manufacture of gold leaf. Used as a defensive dressing for alight cuts, etc.

**Golden Sulphuret.** A sulphuret of antimony prepared by precipitating antimonie acid by sulphuretted hydrogen.

**Gomph/o/leia** (*gomphiœmus*: from *gomp*, a nail). Pain in the molar teeth; the pain of teeth in teething. Loosening of the teeth.

**Gomphiœ/mus.** Gomphiœia.

**Gomph/o/ol.** Dentes molares; grinding teeth.

**Gomph/o/leis** (*γυμφωίς*, from *γυνω*, a nail). Gomphosis. An immovable articulation in bones, in which one bone is received into the cavity of another, like a nail in a board. The articulation of the teeth with the alveoli furnishes the only example of this species of articulation.

**Gonyag'ra** (from *γυν*, the knee, and *αγρ*, a suture). Gonyagra. Gout in the knee.

**Gonyal'gia.** Pain in the knee.

**Gonarthr'i'tis** (from *γυν*, the knee, *αρθρ*, the joint, and *εξ*, inflammation). Inflammation of the knee.

**Gonarthroc'noe** (from *γυν*, knee, *αρθρ*, joint, and *νοει*, evil). A cancerous or ulcerated condition of the knee-joint.

**Go'ma.** The semen. The uterus. Offspring.

**Gonocysti'tis.** Inflammation of the vesicula seminalis.

**Gon'floument.** Swelling.

**Gong Metal.** An alloy of eighty parts of copper and twenty of tin.

**Gongro'ma.** Bronchocele.

**Gonion** (from *γυν*, an angle, and *νοει*, a point). The angle of the inferior maxilla.

**Gonion'noe** (from *γυν*, knee, and *νοει*, evil). Swelling of the knee.

**Gon'ocoele** (from *γυν*, semen, and *οει*, a tumor). Effusion of semen out of ruptured seminal vesicles into the cellular tissues. Also a swelling of the testicle and spermatic cord, from supposed retention of semen.

**Gonorrhœ'a** (from *γυν*, the semen, and *ρρ*, I flow). Literally, an involuntary discharge of semen, but used to designate a discharge of mucus from the urethra, which may result either from the direct application of irritants to the lining membrane of this passage or from impure sexual connection. The former is termed *gonorrhœa benigna* and the latter *gonorrhœa virulenta, maligna, or venerea*.

**Gonorrhœa Bal'ani.** A purulent discharge from the surface of the entire glans penis, which is in a highly inflamed state.

**Gonorrhœa Dormien'tum.** Seminal emission during sleep.

**Gonorrhœa Lazo'rum.** A pellucid urethral discharge without erection.

**Gonorrhœ'al.** Relating to gonorrhœa virulenta.

**Gonyag'ra.** Gout in the knee.

**Gonyal'gia.** Gonalgia.

**Go'nyocœle.** White swelling or hernia of the knee.

**Gonyon'cus** (from *γυν*, the knee, and *οει*, a tumor). A swelling of the knee.

**Gon'get.** An instrument used in the operation of Hysteromy and Stulcia in ano. It represents a long gutter in the shape of a throat, which is especially employed in the above operations.

**Goster.** Pharynx. Throat.

**Gossyp'ium.** A genus of plants of the order Malvaceæ; also cotton. Applied to burns and to blisters. A fluid extract is used as an emmenagogue and abortive; also in form of decoction. Dose of the decoction, one wineglassful.

**Go'tum.** Guitre.

**Goulard's Cerate.** Compound cerate of subacetate of lead, used on lurns, excoriations, etc.

**Goulard's Extract.** A subacetate of lead, prepared by boiling powdered litharge in vinegar. *Liquor plumbi diacetatis dilutus*.

**Gout** (*podagra; chiragra; morbus articularis*). Arthritis. Pain, redness, and swelling in the joints, especially that of the great toe and those of the feet and hands.

**Gout, Diaphragmatic.** Angina pectoris.

**Gout Paper.** Paper spread with a mixture of extract of macearon, wax, spermaceti, and oil.

Gout, Rheumat'ic. Acute rheumatism.

Gout Stones. A stony concretion deposited in parts affected with gout.

Gouty Concre'tions. Earthy concretions, resembling chalk-stones, formed in the joints of gouty persons.

Gouty Teeth. See **ARTHRITIC TEETH**.

Gr. Abbreviation of grain.

Grain'ful Pol'licles. Small spherical bodies found in the stroma of the ovary.

Grac'illa. Slender. The rectus inferior femoris, a long, slender muscle of the thigh.

Grac'uted Compress. A compress formed of a number of pieces of cotton cloth or other substances progressively decreasing in size, the whole forming a sort of pyramid, the apex of which can be applied on the precise point desired in cases of wounded arteries.

Graft. A fragment of tissue inserted upon or into a raw surface, to which it afterward grows.

Grain (*grainum*). The sixtieth part of a troy drachm.

Gram'ma. A scruple.

Gramme. A French weight, equal to 15.434 grains troy, or  $\frac{1}{154}$  drachm avoirdupois. The twenty-fourth part of an ounce. Also the iris.

Grana Moschata. Musk-seed. See **HIRISCUS ANGLIMORCHUS**.

Grana Paradisi (*anemum grana paradisi*). The greater cardamom seeds.

Grana Tig'li. The seeds of the Creton tig'illum.

Grandident'as (*grandis*, large, and *dens*, a tooth). Having large teeth.

Gran'dines (the plural of *grainde*, a hail-stone). A term applied by Wewer to large tubercles.

Granif'erous (from *grainum*, grain, and *fero*, to bear). Bearing grain.

Gran'ite. In *Geology*, an aggregate rock composed of quartz, felspar, and mica, irregularly crystallized together.

Graniv'orous (from *grainum*, a grain, and *vero*, to eat). Subsisting on grain; grain-eating, as birds.

Gran'ular (*grainulum*, little grain). In the form of grains, granules, or rounded prominences; of the nature of granulations.

Granular Disease of the Kidney. Bright's disease of the kidney, consisting of granular degeneration with albuminous urine.

Granular Liver. Cirrhosis.

Grains'tion (from *grainum*, a grain). The

reduction of coarsely crystalline substances to particles of uniform size by solution and rapid evaporation.

Grains'tions (*grainulæ*; from *grainum*, a grain). Red, conical, flesh-like bodies which form on the surfaces of ulcers and suppurating wounds. They serve to fill up cavities thus made and to unite their sides. Also organic lesions, consisting in the formation of small, semitransparent, oval tumors, resembling millet seed. They are most frequently met with in the lungs. In *Chemistry*, metal reduced to grains or small particles.

Grain'ule (*grainulum*; a small grain, or minute rounded body). In *Pharmacy*, a small pill.

Granulo'ma. A tumor made up of granulation tissue.

Grain'ulosa. The starch granules, or starch enclosed by coats of cellulose.

Grain'um. A grain or kernel.

Graph'ite. Plumbago. Black lead; a variety of carbon combined with more or less mineral matter; occurring in dark gray plates.

Grass Oil of Neesaur. A volatile oil obtained from Indian nard or *Spica nardi*.

Gras'sa. Subborate of soda.

Grave'do (from *gravis*, heavy). Catarrh, with a sense of heaviness in the head.

Grav'el (*lithis renalis*). Small calcareous concretions which are formed in the kidneys, and, passing into the bladder, are expelled with the urine. See **CALCULUS**.

Gravel, Pileous or Hairy. Gravel containing hairs, ammoniaco-magnesian phosphate, and uric acid.

Gravel Root. The root of the *Eupatorium purpureum*.

Grav'er. An engraving instrument. An instrument consisting of a steel stem fixed in handle, with a sharp point shaped to suit the particular purpose for which it is intended. It was formerly much used by dentists in the manufacture of artificial teeth from ivory and the tooth of the hippopotamus, but as the use of these substances for dental substitutes has been almost altogether superseded, it is now employed in finishing such substitutes as are fixed on metallic and plastic bases.

Grav'id. Pregnant.

Grav'idine. A sediment in the urine of pregnant women which, by its decomposition, gives rise to kysteln.

Gravim'etre. An instrument for ascertaining the specific gravity of bodies.

**Gravitation.** The act of moving toward a centre, as when a body falls to the earth.

**Gravity** (from *gravis*, heavy, weight). The tendency of a body towards the centre or of bodies toward one another.

**Gravity, Specific** (*gravitas specificas*). The density or weight of a body compared with the density or weight of another of the same bulk assumed as the standard. For solids and liquids water is the standard, and common air for gases. The weight of a solid of any given dimensions compared with the weight of the same bulk of water is its specific gravity. Thus, if a solid be first weighed in air and then in water, it will be found in the latter case to have lost of its weight a quantity equal to the weight of its own bulk of water. Now, by dividing the total weight by the loss of weight in water, the quotient will show the specific gravity.

**Green Mineral.** An arsenite of copper.

**Green Sickness.** Chlorosis.

**Green Stain.** A deposit which collects on the teeth of children, from uncleanness, about the tenth to thirteenth year, and sometimes earlier, and which is very corrosive in its action. This deposit has been erroneously called "green tartar," but, unlike salivary and serous calculus, it is generally considered to be a deposit for the mucus, in the form, according to Wedl, of a uniformly granular mass which is morphologically identical with the matrix of the micro-organism known as "leptothrix."

**Green Vitriol.** Sulphate of iron.

**Green'stone.** A variety of trap rock, composed of felspar and hornblende.

**Gripes.** The colic.

**Grippe, Grip** (from *gripper*, to gripe, in catch hold of). The influenza.

**Groin.** The lower and lateral part of the abdomen just above the thigh.

**Gros.** Drosin.

**Gross'saline** (from *groselle*, a gooseberry). A peculiar principle forming the base of vegetable jelly; pectin.

**Ground'herry.** Gantheria.

**Gross'herry.** See GAULTHERIA.

**Growth.** The gradual increase of animal and vegetable bodies, especially in height, like the development of a morbid tissue.

**Gruyere.** Tarter.

**Gruyere.** A coagulum; a clot of blood.

**Gruyere.** A hard, white pimple or tubercle of the skin, resembling a millet seed.

**Grypho'sis** (from *γρυπσω*, I incurvate). Incurvature of the nails.

**Gryphus La'pis.** The philosopher's stone.

**Gtt.** Abbreviation of *gutta*, a drop.

**Gua'co.** The *Eupatorium guaco*, a tree of South America, the juice of which is used by the negroes as a cure for the bites of poisonous reptiles, and it has recently been employed in cholera.

**Gua'accol.** An active constituent and one of the active principles of *creosote*, from which it is derived. It is a light-colored, pungent liquid, and less objectionable to smell than *creosote*. Used in *Dental Practice* as a disinfectant and antiseptic, for which purpose it may be combined with oil of eucaly. Used also internally. Dose,  $\mathfrak{m}_j$  to  $\mathfrak{m}_{ij}$ .

**Gua'acum.** The concrete juice of *Guaiaecum officinale*; also a genus of plants of the order Zymphyllaceae.

**Guaiaecum Officinale.** A tree, a native of South America and several of the West Indian Islands. The wood is called *lignum vitae*, from its supposed efficacy in syphilis. The shavings or raspings are prepared by the tanner for the drugstore. The resin is a stimulant and alterative, and has been found beneficial in rheumatism, gonorrhea, secondary syphilis, scurfy skin diseases, and cutaneous eruptions: the wood is more frequently used in the latter affections. Dose, gr. x to gr. xxx; of the tincture,  $\mathfrak{ss}$ .

**Gua'nine.** A yellowish-white crystalline powder, obtained from guano by digestion in milk of lime and precipitation with hydrochloric acid. It is found in human urine.

**Gua'no.** The excrement of sea-birds. It is a most valuable manure, and has of late years been very largely used by farmers. It has been recommended by M. Desmarais, of Bordeaux, as a remedy in chronic skin diseases.

**Gua'ana.** Paullinia. Prepared from the seeds of the *Paullinia sorbilis*. It is a tonic, and is useful in sick-headache, diarrhoea, phthisis, paralysis, etc. Dose of the extract, gr. viij or gr. x during the day; of the powder,  $\mathfrak{ss}$  or  $\mathfrak{ssj}$ .

**Gubernaculum Den'tis.** A name given by M. Berni, a French anatomist, to the small cord which was supposed to connect the use of a tooth with the gum. This appendage was described by Delabarre as being hollow, and as

playing an important part in dentition. See DENTITION, and TEETH, ORIGIN AND FORMATION OF.

**Gubernaculum Testis** (*Urogenes testis*). A name given by Hunter to a fibro-cellular cord which, in the fetus, extends from the scrotum to the testis.

**Quilford's (Dr. S. H.) Appliance for Increasing Space Between Teeth.** For moving four incisors forward and bicuspids back, to make room for cusps: Magill bands are made to fit the laterals, with gold spurs extending along the palatal surface of the centrals to insure uniform movement of the four incisors; palatal bands are also attached to the first bicuspids; all of the bands are reinforced by an additional piece of platinum soldered to the portion next to the space. Through these pieces of platinum, at or about the centre of the tooth, holes are drilled entirely through the bands. Pinna wire is next bent into the form of small U-shaped springs with the ends at right angles; the springs are placed in position by means of narrow-bent, right-angled forceps transversely grooved near the points to raise the wire, the ends of the springs resting in the holes in the bands.

**Guinea Pepper.** A plant of the genus *Capsicum*.

**Gul Attar.** Attar of rose.

**Gula.** The upper part of the oesophagus and pharynx.

**Gul'let.** The oesophagus.

**Gum** (*gummi*). A concrete vegetable juice which exudes from certain trees; generally transparent, more or less brittle when dry, and soluble in water. Also the fleshy substance which surrounds the necks of the teeth and invests the alveolar border. See *FLUXUS*.

**Gum Acacia.** *Gum arabic.* The concrete juice of the *Acacia vera* and other species of *acacia*. In *Dental Practice* it is useful as a demulcent and emollient in all forms of inflammation of the mouth and gums, ulceration, etc., aphthous ulceration of children, and cancrum oris. See *Gargles* "Dental Medicine."

**Gum Bol.** Alveolar abscess.

**Gum Cutter.** An instrument designed for the removal of the overlying gum which covers the masticating surface of molar teeth—generally third molars—after the cusps only have erupted.

**Gum Dammar.** A resin obtained from a species of pine—*Danmora orientalis*. It forms one of the ingredients of modeling composi-

tion, which is employed for obtaining impressions of the mouth. An ethereal solution is used by microscopists as a mounting fluid.

**Gum Elastic.** *Oenothera*.

**Gum Lancet.** *Denticulipium*; *odontoglyphon*. A curved instrument or knife for separating the gums from the neck of a tooth previous to extraction. The gum lancets usually employed are shaped like a flem, but different dentists have them constructed differently. Two, however, are useful: one with a thin, narrow, curved blade, oval at the point, and another with a sharp-pointed narrow blade with only one edge.

**Gum, Red.** Gum noli. A red cutaneous eruption which occurs in infancy, and generally during first dentition.

**Gum, Waxing of.** See *ULATROPHIA*.

**Gum'ma.** An elastic tumor on the pericentrum, especially of the cranium and sternum, usually resulting from a syphilitic taint, and so called because it contains a matter like gum.

**Gum'mi.** See *GUM*.

**Gummi Ace'cia.** Gum arabic.

**Gummi Cera'ma.** A resinous substance said to be derived from *Antyria caryana*, a tree of Mexico and South America.

**Gum'mi Ceraso'rum.** The gum which exudes from the bark of cherry trees.

**Gummi Euphor'bia.** A concrete resinous juice from one or more species of *Euphorbia*.

**Gummi Ki'no.** See *KINO*.

**Gummi Lu'tea.** A gum-resin produced by the gum-tree of New South Wales.

**Gummi My'r'ra.** Myrrh, a resinous exudation from the *Babamodendron myrrha*.

**Gummi Rubrum Gambiense.** Kino.

**Gummy Tumor.** Tertiary syphilis. In the form of a small nodule adjacent to a tooth, which rapidly breaks down, leaving an ulcer of irregular oval shape, with ragged edges somewhat raised and a yellow base somewhat below the surface of the healthy gum, with red granulations.

**Gum-resin** (*gummi resina*). The concrete juices of plants, consisting of gum and resin, frequently associated with essential oil and other substances.

**Gums** (Latin, *gingivae*, Greek, *gola*). A thick, dense, highly vascular, and fleshy substance adapted to the necks of the teeth, its fibrous nature enabling it to sustain without injury the contact of hard substances and to act as a protecting cushion to the alveolar border.

The texture of the gums, however, differs from that of the membrane of which they seem to be composed. They are thicker and denser and possess less sensibility. In a healthy condition the gums are remarkable for their insensibility; the mucous membrane, of which they are largely composed, is remarkably thick, and is reflected around the teeth and continuous with the periosteum of the alveoli. They have a free margin, about half a line in width, which surrounds the base of the crown of each tooth, and, instead of forming a horizontal line, they present a scalloped or festooned appearance, caused by elongations in the interdental spaces. From the edge of the free margin the gums are reflected back upon themselves and unite with the true periodontal membrane. The portion which adheres to the necks of the teeth is of a very fibrous structure. When in a healthy state, the free border is very thin. The mucous membrane lines the cavities of the mouth and nose, the maxillary and frontal sinuses, the whole alimentary canal, and is a continuation of the skin covering the outer surface of the body. From the change of structure, however, which it undergoes after entering the mouth it may be regarded as an entirely different membrane.

The gingiva, or gingival margins of the gums, are the parts which are immediately connected with the necks of the teeth—the free margin.

This free margin is covered with a dense, squamous epithelium, which enables it to withstand abrasion.

It rests upon a layer of softer epithelial cells, and is placed upon the margin of the alveolus and closely connected with the neck of the tooth and periosteum of the wall of the alveolus by radiating bundles of fibrous tissue, which constitute what has been designated the dental ligament.

The gums of the upper jaw are supplied with blood-vessels from the superior coronary artery, and those of the lower from the submental and sublingual arteries; they derive their nerves from the superior dental branches of the fifth pair.

The gums are remarkable for their insensibility and hardness when healthy, but exhibit great tenderness upon the slightest touch when inflamed.

In the infant state of the gums the central line of both dental arches presents a white, firm, apparently cartilaginous ridge, which

gradually becomes thinner as the teeth advance; and in old age, after the teeth drop out, the gums again resume somewhat their former infantile condition, showing "second childhood."

The gums may be regarded as that portion of the mucous membrane from which the teeth papillae and dental mucosa originate, and these contribute in an eminent degree to the stability of the teeth after their eruption. For physical characteristics of the gums, see Harris' "Prin. and Pract. of Dentistry."

**Gums, Diseases of the.** The gums and alveolar processes, from apparently the same causes, assume various morbid conditions. An unhealthy action in one is almost certain to be followed by disease in the other. The most common form of disease to which the gums are subject is usually, though very improperly, denominated scurvy, from its supposed resemblance to scorbutus, "a genus of disease in the class enteric and the order *Empetigines* of Cullen." To this disease, however, it bears no resemblance.

The susceptibility of the gums to the action of morbid irritants is always increased by enfeeblement of the vital powers of the body. Hence, persons laboring under excessive grief, melancholy, or any other affection of the mind, or any constitutional disease tending to enervate the physical energies of the system, are exceedingly subject to inflammation, sponginess, and ulceration of their gums. But notwithstanding the increase of susceptibility which the gums derive from certain constitutional causes and states of the general health, these influences, in the majority of cases, may all be counteracted by a strict observance of the rules of dental hygiene; or, in other words, by regular attention to the cleanliness of the teeth.

**Gums, Effects of Lead on the.** It would seem, from the observation of Dr. Burton, that the introduction of lead into the system, whether by persons who have been exposed to the action of it in the usual course of their avocations or who have taken acetate of lead medicinally, imparts to the edges of the gums a leaden blue line. Dr. Falco is of the opinion that the blue line is the result of an elimination of the lead, and indicates by its presence that the lead, carried along by the circulation, is deposited in the tissue of the gums, where it forms a combination, which reveals its presence by a more or less blue discoloration.

Copper poisoning will also cause a distinctive blue line, resembling that of lead.

**Gums, Fibrous Tumors of.** Scissile tumors, which grow from the periosteum of the alveolar border, and commence usually just within the tooth-socket. Their growth is slow and painless, and, unless removed, continued growth is the result. The tumor is smooth, rounded, sometimes lobulated, firm, somewhat elastic, and of the normal color of the mucous membrane. It may displace the teeth by its presence. Excision is the only remedy, and as the periosteum and subjacent bone are involved, they should be removed. Such tumors are benign, and, when completely removed, do not return.

**Gums, Hypertrophy of.** A rare affection characterized by extra growth which may conceal the teeth and almost fill the mouth. The gums present a pink, smooth, or warty appearance, covering all of the crowns of the teeth in some cases, while in others the points of the cusps alone may be visible. The hypertrophied tissue sometimes protrudes from the mouth, and to the touch the gums are elastic and firm, and do not bleed readily; they are also devoid of sensibility. The microscope shows the fibrous stroma of the gum to be present in excessive amount, but no new glandular or epithelial elements. There is always more or less expansion of the alveolar border of the jaw and an exuberant growth of the papillary surface. It has been associated with molluscum fibrosum, and is common to early life and to subjects of moderate intellect only. Removal of the hypertrophied gum and alveolar border of the jaw is the proper treatment, as no medication will effect a cure. This affection must not be mistaken for purulent growth of gum—papilloma (which see).

**Gums, Inflammation, Turgescence, Ulceration, and Recession of.** A complication of disease to which the gums are very liable, causing the teeth to loosen, and when not arrested, ultimately to drop out. The gums when thus affected present a deep florid or purple appearance; their edges are thick and round, and, on being pressed, purulent matter is discharged from between them and the necks of the teeth. They are usually very sensitive, sometimes slightly painful, or bleeding from the most trifling injury.

The disease generally first makes its appearance around the lower front teeth and the

upper molars, opposite the mouths of the salivary ducts, and in the immediate vicinity of aching, decayed, dead, loose, or irregularly arranged teeth, or in the neighborhood of roots of teeth, and thence it extends to the other teeth. The rapidity of its progress depends on the age, health, and constitutional temperament or habits of body of the individual and the nature of the local irritants which have given rise to it. In some cases it exists for years without causing any perceptible recession of the gums or destruction of the alveolar processes, the only unpleasant consequences attending it being a vitiated state of the secretions of the mouth and an offensive breath. In other instances it progresses so rapidly that in a few weeks or months both the gums and the alveoli become involved in the diseased action.

When the inflammation of the gums is favored by a constitutional tendency, it soon extends to the alveolar and dental periosteum, often causing a deposition of bony matter at the bottom of the alveoli.

Nor do the pernicious effects of the disease always stop here. Constitutional symptoms often supervene, more vital organs become implicated, and the health of the general system is sometimes seriously impaired. Hence the improvement in the constitutional health often observed after the loss of the teeth of persons who have for a long time been affected with the disease. No condition of the mouth has a greater tendency to deteriorate its secretions and impair the function of mastication than the one now under consideration.

The diseased action often extends to the periodontal tissues. They become the seat of subacute inflammation, are thickened, and pour out a purulent fluid, which gradually breaks down and destroys the walls of the alveoli, so that the extremities of the roots of the teeth of the upper jaw protrude so far through them and the gums as to be a source of annoyance to the lips and inner walls of the cheeks. The teeth of first dentition are more liable to be thus affected than those of second, and in this case they should always be immediately extracted. It is not necessary that there should be aching, decayed, dead, irregularly arranged teeth, or teeth to irritate the gums and periodontal membrane. The arrangement of the teeth is often such, even when regular, as to produce inflammation in certain parts of the mouth, which sooner or



ular, according to the constitutional tendency, results in disease. Hence it is that, even when all the teeth are sound, we occasionally see a gradual wasting of such parts of the gums as are most prominent, especially those which surround the cuspidati and the palatine flaps of the upper molar teeth.

Thus it will be seen that local agents may exert a considerable influence in the production of the disease without being easily detected. It should also be recollected that a person of sixty, seventy, or even eighty years of age is exposed to the same, and perhaps to more powerful, local causes of irritation than one of twenty; and the reason the effects are not always developed in earlier life is that there are greater tendencies to this disease in some constitutions than in others.

Dr. Koecker, who had the most ample opportunities of observing the affection in all its various forms, says he has never seen a cure of it in which tartar was not present.

It attacks persons of all ages, ranks, and conditions, and in every country, climate, and nation. "I have observed," says Dr. Koecker, "the inhabitants of the most opposite countries, the Russians, the French, the Italians, the Spaniards, the Portuguese and English, the Africans, the East and West Indians, and those of the United States, to be more or less liable to it."

It is, however, more frequently met with in the lower than in the higher classes of society. Persons who pay no attention to the cleanliness and health of their teeth are particularly subject to it. With sailors and those who live principally on salt provisions it is very prevalent. "Persons of robust constitutions," says the author just quoted, "are much more liable to this affection of the gums than those of delicate habits, and it shows itself in its worst forms oftener after the age of thirty than at any earlier period."

Everything that tends to produce inflammation in the gums and alveolar processes may be regarded as an exciting cause of the disease. To those that have already been enumerated may be added accumulations of extraneous matter on the teeth and along the edges of the gums, extraneous of the roots of the teeth, artificial teeth badly inserted or the use of improper materials, and dental operations injudiciously performed. The use of tooth brushes wrongly constructed and of tooth powders, especially char-

coal, may be reckoned among its exciting causes.

Strumous individuals sometimes have an affection of the gums which differs from the one just described in many respects. The gums, instead of being purple and swollen, are paler and harder than ordinarily, and on being pressed discharge a mucous-purulent matter of a dingy white color. They often remain in this condition for years without appearing to undergo any physical alteration or to affect the alveolar processes.

Its effects are the most simple and innocent of any form of disease to which the gums are liable; but its cure is often very difficult, and sometimes exceedingly tedious.

Spongoid inflammation of the gums is generally regarded by dentists as being capable of cure, and, so far as regards the restoration of this structure to health, it most assuredly is; but when the gums have lost their connection with the teeth a reunion can never be established. For treatment see Harris' "Prin. and Pract. of Dentistry."

**Gums, Purulent Growth of.** Localized hypertrophy of gum. Papilloma of gum. This affection is characterized by swelling and inflammation of the gums and morbid growth of their substance, so that in some instances the crowns of the teeth are entirely covered and sensation is rendered exceedingly difficult and painful. The gums when affected with it are of a dark purple color, with thick, smooth, rounded edges, and discharge a very fetid matter. They hang loosely around the teeth, and are attended with a peculiar itching sensation, which, at times, is very annoying; they are also so very sensitive that even the pressure of the lips produces pain. Their vessels are turbid and often bleed profusely from the slightest touch.

The breath of a person thus affected is exceedingly offensive, the saliva is vitiated, and so vivid that it is even difficult to spit.

This peculiar affection, though caused by local irritants, appears, nevertheless, to be dependent on a cachectic tendency of the general system. Treatment consists in free erosion; bleeding being overdone with powdered tannin or subsulphate of iron. For further treatment see Harris' "Prin. and Pract. of Dent."

**Gum-cot'ton.** An explosive substance prepared by steeping clean cotton in a mixture of sulphuric and nitric acids and then washing it carefully and drying it. Used principally in

the manufacture of collodion. See CELLULOSE and PYROXYLIN.

**Gumma'ra Perseu'sa.** A South African plant of the order Urticales. It is tonic and demulcent.

**Gurg'ling.** The mucous rûle, as heard on auscultation, when there is a cavity in the lungs.

**Gurga'lio.** Penis. Uvula.

**Gusta'tion.** Taste.

**Gustato'ry** (*gustatus*; from *gustus*, taste). Pertaining to taste.

**Gustato'ry Nerves.** The nerves of taste. See LINGUAL NERVE.

**Gus'tus.** Taste.

**Gut.** Intestine.

**Gut'ta.** A drop; the sixtieth part of a fluid drachm; also gum.

**Gutta Anodyna.** Anodyne drop. A solution of acetate of opium.

**Gutta Gamba.** Cantharide.

**Gutta Nigra.** The black drop—a preparation of morphia.

**Gutta Opaca.** Catamot.

**Gutta Percha.** The concrete juice of a tree belonging to the natural order Euphorbiæ—*Hevea brasiliensis*, a native of Bismarck. It is of a grayish-white color, and below the temperature of fifty degrees is of the hardness of wood, but when put in boiling water it becomes very soft and pliable. In this state it may be moulded into any form, which it will retain on cooling. It is used in making bougies, catheters, senna-pipes, spilita, and for taking impressions of the mouth. It has also been used in combination with other substances—such as oxide of zinc—which have properties of non-conduction and non-irritation, as a temporary filling for teeth. It has also been employed as a base for artificial teeth, and for temporary plates in the vulcanite process. A solution of gutta percha in chloroform—*formalinsoluble*—has been used with advantage topically in cutaneous affections, ulcers, as an eczematous in small-pox, and for the temporary relief of odontalgia. Cones of gutta percha are employed in filling the root-canal of teeth; it is also used in solution for the same purpose. As a filling material, gutta percha is graded according to the degree of heat required to soften it, the low heat variety softening between 140° and 200° F. and the medium between 200° and 210° F. The softening process should be conducted over warm water. For dental uses see Gorgas' "Dental Medicine."

**Gutta Percha, Liquid.** Gutta percha dissolved in chloroform. Used in Dental Practice for the relief of odontalgia, as a protective covering for partially exposed pulps of teeth, and as a root-filling material.

**Gutta Rosæ.** Gutta rosarum. A cutaneous eruption of the face, of red, shining, suppurative tubercles, having an irregular granular appearance; frequently caused by excessive drinking.

**Gutta Serena.** Amantrusa.

**Gutte'ria** (from *guttur*). Bronchocele.

**Gut'tur.** The throat, larynx, or trachea.

**Gut'tural.** Pertaining to the throat.

**Guttural Artery.** The superior thyroidal artery.

**Guttur'ula.** The arytenoid cartilages.

**Gymna'sium.** A place for bodily exercise.

**Gymnas'tics** (*gymnasticus*; from *gymnos*, naked, because the athletes were stripped), That part of hygiene which consists in bodily exercise, such as wrestling, running, using dumb-bells, etc.

**Gymno'sia.** Denudation.

**Gyna'cel's** (from *gyn*, woman). Relating to women.

**Gynecology, Gynecology** (*gyn*, woman, + *logos*). The branch of medicine treating of diseases peculiar to women, particularly diseases of the female genitalia.

**Gynecom'a'nia** (from *gyn*, woman, and *ma's*, madness). Insanity from love for women.

**Gynecomas'tus.** A man whose breasts are as large as a woman's.

**Gynecomys'tax** (from *gyn*, woman, and *pro'tax*, beard). The hair on the female pudendum.

**Gynanthro'pus.** A hermaphrodite partaking more of the male than of the female sex.

**Gynatre'ria** (from *gyn*, a woman, and *atre'ria*, imperforate). Imperforation of the female external parts of generation.

**Gy'ne.** A woman; a female.

**Gyn'da.** A hermaphrodite.

**Gynoplas'tic** (from *gyn*, and *plastos*, I form). An operation employed for opening or dilating the contracted genital openings of the female.

**Gyp'sum.** Sulphate of lime. Plaster of Paris. A native sulphate of lime, consisting of 33 parts of lime, 40 of sulphuric acid, and 18 of water. When exposed to a heat of 460° F., the water of the gypsum escapes. After being properly calcined and pulverized, if mixed with

water to the consistency of thin batter it hardens in a few minutes by a species of crystallization and acquires great solidity. During the first part of the process of consolidation it expands by the absorption of the water, filling the small depressions in any mould into which it may be poured. The setting of plaster is regarded as a chemical process, the water being absorbed in the proportion of two molecules to one of the plaster, the result of which is that  $\text{CaSO}_4$  becomes  $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ .

Upon the preparation of the calcined plaster depends the readiness with which the combination takes place, for if it has been too greatly heated the power of absorbing the water is diminished or altogether lost. The hardening of the plaster is accompanied with the generation of heat and expansion, and the best results are dependent upon the thoroughness of the mixing, so that every particle of the plaster can absorb the proper amount of water.

The setting of plaster is hastened by either common salt or sulphate of potash in solution,

the use of which agents is admissible only in the plaster better employed for obtaining impressions of the mouth.

In *Mechanical Dentistry* plaster of Paris, or gypsum, is used for obtaining casts or models of the jaws and for taking impressions of the mouth and teeth. It is also used by artists and anatomists for taking casts.

There is a great difference in the quality of plaster of Paris. For taking impressions and models of the mouth it should be of the best description, well calcined, finely pulverized, and passed through a fine sieve previous to being used.

**Gyrat'ion.** Dizziness; giddiness.

**Gy'ri Cerebri.** The cerebral convolutions.

**Gyri Operi.** The small and short convolutions within the Sylvian fissure of the cerebrum; called by Cruveilhier lobule of the fissure of Sylvius.

**Gy'rus.** Anfractuosity; a turning; a circle described by a moving body.

**Gyrus Fornica'tus.** A large cerebral convolution encircling the corpus callosum.

## H.

**H.** Abbreviation of *here*, *hour*, and *hundred*, draught; also symbol for hydrogen.

**Häm'at'ies.** A term applied in *Mineralogy* to capillary pyrites in very delicate acicular crystals; also to a native sulphuret of nickel.

**Hab'it** (from *habere*, to have or to hold). A disposition of body or mind; a tendency resulting from frequent repetition to perform certain actions. A predisposition to or protection against certain diseases.

**Habit of Body.** Constitution and temperament.

**Hab'itus.** Habit of body.

**Hæbroma'nia** (from *αἷμα*, blood, and *μαρμα*, a disease). A cheerless or merry insanity.

**Hæ'm'ia** (*hæmatis*; from *αἷμα*, gen., *αἵματος*, blood). Blood. A term used as a prefix in medicine.

**Hæmorrhoides'ia** (from *αἷμα*, blood, and *ρρῆσις*, a spilling). Purpura or blood spot disease.

**Hæmorrh'ia.** Hemat'ia.

**Hæmorrh'ic.** Bloody.

**Hæmacy'anin** (from *αἷμα*, blood, and *ανιν*, blue). A blue coloring matter in the blood, owing to the presence of copper, and in bile.

**Hæmado'neus** (from *αἷμα*, blood, and *νεωσις*, a disease). Disease of the blood-vessels.

**Hæmadosto'sis** (from *αἷμα*, blood, and *στοσις*, a hard tumour). Ossification of the blood-vessels.

**Hæmadynam'ics** (from *αἷμα*, and *δυναμις*, power). The mechanism of the circulation of the blood.

**Hæmadynamom'eter** (from *αἷμα*, blood, *δυναμις*, power, and *μετρον*, a measure). An instrument to determine the force with which the blood is driven through the principal vessels by the action of the heart.

**Hæmagogues** (from *αἷμα*, blood, and *αγω*, to drive off). Medicines which promote the hemorrhoidal and menstrual discharges.

**Hæ'm'al** (from *αἷμα*, blood). Relating to blood in blood-vessels.

**Hæmal Arch.** In *Transcendental Anatomy*, the arch in front of the body of a vertebra, holding the blood-vessels. In man it is represented by the ribs and sternum.

**Hæmal Axis.** The central organ and large trunks of the vascular system.

**Hæmal Glands.** Glands accompanying the renal artery in herbivora.

**Hæmal Spine.** The spine in front of the hæmal arch.

**Hæmalocœna** (from *hæma*, and *κοίνα*, white). The buffy coat or fibrin of the blood; hæmalocœna.

**Hæmato'pia** (from *hæma*, and *ὤψ, ὄρα*, the eye). A disease of the eye in which everything appears of a blood color; hæmaliopia.

**Hæm'ialopia** (from *hæma*, blood, and *ὤψ, ὄρα*, the eye). Effusion of blood into the eyeball or eyelids.

**Hæmaph'ia** (from *hæma*, and *φαίω*, of a dusky color). The brown coloring matter of the blood.

**Hæmaph'ysæe.** Costal cartilages.

**Hæmapor'ia** (from *hæma*, blood, and *εἶρος*, poor). Bad blood; paucity of blood.

**Hæmasta'sis.** Checking the current of venous blood by dry cupping or ligatures.

**Hæmestat'ica** (from *hæma*, blood, and *σταίω*, static). The doctrine of the laws which regulate the action of blood-vessels or the circulation of the blood. Also remedies for stopping hæmorrhage.

**Hæmesthenos'ia** (from *hæma*, blood, *σθένος*, weakness). A deterioration or weakening of the blood.

**Hæmatangio'sis.** Disease of the blood-vessels.

**Hæmatan'ica** (from *hæma*, and *αἷον*, a tube). Vascular system.

**Hæmatoc'lysis** (from *hæma*, and *κλύω*, dissolving). Dissolution of the blood.

**Hæmatome'sis** (from *hæma*, blood, and *έρω*, to vomit). A vomiting of blood. A discharge of blood from the stomach.

**Hæmato'hæx.** See HÆMATITHORAX.

**Hæmat'ic** (from *hæma*, blood). Relating to, full of, or of the color of blood. Also a remedy which affects the system at large by acting in or on the blood. Hæmative act as restoratives when they enrich the blood, or as spanulents when they impoverish it.

**Hæmat'ica** (from *hæma*, blood). Diseases of the sanguineous function.

**Hæmatine.** See HÆMATURIA.

**Hæmatink.** See HÆMATIC.

**Hæmatin'ria.** The discharge of hæmatin in the urine; hæmoglobinuria.

**Hæmatia'chesia.** Arrest or suppression of a flow of blood.

**Hæmat'ias** (from *hæma*, blood). Blood-stone. A term applied to a native oxide of iron, from its red color or from its supposed power of arresting hæmorrhage.

**Hæmato-** (from *hæma*, blood). A Greek prefix denoting blood.

**Hæmatoblast** (*βλαστός*, sprout). A cell which develops into a red blood-corpuscle either by division or by accretion; a name applied to various cells in the blood-making tissue and to certain small cells circulating in the blood itself.

**Hæmatocath'rica.** Remedies for purifying the blood.

**Hæmatocœ'le** (from *hæma*, blood, and *κύω*, a swelling). A swelling or tumor caused by an extravasation of blood either in the cellular tissue of the scrotum, in the cavity of the tunica vaginalis, or in the testicle itself.

**Hæmatoche'xia** (from *hæma*, blood, and *χέω*, to go to stool). Bloody stools.

**Hæmatochy'sis.** Hæmorrhage.

**Hæmatom'ia** (from *hæma*, and *αἷον*, the cavity of the abdomen). Effusion of blood into the abdomen.

**Hæmatocyt'pus.** Effusion of blood into the vagina. Accumulation of blood in the vagina from occlusion of the external organ.

**Hæmatocyst** (from *hæma*, and *κύω*, a bladder). Relating to the formation of blood. An effusion of blood into the bladder; a cyst containing blood.

**Hæmato'des** (from *hæma*, blood, and *οἶος*, a likeness). Having the nature or appearance of blood. See FURUY'S HÆMATURIA.

**Hæmatoid.** Like blood; bloody; full of blood.

**Hæmatoidin.** Hæmin, or blood crystals. Hæmatine separated from the globules of the blood, and passed from the state of a non-crystallisable organic substance to one of a crystallisable chemical compound. A derivative of hæmoglobin.

**Hæmatology** (from *hæma*, blood, and *λογία*, a discourse). A treatise on the blood.

**Hæmatol'yse.** Diseases in which there is a diminished coagulability of the blood.

**Hæmatoma.** A tumor resembling or containing blood.

**Hæmatometer** (from *hæma*, blood, and *μετρον*,

*per*, a measure). An instrument for measuring the force of the blood.

**Hæmatomphalocœle** (from *αἷμα*, blood, *ομφαλός*, the navel, and *κύστις*, a tumor). An umbilical tumor caused by an extravasation of blood.

**Hæmatomœcus** (from *αἷμα*, blood, and *κύστις*, a tumor). A name given by Alberti to aæri materai, or varicose tumors.

**Hæmatomœcus** (from *αἷμα*, and *κύστις*, disease). Disease of the blood.

**Hæmatophobœa** (from *αἷμα*, blood, and *φόβος*, dread). That dread at the sight of blood which produces syncope.

**Hæmatoplaemia**. Vicious hæmorrhage.

**Hæmatoxaline**. Hæmatine. The red coloring matter of the blood.

**Hæmatoxialis** (from *αἷμα*, blood). The arterialization of the blood, or the transformation of the venous blood and chyle into the arterial blood. Also general formation of blood.

**Hæmatothorax** (from *αἷμα*, blood, and *θώραξ*, the chest). Effusion of blood into the pleura.

**Hæmatotœc** (from *αἷμα*, and *τοῖσιν*, a poison). Relating to a poisoned or impure state of the blood.

**Hæmatotyline**. The coloring principle of logwood.

**Hæmatozoön**. Animalcules discovered in the blood; animal parasite of the blood.

**Hæmatæria**. Hæmataria.

**Hæmatæria** (from *αἷμα*, blood, and *αἴσχω*, to make urine). Bloody urine.

**Hæmæmia**. Chloride of hæmatine. A crystallized substance obtained from dried blood.

**Hæmætic** (from *αἷμα*, blood, and *τις*, denoting inflammation). Literally, inflammation of the blood. That alteration of the blood which occurs in inflammation.

**Hæmocyte** (from *αἷμα*, and *κύστις*, a cell). The corpuscles of the blood; a blood corpuscle.

**Hæmœdœ**. Sanguine.

**Hæmœdia** (from *αἷμα*, to have pain in the teeth). Aching of the teeth; the teeth act on edge from the use of aærb or acid aliments.

**Hæmoglobin** (from *αἷμα*, and *σφαῖρα*, a round body). Hæmocyrtalline; hæmatoglobin. A solid or crystalline matter existing in the corpuscles of the blood. The coloring matter of the blood contained in the red blood corpuscles; a complex, reddish, crystalline substance.

**Hæmophil**. Resembling blood.

**Hæmophilœa**. A condition in which the hæmorrhagic diathesis prevails.

**Hæmophthalmia** (from *αἷμα*, blood, and *οφθαλμός*, eye). Effusion of blood into the eye. A bloodshot eye.

**Hæmophilœa** (from *αἷμα*, blood, and *πλάνη*, wandering). Vicious hæmorrhage.

**Hæmoptœ**. Spitting of blood. See Hæmoptysis.

**Hæmoptysis** (from *αἷμα*, blood, and *πύω*, to spit). Spitting of blood. An expectoration of frothy blood from the mucous membrane of the lungs, preceded by cough, heat, and pain in the chest.

**Hæmoptysis Interna**. Hæmatothorax.

**Hæmoptysis Phthisis**. Phthisis pulmonalis.

**Hæmorrhage** (from *αἷμα*, blood, and *αἵρω*, to break forth). The escape of blood from any of the vessels destined to contain it, whether from rupture or otherwise. Hæmorrhages are divided into *active* and *passive*; the former resulting from increased action, the latter from debility. They are also classified into *external* and *internal*, *general* and *local*, *spontaneous* and *traumatic*.

**Hæmorrhage, Accidental**. From the premature detachment of the placenta.

**Hæmorrhage after the Extraction of Teeth**. The hæmorrhage occasioned by the extraction of a tooth is seldom considerable, except in those cases where there is a hæmorrhagic diathesis of body, and then it is sometimes excessive and even alarming. Several cases have been recorded in which it baffled every attempt to arrest its progress, and terminated fatally. Whenever a tendency to extensive hæmorrhage from the rupture of one or more small vessels manifests itself in one member of a family composed of several individuals, it will generally be found to exist in several.

Among the means which have been employed for arresting hæmorrhage from the socket of a recently extracted tooth are astringents, styptics, caustics, the actual cautery, and compression. But the preparations of iron—such as the permanganate, powdered subnitrate, and tannic acid—are those in general use as styptics. See *Iron*.

When the hæmorrhage is from the dental artery it may always be arrested by plugging the socket tightly with raw cotton, lint, sponge, or a piece of cork, previously saturated in the solutions of iron, tannic acid, or astringents, or by the replacement of the tooth. When the bleeding is from a number of vessels, and especially from the gums around the alveolus, it is sometimes necessary to apply the actual cautery.

**Hæmorrhage, Capillary.** Oozing of blood from a wound where the large vessels are not ruptured.

**Hæmorrhage, Collateral.** The hæmorrhage of acute inflammations.

**Hæmorrhage, Complementary.** That succeeding another hæmorrhage that has been cut short.

**Hæmorrhage, Consecutive.** That ensuing some time after injury.

**Hæmorrhage from the Gums, Spontaneous.**

In depraved or cachectic habits of body it sometimes happens that passive hæmorrhage occurs from the gums, and especially from those portions which occupy the interdental spaces, baffling every effort that can be made to arrest it. It may, however, in the majority of cases, be stopped by the application of the actual cautery or compression. The author succeeded in one case with the latter. The best method of applying a compress is to fill a mouth-cup, such as is employed for taking impressions for the mouth, with wax previously softened in warm water, and then applying it in such a manner as completely to imbue the teeth and gums in it. This method of compressing the gums was suggested to the author by Dr. O. Holmes, of Baltimore. Gutta percha softened in warm water is, however, superior to wax, being more tenacious and firm; also modelling composition.

**Hæmorrhage from the Gums, Vicarious.** In females suffering from amenorrhœa, periodical hæmorrhages from the gums have occasionally been known to occur, the periods of their occurrence corresponding with the time when menstruation should take place and continuing from three to five or six days. The discharge from the gums, being vicarious, can only be prevented by restoring the obstructed uterine function, unless, as is sometimes, though very rarely, the case, it arises from the suppression of some other discharge, as, for example, the hæmorrhoidal. In this case the appropriate treatment should be instituted.

**Hæmorrhage from the Lungs.** Hæmoptysis.

**Hæmorrhage from the Nose.** Epistaxis.

**Hæmorrhage from the Stomach.** Hæmatemesis.

**Hæmorrhage from the Urinary Organs.**

Hæmaturia.

**Hæmorrhage from the Uterus.** Menorrhagia.

**Hæmorrhage, Post-partum.** Primary, occurring within twenty-four hours after labor; secondary, after twenty-four hours.

**Hæmorrhage, Primary.** The hæmorrhage immediately following an injury or operation.

**Hæmorrhage, Secondary.** Hæmorrhage which occurs some time after wounds or operations.

**Hæmorrhagicæ.** Hæmorrhagæ. A distinct order in the class *Pyrexie* of Dr. Cullen's nomenclological arrangement.

**Hæmorrhagic Diathesis.** A tendency to hæmorrhage owing to a state of the system of a permanent character peculiar to the individual, there being a want of coagulability in the blood and a want of contractility in the vessels.

**Hæmorrhagicæ/ærous.** That which gives rise to hæmorrhage.

**Hæmorrhic/ia.** Epistaxis.

**Hæmorrhic/æ.** Passive hæmorrhage.

**Hæmorrhicæ Petechi/ia.** The occurrence of hæmorrhage from the mouth, &c., in lead *poisoning*. See *PERUTIA HÆMORRHAGICA*.

**Hæmorrhic/idal (hæmorrhoidal).** Relating to hæmorrhoids, as a hæmorrhoidal tumor, or flux.

**Hæmorrhic/idal Arteries.** The arteries of the rectum. Three are enumerated—the *superior*, *middle*, and *inferior*.

**Hæmorrhic/idal Nerves.** Filaments sent to the rectum from the sciatic and hypogastric plexuses.

**Hæmorrhic/idal Veins.** They are two—the external and internal, which empty into the lower mesenteric.

**Hæmorrhic/oides** (from *æqu*, and *pos*, to flow). Literally, hæmorrhage, but restricted to a varicose enlargement of the veins about the anus and rectum, called the piles. They are termed *æquæ* when they discharge blood, and *blind* when there is no discharge.

**Hæmorrhic/oides Oris.** Hæmorrhage from the veins of the palate, uvula, fauces, and sometimes from the gums, resulting from a suppression of the hæmorrhoidal discharge.

**Hæmorrhic/oides Uteri.** Varicose enlargement of the veins about the genital organs of women.

**Hæmorrhic/oides Vesicæ.** Varicose enlargement of the veins about the neck of the bladder.

**Hæmorrhic/oids.** Hæmorrhoids.

**Hæmorrhic/oides hæmorrhicæ.** Suppression of the hæmorrhoidal flux.

**Hæmorrhæphæ'sia.** Absorption of blood.  
**Hæmorrhæphic** (from *hæm*, and *errew*, to draw). A cupping-glass, or any agent which draws or attracts blood to a part. **Hæmorrhæpsia.**

**Hæmostæ'sia** (from *hæm*, blood, and *errew*, a standing). Stagnation of blood; any operation that stops the flow of blood.

**Hæmostat'ic** (*hæmostaticus*; from *hæm*, blood, and *errew*, static or standing). That which is calculated to arrest a hæmorrhage. **A styptic.**

**Hæmoste'angio'sia.** Teiangiectasia.

**Hæmot'rophy** (*hæmotrophia*; from *hæm*, blood, and *trwph*, nourishment). Excess of nourishment of the blood.

**Hæm'ydor'.** Serum of the blood.

**Hage'sia** **Abyssin'ica** (*hægeria æthiopica*). An Abyssinian tree of the order Rosaceæ. Its flowers have recently been brought into notice as a remedy for tapeworm.

**Hag'gard.** Hollow-eyed; wasted as by want; often a symptom of cerebral disease.

**Hair** (*gêus*). Corneous filaments which issue from the skin, and to which they adhere by means of a bulb. They include the hairs of the head, eyebrows, eyelashes, beard, those of the trunk and of the axillary and pubic regions.

**Hair.** Falling off of. **Alopecia.**

**Hair Lichen** (*Nehes pilæris*). An eruption confined to the roots of the hair, followed, after ten days, by desquamation.

**Hair Salt.** Native sulphate of magnesia, so called from the capillary form of the crystals.

**Hæchemi's** (from *hæ*, salt, and *gwm*, to pour out). The art of fusing salts.

**Hæ'thus** (from *hæ*, to breathe out). Vapor. Also the breath.

**Halitus** **Oris Fætidus.** Foul or tainted breath.

**Halitus Sanguinis.** The vapor exhaled by fresh blood.

**Hall's Ready Method.** See **RESPIRATION, ARTIFICIAL.**

**Hallucination** (*hallucinatō*; from *halluc*, to be deceived). Depraved imagination, an error of an individual who believes he sees or distinguishes by hearing, touching, smelling, or tasting objects not present.

**Hæ'tus** (*hæ'tus*). The great toe.

**Hæ'tus** (*hæ'tus*). Any disease accompanied by hæmorrhage.

**Ha'io** (from *hæ*, an area). **Areola.** In *Anatomy*, the pale-red circle which surrounds the nipple in woman. In *Meteorology*, a luminous circle seen around the sun or moon under certain conditions of the atmosphere.

**Hælo** **Signa'tus.** The impression formed by the ciliary processes on the anterior surface of the vitreous humor.

**Haloderm'um** (from *hæ*, salt, and *derm*, a collar). A collar of salt applied to the neck, as in *emups*.

**Hal'ogens** (from *hæ*, salt, and *gwm*, to produce). A term applied in *Chemistry* to substances which form salts with metals, as chlorine, iodine, fluorine, and cyanogen. Salts thus formed are termed **haloids**.

**Ha'loids** (from *hæ*, sea-salt, and *rolos*, resemblance). Resembling salt. Salts which are compounds of chlorine, iodine, bromine, fluorine, cyanogen, and other compound radicals, with metals.

**Hælo'm'eter** (*hæ*, salt, and *metron*, a measure). An instrument for measuring the fura, angles, etc., of salts.

**Hælo'id'itis.** Induration of the cellular tissue.

**Hælo'g'm.** Salt springs.

**Hæ'lurgy.** The process of forming or extracting salts.

**Ham.** See **POPULUS.**

**Hamame'ris Virgin'ica.** Witch-hæzel. Winter witch-hæzel: a shrub of the family Berberidææ, the bark of which is astringent. In *Præf. Practicæ*, this agent, in the form of an extract, is used externally in incipient periodontitis and irritated pulps of teeth.

**Hamarthri'tis** (from *hæm*, at once, and *arthron*, joint). Gout in all the joints.

**Ham'ma** (from *hæmema*, knot). Knot or tie for retaining a bandage. A truss for hernia.

**Ham'osus** (from *hæm*, a hook). Hooked.

**Ham'strings.** The tendons of the ham.

**Ham'ular Process.** See **HAMULUS.**

**Ham'ulus.** A little hook. In *Anatomy*, a hook-like process, as the hamulus of the pterygoid process of the sphenoid bone.

**Hamulus Cochleæ.** Literally, a small hook of the cochlea; a process by which the lamina spiralis terminates upon the axis.

**Ham'us.** A hook. See **HAMULUS.**

**Hand** (*manus*). The extremity of the arm, composed of the carpus, metacarpus, and fingers.

**Hands, Dropped.** Paralysis of the hands caused by the action of lead.

**Hang-nail.** A detached portion of epidermis near the finger-nail.

**Hapantia'mus.** Growing together of organic parts.

**Haphe.** Feeling. Touch.

**Hapton'tal** (from *hapē*, the sense of touch). Dismiss of the sense of touch.

**Haplococ'cus.** A form of micro-organisms.

**Haplotom'ia** (from *haplōs*, simple, and *tomē*, incision). A simple incision.

**Haptodysphor'ia** (from *hapē*, touch, and *dysphorē*, difficult to be borne). Painful to the touch.

**Haptot'ica** (*απτησιν*, to touch). The science of the phenomena of touch or sensation.

**Hard.** A term applied in popular language to a substance which resists the action of external force; in *Anatomy*, to the osseous framework of the body, and in *Pathology* to the pulse when the finger seems to yield to the stroke of the artery.

**Hare-lip** (*labium leporinum*; *inoperatilis*; *in-gentum*). A vertical fissure or division of one or both lips, from a failure of the lateral portions of the lip to unite. It is almost always congenital, though it may be produced by a wound. Sometimes the cleft is double. The fissure frequently extends to the alveolar arch and palate. When there is but one division, it is called *simple*; *double* when there are two, and *complicated* when the maxillary bone and palate are implicated, or when one or more of the teeth project and occupy the separation in the lip. Mr. Fox gives a drawing of a very remarkable example of distortion, in which a portion of the jaw-bone, with three teeth, projected beneath the nose more than an inch and a quarter. Dr. Stimson describes, in the "American Journal of Dental Science," vol. v, page 81, a similar example of complicated hare-lip; and numerous others are on record.

The manner of remedying hare-lip consists (1) in removing the rounded edges of the cleft and (2) in bringing them accurately together and retaining them in contact until a union takes place. But with regard to the most eligible period of life for the performance of the operation there exists a difference of opinion. Some think the sooner it is performed the better; others believe that the best time is immediately after the child has ceased to suck; while others again think it better to defer it until even a later period.

For simple hare-lip the operation may be

performed in the following manner: The head of the child being slightly elevated and firmly secured by means of an assistant, a narrow, flat piece of wood or pasteboard should be introduced between the lip and gums and held by another assistant; a narrow, sharp-pointed scalpel, or, what is preferable, a straight bistoury, is then passed through the margin of the lip, immediately below the nose, and by a single cut, in a straight line downward, the rounded edge is removed. This operation is next repeated on the opposite side, leaving an aperture between the two margins resembling the letter V inverted. The margins are next brought accurately together and secured by passing two or three gold, steel-pointed, or steel pins horizontally through them at regular intervals, and rather nearer the internal than the external surface. The edges of the wound are now held in close contact by passing a separate ligature around each pin in the form of the figure 8. Some surgeons, however, seem to think that additional security is obtained by passing the ligature from one needle to the other. The suture having been applied, the points of the needles, if steel ones have been used, should be clipped off with a pair of cutting nippers. When the needles are properly applied, Mr. Ferguson is of opinion that there is no necessity for straps or bandages to keep the cheeks forward, though it may be advisable to protect the tender adhesion of the wound for a few days, after their removal, by means of a strap. The needles may be withdrawn at the expiration of three or four days.

If there be any adhesion between the mucous membrane of the lip and gums, it should be separated before the operation is performed, and if any of the teeth project through the fissure, and can not be carried back to their proper place in the dental arch, they should also be previously removed.

For cutting the edges of the fissures, some surgeons prefer scalpers to the scalpel or bistoury.

In double hare-lip both fissures should be closed at the same time, by passing the needles entirely across and securing them in the manner above described.

**Hare-lip, Complicated.** Hare-lip complicated with cleft or malformation of the maxillary or palatal bones.

**Hare-lip, Double.** Two clefts or fissures of the lip, or one of each lip.

**Hare-lip, or Twisted Suture.** A figure-of-8



cutures around a pin thrust through the lips of the pored edges of the cleft.

**Harmony** (*harmonic*; from *arē*, to fit together). In *Anatomy*, an immovable articulation, as in the case of the superior maxillary bones with each other.

**Hæmectome** (from *arē*, a joint, and *teire*, to divide). Crum-stone; stannolite; a mineral the crystals of which intersect one another.

**Harts'horn** (*cerus corvi*). The horn of the *Corvus alpinus*, or stag.

**Hartshorn, Spirit of**. A watery solution of ammonia. *Liquor or aqua ammoniac*.

**Hash'ish, or Has'chisch**. A preparation of *Cannabis indica*, or hemp, used as an intoxicating drug. It is made by boiling the leaves and flowers of the plant with water and fresh butter.

**Has'ta**. A spear. An epithet applied to parts of animals and vegetables which are supposed to resemble a spear.

**Has'tata**. Spear-shaped.

**Hastat'is**. A spear-shaped splint.

**Hasch'etina**. A fusible wax-like substance, of a yellowish-white or greenish-yellow color, found sometimes in nodules of iron stone in South Wales.

**Haunch**. That portion of the trunk formed by the lateral parts of the pelvis and hip-joint.

**Hæm'manula**. One of the ores of manganese, having a brownish-black color.

**Hæm'tus** (from *hauris*, to swallow). A draught. A single dose of liquid medicine.

**Hæm'tus Niger**. Infusion of senna.

**Hem'yne**. A mineral of a blue color found in small, granular masses in basalt or lava.

**Havers' Glands**. Haversian glands. The fringed vascular folds of the synovial membrane of joints called, by Dr. Havers, *mucilaginous glands*.

**Hæver'sian Canals**. The minute canals found in the compact substance of bone, containing blood-vessels and medullary matter.

**Hæver's Moulding Flask**. A sectional moulding flask consisting of two parts, one of which is in jointed sections and the other a single iron ring. This flask gives an accurate sand-mould of plaster models which, owing to imperfections, etc., it would be impossible to mould in the ordinary flask, owing to what is termed "*dragging*."

**Hay Asth'ma**. Hay fever.

**Hæy'Goutis**. A mineral occurring in pale, translucent crystals; so called from its being found at Haydon.

**Head** (*caput*). The upper extremity of the body; the cranium and face. The single rounded prominence of the extremity of a bone.

**Head, Water in the**. Hydrocephalus.

**Head'ache**. Cephalalgia. Pain in the head.

**Head'ing**. Union and cicatrization of a wound. The cure of discharges.

**Health**. That state of the living body in which all its functions are properly performed.

**Healthy Pus**. Pus discharged from abscesses the result of phlegmonous inflammation or from wounds and ulcers in the healing state; laudable pus.

**Hear'ing**. The faculty by which sound is received.

**Heart** (*cor*; *myō*). A muscular organ forming the centre of the circulating system in the higher order of animals and having four distinct cavities: two *auricles*—the right receiving the blood from all parts of the body, the left from the lungs; and two *ventricles*—the right sending the blood to the lungs by the pulmonary artery and the left to every part of the body by the aorta. It is of an irregular pyramidal shape, enclosed in a membrane called *pericardium*, and situated obliquely and a little to the left side in the chest.

**Heart, Atrophy of the**. A diminution in the thickness of the walls of this organ.

**Heart, Displacement of the** (*ectopia cordis*). It is generally the result of malformation.

**Heart, Hypertrophy of the**. A morbid increase in the muscular substance of the walls of this organ.

**Heart'burn**. Cardialgia; a sensation of heat and uneasiness in the stomach and lower part of the chest, due to the presence of acetic or putrefactive fermentation of food.

**Heart-shaped**. Cordate.

**Heat**. The sensation produced in the animal body by the transmutation of caloric.

**Heat, Absolute**. The whole quantity of caloric existing in chemical union in a body.

**Heat, Animal**. Animal temperature.

**Heat, Free**. The heat which is sensible to the touch or to the thermometer.

**Heat, Latent**. Insensible heat, or heat which does not pass from one substance to another so as to affect the senses or the thermometer.

**Heat, Frickly**. See **LICKEN THORIOUS**.

**Heat, Sensible**. Free heat.

**Heat, Specific**. The amount of heat necessary

to bring a given body to a certain temperature, compared with the number of degrees required to melt ice or to boil a given weight of water.

Heat, Vital. Animal heat.

Heavy inflammable Air. Carburetted hydrogen.

Heavy Spar. Sulphate of barytes.

He'be. The hair of the pubes or the pubic region. Also puberty. Godless of puberty.

Hec'tic (*Aecticus*; *æcticus*, from *εἶς*, half). Pertaining to the habit or constitution.

Hectic Fever (*febris æctica*). A disease characterized by emaciation and fever of a peculiar type and character; frequent pulse, hot skin, particularly of the palms of the hands and soles of the feet, loss of appetite, and toward the last by colligative sweat when in bed and diarrhoea. It is generally a symptomatic disease.

Hec'tica. Hectic fever.

Hec'togramma. One hundred grammes, or three ounces, one drachm, and thirty-four grains, troy.

Hectolitre. A measure of 100 French litres, or 311.35 pints.

Hedeo'ma. A genus of plants of the order Umbellaceæ. American pennyroyal.

Hedeoma Pulegioides. Pennyroyal; tickweed; aqua-mint. It is stimulant and aromatic, and used to allay nausea.

Hed'ra. A fracture of the bone of the cranium in which the impression of the instrument inflicting the blow is visible. The ancients used it in the same general way in which we use the word "seat," and for the bottom of an abscess.

He'dyphane (from *εἶς*, sweet, and *φαίνω*, to appear). A grayish-white mineral of an adamantine lustre, composed of oxide of lead, lime, arsenic, phosphoric acid, and chlorine.

Hedys'ma. Coufluent.

Helco'ace (*ελας*, an ulcer, and *ακνῆ*, corruption). Malignant ulcer.

Helco'des. Ulcerous.

Helcoede'ma (*ελας*, and *εἶσμα*, a tumor). Oedematous ulceration.

Hel'cold (*ελας*, and *εἶδος*, a form). Resembling an ulcer.

Helco'ma. An ulcer.

Helcone'sia (*ελας*, an ulcer, and *μῆς*, a month). Metastasis of the catamenia to an ulcer; a sort of vicarious menstruation.

Helco'sis (*ελας*, an ulcer). The progress of ulceration.

Helco'stion. A little ulcer. Superficial ulceration of the cornea.

Hel'e'min. A concrete volatile oil obtained from *Isula helanium*.

Helico'ha. Pertaining to the helix of the ear.

Hel'icine Arteries. The short arteries and vessels of the penis, given off from the larger vessels and smaller twigs of the artery of the organ.

Hel'icis Major. A muscle of the ear, situated upon the upper point of the helix.

Hel'icis Minor. A muscle of the ear which contracts the fimbria of this organ.

Hel'icoid (*ελίξ*, a coil, and *ειδος*, a form). Spiral.

Helicotre'ma. The foramen by which the scale of the cochlea communicates.

Hel'iotrope (*heliotropium*; from *ελας*, the sun, and *τροπῆ*, to turn). The bloodstone; a deep green siliceous mineral, often variegated with dark brown or blood-red spots.

Heliotro'pium Europæ'um. *Vernonia*; turnsole; garden marigold; a plant which, on account of its supposed efficacy in destroying cutaneous excrescences, has been called by the French *Arbre aux verrues*. See CALKEDULA OFFICINALIS.

He'lix (from *ελίξ*, a coil). In *Anatome*, the outer circumference or ring of the outer ear.

Helleboro'ster (*Helieborus fœtidus*). American hellebore.

Hel'lebo're, Amer'ican (*scutellaria viride*). Indian poke; swamp hellebore.

Hellebore, Black (*Helieborus niger*). Christmas rose. Cathartic, emmenagogue. Dose as a purge, gr. x to ℥j.

Hellebore, White (*scutellaria alba*, white hellebore). Emetic and purgative. Dose, gr. j to gr. ij.

Helmin'thagogue (from *ελμῶς*, a worm, and *αγῶ*, I expel). Remedies used for expelling worms. Anthelmintics.

Helmin'this. See HELMINTHICÆ.

Helminthi'sia. A condition of body favoring the generation of worms.

Helmin'thoid. Worm shaped.

Helminthop'ysa (*ελμῶς*, worm, and *ωψ*, a fever). Worm-fever.

Hel'o'des. A fever accompanied by profuse perspiration; the sweating sickness.

Hel'o'pyra. Marsh fever.

Hel'o'sis (from *ελῶ*, I turn). Evulsion of the eyelids.

Hemorrh. See HÆMATIC.

Hem'stite. Hematite; a mineral of a dark red color.

Hem'stosis. See HÆMATORRHE.

Hem'stris. See HÆMATURIA.

Hemeralopia (from *hēmera*, the day, and *opsis*, the eye). A defect of vision by which a person is able to see by daylight but not at night.

Hem'eralops. One affected with hemeralopia.

Hemerod'romies (from *hēmera*, a day, and *drōmē*, a course). A fever which runs its course in a day. Same as EPHEMERUS.

Hem'is- (from *hēmis*, a half). The same as semi, and used as a prefix.

Hemicra'nia (from *hēmis*, half, and *crānion*, the skull). Pain affecting only one side or one half of the head.

Hemidiphore'sis. Perspiration of one-half of the body.

Hemih'e'drai, Hemid'ric (*hēmis*, half, and *edra*, a base). Having half faces, or facets.

Hemim'elos. Monsters with defective extremities.

Hemio'pia (from *hēmis*, half, and *optōma*, I see). A defect of sight in which a person affected with it can see only one-half of an object.

Hemio'p'sis. Hemiplopia.

Hemip'e'gee. A monstrosity in which twins are united from the navel to the vertex.

Hemip'e'gia. Hemiplegia.

Hemipath'ia. Hemiplegia.

Hemipho'nia. Great weakness of voice. The hoarse voice of those affected with cholera.

Hemip'le'gia (from *hēmis*, half, and *plegēs*, I strike). Paralysis of one-half or one side of the body.

Hemisphere (Hemiphere; from *hēmis*, half, and *sphaia*, a sphere). One half of a sphere or of a body of spheroidal shape. The upper portion of the brain is divided into hemispheres.

Hemispheres of the Brain. Hemispherical ganglia. The upper spheroidal portions of the brain, separated from each other by the falx cerebri.

Hemistria'ma. A semiteridian ague.

Hem'stick. A poisonous narcotic plant of the genus *Cassia*. See *CASSIA MACULATA*. Cons of powdered leaves, gr. iv; of seeds, gr. i.

Hem'stichage. See HÆMORRHAGE.

Hemorrhagic Diathesis. See HÆMORRHAGIC DIATHESIS.

Hemospas'tic. Any agent which attracts blood to a part; a cupping-glass.

Hemosta'sis. Stagnation or suppression of blood.

Hemp. A plant of the genus *Cannabis*.

Hemp, Indian. A variety of hemp much used in the East as a stimulating and intoxicating drug. See *CANNABIS INDICA*.

Hemp Seed Calculus. The small varieties of the mulberry calculus are so called from their resemblance to hemp seed.

Hem'hana. Poison tobacco. See HYOCYAMIS NIGER.

Hendec'agon. A figure having eleven equal angles and sides.

Hepar (*hēpar*). The liver.

Hepar Antimo'nium. A compound of a sulphuret of antimony and an alkali.

Hepar Maris'is. A compound sulphuret of potassa and oxide of iron.

Hepar Sul'phuris Sali'num. Sulphide of potassium.

Hepar Sulphuris Volat'ile. The hydro-sulphuret of ammoniac.

Hepatal'gia (from *hēpar*, the liver, and *algē*, pain). Pain in the liver.

Hepatalgia Calculo'sa. Pain caused by biliary calculi.

Hepatalgia Phlegmonoi'des. See HEPATITIS.

Hepatapost'e'ma (from *hēpar*, the liver, and *ectopoma*, an abscess). Abscess of the liver.

Hepatastro'phia. Atrophy of the liver.

Hepataux'is. Hypertrophy of the liver.

Hepatache'ma. Sounds emitted by the liver on percussion.

Hepatosphrax'is (from *hēpar*, the liver, and *sphragō*, I obstruct). Hepatic obstruction.

Hepatocephalo'ma. Encephaloid of the liver.

Hepato'rrea. Fluxus hepaticus.

Hepathelico'sis (*hēpar*, the liver, and *elcois*, ulceration). Ulceration of the liver.

Hepat'ic (*hepatikos*; from *hēpar*, the liver). Relating to the liver.

Hepatic Ar'tery (*arteria hepatica*). The artery of the liver; a branch of the coeliac.

Hepatic Duct (*ductus hepaticus*). A duct which conveys the bile from the liver toward the duodenum, and, being joined by the cystic duct, the two form the ductus communis choledochus.

**Hepatic Flux.** A form of diarrhoea in which there is a copious discharge of biliary matter.

**Hepatic Plexus** (*plexus hepaticus*). The nervous filaments of the coeliac plexus which accompany the hepatic artery.

**Hepatic Veins** (*venae hepaticae*). The veins which return the blood conveyed to the liver by the hepatic artery and vena porta to the vena cava inferior.

**Hepatica.** American liverwort. A genus of plants of the order *Banunculaceae*.

**Hepatica Triloba.** *Hepatica americana*. Liverwort.

**Hepaticusis.** Chronic hepatitis.

**Hepaticusis** (from *hepar*, the liver, and *peo*, I flow). An intestinal flux with bilious evacuations.

**Hepaticusis.** Hepatization (which see).

**Hepatitis** (from *hepar*, the liver, and *itis*, denoting inflammation). Inflammation of the liver.

**Hepatitis, Chronic.** Chronic inflammation of the liver.

**Hepaticization** (*hepatization*). The conversion of any texture into a liver-like substance. Applied to a morbid condition of the lungs.

**Hepatosac.** Gangrene of the liver.

**Hepatosic** (from *hepar*, the liver, and *sic*, a tumor). Hernia of the liver or a protrusion of this organ through the abdominal parietes.

**Hepatocolic.** Pertaining to the liver and colon.

**Hepatocystic.** Pertaining to the liver and gall-bladder.

**Hepatodynisis** (*hepar*, liver, and *dynesis*, pain). Chronic pain in the liver.

**Hepatogastric.** The smaller omentum, which passes from the liver to the stomach. Pertaining to the liver and stomach.

**Hepatography** (from *hepar*, the liver, and *grapho*, a description). An anatomical description of the liver.

**Hepatosicosis** (from *hepar*, the liver, and *sic*, blood). Sanguineous engorgement or congestion of the liver.

**Hepatolithiasis.** Formation of concretions in the liver.

**Hepatology** (from *hepar*, the liver, and *logos*, a discourse). A treatise on the liver.

**Hepatomegalia.** Softening of the liver.

**Hepatosphalocoele.** Umbilical hernia containing a portion of the liver.

**Hepatomegaloma.** *Hepatocephaloma*.

**Hepatosus.** Tumor of the liver.

**Hepatoparacoma.** Excessive enlargement of the liver.

**Hepatopithiasis.** Consumption from supuration of the liver. Exhaustion from supuration of the liver. Wasting. *Hepatophyma*.

**Hepatophyma.** Abscess of the liver.

**Hepatorrhagia.** Bleeding from the liver.

**Hepatorrhesis.** Rupture of the liver.

**Hepatotomy.** Dissection of the liver.

**Hep'tagon.** A plane figure with seven equal angles and sides.

**Hep'taphyllum** (*hepta*, seven, *phylon*, leaf). *Ternstroemia*.

**Her'ba.** Herb; a plant with a succulent stalk or stem which dies down to the ground every year.

**Herbacous.** Not woody; like an herb.

**Herbarium.** A collection of dried specimens of plants.

**Herbivorous** (*herba*, grass, and *voro*, I eat). Animals that feed on herbs.

**Herbat Method.** A method of filling teeth by introducing gold, tin, and amalgam into the cavities by means of smooth engine burnishers. The gold is prepared in the rope-form and cut into pellets of required length, or it may be in the form of squares or cylinders. The first layer of gold must be large enough to lie securely in the cavity without support. After the gold has been condensed with hand instruments, perfect adaptation is obtained by the smooth burnishers rotated by the dental engine—these burnishers being cleaned by pawing them over sand-paper before they are applied to the gold in the cavity; they should not be held upon one spot, but moved around, especially along the edges of the cavity. The hand instruments are also rotated, special forms being employed for this method.

**Herbet Obtundent.** Used as a local anesthetic. It consists of a saturated solution of hydrochlorate of cocaine in chemically pure sulphuric acid, to which is added sulphuric ether to the point of saturation. Seventy grains of hydrochlorate of cocaine are required to saturate two drachms of the sulphuric acid, several applications being necessary to produce the anesthesia. Dr. Harlan employs ten grains of hydrochlorate of cocaine in ninety minims of sulphuric acid for the painless extraction of an exposed pulp.

**Her'derite.** A crystallized mineral imbedded in fluor-spar at Ehrenfriedersdorf, Saxony,

and discovered by Herder; it has a vitreous-lustrous lustre.

**Hereditary** (*hereditarius*; from *heres*, an heir). An epithet applied to diseases propagated from parents to their offspring, as phthisis pulmonalis, syphilis, etc.

**Hereditary** (from *heres*, an heir). The law by which natural form, structure, and conditions, both of mind and body, are reproduced or repeated in offspring or descendants.

**Hermaprodite** (*hermaphrodite*; from *Herms*, Mercury, and *Aphrodite*, Venus—that is, partaking of both sexes). One who has the organs of the two sexes so developed as to resemble those of both male and female. In *Botany*, a flower which contains both stamens and pistils.

**Hermetic** (*hermeticus*; from *Herms*, Hermes, Mercury, the skilled inventor of chemistry). Pertaining to chemistry. That part of chemistry which had for its object the pretended transmutation of the metals.

**Hermetic Seal**. The closing of a glass vessel in such a way as to prevent the most volatile substances from escaping. It is generally done by fusing the orifice with a lamp and blow-pipe.

**Hermodactylus**. A bulbous root brought from the East, supposed to be the product of the *Iris tuberosa*.

**Hernia** (*hernia*, a sprout, a shoot, a branch). A tumor formed by the displacement and protrusion of the whole or a part of a viscus. Hernia is distinguished according to the region in which it occurs. It is termed *reducible* when it can be readily restored to its natural cavity; *irreducible*, when adhesion, bulk, etc., oppose its return; and *strangulated*, or *incarcerated*, when its reduction is prevented by constriction. Hernia may exist from birth or occur from accident or injury at any subsequent period of life. In the former case it is termed *congenital* and in the latter *acquired*. The term hernia is applied to various lesions which have some of the distinguishing characteristics of rupture and protrusion of an organ or viscus.

**Hernia Cerebri**. Encephalocele. Hernia of the brain.

**Hernia Congenita**. The adhesion of a portion of intestine or omentum to the testicle after its descent into the scrotum.

**Hernia External**. A hernia appearing on the external surface of the body.

**Hernia Internal**. The protrusion of the

intestine through the femoral ring beneath Poupart's ligament.

**Hernia, Humoral**. Swollen testicle.

**Hernia, Incarcerated**. A strangulated, obstructed, or irreducible hernia.

**Hernia, Incomplete**. One not completely passing through the opening.

**Hernia, Inguinal**. One passing above Poupart's ligament.

**Hernia, Irreducible**. One that can not be pressed back, but that is not strangulated.

**Hernia Lachrymalis**. Swelling from distention of the lachrymal sac.

**Hernia, Strangulated**. One where there exists such constriction as to prevent the passage of blood and feces.

**Hernia, Umbilical**. One appearing at the navel.

**Hernia, Ventral**. One through the abdominal wall in front rather than at the abdominal ring.

**Hernia Vesicalis**. Cystic hernia. Cystocele. Hernia of the urinary bladder.

**Hernial**. Pertaining to hernia.

**Herniotomy** (from *hernia*, and *tomia*, incision). The operation for hernia.

**Hernic**. An epithet applied to medicines or practice of a bold or vital character.

**Herpēs** (from *herpeō*, to creep, because it creeps and spreads about on the skin). Tetter. A cutaneous eruption appearing in patches upon an inflamed base, attended with more or less heat, itching, and sometimes considerable local uneasiness, but terminating in from eight to fifteen or twenty days in furfuraceous scales. **Herpēs Ambulativus**. Thought by some to be an erratic erysipelas.

**Herpēs Circinatus**. Ring-worm; a variety of lerpēs which appears in circular patches upon the neck, face, forehead, scalp, or back of the hands.

**Herpēs Depressus**. A curdling form of herpēs.

**Herpēs Ecthymatus**. Herpēs attended by ulceration and great destruction of skin.

**Herpēs Exsiccatus**. Herpēs which spreads rapidly.

**Herpēs Furfuraceus**. Herpēs having furfuraceous exfoliations.

**Herpēs Febrilis**. Erysipelas.

**Herpēs Iridis**. A cutaneous eruption occurring in small circular patches on the palms of the hands, fingers, and instep, each consisting of concentric rings of different colors.

**Herpēs Labialis**. A cutaneous eruption on

the edges of the lips and about the corners of the mouth.

**Herpes Miliaris.** Herpes beginning with an eruption like millet seeds.

**Herpes Paracellia.** Herpes zoster. The shingles.

**Herpes Phlyctenoides.** A vesicular eruption, usually preceded by slight fever, occurring in irregular clusters, most frequently on the cheeks, neck, arms, breast, and sometimes on other parts of the body. The vesicles, which contain a watery and sometimes a brownish fluid, break about the fourth day or begin to dry up, forming a dark or yellowish scab, which about the eighth or tenth day falls off, when the subjacent skin gradually assumes a healthy appearance.

**Herpes Præputialis.** A vesicular eruption either upon the outer or inner surface of the prepuce.

**Herpes Pustulosus.** A name applied to different forms of acne.

**Herpes Serpigo.** Herpes circinatus. Ringworm.

**Herpes Siccus.** The dry, mealy tetter.

**Herpes Zoster.** A variety of herpes which spreads around the body like a girdle or belt, commonly called shingles.

**Herpet'ic** (*herpeticus*; from *herpes*, a disease of the skin). Pertaining to herpes.

**Herpe'ton** (*herpeticon*; from *herpein*, to creep). In *Pathology*, a creeping ulcer; in *Zoology*, a genus of serpents.

**Hesper'idine.** A peculiar, crystallizable substance detected in the rind of the narispe bitter orange.

**Hes'sian Cru'cible.** A crucible made of fine clay and sand, and used for melting gold, silver, and their alloys in the manufacture of gold and silver plates and solders.

**Heteradelph'ia** (*heteros*, other, and *adelphos*, a brother). Union of the body of two fetuses—one of perfect growth, the other undeveloped.

**Heterad'nia** (*heteros*, and *adon*, a gland). A heterologous formation of glandular substance.

**Het'ero-**. A prefix, from *heteros*, different, used in medicine.

**Heterochymeu'sis.** A depraved chymification and sanguification; also a class of diseases in which this occurs.

**Heteroclit'e.** See **HYTEROLOGOUS TISSUES**.

**Heterogeneous.** Unlike in kind; different. Opposed to homogeneous.

**Heterola'lia** (*heteros*, different, and *la'lia*, speech). A defect in speech.

**Heterologous Tissues.** Morbid tissues. See **HYTEROPLASIA**.

**Heteromor'phism** (*heteromorphismus*; from *heteros*, other, and *morphé*, shape). Malformation or deviation from natural shape of parts.

**Heterop'athy** (from *heteros*, different, and *pathos*, affection). The removal of a morbid condition of body by exciting a different morbid condition. Allopathy.

**Heteropho'nia** (from *heteros*, different, and *onyx*, voice). An impaired, cracked, or broken voice.

**Heteropla'sis** (from *heteros*, different, and *plasis*, formation). Formations which do not belong to the healthy body, as cancer, etc.

**Heteroplasty** (*heteros*, to fashion). The artificial repair of deformities or deficiencies by material taken from other individuals.

**Heterosarco'ses** (from *heteros*, different, and *sarx*, flesh). Diseases which consist in the production of false tissues.

**Heterotax'ia** (from *heteros*, different, and *taxis*, order). Transposition of organs.

**Heterotop'ia** (from *heteros*, and *topos*, place). Deviation of parts from their natural place. Abnormal position, or the misplacement of a part or organ.

**Hes'vea Quilensis'ia** (*hesvea ciliata*). One of the trees which yield coumestona.

**Hex'agon.** A plane figure having six equal angles and sides.

**Hexahe'dron.** A regular solid figure bounded by six equal sides; a cube.

**Hexan'gular.** Having six angles.

**Hexapet'alous.** Having six petals.

**Hexaphyl'lous.** Having six leaves.

**Hex'ia** (*hexis*, habit). Habit of body. Constitution.

**Hg.** Symbol for mercury.

**His'tus** (from *hiare*, to gape). Literally, a gape. In *Anatomy*, an orifice, aperture, or passage. Also yawning.

**Hiatus Fallo'pii.** See **AQU'DUCT OF FALLOPIUS**.

**Hiatus of Winslow.** The foramen of Winslow.

**Hiberna'tion.** The state of some animals during winter in which the vital functions seem nearly suspended, as the bat, hedgehog, dormouse, etc.

**Hic'cough.** Singultus. Sudden and involuntary contraction of the diaphragm, and simultaneous closing of the glottis arresting

the air in the tracheæ, repeated at short intervals, with successive inspiration.

**Midre's** (from *σπρω*, sweat). A term applied in *Pædiology* by Sauvages and Vogel to eczema, or heat eruption.

**Midreth'oese** (*suder anglicus*). Sweating sickness.

**Midroph'orous**. Sudoriferous.

**Midropy'retic**. A sweating fever.

**Mid'ron** (from *σπρω*, sweat). Sweat; a term used in the composition of many words; as *Midretice*, sudorific.

**Midret'ica** (from *σπρω*, sweat). Sudorifics; medicines that cause perspiration.

**Mihmore**, Antrum of. See MAXILLARY SINUS.

**MIM's Stop'ping**. A preparation—consisting principally of bleached gutta percha, carbonate of lime, and quartz—for filling teeth. The following formula is given for its preparation: Mix pure gutta percha, while in a softened condition, with one part of quartz, one part of fildspar, and two parts of quicklime. It does not possess the requisite density for a permanent filling, especially on the surface of a tooth exposed to friction; but as the secretions of the mouth do not produce any effect upon it, it may be used in many cases with decided advantage. In extremely sensitive teeth, where impressions of heat and cold would be conducted through a metallic filling, causing inflammation of the pulp and a loss of vitality, this material will be found to answer a good purpose as a temporary filling until the condition of the tooth has become so changed that a metallic filling can be introduced with impunity. Placed in the bottom of a cavity, beneath a metallic filling, it will act the part of a non-conductor.

**MIM's Liens'lis**. The fissure on the internal and concave surface of the spleen through which the vessels enter and leave the organ.

**Mimante'sis** (*limes*). Relaxation and elongation of the uvula.

**Mip**. Haunch. The articulation of the thigh with the pelvis. In *Delany*, the ripe fruit of the *Bum. exina*.

**Mip Bone**. The ischium.

**Mip-joint Disease**. See COXALGIA.

**Mippanthre'ysis** (from *μυρ*, a horse, and *πανθρε*, a man). A diseased state of the imagination in which the individual fancies himself changed into a horse.

**Mip'pote**. Equitation.

**Mippon'sis**. Equitation.

**Mip'po-** (from *μυρ*, a horse). A prefix signifying a large size. Also *ipocnauha*.

**Mipocamp'pus** (from *μυρ*, and *αμυρ*, to bend). The sea-horse, a small marine animal.

In *Anatomy*, two convolutions of the brain.

**Hippocampus Major**. The cornu ammonis.

The internal surface of the convolution of the lateral edge of the hemisphere of the brain.

**Hippocampus Minor**. A medullary eminence situated in the posterior cornu of the lateral ventricle of the brain.

**Hippocrat'ic**. Relating to Hippocrates or to his doctrine.

**Hippocratic Face**. See *FACIES*.

**Mip'popus** (from *μυρ*, and *πυρ*, a shot).

A genus of cephalous mollusks, so called from the resemblance of their shell to the foot of a horse.

**Mip'pus** (from *μυρ*, a horse). A disease of the eyes characterized by perpetual twinkling or repeated alternate dilatation and contraction of the iris.

**Mir'quass**. The inner cantina of the eye.

**Mir'sute** (*hirsutus*). Clothed with hair; rough, shaggy.

**Mirau'ties**. Hairiness. The growth of hair in unusual situations or in greater abundance than usual.

**Miru'do**. The leech.

**Hirudo Medicina'lis**. The medicinal leech. European leech. It will draw nearly half an ounce of blood. The American leech, or *Hirudo decora*, does not make so deep an incision as the European, and draws less blood. Leeches are used to produce local blood-letting. In applying them the part must be wiped dry, and if they do not take hold, a little milk or cream may be applied. When satiated, they will drop off, and can be made to disgorge the blood by applying a little salt or vinegar to their heads.

**Hirundine'ria**. See *LETHIMACRIA NUMMULARIA*.

**Mis'pid** (from *ἀκρίδης*, bristly). In *Botany*, bristly; least with stiff hairs.

**Mistodial'yals** (*μυρ*, web or tinea, and *δυσωρ*, a dislocation). A resolution of organic texture.

**Histogen'esis** (*genesis*). The development of tissue.

**Histogenet'ic**. Producing organic texture; tissue producing.

**Histogen'in** (from *μυρ*, a web or tinea,

and γενεα, generation). **Histogeny.** The formation and development of organic tissues.

**Histoid.** Formed out of a single tissue, as a histoid tumor.

**Histology** (*histologia*; from *hístos*, a tissue, and *lógos*, a discourse). The anatomy of the tissues which enter into the formation of the different organs of the body; general anatomy. The study of the intimate structure of tissues.

**Histolysis.** The disintegration of tissues; especially as a result of retrograde metamorphosis in the living body.

**Histonomy** (*histonómia*; from *hístos*, web or tissue, and *nomos*, law). The laws which govern the development and arrangement of organic tissues.

**Hist'ory, Medical.** A description of the principal events and the persons connected therewith in the progress of the several branches of medicine.

**History, Natural.** That department of physical science which treats of the properties of natural bodies and their methodical arrangement.

**Histology** (from *hístos*, a tissue, and *lógos*, inclusion). The dissection of organic tissues.

**Hive Symp.** See SYMPHYLLID SKILLER COMPOSITUS.

**Hives.** The popular name for crop; also for chicken-pox, the variola globularis in this country, but chiefly for urticaria.

**Horniness** (*rhinorrhoea*). Premature roughness or asperity of voice, arising generally from disease in the larynx and trachea.

**Horsy.** Of a gray, bluish-green color.

**Hob-nail Liver.** Cirrhosis of the liver.

**Hoffmann's Anodyne Solution.** See SPIRITUM ÆTHERICI SULPHURICI COMPOSITUM.

**Hoglard.** *Adeps preparata*; adeps sullus; *axungia porcina*.

**Hol'ce** (*ὅλες*). A drachm.

**Holder, Cheek and Tongue.** See THOMAS' CHEEK AND TONGUE HOLDER; also HAWES' DUCT COMPRESSOR.

**Hol'lands.** Oil.

**Hollingsworth System of Crown- and Bridge-work.** See BRIDGE-WORK, SYSTEM OF.

**Holoth'ral** (from *olós*, whole, and *edra*, face). In Mineralogy, a crystal with all the similar edges replaced.

**Holoth'ricus** (from *olós*, whole, and *rhoea*, to stretch). In Pathology, that form of tetanus in which the muscles of the body generally are affected.

**Hol'ma.** An anasarca swelling.

**Homo.** Man. A mammiferous animal of the order Primates, or two-handed, of which he is the only genus. Also a prefix denoting equality, etc.

**Homonopathy.** A homoeopathic.

**Homonopathy** (*homoeopathia*; from *homos*, similar, and *patos*, affection). A doctrine which maintains that all diseases of the body are to be cured by inducing other diseased actions of the same kind, and that is to be effected by exceedingly minute doses of medicine.

**Homogang'lite** (from *homos*, like, and *γάνγιον*, a ganglion). A term applied in Comparative Anatomy to animals with the ganglionic nervous system and symmetrical arrangement of the ganglia.

**Homogeneous.** Having the same structure throughout. Having elements of like nature and properties.

**Homologous** (from *homos*, to assimilate). The elaboration of the chyle, by which it is assimilated to the blood.

**Homologous** (*homos*, equal, same, and *lógos*, a relation). Things of the same essential nature in different animal bodies, however different in form or name.

**Homology** (from *homos*, the same, and *lógos*, a discourse). The doctrine of similar parts.

**Homomorphous.** Having the same form.

**Homonymous.** In Anatomy, a correlation of parts.

**Homophagus** (from *homos*, raw, and *phagō*, to eat). One who eats raw flesh.

**Homoplas'ly** (from *homos*, same, and *plasis*, to form). The formation of homologous tissues.

**Homoplas'ta.** Scapula.

**Homot'omes** (*homotomes*). Having the same tone.

**Homotype** (*homos*, equal, and *typos*, form). Applied by Owen to a repeated part in the segments of the same skeleton.

**Honey** (*mel*; *μέλι*). A mucous-mechanic substance of a yellowish color and aromatic smell, elaborated by the *Apis mellifica*, or honey-bee, from the nectaries of flowers and deposited in the cells of the comb.

**Honey of Squill.** See SYMPHYLLID SKILLER COMPOSITUS.

**Honey-suckle.** A plant of the genus *Lonicera*.

**Hood'ed.** Oscillate or cowl'd. See OSCILLATE.



**Hook.** A curved steel instrument used by anatomists, surgeons, and dentists. The tenaculum is a variety of hook used by the two former, and the hook belonging to the key of Gargoyot, and the one with the forked or crescent-shaped extremity, with a straight shaft attached to a handle, used for the extraction of the roots of molar teeth, are the kinds employed by the latter.

**Hook, Blunt.** In *Obstetrics*, a hook with a long, straight handle, for bringing down the limbs of the fetus during delivery.

**Hooked.** Curved suddenly at the point.

**Hooking-cough.** Pertussis.

**Hops.** The strobiles of *Humulus lupulus*.

**Hor'del Sem'ina.** *Hordeum perlatum*: pearl barley.

**Hor'deln.** A peculiar substance found in barley, allied to starch, but a distinct substance.

**Hordeolum.** A diminutive of *hordeum*, barley. A sty, or small tumor of the eyelids, which is somewhat of the nature of a little boil.

**Hor'doun.** Barley. Also a genus of plants of the order Gramineæ.

**Hordeum Perla'tum.** Pearl barley.

**Hordeum Vulg'are.** The common barley.

**Horhound'.** A plant of the genus *Marrubium*.

**Horhound, Black.** Stinking horhound. *Ballota nigra*. *Ballota arvensis*.

**Horhound Tea.** Infuse an ounce of white horhound, *Marrubium vulgare*, in a pint of boiling water.

**Horhound, Wild.** A plant of the genus *Eupatorium*.

**Horizon'tal.** Parallel to the horizon: as a level.

**Horn (corua).** An animal substance consisting chiefly of a modification of protein. The gelatin of horny tissues comes from their fibrous basis.

**Horn Lead.** Chloride of lead.

**Horn Pock.** A form of variola in which the pustules, imperfectly suppurating, are ichorous or horny and semi-transparent.

**Horn Quicksilver.** Native protochloride of mercury.

**Horn Silver.** Native chloride of silver; a compound of silver and chlorine. Its formula is  $AgCl$ . It is quite soft and of a pearl gray or greenish color.

**Horn-blende.** A common mineral, occurring massive or in prismatic crystals of vari-

ous colors, from white through green shades to black. It is a silicate of lime, magnesia, or iron. It is sometimes used in the manufacture of porcelain teeth for shading the body or enamel.

**Hor'rida Cutis (cutis asærina).** Goose-skin.

**Hor'ridus.** Horror; a quaking, shivering with cold. Applied to a fever, etc.

**Horripil'tion (horripil'tis; from horreo, to bristle up, and pilus, a hair).** A shuddering, chilling, or creeping sensation preceding fever, with bristling of the hairs over the body.

**Horserad'ish.** *Armoracia*. A plant of the genus *Cochlearia*, having a root of a pungent taste. It is stimulant, diuretic, and diaphoretic. Dose, ℞j to ℞j.

**Horns-tail.** See *HIPPURUS VULGARIS*.

**Hos'tia.** Vulva; the female genitalia.

**Hos'pital (from hospes, a guest).** An establishment for the reception and medical treatment of the sick.

**Hospital Fever (febris nosocomialis).** A fever peculiar to the inmates of a hospital, from their condition and circumstances.

**Hospital Gangrene.** A peculiar form of gangrene occurring in hospitals in which the air has become vitiated by the accumulation of patients or want of proper ventilation.

**Hot-air Syringe, Warm-air Syringe.**

See *SYRINGE*.

**Hour-glass Contraction.** An irregular contraction of the transverse fibres of the uterus, causing it to assume the shape of an hour-glass. When it occurs previous to the removal of the placenta, this is often retained for some time in the upper portion of the uterus.

**Howe Crown.** An artificial crown secured to the root of a natural tooth by a threaded screw just or dowel, united by an amalgam filling forming the lingual surface and dovetailed into the crown and root. Also an all-porcelain dovetail crown for bicuspids and molar roots, united by means of two screw-posts, the ends of which are pinched toward each other by jaspers so as to pass through the opening in the crown. Two styles in use are the four-pin crowns and the porcelain dovetail crowns.

**Howland Crown.** An artificial, all-porcelain crown, similar to the Mack crown, and attached to the natural root with screws that are first inserted in the root.

**H. S. Hows** usual, at bedtime.

**Human Teeth, Customs Concerning.** Apart from the importance attached to the

teeth, some very curious and singular customs connected with these organs have obtained among many of the nations of the earth. The Brahmins of Hindoostan rub their teeth for more than an hour with a twig from the racemiferous fig-tree immediately after rising every morning, addressing their prayers at the same time to the sun, invoking blessings upon themselves and families. They also separate their teeth as soon as the second set is formed.

The inhabitants of Tenquin and Siam dye their teeth black, as do also the females of the Marian Islands and the married ladies of Java. Many of the women of Sumatra have their teeth filed off to the gums; others have them filed to points or the enamel filed off in order to dye them black, which is regarded as very ornamental. The great men of these islands color their upper teeth black and incise their lower ones with gold, creating a contrast which is regarded as particularly beautiful by candle-light. The inhabitants of some of the other East Indian islands glid their two front teeth and dye the others black.

The natives of Malacca cut horizontal grooves across their upper incisors, and the Abyssinian negroes file their teeth to points, giving them a notched or serrated appearance. The inhabitants of Prince William's Sound, says Mr. Murphy, make an incision in the upper lip parallel with the mouth, and when the sides of the wound have healed they insert a shell, carved in such a manner as to resemble teeth. The natives of the Sandwich Islands, in order to propitiate their god Eatooa, offer up to him their front teeth. The late Dr. Livingstone, in his travels in Central Africa, also noticed the mutilation, etc., of the teeth by the natives, and mentions some interesting facts concerning the customs of the different tribes in this respect.

**Hum'boldtine.** A native oxalate of the protoxide of iron.

**Hum'boldtite.** Oxalate of lime calculeus.

**Humectant** (*humectans*). A term applied in *Therapeutics* to remedies which are supposed to increase the fluidity of the blood and to remove the acrid condition of an organ. In *Berger's*, the substance for retarding moisture in a water-dressing. The best humectant is spunk, Amadou, prepared without saltpetre or gunpowder. See WATER DRESSING.

**Humectation** (from *humectare*, to moisten). An operation by which parts are kept moist. Act of moistening.

**Hu'meral** (*humeralis*). Pertaining to the humerus or arm.

**Humeral Artery.** The brachial artery.

**Hu'merus** (from *upper*, the shoulder). The upper part of the arm and shoulder. Also the bone of the arm, or humeri, which is of a cylindrical shape and situated between the scapula and forearm.

**Hume's Test.** A test for arsenious acid, consisting of the ammonia nitrate of silver. If solutions of these substances be mixed, a yellow arsenite of silver is precipitated and nitrate of ammonia remains in the solution.

**Hu'mic Acid.** An acid formed from humus by alkalies.

**Hu'milla.** The rectus inferior oculi.

**Hu'min.** A dark substance, insoluble in alkalies, obtained from the soil.

**Hu'mite.** A red Vesuvian mineral occurring in complex crystals; named in honor of Sir David Hume, in whose collection it was found.

**Hu'mor** (from *humor*, to be moist). Any fluid of the body.

**Humor, Aqueous.** A thin, transparent fluid which fills the two chambers of the eye.

**Humor, Vitreous.** A gelatinous, transparent mass of the eye in cells behind the crystalline lens.

**Hu'moral Pathology.** An old theory which attributed all diseases to disordered states of the fluids.

**Hu'moric.** A sound produced by percuision of the stomach when distended by fluid or air.

**Hu'morists.** In *Medicine*, those who attribute all diseases to a disordered condition of the fluids of the body.

**Hu'mour.** See HUMOR.

**Hump-back.** Prominence of the back, occasioned by curvature of the spine.

**Hu'mula.** The narcotic principle of the *Humulus lupulus*.

**Hu'mulus Lupulus.** The hop plant.

**Hu'mus.** Vegetable mould; decayed woody fibre.

**Hunch.** Hump.

**Hunter's Silicious Cement.** A fusible silicious cement—introduced to the notice of the dental profession by Dr. W. M. Hunter—for uniting single porcelain teeth to a gold or platinum base and to one another. It consists of a base and gum enamel. The former is composed of flux,\* 1 oz.; pure, finely-ground as-

\*The flux is composed of silica, 8 oz.; calcined borax, 4 oz.; caustic potash, 1 oz. The caustic pot-

bodies, 2 oz.; to these, after being ground together until very fine, is added granulated body, 1½ oz.\* The whole is then mixed with a spatula to prevent breaking the granules.

Three formulae are given by Dr. Hunter for gum enamel, prepared as follows: No. 1, flux, 1 oz.; fused spar of the clearest quality, 1 oz.; English rose, 40 grs. Grind the rose in a Wedgwood mortar very fine, add the flux gradually, and then the spar; continue to grind until the ingredients are thoroughly incorporated. Cut down a Hessian crucible until it can be put in the muffle of a furnace; line with a mixture of equal parts of silver and kaoline; put in the materials, and raise the heat on it until vitrification, not fusion, takes place; then withdraw the muffle. A red cake of enamel, easily removed from the crucible, will be the result. This, after removing any adhering portions of the siliceous and kaolin, is broken and ground tolerably fine. If, on testing, the color is found to be too deep, it may be reduced by the addition of a little covering.† The gum enamel from this formula flows at the lowest heat. For gum enamel No. 2, take flux, 1 oz.; fused spar, 2 oz.; English rose, 80 grs. For No. 3, take flux, 1 oz.; fused spar, 3 oz.; English rose, 80 grs. Treat as above. See CONTINUOUS GUM. For manner of using this cement see Harris' "Prin. and Pract. of Dentistry."

**Husk.** Glasse; onlyx.

**Hutchinson's Teeth.** Notched and stunted

ash is ground very fine in a Wedgwood mortar, and the two former gradually added until they are thoroughly incorporated. The mass is then placed in a Hessian crucible, as white as can be obtained, previously lined with kaolin, and with which a cover of fine clay ash should be luted on. The crucible is now exposed to a clear, strong fire in a furnace until the mixture is fused into a transparent glass, which should be free from stain or discoloration. This, when cold, is broken down and ground until it will pass through a bolting cloth sieve, when it is ready for use.

\* For granulated body, break and grind fine china or Wedgwood ware until it will pass through a wire sieve No. 10; then sift the fine particles with a No. 10 bolting sieve. This will leave the grains about the size of the finest gunpowder. Any hard porcelain, with body, will answer as well.

† This is made by mixing two parts white quartz sand with one part plaster of Paris, with sufficient water to make the mass plastic, and must be used before the plaster sets.

permanent teeth found in children suffering from hereditary syphilis; so called from Jonathan Hutchinson's description of the effects of syphilis on the dental structures.

**Hyacinth.** A mineral of various colors occurring in crystals; found in Zircen.

**Hyacinthine.** A transparent and doubly refractive brown or greenish mineral occurring in eight-sided prisms.

**Hyaline.** Hyaline.

**Hyaline** (from *νῆα*, glass). The pellucid or albuminoid substance which, combined with chitin, is said to form the amyloid substance, resembling glass.

**Hyall'ha.** Inflammation of the hyaloid membrane of the eye.

**Hy'alo.** Vitreous, in composition.

**Hyalodac'ryala.** Escape of part of the vitreous body or humor.

**Hy'aloid** (*hyaloides*; from *νῆα*, glass, and *οἶδος*, likeness). Resembling glass. Transparent; pertaining to the vitreous humor.

**Hyaloid Canal.** See HYALOID MEMBRANE.

**Hyaloid Ponas.** The depression in the vitreous humor in which the crystalline lens or humor is partially imbedded.

**Hyaloid Membrane.** The membrane which forms the covering of the vitreous humor and transmits within it prolongations which divide it into cells. On a level with the entrance of the optic nerve into the eye the hyaloid membrane forms, by reflection, a cylindrical canal, which pierces the vitreous humor as far as the posterior part of the crystalline lens.

**Hy'aloplasm.** The outer hyaline layer of a cell; the structurally portion of a cell-fatty; the fluid portion of the protoplasm of cells.

**Hyber'nacle.** See HIBERNACLE.

**Hybernation.** See HIBERNATION.

**Hybo'ma.** Glibosity of the spine.

**Hy'brid** (*hybrida*; from *νῆα*, an injury, because its nature is tainted). In *Physiology*, the offspring of two different animals, as the mule, or of plants of different species. In *Philology*, words compounded of different languages.

**Hydar'thrus** (*hydarthrosis*; from *νῆα*, water, and *αρθρῶν*, a joint; properly, hydrarthrus). Hydrops articuli. Dropsy of a joint. White swelling.

**Hy'datid** (*hydatid*; from *νῆα*, water). An encysted tumor containing a transparent, watery fluid, found in various parts of the body; also transparent vesicles, soft, and developed within organs. (1) *Hydatid acrophalocystis*,

the headless hydatid, or bladder-worm; (3) *Hydatia osseus*, containing several animals grouped together and terminating in one tail; (5) *Hydatia capsicercus*, the bladder-tailed hydatid; (4) *Hydatia ditrochocerca*, furnished with a rough, bifurcated horn; (5) *Hydatia echinocerca*, the round, rough hydatid; (6) *Hydatia polycephala*, the many-headed hydatid; (7) a white encysted body, named by Raspail the *evulger* of the joint of the wrist, is also added to the foregoing, though considered by the discoverer as belonging to a genus intermediate between the *capsicercus* and the *osseus*.

**Hydatidocystis** (*hydatide*; from *hydris*, a hydatid, and *cystis*, a tumor). A tumor formed of or containing hydatids.

**Hydatoid** (*hydatoides*; from *hydris*, water, and *eidos*, resemblance). Watery; resembling water.

**Hy'drusus**. Anasarca. Dropsy.

**Hydr-, Hydro-** (from *hydris*, water). A prefix denoting the presence of water or hydrogen.

**Hydracetine**. The active principle of pyrodine. An antipyretic and analgesic, and with properties similar to pyrodine (which see).

**Hydrac'ids**. In Chemistry, acids containing hydrogen in combination with a radicle. Even the oxacids have been classified under this head by assuming that their base is a compound radicle united with hydrogen.

**Hydragogues** (*hydragogoi*; from *hydris*, water, and *ago*, I expel). Medicines which increase the secretions or excretions so as to cause the removal of effused serum or water from any part of the body.

**Hydran'osis**. A morbid accumulation of the liquor amnii.

**Hydrargo-chlo'rids**. Haloid salts in which the part of the halogen is taken by corrosive sublimate.

**Hydrar'gyrate**. Of or belonging to mercury. Any preparation of mercury.

**Hydrar'gyri Acetas**. Acetate of mercury.

**Hydrar'gyri Ammono-chlo'ridum**. (Ph. L.) Ammonio-chloride of mercury.

**Hydrar'gyri Bichlo'ridi Liq'uor**. (Ph. L.) A solution of corrosive sublimate.

**Hydrar'gyri Bichloridum**. Bichloride of mercury.

**Hydrar'gyri Bicyanidum**. Bicyanide of mercury.

**Hydrar'gyri Biniodidum**. Biniodide of mercury.

**Hydrar'gyri Binoxidum**. (Ph. L.) Oxide of mercury.

**Hydrar'gyri Bisulphure'tum**. Bisulphuret of mercury. Cinnabar.

**Hydrar'gyri Borus'sias**. Hydrar'gyri cyanacetum. Bicyanide of mercury.

**Hydrar'gyri Bromidum**. Bromide of mercury.

**Hydrar'gyri Calx Al'ba**. See HYDRARGYRUM AMMONIATUM.

**Hydrar'gyri Chloridum Corro'sivum**. (U. S.) Corrosive chloride of mercury. Bichloride of mercury. Corrosive sublimate. Stimulant, antisyphilitic, alterative, and antiseptic. Dose, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ , made into a pill. Also used externally for venereal and skin diseases. Antidote, white of egg. See Gorgas' "Dental Medicine."

**Hydrar'gyri Chloridum Mi'te**. (Ph. L.) Chloride of mercury. Protochloride or subchloride of mercury. Calomel. Formula:  $Hg_2Cl_2$ . Antisyphilitic, alterative, and purgative. Dose, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ , night and morning in a pill; as a purge, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ .

**Hydrar'gyri Cyanure'tum**. (U. S.) Bicyanide, cyanuret, or prussiate of mercury.

**Hydrar'gyri Deuto-iodidum**. Iodide of mercury.

**Hydrar'gyri Hyperos'idum**. See HYDRARGYRI OXIDUM RUBRUM.

**Hydrar'gyri Iodidum**. (Ph. U. S. and L.) Subiodide of mercury. Protoiodide of mercury. Excitant and alterative. Dose, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ , in pill or dissolved in alcohol.

**Hydrar'gyri Iodidum Ru'brum**. (U. S.) Red iodide of mercury.

**Hydrar'gyri Mu'rias Corro'sivus**. Corrosive sublimate.

**Hydrar'gyri Murias Dul'cis**. Calomel.

**Hydrar'gyri Ni'tras**. Nitrate of mercury. A powerful embarotic.

**Hydrar'gyri Ni'tricos-os'idum**. Nitric oxide of mercury.

**Hydrar'gyri Oxidum Nigrum**. (U. S.) Black oxide of mercury. Dose, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ .

**Hydrar'gyri Oxidum Rubrum**. (U. S.) Red precipitate of mercury. Nitric oxide of mercury.

**Hydrar'gyri Oxidum Sulphuricum**. See HYDRARGYRI SULPHAS FLAVUS.

**Hydrar'gyri Oxymu'rias**. Corrosive sublimate.

**Hydrar'gyri Prussias**. See HYDRARGYRI CYANURETUM.

**Hydrar'gyri Submu'rias**. Calomel.

**Hydrargyri Submurias Ammoniatum.** See HYDRARGYRUM AMMONIATUM.

**Hydrargyri Sulphas Flavus.** (U. S.) Yellow sulphate of mercury. Subsulphate of mercury. Sulphate of mercury. Turpeth mineral.

**Hydrargyri Sulphuretum Nigrum.** (U. S.) Black sulphuret of mercury. Æthiop's mineral. Dose, gr. v to ʒss.

**Hydrargyri Sulphuretum Rubrum.** (U. S.) Red sulphuret of mercury. Bisulphuret of mercury. Cinnabar.

**Hydrargyri Supermurias.** See HYDRARGYRI CHLORIDUM CORRECTUM.

**Hydrargyri Unguentum.** See UNGUENTUM HYDRARGYRI.

**Hydrargyria** (*scarus mercurialis*). Mercurial eczema, or eczema resulting from the use of mercury.

**Hydrargyria.** Poisoning by mercury.  
**Hydrargyro-iodides.** Compounds of iodide or cyanide of mercury with corresponding salts of potassium, sodium, etc.

**Hydrargyro-stomatitis.** Mercurial sore mouth.

**Hydrargyrum** (from *hydr*, water, and *argyros*, silver). Quicksilver. Mercury. A liquid metal of a brilliant, bluish-white color.

**Hydrargyrum Acetatum.** See HYDRARGYRI ACETAS.

**Hydrargyrum Ammoniatum.** Ammoniated mercury.

**Hydrargyrum Boracicum.** See HYDRARGYRI CYANURETUM.

**Hydrargyrum Calcicum.** See HYDRARGYRI BINOXIDUM.

**Hydrargyrum cum Creta.** (Ph. E. S., L., E., and D.) Mercury with chalk. Dose, gr. ij to gr. x.

**Hydrargyrum cum Magnesia.** (Ph. D.) Mercury with carbonate of magnesia.

**Hydrargyrum Hydrocyanicum.** See HYDRARGYRI CYANURETUM.

**Hydrargyrum Mercuricum.** Chloride of mercury. Protochloride of mercury. Calomel.

**Hydrargyrum Phosphoretum.** Phosphuretted mercury.

**Hydrargyrum Precipitatum.** See HYDRARGYRUM AMMONIATUM.

**Hydrargyrum Precipitatum Cinereum.** See HYDRARGYRUM OXIDUM NIGRUM.

**Hydrargyrum Purificatum.** Purified mercury.

**Hydrargyrum Saccharatum.** Mercury triturated with lump sugar.

**Hydrargyrum Viriolum.** See HYDRARGYRI SULPHAS FLAVUS.

**Hydrargyrum.** Mercury.  
**Hydrarthrosis.** The morbid diathesis indicated by the occurrence of hydrarthrosis.

**Hydrarthrosis.** The disease "white swelling"; sometimes called apine ventosa.

**Hydrastina.** The bitter principle of *Hydrastis canadensis*.

**Hydrastis Canadensis.** Golden seal. Yellow root. Tamaric root. A perennial herb, having an acrid, bitter taste, and employed by the Indians as an application to old ulcers. The root, in the form of an infusion, is used as a tonic and mouth-wash, and as an outward application in wounds and for local inflammation. It is also used as a local anæsthetic in the form of the tincture, fʒj; aqua, fʒj. Also in pyælium and all indolent and offensive ulcers of the mouth and throat.

**Hydrate** (from *hydr*, water). A compound containing water in a fixed and definite proportion; a substance which has formed so intimate a union with water as to solidify it; substances chemically combined with water. A hydrate is practically a molecule of water with its base atom of hydrogen replaced by another electropositive atom.

**Hydrate of Chloral.** An anæsthetic and hypnotic. It is obtained by the action of chlorine on alcohol. Mixed with water, it becomes the hydrate of chloral. The alcohol ( $C_2H_5O$ ), by the loss of the two eqs. of hydrogen, becomes aldehyd ( $C_2H_4O$ ), of which the radicle acetyl ( $C_2H_3O$ ) gives up its three eqs. of hydrogen and takes three eqs. of chlorine, forming a new radicle ( $C_2Cl_3$ ); and this, combining with one eq. of the oxygen, and the remaining eq. each of hydrogen and oxygen, form chloral ( $C_2HCl_3O$ ), or a variety of aldehyd, in which the three eqs. of hydrogen of the radicle are replaced by three eqs. of chlorine. Anhydrous chloral is an oily, pungent fluid, the vapor of which is very irritating to the eyes. It combines with water to form a crystalline hydrate, which is very soluble in water. Dr. Ledbreich is of the opinion that when taken into the circulation it meets with soda and undergoes decomposition, one of the results of which is the formation of chloroform. Taken internally, the average dose for an adult is gr. xxx, which is equal in its effects to gr. j of opium. It is also employed hypodermically, and locally for

odontalgia. As a local anesthetic it has been superseded by cocaine. Chloral is also employed for the treatment of putrescent pulps of teeth and as a stimulant and antiseptic injection in chronic alveolar abscess. See CHLORAL HYDRATE.

**Hydrate of Potassa.** Caustic potash.

**Hydrated.** Chemically combined with water.

**Hydraulics** (from *hyau*, water, and *euoia*, a pipe). The science of the motions of liquids, the laws which regulate them, and the effects which they produce.

**Hydroencephalocoele** (from *hyau*, and *euoia*, the brain, and *euoia*, a tumor). A watery tumor of the brain.

**Hydroencephaloid** (from *hyau*, water, *euoia*, the brain, and *euoia*, resemblance). Resembling hydrocephalus. Spurious hydrocephalus, resulting from diseases of the bowels and the irritation of teething.

**Hydroencephalus.** Acute hydrocephalus.

**Hydrenterocele** (from *hyau*, water, *euoia*, intestine, and *euoia*, a tumor). Intestinal hernia with an enclosure of water in the sac.

**Hydrenteromphalocoele.** Umbilical hernia in which the tumor contains intestine and water.

**Hydride.** A compound of hydrogen with another simple body, especially metal; a compound formed by the direct union of an element or a radicle with hydrogen.

**Hydriodate.** The old name for iodide.

**Hydriodate of Morphine.** Prepared by dissolving morphine in hydriodic acid and by the action of acetate of morphine on iodide of potassium, and in the form of long needles of a silky lustre. Formula,  $C_{17}H_{19}NO_4I + 2H_2O$ .

**Hydriodic Acid.** A colorless, gaseous acid, III, consisting of one atom of iodine and one of hydrogen; a monobasic acid; a colorless gas of irritating odor.

**Hydroa** (from *hyau*, water). A pustule containing a serum or watery fluid.

**Hydroemia** (from *hyau*, water, and *euoia*, blood). Hydræmia. A state of the blood in which there is an excess of its watery constituents.

**Hydrov'rium** (from *hyau*, water, and *euoia*, ovary). Dropsy of the ovary.

**Hydroxocar'byls.** A class of Löwig's system comprising those organic radicles which contain carbon, hydrogen, and nitrogen.

**Hydrobleph'aron** (from *hyau*, water, and

*bleph'aron*, eyelid). Watery swelling of the eyelids.

**Hydrobro'mate.** A combination of hydrobromic acid with a base.

**Hydrobrom'ic.** A combination of hydrogen and bromine. Applied to an acid or to a colorless gas of irritating odor.

**Hydrobromic Acid, Diluted.** Composed of ten per cent. of absolute hydrobromic acid and ninety per cent. of water. Dose,  $m, xx$  to  $g, j$ .

**Hydrocar'bons.** Organic compounds consisting solely of hydrogen and carbon. The meaning of this term is often extended so as to embrace the combinations of these elements (carbon and hydrogen) with oxygen.

**Hydrocar'buret.** A combination of hydrogen and carbon with another body.

**Hydrocar'dia.** Dropsy of the pericardium.

**Hydroce'le** (from *hyau*, water, and *euoia*, a tumor). A collection of serous fluid either in the membrane of the scrotum or in the coats of the testis and its vessels.

**Hydrocele Cyst'ica.** Encysted hydrocele of the spermatic cord.

**Hydrocele of the Neck.** A tumor filled with a watery fluid, occupying some portion of the neck.

**Hydrocele Peritonæ'i.** Dropsy of the abdomen.

**Hydrocele Spina'lis.** Hydromelia.

**Hydroceme'ia.** Evacuation of morbid serum solutions of water.

**Hydroceph'alus** (from *hyau*, water, and *euoia*, the head). Dropsy of the brain. Dropsy of the head. It is divided into *acuta* and *chronic*; *external* and *internal*. When acute, it is attended by symptoms of inflammation of the brain. Chronic hydrocephalus generally commences at an early period of life, causes a distention of the brain and bones of the cranium, and generally proves fatal. When external, it consists in a mere infiltration of the subcutaneous cellular tissue. The internal variety is said to be seated in the meninges and surface of the encephalon, and is termed *tubercular meningitis*.

**Hydrocephalus, Spu'rious.** Hydroencephalus disease.

**Hydrochlor'ates.** The old name for chlorides.

**Hydrochlor'ic Acid.** Muriatic acid. An acid composed of one atom of chlorine and one of hydrogen. The diluted form of hydrochloric acid is prepared by adding distilled water to

the strong acid. It is stimulant, tonic, alterative, and laxative. Dose, gr. x to gr. xx. In *Dental Practice* its uses are the same as sulphuric acid (which see). In the use of the undiluted hydrochloric acid for malignant ulcerations of mouth and throat,—as cancerum oris, gangrenous stomatitis, etc.,—the careful application of this acid is necessary, owing to its corrosive action.

**Hydrochloric Ether.** See ETHER, HYDROCHLORIC.

**Hydrochloric/rine.** A compound of hydrogen and chlorine.

**Hydroch/yases.** A class of diseases in Fuchs' classification characterized by sudden effusion of water, as serous apoplexy.

**Hydrocirsosce/ia.** A tumor caused by varicose veins and edema of the scrotum.

**Hydrocirs/ilia.** Ascites.

**Hydrocyan'ic Acid** (*acidum hydrocyanicum*). Prussic acid; one of the most rapid and deadly poisons. It exists in a variety of native combinations in the vegetable kingdom, as in the bitter almond, cherry-laurel, leaves of the peach tree, kernels of fruit, pits of apples, etc. Great caution is necessary in its use. One drop may instantly destroy life. Dose of the medicinal prussic acid is a quarter of a drop, which may in some cases be increased to one or even two drops.

**Hydrocyanic Acid, Diluted.** Composed of two per cent. of anhydrous acid and ninety-eight per cent. of alcohol and water. Dose,  $\text{m}\bar{\text{ij}}$  to  $\text{℥}\bar{\text{v}}$ .

**Hydrocys'tis** (from  $\nu\acute{\alpha}\rho$ , water, and  $\kappa\acute{\alpha}\tau\epsilon\tau\iota$ , a bladder). A cyst filled with a serous fluid.

**Hydroder'ma** (from  $\nu\acute{\alpha}\rho$ , water, and  $\delta\epsilon\mu\alpha$ , the skin). Dropsy of the skin. Anasarca.

**Hydrodynam'ics** (from  $\nu\acute{\alpha}\rho$ , and  $\delta\upsilon\acute{\nu}\alpha\mu\iota\varsigma$ , power, force). That branch of *Physical Science* which treats of the properties and relations of water and other fluids, whether in motion or at rest.

**Hydro-entero-spi/loce/ia.** An entero-spi/locele complicated with effusion of serous fluid in the hernial sac.

**Hydro-spi/locele.** Omental hernia, with effusion of serous fluid in the hernial sac.

**Hydro-spi/loceph'alum.** Umbilical hernia, with effusion of serous fluid in the sac.

**Hydrother'oric Acid.** A caustic, gaseous acid, obtained by the action of sulphuric acid on fluoride of calcium.

**Hydrofluosul'f'ic Acid.** Formula,  $\text{HF}_2\text{SO}_3$ ,  $+\text{H}_2\text{O}$ . Acid formed of hydrogen, fluo-

rine, and silicon. It is soluble in water and is used in analytical chemistry, chiefly to determine the presence of baryta.

**Hy'drogen** (*hydrogenium*; from  $\nu\acute{\alpha}\rho$ , water, and  $\gamma\epsilon\gamma\epsilon\omega$ , produce). So called because it forms water in combination with oxygen. Inflammable air; an elementary body, known only in a gaseous state, without odor or color. It is slightly basic, and occurs in nature combined with oxygen in the form of water,  $\text{H}_2\text{O}$ .

**Hydrogen, Carburet'ed.** Inflammable air; fire damp; marsh gas.

**Hydrogen Dioxide.** Peroxide of hydrogen. Formula,  $\text{H}_2\text{O}_2$ . It is obtained by oxidizing water by means of freshly liberated or nascent oxygen. It is employed in *Dental Practice* in the treatment of alveolar pyorrhea and local inflammations of the mouth. See PEROXIDE OF HYDROGEN. For dental uses see GORPUS' "Dental Medicine."

**Hydrogen, Oxide of.** Protoxide of hydrogen. Water.

**Hydrogen, Phosphuret'ed.** A compound of hydrogen and phosphorus; a transparent, colorless gas of an offensive odor and bitter taste.

**Hydrogen, Sulphuret'ed.** Hydrosulphuric acid.

**Hydrogl'osse.** Hæmilia.

**Hydrog'ret.** Hydride.

**Hydrohæ'mia** ( $\nu\acute{\delta}\rho\alpha$ , water, and  $\alpha\iota\mu\alpha$ , blood). A watery or impoverished state of the blood.

**Hydrohymen'tis.** Inflammation of a serous membrane.

**Hydrois'tis.** Distilled water.

**Hy'drolite** (from  $\nu\acute{\alpha}\rho$ , and  $\lambda\iota\theta\epsilon\varsigma$ , a stone). A mineral the crystals of which are six sided prisms, terminated by low, six-sided pyramids with truncated summits; also decoction, mucilage, potion.

**Hydrolog'y** (*hydrologia*; from  $\nu\acute{\alpha}\rho$ , water, and  $\lambda\omicron\gamma\omicron\varsigma$ , a discourse). A treatise on the properties and nature of water.

**Hydro'ma.** A sac or cyst filled with water or serous fluid.

**Hydromen'cy** (from  $\nu\acute{\alpha}\rho$ , and  $\mu\epsilon\tau\epsilon\iota\sigma\iota\varsigma$ , prophecy). Divination by water—a method of predicting events practiced by the ancient Persians and Romans.

**Hy'dromel** (*hydromeli*; from  $\nu\acute{\alpha}\rho$ , water, and  $\mu\epsilon\lambda\iota$ , honey). Water sweetened with honey.

**Hy'drom'eter** (*hydrometrum*; from  $\nu\acute{\alpha}\rho$ ,

water, and *pyrexia*, a measure). An instrument to determine the specific gravity of fluids.

**Hydrometra** (from *h<sub>2</sub>O*, water, and *metra*, the womb). Dropsy of the uterus.

**Hydromphalus** (from *h<sub>2</sub>O*, water, and *omphalos*, the navel). A tumor at the navel containing a serous fluid.

**Hydromyrinx** (from *h<sub>2</sub>O*, water, and *myringa* or *myrinx*, the membranous tympani). Dropsy of the tympanum.

**Hydrosaphthol**. It is regarded as a form of  $\beta$ -naphthol, and occurs in light, fawn-colored, crystalline flakes, having a feeble taste and odor. It is antiseptic, stimulant, and counter-irritant, resembling capsaicum in some respects. It is employed in *Dental Practice* to disinfect pulp canals, and in the early stages of periodontitis before pus has formed. For dental uses see Gorge's "Dental Medicine."

**Hydronephrosis** (from *h<sub>2</sub>O*, water, and *nephros*, kidney). An accumulation of urine in the kidney, caused by obstruction of the uriniferous tubes.

**Hydrosomus** (from *h<sub>2</sub>O*, sweat, and *somus*, a disease). Sudor anglicanus. Sweating sickness.

**Hydropsy** (*hydropnisis*; from *h<sub>2</sub>O*, water, and *psis*, disease). The treatment of disease by the external and internal use of water.

**Hydropericardium** (*hydropericarditis*; from *h<sub>2</sub>O*, and *pericardium*, the pericardium). Dropsy of the pericardium.

**Hydrophalus**. Dropsy of the penis.

**Hydrophane** (from *h<sub>2</sub>O*, and *phane*, to shine). A species of opal, opaque when dry and transparent in water.

**Hydrophimosis**. Elemenatous phimosis.

**Hydrophobia** (from *h<sub>2</sub>O*, water, and *phobos*, to terrify). Literally, dread of water. Canine madness. That peculiar and horrible disease consequent upon the bite of a rabid animal.

**Hydrophthalmia** (from *h<sub>2</sub>O*, and *ophthalmos*, the eye). Dropsy of the eyeball.

**Hydrophysometra** (from *h<sub>2</sub>O*, water, *physos*, wind, and *metra*, the womb). Distention of the uterus by an accumulation of serous and gaseous matter.

**Hydropic** (*hydropicus*; from *h<sub>2</sub>O*, the dropsy). One affected with dropsy. Relating to dropsy.

**Hydropica**. Hydmgogues.

**Hydropleuritis**. Pleurisy attended with serous effusion. Acute hydrothorax.

**Hydropneumonia** (from *h<sub>2</sub>O*, water, and *pneuma*, the lung). Serous infiltration of the cellular tissue of the lungs.

**Hydropneumothorax** (from *h<sub>2</sub>O*, water, *pneuma*, wind, and *thorax*, flesh). An abscess containing air, liquid, and flesh, or, generally, extravasated blood.

**Hydropneumothorax** (from *h<sub>2</sub>O*, water, *pneuma*, the lung, and *thorax*, the chest). Pneumothorax complicated with serous effusion into the chest.

**Hydrops** (from *h<sub>2</sub>O*, water). Dropsy.

**Hydrops Abdominis**. Ascites.

**Hydrops Articularum**. Hydrarthrum.

**Hydrops Capitis**. Hydrocephalus.

**Hydrops Cerebri**. Acute hydrocephalus.

**Hydrops Cysticus**. A collection of serous fluid in a cyst or sac.

**Hydrops Genus**. Dropsy of the knee.

**Hydrops Glottidis**. Edema of the glottis.

**Hydrops Oculi**. Hydrophthalmia.

**Hydrops Ovarii**. Dropsy of the ovary.

**Hydrops Palpebrarum**. Hydroblepharon.

**Hydrops Pectoris**. Hydrothorax.

**Hydrops Pericardii**. Hydropericardium.

**Hydrops Pulmonum**. Ilydropneumonia.

**Hydrops Sacci Lachrymalis**. Fistula lachrymalis.

**Hydrops Sacrocrum Pleurum**. Hydrothorax.

**Hydrops Tubalis**. Serous accumulation in the Fallopian tube.

**Hydropyretos**. Sweating fever.

**Hydroschisis** (from *h<sub>2</sub>O*, water, and *schisis*, the spine). Dropsy of the spine.

**Hydrochisis**. Hydronela.

**Hydro-rheostat**. See RHÉOSTAT.

**Hydrothorax** (from *h<sub>2</sub>O*, water, and *thorax*, I flow). Any chronic discharge of serous fluid. Also Egyptian ophthalmia, with a profuse flow of tears.

**Hydrosalpinx**. Dropsy of the Fallopian tube.

**Hydrosarcoma** (from *h<sub>2</sub>O*, water, and *sarcoma*, flesh). A tumor containing water and flesh.

**Hydrosarcocoele** (from *h<sub>2</sub>O*, water, *sarcoma*, flesh, and *cocoele*, a tumor). Sarcocoele complicated with serous effusion of the tunica vaginalis.

**Hydrosarcocoele**. Hydronela.

**Hydrostat'ic** (from *h<sub>2</sub>O*, water, and *statos*, standing). The science relating to the conditions and properties of liquids in a state of equilibrium.

**Hydrostatic Bed**. A bed or trough capable of holding water, and covered with water-



proof cloth. Such a bed presses equally on every part of the lower surface of the body, and is always ready for use without being shaken up.

**Hydrostatic Test.** Placing the lungs of a dead child in water, to ascertain, by their floating or sinking, whether it has been born alive.

**Hydrostat'ics** (*hydrostatic*; from *hydro*, water, and *statos*, standing). That part of physics which treats of the weight and equilibrium of fluids.

**Hydrosul'phate.** A salt from a combination of hydrosulphuric acid with a salifiable base.

**Hydrosul'phuric Acid.** Sulphydric acid. A colorless gas containing one atom of sulphur and one of hydrogen. It precipitates most of the metals from their saline combinations.

**Hydrotherapu'tics.** Treatment by means of water; water treatment.

**Hydrotho'rax** (from *hydro*, water, and *tho'rax*, the chest). Dropsy of the chest. Effusion of serum in one or both of the cavities of the pleura.

**Hydrot'ics.** Hydruogones.

**Hydro'tis.** Dropsy of the ear.

**Hydrox'ide.** See HYDRIATE.

**Hydrox'yl.** A univalent radical, OH.

**Hy'druret.** See HYDRINE.

**Hy'dryls.** Organic radicals composed of several atoms of hydrogen.

**Hy'giene** (from *hygieia*, health). That part of medicine which has for its object the preservation of health.

**Hygiene, Dental.** That part of the dental branch of medicine which has for its object the preservation of the health of the teeth and the parts with which they are immediately connected; and as the organism generally, from the period of birth, is subject to hygienic influences, so, also, are the teeth, gums, and alveolar processes. But, as the health of one organ is dependent upon the manner in which all the rest perform their functions, it is impossible to lay down exact hygienic rules for the one irrespective of the condition of the others. A system of hygiene, therefore, for one set or class of organs, to be complete, must, of necessity, have reference to the health of all the other organs of the body. For example, the state of the general health during the eruption of the teeth determines the physical condition of these or-

gans, and, as a consequence, their susceptibility to morbid impressions; so also does it affect their condition after they are formed, as well as that of the parts with which they are connected. Still, experience has established certain enlightened rules for the care of the teeth which have been found efficacious in counteracting many of the morbid influences to which they are exposed.

The particular care which they, when well arranged and free from disease, require to secure their preservation is none other, to use the language of Boerhaave, than that which should "form the daily 'losette' of the mouth," and this should consist in thoroughly cleaning the teeth three or four times every day with a suitable brush and waxed floss silk, as recommended by Dr. J. M. Parry. The brush alone is not sufficient. The outer and lower surfaces of the teeth only can be kept clean by the brush, and for the removal of lodgments of alimentary substances from between them, where they are most likely to be productive of pernicious effects, *bone-silk*, *lemp*, or *flax* is absolutely necessary.

If stains or discolorations appear on the enamel they should at once be removed by the use of some suitable tooth-powder, or, what in many cases will be found more efficient and preferable, an argillaceous tooth-pulver, as advised by Dr. L. K. Parry, or some other similar mechanical agent.

**Hygien'ic.** Belonging to hygiene.

**Hyg'reche'ma** (from *hygieia*, moist, and *che'ma*, a sound). The sound of fluid heard by means of the stethoscope or by percussion.

**Hy'grine.** A volatile liquid alkaloid obtained from *cava*.

**Hy'gro-** (from *hygieia*, humid). A prefix denoting the presence of humidity.

**Hygroblephar'ic.** The excretory ducts of the lachrymal glands.

**Hygrocataract'a.** Soft cataract.

**Hygrolog'y** (*Hygrologia*; from *hygieia*, humid, and *logos*, a discourse). A treatise on the fluids of the body.

**Hygro'ma** (from *hygieia*, humid). A tumor containing serous or some other humid matter, but not pus. Dropsy of the lumen *mucosa*.

**Hygropho'bia.** Hydrophobia.

**Hy'grus.** Humid.

**Hy'men** (from *hymen*, a membrane or pellicle). Also the god of marriages. In *Anatomy*, a circular fold of mucous membrane which partly or wholly closes the entrance of the vagina in

virgins, and especially before menstruation, though it is said to be sometimes wanting. In *Betula*, the fine pellicle which encloses a flower to the bud.

**Hymenodæes.** Membranous. Urine filled with pellicles.

**Hymenology** (*hymenologia*; from *hymen*, a membrane, and *logos*, a discourse). A treatise on the structure and functions of membranes.

**Hymenomala'cia** (*hymenomalacia*, a membrane, and *malacia*, soft). Morbid softening of the serous membranes.

**Hymenotomy** (*hymenotomia*; from *hymen*, a membrane, and *tomia*, to cut). The dissection of membranes. Also the incision of the hymen.

**Hyohæmoglobin'æus.** The hæmoglobin muscle.

**Hyochondroglob'æus.** The hyoglossus muscle.

**Hyoeptilot'icus.** Pertaining to the hyoides and epiglottis. Also applied to the hyo-epiglottic ligament.

**Hyogloss'æus.** A thin, broad, quadrilateral muscle, which has its origin from the body, cornu, and appendix of the os hyoides, and is inserted into the side of the tongue, forming the greater part of its bulk.

**Hyoides** (from the Greek letter *υ*, and *oides*, likeness, because it resembles the letter upilon). The os hyoides.

**Hyoides, Os.** A cartilage bone, convex anteriorly, situated in the soft parts of the neck, between the root of the tongue and larynx.

**Hyoscya'mia.** Hyoscyamina. An alkaloid obtained from *Hyoscyamus niger*.

**Hyoscya'mus** (from *υς*, a swine, and *αἰσιν*, a bean). So called because hogs eat it or because the plant is hairy and bristly. Like a hog. A genus of plants of the order Solanaceæ. Also henbane.

**Hyoscyamus Albus.** White henbane.

**Hyoscyamus Luteus.** See *NBUTIANA REPTANS*.

**Hyoscyamus Niger.** Black henbane. *Hyoscyamus*; a valuable sedative and narcotic. Also euolyne, antispasmodic, and slightly stimulant. Dose of powder, gr. ij to gr. x; but the extract is generally used, the dose of which is gr. ij.

**Hyothyroides'æus.** The thyro-hyoid muscle.

**Hypæ'mia.** Deficiency or extravasation of blood.

**Hypal'gia** (*hypo*, and *algia*, pain). Slight pain.

**Hypatmis'mus** (*hypatmis*). Fumigation.

**Hyp'er-** (from *hyper*, above). A Greek preposition, used as a prefix to denote excess.

**Hyperacid.** Excessively acid.

**Hyperactapno'sis.** Excessive activity of the absorbents.

**Hyperacu'sia** (from *hyper*, above, and *acousis*, hearing). Morbid sensibility of the organ of hearing.

**Hyperadenos'ia.** Hypertrophy of a gland.

**Hyperæ'mia, Hyperemia** (from *hyper*, above, and *æmia*, blood). Sanguineous congestion; local plethora; injection of blood-vessels. The term hyperemia denotes the overfilling of the vessels with blood. General hyperemia (plethora) denotes a condition in which the quantity of the blood is too great, and which occurs when the blood-forming organs are unduly active. It is indicated by habitual overfullness of the capillaries, as shown in undue redness of the skin and turgescence of the venous circulation. A tendency to plethora may be inherited or may be acquired by the undue use of rich foods, stimulants, etc., connected with diminished expenditure of blood-forming materials in the nutrition of the body. Local hyperemia is due to the presence of an undue amount of blood in a particular part, and is divided into *active* and *passive*, or *arterial* and *venous*.

**Hyperemia of the Dental Pulp.** A condition due to the overfilling of the vessels of the pulp with blood, the pain resulting being sharp and lancinating and paroxysmal in character, especially in its earlier stages.

**Hyperæsthes'ia** (from *hyper*, above, and *æsthesia*, to feel). Preternatural or morbid increase of sensibility of the skin.

**Hyperalg'ia** (from *hyper*, above, and *algia*, sense of pain). Excessive sensibility to pain.

**Hyperal'gia.** Diminished sensibility to pain.

**Hypersph'ia** (from *hyper*, is excess, and *spha*, touch). Morbid acuteness of touch.

**Hyperaphrodis'ia.** Excessive venereal desire.

**Hypercathar'ia** (from *hyper*, above, and *καθαίρω*, to purge). Excessive purging.

**Hypercementosis** (from *hyper*, above or excess, and *cementum*). The excessive development of the cementum of roots of teeth, commonly known as dental exostosis, hyperostosis, exocementosis, dental osteoma, etc. See EXOSTOSIS OF THE TEETH.

**Hyperchloric Acid.** Perchloric acid. An acid containing a greater proportion of oxygen than chloric acid.

**Hyperclonic/sis.** Increased irritability of the muscles, causing spasms.

**Hypercrisis/sis** (from *crisis*, and *spous*, I separate). Morbid increase of the secretions.

**Hypercrit/sis.** A crisis of unusual severity or excessive critical evacuation.

**Hyperdynamia.** Excessive exertion of power.

**Hyperemesis** (from *emep*, in excess, and *spous*, to vomit). Excessive vomiting.

**Hyperhidrosis/sis** (from *hidros*, above, and *spoudaia*, excessive sweating). Morbidly profuse sweating.

**Hyperirritability/sis** (from *irrit*, in excess, and *spoudaia*, to excite). Excessive irritability. Morbid sensibility; excessive sensibility.

**Hypergonia/sis** (from *gonos*, in excess, and *gonos*, generation). That excess of formative power in any organ or tissue which occasions excessive development.

**Hypergonia/sis** (*hypergonia*; from *gonos*, above, and *gonos*, taste). Excessive sensibility of the organ of taste.

**Hyperglobulia.** Abnormal increase of the red blood-corpuscles.

**Hyperhamatosis/sis.** Inflammation.

**Hyperhidrosis/sis** (from *hidros*, above, and *spoudaia*, sweat). Morbidly profuse perspiration.

**Hyperimia/sis** (from *imias*, above, and *is*, fire). That condition of the blood in which there is an excess of fibrin, as in inflammation.

**Hyperion/sis** (from *hyper*, upon, and *ion*, a high place). The palate.

**Hyperolitis** (from *hyperos*, the palate, and *itis*, inflammation). Inflammation of the palate.

**Hyperopharyngosis.** The palato-pharyngeal muscle.

**Hyperosphere/sis** (from *hyper*, above, and *spoudaia*, smell). Excessive acuteness of smell.

**Hyperostosis/sis** (from *ostros*, upon, and *ostros*, a bone). Exostosis.

**Hyperphibiosis/sis.** Unusual development of the venous system.

**Hyperplasia.** Excessive formation.

**Hyperpyrexia/sis** (from *hyper*, above, and *spoudaia*, heat). Hyperpyrexia. An exuberant growth of heat. A febrile excreescence.

**Hyperpyrexia/sis.** Hyperpyrexia.

**Hyper-sensitive Dentine.** An exaltation of the normal sensitiveness of the dentine; a disturbance caused by changed relations of the

dental tissue, which is naturally protected by the enamel from irritating influences. For treatment see SENSITIVE DENTINE.

**Hypersthenia/sis** (from *sthenos*, above, and *sthenos*, strength). Excess of vital power.

**Hypersthenia/sis** (*hypersthenia*). Active in an unusual degree.

**Hypersthenia/sis** (from *sthenos*, above, and *sthenos*, tone). Excess of tone in the tissues of the body.

**Hypertrophia/sis.** Increase of the nutritive power of the blood.

**Hypertrophic.** Of or pertaining to hypertrophy.

**Hypertrophy** (from *hyper*, in excess, and *trope*, nourishment). Excess of nourishment and consequent increase in bulk of an organ or part without changing the nature of its substance.

**Hypertrophy of Gums.** See GUM DISEASES.

**Hypertrophy of the Heart.** A morbid increase of the muscular substance of the heart.

**Hyperurea/sis.** Hyperabundant secretion of urine.

**Hypex/odosis.** An alvine discharge or flux.

**Hypino/sis** (from *himo*, under, and *is*, fire). A deficiency of fibrin in the blood, as in chlorosis, scorbutus, etc.

**Hypnotic.** Pertaining to hypnosis.

**Hypnotism/sis** (*hypnos*, sleep, and *spoudaia*, sense or feeling). Induced sensibility; drowsiness.

**Hypnicus.** Applied in the neuter plural to medicines or agents affecting sleep, either by inducing it or preventing it.

**Hypnobatist/sis.** The art of walking in one's sleep. Somnambulism.

**Hypnotogy** (*hypnotogus*; from *hypnos*, sleep, and *logos*, a discourse). A treatise on sleep. Also that part of hygiene which relates to the proper regulation of sleeping and waking.

**Hypnotic** (*hypnoticus*; from *hypnos*, sleep). Medicine that induces sleep. Somniferous; narcotic.

**Hypnotism.** A peculiar state of artificially induced sleep, in which the mind is remarkably open to external influences. Also a state of insensibility to pain, said to be induced by gazing continuously at a bright object or by passing before the eyes, etc.

**Hypnotize.** To induce a state of hypnotism.

**Hypo-**. A prefix, from *υπο*, under, signifying inferiority.

**Hypœ'mia** (from *υπο*, beneath, and *αιμα*, blood). Anæmia, deficiency of blood.

**Hy'poblast** (from *υπο*, under, and *βλαστη*, a sprout). The internal layer of the blastoderm,—called also the endoderm, entoderm, epithello-glandular layer,—from which is developed the epithelium of the air passages, the intestinal epithelium (except that of the mouth and anus), and that of the glands opening into the intestines; the inner layer of which the embryo is composed.

**Hypocathar'sis** (from *υπο*, under, and *καθαρσις*, purgation). Gentle purgation; insufficient operation of a cathartic.

**Hypochlo'rous Acid**. A compound of chlorine and oxygen.

**Hypochondriac** (*ὑποχονδριακός*; from *υπο*, under, and *χονδρος*, a cartilage). Pertaining to the hypochondrium. Also one affected with hypochondriasis.

**Hypochondriac Region**. In *Anatomy* the space situated on each side below the short ribs.

**Hypochondriasis** (*morbus hypochondriacus*). Lowness of spirits; a species of neurasthenia or melancholy combined with dyspepsia, flatulence, and illusion of the senses.

**Hypochondrium**. The lateral and superior regions of the abdomen under the cartilages of the false ribs.

**Hypophyma** (from *υπο*, and *φυμα*, to pour out). Cataract.

**Hypophylon**. The cavity under the eye. Also the under eyelid.

**Hypophosis** (from *υπο*, and *ωσπισ*, darkness). A slight degree of denseness.

**Hypocranium** (from *υπο*, under, and *κρανιον*, the skull). A collection of pus between the cranium and dura mater.

**Hypodermat'omy** (*ὑποδερματιαις*; from *υπο*, under, *δερμα*, the skin, and *ομα*, incision). The section of subcutaneous parts, as of tendons, muscles, etc.

**Hypodermic** (*υπο*, under, and *δερμα*, the skin). A term for the application of medicines under the skin; that is, to the denuded surface after the skin has been removed by a blister or under the skin by means of a fine syringe.

**Hypodermic Syringe**. An instrument for injecting medicines in a liquid state under the skin; morphia, for example.

**Hypoga'sia** (from *υπο*, under, and *γασ*,

milk). A collection of white humor in the chambers of the eye.

**Hypoga'stric** (*ὑπογαστρικός*). Pertaining to the hypogastrium.

**Hypogastric Artery**. The internal iliac artery.

**Hypogastric Plexus**. A plexus of nerves formed by the termination of the aortic plexus and by the union of branches from the lower lumbar ganglia. It is situated at the internal and posterior parts of the rectum and the lower and back part of the bladder.

**Hypogastric Region**. See **HYPOGASTRIUM**.

**Hypogastrium** (from *υπο*, under, and *γαστρον*, the stomach). The lower part of the abdomen, extending from above the pubes to within three finger's breadth of the navel. It is divided into three secondary regions, the *pubic*, or *central*, and two *lateral*, or *lateral*.

**Hypogastric'le**. A hernia in the hypogastrium, formed by the protrusion of intestine or omentum through the lower part of the linea alba.

**Hypoglossal'itis**. Inflammation of the sublingual gland.

**Hypoglossus** (from *υπο*, under, and *γλωσσα*, the tongue). That which is under the tongue—the eighth or ninth pair of nerves.

**Hypogloss'is** (from *υπο*, under, and *γλωσσα*, the tongue). The under part of the tongue. Linnæa.

**Hypo'mema**. An effusion of red blood into the chambers of the eye.

**Hypo'mia** (from *υπο*, and *ωμος*, the shoulder). The part adjacent to the shoulder.

**Hypœneur'ia**. Night or diminished nerve power.

**Hypocot'rite**. A combination of hypocotinous acid with a base.

**Hypocot'rous Acid**. Nitrous acid.

**Hypocot'rous**. A deep fetid or nitre.

**Hypoc'ryon**. Eczyema under a nail.

**Hypopath'ia**. A trivial disease.

**Hypop'dium**. A cataplasm for the sole of the foot.

**Hypophos'phite**. A salt of hypophosphorous acid, the official hypophosphites being those of sodium, potassium, calcium, and iron.

**Hypophos'phorus Acid**. A monobasic acid,  $H_2PO_3$ .

**Hypophthal'mia**. A term applied in *Pathology* to the pain preceding suppurative or similar affections in the anterior chamber of the eye.

**Hypop'ion** (from *υπο*, under, and *πυον*, pus,

becomes the pus is under the cornea). **Hypopyon**. Applied to a small abscess between the lamellæ of the cornea and to collections of coagulable lymph, like pus, in the chambers of the eye.

**Hypophorion** (from *phor*, under, and *ion*, the nose). The upper lip beneath the nose; also the beard which grows upon it.

**Hypopogonarthritia** (from *phor*, under, the jaw-bone, *arthr*, a joint, and *itis*, inflammation). Inflammation of the joint of the jaw-bone.

**Hypospadias** (*hypospadie*; from *phor*, under, and *eras*, I draw). A malformation of the penis in which the urethra opens at the base instead of the apex.

**Hypostaphyle**. Relaxation and elongation of the uvula.

**Hypostasis**. Sediment.

**Hyposthenic**. Counter-stimulant. That which redness strength.

**Hypotropha**. Turning over.

**Hyposulphate**. A combination of hyposulphuric acid with a base.

**Hypotenuse**. Hypotenuse. That side of a right-angled triangle which subtends the right angle.

**Hypothemar** (from *phor*, under, and *thema*, the palm of the hand). A muscle on the inside of the hand. Also the part of the hand opposite to the palm.

**Hypothenar Eminence**. The fleshy projection of the palm or surface of the hand corresponding to the little finger.

**Hypothenar Minimi Digiti**. The flexor parvus minimi digiti muscle.

**Hypothenar Medii Metacarpi**. The abductor minimi digiti muscle.

**Hypothenar Radii**. The flexor parvus minimi digiti muscle.

**Hypothermal**. Tepid. A temperature between 50° and 60° F., or 15° and 25° C.

**Hypothesis**. A supposition invented to explain a phenomenon.

**Hypotheton**. Suppository.

**Hypotrophia**. Scanty nourishment.

**Hypozoma** (from *phor*, under, and *zoma*, to bind round). A membrane or septum. The diaphragm.

**Hystera** (*verrupe*). The uterus; also the vulva.

**Hysteralgia** (from *verrupe*, the uterus, and *algia*, pain). Pain in the uterus.

**Hysterectomia**. Imperforation of the os uteri.

**Hysterelocoma**. Ulceration of the uterus.

**Hysteremphysema** (*verrupe*, womb, and *emphysema*, a windy swelling). Presence of air in the womb. *Physometra*.

**Hysteria** (from *verrupe*, the uterus, from which the disease was supposed to originate).

**Hysterica**. A morbid affection peculiar to the human female, occurring in paroxysms and characterised by anxiety of mind, effusion of tears, palpitation of the heart, difficult breathing, a sense of suffocation, stupor, insensibility, agitation of limbs and whole body, spasms, alternate fits of laughter and crying, with discharge of frothy saliva, and sometimes delirium.

**Hystaria Cataleptica**. Catalepsy.

**Hysterica**. Hysteria.

**Hysteritis**. Metritis. Inflammation of the uterus.

**Hystercarcinoma** (*verrupe*, womb, and *carcinoma*, cancer). Cancer of the womb.

**Hysterocele**. Hernia of the uterus.

**Hysterozystoceles**. Hernia of the uterus with displacement of the bladder.

**Hysterdynia**. Pain of the womb.

**Hysteroema**. Enlargement of the substance of the womb.

**Hysteroolithiasis**. The formation of a calculus in the womb.

**Hysterosmalacia** (*hysterosmalacia*; from *verrupe*, the uterus, and *malacia*, softness). Softening of the uterus.

**Hysterosoma** (from *verrupe*, the uterus, and *soma*, medicine). See *NYMPHOMANIA*.

**Hysterosometer**. An instrument or means of ascertaining the size of the uterus, or womb.

**Hysterosoma** (from *verrupe*, and *soma*, tumor). A tumor of the uterus.

**Hysteroptosis** (from *verrupe*, and *ptosis*, a falling down). *Prolapsus uteri*.

**Hysteroorrhoea** (from *verrupe*, and *rhoia*, to flow). A discharge of blood or mucus from the uterus.

**Hysterosclerhus**. Stricture, or indurated cancer of the womb.

**Hysteroscope** (*hysteroscopium*; from *verrupe*, and *scopia*, to examine). An instrument for examining the uterus; a speculum uteri.

**Hysterospasmus** (*verrupe*, womb, and *spasmus*, a convulsion). Spasm of the uterus, or womb.

**Hysterotome** (from *verrupe*, uterus, the mouth, and *temno*, to cut). A term applied in *Obstetrics* to an instrument for dividing the neck of the uterus when immediate delivery, as in cases of convulsion, becomes necessary.

**Hysterotomy** (*hysterotomia*; from *verrupe*,

and *repare*, to cut). The Cesarean section; also the dissection of the uterus.

**Hysterotomy, Vaginal.** Incision in the os tincæ or wall of the uterus, made through the vagina.

**Hystriod'asis** (from *hystriod*, a porcupine). A disease of the hairs in which they stand erect; an affection of rare occurrence.

## I.

**I.** The symbol of iodine.

**Ia'ma** (*μα*). A means of healing; a remedy; a medicine.

**Iamatol'ogy.** Materin medicine.

**Iatrop'ics** (from *iater*, a physician, and *αἰνέω*, I anoint). One who treats disease by the use of friction and other external remedies.

**Iatrop'ic Method** (from *αἰνέω*, to anoint). The application of medicines to the skin, aided by friction.

**Iatroscol'gia** (*ιατρικὴ, to cure, and λῆξις, a dissection*). General therapeutics.

**Iatri'a.** The healing art.

**Iat'ricos.** Pertaining to medicine.

**Iatri'se.** A female practitioner of medicine; a midwife.

**Iatri'on.** The office or shop of a physician or surgeon; also a physician's fee, or the expense of a cure.

**Iat'ro-.** A prefix signifying a connection with the art of healing.

**Iatroch'y'micus.** A physician of the chemical school, one who treats disease with chemical remedies.

**Iatrognom'ica** (from *iater*, a physician, and *γινώσκω*, I know). Medical knowledge. A knowledge of medicine.

**Iat'rol.** Obtained by a synthetical process from certain coal-tar derivatives. It possesses the combined properties of iodine, phenol, and methyl salicylic acid. It is in the form of a white powder and without odor. It is antiseptic, astringent, and germicidal.

**Iat'ros** (*αἰνέω*). A physician.

**Iatrotech'na** (from *iater*, a physician, and *τεχνή, art*). A practitioner of medicine or surgery.

**Ice-cap.** A bladder filled with pulverized ice and applied to the head.

**Ice-land Moss.** A kind of lichen common in the mountainous districts of Europe; the Oetaria Islandica. It is demulcent, nutritive,

and tonic. Dose of powder, gr. xxx; of the decoction, ℥j.

**Ice-land Spar.** Crystallized carbonate of lime.

**Ice-poultice.** A bladder of pounded ice applied to hernial tumors.

**Ich'or** (*ἰχθῶρ*). Humors. A thin, watery, and acrid discharge.

**Ichorm'mia** (*ἰχθυήματα, and αἷμα, blood*). Poisoning of the blood from the absorption of poisonous matter.

**Ich'orous.** Of the nature of or resembling ichor.

**Ichthyo'als** (from *ἰχθύς, a fish, from the resemblance of the scales to those of a fish*). A disease characterized by a rough, hard, thickened, and almost horny texture of the integuments of the body. It is called the fish skin-disease.

**Ichthyosis Seba'cea.** Sebaceous ichthyosis. A morbid infiltration of sebaceous substance upon the surface of the skin.

**Icon** (from *εἰκώ, image*). An image or a model.

**Icosig'onus.** Having twenty angles.

**Icosih'e'dron.** A solid figure bounded by twenty equilateral and equal triangles.

**Icterit'ia Alba.** Chlorosis.

**Icter'odes** (*icteroid*; from *ικτερός, a yellow thrush*). A state of the complexion resembling jaundice.

**Ic'terus** (from *ικτερός, a yellow thrush*). A disease characterized by yellowness of the skin and eyes, with white feces, highly-colored urine, languor, inactivity, loathing of food, acidity of the stomach, nausea, and disturbed sleep. Jaundice.

**Icterus Al'bus.** Chlorosis.

**Icterus Bilio'vus.** This species is said to be occasioned by the impaction of bile in the mouth of the ductus communis choledochus.

**Icterus Calcule'alis.** Gallstone jaundice.

**Icterus Gravid'um.** The jaundice of pregnant females.

**Icterus Hepat'icus.** Hepatic jaundice.

**Icterus Infant'um.** The jaundice of infants.

**Yellow gum.** Congenital jaundice.

**Icterus Ni'gra.** Black jaundice.

**Icterus Spasmod'icus.** Spasmodic jaundice.

**Icterus Vir'idia.** Green jaundice.

**ictus** (from *icō*, to strike). A stroke or blow; effect of the sun, *coup de soleil*. Also the pulsation of an artery and the stilog of a bee.

**Ictus So'lis.** A stroke of the sun.

**ide'a** (from *idea*, to see). The image of an object in the mind.

**Idioelec'tric.** Containing electricity, or, rather, possessing the power of accumulating it upon the surface; applied to bodies like glass, amber, etc., which exhibit electric properties when rubbed.

**Idiopath'ic** (*idiopathia*; from *idios*, peculiar, and *pathō*, an affection). A primary or original disease; one not dependent on any other.

**Id'io-plasm.** (from *idios*, and *plasma*, anything formed). A solid part of a proto-plasm.

**Idiops'icrasy** (*idiopsicrasis*; from *idios*, peculiar, *psō*, with, and *psicrō*, a temperament). A constitution peculiarly susceptible to morbid impressions from certain agents which would produce no effect on others of a different constitution.

**Id'iot.** One who is destitute of reason.

**Id'iotism.** Idiocy; asenitia. A species of mental alienation.

**Idiotro'phia.** Idiocynerasy.

**Id'ioscrase.** The volcanic journey, which is of various colors, and sometimes called volcanic erysiphia or hyadoth.

**I'dria'lia.** An organic oxide,  $C_{12}H_2O$ , found in the roasted mercurial ore at Idria. It crystallizes in small sooty scales.

**I'dryl.** The basis of Idrislin, obtained in minute colorless leaflets.

**Igne's'ic Acid.** The acid combined with strychnia in nux vomica.

**Igne's'ia.** Impotence.

**Ig'niscut'ure** (from *ignis*, fire, and *punctura*, puncture). Cauterization by means of platinum needles heated to whiteness by the electric current.

**ig'nis.** Fire. The evolution of light and heat which results from combustion. Also universal solvents, and the heat, redness, and continuity of disease.

**Ig'nis Actus'us.** Actual cancery.

**Ig'nis Cal'idus.** A hot fire. In *Pathology*, violent inflammation about terminating in gangrene.

**Ig'nis Colomes'tis.** Erysipela.

**Ig'nis Fat'uus.** A luminous appearance sometimes seen at night over marshy grounds, produced by inflammable gases, especially the phosphuretted hydrogen.

**Ig'nis Frig'idus.** Gangrene.

**Ig'nis Natura'lis.** Animal heat.

**Ig'nis Persicus.** Erysipela. Also soothrax.

**Ig'nis Rotæ.** Fire for fusion.

**Ig'nis Sylvest'icus.** Crusta lactis. Also transient redness on the face and neck of hysterical or chlorotic females.

**Igni'tion** (from *ignis*, fire). The act of catching fire or of being heated to redness.

**Ileac Pas'sion** (*passio ileica*). Colic seated in the ileum, and characterized by severe gripping pain, vomiting of fecal matter, constipation, and spasms of the abdominal muscles. See **ILEUS**.

**Ile'i'tis.** Inflammation of the ileum.

**Ile'o-** (from *ileum*, the small intestine). Used as a prefix.

**Ileo-cæcal Valve.** A valve at the junction of the ileum and cæcum.

**Ileo-cholosis.** Ileum diarrhea.

**Ileo-colic Artery.** The last branch from the convexity of the superior mesenteric artery, distributed to the ileum, cæcum, and commencement of the colon.

**Ileo-col'i'tis.** Enteritis. Inflammation of the ileum and colon.

**Ileo-lumbar Artery.** A branch of the inferior iliac artery, distributed to the psoas and iliacus muscles.

**Ileo'sis.** Ileus.

**Ile'um** (*ileus*; from *ileus*, to turn about). The last portion of the small intestine which terminates at the valve of the cæcum.

**Ile'us.** A *distensio* characterized by deep-seated pain in the abdomen, stercoraceous vomiting, and obstinate constipation. It is occasioned by hernia or other obstruction through a part of the intestinal canal. The term is also applied to nervous colic, intussusception, etc. *Ileac position*.

**Ili'a.** The flanks; also the small intestine.

**Ili'ac** (*di'scus*; from *ilia*, the flanks). Pertaining to or connected with the flanks.

**Iliac Ar'teries.** Arteries formed by the bifurcation of the aorta, and divided into *external* and *internal*. The external, after passing

Ponpart's ligament, is called the femoral artery.

**Iliac Crest.** The superior margin of the ilium. **Iliac For'ams.** There are two—the *internal* and *external*. The internal is a broad, shallow cavity on the inner surface of the os iliacum; the external is on the external surface.

**Iliac Mesocolon.** A fold of the peritoneum embracing the sigmoid flexure of the colon.

**Iliac Pass'ion.** See ILIAC PARADIS.

**Iliac Re'gion.** The sides of the abdomen between the hips and the ribs.

**Iliac Spines.** The four spinous processes of the ilium.

**Il'iacus.** Iliac.

**Iliacus Inter'nus.** A broad, triangular, radiated muscle situated on the inner surface of the ilium.

**Il'iacus.** A peculiarly bitter principle obtained from *Ilex aquifolium*.

**Il'm'gus.** Vertigo.

**Il'io-.** Words compounded with this term pertain to parts connected with the ilium, as *ilio-abdominal*, *ilio-costal*, *ilio-ureteral*, *ilio-lumbar*, etc.

**Il'ion.** Ilium.

**Il'ium (ili'us).** The hunch-bone. The largest of the three bones which form the os innominatum.

**Il'u'tio.** Anointing.

**Il'u'sis** (from *oc'us*, the eye). Strabismus.

**Il'u'tio** (from *in*, upon, and *lutum*, mud).

**Il'utatio.** The act of anointing any part of the body with mud.

**Il'men'ium.** A new metal contained in a mineral called *tantalite*, from which the metal tantalum is obtained. *Niphanium* is also a new metal obtained from the same mineral.

**Im'becile.** Weakness, especially of intellect.

**Imber'bis.** Without beard.

**Imbi'bition (imbib'io; from imbibere, to drink, to imbibe).** Osmosis. The absorption of a liquid by a solid. The action by which a body becomes penetrated by a liquid. Capillary absorption.

**Imbibition, Double.** Endosmosis.

**Imbrax Na'rium.** *Sesuvium portu'ense*.

**Im'bricate (imbricata).** Imbricated; arranged like tiles on the roof of a house.

**Immediate Auscultat'ion.** Applying the ear directly to the chest without using the stethoscope.

**Immediate Percuss'ion.** Striking the walls of the chest without using the pleximeter.

**Immediate Wedging of Teeth.** The separation of teeth by wedges of hard, close-grained wood, driven into place between two teeth by light, sharp taps of a mallet or by "separators."

**Immer'sus.** Immersed; plunged under water. A term applied in *Anatomy* to the subscapularis muscle.

**Im'mis'cible.** Incapable of being mixed, as oil and water.

**Immobili'ty (immobilitas; from immobilis, immovable, fixed).** A term applied in *Physiology* to parts which naturally admit of motion, but which are, from disease or other causes, rendered immovable. See JAW, LOWER, IMMOBILITY OF.

**Immov'able Apparatus.** An apparatus used in fractures and dislocations, consisting of bandages or supporters covered with starch or gum, which, after being applied, becomes solid.

**Immu'nity (from immunitas, exemption).** The condition whereby the body or an organ resists the development of infectious or morbid processes.

**Impact'ed (impl'ago, impetum, to drive in).** Retained as a wedge, as impacted or retained teeth, which are thus prevented from erupting. Used in *Obstetrics* with reference to the head of the child when fixed in the pelvic cavity; also applied to an unerupted, fixed tooth.

**Impac'tion (impactio).** A fracture with projections and depressions of fragments of bone.

**Impal'pable (from in, and palpo, to feel).** A term generally applied to hard substances referred to as fine as powder that their particles can not be distinguished by the sense of touch. Powders for the teeth should usually be of this character.

**Impenetrabi'lity.** A property possessed by bodies of excluding all other bodies from the space which they occupy.

**Imper'forate (imperforatus; imperforatus).** In *Anatomy*, a malformation consisting in the absence of the natural opening or orifice of an organ, as of the mouth, anus, etc.

**Imper'meable (impermeabilis).** Capable of resisting the passage of fluids and gases.

**Imper'vious.** Impassable, as the closure of any vessel or natural canal.

**Impetig'ines.** The plural of *impetigo*.

**Impetig'o (from impetere, to attack).** A word which has received several significations, but at present is principally used to designate a



genus of cutaneous diseases belonging to the order *Pustula*, of Bateman. Le Cullen it forms a genus in the class *Orethusa*, and Sauvages employs it as a generic term, comprising under it *apophthia*, *acrobatus*, *vesicula*, *alopha-thia*, *lipra*, *aculis*, *timea*, *acryfolia*, etc. The humid or running letter, of which five species are enumerated: (1) *Impetigo figurata*; (2) *impetigo sparsa*; (3) *impetigo erysipielodes*; (4) *impetigo scabida*; (5) *impetigo rubra*.

**Impetum Faciens.** Vital energy.

**Impetus.** Force. The momentum of a moving body. In *Pathology*, the paroxysm of a disease.

**Implantation.** The act of planting, setting, or fixing for the purpose of growth. It is also a name given to a process devised by Dr. W. L. Younger, which consists in drilling artificial sockets into the maxillary bones and inserting therein natural teeth of suitable size, shape, and shade. His theory is that the natural alveolar socket has no periosteum, and that the filling out of the socket comes from the endosteum, the delicate membrane lining the cavity and interior of the bony structure. The periodontal membrane, according to his theory, has no "callous generative energy except upon its dental aspect, the other side having simply the power of forming attachment." He is of the opinion that the vitality of this membrane is maintained for many months after extraction, and he claims to have successfully implanted teeth which had been out of the mouth for months.

**Implicited** (*implicatus*). A term applied by Celsus, Serapionus, and others to those parts of the body which have a necessary dependence on one another; and by Bellini to fever when two attack a person at a time, whether of the same kind, as a double tertian, or of different kinds, as a tertian and quotidian, called a *semitertian*.

**Implicium.** An embrocation. Also a shower-bath.

**Imponderabile** (from *is*, not, and *pondus*, weight). Substances which produce no effect on the most delicate balance, as light, heat, and the electric fluid.

**Impotens** (*impotens*). An absciss.

**Impotencia.** Weakness; loss of energy, but generally applied to a want of sexual vigor; also used synonymously with sterility.

**Impoverished.** Having become poor. In *General Pathology*, thinness of the blood or any secretion from loss of some of its constituents.

The blood, when pale and thin, is said to be impoverished.

**Impregnate.** To render pregnant.

**Impregnation.** The act of fecundation.

**Impression** (*impresso*). A term applied in *Anatomy* and *Zoology* to the indentation made in one organ by the contact or attachment of another; in *Dental Mechanism*, to the process by which an accurate copy of parts of the mouth, etc., is obtained, with a view to the application of artificial teeth or some other mechanical contrivance.

**Impression Cup or Tray.** A cup or tray of metal, porcelain, gutta percha, or other substance, used for conveying to the mouth and holding in position the material for impressions. Those of Britannia ware are commonly used, and are of various and convenient sizes and shapes to suit the conditions required. Full and partial impression cups are required, some of which are adjustable to the size and shape of different mouths; others have posterior wings or raised palatine edges. Some have a movable palatine-plate for deep arches, and another form consists of a metallic portion with a convex lining to adapt the impression-plaster to the roof of the mouth. Another form of tray has a flexible, perforated rubber rim, and is designed for taking impressions which suffer fracture of their outer walls in withdrawing from the mouth, the rim yielding and holding the broken sections firmly, so that they can afterward be returned to their proper places. Partial upper and lower cups are also used for obtaining impressions of one or more natural teeth for crown and bridge-work.

**Impression Materials.** The materials employed for obtaining impressions of the mouth are beeswax, gutta percha, modeling composition, and plaster of Paris. Perhaps no one of these can be wisely dispensed with, but some have more essential qualities than others. Modeling composition and plaster have the greatest number of desirable qualities. See **MODELING COMPOSITION AND PLASTER OF PARIS**.

**Impression of the Mouth in Plaster of Paris.**

In *Dental Mechanism*, a process by which an accurate copy, in reverse, of the alveolar ridge, teeth, hard and soft palates is obtained, to be used in the construction of an artificial denture, a regulating plate, obturator, etc. Beeswax, plaster of Paris, gutta percha, and various compounds of these and other substances are

used for this purpose. Plaster is used more commonly, perhaps, than any other substance. Drs. Westcott and Dunning were the first to employ it. For impressions only the finest plaster should be used, mixing it with tepid water, rather thinly than thickly. Its setting may be hastened by the addition in solution to the water of common salt or sulphate of potash; and its insertion to the mouth should be delayed until the mixed plaster is set sufficiently to remain heaped up in the cup. The latter, with its contents, is then placed in position in the mouth and sufficient pressure made upon the plastic material to force it in close contact with the surface to be copied. When set sufficiently to crumble stiffly in the bowl it may usually be removed, though for a partial piece it may remain longer. Fracture of the impression in withdrawing it is immaterial, as the broken parts can be readily and accurately readjusted. In some cases it is well to detach the cup from the plaster, remove the latter in sections, and replace in the cup. It is thought that the expansion of plaster incident to its setting may be in part prevented by immersing the impression in water immediately after its removal from the mouth; this prevents the heaving incident to the last stage of the setting of this substance.

Accurate impressions of plaster can also be taken by means of an impression cup made expressly for each case and struck up with dies prepared from a wax impression.

By a method proposed by Professor Austin very accurate impressions of special full cases and for all partial cases can be obtained. His method is as follows: Take a wax impression and make a model; in partial cases brush over the teeth of the model one or two layers of thin plaster, to fill up all undercuts and to make the plate fit loosely. Saturate the model with water and menbr over it a gutta percha cap; it should be, on the inside, from  $\frac{1}{4}$  to  $\frac{1}{2}$  of an inch thick, so as to be stiff and unyielding. The whole inside of the cup must be roughened up with a scaler or excavator in such a way that the plaster can take firm hold. In most partial cases the impression must be removed in sections, the inside remaining entire but the outside and the parts between the teeth coming away separately. In very difficult cases it is necessary to partially cut through the cup so as to permit of the removal in sections of the plaster impression. These cups have no handle, but are re-

moved by inserting a plugging instrument into a small hole previously made in the back part of the cup, where it is thickest.

**Impression of the Mouth in Wax.** The manner of procuring a wax impression is as follows: Fill an impression cup with white or yellow wax, previously softened in warm water or by a fire until it is of the consistency of dough or soft putty; then put it in the mouth with the wax, feeling the jaw from which a transfer is to be obtained, and press it carefully against it until a sufficiently deep indentation is made or until the entire alveolar ridge and remaining teeth are imbedded in it. The impression cup is held steadily in one hand and the pressure applied equally with the other in every part of it. This done, the wax around the edges should be carefully pressed against the gum, and, when applied to the upper jaw, to the roof of the mouth. The whole should now be removed, and in doing this considerable care is necessary to prevent the steps of the impression from being altered by the corners of the mouth and the teeth. Care should be taken that a thin layer of wax is used—a thick layer will not copy accurately; that the impression is cooled while held firmly in contact with the parts to be copied; and that the material is not overheated in softening.

**Impu'ber** (*impubis*; from *in*, not, and *puber-tas*, puberty). Not of the age of puberty.

**Im'pulse** (from *impello*, to drive against). Any communicated force or sudden spontaneous emotion of the mind or influence acting upon it. **Impulse, Diastolic.** Back stroke of the heart. The short stroke felt at the end of each pulsation.

**Impul'sion.** Onward flow of fluids.

**I'mus Venter.** The lowest part of the abdomen, between the navel and the pudenda.

**Immagin'atio** (from *imago*, a fibre, and *generatio*, regeneration). Muscular regeneration or reproduction of muscular fibres.

**Inan'imato** (from *in*, not, and *anima*, life). Dead; without life.

**Inaniti'on** (*inaniti*; from *inanire*, to empty). Exhaustion from want of food. Emptiness. Wanting of the body from want of food. Starvation.

**Inap'petence.** Anorexia. Dysorexia. Lack of appetite.

**Inartic'ulate.** Having no articulation. Also not having distinct utterance. Not jointed or articulated.

**Incandescence.** The bright light emitted by heated bodies.

**Incandescent Electric Light.** An electric light consisting of a film of carbon of high resistance enclosed in a vacuum glass globe, a white light being emitted when the current passes through it.

**Incarceration** (*incarceratio*; from *in*, and *carcer*, prison). A term applied to hernia when the neck of the sac is so constricted as to prevent its easy reduction.

**Incarnum.** A medicine which was supposed to promote the formation of flesh.

**Incarnation** (from *in*, and *caro*, flesh). Granulating; filling up with flesh.

**Incarn'dium** (from *incendere*, to burn). A burning fever or any burning heat or inflammation.

**Incarnic'dium** (from *incarnere*, to sift). A strainer or sieve. Also the pelvis of the kidney.

**Incision'tia** (from *incidere*, to cut). A term formerly applied to medicines which were supposed to cut the phlegm and thus promote its discharge.

**Incisurate** (*incisuratus*; from *infern*, to reduce to ashes). To reduce any substance to ashes by combustion.

**Incised.** Cut. Applied in *Surgery* to a wound made with a sharp-edged instrument.

**Incised Wound.** A clean cut made in soft parts by a sharp instrument.

**Incision** (*incisio*). The methodical division of soft parts made with a sharp-edged instrument.

**Incision, Simple.** In *Surgery*, a single incision, whether straight or curved.

**Incisions, Compound.** In *Surgery*, incisions of various kinds, consisting of the intersection of one or more single incisions.

**Incisive.** Pertaining to the incisor teeth. Having the quality of cutting.

**Incis'vum Foramen.** A canal, single below and double above, opening on the median line a little distance behind the incisor teeth.

**Incisivus Inferior.** Levator labii inferioris muscle.

**Incisivus Lateralis.** Levator labii superioris alaque nasi muscle.

**Incisivus Medius.** Depressor labii superioris alaque nasi muscle.

**Incisor Teeth** (*dentes incisores*; *dentes canini*; *dentes adcanini*; *dentes tenues*). The four front teeth in each jaw are called *incisors*—from

*incido*, to cut—because they cut the food. They occupy the central part of each maxillary arch. The crown or body of each is wedge-shaped; the anterior surface is convex and smooth; the posterior is concave and presents a tubercle near the neck; the two surfaces come together, forming a cutting edge. In a front view the edge is generally the widest part; diminishing toward the neck, it continues narrowing to the extremity of the root.

The root is single and of a conical shape; laterally, slightly flattened. The enamel is thicker before than behind and behind than at the sides.

The incisors of the upper jaw are larger than those of the lower. The centrals are about one-third wider than the laterals. The lateral incisors of the lower jaw are generally a little wider than the centrals, though the difference in width is never so considerable as to be very perceptible.

**Incisor'ium.** A table on which a patient is placed for an operation. Also a scalpel.

**Incisura.** Incision; gash or notch. Applied in *Anatomy* to the various notches in bones—e. g., the notches of the posterior edge of the crest of the ilium.

**Inclined Plane.** An appliance employed for regulating teeth which give variable pressure. It is constructed of either metal or vulcanized rubber.

**Incombustible.** Incapable of being burned. **Incombustible Cloth.** Cloth manufactured from the filves of asbestos.

**Incompet'ible.** Substances which can not be preserved together on account of having a chemical action on one another.

**Incompressibility.** A term applied in *Physics* to the property which some bodies possess of resisting pressure without diminishing in volume under its influence.

**Incontinence** (*incontinentia*; from *in*, and *continere*, to contain). Inability to retain the natural evacuations. Abuse of the sexual appetite.

**Incorporation** (*incorporatio*; from *in*, and *corpus*, a body). The thorough admixture of various substances so as to give them a uniform consistence.

**Increase'ans** (*incrassans*; from *incrassare*, to make thick). Medicines which were formerly believed to have the property of thickening the fluids when too thin.

**Increment'um.** Augmentation; increase; growth.

**Incrustation** (*incrustatio*; from *in*, and *crusta*, a crust). The formation of a crust on the surface of a body or over any substance. Also the crust itself.

**Incubation** (*incubatio*; from *incubare*, to lie upon). In *Natural History*, the period a bird sits upon her eggs before the young are produced. In *Medicine*, the period that elapses from the time of the introduction of a mortificable agent into the body before the invasion of disease.

**Incubus** (from *incubare*, to lie upon). The nightmare; an oppressive sensation of the chest during sleep, accompanied by unpleasant dreams.

**Incurment** (*incurmens*; from *incurva*, to lie down). A term applied in *Botany* to anthers of plants when the lower part is in contact with the filament, and in *Zoology* to wings of insects when one lies over the other.

**Incursion.** See IMPACTION.

**Incurable.** A term applied in *Pathology* to disease not susceptible of cure.

**Incurved.** Bent inward.

**Incus.** An anvil. The name of one of the bones of the ear.

**Indentation** (*in*, and *deus*, a tooth). A condition of being notched or serrated. **Indentation of the Tongue.** The notches on the border of the tongue caused by the teeth and apparent during inflammation of the tongue.

**Index** (gen. *indicia*; from *indicare*, to point out). The forefinger.

**India-rubber.** Caoutchouc. The milky concrete juice of several tropical plants, but obtained chiefly from the *Hevea brasiliensis*, growing in South America and Java. It is obtained by tapping the trees, and is at first of a yellowish-white color, but darkens rapidly on exposure. It derives its name, rubber, from having been used for more than fifty years only to erase pencil-marks. It is insoluble in water or alcohol. It melts at 240° F., and remains fluid without change up to 500° F. Combined with sulphur and colored with vermilion, it admits of being hardened by means of steam, and is used in *Mechanical Dentistry* as a base for artificial teeth, etc. See VULCANITE and CAOUTCHOUC.

**Indicant** (*indicans*; from *indicare*, to point out). Pertaining to an indication.

**Indicating Days.** Critical days.

**Indication** (*indicatio*). The manifestation afforded by disease of what ought to be done.

**Indicator** (*extensor proprius indicis*). An extensor muscle of the forefinger.

**Indicus Morbus.** Venereal disease.

**Indigenous** (*indigena*). That which is peculiar to any country, in opposition to exotic.

**Indigestion.** Dyspepsia.

**Indistinct.** In *Anatomy*, a slip of muscle which is introduced in a cleft between two corresponding slips of another muscle.

**Indignabundus.** A term applied in *Anatomy* to the rectus internus oculi muscle, from the expression of anger or scorn imparted by its action.

**Indigo'ic Acid.** The nitranilic acid of Persians; a product of the action of diluted nitric acid on indigo.

**Indisposition.** Slight disturbance of the healthy functions of the body, without manifest disease.

**Indol.** A product of intestinal putrefaction. Also formed when proteins are heated with alkalis or by superheating with water.

**Indolent** (*indolens*; from *in*, privative, and *dolere*, to be in pain). Without pain. Applied to tumors which are attended with but little pain.

**Indoles.** A natural disposition or character.

**Induction** (*inductio*; from *in*, and *ducere*, to lead). In *Philosophy*, the process of bringing forward individual facts for the purpose of establishing some general conclusion; in *Electricity*, an influence exerted by an electrified body through a non-conducting medium without any apparent communication of a spark.

**Indurplicate.** In *Botany*, a form of venation in which the margins of the leaves are folded abruptly inward, while their external faces are applied to one another without any twisting.

**Indur'antia** (from *indure*, to harden). Medicines which are supposed to harden the parts to which they are applied.

**Induration** (*induratio*; *induratio*). A hardened and thickened condition of a part, usually resulting from inflammation.

**Inebriants.** Intoxicating substances.

**Inelastic.** Not elastic.

**Inequal'ity.** Unequal; applied in *Pathology* to the pulsation of an artery or to respiratory efforts when differing from another, and in *Botany* to the parts or organs of plants which are not of equal size.

**Inequal'ity.** Unevenness; alternate rising and falling of a surface; applied in *Dental Sur-*

gery to malformed teeth and to decayed teeth which present an separated surface.

**Iner'mis** (from *in*, privative, and *arma*, weapons). Unarmed.

**Iner'tia** (from *inert*, slothful). A passive condition of parts. Also inactivity.

**Inevap'orant Tie'sue**. A substance used to prevent the evaporation of the liquid in water dressing. Oiled silk, muscham, etc., will answer the indication. See WATER DAMPING.

**In'fancy** (*infantis*; from *in*, negative, and *fari*, to speak). Early childhood, generally including the age from birth to the seventh year.

**Infan'ticide** (from *infans*, a child, and *cide*, to kill). The murder of a young child.

**In'fantile Teeth**. The temporary, or milk, teeth.

**Infarc'tion**. Emphraxia. Engorgement of any of the tubes of the body. Stuffing; congestion.

**Infec'tion**. The introduction of a deleterious agent—as malarial miasm or effluvia from patients crowded together—into the animal economy or the propagation of disease by such agencies.

**Infec'tious**. Communicating itself or communicable by infection.

**Infecund'ity**. Sterility.

**Inferior Longitudinal Sinus**. A vein of the dura mater running along the lower margin of the falx cerebri.

**Inferior Strait**. In *Obstetrics*, the lower strait of the pelvis, formed by the rim of the os pubis, the tubercles of the ischium, and the os coccyge.

**Infero-bronchie'tis**. An order of gastro-pneumonia in which the glands are situated below the mouth.

**Infibula'tio**. An affection in which the retraction of the prepuce is prevented.

**Infiltrat'ion** (*infiltrate*; *infiltrate*; from *fil-*, to filter). Effusion. The accumulation of a fluid in the cells of an organ or texture.

**Infinite'simal** (*in*, negative, and *finis*, a boundary). Infinitely small.

**Infr'mary** (*infermarium*). A hospital. A charitable institution for the relief of the sick and for their accommodation during treatment.

**Inflam'mable** (*inflammas*; from *in-*, to burn). Such bodies as inflame with facility; easily kindled; susceptible of combustion.

**Inflam'mable Air**. Hydrogen gas.

**Inflam'mable Air**, Heavy. Carburetted hydrogen.

**Inflam'ma'tion** (*inflammatio*; from *inflam-mo*, to set on fire). A state characterized by redness, heat, tension, swelling, and pain, and terminating by resolution, by formation of new tissue, by gangrene, or local death—*accrual*. The terminal *-itis*, added to the name of the organ or part affected, expresses this state; as *stomatitis*, inflammation of the mouth.

**Inflammation of the Blad'der**. Cystitis.

**Inflammation of the Brain**. Encephalitis.

**Inflammation of the Breast**. Mastitis.

**Inflammation of the Choroid Membrane**.

Iritis.

**Inflammation of the Eye**. Ophthalmitis.

**Inflammation of the Intes'tine**. Enteritis.

**Inflammation of the Iris**. Iritis.

**Inflammation of the Kid'ney**. Nephritis.

**Inflammation of the Lining Membrane of a Tooth**. See EXUDATION.

**Inflammation of the Liver**. Hepatitis.

**Inflammation of the Luogs**. Pneumonitis.

**Inflammation of the Mouth**. Stomatitis. See INFLAMMATION OF THE MOUTH, COMMON DEPTHCEN.

**Inflammation of the Mouth, Common DEPTHCEN**.

**Inflammation of the Mouth, Common DEPTHCEN**. This is so fully and accurately described by Dr. Wood, in his treatise on the "Practice of Medicine," that we shall quote his remarks upon the subject. He says: "It appears in redness, somewhat elevated patches or eczemas large portions of the surface, sometimes extending apparently over the whole mouth. In some cases it is superficial, with little or no swelling, and may be designated as *erythematous*; in others it occupies the whole thickness of the membrane, extending sometimes to the submucous tissue and even to the neighboring structures, as the sublingual and submaxillary glands and the salivary glands of the neck, and occasions considerable transudation in all these parts. In the erythematous form it is characterized by redness, a sense of heat, and sometimes considerable tenderness, but is not usually attended with acute pain; when deeper in the tissue it is often very painful. Portions of the epithelium sometimes become opaque, giving an appearance of whiteness in streaks or patches. Occasionally this coating is elevated in blisters, or even detached like the cuticle from the skin in scalds. Superficial ulcerations not infrequently occur, which may spread over considerable portions of the mem-

brane. In certain states of the constitution the ulcerative tendency is very strong, and deep and extensive sores occur, which are sometimes attended with gangrene. There is often a copious flow of saliva, though in some instances this secretion, as well as that of the mucous follicles, is checked, and the mouth is clean or dry. The sense of taste is usually more or less impaired, and speech and mastication are often difficult and painful. When the tongue is affected its surface is, in general, first covered with a whitish fur, through which the red and swollen follicles may often be seen projecting. This fur sometimes breaks off, leaving the surface red, smooth, and glossy, with here and there prominent follicles, and very sensitive to the contact of even mild substances; or the surface may be dry, hard, and galled with painful fissures. When the gums are involved they swell and rise up between the teeth, around the necks of which they not infrequently ulcerate. In some rare instances this ulceration is very extensive and does not cease until it has extended into the sockets and destroyed altogether the connections of the teeth, which become loosened and fall out, after which the gums will heal. Ordinary stomatitis is seldom so violent as to induce symptomatic fever." For causes and treatment see Harris' "Prin. and Pract. of Dentistry."

**Inflammation of the Periostrum of a Tooth.**

Periodontitis. Dental Perichondritis. See OIMPHALGIA and PERIODONTITIS, DENTAL.

**Inflammation of the Periostrum.** Peritonitis.

**Inflammation of the Pleura.** Pleuritis.

**Inflammation of the Pulp of a Tooth.** Endodontitis. See OIMPHALGIA; also PULPITIS.

**Inflammation of the Retina.** Retinitis.

**Inflammation of the Stomach.** Gastritis.

**Inflammation of the Testicles.** Orchitis.

**Inflammation of the Urethra.** Urethritis.

**Inflammation of the Uterus.** Uteritis.

**Inflammation of a Vein.** Phlebitis.

**Inflammation of the Cula.** An insignificant inflammation, commonly superficial.

**Inflammatory (inflammatorius).** Of the nature of inflammation; tending to excite heat and inflammation.

**Inflammatory Crust.** Ruffy coat on the blood during pregnancy, inflammation, etc.

**Inflammatory Fever.** Synocha.

**Inflation (from *inflare*, to blow into).** Distention with air. In *Pneumology*, a windy swell-

ing, but usually applied to the stomach and bowels.

**Inflatus.** Inflated.

**Inflexus.** Bent inward.

**Influenza** (the Italian word for influence). Epidemic catarrh is so termed because it was supposed to be the result of a peculiar atmospheric influence, characterized by the suddenness of its attack, general depression, great heaviness over the eyes, and a very distressing fever. Called by its French name, *la grippe*.

**Infractio** (from *fractis*, and *fractis*, breaking). The incomplete fracture of a bone. Also an inclination or driving forward.

**Infra-maxillaris.** Submaxillary.

**Infra-maxillary** (from *infra*, below, and *maxilla*, the jaw). Below or under the jaw.

**Infra-orbital.** Suborbital; beneath the orbit.

**Infra-orbital Foramen.** A foramen immediately below the orbit.

**Infrapubic Ligament.** Triangular ligament.

**Infrascapularis.** The subscapularis muscle.

**Infraspinatus** (from *infra*, beneath, and *spina*, a spine). A muscle of the humerus.

**Infundibuliform (infundibuliformis; from *infundibulum*, funnel, and *forma*, likeness).** A term applied in *Anatomy* to the circular ligament of the aorta, and in *Botany* to organs of plants, funnel-shaped.

**Infundibulum** (from *in*, and *fundere*, to pour out). A funnel. In *Anatomy*, a name given to parts which resemble a funnel. In *Surgery*, infundibula, or funnels, are used to direct steam or vapors and to conduct the actual cautery to certain morbid parts.

**Infundibulum of the Brain.** A depression or canal leading from the third ventricle to the pituitary gland.

**Infundibulum of the Kidney.** The small cup-like membranous canals which surround the papilla of the kidney and open into its pelvis, whither they convey the urine.

**Infusible.** Not fusible; incapable of being reduced to the fluid state by heat.

**Infusio** (from *infundere*, to pour in). In *Pharmacy*, the act of pouring a hot or cold fluid upon vegetable substances for the purpose of extracting their medicinal properties. Also the product itself. In *Surgery*, the introduction of medicinal substances into the veins.

**Infusoria.** Animalcules developed in in-

fusions of animal or vegetable substances and in stagnant waters.

**Infusum.** An infusion.

**Inges'ta** (from *ingere*, to carry in). The aliments introduced into the body.

**Ingu'vies.** Gouty. Also the crop of birds.

**In'guvina.** A preparation obtained from the gland of the fowl, used as a substitute for pepsin and pancreatin. Efficient in indigestion and the sickness of pregnancy. Dose, gr. xx.

**Ingot'.** A bar of gold, silver, or other metal cast in a mould.

**Ingot Mould.** A mould in which ingots are cast, usually made of iron and composed of two pieces, or of soapstone, charcoal, or compressed carbon.

**Ingu'stias, Wings of.** Two portions of the symmetrical halves of the sphenoid bone, termed the large and small wings.

**Ingravidation.** Pregnancy. Fermentation.

**Ingre'dient** (from *ingredere*, entering into). That which enters into or is a component part of a compound or mixture; constituents of a compound. Applied to medicinal compounds.

**In'guen.** The groin.

**In'guinal** (*inguinalis*; from *inguen*, the groin). Pertaining to the groin.

**Inguinal Ar'tery.** The external iliac immediately beneath the crural arch.

**Inguinal Canal.** The canal for the spermatic cord, formed by the folding of the lower edge of the external oblique muscle.

**Inguinal Glands.** The lymphatic glands in the groin.

**Inguinal Her'nia.** A form of hernia in which a part of the bowels protrude at the umbilical ring.

**Inguinal Lig'ament.** Ponsart's ligament.

**Inguis'tio** (*in*, and *gula*, the throat). Introducing anything into the throat. Inguistion.

**Inhale'tion.** The act of drawing in vapors with the breath.

**Inhalation of Chloroform.** See **ANÆSTHETIC AGENTS**.

**Inhalation of Ether.** See **ANÆSTHETIC AGENTS**.

**Inhale'** (from *inhale*, to draw in). To inspire air or the vapor of anæsthetic or other agents into the lungs.

**Inhal'er.** An instrument used for the inhalation of ether, chloroform, and other vapors.

**Inhaler, Alis.** This consists of an oval frame

composed of a series of wires through which passes back and forth a continuous band of muslin. The layers of muslin, though near each other, are still so far apart as to permit the free passage of atmospheric air. The ether is continuously dropped in small quantity upon the muslin to maintain it at an even degree of saturation.

**Inhaler, Nitrous Oxide.** A breathing-tube for the inhalation of nitrous oxide gas; constructed of vulcanized rubber or metal. It consists of a tube and mouth-piece, the tube containing two valves—one valve upon the inside of the tube, allowing the gas to pass through to the mouth of the patient; the other upon the outside, which allows the exhalation to pass off and not be again inhaled.

Attached to the tube is a stop-cock to arrest the flow of gas when desired. A number of inhalers are in use, known by the names of their inventors. See **NITROUS OXIDE APPARATUS**.

**Inhe'rent.** That which belongs, adheres, or is united to a thing.

**Inher'ited** (from *inheritere*, to derive to). Derived from an ancestor.

**Inherited Disease.** A disease transmitted to a child by its parents.

**Inhibit** (from *inhibere*, to check). To restrain, suppress, or check.

**Inhibition** (from *inhibere*). The act of suppressing or checking.

**Inhumat'ion** (*inhumatio*; from *inhumare*, I put into the ground). The burying of the dead.

**In'led.** Toward the plane of the ridge of the occiput.

**In'lei.** The posterior aspect of the head.

**In'loo.** Nape of the neck. External protuberance of the occipital bone.

**Inl'itis.** Inflammation of serous membrane.

**Injaco'm'tio.** Acute pain of the stomach with rigidity and immobility of the body.

**Injection** (*injectio*; from *injicere*, to throw into). The introduction, by means of a syringe or other instrument, of a medicated liquor into a natural or preternatural cavity of the body. When introduced into the rectum injections are called *enemas*. In *Arteries*, filling of the vessels of the dead body with some bright substance to exhibit their form or number to better advantage.

**Inlaying Porcelain or Enamel and Gold.** A method of filling cavities in teeth by the insertion of a disc of tooth-enamel or of por-

certain, fitted to the form of the margins but somewhat smaller to permit a fine line of gold or cement to surround the disk and to connect it with the tooth. Its purpose is to avoid the unsightliness of large fillings on exposed surfaces.

**Inlays.** Substitutes of lost tooth structure which are inserted into a prepared cavity in solid pieces; inlays of porcelain corresponding in shade and contour to the surrounding structure. Gold has also been used for inlays in front teeth and amalgam for large inlays in posterior teeth; also Venetian enamel, composed of Venetian glass beads in the form of powder and of different shades, and fused at a lower temperature than porcelain.

**In'ate** (*innatus*; from *in*, and *novus*, to be born). Inborn; not acquired.

**Innate Diseases.** Diseases with which the infant is born. Congenital.

**Innervation** (*innervatio*; from *in*, and *nervus*, a nerve). The vital operation by which a part or organ is supplied with nervous influence.

**Innomina'ta Arte'ria.** The first branch given off by the arch of the aorta.

**Innominata Cartilago.** Cricoid.

**Innominata Cav'itas.** A cavity in the outer ear, between the helix and antihelix.

**Innominata Min'ra Ossa.** The three cruciform bones of the tarsus.

**Innomina'ti Nervi.** The nerves of the fifth pair.

**Innomina'tum For'amen.** A foramen in the petrous portion of the temporal bone, through which the Viduan nerve passes.

**Innominatum Os.** A large, irregular bone, which forms the anterior and lateral walls of the pelvis. It is divided in the young subject into three portions,—the ilium, ischium, and pubis,—which join one another in the acetabulum.

**Innomina'tus** (from *in*, privative, and *nomen*, a name). Innominitum. Without a name. A term applied in *Anatomy* to the bone which, in early life, is divided into three parts,—viz., the ilium, pubis, and ischium. An artery, the fifth pair of nerves, and a foramen have also been thus designated. See **ARTERIES**; **NERVES**.

**In'oblast.** A connective-tissue cell.

**Inochondrit'is** (*ic*, *ovc*, a fibre, and *chondr*, a cartilage). Inflammation of tendons and cartilages.

**Inocula'tion** (*innoculatio*). The artificial

introduction of a poison into any part of the body, especially the variolous or vaccine virus. **Variolation.**

**Inoculation, Cow-pox.** Vaccination.

**Inohymen'tis.** Itch.

**Ino'ma** (*os*, *onc*, a fibre). Neirrhoma; a fibrous tumor.

**Inorgan'ic** (from *in*, without, and *organum*, an organ). Having no organs. No possibilities of development, growth, or life. In *Chemistry*, the mineral kingdom, with its variety of objects, is thus distinguished; minerals and other bodies which are not derived from organic products.

**Inoscero'ma.** Intumescence of fibrous tissue.

**Inocula'tion** (*innoculatio*; from *in*, and *oculus*, a little mouth). The union of the extremities of vessels. **Anastomosis.**

**Ino'sic Acid.** A syrupy fluid obtained from juice of flesh after the separation of creatine.

**Inosite.** Muscle sugar.

**Inosto'sis.** An alteration of absorption and deposition of cementum in the case of roots of teeth which leave for a long time been a source of slight irritation; the absorption being effected by the agency of polymucinated cells, which are derived from the formative bone cells.

**Insalifi'able** (*is*, and *salifabilis*; capable of being formed into a salt). Applied to oxides which are not acids nor capable of neutralizing them.

**Insaliva'tion** (*insalivatio*). The admixture of saliva with food during mastication. The process of mastication and the presence of food in the mouth increases the secretion of this fluid, as does also a desire for or the odor of savory alimentary substances. The salivary glands, being liberally furnished with nerves and blood-vessels, are easily excited and readily provided with an abundant supply of viscoous fluid, which flows in greater quantity when the food is acid and stimulating than when it is of a less exciting nature. It is estimated that from five to six ounces are secreted at a meal. This, together with the fluid secreted by the labial, palatine, and sublingual mucous glands, as well as the mucus from the exhalant arteries of the mouth, not only contributes to lubricate the buccal cavity, but mix with, dissolve, and bring together the divided alimentary particles, assist in forming them into a pulviscoous mass, and produce on them the first



change which they undergo in the process of digestion.

**Insalubrity.** Unhealthy.

**Insanity** (*insanitas*). Madness; mental alienation. Insanity may result from the irritation occasioned by carious teeth, pulp-nodules, overcrowding of the teeth, and exposed roots of teeth.

**Inscriptioe Tendineae Musculorum.** Tendinous fibres crossing muscles, especially on the abdomen.

**Insensibility.** Anæsthesia. Loss or absence of sensation.

**Insertion** (*insertio*). In *Anatomy* and *Dentistry*, the intimate connection of one part or organ to another, as the insertion of a ligament or muscle into a bone; of a condyle, stamen, petal, leaf, or ovary into any part of a plant. In *Dental Surgery*, the engrafting of an artificial tooth on the root of a natural one.

**Insertion of an Artificial Tooth.** See *PIPER TOOTH*, *MANNER OF INSERTION*, in *Harris'* "Prin. and Pract. of Dentistry."

**Insiden'tia.** That which arises on the surface of urine.

**Insidious.** In *Pathology*, diseases which do not appear at first as formidable as they are, and which are apt to escape attention.

**Insitio.** Inoculation.

**Institio Dentis.** Implantation of a tooth.

**In situ** (from *in*, and *situs*, position). A Latin term denoting *in a place or natural position*.

**Insolation** (*insolatio*; from *in*, and *Sol*, the sun). Exposure to the direct rays of the sun, employed for drying pharmaceutical substances and chemical preparations, and sometimes, in *Therapeutics*, to excite cutaneous irritation or to rouse the vital powers when a patient becomes languid.

**Insoluble** (*insolubilis*; *insolubilitas*). The property of a solid which prevents it from dissolving when immersed in a fluid.

**Insom'nia** (from *in*, and *somnus*, sleep). Sleeplessness, usually a sign of disease.

**Inspiratio** (*inspiratio*; from *in*, *in*, and *spiro*, I breathe). The act by which the air is drawn into the lungs.

**Inspiratory.** A name given to certain muscles which, by their contraction, enlarge the chest and produce inspiration.

**Inspissation** (from *in*, and *spissus*, thickened). The evaporation of a juice or secretion to a thick consistence.

**Instep'.** The most elevated part of the top of the foot.

**Instillation** (*instillatio*). The act of pouring into a liquid drop by drop.

**Instinct'** (*instinctus*). Inwardly moved. That power of the mind by which animals are spontaneously led or directed to do whatever is necessary for the preservation of the individual or the continuation of the species.

**Instinctive.** Spontaneous; caused by instinct. Applied in *Physiology* to those involuntary actions which are excited immediately through the nerves—a part of the *reflex function*. Among these are the closure of the eyelids, the act of sucking, the act of swallowing, the closure of the glottis, the action of the sphincters, inspiration, sweating, vomiting, etc.

**Institutes of Medicine.** The theory and practice of medicine.

**Instrument** (*instrumentum*). Any mechanical agent employed in the operations of any of the branches of manual medicine.

**Instruments, Exploring.** For examining teeth to ascertain the work necessary to be done; more especially for determining the presence of caries of the teeth.

**Instruments for Cleaning Teeth.** The instruments employed for this purpose are constructed with variously shaped points, and are called "scalers," as they are used for the removal of salivary calculus. They consist essentially of steel blades, attached at various angles to shafts of steel, wood, ivory, etc., and are so constructed as to admit of easy application to the teeth upon which the deposit is found. Scalers are usually made in sets comprising from six to twelve instruments, and are known by the name of the designer, as "Abbot's scalers," etc.

**Instruments for Enlarging the Canal in the Root of a Tooth.** The burr drill, flat drill, and broach, or modifications of these, are the instruments usually employed for this purpose.

**Instruments for Filling Teeth.** Such as introducers, counters, etc.

**Instruments for Removing Dental Caries.** Such as excavators, burr and flat drills, enamel chisels, etc.

**Instruments for the Extraction of Teeth.** Those most commonly employed in this operation are forceps, the key of Garengout, the punch, elevator, hook, and conical screw.

**Instruments, Nerve Cavity.** For extracting

pulps of teeth, excavating, and cleaning and filling pulp canals.

**Inaspiration** (*inspiration*; from *in*, and *sufflo*, to blow). The injection of a gaseous fluid into a cavity of the body.

**Insula Cerebri**. The intermediate lobe of the brain.

**Insulation** (from *insula*, an island). In *Electricity*, the state of a body when cut off from communication with surrounding objects by non-conductors.

**Int'eger**. Integument. Entire.

**Int'e-gral Particles** (from *integer*, entire). The smallest particles into which a body can be divided by mechanical means.

**Integ'rity** (*integritas*; from *integer*, entire). A term employed by the French to express a perfectly healthy state of the organic tissues of the entire animal body.

**Integ'ument**. A covering; the covering of the body; the skin.

**Int'ellect** (*intellectus*; from *intelligere*, to understand). The aggregate of the faculties of the mind. Understanding.

**Intem'perance** (from *in*, negation, and *temperare*, to temper). Immoderate indulgence of the appetite, especially for alcoholic drinks.

**Intemper'ies**. Derangement or disorder, either in the atmosphere or in the body.

**Inten'sity**. Activity, violence; applied in *Pathology* to disease.

**Inten'tion** (*intentio*; from *in*, and *tendere*, to stretch). In *Surgery*, union by the *first intention* is the constriction of a wound without suppuration; union by *second intention* is that which does not occur until the surfaces have suppurated.

**Inter-**. A prefix signifying between, intermediate.

**Inter'a'nea**. Intima.

**Interart'icular**. Between articular surfaces.

**Interca'dence**. In *Pathology*, a supernumerary beat of the pulse.

**Inter'calary Days**. The days which occur between those that are ritidial. Also the days which intervene between the paroxysms of intermittent fever.

**Inter'cellular**. Between the cells.

**Intercentral**. Between or connecting nerve-centra.

**Interclavic'ular**. Applied to a ligament which passes from one clavicle to the other.

**Interco'stal**. Between or connecting the ribs.

**Interco'stal Arteries**. The arteries which run between the ribs.

**Interco'stal Muscles**. The muscles which extend from the inferior edge of each rib above to the superior edge of each rib below. They constitute eleven pairs of double muscles, and are distinguished into *external* and *internal*.

**Interco'stal Nerve**. Tripleurhnic nerve.

**Interco'stal Nerves**. The great sympathetic and twelve branches from the anterior branches of the dorsal nerves, which are distributed to the muscles of the walls of the thorax and abdomen.

**Interco'stal Spaces**. The intervals between the ribs.

**Interco'stal Veins**. The veins which accompany the interco'stal arteries. The right superior interco'stal vein is often wanting. When it exists, it opens into the posterior part of the subclavian.

**Interco'sto-hu'meral**. A term applied to the cutaneous branches of the second and third interco'stal nerves.

**Intercu'rent**. Breaking into and modifying the course of a disease.

**Intercuta'neous**. Subcutaneous. Beneath the skin.

**Interden'tal**. Between the teeth.

**Interdental Splint**. An appliance used in the treatment of fractures of the maxillary bones, by which the fractured extremities are retained in close and perfect apposition, and the exact antagonism of the teeth maintained until periodontal callus is thrown out and union is effected. Corné, a French surgeon, in 1851 invented a gutta serena splint, which proved successful in a number of cases. Hamilton, in his work on "Fractures," recommends a gutta serena splint in connection with his bandage. The late Professor N. B. Smith was the inventor of a metal splint, with improvements for the teeth, adjusted with a counter-splint and screws under the jaw. But it is only since vulcanized rubber has come into general use that interdental splints, constructed of this material, have fulfilled all the required indications in the treatment of fractures of the maxillary bones. Appliances of this kind, constructed of vulcanized India-rubber, are the inventions of the late Drs. T. H. Gunning and J. B. Bean, and have proved successful in the treatment of the most complicated cases of fracture of the maxillary bones.

**Interdigital.** Between the fingers; applied to the space in that situation.

**Interganglionic.** Nervous cords connecting the ganglia.

**Interlobular Spaces.** Certain cavities or spaces in the dentine which are said by KELLER to be filled with a soft substance resembling tooth cartilage. In the sections for microscopical observation this soft substance has dried up, and cavities are formed which are called interlobular spaces. Their presence is supposed to be owing to a dilated condition of the dentine. See **INTERLOBULAR TISSUE**.

**Interlobular.** Between the lobules, as of the lungs or liver.

**Intermaxillary.** Between the maxillae.

**Intermaxillary Bone.** A portion of bone wedged in between the superior maxillary bones of the human fetus; found in the mummalia.

**Intermedia** (from *inter*, between, and *media*, middle). Lying between two bodies: in the middle; interposed.

**Intermission** (*intervallum*; from *inter*, between, and *mittere*, to put or send). The intervals which occur between two paroxysms of an intermittent fever or other disease or between two pains.

**Intermittent.** A disease in which there are intermissions or one which comes and returns after stated or uncertain intervals.

**Intermittent Fever.** A fever consisting of paroxysms which subside and return at regular periods. Called *quotidian*, where the paroxysms return every day; *tertian*, where they return every third day—that is, on alternate days; *quartan*, where they return every fourth day, thus leaving two days between the paroxysms.

**Intermuscular.** That which intervenes between two muscles.

**Internee.** A house surgeon or physician.

**Interosseal.** That which is between the knuckles. A phalanx.

**Interosseus Auris.** The tensor tympani muscles of the ear.

**Interosseal.** Between bones.

**Interosseal Muscles.** The small muscles situated between the metacarpal bones, extending from the bones of the carpus to the fingers.

**Interosseal Pedis.** The small muscles situated between the metatarsal bones.

**Interosseous.** (from *inter*, between, and *os*, a bone). Situated between bones.

**Interosseous Arteries.** Small branches from

the dorsalis carpi arteries, distributed to the interosseous ligament of the forearm and between the interosseous muscles.

**Interosseous Nerve.** A branch from the median nerve which passes over the interosseous ligament of the forearm.

**Interparietal Bone.** A bone lying in the situation of the upper angle of the occipital. It is supposed by von Tschudi to be characteristic of the Peruvian race, but it has no ethnological importance whatever, as the same thing is occasionally found in the adult skulls of all races.

**Interrupted.** Broken in its regular form; disturbed in its normal arrangement.

**Interrupted Circuit.** See **CIRCUIT**.

**Interrupted Suture.** A suture formed by passing a needle armed with a ligature through the lips of the wound, previously brought in contact, and then tying the extremities of the thread. The other stitches are made in the same manner. They are separate or interrupted.

**Interscapular** (*interscapularis*). That which is between the scapulae.

**Interscapulum.** The spine of the scapula.

**Interspectrum** (from *inter*, between, and *spectrum*, a partition). The septum aurium; also the uvula.

**Interspectrum Virginalis.** The hymen.

**Interspinal** (*interspinalis*; from *inter*, between, and *spina*, the spine). Applied to muscles, nerves, etc., situated between the spinous processes.

**Interspinales.** The portions of muscles situated between the spinous processes of the cervical, dorsal, and lumbar vertebrae. They are distinguished by the names *interspinales colli* and *interspinales dorsi et lumborum*.

**Interspace** (from *inter*, between, and *spes*, to stand). An interval; a space between two organs.

**Interstitial.** Relating to or containing interstices, as *interstitial matter*, *interstitial absorption*, etc. Applied to a substance occupying the interstices of contiguous cells. See **ANASTOMOSES**.

**Interspinous.** The small quadrilateral muscles situated between the transverse processes of the vertebrae of the neck and loins.

**Intertirigo** (from *inter*, between, and *tiro*, to rub). Excoriation or chafing of the skin about the anus, groins, and other parts of the body.

**Intertubular.** Between tubes.

**Intertubular Substance, or Tissue.** The intervening substance in the structure of dentine, situated between the dentinal tubuli; the connecting matrix. It contains the greater part of the earthy constituents of dentine. See DENTINAL TUBULI; also INTERTUBULAR SPACES.

**Intervertebral** (*intervertebralis*). That which is situated between the vertebrae.

**Intervertebral Cartilages.** The cartilages between the vertebrae.

**Intestib'lia** (*intestina*). Castrated.

**Intes'tinal.** Implanting or belonging to the intestines.

**Intestina'lia.** Intestinal worms.

**Intes'tine** (*intestinum*; from *intus*, within). The convoluted membranous and muscular tube extending from the stomach to the anus. It is distinguished into small and large. The former includes the *duodenum*, *jejunum*, and *ileum*; and the latter the *cæcum*, *colum*, and *rectum*.

**Int'mum Un'guis.** Root of the nail.

**Intol'erance.** That condition of the body which indicates the impropriety of using certain remedies, as intolerance of blood-letting, etc.

**Intoxica'tion** (*intoxicatio*; from *in*, and *toxcum*, a poison). Eklrity; the effect of also being liquor taken in excess.

**Intralob'ular.** Within a lobule. In *Hepatic Anatomy*, applied to the veins of the lobules, the maltrix of the hepatic veins.

**Intraver'tebrate.** Animals having their osseous system within the body. Same as vertebrated.

**Intrin'sic** (*intrinsecus*; from *intus*, within, and *arsus*, toward). Inherent, and adventitious. In *Anatomy* and *Pathology*, organs and diseases situated internally.

**Intro'itus.** An entrance. The act of entering.

**Intronsis'alion** (*intronsisio*; from *intus*, within, and *solvo*, I send). The introduction of one ligament or organ into another.

**Introrse.** Turned inward.

**Introusception** (*introusceptio*). See INTUMUSCEPTION.

**Intumes'cence** (*intumescentia*; from *intumescere*, to swell). Increase of size in a part. Swelling.

**Introusception** (*introusceptio*; from *intus*, within, and *accipio*, I receive). In *Physiology*, nutrition; the mode of increase peculiar to organized bodies. In *Pathology*, the intro-

duction of a portion of testestine into that which precedes or follows it.

**Inusac'tion** (*inussatio*). A Holmsat or olament. Also the act of anointing; rubbing of so ointment into the skin.

**Inus'tion.** Castration.

**Invag'inated** (*inaginatius*; from *in*, and *agere*, to thrust). Applied to a part received into another. Intussusception.

**Invagina'tion.** Intussusception.

**In'valid.** Applied to those affected by sickness.

**Inva'sion** (*invasio*). The period when a disease first makes its attack or is developed.

**Invermina'tion.** Helminthiasis. Verminous disease; that condition which gives rise to the presence of worms.

**Inver'sio Palpebrarum.** See ENTROPION.

**Inverso U'teri.** Partial or complete inversion of the uterus.

**Inver'sion** (*inversio*). Turned inside out.

**Invertebra'ta.** Invertebrates. Animals that have no vertebral column or internal bony structure: a subdivision of the animal kingdom comprising *mollusca*, *articularia*, and *coelenterata*, each of which is made up of several classes.

**Investing.** Imbedding a denture in what is known as investing material for the purpose of adhering the linings or bankings of the teeth to the plate.

**Investing Material.** Five parts of white beach sand, four parts of plaster, and one teaspoonful of pulverized asbestos.

**Invisca'tio Oc'uli.** Adhesion of the eyelids to each other or to the globe of the eye.

**Involucel'um.** A partial involucrum.

**Involu'crum** (from *in*, and *volvo*, to wrap up). A wrapper. In *Anatomy*, a membrane which surrounds a part. In *Botany*, the bracts which surround the flowers of the umbelliferae.

**Involucrum Cordis.** The pericardium.

**Involu'te** (*involutus*). Rolled toward.

**I'odate** (*iodata*). A variety of salts formed by the union of iodic acid with a salifiable base.

**Iodic Acid** (*acidum iodicum*). A white, semi-transparent solid; a compound of iodine and oxygen, of an astringent and sour taste and feeble odor.  $\text{HIO}_2$ . It forms salts called *iodides*.

**I'odide.** A compound of iodine with a simple body—metal or other radicle. Iodide of Potassium. Potassii Iodidum (which see).

**Io'dine.** Iodine.

**I'o'dine, Iodum, Io'dium** (from *iodē*, violet colored). Iodine is a non-metallic element obtained principally from the ashes of seaweed, and evolved in the form of vapor which is condensed. It is a soft, friable, opaque solid, of a black-black color and metallic lustre. Iodine and the iodides are used with great success in solution and tincture in goitre and some scrofulous affections. Dose,  $\frac{1}{2}$  to  $\frac{1}{2}$  of a grain. See **TRICHTEIA IONI**.

**Iodine Trichloride.** Obtained by passing chlorine gas over iodine; in the form of reddish crystals, antiseptic and disinfectant.

**Iodine'um.** Iodine.

**Io'dium** (*iodum*). Iodine.

**Io'dism.** The morbid effects of iodine.

**Io'doform** (*iodoformum*). Triiodide of formyl; tri-iodo-methane,  $\text{CHI}_3$ . A crystalline substance of a saffron color, obtained by the action of chlorinated lime upon an alcoholic solution of iodide of potassium. It contains ninety-one per cent. of iodine. It is volatile, soft to the touch, of a sweet taste, and soluble in alcohol and ether, but insoluble in water. It is antiseptic and slightly anesthetic when applied locally. It is frequently employed with great benefit as an application to wounds, abrasions, and indolent ulcers and ulcers. In small doses it is tonic, stimulant, and alterative; in large doses it is poisonous, causing convulsions. Dose, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{2}$ . A remedy in *Dental Practice* it is said to possess the same alternative properties as iodine, but without its caustic effect, and proves a soothing application to inflamed parts; also useful in alveolar abscesses of long standing, neuralgic pain, and diseases of antrum. For dental application, etc., see Gorgas' "Dental Medicine."

**Iodo-hydrargyrate of Potas'sium.** A double salt of iodide of potassium and bi-iodide of mercury.

**Iodol.** Tetraiodopyrrol.  $\text{C}_4\text{I}_4\text{NH}$ . Obtained by the action of iodine on certain constituents of animal oil, the proportion of iodine being about 85 to 90 parts by weight. The disagreeable, penetrating, and dissolving odor of iodoform is not apparent in iodol. Iodol is employed in all the conditions for which iodoform is employed. Iodol is in the form of an amorphous grayish-white powder, which becomes brown on exposure. It is soluble in ether and oil. For dental use see Gorgas' "Dental Medicine."

**Iodom'ethe** (*iodine*, iodine, *iodē*, drunkenness). The nervous state induced by too free use of iodine.

**Iodophenacetin.** A new derivation of phenacetin, in the form of either a chocolate-brown powder or steel-blue crystals. It is antiseptic, and also possesses marked powers as a bactericide.

**Iodopheniaz.** Obtained by dissolving phenacetin in glacial acetic acid and afterward diluting with water.

**Iodoph'thals** (*iodine*, and *pithals*, a washing). Takes, or washing, caused by the abuse or the excessive use of iodine.

**Iodo'sis.** Iodism. Morbid effects of iodine.

**I'odum.** See **IODINE**.

**Iod'ureta.** Iodides.

**I'on** (from *ov*, going). An element liberated by electrolysis and designated as an *anion* or *kation*, according as it is set free from the positive or negative pole. *Ion migration* signifies the transference of an ion from one pole to another.

**Ion'thus** (from *ov*, the violet, and *arōx*, a flower). A small unispermous purple on the face; a variety of iris. Also the down on the face which precedes the beard.

**Iotac'simus.** Ineffective articulation in which the patient is unable to pronounce the initials *j* and *g* soft.

**Ipecacuan'ha.** The pharmacopoeial name of the *Cephaelis ipecacuanha*, a South American plant. In large doses it is emetic; in smaller, diaphoretic and expectorant. In *Dental Practice* ipecacuanha, combined with opium, is employed in the treatment of periodontitis. Dose, non-emetic, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{2}$ ; non-expectorant, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{2}$ . Dose of the syrup,  $\frac{1}{2}$  to  $\frac{1}{2}$  of a grain of ipecu.

**Ipecacuan'ha, Amar'ican.** See **CEPHELIUM IPECACUANHA**.

**Ipecacuanha, An'ulated.** The root of the *Cephaelis ipecacuanha*.

**Ipecacuanha, Black.** The root of the *Psychotria emetica* of Pers.

**Ipecacuanha, False Brazil'ian.** The root of the *Ipomoea ipecacuanha*.

**Ipecacuanha, Un'ulated.** White ipecacuanha.

**Iracun'dus.** The rectus externus oculi.

**Irai'gia** (*iris*, and *ak'gē*, pain). Pain of the iris.

**Irida'mia.** Hemorrhage from the iris.

**Irida'm'ia.** Exudation of fibrin in the tears of the iris.

**Iridectomical'ysis** (from *iris*, *αἵρεσις*, excision, and *ἄνωσις*, separation). The formation of an artificial pupil by excision and separation.

**Iridectomus**. An instrument or kind of knife used for the operation of Iridectomy.

**Iridectomy** (*iris*, and *εκτμήσις*, to cut out). The operation of removing or cutting out a portion of the iris.

**Iridencl'esis**. The strangulation of a detached portion of the iris.

**Irides'cent**. The property of shining with many colors.

**Iridine'**. Cathartic principle of Iris vesicular.

**Iridium**. Symbol, *Ir*. Atomic weight, 192.7. A gray, brittle, and very fusible metal, found with the ore of platinum. It is in the form of flattened metallic grains and scales, nearly white in color, exceedingly hard, brittle, and fusible only by the oxyhydrogen blow-pipe.

**Iridocoele** (*iris*, and *κύστις*, a tumor). Hernia in which a portion of the iris is protruded.

**Irido-dial'ysis**. Operation for artificial pupil by separation.

**Iridomala'cia**. Softening of the iris.

**Iridonco'sis**. Tumefaction or thickening of the iris.

**Iridople'gia** (from *iris*, and *πῆξις*, a stroke). Paralysis of the sphincter of the iris of the eye. Flavored condition of the teeth may be an exciting cause of this affection.

**Iridot'omy**. The operation for artificial pupil by incision.

**Iris**. A remnant obtained from Iris florentina.

**Iris**. In *Anatomy*, a flat and circular partition between the anterior and posterior chambers of the eye, perforated in the centre by a round orifice called the pupil. In *Botany*, a genus of plants of the order Iridaceae.

**Iris Florentina**. Florentine iris; iris root. The fresh root is *acid*, but when dry has an agreeable odor and is used in dentifrices.

**Irish Moss**. The *Chondrus crispus*.

**Iri'tis**. Inflammation of the iris.

**Iron** (*ferrum*). Symbol, *Fe*. Atomic weight, 56. A metal of a bluish-gray color, fibrous or granular texture, and brilliant fracture. Cast iron contains the greatest amount of carbon, is the most fusible, hard, and brittle, its fractured surface presenting a whitish or grayish color and a texture which is granular

or crystalline. It fuses at about 2780° F. and does not soften when passing from the solid to the liquid state, and therefore can not be welded or forged. Wrought iron is the purest form of iron used in commerce and contains the least amount of carbon. It is manufactured from cast iron by eliminating nearly all of its carbon and other impurities. Intermediate between cast and wrought iron is its chemical composition is steel, which possesses the property of becoming very hard and brittle when suddenly cooled after it is heated to red-ness.

**Iron, Dialized**. A solution of the peroxide of iron freed of its acid by the separating process, which consists in placing certain salts of iron in solution in withhyding apparatus, and floating the latter upon distilled water, when the most of the acid passes through the membrane which covers the lower end and seeps into the water; there remains in the apparatus the dialized iron (peroxide). This dialized iron is free from any styptic taste and tendency to produce disturbance of digestion or of the nervous system. It is, moreover, almost tasteless, and will not blacken the teeth, as most other ferruginous preparations do. It is also an antidote to arsenic.

**Iron, Hydrated Peroxide of**. Hydrated sesquioxide of iron. See HEMATOXIDE OF IRON.

**Iron, Perchloride of**. A valuable styptic; applied to bleeding surfaces, clear or diluted with an equal quantity of water.

**Iron, Persulphate of**. Murrel's solution of persulphate of iron acts topically as a powerful astringent and mild caustic. It is prepared by adding nitric acid with the sulphate of iron and gradually adding water. For the arrest of hemorrhage it may be applied clear or diluted with an equal quantity of water. It combines with albumen to form a pale yellow compound, and on this property depends its chemical action on the tissues of the body.

**Iron, Preparations of**. See FERRI ACETAS, etc.

**Iron, Sesquichloride**. Chloride of iron; perchloride of iron. Crystallized, possesses the same properties as the persulphate and is used in the same manner.

**Iron, Subsulphate**. Murrel's powder. Possesses the same properties as the persulphate. Many prefer this solid preparation as being more convenient for use. A pellet of action

may be saturated with sandarac varnish, the powder taken up on this and applied to the bleeding cavity in cases of hemorrhage after the extraction of teeth.

**Irradiating.** To emit rays of light in every direction. Radiating from a centre, as a pain from a definite focus of irritation.

**Irradiable.** Applied to fractures, dislocations, hernia, etc., which are not capable of being restored to their natural position.

**Irregular (irregularis).** Applied to the symptoms of disease not regular, and to the pulse when its beats are separated by unequal intervals. Also to the teeth when one or more is out of natural arrangement.

**Irregularity.** Deviation from an established rule or straight line.

**Irregularity of the Teeth.** Deviation of the teeth from their natural arrangement is of frequent occurrence and is dependent upon a variety of causes. The following are among the most frequent: (1) Want of simultaneous action between the destruction of the roots of the temporary teeth and the growth of the permanent; (2) the premature removal of one or more of the temporary; (3) disproportion between the size of the alveolar arch and the teeth; (4) supernumerary teeth; and, lastly, malformation of the jaws.

The deviations of the teeth from the natural arrangement are exceedingly variable. Mr. Fox enumerated four varieties of irregularity in the front teeth: (1) The appearance of one of the permanent central incisors of the upper jaw behind the corresponding temporary tooth, so that at each occlusion of jaws the lower incisors come before it, causing great deformity and preventing the deviating tooth from acquiring its proper position; (2) the appearance of both of the upper permanent central incisors behind the corresponding temporary teeth, while the laterals occupy their proper position; (3) the appearance of the upper lateral incisors behind the temporary, while the centrals are in their proper place; (4) the appearance of all the upper permanent incisors behind the temporary teeth, the lower incisors shutting in front of them. The cuspid teeth sometimes present a similar variety of deviation from the natural position.

Various other varieties of deviation are met with in the upper incisors. One sometimes overlaps another or is turned upon its axis, giving the crown an oblique or transverse direction across the alveolar ridge. At other

times one or more come out in front of the circle of the other teeth.

**Irregularity in the arrangement of the lower incisors,** though less frequent in its occurrence, is also met with, and their deviations from their proper positions are similar to those of the upper. When the upper cuspids take a wrong position it is generally in front of the circle of the other teeth, projecting sometimes so as to interfere very seriously among the upper lip, causing great deformity. They do, however, occasionally come out behind the arch, and at other times, though in their proper position, they are turned upon their axis.

The temporary molars being larger than the incisors, it rarely happens that the latter are prevented from acquiring their proper position. Examples, however, of irregularity of arrangement, even of these teeth, are occasionally met with.

The molar teeth, with the exception of the dentures supplanting, which frequently take a wrong direction in their growth, deviate still less frequently from their proper position. Goddard has classified the abnormalities from the normal arch as follows: (1) Lingual displacement—a tooth inside the normal arch; (2) labial displacement—a tooth outside the normal arch; (3) a tooth rotated; (4) a tooth extruded; (5) a tooth partially erupted; (6) several teeth in any or all of these positions; (7) prominent cuspid and depressed lateral; (8) pointed arch (V shaped); (9) upper protrusion; (10) double protrusion; (11) restricted arch (cudde shaped); (12) lower protrusion, or prognathism; (13) lack of anterior occlusion; (14) excessive overbite; (15) separation in the median line.

With regard to the means for the prevention of irregularity, and the appliances necessary to correct it, the reader is referred to Harris' "Prin. and Pract. of Dentistry."

**Irrigation.** In *Pathology*, the application of water to the affected part so as to keep it constantly wet; the uniform flow of liquids over tissues.

**Irritability (irritabilitas; from irrita, I provoke).** The susceptibility, possessed by all living organic tissues, of being acted upon by certain stimuli.

**Irritant (irritans).** That which causes irritation or inflammation.

**Irritation (irritatio).** The condition of an organ or tissue in which there exists an excess

of vital action. A disordered state or that which induces it.

**Irritative Fever.** That violent derangement of the system excited by great irritation, as from wounds, ulcers, etc.

**Ischæ'mia, Ischemia** (from *ισχμα*, I retain, and *αιμα*, blood). A morbid suppression of a customary discharge of blood. Diminution in the blood-supply.

**Ischæ'mon.** Any medicine which arrests or restrains bleeding.

**Ischiag'ra** (from *ισχια*, the hip, and *γρα*, a seizure). Ischiatic gout. Also femoro-popliteal neuralgia.

**Ischial'gia** (from *ισχια*, and *αλγαι*, pain). Pain in the hip.

**Is'chias.** Hip-gout, or rheumatism of the hip-joint.

**Ischiat'ic, Ischiadic.** A term applied in anatomy to parts belonging to or connected with the ischium, as the *ischiatric foramen* or *notch* and the *ischiatric artery*, which arises from the pelvis through it.

**Is'chio-caverno'sus.** A muscle attached to the ischium and to the corpus cavernosum, called from its office the *erector penis*.

**Ischio'le** (from *ισχια*, the ischium, and *αλε*, a tumor). Ischiatic hernia.

**Ischio-clit'orian Artery.** A branch of the internal pudic artery which supplies the two arteries of the clitoris.

**Ischio-clit'orian Nerve.** A branch of the pudic nerve distributed to the clitoris.

**Ischio-clit'oria'nus.** Belonging to the ischium and clitoris.

**Ischio-clit'orid'sus.** The erector clitoridis.

**Ischio-coccyge'sus.** The coccygeus muscle.

**Ischio-femora'lis.** The adductor magnus femoris.

**Ischio-fem'oro-perone'sus.** The biceps femoris muscle.

**Ischio-perine'a'lis.** The transversus perinei.

**Ischioph'thesis** (from *ισchia*, hip, and *θησις*, a wasting). A wasting of the hip-joint. Hip-joint disease.

**Ischio-prostat'icus.** The transversus prostate.

**Ischio'sis.** Sciatica. Femoro-popliteal neuralgia.

**Ischio-trochanteria'ni.** Gemelli muscles.

**Is'chium** (*ισchia*; from *ισχειν*, the join). The lower part of the os innominatum. In the fetus, one of the three bones of the os innominatum.

**Ischnoph'o'mia** (from *ισχυος*, slender, and *φωνη*, voice). Shrillness of voice; also impeded utterance.

**Ischno'tes** (*ισχυρος*, thinness, leanness). Emaciation.

**Ischoceno'sis** (from *ισχυω*, to restrain, and *αισιν*, evacuation). A term applied in Pathology to a suppression of a natural evacuation.

**Ischocho'lis** (from *ισχυω*, and *χολη*, bile). Suppression of the biliary secretion.

**Ischolo'chia** (from *ισχυω*, and *χολη*, the biliary discharge). Suppression of the ischia.

**Ischome'nia** (from *ισχυω*, and *μηνς*, the menses). Suppression of the menses.

**Ischuret'ic.** Remedies which relieve a suppression of the urine.

**Ischu'ria** (from *ισχυω*, to restrain, and *ουρα*, the urine). Retention of the urine.

**Ischuria Spasmod'ica.** Retention of urine from spasmodic contraction of the sphincter of the bladder.

**Ischuria Spu'ria.** A retention of urine occasioned by some disease of the kidney or uterus which prevents the urine from reaching the bladder.

**Is'inglass.** Ichthyocola. A very pure form of gelatin.

**Isinglass Plaster.** A neat and nutritive substitute for adhesive plaster.

**Is'is Nob'ilis.** Red coral.

**Iso-** (from *ισος*, equal). A prefix denoting equality or similarity.

**Isobutylortho'cresol Iodide.** Eucophene (which see).

**Isochromat'ic** (from *ισος*, and *χρωμα*, color). Having the same color.

**Isoch'ronous** (from *ισος*, equal, and *χρονος*, time). Applied to two or more actions performed in an equal length of time, as the pulsations of the arteries in different parts of the body.

**Isodynam'ic.** Having equal power; capable of generating equal amounts of force.

**Is'olated.** Isolated: standing by itself.

**Iso'ogous** (from *ισος*, equal, and *γενος*, word). Identical with a series of the essential idea, all of which have the composition  $C_{12}H_{12}$ .

**Isom'eric** (from *ισος*, equal, and *μερος*, a part). In Chemistry, compounds which agree in composition but differ in properties. The cyanic and fulminic acids are isomeric compounds of nitrogen, oxygen, and carbon.

**Isom'erism.** The state of an isomeric compound.

**Isomet'ric.** Having equal dimensions.



**Isomorp'hism.** State of being isomorphous.

**Isomorp'phous.** A term applied in *Chemistry* to different bodies which have the same crystalline forms, though composed of different elements.

**Isop'athy** (*ισος*, equal, like, and *παθος*, an affection). A branch of homoeopathy that recommends the administration of virus as a remedy in the same disease by which it is produced.

**Isopyre** (from *ισος*, and *πυρ*, fire). A black, amorphous mineral, sometimes variegated with gray or red spots, a silicate of alumina, lime, and peroxide of iron.

**Isother'mal** (from *ισος*, equal, and *θερμη*, heat). Applied to different bodies and places which have the same average temperature, corresponding in temperature.

**Is'sue.** An artificial ulcer or sore, kept open by inserting a pea or other small body, with a view to relieve irritation or morbid action in a neighboring part.

**Isth'mion.** Isthmus. The fauces

**Isthmi'tis.** Inflammation of the fauces

**Isthmodyn'ia.** Pain in the fauces.

**Isth'mus** (*ισθμος*). Geographically a narrow neck of land, but in *Anatomy* the narrow strait which divides the cavity of the mouth from the pharynx; the fauces.

**Isthmus Hep'atis.** The anterior point of the right lobe of the liver, called *lobulus anonyms*.

**Isthmus of the Thyroid Gland.** A band of fibres uniting the two divisions of the thyroid gland.

**Isthmus Vieussac'ni.** The ridge surrounding the remains of the foramen ovale in the right auricle of the heart.

**Itch.** The vulgar name for a disease of the skin consisting of an eruption of small itching vesicles. See *PSORA*.

**Itch, Baker's.** A variety of psoriasis consist-

ing of rough, floured, reddish patches on the back of the forearm, hand, and fingers.

**Itch, Barber's.** See *SYCOSES*.

**Itch, Grocer's.** Arising from the irritation of sugar upon the skin.

**Itch, Insect.** The *acarus scabiei*, or wheal worm, a minute animalcule, said to be found in or near the pustules of the itch.

**I'ter.** A passage.

**Iter ad Infundib'ulum.** The foramen commune anterius of the brain.

**Iter a Pa'lato ad Au'rem.** The Eustachian tube.

**Iter a Ter'tio ad Quar'tum Ventric'ulum.** A passage from the third to the fourth ventricle of the brain.

**Iter Den'tis.** A name given by Delabarre to the alveo-dental canal, a small foramen immediately behind each of the six front temporary teeth communicating with the cells of the corresponding permanent teeth.

**Itinera'rium.** A conductor, a director; also a catheter.

**Itis** (from *ιτις*, hold, rash). A suffix denoting inflammation, as odontitis, periostitis, stomatitis, etc.

**Ivory.** The tusk of the male elephant. It is of a uniform, close texture, and under the microscope exhibits a structural arrangement similar to that of dentine. According to Retzius, it is of a tubular structure, but it has also been shown to be cellular. It contains about sixty-six per cent of phosphate of lime, with a small trace of carbonate of lime, and thirty-four per cent. of animal matter. It was at one time much used for artificial teeth, but at present is seldom employed for that purpose.

**Ivory, Black.** Animal charcoal.

**Ix'ia.** A varix. Also viscum album (which see).

**Ixyomyel'itis.** Inflammation of the spinal cord in the lumbar region.

**Ix'ys.** The region of the ilia, flanks, or loins.

## J.

**Jaborandi.** See *PILOCARPUS*.

**Ja'ca In'dica** (*thymus mastichina*) The common herb mastich

**Jack-screw.** An instrument of a diminutive form, employed for regulating teeth. They are either single or double, made of steel plated with silver or nickel. They are also employed, in connection with slotted vulcanite plates, to expand the arch of the jaw

**Jacob's Mem'brane** (*jacob's membrana*)

A thin membrane covering the retina.

**Jacobson's Nerve.** The tympanic branch of the petrous ganglion

**Jacti'tion** (*jactatio*; *jactation*) In quietude, restlessness

**Jal'ap** (*jalapa*, *convolvulus jalapa*) The root of the *Ipomoea jalapa*, a valuable purgative. Dose, gr. x, with calomel, gr. x.

**Jala'pa Alba.** White jalap.

**Jal'apin.** A substance which composes about nine-tenths of jalap resin. The other tenth is jalapic acid.

**Jama'ica Bark.** Caribbean bark, one of the false canthons barks

**Jamaica Kino.** An astringent extract prepared from the bark of the *Coccoloba uvifera*.

**Jamaica Pepper.** The fruit of the *Eugenia pimenta*; allspice

**Jamaica Spirit.** Rum

**Ja'mesonite.** A steel-gray ore of antimony and lead, named after Professor Jamieson.

**James's Powder.** A fever powder, supposed to be the same as the antimonial powder

**Jamestown Weed.** A plant of the genus *Datura*, the *Datura stramonium*.

**Janitrix.** The vena portæ

**Japan Earth.** Catechu, an extract from the *Acacia catechu*, a tree of India, also called *Terra japonica*, from its being supposed to be a mineral production.

**Japanese Campher.** See *METHOL*

**Japon'ic Acid.** An acid resulting from the absorption of oxygen from the air by catechu when alkalis or alkaline carbonates are present.

**Jargon.** Confused, unintelligible talk; gibberish.

**Jas'minum.** A genus of plants of the order *Jasminaceæ*

**Jaspacha'tes.** Agate jasper

**Jas'per.** A siliceous mineral of various colors, a species of quartz.

**Ja'tropha Elas'tic.** Caoutchouc.

**Jaun'dice.** A disease arising from hepatic obstruction. See *ICTERUS*

**Jaundice, Black.** See *MELÆNA*

**Jaw.** *Maxilla*.

**Jaw, Lower, Anchylosis of.** See *ANCHYLOSIS OF LOWER JAW*

**Jaw, Lower, Dislocation of.** See *DISLOCATION OF LOWER JAW*

**Jaw, Lower, Fractures of.** See *FRACTURES OF MAXILLARY BONES*

**Jaw, Lower, Immobility of.** This may result from ankylosis, or from inflammation and adhesion of the gums and cheeks, or from contraction of the muscles. It is particularly liable to occur after mercurial salivation which has resulted in necrosis and exfoliation of the alveolar processes.

**Jaw-jerk.** A tendon reflex obtained by suddenly depressing the lower jaw.

**Jaws.** The maxillary bones (which see); the two portions of the face concerned in mastication

**Jaws, Morbid Growths of.** Both the upper and lower jaws are subject to a variety of morbid growths, depending, says Mr Lenton, for their differences of structure "somewhat" upon the tissue in which they originate, "as the gum, the membranes of the teeth, the periosteum of the alveoli, the surface or the internal structure of the bones, or the membranes lining their cavities." All these different parts, from external injury, or, according to Dr. Koecker, from some "accidental excitement or peculiar irritation," may become the seat of tumors of every size and consistency, both small and large, hard, soft, benign, and malignant, and many of them have their origin traceable to dental irritation arising either from disease, irregularity of or badly performed operations on the teeth.

The most common of these morbid growths are the *epulis*, *fibrous*, *fibro-cartilaginous*, *sarcomatous*, *osteosarcomatous*, and the *fungous tumors*.

**Jectig'lio.** A species of epilepsy or convulsion.

**Je'cur.** The liver.

**Jef'fersonite.** A species of pyroxene found in New Jersey

**Jeju'nitas.** Hunger.

**Jejun'i'tis.** Inflammation of the jejunum.

**Jeju'num** (from *jejunus*, empty) Jejunum intestinum That portion of the small intestine situated between the duodenum and ileum. So called because it is found empty, or nearly so, in the dead body

**Jel'ly.** A solution of gelatin when cold. Also various compounds resembling this.

**Jelly, Vegetable** The recently expressed juice of certain fruits, as the currant, boiled with sugar.

**Jer'vin.** A base discovered in the rhizoma of *Veratrum album*

**Jes'samine.** The popular name of certain species of *Jessaminum*, a genus of plants.

**Jesuit's Bark.** *Cinchona* bark. Peruvian bark.

**Jet.** A mineral, a variety of lignite of a jet-black color

**Jew'elers' Putty.** A polishing composition consisting of ignited and finely-powdered oxide of tin

**Jewell's Calomel.** Calomel washed from corrosive sublimate by causing it, in a state of vapor, to come in contact with steam in a large receiver.

**Jig'ger.** *Chique*

**Johan'nite.** Called so in honor of the Archduke John of Austria. A green mineral occurring in minute crystals, an anhydrous sulphate of uranium mixed with sulphur and copper

**Joint.** Articulation, formed by the contiguous or articular extremities of the bones. There are three forms Movable (diarthroses), mixed (amphiarthroses), and immovable (synarthroses)

**Joint, Contraction of, Joint, Stiffened.** *Anchyloma.*

**Joint'ed.** Articulated.

**Joule.** The unit of electric energy

**Je'vis Flos.** *Orocea.*

**Jovis Glans** *Juglans.*

**Judicato'rii Dies.** Critical days.

**Ju'gal Process.** The zygomatic process.

**Ju'gale Os.** The cheek-bone.

**Ju'gals** (from *jugum*, a yoke) *Jugal.* Belonging to or relating to the cheek.

**Jugalis Sutu'ra.** The suture which unites

the malar bone with the maxillary. Also the sagittal suture.

**Jug'ular,** pronounced *joog'-yu-lur* (*jugal'aris*, from *jugulum*, the throat). Relating to the throat.

**Jugular Fossa.** A depression in the petrous portion of the temporal bone lodging the origin of the jugular vein

**Jugular Notch.** A smooth, semi-circular concavity in the occipital bone, and forming, by its articulation with the temporal bone, the posterior lacerated foramen.

**Jugular Veins** Two veins, an *external* and an *internal*, situated on the lateral part of the neck The two unite and form, with the subclavian vein, the superior vena cava.

**Ju'gulum.** The throat

**Juice.** The sap of vegetables; also the fluid part of animal substances

**Ju'lep.** A name formerly applied in *Pharmacy* to medicinal mixtures, as the camphor julep, mixture camphora, etc

**Ju'lus** (*ιουλος*) The down upon the chin of youths, preceding the beard

**Jun'gle Fever.** A malignant remittent fever occurring in the jungle districts of India

**Ju'niper.** See *JUNIPER & COMMUNIS*

**Juniper Berries.** The fruit of the *Juniperus communis* The berries have a sweetish, terebinthinate taste and aromatic odor, and possess diuretic properties They are used in the manufacture of gin.

**Juniper Resin** A resinous substance which exudes from the *Juniperus communis* It was supposed to be identical with sandarach.

**Junipe'rum Vi'tum.** Wine impregnated with juniper berries

**Junip'erus.** *Juniper* The berries of *Juniperus communis* Also a genus of plants of the order *Pinaceae*

**Juniperus Commun'is** The *Juniper* tree. *Juniper* fruits and tops. Diuretic, carminative, and diaphoretic. Dose, ℥j to ʒss. Dose of the oil, gtt. v to gtt. xv

**Juniperus Oxyced'rus.** A European tree from which is obtained by destructive distillation a liquid tar, the empyreumatic juniper oil, which is used extensively in various chronic diseases of the skin

**Junip'erus Sabina.** The savin tree; an ever-green shrub, indigenous in the south of Europe and Asiatic Russia. A volatile oil is obtained from the tips of the branches and investing leaves by distillation; powerfully stimulant, and exposed to act especially upon the uterus.

Dose, gr. v to gr. x of the powder; of the infusion,  $\frac{f\text{ss}}$ , of the oil, two to five drops.

*Ju'piter*. Tin.

**Jurispru'dence, Medical** (*jurisprudētia medicālis*; from *jus, juria*, law, and *prudētia*, knowledge) Sometimes erroneously used as synonymous with forensic medicine, but at present generally restricted to a knowledge of the laws which regulate medical education and practice.

*Jus*. Animal broth Soup.

*Jus Bovinum*. Beef tea.

*Jus Coagula'tum* Jelly

*Juvenis* (*juvatur*, from *juvo*, to assist)

Means, medicinal or otherwise, which contribute to the relief or cure of a disease. An auxiliary remedy.

**Juvenes'cent** (from *juvenis*, young). Becoming young.

**Juven'tus** (from *juvens*, young). Adolescence.

**Juxtaposit'ion** (from *juxta*, near to, and *ponere, positum*, to place) Placed near to or in contiguity, as the parts of a substance; application to the exterior, accretion, a mode of increase peculiar to minerals, which consists in the successive application of new molecules upon those that constitute the primitive nucleus.

## K.

**K.** Symbol for potassium, also for kathode and kalium.

**K. or Ka** The abbreviation of kathode or of kathodic.

**Kair'ine**. An artificial alkaloid obtained from chinoline or quinoline. It is a powerful antipyretic. Dose, gr. iij to gr. xxx.

**Kairol'ine**. An antipyretic resembling kairine, but less efficient.

**Kajeput**. Cajeput, a vegetable oil.

**Kakodyle** (*kakodyle*, from *κακος*, bad, and *οδω*, smell). In *Chemistry*, a compound radical body. It is a clear liquid, but when cooled it crystallizes into large square prisms, having the appearance of ice. It has an insupportably offensive smell and emits a highly poisonous vapor  $\text{C}_4\text{H}_4\text{As}_2\text{-Kd}$

**Kakodyle, Chloride of**. A volatile and exceedingly fetid liquid, emitting a strong irritating vapor, obtained by heating a compound of oxide of kakodyle and bichloride of mercury with hydrochloric acid.  $\text{Kd Cl-C}_4\text{H}_4\text{As}_2, \text{Cl}_2\text{-Kd Cl}$

**Kakodyle, Protoxide of**. When pure, it is a limpid ethereal liquid, crystallizing in white scales of a satin lustre. It has a nauseous taste and an offensive smell.  $\text{C}_4\text{H}_4\text{As}_2, \text{O KdO}$ .

**Kakodylic Acid**. An inodorous, brittle, crystalline substance of a glossy lustre, formed by the gradual oxidation of the protoxide of kakodyle.  $\text{Kd O}_2\text{-Cl}_2, \text{H}_2, \text{As}_2, \text{O}_2$ .

**Kakos'mia** (from *κακος*, foul, and *οσμη*, smell) Having a foul smell.

**Kakox'ene**. See **CACOXENE**

**Ka'li or Kalium**. Potash.

**Kali Aceta'tum** Acetate of potash

**Kali Aera'tum** Carbonate of potash.

**Kali Arsenica'tum** Arseniate of potash.

**Kali Citra'tum** Citrate of potash.

**Kali Præpara'tum**. Subcarbonate of potash.

**Kali Pu'rum** Potassa fusa.

**Kali Sulphura'tum** Sulphuretum potassii.

**Kali Tartariza'tum**. Tartarate of potash.

**Kali Vitriola'tum**. Sulphate of potassa

**Kallum**. Potassium

**Kalium Hydras** Caustic potash

**Kalium Ioda'tum**. Iodide of potassium.

**Kalium-natrium**. A compound or alloy of potassium and sodium in the form of a soft, almost semi-fluid, mass. Antiseptic and germicide. Used in the treatment of putrescent pulp-canals.

**Kan'dol**. A volatile constituent of tar. Its rapid evaporation, like that of rhigolene and absolute ether, produces congelation of the surface tissue, hence it is recommended as a local anæsthetic. For dental uses see Gorgias' "Dental Medicine."

**Ka'olin**. The Chinese name for porcelain clay. It is disintegrated and decomposed feldspar, and consists of nearly equal proportions of alumina and silica. It is of a yellowish or reddish-white color, infusible in the porcelain

lita, and found in the United States at Fairmount, Philadelphia, near Wilmington, Del., at Montank, Vt., and at Washington, D. C. It gives a plastic quality to the body of a porcelain tooth, which enables the manufacturer to work and mould the mass to any required shape. See PORCELAIN TEETH.

**Kap'nemar.** Capnomor. A transparent, colorless, oily liquid with the odor of rum, obtained from the heavy oil of tar resulting from the destructive distillation of wood.

**Kar'pholite** (from *καρρος*, straw, and *λίθος*, a stone) A mineral of a yellowish color occurring in stellated crystals and consisting of silica, alumina, and oxide of magnesia.

**Karphosiderite.** A term applied in *Mineralogy* to hydrated phosphate of iron of Labrador.

**Karyolysis.** The segmentation of the nucleus of the cell.

**Kas'su.** A black, astringent extract prepared from the seeds of the *Arecia catechu*.

**Katabolism** (from *κατα*, and *βάλλω*, to thrust down). The change in cells whereby their molecule is rendered less complex and contains less force.

**Kat'aplasm.** See **POUJICE**.

**Kathode** (from *κατα*, and *οδος*, path) The negative pole of a galvanic battery.

**Kathodic.** Pertaining to the cathode.

**Kathodic Closure Contraction.** The muscular contraction resulting when the circuit is closed with the rheophore on the motor point.

**Kathodic Opening Contraction.** The same when the circuit is opened.

**Kau'ri Resin.** Cowdie gum.

**Ka'va-ka'va** (*ava-kava*) The root of the Piper methysticum, a South American and South Sea Island shrub. It is diuretic and motor depressant, it is also a local anæsthetic.

**K. C.** Abbreviation for kathodal closing in electro-therapeutics.

**K. C. C.** Abbreviation for kathodal closing contraction in electro-therapeutics.

**K. D.** Abbreviation for kathodal duration.

**Keel.** A term applied in *Botany* to the petals of a papilionaceous corolla from their resemblance to the keel of a ship, in *Conchology*, to the longitudinal prominence in the shell of the Argonauta; and in *Entomology*, a sharp longitudinal elevation upon the inferior surface of an insect.

**Ke'toid.** A connective-tissue neoplasm, characterized by irregular, smooth, elastic cicatrix-like lesions; a neoplasm of the skin.

**Kéleide** (*κύη*, a tumor, and *ειδής*, a form). French name for a disease resembling cancer or scirrhus; also termed canceroid or scirrhoid.

**Kelp.** Impure soda obtained from wood.

**Ker'ates** (from *κερας*, horn) A term applied in *Mineralogy* to an order of earthy minerals which have a horny appearance.

**Kerati'asis** (from *κερας*, horn). A term applied in *Pathology* to a horn-like excrescence sometimes developed on the forehead or temples.

**Kerati'tis.** Inflammation of the cornea.

**Kerat'onixis** (*κερας*, a horn, and *νισσ*, to puncture) An operation by which the crystalline is depressed by a needle passed through the cornea. See **CERATONYXIS**.

**Kerat'ophyte** (from *κερας*, a horn, and *φυτον*, a plant) A horny zoophyte.

**Keratoplas'ty** (*κερας*, cornea, and *πλασσω*, to form) An operation by which the cornea has been excised and reapplied or a new one from another animal put in its place. Also written ceratoplasty or ceratoplastica.

**Kerato'sis.** Skin diseases characterized by thickened epidermis, scales, and warts, a horny growth.

**Keratotomy** (from *κερας*, a horn, and *τομή*, I cut). An instrument for dividing the cornea in the operation for the extraction of cataract. See **CERATOTOME**.

**Kerectomy** (*κερας*, and *εκτεμνω*, to cut off) Excising the outward layers of the cornea, by which a clear aperture in the middle of an opaque cornea may be obtained.

**Ker'mes.** A red dye-stuff obtained from an insect found in many parts of Asia and the south of Europe, the *Coccus ilicis*. It resembles cochineal, found on oak trees in the Orient.

**Kermes Mineral.** Precipitated sulphuret of antimony.

**Ker'nel.** In *Botany*, the edible substance contained in the shell of a nut; also the end of a pulpy fruit or anything contained in the husk or integument, as a grain of corn or wheat. In *Pathology*, a hard concretion in the flesh.

**Ker'osene.** An oil obtained from bituminous coal.

**Ker'osolene.** A liquid product of the destructive distillation of oil, of very low specific gravity, 0.6346. It has anæsthetic properties, but is difficult to manage.

**Ke'tone.** A compound consisting of the

radicle  $\text{CO}_2$ , united with two univalent hydrocarbons.

**Keup'er.** In *Geology*, the upper portion of the new red sandstone.

**Key Forceps, Elliot's.** Two instruments invented by Dr W H. Elliot, of Montreal, one having beaks of forceps and the handle of a key for the extraction of teeth, the other is designed for the extraction of roots of teeth that present but one side above the alveolus. This resembles a pair of forceps, one beak serving as a hook while the other is represented by a movable fulcrum. It is now but little used.

**Key of Garengot.** An instrument invented by Garengot in the early part of the eighteenth century for the extraction of teeth, an improvement on the ancient pelican. It is composed of a movable hook attached transversely to a fulcrum or bolster, situated at the extremity of a steel shaft. To the other extremity of this shaft a handle is fixed transversely. "This instrument," says Dr. Arnott, "may be regarded in the light of a wheel and axle, the hand of the operator acting on two spokes of the wheel to move it, while the tooth is fixed to the axle by the claw and is drawn out as the axle turns. The gums and alveolar process of the jaw form the support on which the axle rolls." It also forms a lever of the best kind as the tooth which is the resistance, is situated between the fulcrum and the point of the hook, while the hand grasping the handle is the power.

Since the time of Garengot the key has undergone a number of improvements. In fact, almost every dentist in former times felt the necessity of modifying the instrument in order to obviate the objections to which it is liable, but, notwithstanding the ingenuity which has been displayed in the various improvements which have been made on it, they still exist, and it is considered an unreliable instrument.

**Kias'ter.** Chiaster. A bandage having the form of the letter X, used by the ancients in fractures of the patella.

**Kibes.** Chiblaina.

**Kid'ney.** The organ which secretes the urine. There are two, situated in the upper and back part of the abdomen in the lumbar region.

**Kidney, Bright's Disease of the.** See BRIGHT'S DISEASE.

**Kidney, Inflammation of the.** Nephritis.

**Kidney-shaped.** Hollowed at one side and rounded at the ends; reniform.

**Ki'ka.** The castor-oil plant.

**Kil'laite.** A mineral, a variety of opodumene found at Killiney, near Dublin, and consisting of silica, alumina, potash, and oxide of iron.

**Kil'ogramme** (from  $\chi\lambda\iota\omicron\iota$ , a thousand, and  $\gamma\rho\alpha\mu\mu\alpha$ , a gramme) The weight of one thousand grammes, or two pounds, eight ounces, one drachm, and twenty-four grains, troy.

**Kilolitre** (from  $\chi\lambda\iota\omicron\iota$ , a thousand, and  $\lambda\iota\tau\rho\alpha$ , a litre) A measure containing one thousand litres.

**Killome'tre** ( $\chi\lambda\iota\omicron\iota$ , a thousand, and  $\mu\epsilon\tau\rho\epsilon$ ) A French measure of a thousand metres, or 4 furlongs, 213 yards, 1 foot, and 10 2 inches.

**Kina Kina.** Cinchona.

**Ki'nate.** A salt formed by the union of kinic acid with a base.

**Kinesip'athy or Kinesopathy.** A system of athletic feats adopted as a means of curing disease.

**Kinesod'ic.** Relating to nerve-fibres conveying motor influences; also the motor tracts of the nerve system.

**King'dom.** In *Natural History*, a division, as the animal, vegetable, and mineral kingdoms.

**King's Evil.** Scrofula.

**Kingsley's Appliance.** For forcing elongated or protruding upper molars into their sockets, and consists of a frame covering the superior incuspid and molars, with arms coming out of the corners of the mouth and extending along the cheeks to a point exactly opposite the centre of the pressure required within the mouth, a small wire passes in front of the incisors to keep them from springing forward and two elastic straps connect this frame with a skull cap.

**Kingsley's Appliance for Correcting Excessive Overbite.** Consists of a gold frame covering the cutting edges of the incisors and cuspid, from this frame a post projects from each corner of the mouth, and from these strips of brass (detachable) extend upward and backward and are connected by elastic ligatures to a cap on the back part of the head.

**Ki'nic Acid** (acidum kinicum) Cinchonic acid.

**Kiak'na.** Cinchona.

**Ki'no.** A gum-resin obtained from different African and Indian plants, of a reddish-brown or blackish color, and of a bitterish taste, but without odor and powerfully astringent. Dose, gr. x to gr. xxx.

**Ki'otome** (*Hotonus*; from  $\kappa\iota\omicron\varsigma$ , a pillar, and

*reaper*, to cut) An instrument invented by Demault for dividing pseudo-membranous bands in the rectum and bladder, and after ward employed for the removal of the tonsils

**Ki'rate.** A weight of four grains

**Kirk's Crown.** An artificial crown of all porcelain engrafted upon roots of frail single-rooted teeth by means of a screw, as a dowel, to the crown a collar of gold is attached, which encircles the root, and the attachment is made by a cement

**Kirron'ese.** Discolored as if by jaundice

**Kist.** A weight of fourteen grains

**Kleptoma'nia** (from κλέω, I steal, and μανία mania) Kleptomania Monomania with an irresistible desire to steal

**Knapp's Compound Blow-pipe.** An appliance in which the ordinary illuminating gas flame is combined with a current of nitrous oxide gas furnished from a cylinder of the condensed gas, giving a carbon-hydrogen flame.

**Knapp's Method of Bridge-work** See BRIDGE-WORK, SYSTEM OF

**Knead'ing.** *Pétissage* Shampooing, working one substance with another

**Kneb'elite.** A grayish mineral spotted with green, brown red and dirty white, composed of silica, protoxide of iron, and protoxide of manganese

**Knee.** The articulation of the femur with the tibia

**Knee, Housemaid's** Inflammation and swelling of the knee, occasioned by kneeling, a form of capsular rheumatism

**Knee Joint** The articulation of the condyle of the femur with the upper extremity of the tibia and posterior surface of the patella A hinge joint

**Knee Pan.** The patella

**Knife.** A cutting instrument employed in *Surgery*, usually larger than the bistoury or scalpel

**Knife, Amputa'ting** A large, straight knife used for the division of the soft parts in the amputation of a limb

**Knife, Cataract** A knife used for making the section of the transparent cornea in the operation for cataract. Various knives have been invented for this purpose

**Knife, Cheselden's** A knife with a concave edge and convex back, employed by Cheselden in the operation of lithotomy

**Knife, Double-edged.** A cutting, a straight, double-edged knife.

**Knit'ted. Knit'ting.** The union of a fracture That stage in the union of fractured bones in which a certain degree of firmness is attained by the progress of repair

**Knopp'ern.** The German name for gall-nut, an excrescence formed by the puncture of an insect in several species of oak

**Knot.** In *Botany*, a node or swelling joint

**Knot Grass** A plant of the genus *Polygonum*

**Knot Root** See *COILIBSONIA CANADENSIS*

**Knot, Surgeon's** A double knot made by passing the ends of the ligature twice through the same noose

**Kolno Miasma'ta.** Malaria marsh effluvia

**Kol'tyrote.** A variety of pure white clay

**Kom'enates.** Salts formed by the union of lomenic acid with a salifiable base

**Komen'ic Acid.** A dibasic acid produced by the decomposition of meconic acid

**Kore** (χρη) The pupil of the eye

**Koreto'mia** Operation by incision for artificial pupil

**Kou'miss.** *Kumis* A viscous liquid, made in Tartary by fomenting the whey of milk, principally that of mares

**Kouph'olite** (from κοφί light, and λίθος, a stone) A species of scapolite of a pearly lustre and of a yellowish or green color found in the Pyrenees

**Kous'so, Koos'so, or Cus'so.** The flowers of the *Brayera anthelmintica*, used as a remedy against tania, or tapeworm

**Krame'ria.** A genus of plants of the order Polygalaceae *Rhatany* used locally as an astringent and internally for diarrhoea and passive hæmorrhages

**Krameria Ix'ina** A species found in the West Indies and Brazil, said to possess the same properties as *rhatany*

**Krameria Trian'dra** *Rhatany*, a powerful astringent tonic, also diuretic and detergent Dose grs to ʒj, in powder

**Krame'ric Acid.** An acid obtained from the root of the *rhatany*

**Kre'asote.** *Cresote*

**Kre'atin.** An extract or constituent of muscular and other tissues

**Krea'tive.** See CREATIVE

**Kresolum** (*Arcaolum purum liquefactum*)  $C_6H_5, OH, OH + H_2O$  An antiseptic introduced as a substitute for tricresole. A one per cent solution is claimed to be equal to a three per cent solution of carbolic acid as an antiseptic

**Krin'osin.** A nitrogenized fatty substance

found in the brain in the form of long filamentary crystals.

**Kry'olite.** See **CERYLITE**.

**Ku'myss.** A food for phthisical patients, composed of fermenting cow's milk,  $\frac{3}{4}$  xxix, with yeast,  $\frac{3}{4}$  ss, and grape sugar,  $\frac{3}{4}$  ij. An excellent food for general debility, etc.

**Kan'dah Oil.** Tallicoonah oil. An oil procured from the seeds of the *Carapa touloucouna*.

**Kup'fernicksel.** A German name for an ore of nickel of a copper color sulphuret of nickel.

**Ky'anite** (from *kyan*, blue). A mineral occurring in long radiating crystals of a clear blue or bluish-white color, and consisting of silica and alumina.

**Kyes'tein, Kles'teine** (*κυσιν*, to be pregnant, and *σθηρ*, a covering). An albuminoid substance floating as a pellicle on the urine of pregnant women; connected also with the lacteal secretion. With other symptoms, it is considered a valuable aid in the diagnosis of pregnancy.

**Kylo'sis** (from *κυλλω*, crooked) Club-foot.

**Kymograph'ion.** An instrument which shows the relation between the pulse-wave and the undulations produced by respiration.

**Kynanche.** See **CYNANCHE**.

**Kyst.** See **CYST**.

**Kysthi'tis.** Inflammation of the vagina.

**Kys'thos.** The vagina.

**Kystot'ome.** See **CYSTOTOME**.

## L.

**L.** The symbol for lithium, also abbreviation of *libra*, a pound.

**Labarraque's Solution.** Liquor sodæ chlorinatæ. A disinfecting liquid, consisting chiefly of a solution of chloride of soda, as it is commonly called. It consists of chloride of lime, 1 pound; carbonate of soda, 2 pounds; water, 1½ gallons. Used in the same cases as chloride of soda as a disinfectant, and also as chloride of lime for same purpose and as a bleaching agent. Internally, ten drops to a fluid drachm for a dose. Diluted with water, it is an expectant and a disinfectant. In *Dental Surgery* it is used to bleach discolored teeth.

**Label'ium.** A little lip.

**La'bia** (the plural of *labium*, a lip). In *Anatomy*, the lips; also applied to lip-like structure and to the edges of incised wounds.

**Labia Leporina.** Hare lips.

**Labia Pudendi Majora.** The lips of the vulva.

**Labia Pudendi Minora.** The nymphæ.

**La'bial** (*labialis*) Pertaining to the lips.

**Labial Ar'teries.** The coronary arteries of the lips.

**Labial Glands.** The muciparous follicles on the inner surfaces of the lips beneath the mucous membrane. These glands are of two

kinds—mucous and sebaceous. The mucous glands are small, round, or compound tubular glands, about the size of small peas, and are located between the mucous membrane and the orbicularis oris muscle, with ducts opening on the mucous membrane. The sebaceous glands are small, and located on the outer part of the red margin of the lip.

**Labia'tis.** The orbicularis oris.

**Labials** (from *labium*, lip). The consonant sounds which are mainly formed by the lips.

**Labia'tæ.** A natural order of plants, characterized by a two-lipped monopetalous corolla. The species of nearly all the genera are herbs or shrubs, generally fragrant and aromatic, as mint, thyme, lavender, sage, etc.

**La'biatæ** (*labiales*). Having lips.

**Labidom'eter** (*λαβις*, a forceps, and *μετρον*, a measure). An instrument for ascertaining the dimensions of the child's head in the pelvis, etc.

**La'bile** (from *labor*, to glide). Easily falling off. In *Electro-therapeutics*, the passing of the negative electrode along and in contact with the skin over the track of a nerve.

**La'bio-don'tal.** Pertaining to the lips and teeth.

**Labio-glos'so-larynge'al Paralysis.** Paralysis of the facial muscles about the mouth,



and also those of pharynx, tongue, and larynx, called also bulbar.

**Labio-gloss-pharyngeal.** Pertaining conjointly to the lips, tongue, and gullet

**Labio-nasal.** Of or pertaining to the lips and nose.

**Labio-plasty.** The restoration or repair of the lips by a plastic operation

**La'bis.** Forceps.

**La'bium.** In *Anatomy*, the lip of animals. In *Zoology*, applied only to the lower lip. The lip.

**Labium Lepori'num.** Hare-lip.

**Labium Pudē'di.** The side of the orifice of the vagina, exterior to the nymphæ

**La'bor.** Parturition.

**Laboratory** (*laboratorium*, *laborare*, to work). A room or place for performing chemical, pharmaceutical, or dental operations.

**Laboratory, Dental.** See DENTAL LABORATORY

**Labo'rious Labor.** An obstetrical term denoting a parturition attended with more than usual difficulty and pain

**Lab'rador Feld'spar.** A beautiful variety of richly iridescent feldspar found on the coast of Africa.

**La'brum.** The extremities of the lip, but applied only in *Zoology* to the upper lip.

**La'brynth** (*labyrinthus*). In *Anatomy*, an assemblage of parts, consisting of several cavities, which constitute the internal ear, second cavity of the ear.

**Lac.** Milk. Also a resinous substance which exudes from the twigs or extreme branches of several trees in the East Indies in the form of a milky fluid, in consequence of the punctures made by an insect of the genus *Coccus*. The varieties known in commerce are stick lac, seed lac, and shell lac

**Lac Ammoni'aci.** Ammoniac mixture.

**Lac Amyg'dale.** Almond emulsion.

**Lac Asafoe'tide.** Asafoetida mixture

**Lac A'vis** See ALBUMEN OVI.

**Lac Dye.** Lac lake; cake lac. The coloring matter extracted from stick lac.

**Lac Gualaci.** Gumæ mixture.

**Lac Læne.** A white substance resembling chalk, consisting almost wholly of alumina saturated with carbonic acid

**Lac, Seed.** The small irregular particles broken from the twigs of the East Indian trees, the *Croton lacciferum*, *Ficus indica*, and *Ficus religiosa*, which afford gum lac.

**Lac, Shell.** Seed or stick lac, deprived of

its soluble coloring matter, melted, strained, and poured upon a smooth, flat surface to harden. It is of a slight or dark-brown color, inclining slightly to red or yellow; hard, brittle, inodorous; insoluble in alcohol, but soluble in water.

**Lac, Stick** The resin in its natural state as taken from the tree, incrusting the small twigs around which it was concreted

**Lac Sul'phuris.** Sulphur præcipitatum; milk of sulphur.

**Lac Vacci'num.** Cow's milk.

**Lac'ca.** See COCCUS LACCA.

**Lac'cis Acid.** A peculiar acid obtained by Dr. John from stick lac

**Lac'cine.** A substance intermediate between wax and resin, recently discovered in shell lac.

**Lacera'ted.** Torn or ripped

**Lacera'tion** (*laceratio*). The act of being lacerated or torn, also the appearance of being lacerated

**Lacer'ti Cordis.** Columnæ carneæ.

**Lacer'tim.** Like a lizard.

**Lac'erum.** Foramina in the skull.

**Lacerum Fors'men.** One of two irregular openings between the occipital and temporal bones.

**Lachnan'thes.** A genus of plants of the order Hemodoraceæ

**Lachnanthes Tincto'ria.** *Gyrotheca tinctoria*. This plant has a red root possessing mild, astringent, and tonic properties.

**Lach'ryma.** A tear.

**Lachry'mal** (*lachrymalis*; from *lachryma*, a tear) Pertaining to tears.

**Lachrymal Appara'tus.** The organs which secrete and conduct the tears, as the lachrymal gland, the puncta lachrymalia, ducts, etc.

**Lachrymal Ar'tery** A branch of the ophthalmic artery distributed to the lachrymal gland.

**Lachrymal Bone** The os unguis.

**Lachrymal Canal.** A canal in the outer wall of the nasal fossæ, lined by a continuation of mucous membrane from the lachrymal sac, and serving to convey the tears into the nasal fossæ.

**Lachrymal Carun'cle.** Caruncula lachrymalis.

**Lachrymal Duct.** The excretory duct of the lachrymal gland.

**Lachrymal Fos'sa.** A depression at the upper part of the organ which serves to lodge the lachrymal gland.

**Lachrymal Gland.** A glomerate gland situated in the lachrymal fossa, which secretes the tears.

**Lachrymal Groove.** A bony channel situated at the anterior part of the orbit and serving as a lodgment for the lachrymal sac.

**Lachrymal Her'nia.** A tumor of the sac, which prevents the tears from entering the canal.

**Lachrymal Nerve.** A branch of the ophthalmic nerve distributed to the lachrymal gland and upper eyelid.

**Lachrymal Puncta.** Two small orifices situated just within the ciliary margin of the eyelids and continuous with the lachrymal ducts.

**Lachryma'tion** (*lachrymatio*). Involuntary discharge of tears. Also profuse weeping.

**Lacina'ted** (*laciniatus*). Jagged; fringed.

**Lac'mus.** Litmus

**Lacon'icum.** A sweating room; a vapor bath.

**Lac'quer.** A yellow varnish, used on brass and other metals, consisting of a solution of lac in alcohol, colored with gamboge, saffron, and other coloring matters.

**Lac'tate.** A salt formed by the union of lactic acid with a salifiable base.

**Lacta'tion** (from *lacteo*, to suckle, to give milk). The suckling of a young child or animal; also the period of suckling.

**Lac'teal** (*lacteus*; from *lac*, milk). A chyloferous vessel; absorbent vessels of the lymphatic system. Pertaining to milk.

**Lac'teine.** Same as LACTOLINE.

**Lac'ten.** Solidified milk.

**Lactea'cence.** Milkiness; applied in *Rosay* to the white or yellowish juice which flows from a plant when wounded.

**Lac'teus.** Milky; appertaining to milk. Milk-white.

**Lac'tic** (*lacteus*). Applied to an acid obtained from milk.

**Lactic Acid.** An organic acid of great physiological importance. It is found in the muscles, the blood, the intestines, and the gastric juice. By many chemists it is regarded as the active portion of this last-named secretion, and has been recommended as a therapeutical agent in atonic dyspepsia on this ground. It plays an important part in organic metamorphoses. It is a syrupy, nearly transparent liquid, of a pale wine-color, and a very sour taste. Its specific gravity is 1.212. It is usually obtained by decomposing the lactate of iron by alcohol.

**Lactide.** A crystalline substance obtained by heating lactic acid.

**Lactif'erous** (from *lac*, milk, and *fero*, to carry). That which conveys milk, as the lactiferous vessels of the mamma.

**Lactiferous Swelling.** Tumefaction of the breast from obstruction of one or more of the lactiferous vessels.

**Lactif'uga.** Medicines which dry up the secretion of milk.

**Lactig'enous** (from *lac*, milk, and *γεωω*, to produce). Milk-producing.

**Lactin, Lactine.** Sugar of milk.

**Lac'tinated.** Containing sugar of milk.

**Lac'tis.** Pertaining to milk.

**Lac'tocele** (*lac*, milk, and *κκλη*, a tumor).

A collection of a milk-like fluid, also termed galactocoele.

**Lac'tollne.** Condensed milk.

**Lactom'eter** (from *lac*, milk, and *μετρον*, a measure). An instrument for ascertaining the proportion which the cream bears to the milk. It is a graduated glass tube filled with milk. See GALACTOMETER.

**Lac'tone.** An aromatic, colorless fluid, produced by distilling lactic acid.

**Lacto-pepsin.** A mixture containing pepsin, diastase, and pancreatin, acidulated with lactic and hydrochloric acids.

**Lacto-phosphate of Lime.** Lactic acid and the magna of phosphate of lime. Claimed to be an efficient pulp-capping material.

**Lac'tose.** Sugar of milk, a variety of sugar found in milk, forming hard, sweetish crystals.

**Lac'tuca** (from *lac*, milk). Called so from its milky juice. Lettuce; garden lettuce. Also a genus of plants of the order Asteraceae. *Lactuca Sat'iva*. Garden lettuce. It is used as an article of food and is aperient and anodyne. See LACTUCARIUM.

*Lactuca Viro'sa*. *Lactuca graveolens*. The strong-scented lettuce.

**Lactuca'rium.** The inspissated juice of *Lactuca sativa*, or garden lettuce. It resembles opium in its action, but is milder. Dose, gr. j to gr. x, or more, in pill or syrup.

**Lactu'col'ia.** A plant of the genus *Sonchus*.

**Lactu'cic Acid.** A peculiar acid discovered in the milky juice of the *Lactuca viro'sa*.

**Lactu'men** (*lactumina*, *lactuermina*, from *lac*, milk). Infantile thrush has been so termed from the supposition that it was caused by a vitiated condition of the milk.

**Lac'tyl.** The hypothetical radicle of lactic acid. Its formula is  $C_3H_5O_2$ . The addition

of these parts of oxygen converts it into lactic acid.

**Lacr'na** (from *lacus*, a channel). In *Anatomy*, the mouth of the excretory duct of a mucous gland; in *Botany*, an air cell in the vegetable tissue.

**Lacuna Mag'na**. A small opening or hollow, larger than the rest, situated near the fossa navicularis of the male urethra.

**Lacu'ma**. Ducts from small glands. A small hollow space. A mucous or lymphatic follicle. The irregular cavities in bones arranged concentrically around the Haversian canals.

**Lacu'mar**. Pertaining to lacuna.

**Lacunar Orbita**. Roof of the orbit of the eye.

**Lacunar Spaces**. Irregular fissures between the fasciculi of connective tissue. The beginnings of the lymphatic vessels.

**Lacuno'sus**. Dotted, pitted.

**Lacunule**. A small lacuna.

**Lac'us**. A small hollow cavity in a tissue.

**Lacus Lachryma'lis**. The lachrymal sac.

**Lacus Lachryma'rum**. The small space in the inner angle of the eye toward which the tears flow.

**La'die**. In *Mechanical Dentistry*, a large iron spoon or cup, with a long handle, used in melting zinc, tin, lead, etc., for casting metallic dies and counter-dies, used in striking up or swaging bases of gold, silver, or platinum for artificial teeth.

**Lady-bird**. Lady bug. *Coccinella septempunctata*. This insect was at one time supposed, in Germany, to possess powerful antiodontalgic virtues; it was highly recommended for this purpose by Dr. Frederick Hirsch, dentist to several German courts. His method of applying them consisted in crushing them between the thumb and forefinger, rubbing them until a warmth was felt; then with the finger and thumb, when thus prepared, rubbing the tooth and gum around it.

**Lamio'paral'ysis**. Paralysis of the organs of deglutition.

**Lar'mos**. Pharynx.

**Lamoscir'rius**. Cancer of the pharynx or oesophagus.

**Lamosteno'sis**. Constriction of the oesophagus.

**Lar'sis**. See *LEXION*.

**Lar'vis**. Smooth, even; level.

**Lax'rous** (from *layapor*, lax). Lax, loose, or soft.

**Lagne'sis** (from *layver*, lustful). Nymphomania and satyriasis.

**Lagopet'hes**. Hare-lip.

**Lagophthal'mia** (*lagophthalmus*; from *la-yor*, a hare, and *ophthalmos*, an eye). The hare's eye. An affection of the upper eyelid which prevents it from covering the globe of the eye during sleep. This affection has been relieved by the removal of diseased teeth.

**Lagos'toma** (from *la-yor*, a hare, and *stoma*, mouth). Hare-lip.

**Lake**. A term applied to certain insoluble compounds, formed by precipitating the coloring matter of certain vegetable and animal substances with aluminous earth.

**Lalla'tion** (*lallatio*). Imperfect pronunciation of the letter *l*, in which it is rendered unduly liquid or substituted for *r*.

**Laloneuro'ses** (from *la-lor*, babbling, and *neuron*, nerve). An impairment of speech from spasmodic action of the nerves, such as stammering.

**Lalop'athy** (from *la-lor*, and *pathos*, suffering). Any disorder of the speech. Also aphasia.

**Lamb'da**. The junction of the sagittal and lambdoidal sutures of the skull.

**Lambdac'imus**. The Greek name for that affection of speech which consists in the imperfect pronunciation of the letter *l*. Lallation.

**Lamb'doid** or **Lambdoid'al** (from *lam'ba*, and *eidos*, a form). Resembling the Greek *λ*, or *lam'ba*.

**Lambdoid'al Suture** (*sutura lambdoidalis*). The suture formed by the parietal and the occipital bones is so called from its resemblance to the Greek letter *λ*. The occipitoparietal suture.

**Lambdoid'es** (from the Greek letter *λ*, and *eidos*, a form). The same as **LAMBDOID**.

**Lambdoides Os**. The os hyoides, so called from its resembling the Greek letter *λ*.

**Lamel'la**. Diminutive of *lamina*. A thin plate.

**Lamella of Bone**. The concentric rings surrounding the Haversian canals.

**Lam'ellar** or **Lamellate** (from *lamella*, a thin plate). Composed of flat plates; having lamellae. Any thin, osseous, or membranous tissue.

**Lamel'iform**. Having the form of a thin plate or scale.

**Lam'ina** (plural, *laminae*; from *elaw*, to beat off). A thin flat plate, as a lamina or flattened portion of bone or membrane.

**Lamina Ciliaris**. The ciliary zone.

**Lamina Cinerea**. The thin layer of gray

substance which forms the anterior part of the inferior boundary of the third ventricle of the brain

**Lamina Cribrosa.** That portion of the sclerotic coat of the eye through which the branches of the ophthalmic nerve and artery pass

**Lamina Spiralis.** The spiral plate of bone which winds round the modiolus of the cochlea

**Laminar.** Composed of laminae

**Laminated.** Lamellar, applied to parts that consist of thin layers, composed of laminae, foliated structure, as of bones

**Lamp for Soldering.** The lamp most commonly employed for this purpose consists of a tin or copper vessel, about four inches in diameter and five or six in length, with an opening in the top large enough to receive the oil or alcohol, according as the one or the other is used, closed with a cap with a spout at the side three or four inches long and about three-fourths of an inch in diameter, fitted with a cotton wick See BLOW PIPE, SELF-ACTING, also BLOW-PIPE, COMPOUND SELF-ACTING

**Lampblack.** The soot obtained from the imperfect combustion of resin of turpentine

**Lamprophonia.** A clear and sonorous state of the voice

**Lana.** Wool A hairy pubescence like wool, flannel

**Lana Philosophorum.** Oxide of zinc

**La'nata.** See LANTATUS

**Lanatus.** Lanate Woolly, having a pubescence like wool

**Lanceolate** (*lancoelatus*) Lance-shaped, spear-shaped

**Lan'cet** (*lancetta*, a lancet) A two-edged surgical instrument used for bleeding and other purposes

**Lancet, Gum.** See GUM LANCET

**Lan'ciform** (*lancea*, a lance) Having the form of a lance, applied to teeth, etc

**Lan'cinating** (*lancians*, from *lanciare*, to strike or thrust through) A sharp, darting pain, similar to that which would be produced by thrusting a lance into the part

**Lan'ci, Nerves of.** Some filaments on the anterior portion of the corpus callosum are so termed

**Lanc Scurvy.** See PURPURA HÆMORRHAGICA

**Land's Method.** A method of constructing partial porcelain crowns, to restore the lost part of the natural crown of a tooth. A dove-

tail cavity is first formed in the central portion of the section to be restored and contoured, and a thin piece of platinum plate or platinum foil is adapted to the cavity and surface of the part by means of a burnisher and a pellet of cotton on the end of an instrument The platinum is then removed from the cavity, and on its surface porcelain body of the proper size and form is baked in the muffle of a furnace, when it is trimmed and formed with a corundum-wheel The platinum is then removed from the porcelain section, and the latter secured in the cavity with oxyphosphate cement

**Lan'guor.** Depression or debility, a species of atony

**Lanla'ries** (*dentes lanarii*, from *lanio*, to rend) The cuspid teeth, but applied more particularly to those of carnivorous animals

**Lanlar'form.** Shaped like the canine teeth of carnivora

**Lan'olin.** A preparation of the natural fat of wool It is employed as a vehicle for remedies which are to be absorbed through the skin

**Lantha'nium.** Lanthanum A metal discovered by Mosander in cerite It also exists in some other minerals Its chemical symbol is La

**Lanu'go.** Soft wool, down, fine hair of skin

**Lapa'ra.** The flank

**Laparo'ce** (from *lapara*, the lumbar region, and *ce*, a tumor) A rupture through the side of the abdomen Lumbar hernia

**Laparo'sco'pia** (*lapara*, the loins, and *skopein*, to examine) Examination of the side or loins by a stethoscope, pleximeter, etc

**Laparotomy** (from *lapara*, the lumbar region, the abdomen, and *temno*, to cut) The operation of opening the abdomen and intestinal canal

**Laparot'omus.** An instrument for performing laparotomy

**Lapid'eus** (*lapis*, a stone) Stony

**Lapidit'lum.** A scoop formerly used for the removal of stones from the bladder

**Lapil'lus** (diminutive of *lapis*, a stone) A little stone Applied to the earthy concretions found in the cray-fish

**La'pis.** A stone, also a calculus An alchemic name applied to any non-volatile substance

**Lapis Carn'leus.** See LAPIS LAZULI

**Lapis Calca'reus.** Carbonate of lime.

**Lapis Colamini'ris.** *Colamina.*

**Lapis Dentium.** Tartar of the teeth; salivary calculus.

**Lapis Hibernicus.** Irish slate.

**Lapis Hystricus.** Bezoar hystricus.

**Lapis Infernalis.** An old name for caustic potash.

**Lapis Lazuli.** Azure stone

**Lapis Lunaris.** Silver nitrate

**Lapis Lydius.** Lydian stone

**Lapis Philosophorum.** The philosopher's stone.

**Lapis Sim'ie.** The bezoar from the monkey.

**Lapis Specularis.** Selenite.

**Lapis Syderitis.** The magnet.

**Lappa.** Burdock. See **ARCTIUM LAPPA**

**Lappula Hepatica.** Agrimony.

**Laquear Vaginae.** Fundus vaginae.

**Laqueus.** Literally, a noosed cord. Applied to any looped bandage. Also to a band of nervous matter in the brain, behind the brachium posterius, marking the course of the superior division of the fasciculus olivaris.

**Laqueus Gutturis.** Inflammation of the tonsils, with a sense of suffocation.

**Larch.** See **PINUS LARIX**

**Lard** (*sepe sillus*). The fat of the Sus scrofa, or hog.

**Larda'coline.** An animal proteid, an indigestible amyloid substance, chiefly occurring as a pathological infiltration into the spleen, liver, etc.

**Larda'ceus.** Of the nature or consistence of lard. Applied to morbid alterations in textures of parts which resemble or are of the consistence of lard

**Larime.** See **LACHRYMA**

**Lar'va.** A mask. Also a metazoan insect in its first stage after extrusion from the egg, and certain reptiles which undergo a similar change when at a corresponding state of existence.

**Lar'val.** Diseases in which the skin of the face is disfigured, as if covered by a mask

**Larva'lis.** Belonging or pertaining to larva.

**Larvip'ara.** Insects which bring forth larvæ instead of eggs.

**Larynge'al.** Pertaining to the larynx.

**Laryngeal Arteries.** The branches of the thyroid arteries distributed to the larynx.

**Laryngeal Nerves.** These are two in number, a superior and an inferior. The former is given off from the pneumogastric in the upper part

of the neck, and the latter from the pneumogastric within the thorax.

**Larynge'che.** The laryngeal sound heard by applying the stethoscope over the larynx. It is used alike for the sounds of breathing and speaking

**Laryngectomy.** Excision or removal of the larynx

**Laryngis'mus.** Laryngeal suffocation; a genus of disease in the class Pneumonia, of Dr. Good, often confounded with spasmodic croup. Spasm of the muscles closing the larynx.

**Laryngis'mus Strid'ulus.** Spasmodic laryngismus or stridulous constriction of the larynx, a species treated of by some writers under the name of spasmodic asthma, but more nearly approaching croup

**Laryngi'tis.** Inflammation of the larynx.

**Laryngocatar'hus.** Catarrh affecting chiefly the larynx and trachea.

**Laryngog'raphy** (*laryngographia*, from *laryx*, the larynx, and *graphe*, a description). A description of the larynx.

**Laryngol'ogy** (from *laryx*, the larynx, and *logos*, a treatise) A treatise on the larynx

**Laryngoph'ony** (*laryngophonia*; from *laryx*, the larynx, and *φωνη*, the voice) The sound of the voice in health, as heard through the stethoscope when placed over the larynx

**Laryngoph'thisis** (*laryphē*, the larynx, and *thsis*, a wasting). A disease of the larynx connected with pulmonary consumption; laryngeal phthisis.

**Laryngorrhoe'a** (*laryphē*, the larynx, and *ρρω*, to flow) A pituitous or serous flow from the larynx

**Laryngoscope.** An instrument on the same principle as the ophthalmoscope, which, by means of a mirror, enables the larynx to be inspected

**Laryngoscopy** (from *larynx*, and *σκοπεω*, to view). Inspection of the larynx.

**Laryngot'omus.** An instrument for performing laryngotomy

**Laryngot'omy** (*laryngotomia*; from *laryx*, the larynx, and *τεμνω*, to cut). Branchotomy. Tracheotomy. An operation which consists in opening the larynx for the removal of a foreign body or of an obstruction of the glottis.

**Laryngo-trachel'itis.** Cynanche trachealis.

**Lar'ynx.** A short tube of an hour-glass shape situated at the fore part of the neck between the base of the tongue and trachea. It is composed of cartilages, ligaments, muscles, nerves, blood-vessels, and mucous membrane, and constitutes the apparatus of voice in the higher vertebrata. The cartilages of the larynx are the *thyroid*, the *cricoid*, two *arytenoid*, and the *epiglottis*.

The ligaments of the larynx are numerous and serve as bonds of union to the cartilages.

The muscles are the *crico-thyroid*, the *crico-arytenoides posticus*, the *thyro-arytenoides*, and the *arytenoides*.

The opening into the larynx is triangular and bounded in front by the epiglottis, behind by the arytenoides muscle, and on each side by a fold of mucous membrane, extending from the side of the epiglottis to the point of the arytenoid cartilage. The larynx is divided into two parts. The upper portion is broad above and narrow below; the lower portion is narrow above and broad below.

The larynx is lined by mucous membrane, which forms in its ventricles a cæcal pouch, called the *sacculus laryngis*.

The larynx is supplied with arteries from the superior and inferior thyroids, and the nerves which go to it are derived from the superior laryngeal and recurrent laryngeal branches of the pneumogastric.

**Las'er.** A gum resin, supposed to be ass-fetida, held in high esteem by the ancients. It is believed, and upon what seems to be good authority, to be the product of the *Thapsia aliphum*, an umbelliferous plant of Cyrene.

**Laserpit'ium.** A genus of plants of the order Umbellifera.

**Laserpitium Latifo'lium.** White gentian, the root of which is bitter and tonic.

**Laserpitium Siler.** Heart-wort, the seeds and roots of which are aromatic.

**Las'situde** (*lassitudo*). Languor; weariness; debility.

**La'tent** (*latens*; from *latere*, to lie hid). Not manifest; concealed, not appreciable to the touch, as *latent heat*, *latent period*, etc.

**Latent Heat.** Heat that apparently disappears when a liquid is vaporized, or a solid is melted.

**Latent Period.** The period before a disease which is lurking in the system manifests itself by any morbid phenomena.

**Lat'eral.** Toward the lateral aspect; belonging to the side.

**Lateral Opera'tion.** The lateral division of

the prostate gland and neck of the bladder in the operation of lithotomy.

**Lateral Sinuses.** Two veins of the dura mater—the right and left lateral sinuses—running along the crucial spine of the occipital bone.

**Lateral'itious** (*lateritius*; from *later*, a brick). A name applied to a red sediment resembling brick-dust which is sometimes deposited in the urine.

**La'tex.** In *Botany*, the proper or hidden juice of a plant, which circulates in anastomosing vessels called the *laticiferous* tissue, or *cinnenchyma*. It is supposed to be analogous to the blood in cold-blooded animals.

**Lathe.** A machine by which instruments of wood, ivory, or metal are turned and cut smooth and round, used in *Mechanical Dentistry* for rotating grinding-wheels and polishing-brushes.

**Lathes, Dental.** Portable dental foot lathes are made of iron, about three feet eight inches in height, having a chuck for grindstones and brush-wheels, which slip or unscrew at each end of the mandril, and to which burrs of various sizes for filing off superfluous solder and circular saws for cutting off *filings* can be fitted.

**Latib'ulum** (from *latere*, to lie hid). The hidden matter of infectious diseases.

**Lat'ica.** A quotidian remittent with long paroxysms.

**Latissimus Col'li.** The platysma myoides.

**Latissimus Dor'si.** A broad, flat muscle covering the lower part of the back and loins. It arises from the spinous process of the seven inferior dorsal vertebrae, from all the lumbar and sacral spinous processes, a portion of the crest of the ilium, and the three lower ribs, and, ascending, is inserted in the bicipital groove of the os humeri.

**Latro'bite.** A translucent mineral of a rose-red or pink color, consisting of silica, alumina, lime, potash, and oxide of manganese.

**Lat'ten.** Brass or bronze.

**Lat'tice-work.** Cancellated tissue.

**La'tus.** Broad.

**Latua Ani.** The levator ani.

**Laud'able Pus.** See **HEALTHY Pus**.

**Laud'apin.** An alkaloid of opium.

**Laud'anum** (thought to be from *laus*, gen. *laudis*, praise, from its valuable properties). Tincture of opium. Composed of opii pulv.,

**Sijes**; alcohol dilut., Oij. Macerate for fourteen days, express and filter. Prepared also by displacement. (Ph. U. S.) Properties those of opium. Nineteen grains equal to about one grain of opium. Dose, gr. xx to gr. lx. It has the same dental uses as vinum opii (which see), but is not so pleasant to the mouth as this latter.

**Laudanum Laq'uidum Sydenhami.** Wine of opium. Sydenham's laudanum.

**Laudanum Opia'tum.** Extract of opium.

**Laughing Gas.** Nitrous oxide or protoxide of nitrogen. See NITROUS OXIDE.

**Lau'monite.** A variety of zeolite, consisting of silica, alumina, and lime, with sixteen per cent. of water.

**Lauraceae.** The cinnamon tribe of dicotyledonous plants.

**Lau'rel.** See LACUS.

**Lau'rine.** An acrid, fatty matter contained in the berries of the laurel.

**Laurocera'sus.** See PRINUS LAUROCEASUS.

**Lau'rus.** The *Laurus nobilis*. Also a genus of plants of the order Lauraceae. Bay berries. The leaves, berries, and oil possess exciting and narcotic properties. It is sometimes employed as a fomentation and in clysters.

**Laurus Cam'phora.** See CAMPHORA OFFICINARIA.

**Laurus Cas'sia.** The wild cinnamon tree

**Laurus Cinnamo'mum.** *Cinnamomum zeylanicum*, the tree from which the cinnamon bark is obtained.

**Lauris'sima Vina.** Wines strongly impregnated with myrrh

**Lavage.** The act of washing out

**Lav'ament (lavo, to wash).** A clyster or injection.

**Lavin'dula.** Lavender. Also a genus of plants of the order Lamiaceae.

**Lavandula Spl'ca.** *Lavandula vera*. The common lavender.

**Lavandula Stoe'chas.** French lavender.

**Lava'tion.** Washing or sponging the body

**Lav'ender.** A small shrub of two or three feet in height, the flowers of which have a strong fragrant odor and an aromatic, pungent, bitterish taste.

**La'ver.** The brook lime. Also a seaweed, the *Ulva lactuca*, which is used as an article of food.

**Lav'ip'edium (from lavo, to wash, and pes, the foot).** A foot bath.

**Lavolatum.** A cast-iron stone, is iron pyrites and many other minerals.

**Lawrence's Portable Respiration.** An apparatus consisting of a double bellows, with a treadle for the foot fixed horizontally over it, with a hinge attached to one end, while the other is rendered stationary by a small hoop and staple. The bellows is made to rise and fall by the application of the foot to the treadle and by means of two spiral brass springs attached to the machine. The air escapes through a long flexible tube, with a brass jet attachment, by means of which the flame may be managed with great facility.

**Lax.** Loose, not tense.

**Lax'ative (laxatus; from laxare, to loosen).**

A mild purgative

**Lax'ator Tym'pani.** *Laxator auris internus*, a muscle of the internal ear.

**Laxator Tympani Minor.** A very small muscle extending from the upper part of the meatus auditorius externus to the handle of the malleus.

**Lax'ity (laxitas) Atony.** A relaxed condition

**Lax'us.** Loose, diffused. Applied to a condition of animal fibre

**Lazaret'to (from lazare, a leper)** A solitary building in most large seaports used for the disinfection of men and goods.

**Laz'ulite.** A mineral of a pale indigo blue color, occurring in small masses or crystallized in oblique, four-sided prisms, consisting of phosphoric acid, alumina, and magnesia

**Lead.** Plumbum. Symbol, Pb. Atomic weight, 206.4. A metal of a bluish-gray color, very soft, flexible, and inelastic, slightly malleable and ductile, but possessed of little tenacity. Fuses at 617° F. In *Mechanical Dentistry* it is employed for counter-dies, patterns for plates, and as an ingredient of fusible alloys

**Lead, Black.** Plumbago.

**Lead Poi'soning.** Morbid phenomena consequent upon the introduction of lead into the system. The symptoms of lead poisoning are anaemia, disturbed nutrition, the dark gingival line, lead colic, constipation, pains in the limbs, local muscular paralysis, wasting, etc.

**Lead, Red.** See MINIUM.

**Lead, Sugar of.** See PLUMBI ACETAS.

**Lead, White.** See PLUMBI CARBONAS.

**Lead'wort.** A plant of the genus *Plumbago*.

**Leaf.** Folium.



**Leafstalk.** The petiole.

**Leafy-moss.** *Eschschizium*.

**Leap'ing Ague.** A disease said to be peculiar to Scotland and characterized by preternatural activity of both mind and body.

**Leath'er.** Tanno-gelatin. The tanned skins of animals.

**Leav'en.** Yeast. A substance possessing the power of causing fermentation in other substances.

**Lecano'ra.** A genus of lichens of the order Parmeliaceae.

**Lecanora Tartare'a.** *Litmus* and *cudbear*, used as tests for acids and alkalis and employed as a dye, are prepared from this and the *Lecanora parellus*.

**Lecano'rin.** A white crystalline substance obtained from *Lecanora tartarea*.

**Lec'tus.** A bed or couch.

**Ledoy'en's Disinfect'ing Liq'uid.** A solution of nitrate of lead in water in the proportion of a drachm to an ounce.

**Leech.** A red-blooded aquatic annelidan of the genus *Hirudo*, used for topical bleeding. They are best applied to the gums by placing the leech in a small glass vessel, open at both ends, one of the ends being so contracted that the head of the leech alone protrudes, its body being confined in the larger part of the vessel. As a general rule, six American leeches draw a fluid ounce of blood. A single foreign leech will draw from a half to one ounce. They should not be applied to parts liable to infiltration of blood and discoloration, as the eyelids, scrotum, prepuce, or where a wound would disfigure, as their bites sometimes leave scars, nor over the track of a superficial vein. To make them adhere to a part, a little milk or blood rubbed on will answer. When removed, the parts may be fomented to increase the flow, if it is desired to stop the blood the parts may be sprinkled with flour, starch, or other absorbing material, if the flow continues, astringents are used, such as tannic acid or the persulphate of iron.

**Leech Crown.** An artificial crown inserted on the natural root of a tooth, and which consists of a plate tooth, gold-backed, with a hollow pivot which fits into the enlarged canal of the root, the root end of the pivot being slit perpendicularly in three or four places for about two-thirds of its length. A thin sheet of softened gutta percha is placed on the base of the crown around the tube and the whole pressed into place. Gold or tin is

then packed into the hollow pivot and so condensed that the slit end will spread and tightly fill the end of the hole in the root, which is filed in its preparation.

**Leel'ite.** A variety of feldspar tinged with oxide of manganese.

**Leg.** Crus. The portion of the lower extremity extending from the knee to the foot.

**Legal Med'icine.** Medical jurisprudence. The application of medical knowledge to the preservation of the human species and the administration of justice.

**Leg'na** (from *λεγω*, a fringed edge). The orifices of the pudendum muliebre.

**Leg'umen** (*legume*; from *lego*, to gather). In *Botany*, a pericarp or seed-vessel with two valves, by which the seeds are fixed to one suture only. In popular language, a legumen is a pod. In the plural, pulse, pease, beans, etc.

**Legu'min.** A protein substance found in plants of the bean kind, commonly called vegetable casein.

**Legu'minous.** Pertaining to a legume, applied to plants which have a legume for pericarp.

**Leim'na** (*λεινω*, to leave). The residue, or what is left of a substance.

**Lelphæ'ma.** Deficiency of blood.

**Leipoder'mos.** One who is deficient in a part of his skin, especially the prepuce.

**Leipothym'ia** (*λεω*, to fail, and *θυμος*, the mind). *Syncope*. The sensation of sinking or fainting.

**Leipyr'ias** (from *λεπω*, I want, and *πυρ*, fire or heat). A malignant fever with great internal heat and coldness of the extremities.

**Lem'on.** The fruit of the *Citrus medica*.

**Lemon Acid.** Citric acid.

**Lem'onade.** Lemon juice diluted with water and sweetened with sugar. It forms a pleasant, refrigerant, and acidulated beverage.

**Lemonade, Magne'sian.** Citrate of magnesia.

**Lemons, Salts of.** Oxalic acid with a small quantity of potash.

**Lenien'tia** (*leno*, to allay). Medicines allaying irritation.

**Len'itive** (*lenitivus*, from *lenis*, gentle). An assuaging medicine or one that operates mildly.

**Lens.** In *Physics*, a piece of glass or other transparent substance so shaped as to be capable of converging or diverging the rays of light. In *Anatomy*, the crystalline humor of the eye, transparent in health.



**Lentic'ula** (dim. of *lens*, a lentil). A freckle; an ephelis. Also a surgical instrument for removing sharp points of bone from the edge of a perforation made with a trephine in the cranium.

**Lenticula Marina.** See **LENTIL**.

**Lentic'ular** (*lenticularis*) Shaped like a lens.

**Lenticular Bone.** Os orbiculare of the ear.

**Lenticular Cat'aract.** A cataract of the lens.

**Lenticular Gan'glion.** The ophthalmic ganglion.

**Lenticular Papil'læ.** The papillæ on the posterior part of the tongue.

**Len'tiform.** Lenticular

**Len'tigo.** A freckle, an ephelis.

**Len'til.** A plant of the genus *Ervum*.

**Len'tor** (from *lentus*, clammy) Viscidity of any fluid.

**Len'zite** (from *Lenz*, a German mineralogist). A hydrated silicate of alumina.

**Leono'tis Leonu'rus.** A South African plant, said to be narcotic, cathartic, alterative, and emmenagogue.

**Leonti'asis.** A lepra of the face

**Leontodia.** Precipitate of tincture of dandelion root, tonic, diuretic, and aperient.

**Leop'ard's Bane.** See **ARNICA MONTANA**.

**Lep'idolite** (from *λεπς*, a scale, and *λίθος*, a stone) A mineral of a foliated texture, of a lilac or rose-violet color, containing lithia.

**Lepidoplas'tus** (*λεπς*, a scale, and *πλασσω*, to form) Forming scales

**Lepidosar'coma** (from *λεπς*, a scale, and *σάρωμα*, a fleshy tumor) A fleshy tumor covered with scales.

**Lepido'sis.** Scaly skin Scaly diseases

**Lep'idote.** Covered with scales

**Lep'ocyte.** A nucleated cell.

**Lepori'nium La'blum.** Hare-lip.

**Lep'ra** (from *λεπρος*, scaly) Leprosy, a term often applied to two distinct diseases—the scaly or proper leprosy and the tuberculated, or elephantiasis, the former characterized by scaly patches on the skin of different sizes, and the latter by shining tubercles of a dusky red or livid color and a thickened, rugous condition of the skin.

**Lep'ra Arabum.** Tubercular elephantiasis.

**Lep'ra Juda'ica.** Leprosy of Jews.

**Lep'ra Mercu'ria.** See **ECZEMA MERCURIALE**.

**Lep'ra Nig'ricans.** A disease differing but little from *lepra vulgaris*.

**Lep'ra Vulga'ris.** A disease characterized by red, shining elevations upon the skin, covered with a prominent scaly crust, which continues to enlarge until they attain the size of a dollar.

**Lep'ria'sis.** Leprosy.

**Lep'rosy.** Lep'ra.

**Lep'rous.** Affected with leprosy.

**Leptochro'a.** Fineness or delicacy of skin.

**Leptothrix** (from *λεπτος*, thin, and *τριξ*, a hair). A genus of the family Bacteriaceæ, whose elements form straight filaments, often of great length.

**Lepto'thrix Buc'calis.** A fungoid growth—supposed by Leber and Rottenstein to be an active agent in dental caries—whose presence may be detected in the mouth and the dental tubuli some distance beyond the zone of softened dentine.

These authors describe the leptothrix, as seen under the microscope, to be "a gray, finely-granular mass, whose elements form straight, thin filaments, delicate and stiff, of various lengths, which erect themselves above the surface of this granular substance so as to resemble an uneven turf." This fungus attains its greatest size in the interstices of the teeth when nothing is done to check its development. Leber and Rottenstein, while they do not altogether reject the agency of acids in producing dental caries, consider that when once a surface of enamel or dentine has been softened by acids, the fungoid growth, *leptothrix buccalis*, thrives upon it, and effects the destruction of tooth substance far more rapidly than the mere solvent action of the acid could alone have done. They conclude, therefore, that there are two principal agencies at work in dental caries—the one the action of acids, the other the rapid development of the parasite *leptothrix*.

**Leptys'mus.** Emaciation.

**Le'pus.** A hare.

**Lere'ma.** Dotage

**Le'sion** (from *lesus*, hurt, injured). An injury. Any alteration in the structure or functions of an organ. Any injury, hurt, or wound in any part of the body.

**Lesion of Continuity.** A division or break in any part that is normally continuous.

**Lesion of Nutrition.** A term for those pathological alterations which originate in the capillary system, consisting of any excess or deficiency of the particles of blood in the process of assimilation and absorption, etc.

**Lessonia.** A genus of maritime plants or sea-weeds of the order Fucales.

**Lessonia Fuscus/cana.** A sea-weed growing from twenty-five to thirty feet. It furnishes, in common with other sea weeds, *kelp* or *soda*.

**Le'thal** (*lethalis*). Mortal. Pertaining to death; deadly.

**Lethality.** Deathliness.

**Lethar'gic** (*lethargicus*). Pertaining to lethargy.

**Leth'argy** (*lethargus*; from *λεθη*, forgetfulness) Excessive drowsiness; a constant sleep from which it is almost impossible to arouse the individual.

**Lethe'a** (from *λεθη*, oblivion). Papaver.

**Le'theon.** Ether or chloroform when inhaled.

**Le'thum.** Death.

**Let'tuce.** See LACTUCA.

**Lettuce Opium.** See LACTUCARIUM.

**Leu'ce** (from *λευκος*, white) A variety of leprosy.

**Leuce'mia** (*λευκος*, white, and *αιμα*, the blood). A morbid condition of the blood in which there is a continued increase in the colorless corpuscles, so that their number in some cases is almost equal to the red ones.

**Leuchemia.** See LEUCOMIA.

**Leu'cic Acid.** An acid formed by the oxidation of leucin.

**Leu'cin.** A crystalline substance formed by the decomposition of nitrogenous bodies by acids, alkalies, putrefaction, or tryptic digestion, and found in the pancreas, spleen, thymus gland, and other organs, and produced by metabolism of proteins in the body and the direct antecedent of urea, into which it is converted in the liver. It is a product of pancreatic digestion. When pure, it forms white, glistening, flat crystals, soluble in hot water.

**Leu'coblast.** An undeveloped leucocyte or a cell which gives rise to blood-corpuscles.

**Leu'cocyte.** A variety of cells of which the white blood-corpuscle is the type; a colorless, granular, globular mass of protoplasm which exhibits amoeboid movements and varies in size from 0.005 to 0.015 mm. The leucocytes include the white blood-corpuscles, lymph-corpuscles, pus-corpuscles, and wandering connective-tissue cells.

**Leucocythe'mia.** A peculiar condition of the blood characterized by excess of the white corpuscles.

**Leucocytogen'esis** (from *λευκος*, white, and *γενναω*, to beget) The formation of white corpuscles in the blood.

**Leucocytema.** A tumor composed of leucocytes.

**Leucocyto'sis** (from *λευκος*, and *κυρος*, a hollow) A transient increase in the number of white corpuscles in the blood, not accompanied by glandular or splenic enlargement or disease of bone-marrow.

**Leu'col.** A basic substance found in the naphtha of coal gas.

**Leuco'ma** (from *λευκος*, white). A white speck on the eye, caused by the healing of a wound in the cornea.

**Leu'comaines.** Basic substances in the living tissues, the result of products of fermentation changes or of retrograde metamorphosis.

**Leuconecro'sis** (from *λευκος*, white, and *νεκρωσις*, death) A dry gangrene of a light or almost natural color.

**Leucopath'ia.** The condition of an albino. A disease affecting negroes, by which they become white.

**Leucophlegma'sia** (from *λευκος*, white, and *φλεγμα*, phlegm) A tendency to dropsy, characterized by paleness of the skin and a flabby state of the solids, resulting from a redundancy of the serum of the blood.

**Leucophlegmat'ic.** Having a tendency to or affected with leucophlegmasia.

**Leucopi'per.** The paper album, or white pepper. See PIPER.

**Leucopy'ria.** Hectic fever.

**Leucorrhoe'a** (from *λευκος*, white, and *ρευω*, to flow). Fluor albus. The discharge of a whitish mucus from the vagina, arising from debility or inflammatory action. The whites.

**Leucoses** (from *λευκος*, white). Diseases of the lymphatic system.

**Leuco'sis** (from *λευκος*, white). Development and progress of leucoma, also abnormal whiteness of the skin.

**Leucothe'mia.** Predominance of white corpuscles in the blood.

**Leucetu'ric Acid.** An acid produced by the metamorphosis of alloran.

**Leu'sin.** A crystalline body in brain-tissue.

**Leva'tor** (from *λεω*, to lift up). Applied to muscles which will lift the parts to which they are attached.

**Levator An'guli O'ris.** A muscle which arises from the canine fossa of the superior

maxillary bone, below the infra-orbital foramen, and is inserted into the angle of the mouth.

**Levator Ani.** A muscle of the rectum.

**Levator Ani Parvus.** The transversus perinei muscle.

**Levator Coccygis.** The coccygeus muscle.

**Levator Labii Inferioris.** A muscle of the lower lip. It arises from the alveolar processes of the incisor teeth of the lower jaw and is inserted into the lower lip and chin.

**Levator Labii Superioris Alaeque Nasii.** This muscle arises by two heads: First, from the nasal process of the superior maxillary bone, second, from the edge of the orbit above the infra-orbital foramen, and is inserted into the angle of the mouth.

**Levator Labii Superioris Proprius.** A thin quadrilateral muscle which arises from the lower edge of the orbit and is inserted into the upper lip.

**Levator Mentis.** Levator labii inferioris (which see).

**Levator Oculi.** Rectus superior oculi, a muscle of the eye.

**Levator Palati.** A muscle of the soft palate. It arises from the point of the petrous bone and adjoining portion of the Eustachian tube, and is spread out in the structure of the soft palate.

**Levator Palpebrae Superioris.** A muscle of the upper eyelid, which it opens by drawing it upward.

**Levator Scapulae.** Levator proprius scapulae, a muscle situated on the posterior part of the neck.

**Lever** (from *levare*, to lift up). One of the simplest of the mechanical powers, consisting of an inflexible rod or bar, supported on and movable round a fixed point, called a *fulcrum*. The fulcrum is the support of the lever, and constitutes the axis round which it turns. The force which moves the lever is called the *power*, and the weight to be raised the *resistance*. When the fulcrum is placed between the power and the resistance it is called a lever of the first kind; when the resistance is between the fulcrum and the power it is called a lever of the second kind; a lever of the third kind has the power between the fulcrum and resistance.

**Levigation** (*levigatio*; from *levigare*, to polish). The reduction of a hard substance to a very fine powder.

**Leviphar'maca.** See ALEXIPHARMAC.

**Ley.** See LXX.

**Leyden Jar.** Leyden phial. A glass jar or bottle, coated inside and outside with tin-foil nearly to the top, used for collecting electricity.

**Libano'tia.** Rosemary.

**Lib'anus.** *Juniperus lycia*. The cedar of Lebanon; frankincense.

**Li'ber.** In *Botany*, the inner bark of a tree or plant, next the albumen.

**Libi'do.** Desire. Necessity.

**Li'bra.** A pound weight of twelve ounces.

**Li'chanus.** The index or forefinger.

**Li'chen** (*λεχην*, or *λεχην*, lichen). In *Pathology*, a cutaneous affection or eruption of papulae, terminating in scurf and giving to the skin the aspect of a vegetable lichen. There are several varieties of the disease.

**Lichen A'grus.** A disease characterized by clusters of papulae of a red color, which appear on the arms, neck, back, face, upper part of the breast, and sides of the abdomen, attended with inflammation, itching, and a painful tingling sensation.

**Lichen Circumscriptus.** An eruption characterized by patches of papulae with a well-defined margin and an irregular circular form; sometimes continuing for several weeks.

**Lichen Haemorrhagicus.** A petechial papular eruption.

**Lichen Islandicus.** *Cetraria islandica*. Iceland moss.

**Lichen Lividus.** An eruption of a dark-red color, or livid papulae.

**Lichen Pila'ris.** A papular eruption which makes its appearance about the roots of the hair.

**Lichen Sim'plex.** An eruption of red papulae on the face or arms, and sometimes extending over the body, accompanied by an unpleasant sensation.

**Lichen Trop'icus.** Prickly heat.

**Lichen'ic Ac'id.** An acid discovered in the *Cetraria islandica*.

**Lichen'oid of the Tongue.** A chronic spreading rash of the tongue in the form of light crescentic bands.

**Lieberkuhn's Fol'licles or Glands.** Follicles abundant in the small intestine, supposed to secrete the intestinal juice.

**Lie'big's Beef Tea.** A soluble extract of lean meat. Produced by macerating a pound of lean meat, cut into small pieces, in a pint of cold water in which thirty ounces of hydrochloric acid and forty grains of sodium chloride

have been dissolved. The liquid is expressed and strained.

**Li'en** (from *λειος*, soft or smooth) In *Anatomy*, the spleen.

**Lien'culus** (diminutive of *lien*) A supplementary spleen.

**Lien'tis**. Splenitis.

**Lienocaul'cia** (*λειον*, the spleen, and *μαλακία*, a softening). Morbid softening of the spleen.

**Lieno'sus**. Splenic.

**Li'entery** (from *λειος*, smooth, and *εντερον*, intestine) A diarrhoea, frequent evacuations of half-digested food.

**Life** (*βίος*; *vita*) The exhibition of those phenomena which characterize organized beings from inanimate or inorganic bodies.

**Ligament** (*ligamentum*; from *ligare*, to bind). A fibrous cord or elastic and strong membrane which serves to connect bones and to form articulations. Ligaments are of a dense white structure, and they are divided into *capsular* and *connecting*. The former surround joints like a bag and prevent the escape of the synovial fluid; the latter strengthen the union of movable bones.

**Ligament, Capsular**. Attached to glenoid cavity and inferior maxillary bone.

**Ligament, External Lateral**. Attached to the zygoma and neck of inferior maxillary.

**Ligament, Internal Lateral**. Attached to sphenoid and inferior maxillary bones.

**Ligament, Poupert's**. The crural arch, or lower border of the aponeurosis of the external oblique muscle.

**Ligament, Stylo-maxillary**. Attached to temporal and inferior maxillary bones.

**Ligamen'ta Ala'ria**. Alar ligaments. Two short and thick ligaments of the knee-joint.

**Ligamenta Interspina'lia**. The interspinous ligaments of the vertebrae.

**Ligamenta Intertransversa'lia**. Intertransverse ligaments of the vertebrae.

**Ligamenta Radia'ta**. The ligaments which pass between the inner extremity of the clavicle and the sternum and those which pass from the extremities of the cartilages of the ribs over the sternum.

**Ligamenta Subla'va**. Yellow ligaments which occupy the intervals between the vertebrae.

**Ligaments, An'mular**. Ring-shaped ligaments of the ankle and wrist.

**Ligaments, Cru'cial**. Two ligaments of the knee-joint—the *anterior* or *external* and the *posterior* or *internal*.

**Ligaments, Lat'eral**. The ligaments at the side of a joint.

**Ligamen'tum Arterio'sum**. The ductus arteriosus, which assumes the nature of a ligament after birth.

**Ligamentum Brachio-cubita'le**. The brachio-cubital ligament.

**Ligamentum Brachio-radia'le**. The brachio-radial ligament.

**Ligamentum Capsula're**. A ligament which surrounds a joint like a bag.

**Ligamentum Cilia're**. The bond of union between the external and internal tunics of the eyeball. See **CILIARY LIGAMENT**.

**Ligamentum Conoi'des**. The coraco-clavicular ligament.

**Ligamentum Coraco'denum**. Coracoid ligament, extending from the coracoid process across the notch of the scapula.

**Ligamentum Deltoi'des**. The internal ligament of the ankle.

**Ligamentum Denticula'tum**. A ligament extending the whole length of the spinal marrow.

**Ligamentum Den'tis**. A name given by Mr Caldwell to that portion of the gum which is attached to the neck of a tooth. See **GUM**.

**Ligamentum Interclavica're**. A cord-like band extending from the extremity of one clavicle to the other.

**Ligamentum Interosse'um**. The ligaments which unite the radius and ulna and the tibia and fibula.

**Ligamentum La'tum**. The suspensory ligament of the liver and that of the uterus.

**Ligamentum Nu'che**. The cervical ligament.

**Ligamentum Orbicula're**. The ligament which connects the neck of the radius to the ulna.

**Ligamentum Ova'ru**. A round cord of muscular fibres derived from the uterus.

**Ligamentum Pos'ticum Winslow'i**. A broad expansion of ligamentous covering of the knee-joint.

**Ligamentum Poupert'ii**. Poupert's ligament. See **LIGAMENT, POUPERT'S**.

**Ligamentum Rhomboi'des**. The ligament which binds the clavicle to the first rib.

**Ligamentum Rotun'dum**. The round ligament of the uterus.

**Ligamentum Te'res**. The round ligament of the hip-joint.

**Ligamentum Trapezo'i'des**. The coraco-clavicular ligament.

**Ligamentum Triangula're**. A ligament of the scapula.

**Ligature.** Securing an artery by ligature; tying an artery.

**Ligature (ligature;** from *ligo*, to bind). A strand of silk used for tying arteries, removing tumors, uniting the edges of a wound, etc. For some purposes fine gold or silver wire is used as a substitute for silk; also catgut, tendon, pieces of ox-aorta, and rubber. Ligatures have also been employed for the retention of artificial teeth in the mouth, at present, however, they are not used for this purpose.

**Ligature, Animal.** One made from the sinews of various animals. Sheep- or cat gut.

**Ligature, Antiseptic.** A ligature rendered free from infection by soaking and cleansing in a germicidal solution.

**Ligature, Metallic.** A ligature made of silver or other metal.

**Light** (*lux*; *lumen*). The agent which produces vision, or a perception of other bodies, by depicting their images on the retina of the eye.

**Light, Carburetted Hy'drogen.** Carburetted hydrogen gas.

**Lig'neous (lignous)** Woody.

**Lig'nin** (from *lignum*, wood) The fibres of wood divested of all impurities.

**Lig'nite** (from *lignum*, wood). Mineral coal retaining the appearance of the wood from which it was formed and giving out an empyreumatic odor while burning.

**Lig'num.** Wood.

**Lignum Al'ce.** Aloe wood.

**Lignum Brasil'ne.** Cessalpinia. The Brazil woods used in dyeing.

**Lignum Calam'bac.** Lignum aloes.

**Lignum Campe'chuanum.** The log-wood tree. *Hæmatoxylon*.

**Lignum Colub'rinum.** The wood of a tree of India, the *Strychnos colubrina*. *Aristolochia serpentaria*.

**Lignum In'dicum.** The wood of the *Hæmatoxylon campechuanum*.

**Lignum Mol'nece'ne.** *Croton tiglium*.

**Lignum Nephrit'icum.** *Gaultheria*.

**Lignum San'tal Rubri.** *Pterocarpus*.

**Lignum Serpent'inum.** *Ophioxylum*.

**Lignum Vi'te.** The wood of the *Guaicum officinale*.

**Lig'ula.** In *Anatomy*, the clavicle; also the glottis. In *Botany*, the membranous appendage at the top of the sheath of the leaves of grasses and the long and narrow band at the termination of the tube of the corolla of certain plants. In *Zoology*, the labium of insects.

**Lig'ulate.** Strap-shaped.

**Lig'ulite.** A mineral occurring in yellow-green crystals, resembling chrysolite.

**Ligus'trum.** A genus of plants of the order Alceaceæ.

**Lagustrum Vulga're.** Privet, the leaves of which are astringent and have been used for ulcers of the mouth and throat.

**Lilia'ceæ.** A family of endogenous plants, including the lilies, hyacinths, aloes, squilla, etc.

**Lilia'line.** The bitter, crystallizable principle of the liliac.

**Lima (limens).** Lemon.

**Li'ma Denta'ria** (*scalprum dentarium*). A dental file. See FILES, DENTAL.

**Lima'tio** (from *lima*, a file). Filing. See FILING TEETH.

**Limatu'ra** (from *lima*, a file). File dust; filings of a metal.

**Limatura Ferri** Iron filings.

**Limatura Stanni.** Tin filings.

**Li'max** (from *limus*, slime). The slug or snail.

**Limb.** A member.

**Limbus Alveola'ris.** The alveolar border.

**Limbus Lu'teus.** The yellow halo surrounding the foramen of Boemmerring, as observed in animals having the axis of the eyeballs parallel with each other.

**Lime.** *Citrus limetta*, a fruit like a small lemon.

**Lime Calx.** The oxide of calcium,  $\text{CaO}$  (quicklime), and calcium hydrate,  $\text{Ca}(\text{HO})$ .

**Lime, Car'bonate of.** Creta.

**Lime, Chlo'ride of.** A compound of lime and chlorine. Used as a disinfectant; for such purpose one pound may be dissolved in six gallons of water. In *Dental Practice*, chloride of lime is used in the dry form in cancrum oris and in scorbutic and other ulcerations of the mouth, and in pytalism in the form of a gargle. It has also been employed in cases of suppurating dental pulps as a disinfectant. Also used as a bleaching preparation for teeth which have lost their vitality and become decolorized. Chloride of lime is also one of the best antidotes for poisoning by hydrocyanic acid. For other dental uses see GORGAN'S "Dental Medicine."

**Lime Water.** *Liquor calcis* (which see).

**Limestone.** Carbonate of lime.

**Limifor'mis.** Having the appearance of a file.

**Limonophel'tis.** Marsh miasm.

**Limectom'ia** (from *limos*, hunger, and *ctom'*, death). Starvation. Death or suicide from hunger.

**Lim'on.** Lemon.

**Limona'da.** Lemonade.

**Limonia.** The bitter principle of lemon and orange seeds.

**Limonia Malus.** The lemon.

**Limoni's Cortex.** Lemon peel, or the rind of lemon.

**Limoni's Suc'cus.** Juice of lemon.

**Limoni'sis** (from *limos*, hunger) A morbid appetite. Also a genus of disease in the class Celiaca, order Enterica, of Dr Good, characterized by excessive or depraved appetite.

**Limosis A'vens.** Insatiable appetite.

**Limosis Ex'pers.** Anorexia.

**Limosis Helli'onum.** Gluttony.

**Limosis Pi'ca.** See **MALACTA**.

**Limotherapel'a** (from *limos*, hunger, and *therapeia*, treatment) The cure of disease by fasting, or abstinence from food.

**Lim'pid** (*limpidus*; from *λαμπω*, to shine) Clear; pure; transparent.

**Li'mus** (from *limos*, hunger) Hunger.

**Linamen'tum** (from *linum*, linen) Lint. A tent for a wound.

**Lin'cus** (from *lingo*, to lick). In *Pharmacy*, applied to a soft substance like honey, which may be licked from a spoon.

**Lin'den Tree.** A tree of the genus *Tilia*.

**Line** (*linea*). That which has length without breadth or thickness. Also the twelfth part of an inch. An elevation extending some distance along the surface of a bone, a prominent border.

**Line, Facial.** The line joining the most prominent part of the forehead with the alveolar process of the upper jaw.

**Line, Me'dian, of the Body.** An imaginary line, beginning at the top of the head and falling between the feet, dividing the body vertically into two equal parts.

**Line, Thompson's.** A red line of vascular tissue along the margin of the gums, common in phthisis.

**Lin'ea** (from *linea*, a thread). A line. In *Anatomy*, applied to parts which have a line-like appearance.

**Linea Al'ba.** A tendinous cord or line extending from the ensiform cartilage of the sternum to the navel, and thence to the symphysis pubis.

**Linea As'pera.** The rough projection along the posterior surface of the femur.

**Linea Ilio-pectine'a.** A sharp ridge on the lateral edge of the brim of the pelvis, called also *linea innominata*.

**Linea Innom'inata.** See **LINEA ILIO-PECTINEA**.

**Lin'ee Albicantes.** Certain, shining, reddish and whitish lines on the abdomen, extending from the groin and pubes to the navel, sometimes occurring in women during the first three or four days after delivery.

**Linee Semiluna'rea.** The lines on the outer margins of the recti muscles of the abdomen.

**Linee Transver'sae or Transversales.** The lines that cross the recti muscles of the abdomen.

**Lin'eamen't** (*lineamentum*; from *linea*, a line) A feature, the form or outline which marks the particular character of the countenance and distinguishes the features of one face from another.

**Lin'ear** (*linearis*) A line. In *Surgery*, fractures which exhibit the appearance of a line.

**Linear Fractures.** Those in which the fragments are scarcely separated.

**Linea'tus.** Lineated streaked, having lines.

**Line'ola** (diminutive of *linea*, a line). A small line.

**Lin'gua** (from *lingo*, to lick up) The tongue.

**Lingua-dental.** Pertaining to the tongue and teeth, as articulate sounds formed or uttered by them.

**Lin'gual** (*lingualis*). Pertaining or belonging to the tongue.

**Lingual Artery.** A branch of the external carotid artery.

**Lingual Glands.** Small salivary glands situated underneath the tongue, on the posterior portion of the upper surface of the tongue near the circumvallate papillae and foramen caecum, several of their ducts opening into the foramen. Those which open near the circumvallate papillae secrete, instead of mucus, a watery fluid. The lingual glands are also found on the borders of the tongue.

**Lingual Nerve.** The hypoglossus nerve. Also a branch of the inferior maxillary.

**Lingua'lis.** *Basso-glossus muscle.* A long, thin muscle, passing from the root to the tip of the tongue.

**Linguet'ta Laminosa.** A thin process of gray substance extending from the gray substance of the cerebellum upon the valve of Vieussens.

**Ling'ula.** See **LINGULA**.  
**Lingula Fistulæ.** Epiglottis.  
**Lingula Mandibularis.** The prominent, thin scale of bone partly surrounding the large foramen of the lower jaw, and which serves for attachment of the spheno-mandibular ligament.  
**Ling'ulate** (*lingulatus*; from *lingua*, tongue). Tongue-shaped.  
**Lin'i Parl'na.** Flaxseed meal.  
**Lin'im'ent.** See **LINIMENTUM**.  
**Liniment, An'odyne.** See **LINIMENTUM OPII**.  
**Liniment of Mercury.** See **LINIMENTUM HYDRARGYRI COMPOSITUM**.  
**Liniment, Vol'atile.** See **LINIMENTUM AMMONIÆ**.  
**Linimen'tum** (from *linere*, to anoint). A liniment; an unctuous medicine, to be applied externally by means of friction.  
**Linimentum Ammo'niæ.** (U. S. P.) Liniment of ammonia.) Volatile liniment.  
**Linimentum Ammonis Compo'situm.** (Ph. E.) Compound liniment of ammonia.  
**Linimentum Ammonis Sesquicarbonat'is.** (Ph. L.) Liniment of sesquicarbonate of ammonia.  
**Linimentum Calcis.** (U. S.) Liniment of lime.  
**Linimentum Cam'phoræ.** (Ph. U. S. and L.) Camphor liniment.  
**Linimentum Camphoræ Compos'itum.** (Ph. L.) Compound camphor liniment.  
**Linimentum Canthar'idis** (U. S.) Liniment of Spanish flies.  
**Linimentum Chloroform'i.** Chloroform liniment.  
**Linimentum Hydrargyri Compos'itum.** (Ph. L.) Compound liniment of mercury.  
**Linimentum Opii.** (Ph. L.) Liniment of opium. Anodyne liniment.  
**Linimentum Sapo'nis Camphora'tum.** (Ph. U. S.) Camphorated soap liniment.  
**Linimentum Simplex.** (Ph. E.) Simple liniment.  
**Linimentum Terebin'thinæ.** (U. S.) Liniment of turpentine.  
**Linna'ean System.** The sexual system of plants; so called from the name of the founder, **Linnaeus**. Classification of plants by the number and position of their stamens and pistils.  
**Linseed'.** Flaxseed; the seeds of *Linum usitatissimum*.  
**Lint.** Lintum; charpie. A soft, flocculent substance made by scraping old linen

cloth or rags. It is used for dressing wounds. It is now found in the shops as "patent" lint, having one surface fleecy. Lint is arranged into different forms for special purposes, such as the compress, pledget, and tent (which see).  
**Linum.** Linseed. Also a genus of plants of the order Linaceæ.  
**Linum Usitatissimum.** Common flax. The seeds contain a large quantity of oil, and by infusion yield a large proportion of mucilage; used as an emollient and demulcent.  
**Lip.** See **LABIUM**; also **LIRA**.  
**Lipa'ra.** Plasters containing much oil or fat.  
**Lipa'ria.** Obesity.  
**Liparocele'** (from *λίπαρος*, fat, and *κύλη*, a tumor). A fatty tumor, especially in the scrotum.  
**Lipar'odes.** Full of fat; obese.  
**Liparotrich'ia.** Too great oiliness of the hair.  
**Lip'arous.** Obese. Fat.  
**Lipas'ma.** A fattening medicine.  
**Lipoids.** The non-saponifiable fats.  
**Lipo'ma** (from *λίπος*, fat). An encysted fatty tumor; indolent, painless, benign.  
**Liposphyx'ia.** Absence or cessation of the pulse.  
**Lipoth'y'my** (*Hypothymia*; from *λείπω*, to fail, and *θυμός*, mind) Syncope.  
**Lippitude'** (*lippiudo*, from *lippus*, bleared-eyed) Bleared eyes. A chronic inflammation of the tarsal edges of the eyelids and a discharge of puriform matter.  
**Lips** (*labia*). The fleshy folds surrounding the orifices of the mouth, which consist of the two muscular veils which circumscribe the anterior opening, distinguished into upper and lower lips. In *Surgery*, the edges of an incised wound.  
**Lips, Characteristics of.** "The lips," says Delabarre, "present marked differences in different constitutions. They are thick, red, rosy, or pale, according to the qualities of the arterial blood that circulates through their arteries."  
**Firmness of the lips** and a pale rose color of the mucous membrane that covers them are, according to Laforge, indicative of pure blood, and, as a consequence, of a good constitution. Redness of the lips deeper than that of the pale rose is mentioned by him as one of the signs of sanguine-serous blood. Soft, pale lips are indicative of lymphatico-serous dispositions. In these subjects the lips



are almost entirely without color. When there is a sufficiency of blood the lips are firm, though variable in color, according to the predominance of the red or serous parts of this fluid.

Anæmia is indicated by want of color and softness of the lips and general paleness of the entire mucous membrane of the mouth.

"The fluids contained in the vessels," says Laforge, "in the three foregoing forms of anæmia yield to the slightest pressure, and leave nothing between the fingers but the skin and cellular tissue."

In remarking upon the signs of the different qualities of the blood, the above-mentioned author asserts that the constitution of children about the age of six years can not, by a universal characteristic, be distinguished but that the lips, as well as all other parts of the mouth, constantly betoken the "quality of the blood and that of the flesh"; and "consequently they proclaim health or disease or the approach of asthenic and adynamic disorders, which the blood either causes or aggravates."\*

"The secretion of the lips," says Professor Schill, "has a similar diagnostic and prognostic import to that of the tongue and gums. They become dry in all fevers and in spasmodic paroxysms. A mucous white coating is a sign of irritation or inflammation of the intestinal canal, accordingly, this coating is found in mucous obstructions, in gastric intermittent fever, and before the gouty paroxysms. A dry brown coating of the lips is a sign of colliquation in consequence of typhus affection; it is, accordingly, observed in typhus, in putrid fever, in acute inflammations which have become nervous."†

The appearance of the lips, however, does not present so great a variety as those of other parts of the mouth, for the reason that they are not so subject to local diseases, but their general pathognomonic indications are, perhaps, quite as decided.

**Li'pyl.** The supposed radicle of glycerine; also a former name for glyceryl,  $C_3H_5$ .

**Lipy'r'ia** (*lepyria*; from *lepra*, to fail, and *rep*, heat). A fever with great coldness of the surface, particularly of the extremities, and heat in the interior of the body.

**Liquamu'mia.** Human fat.

**Liqua'tion.** In *Metallurgy*, the separation of tin, lead, etc., by melting.

**Liquefa'cient** (*liquefaciens*; from *liquidus*, a liquid, and *facere*, to make). That which has the property of liquefying solids, as mercury, iodine, etc.

**Liquefac'tion** (*liquatio*, *liquefactio*). The conversion of a solid into a liquid by the agency of heat, applied particularly to metals, resin, wax, and fatty substances.

**Liqueur'.** A strong, aromatic preparation of distilled spirits.

**Liquid** (*liquidum*). A flowing substance; a feebly elastic fluid.

**Liquid Silex.** See **SILEX**.

**Liquidam'bar.** A genus of plants of the order *Altingiaceæ*. Also a resinous juice which flows from the *Liquidambar styraciflua* and some other species when wounded. It is of a yellow color and about the consistence of turpentine, but hardens with age and becomes brittle. It is sometimes called copaline balsam. Liquid styrax is obtained from this plant by boiling.

**Liquidambar Styracif'lua.** The tree which affords liquidambar and liquid styrax.

**Liq'nor** (from *liquor*, to become liquid). A name given to many compound fluid medicinal preparations.

**Liquor Æthere'us Oleo'sus.** Ethereal oil; heavy oil of wine, sulphate of ether and etherine.

**Liquor Æthereus Sulphu'ricus.** Sulphuric ethereal liquor. Unrectified sulphuric ether.

**Liquor Alu'minis Compos'itus.** (Ph. L.) Compound solution of alum. A powerful astringent used on foul ulcers, etc.

**Liquor Ammo'nice.** Water of ammonia. Stimulant, antacid, and rubefacient. Dose, grt. v to grt. xix, diluted with water or milk.

**Liquor Ammonie Aceta'tis.** Solution of acetate of ammonia. Sudorific; externally it is cooling and astringent. Dose, ʒij to ʒxij.

**Liquor Ammonie Sesquicarbona'tis.** Water of carbonate of ammonia.

**Liquor Am'ni.** The liquor of amnios. See **AMNIO**, **LIQUOR OF**.

**Liquor Argenti Nitra'tis.** (Ph. L.) Solution of nitrate of silver.

**Liquor Arsenica'tis.** See **LIQUOR POTASSII ARSENITIS**. Fowler's solution. Dose, m℥v to m℥.

\* Vide "Semiotologie Buccale et Bucco-mandibulaire."

† Vide "Pathological Semiology," p. 135.



**Liquor Arsenici et Hydrargyri Iodidi.** Donovan's solution (which see).

**Liquor Barli Chloridi.** (U. S.) Solution of chloride of barium. Solution of muriate of baryta. Dose, gr. v.

**Liquor Cal'ci Chloridi.** Solution of chloride of calcium. Solution of murate of lime. Dose, ℥i to ʒij.

**Liquor Cal'cis.** Lime water. Take of lime, four ounces, of distilled water, one gallon. Pour the water on the lime and stir. Let it stand in a covered vessel three hours, boil the lime and water, and use the clear solution. It is astringent, tonic, and antacid, and is used in diarrhoea, diabetes, heartburn, etc., and as a lotion to foul ulcers. Dose, fʒij to Oas in milk.

**Liquor Cu'pri Ammonio-sulpha'tis** (Ph. L.) Solution of ammoniated copper.

**Liquor Ferri Iodidi.** (U. S.) Solution of iodide of iron. Syrup of iodide of iron.

**Liquor Ferri Persulpha'tis.** Solution of persulphate of iron. See IRON, PERSULPHATE OF.

**Liquor Ferri Ternitra'tis.** Solution of ternitrate of iron.

**Liquor Gutta Perchæ.** Solution of gutta percha in chloroform. It consists of gutta percha, ʒjss, and chloroform, ʒxviij. An excellent application for the temporary relief of odontalgia.

**Liquor Hydrargyri Bichloridi.** Solution of bichloride of mercury.

**Liquor Iodini Compositus.** Compound solution of iodine. Dose, ℥ij to ℥vj.

**Liquor Magnesiæ Citratæ.** Solution of citrate of magnesia, a cooling cathartic. Dose, as a full purge, is about fʒxij.

**Liquor Morphæ Sulpha'tis.** Solution of sulphate of morphia. Dose, ʒj to ʒij.

**Liquor Opi Sedati'vus.** Battley's solution. An aqueous solution of opium.

**Liquor Plumbi Diacetat'is.** See LIQUOR PLUMBI SUBACETATIS.

**Liquor Plumbi Subacetat'is.** Solution of subacetate of lead. It is used externally as a cooling astringent and discutient, when diluted with distilled water.

**Liquor Plumbi Subacetatis Dilutus.** Properties same as the last, but feebler.

**Liquor Potas'sæ.** Solution of potassa. Made by boiling potash in lime. Dose, ℥x to ʒj.

**Liquor Potas'sæ Arsenat'is.** (U. S.) Solution of arsenite of potassa. Arsenical solution. Fowler's solution (which see).

**Liquor Potas'sæ Carbonat'is.** (U. S.) Solution of carbonate of potassa. Antacid and diuretic. Dose, gr. x to ʒj.

**Liquor Potas'sæ Chlorinat'is.** Solution of chlorate of potassa.

**Liquor Potas'sæ Citrat'is.** (U. S.) Solution of citrate of potassa. Neutral mixture.

**Liquor Potas'sæ Effervescens.** (Ph. L.) Effervescing solution of potassa.

**Liquor Potas'sæ Iodidi Composit'us.** (Ph. L.) Compound solution of iodine.

**Liquor San'guinis Plasmæ;** intercellular fluid. Coagulable lymph, plastic lymph, a clear, colorless fluid, one of the constituents of the blood—the one in which the red globules are suspended during life. On coagulation it separates into two parts—the serum and fibrin—previously held in solution. The fibrin, coagulating encloses within it the red particles, while the serum retains the albumen in solution.

**Liquor Sodæ Chlorinat'is.** (U. S.) Solution of chlorinated soda. Labarraque's disinfecting soda liquid (which see).

**Liquor Sodæ Effervescens.** Effervescing solution of soda.

**Liquor Tartari Emet'ici.** Antimonial wine. **Liquorice.** The root of the Glycyrrhiza glabra.

**Liquorice Sugar.** Glycyrrhizin. The sweet principle of liquorice.

**Lisp'ing.** A form of defective utterance commonly called speaking through the teeth.

**Lister'ian Method of Dressing Wounds.** The best is an antiseptic dressing which consists in the application of gauze impregnated with a solution of a double cyanide of zinc and mercury. Said to be non-volatile, nonirritating, and insoluble in water.

**Lister'ine.** A valuable antiseptic, disinfectant, and deodorizer. It is composed of benzo-boracic acid, thyme, eucalyptus, baptisia, gaultheria, and mentha pulegiata. Each fluid drachm contains two grains of benzo-boracic acid. For dental uses see Gorgus' "Dental Medicine."

**List'erism.** A general name for the antiseptic and aseptic treatment of wounds as first suggested by Lister.

**Litch's Method of Bridge-work.** See BRIDGE-WORK, SYSTEMS OF.

**Lithæmia.** The state in which the blood contains an excess of lithic or uric acid.

**Litho'gus** (*lithagoges*; from *lithos*, a stone, and *ago*, to bring away). Medicines

supposed to have the power of expelling urinary calculi.

**Lith'arge.** See LITHARGYRUM

**Litharge Plaster.** Lead plaster made of semivitrified oxide of lead, olive oil, and water.

**Lithar'gyrum** (from *λίθος*, a stone, and *αργήρος*, silver). **Litharge.** *PbO*. *PbO*. *PbO*. Semivitrified protoxide of lead. When white, it is called litharge of silver, and when red, litharge of gold.

**Lith'ate.** Urata. Composed of lithic acid.

**Lithec'tasy** (from *λίθος*, a stone, and *εκτείνω*, dilatation). An operation for the removal of stone from the bladder by dilating the neck of the organ after having made an incision in the perineum and opened the membranous portion of the urethra.

**Lith'ia** (*lithia*). A rare alkaline substance differing from potash and soda by the difficult solubility of its carbonate. It is the oxide of lithium.

**Lith'ic Carbo'nas.** Carbonate of lithia. A white powder, sparingly soluble in water, with a feeble alkaline taste. Used in calculous diseases.

**Lithi'asis** (from *λίθος*, a stone). A term applied in *Pathology* to the formation of stone in the bladder; also to a disease of the eyelids in which their margins are beset with stone-like concretions.

**Lith'ic** (*lithicus*). Relating to lithic or uric acid or to stone.

**Lithic Acid.** Uric acid.

**Lith'ium.** A white metal obtained from lithia by means of galvanism. The principal salts of lithium are the carbonate and citrate, and they produce effects analogous to those of potassium and sodium. The lithium treatment is employed in *Dental Practice* to counteract the effects of the gouty diathesis upon the teeth and the periodontal membrane, the carbonate of lithium being the agent employed.

**Lithocono'sis** (*λίθος*, a stone, *εκκένωσις*, an evacuation). The removal of fragments of a calculus in the operation of lithotomy.

**Lith'oclast.** An instrument used for reducing calculi in the bladder to small fragments; introduced through the urethra.

**Lithoden'dron** (from *λίθος*, a stone, and *δένδρον*, tree). Coral has been so termed from its resemblance to a petrified branch of a tree.

**Litho'drom** (from *λίθος*, stone, and *δρόμος*, likeness). A name given to an amalgam with which finely pulverised pumice, glass, or some

vitreous substance is incorporated; used as a substitute for gold by some dentists in filling teeth. See AMALGAM.

**Litho'des.** Full of calculi or of the nature of calculi.

**Lithodia'lia.** A dissolving of stone or calculus in the bladder.

**Lithofell'ic Acid.** An acid forming the chief ingredient in bezoars.

**Lith'oid.** Lithoides; lithous. Of the nature of or resembling stone or calculi.

**Lithol'abum** (from *λίθος*, a stone, and *λαμβάνω*, I seize). An instrument for grasping and extracting the stone from the bladder.

**Lithol'ein** (from *λίθος*, stone, and *ελεω*, oil). A substance like vaseline, and also antiseptic and antiparasitic. It has no smell or taste and is oily.

**Lithol'ogy** (*lithologia*, from *λίθος*, a stone, and *λογία*, a discourse). A treatise on calculous concretions.

**Lithome'tra.** Bony or other concretions of the uterus.

**Lithontrip'tic** (*lithontripticus*, from *λίθος*, a stone, and *τριβω*, to wear away). A remedy supposed to be capable of dissolving urinary calculi.

**Lithontrip'tor.** An instrument for breaking calculi in the bladder into small pieces so that they may be washed away by the urine. Instruments of different forms have been invented for this purpose.

**Lithosco'pium** (*λίθος*, a stone, and *σκοπεω*, to examine). An instrument for ascertaining the size and form of a calculus, a lithoscope.

**Lithotereth'rum.** Lithotrite.

**Lithot'omist.** One who devotes himself to the operation of lithotomy.

**Lithot'omy** (*lithotomia*, from *λίθος*, a stone, and *τομή*, to cut). Cutting into the bladder for the extraction of stone.

**Lithotripsy.** Operation of rubbing down calculi in the bladder by means of a lithotripter.

**Lithotrip'tic.** A medicine which counteracts the formation of calculi or has the power of dissolving calculous concretions by acting on the substance which serves as a bond of union to the saline or acid particles composing the stone.

**Lithotrip'tor.** An instrument for breaking or bruising stone in the bladder. See LITHOTRITY.

**Lithotrite'.** An instrument for crushing the calculus in the bladder.

**Lithotrity** (*lithotritia*, from *lithos*, a stone, and *trito*, to break). The operation of breaking or bruising the stone into small pieces so that it may be discharged with the urine.

**Lithoxiduria**. The discharge of urine containing xanthic oxide.

**Lithuria** (from *lithos*, a stone, and *ouron*, urine). Urine containing uric acid and urates. The lithic or lithic acid diathesis.

**Litmus**. Turnsole. A blue coloring-matter obtained from *archil*, a lichen (the *Roccella tinctoria*), and employed, either in infusion or in the form of litmus paper, as a test for acids and alkalis. Blue litmus paper is unsize paper steeped in a solution of litmus; red litmus paper is unsize paper steeped in a solution of litmus and colored red with acid.

It is useful for testing the nature of the oral fluids to detect the presence of acids, which turn it red. Blue litmus paper turns red in contact with acid solutions; red litmus paper turns blue in contact with alkaline solutions.

**Litra** (*λίτρα*). A pound weight.

**Litre**. A French measure of one cubic decimetre, or 61.027 cubic inches.

**Littig's Method**. A method of restoring the lost part of the crown of a natural tooth by means of a porcelain cap made from a plate tooth, the pins of which are bent outward and the plate tooth ground down to the proper size and shape, and secured to the crown of the natural tooth by holes drilled to accommodate the pins of the porcelain cap, which are secured by zinc phosphate. Another method is to first cap the lost part of the natural crown with platinum, allowing the pins, which are soldered with pure gold, to project below the cap. Porcelain body of the desired form for the tip is baked in a furnace on the cap, the porcelain partial crown or tip being secured to the platinum forming the cap by the platinum pins embodied in it when it is made.

**Liv'er** (*ήπαρ*). The largest gland in the body, weighing from three to four pounds, and measuring, in its transverse diameter, from ten to twelve inches; from six to seven in its antero-posterior, and is about three inches thick at the back part of the right lobe. It is of a brownish-red color and is situated under the diaphragm, occupying the whole hypochondriac region and part of the epigastric. It is the organ of the biliary secretion.

**Liver, Gran'ulated**. A disease of the liver

in which this organ becomes tuberculated and assumes a rusty yellow color, on which account it is termed cirrhosis. The disease is variously designated by different authors.

**Liver, Hob'nail**. Granulated liver.

**Liver, Inflammation of**. Hepatitis.

**Liver, Nutmeg**. Granulated liver.

**Liver of Sulphur**. Sulphuret of potassium.

**Liver Spot**. *Chloasma pityriasis versicolor*.

An affection of the skin characterized by irregularly shaped yellowish-brown patches.

**Liverwort**. A genus of ranunculaceous plants.

**Liverwort, Iceland**. See *CETRARIA ISLANDICA*.

**Liv'id**. Purplish discoloration of the skin.

**Livid'ity**. Darkness of color.

**Liv'or** (from *liveo*, to be black and blue).

**Lividity** suffusion, mark of a blow.

**Lix**. Ashes. Wood ashes. Also lye.

**Lixivia'tion** (*lixivatio*). The act of treating permeable bodies with water for the purpose of dissolving the alkaline salts which they contain.

**Lixiv'um**. Any solution containing soda or potassa in excess. Lye.

**Load'stone**. The native magnet, an ore of iron of an intermediate state of oxidation, possessing the peculiar property of attraction and of turning toward the north pole when freely suspended.

**Loam**. A mixture of sand and clay with oxide of iron.

**Loath'ing**. Disgust.

**Lo'bate** (*lobatus*). Lobed. Having lobes.

**Lobe** (*lobus*). In *Anatomy*, a round projecting part of an organ.

**Lobe'lla**. A genus of plants of the order Lobeliaceae.

**Lobelia Cardina'lis**. Cardinal flower. Cardinal plant. The root is said to possess vermifuge properties.

**Lobelia Infla'ta**. Indian tobacco; emetic weed; bladder-podded lobelia. A plant possessing properties similar to those of tobacco, acting in small doses as a diaphoretic and in large doses as a dangerous emetic. Dose as an emetic, gr. iv to gr. xx.

**Lobe'llin, Lobeline**. A peculiar substance obtained from *Lobelia inflata* resembling narcotine.

**Lob'ular** (*lobulus* or *lobule*). Pertaining to a lobule. Shaped like a lobe or lobule.

**Lob'ule** (diminutive of *lobulus*, a tube). A small lobe; a small rounded prominence.

**Lobulus Anosso'trus**, or **Lobulus Quadra'tus**. The square lobe upon the inferior surface of the right lobe of the liver.

**Lob'ulus An'ris** The lobe or lower part of the ear.

**Lobulus Cauda'tus**. A tail-like process of the liver, stretching downward from the middle of the great right lobe to the lobulus Spigelli.

**Lobulus Pneumoga'stricus**. A small lobe of the cerebellum near the origin of the eighth pair of nerves.

**Lobulus Spige'li** The inferior or smallest lobe of the liver

**Lo'bus**. A lobe. Any round, well defined part.

**Lo'cal** (*localis*) In *Pathology*, applied to a disease affecting a part without implicating the whole system, confined to a part

**Loca'les** (plural of *localis*) In Cullen's "Nesology," the fourth class, comprising local diseases or morbid affections that are partial

**Lo'chia** (from *ᾠχεῖν*, to bring forth) The discharge from the uterus which takes place and continues some days after parturition.

**Lochiorrhoe'a**. Profuse flow of the lochia

**Lochopy'ra** (*λογος*, confinement, and *πυρ*, a fever) Puerperal fever

**Locked Jaw**. A spasmodic contraction of the muscles of the jaw by which motion is prevented. See **TRISMUS** and **TETANUS**

**Locomo'tion** (*locomotio*, from *locus*, a place and *movere*, to move) The process by which animals of the higher classes move from place to place.

**Locomotor Ataxia**. A chronic disease of the nervous system characterized by atrophy of nerve substance, paroxysms of pain, and functional disturbances.

**Loc'ulation** (*loculus*, a cell) A cell of an ovary.

**Lo'cus Ni'ger**. The dark matter in the centre of the peduncle of the brain

**Locus Perfora'tus**. See **PONS TARINI**.

**Logan Crown**. An artificial crown the base of which is deeply recessed, leaving a thin border to be fitted to the natural root. One end of the dowel is baked into the crown during its manufacture. The concavity of the base facilitates the adjustment of the crown to the end of the root and gives the cement holding the dowel or post a more reliable form

**Log'wood**. Campeachy wood. The popular name of *Hæmatoxylon campechianum*. *Astringent*. Dose of powder, gr. x to gr. xxx.

**Lo'pl'mia** (*λοιμος*, the plague). The plague or other epidemic disease.

**Lo'pl'mic** (*loimicus*; from *λοιμος*, a pestilence). Pertaining to a pestilence

**Lo'ius**. The lumbar region of the back.

**Longan'on**. The rectum.

**Longev'ity** (*longevitas*). The prolongation of life to an advanced age.

**Long'ing**. A common phrase for the craving or preternatural appetites of women during uterine gestation

**Longis'simus Dorsi**. A long muscle of the back.

**Longissimus Fem'oris**. The sartorius muscle.

**Longissimus Ma'nus**. The flexor tertii interodii pollicis.

**Longissimus Oc'uli** The obliquus superior oculi.

**Longitudinal** (*longitudinalis*) In *Anatomy*, lengthwise, or in a direction the opposite of transverse

**Longitudinal Sinus** A triangular canal of the dura mater, proceeding from the crista galli to the tentorium

**Long-sighted'ness**. See **PRESBYOPIA**.

**Lon'gus Colli**. A muscle situated on the anterior face of the vertebrae of the neck

**Loose'ness**. Popular name of diarrhoea.

**Looseness of the Teeth**. Odontoseis, odontoseismus. This results from disease in the gums and the gradual destruction of the alveolar processes.

**Loquac'ity** (*garrulitas*; from *loquer*, to speak) Volubility, sometimes a symptom of disease

**Loque'la**. Articulate speech

**Loquela Abolita**. See **APHONIA**.

**Lordo'sis** (from *ῥαῖδος* curved, bent). A term applied in *Pathology* to curvature of spine anteriorly

**Loretin**. Meta-iodo-ortho-oxyquinoline and sulphonic acid A new succedaneum for iodoform in the form of a yellow crystalline powder which resembles iodoform. Antiseptic and germicide; non-poisonous.

**Lor'ica**. A kind of lute with which vessels are coated before they are put into the fire

**Lo'rus**. *Hydrargyrum*.

**Lotio**. A lotion

**Lotio Acidi Pyrolig'nei**. Lotion of pyroligneous acid.

**Lotio Alu'minis**. Alum lotion

**Lotio Ammo'niæ Aceta'tis** Lotion of acetate of ammonia.

**Lotio Ammoniac Hydrochlorat'is.** Lotion of muriate of ammonia.

**Lotio Ammoniac Muriatus cum Aceto.** Lotion of muriate of ammonia and vinegar.

**Lotio Ammoniac Opi'ata.** Lotion of ammonia and opium.

**Lotio Bora'cis.** Lotion of borax

**Lotio Calcia Compos'ita.** Black wash

**Lotio Fla'va.** Yellow wash

**Lotio Gal'læ.** Lotion of gallic acid or nutgalls.

**Lotio Hellebo'ri Al'ba.** Lotion of veratrum album

**Lotio Hydrargyri Amygdali'na.** Amygdaline lotion of corrosive sublimate.

**Lotio Hydrargyri Oxymercuriat'is.** Lotion of corrosive sublimate.

**Lotio Hydrargyri Oxymercuriat'is Compos'ita.** Compound lotion of corrosive sublimate

**Lotio Ni'gra.** Black wash

**Lotio Opii.** Opium lotion.

**Lotio Picis.** Compound lotion of tar.

**Lotio Plumbi Acetat'is.** Lotion of acetate of lead.

**Lotio Potas'sii Sulphuret'i.** Lotion of sulphuret of potassium

**Lotio Zinci Sulphat'is.** Lotion of sulphate of zinc.

**Lotion** (*lotio* from *lavere*, *lotum*, to wash). A liquid preparation or wash to be applied to the body externally. Any medicinal solution used externally.

**Lot'ium.** Urine

**Louse.** The popular name of a genus of parasitical insects termed *Pediculus*.

**Low Crown.** An artificial crown inserted into the natural root of a tooth, which consists of a gold-backed porcelain facing, to which is attached a combined post and cap, which is called a "step plug," from its peculiar form, and which fits into an enlarged root-canal of a similar form.

**Low Spirits.** Hypochondriasis.

**Lower, Tubercle of** (*tuberculum loweri*) A muscular thickening causing a projection between the two venæ cavæ.

**Low's System of Bridge-work.** See BRIDGE-WORK, SYSTEMS OF.

**Loxarthrosis** (from *loxos*, oblique, and *arthron*, a joint). Obliquity or wrong position of parts forming a joint.

**Lor'ia** (from *loxos*, twisted) Wry neck.

**Lorocye'sis.** An oblique position of the gravid uterus.

**Loxot'ome** (*loxos*, oblique, and *tomos*, to

cut). An oblique section or cutting; a peculiar method of amputation; *loxotomy*.

**Lox'enge.** See *TRACHISCUS*.

**Lub'ricate.** To oil a part.

**Lucid** (*lucidus*). Clear; transparent; quiet; shining; bright. In *Medicina*, intervals of reason in mental affections.

**Lucu'mia.** A genus of tropical American sapotaceous trees, tonic, antiperiodic; useful in diarrhoea

**Lucumoria'nus.** Continuing for several days.

**Lu'es** (from *lavo*, to dissolve) Peristence. Poison. Also syphilis.

**Lues Gut'turus Epidem'ica.** Cynanche maligna.

**Lues Neuro'des.** A typhus fever

**Lues Vene'rea.** Syphilis.

**Lugol's Solution.** A preparation of iodine 5, iodide of potassium 10, and water 85 parts. Dose,  $\mathfrak{m}\jmath$  to  $\mathfrak{m}\text{x}$ , diluted; employed as a caustic, rubefacient, and stimulant

**Lumba'go** (from *lumbi*, the loins). Rheumatism affecting the muscles about the loins.

**Lum'bar** (*lumbalis*) Belonging or relating to the loins

**Lumbar Abscess** Psoas abscess; a collection of pus in the cellular substance of the loins in the course of the psoas muscle.

**Lumbar Arteries** Four or five arteries on each side which curve around the lumbar vertebrae beneath the psoas muscle, giving off the spinal, anterior, posterior, and external muscular branches.

**Lumbar Nerves.** Five pairs of nerves which issue from the vertebral column by the spinal foramina of the loins.

**Lumbar Plexus.** A plexus situated between the transverse processes of the lumbar vertebrae and the quadratus lumborum behind, and the psoas magnus muscle before, and formed by the anterior branches of the first four lumbar nerves

**Lumbar Region.** The loins.

**Lumba'ris Exter'nus.** The quadratus lumborum muscle.

**Lumbaris Internus.** The psoas magnus muscle.

**Lum'bi.** The loins, the lumbar region.

**Lumbo-sa'cral.** Pertaining to the lumbar and sacral regions.

**Lumbrica'les Ma'nus.** The small flexor muscles of the fingers.

**Lumbricales Pedis.** Four muscles of the foot similar to those of the hand.

**Lumbrical'is** (from *lumbricus*, the earth-worm). A name given to certain muscles from their resemblance to the earth-worm.

**Lumbricus**. The common earth-worm. Also the long, round worm found in the intestines of man and other animals.

**Lu'na**. The moon Also silver  
**Luna Cor'nea** Chloride of silver  
**Luna Fixa'ta**. Oxide of zinc.

**Lu'nar Caus'tic**. Nitrate of silver (which see).

**Luna're Os**. One of the bones of the ear-pus.

**Luna'ria**. A genus of plants of the order Cruciferae

**Lunaria Redivi'va** Bullbonach satin flower a plant formerly valued as a diuretic

**Lu'nate** (from *luna*, the moon) Crescentiform, half moonlike.

**Lu'natic** (*lunaticus*; from *luna*, the moon) Moon-struck. Affected with lunacy or insanity Generally restricted to mental alienation

**Lung** (*pulmo*) The right lung is divided into three lobes and the left into two The lungs, in man and many other animals, are the organs of respiration.

**Lu'nula Scap'ulae**. The notch of the scapula.

**Lunula Un'guis** The white semilunar space at the base of the nails

**Lu'pla**. Encysted tumors with contents of a pulaceous consistence

**Lupoid**. Having the nature of lupus.

**Lu'pulin**, **Lupuline**. The yellow aromatic matter of hops Lupulin is the powder obtained by rubbing up and sifting the strobiles. Dose. gr. vj to gr. xij in tincture or infusion It is narcotic, anodyne, and diuretic

**Lu'pulus**. The hop plant.

**Lu'pus** (*lupa*, from *lupus*, wolf). *Noti me tangere*, a malignant disease of the face, consisting of ragged tubercular excrescences and spreading ulcerations, particularly about the lips and nose.

**Lupus Cancro'sus**. Cancer

**Lupus Vo'rax**. See HERPES EXEDENS.

**Lu'rid** (*viridus*) Ghastly Also a pale-yellowish purple color

**Lu'sus Nat'urae**. A freak of nature, a deformed or unnatural production

**Lute**. See LUTUM.

**Lu'teus**. Yellow

**Lu'tum**. In *Chemistry*, a composition for covering chemical vessels and for closing their

joinings. Lutes are divided into clames according to the temperature to which they are to be exposed. *Fire-lutes* are various plastic substances, becoming hard when heated, used to close the joints of apparatus designed to resist high furnace heats.

**Lux**, **Light**.

**Luxa'tio**. Luxation.

**Luxa'tion** (*luxatio*; from *luxare*, to put out of place) Displacement of the articular extremity of a bone from its proper place or cavity Dislocation

**Luxation of Teeth** The displacement of one or more teeth from their sockets. This may be partial or complete, simple or complicated. When partial, the tooth is only slightly raised in its socket and the connection between the two not entirely destroyed When complete, the tooth has entirely left the socket. The luxation may be said to be simple when the alveolus sustains no other injury than that which is inflicted by the mere evulsion of the organ, and complicated when the gum is bruised and lacerated or the alveolus fractured

The cause of the luxation of a tooth is generally external violence, as that of a blow or a fall, though it sometimes results from careless or awkward attempts at extraction, in not using the precautions necessary in the performance of this operation See EXTRACTION OF TEETH Partial luxation is sometimes produced from improper methods of procedure in the treatment of irregularity of the teeth, sometimes by the action of an antagonizing tooth, and occasionally by the filling up of the socket with a deposition of bony matter

When the luxation is only partial and produced by external violence, as a blow or fall, or by the extraction of an adjoining tooth, the partially displaced organ should be at once forced back into its socket, and if violent inflammation supervene, two or three leeches may be applied to the gum and the mouth gargled several times a day with some cooling and astringent lotion The patient, in the meantime, should be restricted to a light and soft diet.

Although under certain circumstances it may be advisable to replace a tooth after it has been forced entirely from the socket, it seldom happens that a sufficiently perfect connection is re-established to prevent a tooth thus replaced from exercising a morbid influence

upon the parts which immediately surround it. But when the replacement of a luxated tooth is determined on, it should be done immediately. The coagulated blood, however, should be first removed from the socket, and if the tooth has become cold or there be any dirt adhering to it, it should be washed in warm water (some prefer cold water), and then immediately replaced and attached to the adjoining teeth with a ligature of silk. If union takes place, it is by an effusion of coagulable lymph and the formation of an imperfectly organized membranous investment for the root, an operation of the economy to shield the surrounding living parts from the noxious effects which the root would otherwise exert. But, even in the most favorable cases, teeth thus replaced are apt to become sensitive to the touch and occasionally to give rise to more or less tumefaction or turgidity of the surrounding gums. When complicated with fracture of the alveolus, the replacement of a luxated tooth should never be attempted. See REPLANTATION.

**Lycan'che** (*lycanche* from *lykos*, a wolf, and *agchē*, to strangle) *Hydrophobia*.

**Lycol'des**. A species of *cynanche*.

**Lycopodium**. Spores of *L. clavatum*. Common club moss. The powder is employed to prevent adhesion in sand moulding of dies.

**Lycorex'ia**. Morbid appetite.

**Lye or Ley**. A solution of alkaline salts obtained from the ashes of wood.

**Lyg'mus**. Singultus. Hicough.

**Ly'na**. Lochna. Also filth or sordes.

**Lymph** (*lymphā*). The colorless or yellowish fluid which circulates in the lymphatics. It is tinged with red when blood-corpuscles happen to be mixed with it. It is sometimes transparent, at other times slightly turbid, has a spermatic odor, a faintly saline taste, and usually an alkaline reaction. It coagulates soon after its discharge, forming a colorless, trembling, gelatinous clot.

**Lymph, Coag'ulable**. Fibrin. Liqueur san guinea.

**Lymph Globules**. The globules of the lymph. **Lymph, Plas'tic**. Fibrinous lymph. The lymph forming embryonic tissue.

**Lymphadēn** (from *lymphā*, and *adēn*, a gland). A lymphatic gland.

**Lymphadeni'tis** (from *lymphā*, lymph, and *adenitis*, inflammation of a gland). Inflammation of a lymphatic gland.

**Lymphang'ia** (from *lymphā*, and *angion*, a vessel). Lymphatic vessels.

**Lymphangon'cus** (*lymphāncous*; from *lymphā*, *angion*, a vessel, and *cystis*, a tumor). Swelling of the lymphatics.

**Lymphat'ic** (plural, *lymphatics*. *Lymphaticus*, from *lymphā*, lymph) Pertaining to lymph, containing or characterized by lymph. **Lymphatic Gland**. A gland into which lymphatics enter and from which they go out, as the *mesenteric*, *lumbar*, etc.

**Lymphatic Veins**. The absorbents. See LYMPHATIC VESSELS.

**Lymphatic Vessels** (*venae lymphaticae*) Ductus serosi. These are very numerous and arise at the surface of membranes and in the tissue of organs, and carry into the veins the lymph from those parts. They are found in almost every part, and are of two orders—superficial and deep seated.

**Lymphiz'ation**. The effusion of coagulable lymph.

**Lymphoche'zia** (from *lymphā*, lymph, and *che'zō*, to go to stool) Serous diarrhoea.

**Lymphocyte**. A variety of leucocyte derived from the lymphatic glands.

**Lymph'oid** (from *lymphā*, and *eidos*, form). Possessing the character or appearance of lymph.

**Lympho'sis**. The elaboration of lymph.

**Lymphot'omy** (from *lymphā*, lymph, and *-e'mō*, to cut) The dissection of the lymphatics.

**Lypema'nia**. Melancholy.

**Ly'ra** (from *lyra*, a lyre) *Psalterium corpus psalteroides*. The transverse lines upon the posterior part of the under surface of the fornix, between the diverging corpora fimbriata, are so called from their fancied resemblance to the strings of a harp.

**Lyrate**. Lyre-shaped.

**Lys'ol**. An antiseptic brought into notice by Dr. Gerlach. It is obtained by boiling coal-tar, alkali, fat, resinous acid, and resin, and contains no phenol, but principally cresol. It is easily soluble in water and, it is claimed, is superior to carbolic acid and creolin as a bactericide. For the treatment of wounds a one per cent. solution is employed. For internal washing  $\frac{1}{2}$  per cent. solutions are recommended.

**Lys'sa Cani'na**. Hydrophobia.

**Lyssodec'tus** (from *lyssa*, canine madness, and *deco'w*, to bite). One affected with hydrophobia.



**Lyt'ta.** The former name of a genus of vesicating insects, the *Cantharis* (which see).  
**Lytta Vesicato'ria.** *Cantharis*. Spanish flies.  
**Lytta Vitta'ta.** *Cantharis vittata*. Potato fly,

of which there are several species in the United States. They are employed as substitutes for the *Cantharis*, being equally powerful in vesicating action.

## M.

**M.** In *Medical Prescriptions* this letter signifies *manipulus*, a handful. Also *misc*, mix. Also an abbreviation for *myopia* and *minim*.

**Ma.** Abbreviation for milliamperé.

**Mac.** An abbreviation for *macera*, Macerate

**Ma-ce.** The arillus or covering which envelops the nutmeg. It has a pleasant aromatic odor and a warm, moderately pungent taste. It is of an oleaginous nature and yellowish color.

**Macera'tion** (*macera'tio*, from *macera*, to soften by water) The infusion, either with or without heat, of a solid substance in a liquid, with a view to extracting its virtues, softening in water.

**Macies.** Atrophy, emaciation, leanness

**Mack Crown.** An artificial crown united to the root of a natural tooth by two gold screws firmly inserted into the dentine of the root on either side of the pulp-canal, or into the pulp-canal with zinc filling material, fusible metal, or amalgam, the hole in the artificial crown being oblong, the long diameter antero-posteriorly.

**Mac'le.** A variety of chistolite occurring in prismatic crystals, composed principally of silica, alumina, and oxide of iron.

**Maclu'rite.** A mineral, so called from Dr. Maclure of New Jersey. It is a silicate of magnesia with traces of potash, oxide of iron, and fluorine.

**Macrobio'sis.** Longevity

**Macrobiot'ic** (from *makros*, great, long, and *bios*, life) Long-lived

**Macroceph'alus** (from *makros*, great, and *kephale*, head). Macrocephalia. Large-headed. Excessive development of the head.

**Macroco'cus.** A large coecus, a unicellular micro-organism of large size and generally spherical.

**Macroco'lia.** Great length of limb, especially of the lower extremities.

**Mac'rocosm.** The world, or cosmos, in contradistinction to man, or little universe.

**Mac'rocyte.** A very large red blood-corpuscle.

**Mac'rodont.** Large-toothed. "Used to denote the comparative size of the teeth of different races. When the dental length multiplied by 100, divided by the basinasal length, exceeds 44, the skull is considered *macrodont*; if under 42, a *microdont*, if intermediate, a *mesodont*" (Gould.)

**Macroglossia.** A large prolapsed tongue. Hypertrophy of the tongue

**Macrom'e'lus** (from *makros*, great, and *melos*, a member) Excessive development of any organ or member

**Macrono'sia.** Chronic diseases

**Macropho'nus** (from *makros*, great, and *phōnē*, voice) A term applied in *Physiology* to one who has a strong voice

**Macrophysioceph'alus** (from *makros*, great, *euka*, air, and *kephale*, the head). Emphysematous enlargement of the head of the fetus and, as a consequence, obstructed delivery

**Macropne'a** (from *makros*, long and *pneō*, I breathe) A long or deep inspiration. Deep breathing

**Macrop'nus.** One who breathes slowly

**Macropo'dia** (from *makropous*, long-footed) A form of organic deviations characterized by unusual development of the feet.

**Macroprosop'ia** (from *makros*, great, and *prosōpon*, the face) Extraordinary development of the face. Large-faced.

**Macroce'lia** (from *makros*, long, and *akelos*, the legs) Long-legged.

**Macroscop'ic.** Anything large enough to be seen by the naked eye without the aid of a microscope.



**Macrosmatous** (from *μακρος*, and *σμα*, a body). Having a large body

**Macrostoma** (from *μακρος*, and *στωμα*, mouth). Congenital fissure of the angle of the mouth, making a large opening, the result of defective development.

**Macrotrache'la** (from *μακρος*, long, great, and *τραχηλος*, the neck). Long-necked large-necked

**Macu'la, Macule**. A spot. A permanent discoloration of some portion of the skin, as in the case of *naevus*, *ephelis*, etc.

**Macula Germinati'va**. See NUCLEI'S GERMINATIVUS.

**Macula Mat'erna**. *Naevus maternus*.

**Mac'ulise**. Cutaneous diseases, comprehending *ephelis*, *naevus*, and *moles*.

**Macule Mater'ne** Mother's spots, *naevi materni*.

**Mac'ulate** (*maculatus*) Spotted

**Madaro'sis** (from *μαδρος*, bald). Loss of hair, especially of the eyelashes.

**Mad'der**. The root of the *Rubia tinctorum*; used as a red dye.

**Madefac'tion** (*madefacio*, to make wet) The act of wetting

**Madiste'ria** (*maditerium*; *tricholabium - colicella*). An instrument for the extraction of hairs. Tweezers.

**Mad'ness**. Insanity.

**Madness, Canine** *Hydrophobia*.

**Mad'or**. Moisture

**Magendie's Solution**. Contains gr xvj of sulphate of morphine to each fluidounce. Dose, ℥x to ℥xv.

**Magen'ta**. A beautiful crimson dye from aniline.

**Mag'got-Plu'pie**. *Acne punctata*.

**Magiste'rium Plumbi**. Carbonate of lead

**Mag'ma** (*μαγμα*, any kneaded mass). Dregs; sediment. Pulpy mass.

**Mag'nes**. A magnet.

**Magnes Arsenica'lis**. A corrosive preparation of equal parts of sulphur, white arsenic, and common antimony, mixed by fusion.

**Magne'sia** (*magnesium*; from *magnes*, the magnet, because it was supposed to have the

Dose, gr. x to ʒj, in water or milk.

**Magnesia, Henry's**. A preparation of calcined magnesia

**Magnesia, Solution of; Citrate of**. See LIQUOR MAGNESIÆ CITRATIS.

**Magnesia Usta**. *Magnesia calcinata*. Calcined magnesia.

**Magnesia Vitriola'ta**. Sulphate of magnesia.

**Magne'siæ Ace'tas**. Acetate of magnesia. Prepared by saturating the carbonate with acetic acid. It is of syrupy consistence. Dose, about four ounces. It acts like citrate of magnesia.

**Magne'siæ Car'bonas**. ( $Mg CO_3$ ,  $Mg (HO)_2$ ,  $5H_2O$ , magnesia alba. Carbonate of magnesia.

Prepared from sulphate of magnesia by subcarbonate of potassa. It is inodorous, insipid, light, white, effervescing with acids and insoluble in water. It is antacid, and, by combining with acid in the stomach, becomes cathartic. Dose, ʒss to ʒij, in water or milk.

**Magnesiæ Ci'tras**. Citrate of magnesia. A saline preparation formed by saturating a solution of citric acid with either magnesia or its carbonate. It is a cooling cathartic and operates mildly. Dose, from one ounce to twelve ounces.

**Magnesiæ Sul'phas** (*sulphas magnesiæ purificata solcatharticum amarum*) *Magnesia vitriolata*. Sulphate of magnesia. Epsom salts, a well-known saline purge. A mild and safe cathartic. It is also refrigerant and diuretic. Medium dose, an ounce, but generally given in divided doses frequently repeated.

**Mag'nesite**. A silicate of magnesia containing a large quantity of water and occurring in amorphous or in tuberculous and spongy-form masses; also a carbonate of magnesia.

**Magne'sium**. Symbol, *Mg*. Atomic weight, 24.4. A silvery-white alkaline metal which forms the base of magnesia; related to calcium.

**Magnesium, Chloride of**. *Magnesi chloridum*.

**Magnesium, Oxide of**. *Magnesia*. The oxide of the metal.

**Magnet** (*μαγνηξ*, from *Magnesia*, in Asia Minor, whence it was obtained). The loadstone, an amorphous ore or magnetic oxide ore of iron, having the property of attracting iron and some of its ores and of pointing by one of its extremities to the north pole.

**Magnet Operation** The removal of foreign bodies of steel by a magnet.

**Magnetic** (*magneticus*) Pertaining or relating to the magnet.

**Magnetic Fluid** The imponderable fluid to which the magnet owes its virtues.

**Magnetic Induction** The force by virtue of which a magnet causes neighboring but not contiguous bodies to become magnets and produces an electric current in an adjacent metal coil.

**Magnetic Needle** A magnetized needle or a small rod of iron suspended at its centre which shows the resultant of the magnetic force at the point of observation.

**Magnetic Plaster** A mixture of equal parts of antimony, sulphur and arsenic melted together in a glass cucurbit.

**Magnetic Pyrites** Native black sulphuret of iron.

**Magnetic Telegraph** The electro-magnetic telegraph, an apparatus which by means of iron wires conducting the electric fluid conveys intelligence with the velocity of light to any given point.

**Magnetism**. The property of attraction and repulsion of masses of similar elements manifested especially by iron and certain of its ores and by nickel, cobalt and other elements in a less degree, the static charge which such bodies are capable of assuming either under the influence of an electric current or by contact. That department of science which investigates the properties of the magnet.

**Magnetism, Animal Mesmerism Hypnotism** A condition resembling trance or somnambulism into which a person may be thrown by causing him to gaze fixedly at a bright light, by making passes before his eyes and in other ways. In the cataleptic stage the limbs are rigidly fixed in any position in which they may be placed, there is complete anesthesia of the skin, but not of the special senses, and he may be made to execute automatic actions at the will of the operator.

**Magnetization**. The process of rendering a substance magnetic.

**Magnetized**. Mesmerized, charged with magnetism, converted into a magnet.

**Magneto-electric**. Pertaining to magnetism and electricity or to the generation of electricity by the induction of a magnet, as the magneto electric machine.

**Magneto electric Machine** A machine for producing electro-magnetism (which see). Some of these machines are used with acid, others without acid, the latter are always ready for use, it being simply necessary to turn a crank to put them in action.

**Magneto-induction**. The production of an induced current by the insertion of a magnet into a coil of wire.

**Magnetometer** (from *magnet*, and *μετρον*, a measure) A series of magnets suspended so as to record variations in direction and intensity of magnetic force.

**Magnifier, Dental**. A mouth mirror employed in examining teeth and sometimes adjusted to the finger of the operator.

**Magnifying Lenses, Dental**. Mouth mirrors of different diameters and forms for the examination of the mouth and teeth.

**Magn'tis**. Magnet.

**Magnum Os**. The third bone of the lower row of the carpus counting from the thumb.

**Maid/enhead** Maidenhood, virginity, the hymen.

**Maize**. Indian corn. *Zea mays*.

**Ma'jor**. Greater.

**Majorana**. Sweet marjoram. See *ORIGANUM MAJORANA*.

**Mal**. A French term for *malady or disease*, bad, ill.

**Mal de Den**. Odontalgia.

**Ma'la**. The cheek, also the cheek bone.

**Mal'achite** (from *μαλακος*, soft) Green carbonate of copper.

**Malacia** (from *μαλακος*, soft, effeminacy) A morbid softening of tissue. Also a longing for some particular aliment, with disgust for common articles of diet, as in persons affected with chronic gastritis and in chlorotic and pregnant females. A depraved appetite.

**Malac'olite**. A variety of augite of a dark green color.

**Malaco'ma** (from *μαλακος*, soft) Softening of a tissue or organ as in the case of mollities ossium, mollities cerebri, etc.

**Malaco'sis** (from *μαλακος*, softening) Any condition characterized by an abnormal softening of the tissues of the body.

**Malacos'teon** (from *μαλακος*, soft, and *στέον*, a bone) Softening of bones.

**Malac'tica.** Emollients.

**Malac'ly.** Disease.

**Malag'ma** (from *malaeo*, to soften). An emollient application.

**Malaise.** [French] A general feeling of illness accompanied by restlessness and discomfort.

**Mal'lar** (*malaria*; from *mala*, the cheek) Relating or pertaining to the cheek or to the malar bone.

**Malar Bones** The two cheek-bones.

**Mala'ria.** Marsh miasm. Malaria is a term applied to the genus of noxious, microscopic organisms—a species of bacillus—which cause or are related to the forms of fever common to wet and marshy regions. The effects of malarial poison have a deleterious influence upon the teeth, the characteristics of which are coarse, soft, roughly-formed teeth with spongy gums.

**Mal'a'rious.** Resulting from or connected with malaria.

**Mal'a'rum Ossa.** The cheek-bones.

**Malassimilation.** Imperfect assimilation or nutrition.

**Mal'ate.** A combination of malic acid with a base.

**Malforma'tion** (*malformatio*) Wrong formation or structure of a part or an organ. A deviation from natural development or structure, anomaly of development.

**Mal'ic Acid** (*acidum malicum*) The acid of apples, pears, etc., a crystalline acid  $C_4H_4O_6$ .

**Malig'nant** (*malignus*) Applied to diseases of an aggravated or dangerous character, as pestilential fevers, cancers, etc.

**Malig'erer.** One who feigns disease.

**Mal'is** (*malissimus*) A cutaneous affection produced by parasitical insects.

**Malis Pedic'uli.** Lousiness.

**Malleabi'lity** (*malleabilitas*, from *malleus*, a hammer). Malleable. Susceptibility of extension under the blows of a hammer, a property possessed by several of the metals and by gold in a higher degree than any of the others. This property is peculiar to some metals, as gold, silver, lead, etc., under all temperatures. Gold may be drawn into wire of only the one four-thousandth part of an inch in diameter, and it may be reduced, by passing through rollers, to the one eight-thousandth part of an inch in thickness.

**Malleation** (*malleatio*; from *malleus*, a mallet). A variety of strokes in which one or

both hands are made, by a convulsive action, to strike the knees.

**Mall'ei Ante'rior.** The laxator tympani muscle of the ear.

**Mallei Inter'nus.** The tensor tympani muscle.

**Mall'eolar** (*malleolaris*). Pertaining to the ankles or malleolus; also applied to two branches of the anterior tibial artery.

**Malleolar Arteries** Two arteries of the ankle.

**Malle'o'fus** (diminutive of *malleus*, a mallet) The two projections formed by the tibia and fibula at the ankle, the internal is called the *malleolus internus*, and the external, *malleolus externus*.

**Mal'let, Automat'ic.** An instrument operated by the action of a spiral steel spring and used for condensing gold in filling teeth. See AUTOMATIC MALLET.

**Mallet, Buckingham's and BONWILL'S** dental mallets designed to be attached to and operated by the dental engine. See AUTOMATIC PLUGGER.

**Mallet, Den'tal** A hand instrument made of lead, tin, steel, wood, or metal compound and used for condensing gold in filling teeth.

**Mallet, Electro-magnetic** A dental instrument for condensing gold in filling teeth and operated by electro-magnetism as a motive power.

**Mallet, Hyde's Pneumatic.** A dental mallet with an air-pump attached which is operated by the foot revolving fly and drive wheels.

**Mallet Plug'gers** Instruments with points more or less deeply serrated for introducing and condensing gold in filling teeth, upon which blows are struck with a small hand mallet. Different forms are manufactured, known by the names of the inventors.

**Mallet, Pneumat'ic.** A dental mallet having air as a motor, devised by Dr W. H. Jackson. See PNEUMATIC MALLET.

**Mallet, Russell's** An electro-magnetic mallet invented by Dr Percy Russell which contains several notable improvements. It is simple in construction and resembles the ordinary "automatic" in size and shape. All the moving parts being enclosed within its vulcanite case, the noise of operation is reduced to a minimum. It balances in the hand and may be grasped in any manner, from the fact that it is devoid of switches, etc., requiring to be operated by the fingers. Very perfect control of its action is had by means of a specially designed foot-switch, enabling the operator to start, stop, or instantly change the force of the

blows or to use the mallet as a simple hand-pressure instrument at any time during an operation. The weight of the hammer itself may be changed to suit the work, and its speed of vibration can be regulated. A construction peculiar to this instrument causes each impact of the hammer upon the tool holder to take place before the electric circuit is broken, and consequently under the full magnetic force. This renders the blows positive and economizes energy. The street current or any form of battery may be used, but from the small amount of electric energy required a cheap battery of dry cells may be used, which are clean and require no care, thus removing the chief objection to the use of these appliances. This mallet is adapted equally well for all forms of cohesive and non-cohesive gold and for chiseling.

**Mal'leus.** A hammer or mallet. The outermost of the four bones of the ear is so named from its shape.

**Mal'low, Marsh.** A plant of the genus *Althaea*.

**Mallow, Vervain.** *Malva alcea*

**Malpig'hi, Acini of.** A number of small, dark spots scattered through the plexus formed by the blood-vessels and uriferous tubes in the kidney.

**Malpig'hian Bod'ies.** *Corpora Malpighiana*. Small bodies or corpuscles found in the kidney, also certain white corpuscles found in the spleen.

**Malpighian Ves'sels.** A term applied in *Entomology* to the biliary pouches or caeca of some insects, described by Malpighi, which serve as a substitute for the liver.

**Malt.** Barley or other grain made to germinate by steeping it in water and then drying in a kiln, for the purpose of making beer.

**Mal'tha** (from *ματτω*, to soften) Mineral pitch or tallow.

**Malt'ine.** Preparations and foods for invalids of malted wheat or barley, sometimes combined with cod-liver oil and other nutritive agents.

**Malt'ing.** The act of making malt.

**Malt'ose.** A crystalline carbohydrate,  $C_{12}H_{22}O_{11} + H_2O$ . It is produced by the action of diastase, ptyalin, and amylotin on starch. It is the chief sugar formed in the digestion of starch; it is capable of direct fermentation.

**Mal'tum.** Disease. Also an apple.

**Malum Canum.** *Malum cotoneum*. The quince.

**Malum Cit'reum.** The citron.

**Malum Med'icum.** The lemon.

**Malum Mor'tuum.** A cataneous affection in which the affected parts appear to be struck with death.

**Malum Pilare.** See *TRICHOESTIS*.

**Ma'lus** (*pirus malus*). The apple.

**Malus Indica** *Jahumbi biting-bing*, of *Bontina*. A tree of the East Indies, the root of which yields a cooling juice, which is drunk in fevers, and the leaves, boiled with rice, are used as a cataplasm. The ripe fruit is eaten and the nuxie made into a pickle for the table.

**Mal'va.** A genus of plants of the order *Malvaceae*.

**Malva Sylves'tris.** The common mallow. High mallow. The leaves and flowers are sometimes used in fomentations, cataplasms, and enemata.

**Mamelle'.** See *MAMMA*.

**Mam'elon.** See *NIPPLE*.

**Mam'ma.** The glandular organ peculiar to mammiferous animals imperfectly developed in the male and destined in the female for the secretion of milk, the female breast.

**Mamma'lia** (from *mamma*, the breast). A class of animals comprising all those which suckle their young.

**Mammal'ogy** (from *mamma*, and *λογος*, a discourse) A treatise on the organization, habits, properties, and classification of mammals.

**Mam'mary** (*mammarius*, from *mamma*, the breast) Relating to the breast.

**Mammary Abscess.** Abscess of the breast.

**Mammary Ar'teries.** They are three in number, one internal and two external. The internal is a branch of the subclavian and gives off the *mediastinal*, *thymal*, and *pericardial* arteries. The external are given off by the axillary artery.

**Mam'mary Gland.** The organ which secretes the milk.

**Mammary Sarco'ma.** A tumor of the texture and color of the mammary gland, occurring in various parts of the body.

**Mammary Veins.** These veins follow the course of the mammary arteries.

**Mammif'era.** *Mammalia*.

**Mam'miform.** Like a nipple; mastoid process of the temporal bone.

**Mammil'la.** The nipple.

**Mam'millary.** Nipple-shaped. Pertaining to the nipple or breast. Also resembling a

nipple, a term used in many of the sciences, as mammillated mucous membrane.

**Mammillary Eminences.** *Corpora albicantia.* Two white bodies of the size of a pea behind the tuber cinereum and between the crura cerebri.

**Mammillated.** Mammiform Mastoid, resembling a nipple.

**Man'dible** (*mandibula*; from *mandere*, to chew). A jaw. In *Zoology*, the lower jaw of mammals, both jaws of birds, and in insects the upper or anterior pair of jaws.

**Mandibulum** (*mandibula*; from *mandere*, to chew) The inferior maxillary bone.

**Mandra'gora.** The mandrake

**Man'drake.** A plant of the genus *Atropa*, formerly used as a narcotic.

**Man'drel.** A revolving shank for confining in a lathe a substance to be turned, used in *Mechanical Dentistry* for rotating grinding wheels and polishing-brushes, and in *Operative Dentistry*, in connection with the dental engine, for revolving discs, cornuudum and wood points, etc.

**Man'ducate.** To chew, to eat.

**Manduca'tion** (*manducatio*) Mastication.

**Man'ganate.** A combination of manganic acid and a base.

**Man'ganese.** A grayish-white, hard, brittle metal of a granular texture resembles iron.

**Manganese, Black Oxide of.** Manganese, oxide of Manganese, binoxide of. Manganese, peroxide of. This oxide is much used in the manufacture of porcelain teeth for giving a purplish hue to the enamel. It is never, however, used by itself for this purpose, but in combination with some other oxides.

**Manganese, Sulphate of.** A very soluble, rose-colored salt.

**Mangan'e'sic Acid.** Manganic acid. An acid existing in the chameleon mineral, termed manganate of potash.

**Mangan'e'sic Sul'phas.** Sulphate of manganese. This substance is in the form of colorless or pale rose-colored crystals. It acts as a cholagogue, purgative, and also as an alterative.

**Manga'nium.** See MANGANESE.

**Manganum.** Symbol, Mn. Atomic weight, 54. A silver-white metal with the properties of iron. Used in medicine in the form of oxides, sulphates, and iodide. In small doses a tonic.

**Man'ganous.** An oxide of manganese.

**Ma'mia** (from *laurosum*, to rage). Raving madness.

**Mania-a-potu.** Delirium tremens.

**Ma'miac.** One affected with mania.

**Man'icure** (from *manus*, the hand, and *cure*, care). The processes of beautifying the hand. Also one who professionally attends to the care of the hands and nails.

**Man'ikin.** A model of plaster or papier maché, etc., showing the anatomy of the body or of an organ.

**Manipula'tion** (from *manus*, a hand) The art of using or handling instruments. In *Chemistry*, the preparation of substances for experiment, and in *Pharmacy*, the preparation of medicines.

**Manipula'tor.** One who manipulates.

**Manipulator, Amalgam.** A dental instrument for introducing amalgam fillings.

**Manip'ulus.** A handful.

**Man'na.** A saccharine matter which exudes from plants, especially the *Fraxinus ornus*. It is used as a laxative. Dose, ʒj to ʒij.

**Manna Metallo'rum.** Calomel.

**Man'nite.** Manna-sugar; the sweet principle of manna, on which its laxative virtues depend.

**Manu'brium** (from *manus*, a hand). The handle of anything or the hilt.

**Manubrium Ma'nus.** The radius.

**Manubrium Ster'ni.** The uppermost part of the sternum.

**Manula'vium.** A hand-bath.

**Man'us.** The hand.

**Manustupra'tio.** See MASTURBATION.

**Ma'ple Su'gar.** Sugar made from the juice of the *Acer saccharinum*.

**Maran'ta.** A genus of plants of the order Marantaceæ.

**Maranta Arundina'cea.** Arrow root.

**Marasmod'ys.** Marasmus, a wasting away. Hectic fever.

**Maras'mus** (from *μαραινω*, to grow lean). Atrophy. Emaciation.

**Mar'ble.** The several varieties of carbonate of lime which have a granular crystalline texture.

**Marcasi'ta.** Marcasite. Pyrites.

**Marcasita Alba.** Bismuth.

**Marcasita Plum'bea.** Antimony.

**Marcos'cent** (*marcescens*). Withering; decaying. Applied in *Botany* to flowers which wither some time before they fall off.

**Marcet's Blow-pipe.** A spirit-lamp fed by a jet of oxygen.

**Mar'cor.** Emaciation. Atrophy.

**Marco'ras.** Such diseases as are characterized by general emaciation

**Margar'ic Acid** (from *margarin*, a pearl) An acid obtained from margarine in the form of pearly scales.

**Marg'arine** (*margarin*) A peculiar pearly-like substance found pure in the solid part of human fat or olive oil. An artificial substitute for butter

**Margari'ta.** Pearl. Also a tumor of the eye resembling pearl.

**Marg'arite.** A mineral of a grayish-white color, found in Tyrol.

**Margarit'ic Acid.** One of the fatty acids which result from the saponification of castor-oil.

**Marg'arone.** A peculiar fatty substance crystallizing in pearly scales, obtained by distilling margaric acid with quicklime

**Marg'aryl.** Consisting of stearin and margarin.

**Mar'igold.** A plant of the genus *Calendula*, bearing a yellow flower

**Marine Acid.** Muratic or hydrochloric acid

**Marine Salt.** Common salt. Chloride of sodium.

**Mar'joram.** Sweet marjoram. *Origanum*

**Mark'ing Ink.** See INDELIBLE INK

**Marl.** An earth or clay containing more or less potash and carbonate of lime

**Mar'malade.** A confection of quinces or other fruit and sugar, reduced to a pulfereous consistence

**Marma'ryga** (from *μαρμυρω*, to shine) Flappings or convulsions before the eye.

**Mar'mor.** Marble

**Mar'row.** The fatty substance contained in the medullary cavities in the long cylindrical bones

**Marrow, Spinal.** The medulla spinalis.

**Marrubium Vulgare.** Common horehound; white horehound. It is tonic, slightly stimulant, and in large doses, laxative

**Mars.** Martis. The alchemical name of iron.

**Mars Solu'bius.** Ferrum tartarizatum.

**Marshall Hall's Method.** See RESUSCITATION.

**Marshall's Cerate.** A cerate composed of palm oil, calomel, acetate of lead, and citrine ointment.

**Marsh's Test Apparatus.** An instrument for detecting the presence of arsenious acid in

solution, consisting of a curved tube in which the suspected fluid is enclosed with pieces of zinc and dilute sulphuric acid. The hydrogen thus produced combines with any arsenic present, forming gaseous arseniuretted hydrogen, which, on being permitted to escape by a small jet, is easily ignited, and if a plate or tube be held over the flame a film of metallic arsenic will be seen.

**Marsu'pial** (*marsupiale*, from *marsupium*, a purse). The obturator internus muscle. Also the abdominal cavity of the opossum, kangaroo, etc., into which their young are received and nourished for some time after they are born

**Marsu'pium** (*μαρσπος*, a little sack) A pouch; the large cavity of the peritoneum. Also the scrotum

**Mar'tial** (*martialis*; from *mars*, iron). An old designation for several preparations of iron. Martial Æthiops. Protoxide of iron.

**Martial Salts** Salts of iron

**Mar'tis Limatu'ra.** Iron filings.

**Mas.** Male

**Mas'chale.** The axilla.

**Mas'culine** (*mas*, a male) Male, or belonging to the male sex, resembling a man.

**Mass** An aggregation of matter.

**Mass, Blue** See HYDARGYRUM

**Mas'sa** (from *μασσω*, to mix) A mass. Generally applied to the compound from which pills are to be formed.

**Massa de Hydrargyro.** See BLUE MASS.

**Massage'** (from *μασσω*, to knead). A method of effecting changes in the nutrition of the body and increasing the circulation by rubbing, kneading, etc., done by a masseur.

**Masse'sis.** Mastication.

**Masse'ter** (from *μασσωμαι*, to chew). A muscle of the lower jaw situated at the side and back part of the face in front of the meatus externus. It arises by two portions,—the one anterior and tendinous from the superior maxilla, where it joins the malar bone, the other from the inferior edge of the malar bone and the zygomatic arch as far back as the glenoid cavity,—and is inserted, tendinous and fleshy, into the external side of the ramus of the jaw and its angles as far up as the coronoid process. The use of this muscle, when both portions act together, is to close the jaws, if the anterior acts alone, the jaw is brought forward; if the posterior, it is drawn backward.

**Masseter'ic.** Relating or belonging to the masseter muscle.

**Mastication** (*masticatio*, from *mastro*, to chew) The act of chewing food or the process by which it is comminuted and mixed with saliva preparatory to being introduced into the stomach. The organs of mastication are the superior and inferior maxillary, the palate bones, the teeth, and the temporal, masseter, and external and internal pterygoid muscles. To these might also be added the lips, the various movements of which depend upon the single and combined action of their muscles, which extend over the greater portion of the face.

The upper jaw, being rendered immovable by its connection with the bones of the head, is aptly compared by Richerand to an anvil on which the lower jaw, in the act of mastication, "strikes as a movable hammer," but the motions of the latter and the pressure which it exerts in these efforts upon the former would have the effect, continues this learned physiologist, of displacing the different bones of the face were they merely placed in juxtaposition or only held together by sutures, if not so supported as "to transmit to the skull the double effort which presses on it from below upward and pushes out laterally." Hence we find the fabric of the face supported in an upward direction by the ascending apophyses of the superior maxilla, the orbital processes of the malar, and the vertical processes of the palate bones; and laterally by the zygomatic processes of the temporal, which articulates with the malar bones.

Two distinct actions are concerned in mastication. The first consists in separating a portion of food by means of the incisors, and the second, its comminution by the molars. The

between the superior and inferior molars, which is conveyed there by the action of the tongue, lips, and cheeks. It is then successively elevated and depressed, while at the same time a degree of lateral motion is given to it by the alternate action of the external and internal pterygoid muscles. By this complicated movement of elevation and partial rotation the process of mastication is effected.

The amount of lateral and rotary motion, however, is greatly influenced by the relationship which the teeth sustain to each other when the mouth is closed. It is much greater when the incisors of the upper jaw strike plumb upon the lower than when the former shut over the latter. The process of mastication however, is very much aided by the adaptation of the tubercles of the molars of one jaw to the depressions of those of the other, into which they constantly glide as the teeth come together.

During the process of mastication the food is penetrated by the saliva, which facilitates its reduction into a pulaceous mass. When reduced to this state it is ready for deglutition.

Mastication is justly regarded as the first step in the process of digestion, and viewed in this light it assumes an importance in the functions of the animal economy which would not otherwise attach to it. Upon the complete disintegration of alimentary substances healthy digestion greatly depends; and it is, doubtless, owing in a great degree to the imperfect manner in which this is effected that many of the numerous cases of dyspepsia, continually occurring, are measurably attributable.

**Masticatory.** The instruments and pro-

case of quackery. Also a substance intended to be showed for the purpose of exciting salivary secretion.

**Mastich Herb.** Common herb mastich; the popular name of *Thymus mastichina*.

**Mastich Tree.** The popular name of *Pistacia lentiscus*.

**Mas'tiche.** Mastic A concrete resinous exudation from the *Pistacia lentiscus* See **MASTIC**

**Mas'ticin, or Mas'ticine.** A peculiar principle obtained by the action of alcohol on mastic.

**Mas'ticus.** Mastac Pertaining to the mammae

**Mast'i'tis** (from *μαστος*, the breast, and *τις*, signifying inflammation) Inflammation of the breast

**Mas'tix.** Mastich.

**Mastocarcinoma** (from *μαστος*, the breast, and *καρκινωμα*, cancer). Cancer of the breast

**Mas'todes.** Having large breasts

**Mastodyn'ia** (from *μαστος*, the breast, and *δυνω*, pain). Pain in the breast, generally of a neuralgic character

**Mastodynia** *Apostemato'sa*. Inflammation and abscess of the breast

**Mas'toid** (*mastoideus*, from *μαστος*, breast, and *ειδος*, like) Having the shape of the breast A term applied to a process and to a foramen of the temporal bone, and to other parts

**Mastoid Aperture.** The opening between the cavity of the tympanum and the mastoid cells.

**Mastoid Ar'tery** (*arteria mastoidea*) A posterior branch of the external carotid

**Mastoid Can'cer** A firm carcinomatous growth resembling the boiled udder of the cow.

**Mastoid Cells.** Mastoid sinuses. Cells in the mastoid process which communicate with one another and open into the cavity of the tympanum They increase the intensity of sound.

**Mastoid or Digas'tric Groove** A groove at the inner side of the mastoid process which affords attachment to the posterior belly of the digastric muscle.

**Mastoid For'men** A hole by the side of the mastoid process.

**Mastoid Fos'sa.** A depression at the inner surface of the mastoid portion of the temporal bone. It forms part of the lateral sinus.

**Mastoid, Mam'miform, or Mam'millary Pro'cess.** A large, round protuberance at

the inferior and posterior part of the temporal bone.

**Mastoid Muscle, Poste'rior.** *Splenius.*

**Mastoidoecento'sis** (from *mastoid*, and *εκενωσις*, a puncture). Perforation of the mastoid process

**Mastoid'e'us.** The sterno-clasto-mastoideus muscle A muscle attached to the mastoid process

**Maston'cus.** A tumor of the breast

**Mastorrhag'ia** (from *μαστος*, and *ρρηξις*, to break forth) An unusual flow of milk

**Mas'tos** (from *μαστος*, breast) *Mamma.*

**Mastoth'e'ca** (from *μαστος*, the breast, and *θηκη*, pouch or purse) A term applied in *Zoology*, by Illiger, to the abdominal pouch in the marsupial mammifera

**Masturba'tion.** Excitation of the genital organs with the hand

**Mat.** Small portions of gold or tin foil cut from the tape form into different sizes for filling teeth

**Ma'ter.** A mother, applied in *Anatomy* to two membranes of the brain

**Mater Aceti** Mother of vinegar, a mould plant developed in vinegar.

**Mater Metallo'rum** Quicksilver.

**Mater Perta'rum.** Mother of pearl

**Mat'e'ria.** Matter

**Materia Medica** That branch of medical science which embraces the knowledge of medicines, their action on the animal economy, and mode of administration Also a collective term, comprising all medicines or all substances, natural or artificial, which are used in *Medical Practice* as remedies in disease

**Mat'h'co.** A Peruvian plant, the *Piper angustifolium* A valuable styptic, aromatic, stimulant, and tonic. As a styptic, the powdered leaves are used

**Mat'rass** (*matricium*). A retort, a glass vessel with a long neck, used in chemistry and pharmacy

**Matres Cer'e'br'i.** The meninges of the brain.

**Matrica'ria.** German chamomile. Tonic, emetic, and antispasmodic.

**Matricaria Chamomi'la.** Wild corn German chamomile The flower possesses mild tonic properties

**Matricaria Parthe'num.** Feverfew. Mother's wort The flowers are stomachic, tonic, and emmenagogue.

**Matric'ulate** (from *matricula*, a roll or table-



ter; diminutive of *matrix*). To receive admission and to enroll among the members of a college or university. Also one thus admitted.

**Ma'trix** (the plural, *matrices*) A mould; the cavity in which anything is formed. In *Anatomy* the uterus, applied by French writers to the sac of a tooth. In *Minerology*, the earthy matter which accompanies ore. In *Dentistry*, a piece of steel or other metal of suitable form used in filling proximal cavities. It is placed between the tooth to be filled and the adjoining one, and held in position by wooden wedges, thus forming a temporary wall against which the filling of gold may be consolidated. See **MATRIX**, **DENTAL**. In *Dental Mechanism*, a mould of sand or other substance in which dies for swaging are cast.

**Matrix, Dental.** A small instrument devised by Dr Lewis Jack to facilitate the filling of a cavity where the lateral wall is wanting. They are formed of slightly wedge-shaped pieces of steel, hollowed out at their thicker edge, the depression terminating at the thinner edge. The plain part of the face is file-cut, and at each end a square cut is made to accommodate the points of the pliers used for adjusting the matrix. A number of pairs are necessary to meet the requirements of the different cases. There are also hand matrices and screw matrices.

**Mat'ter.** In popular language, every substance which enters into the composition of a body or which has sensible properties. In *Physiology*, all substances evacuated from the intestinal canal and eliminated from the surface of the body. In *Pathology*, pus and other morbid evacuations.

**Maturation** (*maturatio*) Progress of an abscess to maturity.

**Matu'rative** (*maturans*). Remedies which promote the suppuration of an inflammatory tumor.

**Matur'ity.** Perfect development. Ripeness.

**Maw.** In popular language, the stomach of brutes.

**Maxilla** (from *masseu*, to chew) The jaw, either upper or lower.

**Maxilla, Infer'ior.** The lower jaw.

**Maxilla, Super'ior.** The upper jaw.

**Maxillare Inferius Os.** Inferior maxilla; mandibula. The lower jaw is the largest bone of the face, and, though but one bone in the

adult, it consists of two symmetrical pieces in the foetus.

It occupies the lower part of the face, has a semicircular form, and extends back to the base of the skull.

It is divided into the body and extremities.

The body is the middle and horizontal portion; this is divided along its centre by a ridge called the *symphysis*, which is the place of separation in the infant state; the middle portion projects at its inferior part into an eminence called the *mental process* or chin, on each side of which is a depression for the muscles of the lower lip, and externally to these depressions are two foramina, called *anterior mental*, for transmitting an artery and nerve of the same name.

The horizontal portion or sides extend backward and outward, and on the other surface have an oblique line for the attachment of muscles.

On the inner surface of the middle part behind the chin, along the line of the symphysis, there is a chain of eminences called *genial processes*, to the superior of which the frænum linguae is attached, to the middle the genio-hyoglossi, and to the inferior the genio-hyoid muscles, on each side of these eminences are depressions for the sublingual glands, and on each side of these depressions there runs an oblique ridge upward and outward, to the interior part of which is attached the mylo-hyoid muscle, and to the posterior part the superior-constrictor of the pharynx; this latter muscle is consequently involved, more or less, in the extraction of the last molar teeth. Below this line there is a groove for the mylo-hyoid nerve.

The upper edge of the body is surmounted by the *alveolar process* and cavities corresponding in number and size to the roots of the teeth.

The lower edge, called the base, is rounded, obtuse, and receives the superficial fascia and platysma muscle.

The extremities of the body have two large processes rising up at an obtuse angle, named the *rami* of the lower jaw. These processes are flat and broad on their surfaces; the outer is covered with the masseter muscle, the inner has a deep groove which leads to a large hole, the *posterior dental* or *maxillary foramen*, for transmitting the inferior dental nerves and vessels to the dental canal running along the roots of the teeth. This foramen is protected

by a spine, to which the internal lateral ligament is attached.

The ramus has a projection at its lower part, which is the angle of the lower jaw ; its upper ridge is curved, having a process at each end, the anterior one is the *coronoid process* ; this is triangular, and has the temporal muscle inserted into it ; the posterior is the *condyloid*, and articulates with the temporal bone. This process has a neck for the insertion of the pterygoid muscle.

The structure of the lower jaw is compact externally, cellular within, and traversed in the greater part of its extent by the inferior dental canal.

The lower jaw is developed from two centres of ossification, which meet at the symphysis. It is articulated to the temporal bones by the condyles and several ligaments—namely, an external and internal lateral, the capsular, intermaxillary, stylo-maxillary, and two synovial membranes. It is also articulated with the teeth.

**Maxillare Superius Os.** Superior maxilla.

The upper jaw is composed of two bones, which are united on the median line of the face. They occupy the anterior upper part of the face, are of very irregular form, and each consists of a body, processes, and foramina.

The body is the central part of the bone and has four surfaces—namely, the anterior or facial surface, the posterior or *zygomatic*, the superior or orbital, and the inferior or palatine surface.

The *anterior surface* is irregularly convex and has a depression about its centre just above the canine fossa, immediately above which is the infra-orbital foramen for transmitting an artery and nerve of the same name, its upper and inner edge forms part of the lower margin of the orbit, from the inner extremity of which proceeds upward toward the nasal and frontal bones a long and rather flat process—the nasal process of the superior maxilla ; it is of a pyramidal form, its posterior edge forming the internal margin of the orbit and helping to make the lachrymal groove, its anterior edge receives the cartilages of the nose ; its upper corresponds to the nasal bones and its summit to the frontal, while its outer surface gives attachment to the muscles and its inner enters into the formation of the nose.

From the lower edge of its *anterior surface* the alveolar processes and cavities are formed ;

these consist in depressions of a more or less conical form, and correspond to the number of teeth or roots of teeth they are intended to receive.

The *posterior or zygomatic surface* is convex, directed backward and outward, and forms part of the zygomatic fossa. About its centre it is perforated by three or four small holes, the posterior dental canals, which go to the alveoli of the molar teeth.

The *lower surface* extends from the alveolar processes in front to the horizontal plate of the palate bones behind, called the palatine processes, which are rough below, forming the roof of the mouth, and smooth above, making the floor of the nostrils. They are united along the median line, at the anterior part of which is the foramen incisivum, having two openings in the nares above, while there is but one in the mouth below.

The *upper or orbital surface* is triangular in shape, with its base in front, forming the anterior, lower, and internal edge of the orbit, while its apex extends back to the bottom ; it forms the floor of the orbit and roof of the antrum, its internal edge is united to the lachrymal, ethmoid, and palate bones ; its external edge assists in forming the spheno-maxillary fissure, and along its central surface is seen a canal running from behind forward and inward—the infra-orbital canal. This canal divides into two, the smaller is the *anterior dental*, which descends to the anterior alveoli along the front wall of the antrum ; the other is the proper continuation of the canal and ends at the infra-orbital hole, along the upper part of the line uniting the palatine processes there is a ridge, the *nasal crest*, for receiving the vomer, and at the anterior part of this crest there is a projection forward, the *nasal spine*, at the external and upper part of the body is the *malar process*.

The body of the superior maxilla is occupied by a large and very important cavity called the *antrum Highmorianum*, or maxillary sinus. This cavity is somewhat triangular in shape, with its base looking to the nose and its apex to the malar process. Its upper wall is formed by the floor of the orbit, its lower by the alveoli of the molar teeth, which sometimes perforate this cavity. The canine fossa bounds it in front, while the tuberosity closes it behind.

The opening of this cavity is on its nasal part, or base into the middle meatus of the nose, and in the skeleton is large, while in

but; diminutive of matrix). To receive admission and to enroll among the members of a college or university. Also one thus admitted.

**Mat'rix** (the plural, *matrices*). A mould; the cavity in which anything is formed. In *Anatomy*, the uterus; applied by French writers to the sac of a tooth. In *Mineralogy*, the earthy matter which accompanies ore. In *Dentistry*, a piece of steel or other metal of suitable form used in filling proximal cavities. It is placed between the tooth to be filled and the adjoining one, and held in position by wooden wedges, thus forming a temporary wall against which the filling of gold may be consolidated. See **MATRIX, DENTAL**. In *Dental Mechanism*, a mould of sand or other substance in which dies for swaging are cast.

**Matrix, Dental**. A small instrument devised by Dr. Lewis Jack to facilitate the filling of a cavity where the lateral wall is wanting. They are formed of slightly wedge-shaped pieces of steel, hollowed out at their thicker edge, the depression terminating at the thinner edge. The plain part of the face is file-cut, and at each end a square cut is made to accommodate the points of the pliers used for adjusting the matrix. A number of pairs are necessary to meet the requirements of the different cases. There are also band matrices and screw matrices.

**Mat'ter**. In popular language, every substance which enters into the composition of a body or which has sensible properties. In *Physiology*, all substances evacuated from the intestinal canal and eliminated from the surface of the body. In *Pathology*, pus and other morbid evacuations.

**Maturation** (*maturatio*). Progress of an abscess to maturity.

**Matu'rative** (*maturans*). Remedies which promote the suppuration of an inflammatory tumor.

**Matu'rity**. Perfect development. Ripeness.

**Maw**. In popular language, the stomach of brutes.

**Maxil'la** (from *manducare*, to chew). The jaw, either upper or lower.

**Maxilla, Inferior**. The lower jaw.

**Mandibla, Superior**. The upper jaw.

**Mandib'lar Inferior Os**. Inferior maxilla, mandibula. The lower jaw is the largest bone of the face, and, though but one bone in the

adult, it consists of two symmetrical pieces in the fetus.

It occupies the lower part of the face, has a semicircular form, and extends back to the base of the skull.

It is divided into the body and extremities.

The body is the middle and horizontal portion; this is divided along its centre by a ridge called the *symphysis*, which is the place of separation in the infant state; the middle portion projects at its inferior part into an eminence called the *mental process* or chin, on each side of which is a depression for the muscles of the lower lip, and externally to these depressions are two foramina, called *anterior mental*, for transmitting an artery and nerve of the same name.

The horizontal portion or sides extend backward and outward, and on the other surface have an oblique line for the attachment of muscles.

On the inner surface of the middle part behind the chin, along the line of the symphysis, there is a chain of eminences called *genial processes*, to the superior of which the frenum linguae is attached, to the middle the genio-hyoglossi, and to the inferior the genio-hyoid muscles, on each side of these eminences are depressions for the sublingual glands, and on each side of these depressions there runs an oblique ridge upward and outward, to the interior part of which is attached the mylo-hyoid muscle, and to the posterior part the superior constrictor of the pharynx; this latter muscle is consequently involved, more or less, in the extraction of the last molar teeth. Below this line there is a groove for the mylo-hyoid nerve.

The upper edge of the body is surmounted by the *alveolar process* and cavities corresponding in number and size to the roots of the teeth.

The lower edge, called the base, is rounded, obtuse, and receives the superficial fascia and platysma muscle.

The extremities of the body have two large processes rising up at an obtuse angle, named the *rami* of the lower jaw. These processes are flat and broad on their surfaces; the outer is covered with the masseter muscle, the inner has a deep groove which leads to a large hole, the *posterior dental* or *maxillary foramen*, for transmitting the inferior dental nerve and vessels to the dental canal running along the roots of the teeth. This foramen is protected

by a spine, to which the internal lateral ligament is attached.

The ramus has a projection at its lower part, which is the angle of the lower jaw, its upper ridge is curved, having a process at each end; the anterior one is the *coronoid process*; this is triangular, and has the temporal muscle inserted into it; the posterior is the *condylod*, and articulates with the temporal bone. This process has a neck for the insertion of the pterygoid muscle.

The structure of the lower jaw is compact externally, cellular within, and traversed in the greater part of its extent by the inferior dental canal.

The lower jaw is developed from two centres of ossification, which meet at the symphysis. It is articulated to the temporal bones by the condyles and several ligaments—namely, an external and internal lateral, the capsular, intermaxillary, stylo-maxillary, and two synovial membranes. It is also articulated with the teeth.

**Maxillare Superius Os Superior maxilla.**

The upper jaw is composed of two bones, which are united on the median line of the face. They occupy the anterior upper part of the face, are of very irregular form, and each consists of a body, processes, and foramina.

The body is the central part of the bone and has four surfaces—namely, the anterior or facial surface, the posterior or zygomatic, the superior or orbital, and the inferior or palatine surface.

The *anterior surface* is irregularly convex and has a depression about its centre just above the canine fossa, immediately above which is the infra-orbital foramen for transmitting an artery and nerve of the same name; its upper and inner edge forms part of the lower margin of the orbit, from the inner extremity of which proceeds upward toward the nasal and frontal bones a long and rather flat process—the nasal process of the superior maxilla; it is of a pyramidal form, its posterior edge forming the internal margin of the orbit and helping to make the lachrymal groove; its anterior edge receives the cartilages of the nose; its upper corresponds to the nasal bones and its summit to the frontal, while its outer surface gives attachment to the muscles and its inner enters into the formation of the nose.

From the lower edge of its anterior surface the alveolar processes and cavities are formed;

these consist in depressions of a more or less conical form, and correspond to the number of teeth or roots of teeth they are intended to receive.

The *posterior or zygomatic surface* is convex, directed backward and outward, and forms part of the zygomatic fossa. About its centre it is perforated by three or four small holes, the posterior dental canals, which go to the alveoli of the molar teeth.

The *lower surface* extends from the alveolar processes in front to the horizontal plate of the palate bones behind, called the palatine processes, which are rough below, forming the roof of the mouth, and smooth above, making the floor of the nostrils. They are united along the median line, at the anterior part of which is the foramen incisivum, having two openings in the nares above, while there is but one in the mouth below.

The *upper or orbital surface* is triangular in shape, with its base in front, forming the anterior, lower, and internal edge of the orbit, while its apex extends back to the bottom, it forms the floor of the orbit and roof of the antrum; its internal edge is united to the lachrymal, ethmoid, and palate bones; its external edge assists in forming the sphenomaxillary fissure, and along its central surface is seen a canal running from behind forward and upward—the infra-orbital canal. This canal divides into two, the smaller is the *anterior dental*, which descends to the anterior alveoli along the front wall of the antrum; the other is the proper continuation of the canal and ends at the infra-orbital hole, along the upper part of the line uniting the palatine processes there is a ridge, the *nasal crest*, for receiving the vomer, and at the anterior part of this crest there is a projection forward, the *nasal spine*, at the external and upper part of the body is the *malar process*.

The body of the superior maxilla is occupied by a large and very important cavity called the *antrum Highmoreanum*, or maxillary sinus. This cavity is somewhat triangular in shape, with its base looking to the nose and its apex to the malar process. Its upper wall is formed by the floor of the orbit, its lower by the alveoli of the molar teeth, which sometimes perforate this cavity. The canine fossa bounds it in front, while the tuberosity closes it behind.

The opening of this cavity is on the nasal partition or base into the middle meatus of the nose, and in the skeleton is large, while in

the natural state it is much contracted by the ethmoid bone above, the inferior spongy below, the palate bone behind, the lachrymal bone in front, and by the mucous membrane which passes through the opening and lines the nostrum.

This cavity communicates with the anterior ethmoidal cells and frontal sinus.

The structure of the upper jaw is thick and cellular in its alveolar and other processes.

It is articulated with two bones of the cranium, the frontal and ethmoid, and seven of the face—namely, the nasal, malar, lachrymal, palate, inferior turbinated, vomer, to its fellow, and also to the teeth. Sometimes it articulates with the orbital plate of the sphenoid.

Its development is very complicated, and is stated to be by as many osseous points as that of the body and its various processes.

**Maxillary** (*maxillaris*, from *maxilla*, the jaw). Pertaining to the jaws.

**Maxillary Artery, External**. See **FACIAL ARTERY**.

**Maxillary Artery, Internal**. One of the terminal branches of the external carotid. It commences in the substance of the parotid gland, opposite the meatus auditorius externus, then goes horizontally behind the neck of the condyle of the lower jaw to the pterygoid muscles, between which it passes, and then proceeds forward to the tuberosity of the superior maxillary bone, whence it takes a vertical direction upward, between the temporal and external pterygoid muscles to the zygomatic fossa, where it again becomes horizontal, and finally ends in the sphenomaxillary space by dividing into several branches.

Those branches of the internal maxillary supplying the passive organs of mastication, or the superior and inferior maxillary bones and the teeth, are the inferior maxillary or dental artery, the alveolar or superior dental, the infra-orbital, the superior palatine, and the sphenopalatine.

**Maxillary Articulator, Bean's**. An articulator, or skeleton model of the jaws, which, in connection with his condylometer, can be adjusted so as to correspond in its mechanical movements to the jaw of any particular patient. It is used in the construction of inter-dental splints and in articulating sets of artificial teeth. When used as an antagonizing model, if properly adjusted the "bite" can be lengthened or shortened, when once obtained,

without destroying the correct antagonism of the teeth. See **FRACTURES OF THE MAXILLARY BONES**.

**Maxillary Bone, Inferior**. *Maxillare inferius* or

**Maxillary Bone, Superior**. *Maxillare superius* or

**Maxillary Gland** (*glandula maxillaris*). Submaxillary gland. One of the three salivary glands, situated under the base of the lower jaw, resting upon the hyo-glossus and mylo-hyoidens muscles, and separated from the parotid gland by a process of fascia and from the sublingual by the mylo-hyoidens muscle.

It is of an oval form, pale color, and, like the parotid, consists in its structure of small granulations, held together by cellular tissue, and each having a small excretory duct, which, successively uniting with one another, finally form one common duct, the duct of Wharton, which passes above the mylo-hyoid muscle, and running forward and inward, enters the mouth below the tip of the tongue, at a papilla seen on either side of the frenum lingue.

The use of this gland is the same as the parotid—to secrete the saliva, and its duct is the route by which its secretion is conducted into the mouth.

**Maxillary Nerve, Inferior**. This nerve forms the third great division of the fifth pair. It is the largest branch and passes from the ganglion of Gasser through the foramen ovale of the sphenoid bone to the zygomatic fossa.

This nerve, as stated, is united to the anterior or motor roots, which come together on the outside of the sphenoid bone, then, in the zygomatic fossa, the inferior maxillary nerve divides into two branches: (1) An external or superior; (2) an internal or inferior. The external is the motor branch and gives off the masseteric, the temporal, buccal, and pterygoid branches.

The internal division of this nerve consists of three branches, all of which give sensation, and are the anterior auricular, the gustatory, and the inferior dental.

**Maxillary Nerve, Superior**. This nerve proceeds from the middle of the Gasserian ganglion and passes through the foramen rotundum of the sphenoid bone into the pterygomaxillary fossa, here it enters the canal of the floor of the orbit, the infra-orbital canal, traverses its whole extent, and emerges on the face at the infra-orbital foramen, where it terminates in numerous filaments in the skin.

cles and integuments of the upper lip and cheek

The superior maxillary nerve supplies the upper jaw and gives off many important branches, which are as follows

In the pterygo-maxillary fossa two branches descend to a small reddish body, called the ganglion of Meckel, or the sphenopalatine ganglion, which is situated on the outer side of the nasal or vertical plate of the palate bone

Three branches proceed from this ganglion

- (1) An *inferior descending*, or *palatine* nerve,
- (2) an *internal, lateral, nasal*, or *sphenopalatine*,
- (3) a *posterior pterygoid* or *Vidian* The superior maxillary nerve also gives off the *orbital* and the *posterior dental* nerves.

**Maxillary Sinus** *Antrum Highmorianum*  
*Antrum maxillæ superioris* See MAXIL-  
LARE SUPERIORIS OS

**Maxillary Sinus, Diseases of** The diseases of this cavity, though often of a dangerous and formidable nature, have received less attention from the surgical and medical practitioner than almost any to which the body is liable Among the different forms of morbid action set up here are (1) inflammation of the lining membrane (2) a purulent condition of its secretions, (3) abscess, (4) ulceration of the lining membrane, (5) caries necrosis, and softening of its osseous parietes, (6) tumors of the lining membrane and periosteum, (7) exostosis of its osseous parietes. Besides the above it sometimes becomes the seat of injuries produced by mechanical violence.

The form which the disease puts on is determined by the state of the constitutional health or some specific tendency of the general system, and we can, therefore, readily imagine that a cause which, in one person, would give rise only to simple inflammation of the lining membrane or mucous engorgement, might, in another, produce an ill-conditioned ulcer, fungus hæmatodes, or osteosarcoma. Simple inflammation and mucous engorgement not infrequently cause caries and exfoliation of the surrounding osseous tissues, and, as a consequence, in some instances even the destruction of the life of the patient. For diseases and wounds of the maxillary sinus see HARRIS' "Prin. and Pract. of Dentistry"

**Maxillarium.** The greatest amount or quantity connected to maxilla

**Mead.** A fermented liquor made from honey and water

**Meas'les.** Rubecula. A cutaneous disease characterized by a crimson rash in stigmated dots, appearing about the third or fourth day, and ending in about three days in nearly desquamation The eruption is usually preceded by hoarseness, a dry cough, and sneezing, and is attended by febrile symptoms. Measles cause defective teeth of a narrowed width, compressed, eroded edges, and vertical grooves on the crowns, also exfoliation of the tooth-germs as well as of the jaws.

**Meat'us.** A passage or canal

**Meatus Auditorius Exter'nus** The external auditory passage

**Meatus Auditorius Inter'nus** The internal auditory passage

**Meatus Cæ'cus** The Eustachian tube.

**Meatus Nari'um** Nasal fossæ.

**Meatus Urin'ius** The orifice of the urethra.

**Mechan'ical** (*mechanicus*, from *μηχανή*, a machine) Pertaining to a machine, the art of constructing machines. Also acting by physical power It relates, too, to the sensible properties of masses of matter In *Medicine*, remedies which act by irritation Also physicians who refer every function of the body, whether healthy or morbid, to a certain condition of the mechanical properties of the blood and other parts of the body For the application of the term in *Dental Surgery* see MECHANICAL DENTISTRY

**Mechanical Dent'istry** The art of constructing and applying artificial teeth artificial palates obturators, and appliances for the correction of irregularity in the arrangement of the natural teeth See HARRIS "Prin and Pract of Dentistry", IMPRESSIONS OF THE MOUTH IN WAX, METALLIC BASE FOR ARTIFICIAL TEETH, MODEL, PLASTER AND METALLIC OF THE ALVEOLAR BORDER; MODEL, ANTAGONIZING, FOR ARTIFICIAL TEETH, MOUNTING MINERAL TEETH UPON A METALLIC BASE, etc.

**Mechan'ics.** The science which treats of the laws of motion of material bodies.

**Mechanics, Animal** That part of physiology which treats of the laws which govern the movements of the animal body

**Mech'anism.** The structure of the body; the assemblage of the parts of a machine; any part or structure having the nature of a machine.

**Mech'antist** One who is skilled in mach-

**dentist.** In *Dentistry*, one who gives attention to the details of the manufacture and insertion of artificial teeth. See **DENTAL PROSTHESIS**

**Meckel's Gland.** The spheno-palatine gland.

**Mec'conate.** A salt resulting from the combination of meconic acid with a salifiable base.

**Meconic Acid** (from *poppy*, a poppy) A peculiar acid contained in opium, its salts are called meconates

**Mec'conin.** Meconine, a peculiar crystalline substance extracted from opium

**Moco'nium** (from *poppy*, the poppy) The inspissated juice of the *Papaver somniferum*. Also the excrement in the large intestines of the fetus

**Me'dian** (*medius*, from *medium*, the middle) That which occupies the middle, the central or middle portion

**Median Line** The imaginary vertical line supposed to divide a body into two equal parts.

**Median Nerve.** A nerve occupying an intermediate position between the radial and ulnar nerves and passing down the middle of the forearm to the palm of the hand

**Median Veins** Three of the veins of the forearm are so called—the *median cephalic*, the *median basilic*, and the *common median*

**Mediastin'um.** The membranous partition which divides the thorax into two lateral halves

**Mediastinum Cerebri** The falx cerebri

**Me'diate** (*mediatus*) Middle, between two extremes. Indirect

**Mediate Auscultation** The use of the stethoscope in examining the sounds of the lungs, heart, etc.

**Mediate Percussion.** The using of a plecter on walls of chest

**Med'ical** (*medicus*) Relating to the science or profession of medicine

**Medical Jurisprudence** Legal medicine

**Med'icament** (*medicamentum* from *medicare*, to heal) A medicine, a healing application.

**Med'icated.** Having medicine in it treated with medicine, purified and fitted for medical use.

**Medica'tion** (*medicatio*) The change produced in the animal economy by the operation of medicine.

**Medic'atrix.** Healing or curing.

**Medic'ine.** The healing art. A science

which has for its object the cure of disease and the recovery of health.

**Medicina Conservati'va.** Hygiene.

**Medicina Dietet'ica** Dietetic medicine; that part of medicine which relates to diet.

**Medicina Gymnas'tica.** That part of medicine which relates to exercise

**Medicina Hermet'ica.** The employment of chemical remedies in the treatment of disease

**Medicina Prophylac'tica** Hygiene. Preventive medicine

**Medic'inal** (*medicinalis*, from *medicina*, medicine) Having remedial powers; adapted to the mitigation and cure of disease

**Medic'inal Days.** Critical days

**Medicinal Hours** The hours when it is supposed medicine may be given with greatest advantage. Those most commonly fixed upon are in the morning fasting, about an hour before dinner and some hours after it, and before going to bed. But as a general rule the times should be governed by the symptoms

**Medicine.** *Medicina* The healing art, the science and art of preserving health, and preventing, and curing disease

**Medicine, Clin'ical** See **CLINICAL MEDICINE**

**Medicine Legal** Medical jurisprudence See **LEGAL MEDICINE**

**Medico-chirurgical.** Pertaining or relating both to medicine and surgery

**Medico-legal.** Relating to legal medicine, as a medico-legal inquiry

**Med'icus.** A physician

**Medit'ulum.** A term synonymous with *diploë*, also the medullary juice in the spongy tissue of the short bones and extremities of the long bones

**Me'dium.** The middle place or degree

**Medul'la.** Marrow. Also the pith of vegetables and the white substance of the brain

**Medulla Oblonga'ta** The upper enlarged portion of the spinal cord resting upon the basilar process of the occipital bone

**Medulla Spina'lis.** The spinal cord.

**Med'ullary** (*medullaris*; from *medulla*, marrow) Relating to or resembling marrow.

**Medullary Ar'teries.** The arteries which go to the marrow of the bones.

**Medullary Mem'brane.** The perosteal membrane which lines the cavities of hollow bones.

**Medullary Sarco'ma.** Fungus hævastodes.

**Medullary Sub'stance.** The white part of



the brain. Also the internal substance of the kidney.

**Medullary Tumors.** Resembling the brain in structure.

**Medullization.** Softening of bone tissue in the disease known as osteitis.

**Medullo'sus.** Medulla; marrow. Resembling marrow; full of marrow or pith.

**Meer'schaum.** Sea foam or sea froth. A silicate of magnesia; a greasy, soapy substance found in Asia Minor, and also in Cornwall and other places in Europe.

**Megacery.** One million ergs.

**Megakloblasts.** Corpuscles of the blood which are of excessive size, large red blood-corpuscles.

**Megalocyte.** A large-sized red blood-corpuscle.

**Megalocephalus** (from μέγας, great, and κεφαλή, head, a vena) A tumor formed by one of the viscera.

**Megalocephalus.** One with enlarged viscera.

**Megavolt.** An electric unit equal to 1,000,000 volts.

**Megohm.** An electric unit equal to 1,000,000 ohms.

**Mégrin.** Hemisoma. Neuralgia of one side of the head.

**Melano'mian Glands.** The small sebaceous follicles situated between the conjunctive membrane of the eye and the cartilage of the eyelid.

**Mel (melis)** Honey.

**Mel Aceta'tum.** Oxymel-honey and vinegar.

**Mel Aegyptia'cum.** Oxymel of sub-acetate of copper.

**Mel Aë'trum** (mel rosaceum). Aerial honey honey dew; manna.

**Mel Bora'cia.** Honey of borax.

**Mel Despuma'tum.** Clarified honey.

**Mel Prepara'tum.** Prepared honey.

**Mel Rosæ.** Honey of roses.

**Mel Scilla Compositum.** Compound honey of squill.

**Me'la** (from μέω, to search) A probe.

**Mela'na** (from μέλας, black). Vomiting of concrete blood of a blackish-red color.

**Melena Cholæ'a.** Icterus niger or black jaundice.

**Melana Fungo'sa.** Fungus hæmatodes.

**Melaleuca.** A genus of plants of the order Myrtaceæ.

**Melaleuca Cajuputi.** The name of a plant which affords cajuput oil.

**Melaleuca Leucadæ'ron.** Same as Melaleuca cajuputi.

**Melaleuca Mi'nor.** Another name for Melaleuca cajuputi.

**Me'lam.** A white insoluble powder formed by fusing sulphocyanide of ammonia and sulphocyanide of potassium.

**Mel'ampodium.** Black hellebore.

**Melampyr'in.** A substance somewhat analogous to gum and sugar obtained from the Melampyrum nemorosum.

**Melanæ'mia** (μέλας, black, and αἷμα, blood). A state of suffocation by which all the blood in the body appears black, due to insufficient aeration. Also a condition resulting from chronic disease in which the blood contains a black pigment matter floating in it.

**Melanchio'rus.** Laterally, of a dark-yellow color. Applied in Pathology to individuals suffering from black jaundice.

**Melancho'lia.** Melancholy.

**Mel'ancholy** (from μέλας, black, and χολή, bile) Melancholia. A mental affection characterized by depression of spirits and occupation of the mind on one train of thoughts. It was supposed by the ancients to be caused by black bile, and hence the appellation.

**Melanis'mus.** Black jaundice.

**Mel'anite.** A black variety of garnet.

**Mel'anoid** (from μέλας, black, and εἶδος, likeness) Resembling dark pigmentary spots.

**Melano'sis** (from μέλαινα, to become black) Melanism. An organic affection in which the structure of the parts assumes a black color and firm consistence, exhibiting an appearance not unlike the bronchial glands when, by a softening process they are converted into deep ulcers. The lungs, cellular and adipose textures are very subject to this species of degeneration. It is called by Dupuytren black cancer, and by Carswell, melanoma.

**Melanot'ic.** Of or belonging to melanosis.

**Melanu'rin** (μέλας, black, and οὖρον, urine). A substance in the form of a black pigment, sometimes found in urine.

**Me'las** (μέλας, black). Black leprosy, or lepra nigricans.

**Melas'ma** (from μέλας, black). A black spot, usually occurring upon the tibia of old persons, which soon degenerates into an ulcer.

**Melas'ic Acid.** An acid obtained by boiling sugar with alkaline solutions.

**Melastroph'ia** (from μέλας, a limb, and στροφία, wasting). Wasting of the limbs.

**Melago'ta.** Grains of paradise.



**Mell** (*mell*; *mellis*). Honey.

**Mellian'thus**. A genus of plants of the order Zygophyllaceae.

**Melanthus Major**. Great honeyflower. A South African plant the leaves of which have been used in decoction for diseases of the gums and sore throat; also as a remedy for tinea capitis.

**Mell'coris** (from *melli*, honey, and *keras*, wax) An encysted tumor the contents of which resemble wax.

**Melligol'on** (from *melli*, honey). A fetid humor of the consistency of honey discharged from an ulcer attended with caries of the bone.

**Melliss'ic Acid** (*melissa*, bee) A monobasic crystalline acid,  $C_{26}H_{40}O_{12}$ , of the fatty series; obtained from beeswax.

**Mellit'agra**. Impetigo, also pain of limbs arthritic or rheumatic.

**Mellit'hæ'mia**. Sugar in the blood.

**Mellitu'ria**. See DIABETES.

**Mella'go** (from *mell*, honey) Any medicine of the consistence of honey.

**Mell'late**. A salt formed by the union of mellitic acid with a base.

**Mellit'erous**. Producing honey.

**Mell'loae**. A lemon yellow powder composed of carbon and nitrogen.

**Mell'lot's System of Bridge-work**. See BRIDGE-WORK, SYSTEM OF.

**Melo**. The melon, also staphyloma.

**Mel'oë**. A genus of coleopterous insects in the system of Latreille. See CANTHARIN.

**Meloë Niger**. The cantharis atrata, or blistering fly of the United States.

**Meloë Vesicato'rius**. Cantharis.

**Melon'eus** (*melion*, cheek, and *omas*, tumor) A tumor of the cheek.

**Meloplast'ic** (from *melion*, the cheek, and *plastoo*, to form) The operation for the restoration of any part of the cheek when lost by wounds or ulcers.

**Melo'sis** (*melos*, from *melion*, a probe) A term applied in Surgery to the exploration of a wound or ulcer with a probe.

**Melo'tis**. A small probe.

**Melting Metals**. The melting or fusion of metals which become fluid at a temperature below redness, such as zinc, lead, tin, and fusible alloys; iron ladles are employed in the dental laboratory, the quantity of the metal being necessarily small, as for dies and counter-dies. The charcoal, anthracite, coke, and gas furnaces employed in the dental laboratory

are of various designs, the latter being so constructed that the gas is mixed with the proper proportion of air and ignited above a gauze cover or top, thus yielding a blue flame, very hot, solid, and uniform. The gasoline furnace used by plumbers for melting solder is also a satisfactory appliance for the dental laboratory. The melting of metals which require a higher temperature than those above named, as in the formation of amalgams for filling teeth, require coal or coke furnaces with a strong draft. The Fletcher injector furnace affords a convenient means for the metals which fuse at a high temperature. Platinum can only be fused by means of a furnace constructed of quicklime and heated by the oxyhydrogen blowpipe. Small quantities of gold, silver, etc., can be melted by the blowpipe on a support made of charcoal, carbon, or clay.

**Melt'ing-point**. The degree of temperature at which solids pass into the liquid state. Ice melts at 32° F., and gold at 2160° F.

**Membrana**. See MEMBRANE.

**Membrana Adipo'sa**. Adipose membrane.

**Membrana Arachno'idea**. Arachnoid membrane.

**Membrana Cellulo'sa**. Cellular membrane.

**Membrana Conjuncti'va**. See CONJUNCTIVA.

**Membrana Denta'ta**. A process between the tunica arachnoidea and the pia mater.

**Membrana Ebo'ris**. A membrane connected with the development of the teeth, which is formed of a number of cells, odontoblasts, arranged perpendicularly on the surface, immediately over the plexus of vessels in the central portion of the dental papillæ.

**Membrana Hyalo'idea**. The delicate transparent membrane which encloses the vitreous humor of the eye.

**Membrana Jaco'bi**. An extremely thin and delicate membrane which invests the external surface of the retina.

**Membrana Pigmen'ti**. The internal layer of the choroid membrane.

**Membrana Pitu'aria**. The membrane which lines the nasal fossæ.

**Membrana Preformati'va**. A membrane situated between the enamel pulp and the enamel, and by some supposed to be the most external part of the matrix, projecting beyond the odontoblast.

**Membrana Pupilla'ris**. A delicate vascular membrane which covers the pupil of the eye until about the seventh month.

**Membrana Reticula'ris**. Cellular membrane.

**Membrana Saciformis.** A synovial membrane between the lateral articulation of the ulna with the radius.

**Membrana Schneideriana.** The pituitary membrane of the nose.

**Membrana Tympani.** The thin semi-transparent membrane which covers the cavity of the drum of the ear.

**Membrane (membrana).** In *Anatomy*, a thin enveloping or lining substance, of a cellular texture, intended to envelop, separate, or form other organs, and to exhale, absorb, or secrete certain fluids.

**Membrane, Basement.** A thin, transparent, structureless membrane between the epithelium and the corium of alveolar mucous membrane.

**Membraniform (membraniformis)** Applied to laminated parts which resemble a membrane.

**Membranosus.** The tensor vaginæ femoris muscle.

**Membranous.** Having the nature of a membrane or formed of membranes.

**Membranula.** A small, thin membrane.

**Membrum.** A member, the penis.

**Membrum Virile.** The penis.

**Menachanite.** A black metallic mineral, consisting of oxide of titanium, iron, and magnesia.

**Menagogue.** Emmenagogue.

**Men'akan Ore.** An ore of titanium Titaniferous iron.

**Men'elite.** A brown, impure opal, found at Menil Montant, near Paris.

**Meningeal (meningeus)** Relating to the meninges, or dura mater.

**Meningeal Arteries.** The arteries distributed to the external surface of the dura mater. They are classified as *middle*, *anterior*, and *posterior*.

**Menin'ges** (from *μνις*, a membrane). The membranes which envelop the brain.

**Menin'gion, or Menin'gium.** The arachnoid membrane.

**Meningi'tis.** Inflammation of the membranes of the brain.

**Meningo-cephali'tis** (from *μνις*, a membrane, *κεφαλη*, head, and *-itis*, signifying inflammation). Inflammation of the brain and its membranes.

**Meningo-gastral'gia.** Neuralgia of the stomach.

**Meningo-gastricus.** An epithet applied by Pinel to billous fever, because he believed

the disease to be seated in the internal membrane of the stomach.

**Meningoph'yax.** An instrument for depressing the dura mater and shielding it from injury while the bone is cut or rasped after the operation of trepanning.

**Meningorrhoe'a** (from *μνις*, and *ρρω*, I flow) Extravasation of blood on or between the cerebral membranes.

**Meningo'sis.** The union of bones by means of membrane.

**Meningu'ria** (*μνις*, a membrane, and *ουρον*, urine) The passing of urine containing membranous shreds.

**Me'ninx.** A term given by the ancients to all membranes, but now restricted to those of the brain.

**Menis'cus.** A crescent-shaped cartilage between the joints.

**Menisperm'ates.** Salts resulting from the combination of menispermic acid and salifiable bases.

**Menisperm'ic Acid.** An acid obtained from the fruit of *Menispermum cocculus*.

**Menisperm'ine.** A white, opaque crystalline alkaloid obtained from the *Cocculus indicus*  $C_{15}H_{17}NO_2$ .

**Menolip'sis.** Cessation of the menses.

**Menopau'sis.** Cessation of the menses.

**Menopla'nia.** An aberration of the menstrual flow.

**Menorrhag'ia** (from *μην*, a month, and *ρρω*, I flow fiercely) Profuse menstruation, immoderate flow of the menses or blood from the uterus.

**Menorrhagia Alba.** Same as *LEUCORRHOEA*.

**Menorrhagia Lochia'lis.** Excessive flow of the lochia.

**Menos'tasis** (from *μνις*, menses, and *στασις*, stagnation) Suppression of the menses.

**Menoxe'nia** (*μνις*, menses, and *ξενος*, strange) Irregular menstruation.

**Mens.** The mind.

**Menses** (from *μην*, a month) The uterine sanguineous discharge at the period of menstruation.

**Menses, Interrup'tion of.** Amenorrhoea.

**Menses, Reten'tion of.** Amenorrhoea.

**Men'strual Flux.** The menses.

**Menstrua'tion (menstruatio).** The flowing of the menses, which, from the age of puberty, in healthy women, not pregnant and who do not suckle, occurs monthly.

**Menstruation, Painful.** Dysmenorrhoea.

**Menstruation, Profuse.** Menorrhagia.

**Menstruation, Vicarious** The occurrence of hemorrhage from other parts than the uterus, as from the nose, gums, lungs, etc., at the regular menstrual periods, in consequence of the suppression of the menses.

**Men'strum.** A solvent. Any substance which has the property of effecting solution.

**Mensuration** (*mensuratio*, from *mensura*, measure) Act of measuring. In disease this means of exploring the chest is sometimes adopted for the purpose of ascertaining its exact dimensions.

**Men'tagra** (from *mentum* the chin and *agra* a prev) A herpetic eruption about the chin.

**Mentagra Infantum** See **POKRIKO ITI** ROSA.

**Men'tal** (from *mens*, the mind) Pertaining or relating to the mind. In *Anatomy* it relates to the chin (from *mentum*, the chin).

**Mental Ar'tery** A branch given off by the dental artery which issues from the inferior mental foramen and is distributed upon the lower lip.

**Mental Fora'men** The outer orifice of the inferior dental canal situated on the outer surface of the inferior maxilla beneath the cuspid tooth.

**Mental Nerve** A branch of the inferior dental which escapes from the anterior mental foramen to be distributed upon the lower lip.

**Men'tha.** A genus of plants of the order **Lamiaceae**.

**Mentha Aquat'ica** *Mentha rotundifolia* palustris. Water-mint. It has a bitter, pungent taste.

**Mentha Cerv'ina** Hart's pennyroyal. This species has properties similar to the *Mentha pulegium*, but is less agreeable.

**Mentha Piper'ita** Peppermint. This species is aromatic, carminative, and stimulant and is often used to allay nausea and to relieve pain in the bowels.

**Mentha Pule'gium** Pennyroyal. This species is carminative, antispasmodic and slightly emmenagogue.

**Mentha Sati'va** *Mentha spicata*, *Mentha viridis*, *Mentha vulgaris* Spearmint, a species having properties similar to peppermint. Dose of the spirit, grt x to grt xx, of the water,  $\bar{3}$  ss.

**Menthene'.** A liquid hydrocarbon obtained from the *stearopten* of oil of peppermint.

**Men'thol.** Japanese camphor. A peppermint camphor obtained in a crystalline form by the exposure of Chinese oil of peppermint to cold. Effectively employed as an attendant in pulpitis and sensitive dentine and locally applied for headache. It is more volatile than the officinal camphor. It is sometimes combined with oil of cloves, and also with oil of cajuput. For dental uses see Gorgas' "Dental Medicine."

**Menti'go.** Same as **MENTAGRA**.

**Mento-la bial.** *Mento labialis*. Pertaining to the chin and lip. Also the depressor labii inferioris muscle.

**Mentu'la.** The penis or clitoris.

**Men'tulagra.** Convulsive erection of the penis.

**Men'tum.** The chin. Applied to the lower part of the labium.

**Meph'itic** (*mephiticus*). Anything having an unwholesome property. Applied to foul or noxious exhalations, as a vapor or stench.

**Meph'itic Acid.** Carbonic acid.

**Meph'itic Air.** A foul air or gas.

**Meph'itis.** A poisonous exhalation, all gases unfit for respiration.

**Mera'cus.** See **MERUS**.

**Mercap'tan.** A peculiar liquid belonging to the ethyl group the oxygen being replaced by sulphur. Formula  $C_2H_5S_2$ . It is an alcohol radicle in which the oxygen is replaced by sulphur.

**Mercur'ial** (*mercurialis*). Relating to or containing mercury. Also active, sprightly, full of vigor.

**Mercur'ial Bal'sam** (strive ointment).

**Mercur'ial Ointment.** See **UNGUENTUM HYDRARGYRI**.

**Mercur'ial Teeth.** Teeth affected by the mercurial diathesis and presenting such characteristics as deminency of enamel, irregularity of form, smallness, yellow in color, with wide spaces between them.

**Mercur'ial Trem'or.** A disorder affecting those exposed to mercurial vapors, consisting of a convulsive agitation of the voluntary muscles when in exercise.

**Mercur'ialism.** Poisoning by mercury.

**Mercuric Chloride.** The chloride of mercury (which see).

**Mercur'ius.** Mercury.

**Mercur'ius Acet'atus.** Acetate of mercury.

**Mercur'ius Alkali's'atus.** *Hydrargyrum cum creta*.

**Mercurius Calcina'tus** See HYDRARGYRI  
OXIDUM RUBRUM

**Mercurius Chemicus** Quicksilver

**Mercurius Cinereus** Black oxide of mercury

**Mercurius Cinnabarinus** Red sulphuret of mercury

**Mercurius Corrosivus** Corrosive sublimate

**Mercurius Corrosivus Ruber** Red precipitate

**Mercurius Cosmeticus** Ammoniated mercury White precipitate

**Mercurius Dulcis Sublimatus** Calomel

**Mercurius Emeticus Flavus** Yellow sulphate of mercury Turpeth mineral

**Mer'cury.** Hydrargyrum hydrargyrus mercurius Quicksilver Symbol Hg Atomic weight 200 It is found native and in combination with silver, as a native amalgam and with chlorine as a native calomel known as horn quicksilver Its most important ore is its sulphide or cinnabar HgS The compounds of this metal form an extensive and important class of medicines For the names of its various preparations see HYDRARGYRI ACERAS ETC

**Mercury Acid Nitrate of** (*liquor hydragryri nitratis*) Solution of nitrate of mercury Mercury dissolved in nitric acid A transparent, nearly colorless acid liquid It is a powerful caustic and one of the most active agents for application to indolent indurated ulcers especially those of syphilitic character It is employed in ulcerative stomatitis cancerous etc

**Mercury, Oxymuriate of** See COPPERUS SUBMURIAT

**Mer'da** (*merdis*) Incontinent

**Meremphrax'is** Obstruction or inflammation of an organ

**Meriam Crown** An artificial crown for a natural root which may be ground on its sides as well as on the base with a straight hole through it which is capable of being enlarged countersunk or beveled at either end as may be most convenient or the hole may be omitted when the crown is made and after it is fitted to the root drilled in the desired position It is also supplied with a gold band, which encircles the root

**Mer'icus.** Local

**Meridial'ysis** (*mesor*, a part and *dialysis*, dissolving) A partial or incomplete solution of a substance

**Meridro'sis** (from *μερος*, a part, and *ιδρωσις*, sweating) A partial perspiration, or perspiration occurring in a particular part

**Merobal'neum** (from *mesor*, a part, and *βαλνειον* a bath) A partial bath

**Meroce'le** (from *μερος*, the thigh, and *κyste*, a tumor) Femoral or crural hernia

**Mero'pia** (*mesor* a part, and *ωψ*, vision) Partial obscuration of sight

**Me'ros.** The thigh the femur

**Me'rus.** Genuine, pure without mixture, unadulterated

**Merycis'mus.** Rumination

**Mesa** Genital organs

**Mesembryoids.** Wandering cells budded off from the epiblast or hypoblast and forming part of the mesoblast

**Mesara'um.** Mesentery

**Mesara'ic.** Mesenteric

**Mesenchyme.** That portion of the mesoblast termed by budding from the epiblast or hypoblast

**Mesenter'ic** (*mesentericus*) Belonging or relative to the mesentery

**Mesenteric Arteries** The second and fifth branches of the aorta are called the *superior* and *inferior* mesenteric arteries

**Mesenteric Glands** The lymphatic glands of the mesentery

**Mesenteric Nerves** Nerves forming mesenteric plexuses

**Mesenteric Plexuses** These plexuses—distinguished into *superior*, *middle*, and *inferior*—are formed by the branches of the great intercostal nerves

**Mesenteric Veins** These are divided into *superior* and *inferior* and terminate in the splenic

**Mesenteritis** Inflammation of the mesentery

**Mesentery** (*mesenterium* from *mesos*, the middle and *enteron* intestine) A duplicature of the peritoneum which maintains the intestines in their respective situations

**Mesial** (*mesos* middle) Synonymous with median A term applied to the surface of a tooth nearest to the median line The surface or end of a bone nearest to the centre

**Medial Line** Median Line An imaginary line dividing the body perpendicularly into two symmetrical portions, middle line

**Me'site.** An ethereal substance existing in pyroxylic spirit and obtained in the distillation of wood

**Mesit'ic Alcohol.** Acetone

**Mesitylene.** An oily fluid obtained by

the distillation of acetone with fuming sulphuric acid.

**Mesmerism.** See ANIMAL MAGNETISM.

**Meso-** (*μεσος*, the middle). Used as a prefix to certain words.

**Mesoblast** (from *μεσος*, middle, and *βλαστος*, sprout) The middle layer of the blastoderm, thought to be derived from the hypoblast, and from which are developed the vascular, muscular, and skeletal systems, the generative glands and excretory organs. It is also called *mesoderm*.

**Mesocœcum.** A duplicature of the peritoneum at the posterior part of the cœcum.

**Mesocarp.** The central portion of the pericarp of seeds.

**Mesocephale.** The medulla oblongata; *pons Varolii*.

**Mesocolon** (from *μεσος*, the middle, and *κOLON*, the colon). A duplicature of the peritoneum, to which the colon is attached. It is designated according to its situation.

**Mesocranium.** The top of the head or vertex.

**Mesoderm** (from *μεσος*, middle, and *δερμα*, skin). The mesoblast.

**Mesodermum** (*μεσος*, the middle, and *δερμα*, the skin). The rete Malpighii.

**Mesodme.** The mediastinum.

**Mesodmitis.** Inflammation of the mediastinum.

**Mesodont.** See MACRODONT.

**Mesogastrium.** The umbilical region of the abdomen.

**Mesoglossus.** The genio-glossus muscle.

**Mesolite.** A mineral consisting of a hydrated silicate of alumina, lime, and soda.

**Mesolebus.** The corpus callosum.

**Mesomeria.** The parts situated between the thighs.

**Mesometrium** (*μεσος*, middle, and *μητρα*, womb) Cellular vascular membrane between the body of the uterus and adjacent parts.

**Mesomphalum.** The middle of the navel.

**Mesophryon.** The space above the nose between the eyebrows.

**Mesorectum.** The transverse fold of the peritoneum which connects the rectum with the sacrum.

**Mesoscelocele.** Hernia of the perineum.

**Mesoscelum.** The perineum.

**Mesostate.** A product of cell activity.

**Mesothénar.** The abductor and deep-seated portion of the flexor brevis of the thumb.

**Mesothorax** (from *μεσος*, middle, and *θώραξ*, the chest). The intermediate of the three segments which compose the thorax in insects.

**Mesotheca.** Diseases affecting the intermediate or connecting substance of organs without derangement of the general health. Diseases affecting the parenchyma.

**Mesotype.** A zeolitic mineral, a hydrated silicate of alumina and soda.

**Mesoxalate.** A combination of mesoxalic acid with a base.

**Mesoxalic Acid.** A new substance formed on heating to the boiling-point a concentrated solution of alloxanate of barytes.

**Meta-** (from *μετα*, after, with). Common prefix to terms, signifying change, alteration.

**Metabasis** (from *μεταβαίνω*, to digress). A change of medicine or treatment in disease.

**Metabolelogy** (*metabolelogia*, from *μεταβολή*, change, and *λογία*, a discourse) A treatise on the changes which occur in the course of a disease.

**Metabolians.** Insects which undergo a metamorphosis.

**Metabolic.** Pertaining to metabolism.

**Metabolism.** A change in the intimate condition of cells whereby their molecule is more complex or contains more force.

**Metacarpal.** Pertaining to the metacarpus.

**Metacarpal Artery.** A branch of the radial artery which descends obliquely upon the back of the hand.

**Metacarpal Articulations.** The articulations of the last four metacarpal bones at their upper extremity.

**Metacarpal Bones.** See METACARPUS.

**Metacarpal Ligaments.** The ligaments which connect the metacarpal bones.

**Metacarpus** (from *μετα*, after, and *καρπος*, the wrist) The bones of that part of the hand which are situated between the wrist and fingers.

**Metacitone.** Propion. A colorless, fragrant, oily fluid obtained by distilling sugar with quicklime.

**Metaceton'ic Acid.** Butyro-acetic acid. Propionic acid. An acid formed by the decomposition of various organic bodies. Chemically speaking, it is a teroxide of metacetyl.

**Metacetyl.** Propionyl. A carbohydrogen ( $C_3H_5$ ) formed by various organic metamorphoses. It is the base of the last-named acid.

**Metachoresis. Metastasis**

**Metach'ysis** (*meta*, beyond, and *chysis*, effusion) The process of transfusion

**Metacye'sis** (*meta*, and *cyosis*, uterine gestation) Extra-uterine gestation

**Metagenesis.** Alternation of generation

**Metal** (*metallum* *meta* *ov* a metal) A class of simple, combustible bodies distinguished by their peculiar lustre, considerable specific gravity, almost total opacity, insolubility in water, and as being conductors of electricity and heat Any elementary substance characterized by malleability, ductility, and fusibility

The existence of fifty three metals is admitted by chemists The following table contains their names specific gravity, melting points and symbolic abbreviations

Names of Metals	Specific Grav	Melting point Fahr	Symbolic abbreviations
1 Gold	19.25	2018°	Au
2 Silver	10.47	1763	Ag
3 Iron	7.75	2756	Fe
4 Copper	8.88	1996	Cu
5 Mercury	13.56	-39	Hg
6 Lead	11.35	617	Pb
7 Tin	7.29	442	Sn
8 Antimony	6.70	—	Sb
9 Bismuth	9.80	447	Bi
10 Zinc	7.00	—	Zn
11 Arsenic	5.50	—	As
12 Cobalt	8.53	2410	Co
13 Platinum	21.05	ch bp	Pt
14 Nickel	8.27	2410	Ni
15 Manganese	6.85	2400	Mn
16 Tungsten	17.60	—	W
17 Tellurium	6.11	610	Te
18 Molybdenum	—	ch bp	M
19 Uranium	9.00	h bp	U
20 Titanium	4.50	h bp	Ti
21 Chromium	—	ch bp	Cr
22 Columbium	—	ch bp	Cl
23 Palladium	11.50	—	Pa
24 Rhodium	—	ch bp	R
25 Iridium	—	ch bp	Ir
26 Osmium	—	ch bp	Os
27 Cerium	—	—	Ce
28 Potassium	0.86	144.5	K
29 Sodium	0.97	207.7	Na
30 Barium	—	—	Ba
31 Strontium	—	—	Sr
32 Calcium	—	—	Ca
33 Cadmium	—	442	Cd
34 Lithium	—	356	Li
35 Silicon	—	—	Si

\* Oxygen blowpipe

Names of Metals	Specific Grav	Melting point Fahr	Symbolic Abbreviations
36 Zirconium	—	—	Zr
37 Aluminum	—	—	Al
38 Chromium	—	—	Cr
39 Yttrium	—	—	Y
40 Thorium	—	561	Th
41 Magnesium	—	—	Mg
42 Vanadium	—	—	V
43 Didymium	—	—	D
44 Erbium	—	—	E
45 Ilnium	—	—	Il
46 Lanthanum	—	—	La
47 Niobium	—	—	Nb
48 Praseodym	—	—	Pr
49 Ruthenium	—	—	Ru
50 Tantalum	—	—	Ta
51 Terbium	—	—	Tb
52 Dysprosium	—	—	Dy
53 Rubidium	8.74	+101.3	Rb

**Metal Noble and Base** Metals are known as *noble* which are capable of being separated from combinations with oxygen by merely heating to redness *Base* metals are those whose compounds are not decomposable by heat alone

**Metal Tape** Used for finishing fillings between teeth in spaces too small for the use of silk They carry powders such as oxide of tin and give the surface a fine finish

**Metallic.** Of the nature of metal

**Metallic Base for Artificial Teeth** A metallic plate adapted to such portion of the alveolar arch as is deprived of natural teeth, and to be supplied with an artificial substitute Gold and platinum are the most suitable metals for this purpose, and those usually employed by American dentists, but silver is frequently used Platinum is objectionable on account of its weight it being much heavier than gold besides the heat required to fuse it is so great that it can not be melted in a furnace Silver is objectionable chiefly for the reason that the secretions of the mouth oxidize it Many experiments have been made with aluminum, the metallic base of alumina and from the success which has attended the efforts of some practitioners there is reason to believe that this metal will prove useful as a metallic base for artificial teeth See ALUMINUM For manner of preparing a metallic base see Harris' "Prin and Pract of Dentistry"

**Metallic Base, Cast.** See CAST METAL DENTURES

**Metallic Base, Cleveland's.** This consists of a plate increasing the entire alveolar border, or so much of it as is to be supplied with artificial teeth, and the palatine arch, and another covering only the inner part of the alveolar arch and the roof of the mouth. A hole is made in the centre of the first plate about the size of a twenty-five cent piece, around which, on the lower part of the plate, a half round wire is soldered. The second plate is applied to the first in such a manner as to leave a space in the central part, between it and the first plate, of about  $\frac{1}{8}$  of an inch, while the edges of the former are accurately fitted and soldered to the latter.

For the manner of attaching artificial teeth to a base see Harris' "Prin. and Pract. of Dentistry."

**Metallic Facings.** Facings of gold or platinum for the protection from attrition or chemical abrasion of gutta percha, oxychloride, or oxyphosphate fillings in carious cavities, and rendering them durable in the mouth.

**Metallic Tinkling.** Metallic voice. A peculiar noise heard by means of the stethoscope when there exists in the chest a preternatural cavity containing air or when there is air in the cavity of the pleura. It is said to resemble that caused by striking glass or a metallic or porcelain cup.

**Metallic Tractors.** See TRACTORS, METALLIC.

**Metallization.** A conversion into metal.

**Metallography** (*μεταλλογ.*, metal, and *γραφη*, description). A treatise on metals.

**Metalloid.** A term sometimes applied to the metals obtained from the fixed alkalies and some of the earths. Also resembling metal in lustre and color.

**Metallo-plastic Dentures.** See CAST METAL DENTURES.

**Metallother'apy** (from *μεταλλοι*, metal, and *θεραπεία*, therapy). The cutaneous application of certain metals in the form of plates of gold, zinc, copper, iron, etc., to cause a return of sensibility in certain affections of general and special sensation.

**Metallurgy** (from *μεταλλοι*, a metal, and *εργον*, work). The art of treating metals or of separating them from their ores.

**Metals, Properties of.** By *fusibility* is meant the temperature at which a metal fuses or melts; *specific heat*, the capacity of different metals for absorbing heat, *expansion*, the relative increase in length or bulk in direct propor-

tion to the increase in temperature; *conductivity*, the conducting power of metals for both heat and electricity; *malleability*, susceptibility to expansion under the blows of a hammer; *ductility*, the property of being drawn out into wire or elongated without interrupting their constituent particles; *tenacity*, the property which enables a metal to resist tensile strain, *elasticity*, the quality of returning to the original form after being bent. *sonorousness*, the quality of emitting a musical sound when struck, *odor* and *taste* are properties which are more pronounced in some metals than in others, for example, copper, iron, and tin.

**Metamer'ic.** Isomeric.

**Metamorphop'sia** (from *μεταμορφωσις*, to transform, and *ωσις*, the eve). A species of depraved vision supposed to be produced by changes in the relative position of the retinal end organs.

**Metamorph'osis** (from *μετα*, change, and *μορφή*, form). Transformation. In *physiology*, the change through which any texture or organ of the body passes in the progress of its development.

**Metaphosphoric Acid.** Glacial phosphoric acid forms salts called *metaphosphates*.

**Metapla'sis.** The transformation of one kind of tissue into another, as of cartilage into bone.

**Metapto'sis** (from *μεταπτωσις*, to digress). The conversion of one disease into another.

**Metas'tasis** (from *μεταστροφή*, to change place). A change in the seat of a disease, the shifting of a disease from one part of the body to another or to some internal organ.

**Metastat'ic.** Pertaining to metastasis.

**Metatar'sal.** Pertaining or relating to the metatarsus.

**Metatarsal Artery.** An artery which forms an arch across the base of the metatarsal bones, supplying the outer side of the foot and giving off three interosseal branches.

**Metatarsal Articulations.** The articulation of the metatarsal bones with one another.

**Metatarsal Bones.** See METATARSALS.

**Metatarso-phalan'gian.** Pertaining to the metatarsus and phalanges.

**Metatarso-phalangean Articulations.** The articulation of the metatarsal bones with the corresponding phalanges of the toes.

**Metatar'sus** (from *μετα*, after, and *ταρσος*, tarsus). That portion of the foot which is situated between the tarsus and toes, consisting of five small cylindrical bones—one to each toe.

**Metathesis** (from μεταθεσις, to change place). Transposition. Also the act of removing the consequence or cause of a disease from one place to another, where its presence will be less hurtful, as depressing a cataract, etc.

**Metatoc'la** (*meta*, and τοκος, birth) Preternatural labor.

**Me'teorism** (*meteorismus*; from μετεωριζω, to elevate) Distention of the abdomen by gas.

**Meteor'olite**. A meteoric stone.

**Meteorol'ogy** (*meteorologia*; from μετεωρος, aerial, and λογος, a discourse) That department of science which treats of atmospheric phenomena, as the formation of dew, the progress of winds, etc.

**Methæ'mata** (*meta*, after or between, and αιμα, blood). Blood changing. The capillary or intermediate system of blood-vessels.

**Methæmoglobin**. A mixture of albumen, hæmoglobin, and hæmatin.

**Methoma'nia** (from μεθη, drunkenness, and μανια, mania). An irresistible desire for intoxicating liquor.

**Methyl**. Obtained by distilling methyl alcohol with sulphuric acid. Hypnotic and antispasmodic. Used in convulsive diseases, neuralgia of the superficial nerves, epilepsy, etc.

**Methyl**. A hypothetical radicle or base of a numerous series of compounds analogous to those of ethyl or of pyroxylic spirit. In *Chemistry*, a radical molecule having the composition  $\text{CH}_3$ , it combines with hydrogen to form methyl hydride or methane.

**Methyl Chloride**. See CHLORIDE OF METHYL.  
**Methyl-ethyl Ether**. See METHYLIC ETHER.

**Methyl Iodide**. A powerful anæsthetic, the formula of which is  $\text{CH}_3\text{I}$ . Although it is regarded as producing effects similar to those of chloroform, yet its irritant action on the broncho-pulmonary mucous membrane is more intense, rendering it a dangerous anæsthetic agent.

**Methylate**. A compound of methyl alcohol with a base.

**Methylated**. Containing methyl alcohol.

**Meth'ylenc**. A highly volatile and inflammable liquid obtained by destructive distillation of wood; anæsthetic.

**Methylene, Bichloride of**. A colorless liquid with an odor like chloroform, obtained from chlorine and chloride of methyl and employed

as an anæsthetic, the quantity used averaging a drachm every five minutes. Discovered by Dr. B. W. Richardson.

**Methylc Ether**. ( $\text{CH}_3$ )<sub>2</sub>O. Obtained by digesting methylc alcohol with strong sulphuric acid. Anæsthetic; by some claimed to be superior to nitrous oxide gas.

**Meth'ysis**. Intoxication.

**Methys'tica**. Substances employed for exhilaration and inebriation.

**Metodonti'sis** (from μυα, change, and οδοντιαι, dentition) Abnormal development of the teeth.

**Metopant'al'gia** (from μετωπον, forehead, αυτην, a cavern, and αλγος, pain) Pain in the frontal sinus.

**Metopantri'tis**. Inflammation of the frontal sinus.

**Meto'pon, or Metro'pum**. The front, or forehead.

**Metopos'copy** (*metoposcopia*, from μετωπον, forehead, and σκοπειν, to view). The art of distinguishing the temperament of an individual by inspecting the forehead.

**Me'tra**. The uterus.

**Metra'mia** (*μητρα*, womb, and αιμα, blood). Swelling of blood, or turgescence, in the womb.

**Met'al'gia** (from μετρα, the womb, and αλγος, pain) Pain in the uterus.

**Metranæ'mia** (*μητρα*, and αναιμια, deficiency of blood) Want of blood in the uterus.

**Metratre'sia** (from μετρα, the womb, and ατρα, imperforation) Morbid closure of the uterus.

**Metraux'e**. Hypertrophy of the uterus.

**Me'tre**. A French measure equal to 39.38 English inches.

**Metrecto'pia**. Displacement of the womb.

**Metrelco'sis**. Ulceration of the womb.

**Metrenchy'tes** (from μητρα, the womb, and ενχυσις, injection) An instrument for or the act of injecting the uterus.

**Metreury's'ma** (from μετρα, the womb, and ευρυς, far extended) Morbid dilatation of the womb.

**Me'tria**. See FEVERS.

**Metric System**. A decimal system of weights and measures used in France and Germany in chemistry and physics.

The following divisions are most commonly used.

10 millimetres	=	1 centimetre
100 centimetres	=	1 metre.
1000 metres	=	1 kilometre.



1000 cubic centimetres =	1 litre.
1000 milligrammes =	1 gramme.
1000 grammes =	1 kilogramme.

The equivalent values are as follows :

1 metre	= 39.37 inches.
1 litre	= 2.11 pints.
1 gramme	= 15.43 grains.
1 minim	= 0.016 centimetre.

**Metri'tis.** Inflammation of the uterus.

**Metrocarcino'ma** (from *μητρα*, the womb, and *καρκινωμα*, cancer). Cancer of the uterus.

**Metrocele'.** Hernia vaginalis.

**Metrohæ'mia** (from *μητρα*, the womb, and *αιμα*, blood) Sanguineous congestion of the uterus.

**Metroma'nia.** Nymphomania.

**Metrom'eter.** Same as **HYSTEROMETER** (which see)

**Metro-periton'i'tis.** Inflammation of the uterus and peritoneum

**Metropol'ypus.** Polypus of the uterus

**Metropto'sis** (from *μητρα*, the womb, and *πτωσις*, falling down) Prolapsed uteri

**Metrorrh'a'gia.** Hemorrhage from the uterus.

**Met'roscope.** An instrument for examining the uterus.

**Met'rotome.** Hysterotome. An instrument for dividing the neck of the womb

**Mg.** Symbol of magnesium

**Miasm'.** Exhalation arising from marshy grounds.

**Mias'ma** (*μιασμα*, a stain or pollution, from *μιαω*, to contaminate). In *Pathology*, the effluvia arising from sick persons and from the decomposition of animal or vegetable substances.

**Miasmatic'.** Relating to or produced by miasmata.

**Mica.** A mineral of various degrees of transparency and of various colors usually found in thin, elastic laminae. It is composed of silica, alumina, potash, and oxide of iron

**Micranato'mia** (*μικρος*, small, and *ανατομία*, anatomy) Microscopic anatomy

**Micristol'ogy** (*μικρος*, and *ιστολογία*, histology). The science which treats of the minutest organic fibres.

**Mic'ro-** (from *μικρος*, small). A Greek prefix signifying minute.

**Microbacteria.** A form of bacteria small in size.

**Mic'robe** (from *μικρος*, small, and *βιος*, life).

The general name for micro-organisms of animal or vegetable organic structure that are microscopical in size. Microbes require oxygen for their development

**Micro'bian.** Microbic. Pertaining to microbes or germ action.

**Microbicidal.** Destroying microbes.

**Microbiohæ'mia** (from *μικρος*, small, *βιος*, life, and *αιμα*, blood). Diseased conditions resulting from micro organisms in the blood

**Mic'roblast.** An undersized nucleated red blood-corpuscles. See **CORPUSCLE**

**Microcidin.** A combination of naphthol and soda. Antiseptic and disinfectant

**Micrococ'cus** (from *μικρος*, small, and *κοκκος*, blood) A micro-organism having spherical elements, which may be isolated, united by numbers, or disposed in chaplets or masses

**Microcos'mic Salt.** The phosphate of soda and ammonia. It is used as a flux in experiments with the blow-pipe

**Microcoulomb.** The millionth part of a coulomb

**Microcous'tic** (from *μικρος*, small, and *ακουω*, I hear) An instrument to augment the intensity of sound and to assist in hearing.

**Microcyte.** An undersized non-nucleated red blood-corpuscle

**Mic'rodont** (*μικρος*, small, and *οντις*, a tooth). Having unusually short or small teeth

**Microfarad.** One-millionth of the theoretic farad

**Microglos'sia** (from *μικρος*, small, and *γλωσσα*, tongue) Congenital smallness of the tongue

**Micrognathia.** Undue smallness of jaws.

**Microgramme.** The millionth part of a gramme

**Micro'graphy** (from *μικρος*, small, and *γραφω*, to describe). A description of objects too small to be seen without the assistance of a microscope

**Microhm.** The millionth part of an ohm.

**Microlitre.** The millionth part of a litre.

**Micro'l'ogy** (*micrologia*, from *μικρος*, small, and *λογια*, a discourse). In *Science*, a treatise on minute objects, as microscopical animals and plants.

**Microm'eter** (from *μικρος*, small, and *μετρον*, a measure). An instrument for measuring small objects attached to a microscope or telescope.

**Micro-organisma.** See **BACTERIA**, **SYNGICAL**.

**Micropho'mia** (from *μικρος*, small, and *φωνη*, sound). A very weak voice.

**Microphyte.** A vegetable microbe

**Micropi'per Methys'ticum.** *Piper methysacum*. The ava plant of the South Sea Islands. The root is narcotic, and when bruised and macerated in water forms an intoxicating drink, much used by the natives, who consider it a cure for syphilis. The tincture has been used in chronic rheumatism and gout.

**Mi'croscope** (from *μικρος*, small, and *σκορ*, I view). An instrument for the examination of objects too minute to be seen with the naked eye. A microscope may be single or compound; it is single when an object may be viewed through it directly, whether it consists of one or more lenses, and compound when two or more lenses are so arranged that the enlarged image of the object formed by one is again magnified by others and seen as if it were the object itself. The microscope has been much used in the examination of the minute structural arrangement of the various tissues of the body. It is to the aid of this instrument that we are indebted for the valuable and highly interesting researches of Batzina, Nasmyth, Owen, Beale, and others into the minute structure of the teeth.

**Mi'croscopy** (*microscopia*) Observation by aid of the microscope, an important agency in examining the structure of healthy and diseased tissues.

**Microso'mia** (from *μικρος*, small, and *σωμα*, body) Arrest of growth from a dwarfing of the entire body.

**Microsphyx'ia**, from *μικρος*, small, and *σφυγμος*, pulse) Smallness or weakness of pulse.

**Microsporon.** Bacteria in the form of small spores.

**Micros'toma** (from *μικρος*, and *στωμα*, mouth). Abnormal smallness of the mouth.

**Microstomia.** Congenital smallness of the mouth.

**Mi'crotine** (from *μικρος*, small). Having or consisting of small crystals.

**Mi'crotome.** An instrument for making thin sections for microscopic examination.

**Microvolt.** The millionth part of a volt.

**Microzyme** (from *μικρος*, small, and *ζωμος*, heaven). Microorganisms, or particles of living matter, which, according to Bechamp, are the principal agents of the functions of the organisms.

**Mic'tion** (*mingo*, to pass water). The act of passing water.

**Micturit'ion** (*micturitie*; from *micturio*, to make water). The act of passing water, morbid frequency of passing urine.

**Mid'riff.** The diaphragm.

**Mid'wife.** A woman who assists women in childbirth.

**Mi'semite.** A variety of magnesian limestone.

**Migraine'.** Megrin. Neuralgia, or pain in one side of the head. Hemicrania.

**Migration.** Change of place.

**Mika'nia.** A genus of plants of the order Asteraceae.

**Mikania Officina'lis.** This species, called by the natives *Coracao de Jesu*, is said to be beneficial as a febrifuge.

**Mikania Opi'fera.** *Eura de cobra*. This species is a powerful diuretic, and is used internally and externally as an alexipharmic.

**Mil'dew.** A thin, whitish coating, consisting of innumerable fungi, with which the leaves of vegetables, linen, mests, and other substances are sometimes assailed.

**Mil'dew Mortifica'tion** (*gangrene ustilaginea*). A dry gangrene, supposed to arise from the use of mildewed grain.

**Mil'foil.** Yarrow.

**Milla'ria** (from *milium*, millet). Miliary fever. An exanthematous eruption, so called because the vesicles resemble millet-seed.

**Millo'lum** (diminutive of *milium*, millet). A small tumor of the eyelids, in size resembling a millet-seed.

**Mil'ium.** Millet. Also a hard, white tubercle of the size of a millet-seed, which seemingly is of a sebaceous nature, seated immediately under the cuticle, and when pressed discharging its contents.

**Milk (lac)** A sweetish, opaque fluid, secreted in the mammary glands of the females of the mammalia for the nourishment of their young.

**Milk Abscess.** Tumors in the mammae from redundant lactation.

**Milk Crust.** The crust forming on the scalp of nursing infants, due to eczema or to seborrhoea.

**Milk Fever** (*febris lactea*). A fever accompanying or preceding the secretion of milk in women soon after delivery.

**Milk Sickness.** Suck stomach. Puking fever. A disease quite common in the Western and Southwestern States, it affects both man and cattle.

**Milk, Substitute for.** Prof. Leeds suggests the following formula as the best substitute for woman's milk: 1 gill of cow's milk, fresh and unskimmed, 1 gill of water, 2 table-spoonfuls of rich cream, 300 grains of milk sugar,  $\frac{1}{4}$  grains of extractum pancreatis, 4 grains of sodium bicarbonate. This combination is to be prepared and warmed just before using.

**Milk, Sugar of Lactin**

**Milk of Sulphur** *Lac sulphuris* Precipitated sulphur

**Milk Teeth** The teeth of first dentition. Deciduous, or temporary, teeth

**Mil'let.** See *PANICUM MILACIUM*

**Millet-seed Rash.** *Miliaria*

**Milliampere.** One-thousandth of an ampere.

**Milligramme.** A French measure, the thousandth part of a gramme or 0.0154 of a grain avoirdupois, or  $\frac{1}{7}$  of a grain troy

**Millilitre.** A French measure the one-thousandth part of a litre or 0.001 of an English cubic inch

**Millimetre.** A French measure the one-thousandth part of a metre or 0.039 or  $\frac{1}{25}$  of an English inch

**Milium.** A small tumor on the eyelid

**Milphosia.** Baldness of the eyebrows

**Mind.** The intellectual thinking or intelligent faculty of man. The term is also used as signifying the phenomena resulting from the exercise of this faculty

**Mindererus's Spirit** Liquid acetate of ammonia. It is a valuable diaphoretic and is much used in fevers and inflammatory diseases. Dose,  $\frac{f\text{ss}}$  to  $\frac{f\text{ss}}$

**Mineral (minerals)** Any inorganic body or chemical combination containing an organic base found in the earth

**Mineral Adipocere.** A greasy bitumen found in the argillaceous ores of iron

**Mineral Alkali** Native carbonate of soda

**Mineral Caoutchouc** A variety of bitumen resembling caoutchouc found in Castleton, in Derbyshire

**Mineral Green** A hydrated subcarbonate of copper

**Mineral King'dom** The division of nature which includes minerals

**Mineral Oil** Petroleum

**Mineral Pitch.** Bitumen.

**Mineral Solution** *Arsenicale liquor*

**Mineral Tar** The petroleum barbadense.

**Mineral Teeth** See *PORECLAIN TEETH*.

**Mineral Turpentine.** Some air distilled from mine, and is obtained from coal-oil.

**Mineral Water.** Springs impregnated with substances foreign to the common composition of water and which exercise a sensible action on the animal economy. Mineral waters are divided into five classes—namely, *acidulous*, *alkaline*, *chalybeate*, *sulphureous*, and *saline*. These may be thermal or cold, natural or artificial

**Mineral Yellow** *Ptivent yellow* A pigment consisting of oxide and chloride of lead

**Minerals.** Mineral

**Mineral'ogy (mineralogia)** That department of science which treats of minerals

**Mil'ner's Elbow** An enlargement of the bursa over the olecranon occurring in miners who are forced to lean much upon the elbow

**Minim** Symbol *m*. A minim is the sixtieth part of a fluid drachm nearly equivalent to a drop or a small drop

**Min'ium.** Red oxide of lead

**Mint** An aromatic plant of the genus *Mentha* of which there are several species

**Miocene** from *mi* as *less* and *cenos*, recent. A term applied in *Geology* to the middle division of the tertiary stratum, containing fewer fossil shells of recent species than the Pliocene or most modern tertiary deposits

**Mirage.** An optical illusion arising from unequal refraction of the lower strata of the atmosphere and causing distant objects to be seen double as if reflected in a mirror, or to appear as if suspended in the air

**Mirror** A *speculum*, any polished substance that forms images by the reflection of the rays of light

**Mirror, Dentists** A large speculum for the examination of the teeth, a mouth glass.

**Miscar'riage.** The expulsion of the fetus between the fourth and the sixth month of pregnancy

**Miscee.** The name of an Indian dentifrice, said to color the teeth jet black without affecting the enamel, while it removes the tartar and hardens the gums. It is scarcely necessary to say that any chemical agent capable of decomposing salivary calculus will act upon the enamel of the teeth

**Miscogena'tion.** The mixture of races, often supposed to be a cause of degeneracy and of imperfections of the dental organs.

**Mistletoe.** A parasitical plant growing on trees, the *Vincum album*. The powder of the leaves has been used in epilepsy

**Mistura.** A mixture A fluid compound containing several ingredients.

**Mistura Aca'ma.** Gum Arabic mixture. Gum Arabic emulsion

**Mistura Ammonia'ci** (Ph U S, L) Ammoniac mixture. Composed of ammonia, 120 grains, water,  $\frac{1}{2}$  of a pint

**Mistura Amygdalæ** (U S) Almond mixture Almond emulsion Composed of sweet almond,  $\frac{1}{2}$  of an ounce powdered gum Arabic 60 grains, sugar 120 grains, water 8 fluid ounces

**Mistura Asafœtida** (Ph U S, L) Asafœtida mixture, 120 grains, to water,  $\frac{1}{2}$  of a pint

**Mistura Camphoræ** Camphor water

**Mistura Camphoræ cum Magnesia** Camphor with magnesia

**Mistura Cascari'la Composita** (Ph I) Compound mixture of cascarella

**Mistura Chloroformi** Chloroform mixture Composed of chloroform half in ounce camphor, sixty grains yolk of one egg water six fluid ounces

**Mistura Creasoti** (Ph E) Creasote mixture

**Mistura Cre'tæ** Chalk mixture Composed of prepared chalk,  $\frac{1}{2}$  of an ounce sugar powdered gum Arabic each 120 grains cinnamon water and water of each four ounces

**Mistura Ferri Aromat'ica** (Ph D) Aromatic mixture of iron

**Mistura Ferri Composita** (U S) Compound mixture of iron

**Mistura Gentianæ Composita** (Ph L) Compound mixture of gentian

**Mistura Glycyrrhizæ Composita** Compound mixture of liquorice Brown mixture

**Mistura Guaraci** (Ph I) Guaiacum mixture

**Mistura Hor'dei** (Ph E) Compound decoction of barley

**Mistura Mos'chi** (Ph L) Musk mixture

**Mistura Potas'sæ Citrat'is** Mixture of citrate of potash Neutral mixture

**Mistura Scammonu** (Ph E) Scammony mixture

**Mistura Spiritus Vin'i Gall'ici** (Ph L) Brandy mixture

**Mite.** A very small insect of the genus *Acarus*

**Mito'ma.** See CELL-BONY

**Mitra.** In Surgery, a bandage applied on the head

**Mitral Valve** (*valvula mitralis*) A valve at the opening of the left ventricle of the heart.

**Mixed Fever.** Synochus A mixture of the symptoms of inflammatory and typhus fevers

**Mix'ture.** Mixture

**Mm.** Abbreviation for millimetre

**Mmm.** Abbreviation for micromillimetre

**Mn** Symbol for manganese

**Mnemonic** (*μνημον*) Memory

**Mobility** (*mobilitas*, from *moveo*, to move) Capability of being moved, susceptibility of motion In *Physiology* great nervous susceptibility complicated with a convulsive tendency

**Mochlia** (from *μοχλος*, a lever) The reduction of a luxated bone

**Model** (*modulus*, from *modus* a measure, rule size, or bigness) A pattern of any form anything of a particular form shape, or construction A mould a form intended to give shape to castings A form made in imitation of real life An artificial form

**Model Antagonizing for Artificial Teeth**

A contrivance for obtaining an exact representation of the manner in which the jaws meet by which the dentist selects arranges, and antagonizes artificial teeth For the method of obtaining this see Harris' "Prin and Pract of Dentistry"

**Model Contour** The base plates of sets of artificial teeth so built up with wax as to outline the facial expression for arranging and antagonizing the teeth

**Model, Plaster** In *Mechanical Dentistry* a plaster cast obtained by pouring plaster batter into an impression of the mouth, either full or partial and used in metallic work to mould in sand for the purpose of obtaining a metallic die, in plastic work as a base on which to vulcanize or mould the base plate The expansion of the plaster can be overcome by mixing it with marble dust, and a smooth surface of the plaster cast be secured by first pouring into the impression sufficient plaster, unmixed with the marble dust, to cover the surface only For modes of making models see Harris' "Prin and Pract of Dentistry"

**Mod'eling Composition or Compound.**

An impression material composed of gum dammar, stearine, French chalk, with carmine as a coloring material and a perfume to render it pleasant.

**Modiolus.** A hollow cone in the cochlea

of the ear, forming a central pillar, round which the gyri of the cochlea pass.

**Mode Prescrip'to.** In the manner directed.

**Modus Operan'di.** Mode of operating. Mode of curing. The general principles upon which medicines act in morbid conditions of the body.

**Mogila'la** (from *μωγς*, with difficulty, and *λαλέω*, to speak). Impediment of speech or difficult articulation.

**Mola.** A molar tooth. The patella. Also a shapeless, fleshy mass in the uterus.

**Molar** (*molaris*; from *mola*, a millstone). That which bruises or grinds.

**Molar Glands.** The molar glands are small, round, racemose, or compound tubular glands, larger than the buccal glands, and are located between the buccinator and masseter muscles. They have separate ducts with orifices near the third molar or wisdom teeth.

**Molar Teeth** (*dentes molares*). Molares permanentes dentes; mylodontes; mylacti, gomphoi; grinders. The molar teeth occupy the posterior part of the alveolar arch, and are six to each jaw—three on either side. They are distinguished by their great size, the first and second being the largest, the grinding surfaces have the enamel thicker and are surmounted by four or five tubercles or cusps, with as many corresponding depressions, arranged in such a manner that the tubercles of the teeth of the upper jaw are adapted to the depressions of the lower, and vice versa.

The upper molars have three roots, sometimes four, and as many as five are occasionally seen; of these roots two are situated exteriorly, almost parallel with each other, and perpendicular; the third root forms an acute angle, and looks toward the roof of the mouth.

The lower molars have but two roots—the one anterior, the other posterior, they are nearly vertical and are parallel with each other and much flattened laterally. The roots of the first two superior molars correspond with the floor of the maxillary sinus, and sometimes protrude into this cavity, and their divergence secures them more firmly in their sockets.

The last molar, called the dens sapientie, or wisdom tooth, is both shorter and smaller than the others; the roots of the upper wisdom teeth are occasionally united so as to form but one, while the last molar of the

lower jaw is generally single and of a conical form.

The use of the molars, as their name signifies, is to triturate or grind the food.

**Mola'ras Den'tes.** Molar teeth.

**Molas'es.** Melasses. The uncrystallizable saccharine and other extractive matters which draw from unrefined sugar when cooling. Also called treacle.

**Mold'ine.** A compound used by Dr Melotte in his bridge-system for moulding and impression purposes, and which consists of potter's clay mixed with glycerin.

**Mole** (*mola*). A small brown spot or permanent protuberance on the surface of the body, also a fleshy substance of variable size and consistence, possessing a low degree of vitality, which forms in the uterus.

**Molec'ular.** Composed of or relating to molecules.

**Molecular Attrac'tion.** The power inherent in molecules of matter, which exerts itself at distances inappreciable or at the point of contact and inclines them to combine one with the other.

**Mol'ecule** (*molecula*). A minute particle of any body. Molecules are the smallest particles of which bodies are supposed to be composed or into which they can be divided. Microscopic particles.

**Molecule, Purkinjean.** The germinal vesicle in the acatricula of the egg.

**Molecules, Constit'uent.** Those of each element comprised in an integrant molecule of a compound.

**Molecules, In'tegrant.** The smallest particles into which it is conceivable to divide a simple or a compound body without resolving it into its elements.

**Moll'men.** An effort, a struggle, or an endeavor.

**Mol'isite.** A term applied in *Mineralogy* to the crystallized titanate of iron of Dauphiny.

**Mollit'ies** (from *mollis*, soft). Preternatural softness of a part; softness.

**Mollities Cer'ebr'i.** Softening of the brain.

**Mollities Os'sium.** Softening of the bones.

**Mollities Un'guum.** Softening of the nails.

**Mollus'ca.** Soft-bodied animals, destitute of articulations, but furnished with respiratory and circulating organs and a nervous system.

**Mollus'cana.** A disease of the skin, so called from its resemblance to certain mollusks.

eous animals, and consisting of numerous tubercles of various sizes and forms, containing sebaceous matter.

**Molyb'date.** A genus of salts resulting from a combination of the molybdic acid with salifiable bases.

**Molybde'num.** Molybdena. A silvery-white, brittle, and very fusible metal.

**Molyb'dic.** An acid obtained from molybdenum

**Molyb'do** (*molybda*) Lead. Reference to or connection with lead

**Momen'tum.** In *Physics*, impetus. The quantity of force of a moving body, which is proportioned to its velocity, multiplied into its weight or quantity of matter.

**Mon** (*monos*, from *monos*, one). A Greek prefix denoting *one* or *single*

**Monacid.** Of a salt or an alcohol, containing one atom of hydrogen replaceable by a base.

**Mon'ad** (*monas*, from *monos*, unity) The simplest kind of minute animalcule or rudimentary infusorial animals. Also an ultimate atom; an invisible thing. Also a univalent element or radicle, one which is capable of combining with or replacing a single atom of hydrogen

**Monas.** A monad.

**Monks'hood.** A plant of the genus *Aconitum*

**Monoba'sic** (*monos*, single, and *basys*, base) Having a single base. An acid capable of uniting with a single monad atom or radicle. Applied to certain chemical substances

**Monoblep'sis** (from *monos*, one, and *blepein*, sight). An affection in which vision is imperfect and confused when both eyes are used and good when only one is used

**Mono-chlor-ethane.** See ETHYL CHLORIDE.

**Monochromat'ic** (from *monos*, and *chroma*, color) Having but one color.

**Monochron'ic.** Existing at one and the same time. Applied to organic remains

**Monococ'cus.** A micrococcus, a coccus not double nor united in groups.

**Monocular** (from *monos*, one, and *loculus*, cell) Having one cell. A one-celled cystic tumor.

**Monogas'tric** (*monogastricus*; from *monos*, one, and *gastrop*, stomach) Having but one stomach.

**Monohydrated.** Combined with one molecule of water.

**Monohydric.** Containing one atom of replaceable hydrogen.

**Monoma'nia** (from *monos*, one, and *mania*, madness). Insanity upon one subject.

**Monom'yus** (*monos*, single, and *mys*, a muscle) Having but one muscle.

**Monopa'gia.** See HEMIGRANIA.

**Monop'athy** (from *monos*, one, and *pathos*, disorder). An affection in which but one organ or function is disordered. Monomania is a monopathic affection

**Monoplasmatic.** Having protoplasm composed of one substance only

**Monoplast.** One of the cells constituting a tissue

**Monoplas'tic** (*monoplasticus*, from *monos*, one, and *plasma*, to form). That which has one form or which does not change its form.

**Monot'omious** (*monos*, single, and *temno*, to cut) Minerals having a single cleavage face

**Monro's For'amen.** Foramen commune anterius. An opening under the arch of the furrow of the cerebrum, by which the lateral ventricles communicate with each other, with the third ventricle, and with the infundibulum

**Mons Ven'eris.** The projecting eminence covered with hair immediately over the os pubis in women.

**Mon'sel's Solution** (*ferrum subsulph. liq*) An aqueous solution of basic sulphate of iron, powerfully astringent, styptic, and hæmostatic. Used for the arrest of alveolar hæmorrhage. Rarely used internally. Dose, gr. ij to gr. x. For dental uses see Gorgas' "Dental Medicine."

**Mon'ster.** Monstrum. Any unnatural production; any organized being with parts unnaturally developed or having an extraordinary vice of conformation

**Montic'ulus.** A little mountain. The term monticuli has been applied in *Anatomy* to two small eminences on the anterior part of the thalami nervorum opticorum

**Mor'bid** (from *morbus*, a disease) Diseased or relating to disease.

**Morbid Anatomy.** The anatomy of diseased organs.

**Morbid Tem'perature.** The difference either above or below the natural temperature of the body, as ascertained by the thermometer placed in the axilla or under the tongue of a patient. The natural temperature is from 96° to 98° F.

**Morbific** (from *morbus*, a disease, and *facere*, to make) Causing disease.

**Morbific**. Menstrua.

**Morbosum Augmen'tum**. A morbid or diseased growth.

**Morbosus**. Morbose. Diseased.

**Morbus**. A disease.

**Mordacious**. Biting pungent.

**Mordant**. A substance employed to fix colors in dyeing.

**Mordicant** (*mordicans*) A disagreeable pungent heat.

**Mordices**. Teeth or fangs.

**Morgagni**, Humor of. A transparent humor between the crystalline lens and its capsule.

**Morgagni Sinuses** of. Three small dilations at the beginning of the aorta.

**Morbundus** (*morior* to die). Moribund. Dying ready to die. Dead.

**Morioplas'ty** (*morioplastic* from *moros* a part, and *πλασσω* forming) The restoration of lost parts.

**Moro** (from *morus* a mulberry). A small abscess resembling a mulberry.

**Moroxyl'ic Acid**. An acid combined with lime found in the bark of the white mulberry tree.

**Mor'phia** (from *Morpheus* the god of sleep). **Morphine**. The narcotic principle of opium, a vegetable alkaloid. It is in many cases preferable as an anodyne to opium because it is not so liable to constipate the bowels, produce headache, or other unpleasant effects. It is also less likely to be rejected by an irritable stomach. Dose gr  $\frac{1}{2}$  = gr  $\frac{1}{2}$  of opium. The acetate, sulphate and murate are the preparations of morphia in use, the salts being preferable to the alkaloid on account of their greater solubility. The acetate is the best form for use hypodermically. In *Dental Practice* the salts of morphia are used in the arsenical combinations to destroy dental pulps but the acetate is preferred for this purpose to either the sulphate or murate on account of its greater solubility and also being more effectual in relieving the pain caused by the arsenic even when it is combined with creosote, the acetate is also used for obtunding the sensibility of dentine and for odontalgia and the pain of pulpitis of any character. Morphine combined with oil of capcut is effective for the pain following tooth extraction.

**Mor'phine Ac'etas**. Acetate of morphia. Dose, gr  $\frac{1}{2}$  to gr  $\frac{3}{4}$ , endermically, gr as to gr

xx to the skin where the cuticle has been removed by a blister.

**Morphus Cl'tras**. Citrate of morphia.

**Morphus Hydrochlo'ras**. Hydrochlorate or murate of morphia. See **MORPHIN MURIAS**.

**Morphus Murias**. Murate of morphia. As a narcotic it is preferable to the acetate. Dose, gr  $\frac{1}{2}$ .

**Morphus Sul'phas**. Sulphate of morphia. Powerfully narcotic and sedative. Dose, gr  $\frac{1}{2}$  to gr  $\frac{3}{4}$ .

**Morphine** (*morphina*) Same as **MORPHIA** (which see).

**Mor'phinism**. A diseased state caused by the excessive and habitual use of morphine.

**Morphology** (from *μωρ*, form and *λογος* a discourse) Science of the form of organisms. In *Biology* a treatise on the metamorphosis of organs. In *Zoology* a treatise on the modifications of form which the same organ undergoes in different animals.

**Morphon**. An organism having a form that distinguishes it from its surroundings, cells, organs, individuals, assemblages of individuals united into one body.

**Morphosis** (*μορφη* to form). A morbid formation, organic disease.

**Morphotic**. Contributing to form or build up the substance of the tissues.

**Morrhua Oleum**. See **OLEUM MORRHUE**.

**Mors, Mortis**. Death, the cessation of life.

**Morsulus**. A little mouthful. Also a lozenge.

**Morsus** (from *mordeo* to bite or gnaw) A bite, sting or grasp.

**Mor'tal mortalis** (from *mors mortis* death) Subject to death.

**Mortality**. The quality of being mortal. The death rate.

**Mortality Bills of**. A register exhibiting the number of deaths in a given time.

**Mor'tar**. A hollow vessel of iron, glass, marble or Wedgwood ware for reducing solid substances to powder or for making certain mixtures.

**Mortariolum**. A small mortar. Also the socket of a tooth.

**Mortifica'tion** (*mortificatio*, from *mors*, death, and *facere* to become) The loss of vitality in any part of the body, but generally applied to soft tissues.

**Mor'ula**. In *Embryology*, the mass of cells derived from the cleavage and multiplication of the nucleus of the impregnated ovum.



**Moss'ic Gold.** Bisulphuret of tin.  
**Mosaic Silver.** Bismuth and tin melted together, with additions of quicksilver.

**Mosch.** Musk.

**Moscha'ta Nux.** See MYRISTICA MOSCHATA.

**Moscha'tus.** Musky.

**Moschus.** Musk. It is stimulant and antispasmodic. Dose, gr x.

**Moschus Moschiferus.** The animal from which musk is obtained.

**Moss.** The species of Musci which grows on old wood, trees, damp ground, walls, etc  
**Moos, Carrageen'** Chondrus crispus Irish moss.

**Moss, Pec'toral.** See LICHEN PULMONARIA.

**Moss, Sea.** See FUCUS HELMINTHOCOTTON.

**Moth'er.** Mater. Also a term applied to many chemical preparations and plants.

**Mother of Pearl.** The silvery, brilliant internal layer of shells, particularly those which produce the pearl.

**Mother of Thyme.** The common name of *Thymus serpyllum*.

**Moth'er's Mark.** Nævus maternus.

**Mother-water.** Saline solutions from which crystals have been deposited.

**Mo'tor** (from *moveo* to move) A mover, applied to muscles and nerves.

**Motor Nerves.** Nerves upon which voluntary motion depends.

**Motor Oculo'rum.** The third pair of nerves are so called because they influence or move the muscles of the eye.

**Mot'ory.** Motor. That which induces movement. Applied to nerves which convey the peculiar stimulus which excites motion to the muscles.

**Motes.** Lint.

**Mo'tus.** Motion.

**Mould'ering.** A process of fermentation going on in the organic matter of clays which renders them more suitable for the purposes of the manufacturer of porcelain. Sometimes extraneous organic matter is mingled with the clay to produce this effect.

**Mould'ing Flask.** A square or round box, open above and below, for holding the sand in which impressions are made for metallic castings; used in *Mechanical Dentistry* for obtaining castings or dies for swaging plates for the mouth.

**Moulding Flask, Hawes', Clark's, etc.** Flasks invented by Drs. E. G. Hawes, of New York, F. Y. Clark, of Georgia, and E. N.

Bailey, for obtaining castings from plaster models, which, on account of irregularity of the teeth or projection of the alveolar border, can not be drawn from a simple impression in sand.

**Moun'tain Cork.** An elastic variety of asbestos.

**Mount'ing.** The act of preparing anything for use.

**Mounting Artificial Teeth on Metallic and other Bases.** The attachment of artificial teeth to a metallic, rubber, or osseous base. See HARRIS "Prin and Pract of Dentistry." See CEILLOTID.

**Mouth.** Os, cavum oris, stoma. The superior terminus of the alimentary canal, in which mastication takes place. An oval aperture, situated in the lower and anterior part of the face between the jaws, bounded above by the palatine processes of the superior maxillary and palate bones, below by the tongue and mylo-hyoid muscles, laterally by the cheeks, anteriorly by the lips, and posteriorly by the soft palate and fauces. When the jaws are closed the mouth is paraboloid in shape, opening behind and below, the inferior opening being closed by the tongue and mylo hyoid muscle. It contains the dental apparatus and is a complicated piece of mechanism, forms an essential part of the human frame, has the widest possible range of sympathy, contains a great variety of organs, and performs an equally great variety of functions. It also contains the organ of taste and is concerned in the four primary stages of digestion,—prehension, mastication insalivation, and deglutition,—besides being engaged in the intellectual acts of speech and expression. The roof of the mouth is formed by the hard palate. It is composed of two superior maxillary and palate bones, and its surface is perforated by a large number of small foramina for the transmission of nutrient vessels to the body of the bone, and also pitted for the reception of the mucous glands, and contains grooves, running longitudinally, for the accommodation of vessels. The circumference of the floor of the mouth is formed by the mylo'hyoid ridge, which gives attachment to the muscles of the same name, and which, with the base of the tongue, forms the floor of the mouth proper.

The alveolar processes and teeth of both jaws form the anterior and two lateral walls of the mouth. The mouth, known as the "oral cavity," opens posteriorly into the pharyngeal



space. The term *mouth* is also applied to the open extremities of vessels.

**Mouth Protector.** An appliance used to protect the lips and cheeks in using the disks with the dental engine.

**Mouth, Sore.** Aphthæ.

**Mouth Wash.** A gargle; any liquid preparation for the mouth and fauces. The following is valuable for its astringent and agreeable aromatic properties *R.* Pulverized extract rhatania, pulverized catechu, aa  $\text{℥ss}$ ; pulverized orris root, pulverized cinnamon, aa  $\text{℥j}$ ; subborate soda  $\text{℥ss}$ ; alcohol,  $\text{℥viij}$  water.  $\text{℥xij}$ ; oil of gaultheria,  $\text{℥ss}$ , honey or white sugar,  $\text{℥iv}$  Mix, digest for eight days, and filter.

Another preparation of the late Prof. C. A. Harris, and known as Harris' gum wash, is composed of. South American soap bark,  $\text{℥viij}$ . pyrethrum, orris root, benzoic acid, cinnamon, aa  $\text{℥j}$ . tannic acid,  $\text{℥iv}$ , borax,  $\text{℥iv}$ , oil of gaultheria,  $\text{℥ij}$  oil of peppermint,  $\text{℥iv}$ , cochineal,  $\text{℥ij}$ , white sugar,  $\text{lbj}$ , alcohol, pints  $\text{ij}$ , pure water, pints  $\text{v}$ . Mix, digest for six days, and filter.

**Mouth-breathing.** Cause of. Enlarged tonsils, and in connection with these, in congenital cases, a deep, narrow arch with prominent incisors.

**Mouth-glass.** Mouth-mirror. A small, oval or round mirror, fixed in a wood, ivory, pearl, or metallic frame, with a handle from three to six inches in length, employed by dentists in the examination of the teeth. The diameter of a mouth-glass or mirror should not exceed  $\frac{3}{4}$  of an inch. Mouth-mirrors with magnifying glasses to enlarge the image reflected are extensively used, and advantage is derived from the concave glass, owing to the greater condensation of the rays of light, for illuminating purposes, although the plane mirror more clearly defines the image than the concave one.

**Mox'a.** A Chinese term employed to designate a cone or cylinder of prepared cotton or other combustible substance employed in a state of combustion to cauterize the skin to produce an eschar, with a view to causing revulsion.

**Moxibustion.** The cauterization of the skin by means of moxa.

**Moxospky'ra.** An iron hammer plunged into boiling water for one or two minutes and the face of it now and then applied to the skin as counter-irritant or rubefacient.

**Mucedin.** An amorphous, nitrogenous substance, insoluble in water, forming one of the constituents of gluten.

**Mu'cic Acid.** An acid obtained from the sugar of milk or gum by the action of nitric acid. It is the same as saccholactic acid.

**Mucigen.** A substance generating mucus; the substance contained in the epithelial cells, which is transformed into mucus.

**Mu'cilage (mucilage).** A watery solution of gum or a substance closely allied to it.

**Mucilag'ineous.** Of the nature of or abounding in mucilage.

**Mucilaginous Extracts.** Extracts which readily dissolve in water, but scarcely at all in alcohol, and undergo spirituous fermentation.

**Mucila'go.** Mucilage

**Mucilago Aca'cie.** Mucilage of gum Arabic.

**Mucilago Am'ylli.** Mucilage of starch.

**Mucilago Gum'mi Arab'ici.** Mucilage of gum Arabic

**Mucilago Tragacan'the.** Mucilage of tragacanth

**Mucilago Ul'mi.** Mucilage of slippery elm.

**Mu'cin, Mucine.** An albuminoid tissue. The characteristic principle of mucus, obtained as a finely granular precipitate by adding water to any clear mucous secretion. Found also in saliva, bile, mucous tissue, synovia, etc. When decomposed it yields leucine and tyrosine.

**Mucinogen.** See MUCIGEN.

**Mucip'arous.** An epithet applied in Anatomy to the follicles of mucous membrane; mucus producing.

**Mucit'is.** Inflammation of mucous membranes.

**Mucose'le.** Fistula lachrymalis

**Muco-enteri'tis.** Enteritis

**Mucoid (mucus, and mucus, a form)** Resembling mucus.

**Mucopurulent.** Mingled mucus and pus.

**Mu'cosin.** An albuminoid substance derived from mucus, the tenacious kind of mucus.

**Mucos'ity (mucositas)** Fluids containing or of the nature of mucus.

**Mu'cous.** A name applied to parts which contain or secrete mucus, as mucous glands, mucous membrane, etc. Also of the nature of mucus; also one of the tissues of the body.

**Mucous Glands.** Glands that secrete mucus.

**Mucous Membrane.** The membranes that line the canals, cavities, and hollow organs which communicate externally; so called from

the mucous fluid which they secrete and with which they are lubricated. The mucous membrane of the body is divided into two great systems—the genito-urinary and the gastro-pneumonic. The genito-urinary commences at the kidneys, lines the urinary passages, passes through the ureters, bladder, and urethra, and also the sexual organs. The gastro-pneumonic lines the alimentary canal and all ducts and glands connected with it, invests the air passages, and passes from the nasal chamber through the Eustachian tube to the ear through the lachrymal ducts to the eyes and lachrymal glands. Its construction is similar to that of the skin and it is divided into two layers, epithelium and corium, separated by a basement membrane. See EPITHELIUM.

**Mucous Membrane of the Mouth.** The whole interior cavity of the mouth, palate, pharynx, and lips is covered by mucous membrane, forming folds or duplicatures at different points, called *fræna* or *bridles*. Beginning at the margin of the lower lip, this membrane can be traced lining its posterior surface, and thence it is reflected on the anterior surface of the lower jaw, where it forms a fold opposite the symphysis of the chin and the *frenum* of the lower lip; it is now traced to the alveolar ridge, covering it in front and passing over its posterior surface, where it enters the month. Here it is reflected from the posterior symphysis of the lower jaw to the under surface of the tongue, where it forms a fold or bridle, called the *frenum lingue*. It now spreads over the tongue, covering its dorsum and sides to the root, whence it is reflected to the epiglottis, forming another fold, from this point it can be followed, entering the glottis and lining the larynx, trachea, etc.

In the same way, commencing at the upper lip, it is reflected to the upper jaw, and at the upper central incisors forming a fold—the *frenum* of the upper lip; from this it passes over the alveolar ridge to the roof of the mouth, which it completely covers, and extends as far back as the posterior edge of the palate bones; from this it is reflected downward over the soft palate, or, more strictly speaking, the soft palate is formed by the duplicature of this membrane at this point, between the folds of which are placed the muscles of the palate, described in another place.

From the palate it is traced upward and continuous with the membrane lining the pharynx, œsophagus, stomach, and intestinal canal.

The mucous membrane, after entering the nostrils and lining the roof, floor, septum nasi, and turbinated bones, enters the maxillary sinus between the middle and lower spongy bones, and lines the whole of this great and important cavity of the superior maxilla.

Many mucous glands or follicles, elsewhere enumerated, are scattered over the whole of this membrane, and furnish the mouth with its mucus.

The surface of mucous membrane is soft and yielding, and is covered by a thick, tenacious, transparent fluid,—the mucus,—which is secreted by numerous small glands, and protects the membrane from injury by any deleterious matter in the foods. The oral mucous membrane and the skin are similar products of the external layer of the blastoderm.

As this membrane passes over the superior surface of the alveolar ridge of both jaws its texture becomes changed, and it receives the name of gums.

**Mucous Membrane, Oral, Affections of.** There are several forms of inflammation affecting the oral mucous membrane—viz, catarrhal, croupous or diphtheritic, ulcerative, and gangrenous which are subdivided into stomatitis from aphthæ and thrush, acute and chronic catarrhal stomatitis, syphilitic stomatitis in the form of ulcers resulting from secondary or constitutional syphilis, and gangrenous stomatitis, or *cancrem oris*.

**Mucous Patch.** *Mucous papule.* A syphilitic condyloma; a large, flat, moist papule, located on the mucous surface, especially near its junction with the skin, and on the skin itself where there is much moisture.

**Mucous Polypus.** Any soft, gelatinous polypoid growth.

**Mucous Tissue.** Connective tissue consisting of stellate, oval, or spindle-shaped cells which are often connected by elongated processes imbedded in a matrix containing mucus.

**Mucronata Cartilago.** The ensiform cartilage of the sternum.

**Mucronate.** Sharp-pointed.

**Mucuna Pruriens.** Cowhage. Vermifuge. Dose, mixed with molasses, a teaspoonful to a tablespoonful every morning for three days, followed by a cathartic.

**Mucus** (from *μύς*, the mucus of the

nose). A clear, colorless, exceedingly viscid fluid secreted by the salivary glands, and lubricating the surface of the living membranes of the mouth, nose, trachea, etc. Its composition is water, 965.52, animal matter, 33.57, with a small proportion of fat, chlorides, phosphates, sulphates, and carbonates of soda and potassa. Its function is a physical one—the lubrication of the membranes on which it is found. The late Prof. H. B. Noel thought that the viscid mucus above referred to is an abnormal secretion—a step short of pus in the degradation of white blood corpuscles, and deemed it probable that the mucous membrane in its normal condition is lubricated simply by water.

**Mucous, Vegetable Gum.**

**Mud'arin or Mad'arin.** Active principle of the modar. It coagulates by heat and becomes fluid again on exposure to cold.

**Mu'fle.** An arched vessel of earthenware with a flat bottom, in which substances may be exposed to an intense heat in a furnace without coming in contact with the fuel.

**PORECLAIN TLETH**

**Muguet.** Aphthae or thrush.

**Mug'-wort.** A plant of the genus *Achillea*.

**Mu'les.** Pustules contracted by heat or cold.

**Mu'berry Cal'culus.** A species of urinary calculus consisting almost entirely of oxalate of lime so named from its tuberculated surface.

**Mu'sum.** A drink made of water, wine, and honey.

**Multan'gular (multangularis).** Having many angles or corners.

**Mu'ti-.** A Latin prefix signifying many.

**Multicell'ular.** Composed of or containing many cells.

**Multicuspidat'i.** The molar teeth are so called from the number of cusps or protuberances they have upon their grinding surfaces.

**Multident'ate (from multus, and dens, a tooth).** A term applied in *Zoology* to parts armed with many teeth or to tooth-like processes.

**Multif'idus.** Many cleft, divided into many parts.

**Multifidus Spr'ae.** The transversalis dorsi.

**Multiloc'ular (multilocularis from multus, many, and loculus, a cell).** Having many cells or small cavities.

**Multinuclear.** Containing many nuclei.

**Multif'erous.** One that brings forth many young at a time.

**Mu'tiple Neur'itis.** A disease where many nerves are inflamed at the same time.

**Multipolar.** Containing many poles or processes.

**Multipolar Nerve-cell.** A nerve-cell containing many processes.

**Mummification.** Conversion into a dead, dry mass, dry gangrene.

**Mum'mified Pulp.** A condition of the dental pulp when it is affected by dry gangrene. Such pulps require no attention on the part of the dentist as they are never a source of irritation.

**Mumps.** Cynanche parotidea.

**Mundica'tivus (mundificans, from munda, to cleanse.)** Having the power to cleanse or purify.

**Mu'ral (muralis from murus a wall).** Belonging or appertaining to a wall.

**Murax ape.** A product of decomposed uric acid.

**Mur'chisonite.** A variety of feldspar composed of silica, alumina, and potash.

**Murex'ia.** Purpurate of ammonia.

**Mu'ria.** Brine salt water.

**Murias.** A muriate or chloride.

**Murias Ammoniae.** Muriate of ammonia.

**Murias Ferri.** Muriate of iron.

**Murias Potassae.** Muriate of potash.

**Murias Sodae.** Muriate of soda, or common salt.

**Mu'riate.** A term formerly applied to chlorides.

**Muriat'ic muraticus (from muria, brine).** Pertaining to sea salt.

**Muriatic Acid.** Hydrochloric acid. It is nearly colorless when pure but usually of a pale yellow. The odor is suffocating. A tonic, refrigerant and an antiseptic. Dose, grt. x to grt. xx, diluted.

**Muriatic Acid, Diluted (Ph. U. S.)** Acidum muriaticum dilutum. Four troy ounces of muriatic acid to a pint of distilled water.

**Muriatic Acid, Oxygenated Chlorine.**

**Muriatic Ether.** Hydrochloric ether.

**Muriatit'erous.** Bodies containing chlorine or a compound of chlorine.

**Mu'ride (from muria, brine).** A term formerly applied to bromine.

**Murmur, Respiratory.** The noise occasioned by inspiration and expiration.

**Mus'cus Vellus'us.** A defect of sight.

characterized by the appearance of motes or small bodies floating before the eyes

**Mus/cle** (*musculus*, diminutive of *mus*, a mouse, from its supposed resemblance to a flayed mouse). A reddish, vascular, and highly contractile organ. It is through the agency of the muscles that the various movements of the body are performed. Muscles are called *voluntary* or *involuntary* according as they are or are not under the influence of the will. The origin, insertion, and use of all the muscles of the body are generally given under their respective names.

**Muscles of Mastication.** The masseter temporal, internal pterygoid and external pterygoid are the principal ones.

**Mus/cold** (*muscus* moss). Resembling moss.

**Mus/cular** (*muscularis* from *musculus*, a muscle). Pertaining or relating to the muscles.

**Muscular Arteries.** Arteries that are distributed to the muscles.

**Muscular Fibres.** The flesh fibres which form the body of a muscle.

**Muscular Motion** (*motio muscularis*). The motion caused by the contraction of muscles of three kinds—voluntary, involuntary, and mixed.

**Muscular Nerve.** The fourth pair is so called.

**Muscular System.** A term applied to the aggregate of the muscles of the body.

**Muscular Texture or Tissue.** The substance of muscle, composed of fibres collected into distinct and separate masses. All the active movements of the body are produced by means of this tissue which is commonly known as "flesh," and is distributed over the entire framework of the body and in the coats of the blood vessels and the viscera.

**Muscular Veins.** These veins bring back the blood carried to the muscles by the muscular arteries.

**Musculature.** The muscular system, muscular working or contraction.

**Mus/culi Pectinati.** Perforated muscles. The muscular fasciculi within the auricles of the heart, resembling the teeth of a comb.

**Mus/culine.** The semi solid albuminoid of which is made up the principal part of the contractile fibres of muscle.

**Mus/culo-cutaneous.** Appertaining to the muscles and skin.

**Musculo-cutaneous Nerve.** The external cutaneous nerve given off by the brachial

plexus and a branch furnished by the popliteal nerve are each so called.

**Musculo-rachidian.** Relating to a muscle and the spine. Applied also to the posterior branches of the intercostal, lumbar, and sacral arteries.

**Musculo-spiral.** The radial nerve.

**Mus/culus.** A muscle.

**Musculus Acclivus.** Obliquus internus abdominis.

**Musculus Auxiliarius.** Pyramidalis abdominis.

**Musculus Cutaneous.** Platysma myoides.

**Musculus Eustachii.** Tensor tympani.

**Musculus Fasciæ Latæ.** Tensor vaginæ femoris.

**Musculus Patientiæ.** Levator scapulae.

**Musculus Pencilatus.** Levator labii inferioris.

**Musculus Stapedius.** The stapedius muscle.

**Musculus Testicon'dus.** Musculus testis Cremaster.

**Musculus Tubæ Novæ.** Circumflexus palati.

**Mus/cus** from *μικρός* (small or tender). A moss, a cryptogamic plant particularly of the lichen species, *fungus*.

**Musicomania** (*musicomania* from *music* and *mania*). Passion for music carried to such an excess as to derange the faculties of the mind upon that subject.

**Musk.** Moschus. A peculiar concrete substance having a strong penetrating and powerfully diffusive odor obtained from the Moschus moschiferus or musk deer. Stimulant and spasmodic and diaphoretic. Dose gr. v to ℥j, in bolus.

**Musssation** (*musssatio*). A movement of the lips and tongue without producing audible sounds, an unfavorable sign in disease.

**Mustard.** A plant of the genus *Sinapis*. The seeds of white and black mustard. It contains a ferment myrosin, and a crystalline substance that forms a volatile oil of allyl sulphocyanide. Locally mustard is a powerful rubefacient internally a stomachic stimulant. Used locally in the form of "mustard plaster," and internally as an emetic and stomachic stimulant.

**Mutilation** (*mutilatio*, from *mutilus*, broken). Loss of a limb or other exterior organ or portion of the body.

**Mu'titas** (from *mutus*, dumb). Dumbness, inability to articulate sounds.

**Mutitas Surdorum.** The speechlessness of deaf persons.

**Myal'gia** (*μῦς*, muscle, and *ἀλγος*, pain). Pain in a muscle.

**Myastheni'a** (from *μῦς*, a muscle, and *ασθένεια*, debility) Muscular debility.

**My'cea**. Fungus.

**Mycoder'ma** (*mycodermatis*; *μύκας*, mucus, and *δέρμα*, skin) The mucous membrane, also a genus of fungi

**Mycodermatitis**. Inflammation of a mucous membrane

**Mycobæmia**. The condition in which fungi or other low organisms are present in the blood

**Mycoides** (*μύκης*, fungus) Resembling a fungus, fungoid

**Mycoprotein**. A proteid substance obtained from the bacteria of putrefaction

**Myco'sis**. A mucous polypus Also a fungous fleshy tumor

**Mycte'res**. The nares.

**Mycteropho'nia** (from *μύκτηρ*, the nose, and *φωνή*, the voice) Nasal voice

**Mydaleine**. A ptomaine derived from putrefying viscera

**My'don**. Fungous flesh in a fistulous ulcer

**Mydri'asis**. Morbid dilatation of the pupil of the eye Diseased conditions of the teeth may be an exciting cause of this affection

**Myelau'x'e**. Morbid increase of spinal marrow

**My'eline** (*μυελος*, marrow) The medullary matter in the space between the axis-cylinder and sheath of the nerve-fibres

**Myelitis** (from *μυελος*, marrow and *ιτις*, signifying inflammation) Inflammation of the spinal marrow or its membranes

**My'eloid** (*μυελος*, marrow) Resembling marrow

**Myel'oma** (*myelomatis*) Medullary tumor a tumor of a brain-like substance

**Myelomala'cia**. Softening of the spinal marrow.

**Myelou**. The spinal cord

**My'litis** (*myositis*) Inflammation of a muscle, acute rheumatism

**Myis'cri**. The molar teeth.

**Myis'cris**. The patella.

**My'e**. The patella Also a mole in the uterus The knee-pan.

**My'lous**. Molar

**Mylo-** (from *μύλος*, a mill). Terms compounded with this word are applied to muscles attached near the molar teeth.

**Mylo'dus** (*mylodontis*). A molar tooth.

**Mylo-glossus** (from *μύλος*, the jaw, and *γλῶσσα*, the tongue). Some fibres of the constrictor pharyngis superior have been so called

**Mylo-hyoid'e-us**. A thin, flat muscle, forming the floor of the mouth. It arises from the mylo-hyoid ridge on the posterior surface of the lower jaw and is inserted into the body of the os hyoideæ.

**Mylo-pharyn'geus**. The constrictor pharyngis superior

**My'oblast** (from *μῦς*, muscle, and *βλαστος*, a cell). Embryonic cells which develop into muscular tissue

**Myoceph'alon** (from *μύς*, a fly, and *κεφαλή*, the head) A small prolapsus of the iris, incipient staphyloma

**Myocell'itis** (from *μῦς*, muscle, *κοιλία*, lower belly, and *ιτις*, signifying inflammation) Inflammation of the muscles of the abdomen.

**Myodesop'sia** (from *μύς*, a fly, *εἶδος*, likeness, and *οὐς*, sight). The imaginary appearance of motes seeming to float before the eyes, technically termed *musce volitantes*

**Myodyn'mia** (*μῦς*, muscle, and *δύναμις*, power) The force or power of a muscle.

**Myodyn'ia** (from *μῦς*, muscle, and *ὀδυνή*, pain) Pain in the muscles

**Myogas'tric**. Pertaining to the belly of a muscle

**Myograph'ion**. An instrument invented by Bore Reynold to register the contraction of a muscle and the time intervening between that and the primary excitation of the nerve upon which the contraction depends

**Myog'raphy** (*myographia*, from *μῦς*, muscle, and *γράφω*, to describe) A description of the muscles

**My'oid** (*myoides*, from *μῦς*, a muscle, and *εἶδος*, likeness) Like a muscle; a term applied in *anatomy* to the platysma myoideæ muscle

**Myolem'ma** (*mylima*, from *μύς*, muscle, and *λεῖμα*, a coat) The membranous covering of each muscular fibre, the sarcolemma

**My'oline** (*μῦς*, muscle). Substance or tissue composing the muscles.

**Myol'ogy** (*myologia*; from *μύς*, muscle, and *λογία*, a discourse) A treatise on the muscles.

**Myo'ma** (from *μῦς*, muscle) A muscular tumor; also small reddish tumors on the skin.

**Myon** (*μύς*). Muscle.

**Myopathi'a.** Severe muscular pains about the womb.

**Myo'pia** (from *μω*, to contract, and *ωψ*, the eye). Near-sightedness.

**Myope.** One affected with myopia.

**Myosarcoma.** A tumor having the characters of a myoma and a sarcoma.

**Myosin.** A proteid of the globulin class, the chief proteid of muscle.

**Myo'sis.** A permanent contraction of the pupil of the eye.

**Myositis.** Inflammation of a muscle.

**Myot'omy** (*myotomia*, from *μῦς*, a muscle, and *τομή*, to cut) The anatomy of the muscles.

**Myot'onus** (from *μῦς*, and *τονός*, stretching). Muscular tone, quality, or tension.

**Myrt'ca.** A genus of plants of the order Amentaceæ.

**Myrica Cerif'era.** The wax-myrtle, or bayberry, the berries of which yield a green wax.

**Myricin.** A precipitate from a tincture of the rootbark of *Myrica cerifera*. It is astringent, stimulant, and antispasmodic.

**Myrioli'tre.** A French measure equal to 2200 gallons, 7 pints, 13 ounces, 4 drachms, and 48 minims.

**Myriome'tre.** A French measure equal to 6 miles, 1 furlong, 136 yards, and 6 inches.

**Myrist'ic Acid.** An acid obtained from the solid portion of the butter of nutmegs.

**Myrist'ica.** A genus of plants of the order Myristicaceæ.

**Myristica Moscha'ta.** *Myristica aromatica*;

*Myristica officinalis*. The tree which produces the nutmeg and mace.

**Myrme'cium.** A very painful, deeply rooted, soft wart with a broad base, seated on the palms of the hands and soles of the feet.

**My'ron.** An ointment.

**Myron'ic Acid.** A bitter acid of black mustard.

**Myrospor'mum.** *Myroxylon*.

**Myrrh.** See MYRRHA.

**Myrr'ha.** *Myrrh*. The concrete resinous juice of *Balsamodendron myrrha*. It is of a reddish-yellow or reddish brown color, of a peculiar odor, and bitter taste. It is antiseptic, expectorant, stimulant, tonic, and emmenagogue. Dose, gr x to gr xx.

The tincture of myrrh is a valuable application in the treatment of diseases of the mucous

membrane of the mouth and guma. It is employed in *Dental Practice* in treating inflamed spongy guma, ulceration of mouth and throat, mercurial stomatitis, foul and indolent ulcers, aphthous sore mouth of children, and after the extraction of teeth. In its preparation only the rounded semi-transparent tears, that have a reddish-yellow color and a decided fragrant odor, should be selected. To prepare the tincture two ounces of myrrh may be added to one pint of pure alcohol, and allowed to stand for two weeks, frequently agitating it during the time. See GORGA, "Dental Medicine."

**Myrsinele'um.** The oil of myrtle.

**Myrt'ca.** The myrtle tribe of dicotyledonous plants.

**Myrt'iform** (*myrtiformis*, from *myrtus*, a myrtle, and *forma*, shape). Having the figure of a leaf of myrtle. Caruncle which remain after the laceration of the hymen.

**Myrtiform Fossa.** A shallow depression or pit between the edges of the pyriform aperture above and the cavities of the front teeth below.

**Myrtol.** Rectified myrtle oil. Disinfectant and antiseptic.

**Myrt'on.** The clitoris.

**Myrt'us.** Myrtle. Also a genus of plants of the order Myrtaceæ.

**Myrtus Caryophylla'ta.** The tree which affords the clove bark.

**Myrtus Commu'nis.** The common myrtle.

**Myrtus Pimen'ta.** The tree which bears the Jamaica pepper, or allspice.

**Mystax.** Mustache. Also the upper lip.

**Myx'a.** Mucus.

**Myxocol'ica.** A mucous or pituitous colic.

**Myxo-fibroma.** A tumor having the characteristics of a myxoma and a fibroma.

**Myxo-lipoma.** A tumor having the characteristics of a myxoma and a lipoma.

**Myxo'ma.** Tumors which contain mucus in their intercellular substance and which are composed of oval or stellate connective-tissue cells and numerous capillaries imbedded in a soft, gelatinous matrix containing much mucin.

**Myxosarco'ma.** A tumor of a fleshy and mucous consistence, composed of myxoma and sarcoma.

**Myx'ter.** *Myxoter*. The nose.

**Myddrocys'tis.** A hydatid in the flesh.

**Myze'sis.** Sucking.

## N.

**N.** Symbol for nitrogen. In prescriptions, a contraction of *numeri*, in number, also of *nocte*, at night.

**Na.** Symbol for sodium (*natrum*)

**Naboth's Glands.** Nabothi glandulae, Nabothi ovula, Nabothi vesiculae. The small mucous follicles situated in the inner surface of the cervix uteri.

**Nac'reus.** Resembling nacre or mother of pearl. Pertaining to mother of pearl.

**Na'cite.** A mineral of a pearly lustre, found in crystallized granite. It is a silicate of alumina and potassa.

**Nac'ta.** An abscess of the breast.

**Nac'vus.** *Nevus maternus* mother's mark. A mark or spot on the skin of children when born, presenting a variety of appearances. It is due to the dilatation of the blood vessels near the surface of the skin or within its texture.

**Nail** (*unguis*). The thin whitish transparent, horny lamina situated at the extremities of the fingers and toes. They are divided into a root body, and free extremities.

**Nanus.** A dwarf.

**Nape of the Neck** *Nucha*. The back part of the neck.

**Naphin Flores.** Orange flowers.

**Naph'tha.** Acetone. A bituminous liquid, only liquid of a yellowish color and a smell somewhat resembling that of oil of turpentine. It is said to possess sedative and anesthetic properties. It resembles petroleum and has been used chiefly as an external application and in inhalation in phthisis pulmonalis.

**Naph'tha Vitrioli.** *Aether sulphuricus*.

**Naphthal'amide.** A compound produced by the distillation of naphthalate of ammonia.

**Naph'thalene.** *Naphthalin* *naphthalina*. Formula,  $C_{10}H_8$ . When coal tar is subjected to distillation, naphthalene passes over after coal naphtha. It is a white, shining, concrete, crystalline substance, fusible at  $176^\circ$  and boiling at  $422^\circ$ . It has been used as an expectorant in doses of 8 to 30 grains in emulsion or syrup, and repeated. It is also used as an anesthetic and in the form of an ointment for skin diseases. It is a germicide and antiseptic, and internally a stimulant. It is

applied to indolent ulcers, pus cavities, and open wounds.

**Naphthal'ic Acid.** A crystalline substance obtained from naphthaline.

**Naphthal'idin.** A new base produced by the action of reducing agents on naphthalene.

**Naph'thalol.** See **BETOL**.

**Naphthol, Naphtol.** Formula,  $C_{10}H_7HO$ . An alcohol derived from naphthalene. Two forms exist known as  $\alpha$  and  $\beta$  naphthol, the latter being the one now employed, as it is less irritating and less injurious than the  $\alpha$  form.  $\beta$  naphthol is in the form of light brownish crystals soluble in hot water and possesses antiseptic properties for general local use. In *Dental Practice* it is employed as an antiseptic and germicide.

**Naphtho'lum** or **Naph'thol.**  $\beta$  naphthol. A product of coal tar  $C_{10}H_7SO_3$ . It is a strong disinfectant and is prepared by treating naphthalene with sulphuric acid.

**Nap'iform** (*napus* = turnip). One of the textures of cancer.

**Na'prum.** Dock crosses.

**Napkin-holder.** An instrument used by dentists for holding a napkin in position within the mouth while a filling is being inserted in a tooth.

**Naples Yellow.** A yellow pigment prepared by calcining lead with antimony and potash. It is used in oil painting and as an enamel color.

**Nap'olite.** A blue mineral found at Vesuvius.

**Nar'ceine** (*narcium* from *narkn*, stupor). An alkaloid obtained from opium in the form of a white crystalline solid. Dose of the hydrochlorate of narceine gr  $\frac{1}{4}$  to  $\frac{1}{2}$ .

**Nar'codes** (*narkn*, stupor). Having or causing stupor, narcosis or narcosis.

**Nar'coma.** Stupor, or the state of being under the influence of narcotic medicine.

**Narcose** (from *narkn*, to benumb). The stupor and depression produced by the sedative effects of a narcotic, also the state of insensibility to pain following the inhalation of an anesthetic agent.

**Narcot'ic** (*narcotikus*, from *narkn*, to stupor). A medicine which has the property of



stupefying or diminishing the energy of the nervous system, as opium, stramonium, etc.

**Narcot/ico-acrid.** Acronarcotico. A term applied in *Materia Medica* to substances which possess a combination of acrid and narcotic properties, as aconite, belladonna, strychnia, etc.

**Narco/tine.** Narcotina. A vegetable alkali, discovered by Berzoni in opium, and combined with morphia. It possesses the stupefying properties of opium, and is an active principle of opium.

**Nar/cotism.** Narcois (which see)

**Nar/cotized.** In a state of narcotism

**Na'ras** (*angular, sarns*) The nostrils

**Nares, Posterior.** Two large openings at the upper and anterior part of the pharynx, and terminations of the nasal cavities posteriorly

**Narthex Asafoet/ida.** *Ferula asafoetida*  
See ASAFOETIDA.

**Na'sal** (*nasalis*, from *nasus*, the nose) Relating to the nose

**Nasal Artery** A branch of the ophthalmic artery which passes by the root of the nose and anastomoses with the last branch of the facial artery. The sphenopalatine artery has also received this name

**Nasal Bones** (*ossa nasi*) The two bones of the nose.

**Nasal Catarrh.** Coryza A cold in the head A catarrh of the nasal mucous membrane and of adjacent sinuses Chronic catarrhal conditions in childhood are invariably associated with malnutrition of the teeth, a lack of development being apparent in the bone, tooth, lymphatic, and nerve tissues.

**Nasal Duct.** A duct extending from the lacrymal sac and opening into the inferior meatus of the nose

**Nasal For/ae** The two cavities of the nose.

**Nasal Nerve.** A branch of the ophthalmic nerve, which passes forward, crosses the optic nerve, and enters the anterior ethmoidal foramen, traversing the ethmoid bone to the cribriform plate; then passing down by the side of the crista galli into the nose, where it divides into two branches—an internal and an external.

**Nasal Spines.** The superior occupies the centre of the nasal notch of the os frontis, the inferior is situated at the inferior part of the nasal fossa, and the posterior is formed by the union of the two palate bones, and is

situated at the posterior part of the palatine arch.

**Nasa'lis La'b'il Superio'ris.** The orbitalis cris.

**Nasar/inum.** Mucus of the nose.

**Nas'cent** (from *nascor*, to be born). The act of being developed In *Chemistry*, the act of being produced or evolved, as a gas.

**Na'si Os'sa.** The two bones of the nose.

**Nasmyth's Membrane.** See CUTICULA DENTIS and ENAMEL, CUTICLE OF THE.

**Naso-pal'atine.** Pertaining to the nose and velum palati

**Naso-palatine Ganglion** A small ganglion situated in the anterior palatine foramen.

**Naso-palatine Nerve** A small branch of the sphenopalatine proceeding from the ganglion of Meckel

**Naso-pharyngeal** Of or pertaining to the nose and pharynx

**Nasum Dil'atans.** The pyramidalis nasi.

**Nasus.** The nose

**Na'tes.** The buttocks, formed by the three gluteal muscles, the skin, and the thick areolar tissue

**Nates Cer'ebr'i** Two of the tubercular quadrigemina

**Na'trolite.** A prismatic selenite of a yellowish color consisting of silica, alumina, and soda

**Na'tron.** Native carbonate of soda.

**Natron Muria'tum.** Murate of soda.

**Natron Præpara'tum** Subcarbonate of soda.

**Natron Tartariza'tum** Potassio tartrate of soda.

**Natron Vitriola'tum.** Sulphate of soda. Glauber's salt.

**Na'trum.** Natron Sodium carbonate; soda.

**Nat ural.** Pertaining to nature.

**Natural History.** See HISTORY, NATURAL

**Natural Orders** In *Botany*, groups of genera resembling one another

**Natural Philos'ophy.** The science which investigates the phenomena and laws of natural bodies and their actions on one another.

**Natura'lla.** The genital organs.

**Na'ture** (*natura*) In a general sense, the assemblage of objects, both animate and inanimate, which constitute the universe; also the essential or original properties or attributes of a thing. The term is applied, too, to the Creator or Author of things.

**Na'turist.** In *Medicine*, a physician who, in the treatment of disease, follows the indications of nature.



**Nau'sea.** Sickness at the stomach, with an inclination to vomit.

**Nau'scant.** An agent which causes nausea; nauseating.

**Na'vel.** Umbilicus.

**Navic'ular** (*navicularia*). Scaphoid; boat-like.

**Navicula're Os.** A bone of the tarsus is so named from its fancied resemblance to a boat.

**Naviform'is.** Navicular.

**Near-sight'edness.** Myopia.

**Neb'ula.** A speck on or superficial opacity of the cornea. Also a mist or cloud-like appearance in the urine.

**Neck.** The part between the head and thorax. Of a bone, that part which is constricted below a head, condyle, or other articular eminence.

**Neck, Derbyshire** Bronchocele.

**Neck, Stiff.** Torticollis.

**Necre'mia** (from *nekros*, death, and *aima*, blood) Death beginning with the blood or by the destruction of its vitality.

**Necrobi'osis** (from *nekros*, and *βίος*, life) Molecular dissolution. Death of a part.

**Necro'des.** Cadaverous.

**Nec'rolite** (from *nekros*, and *λίθος*, a stone). A variety of trachyte found in round nodules in the limestone of Baltimore and which, when struck, exhales a lurid odor.

**Necrol'ogy** (from *nekros*, dead, and *λόγος*, a discourse). A register of deaths; a discourse on death.

**Necropho'bia.** Morbid dread of death.

**Necropneumo'nia.** Gangrene of the lung.

**Nec'ros.** Death.

**Necroscop'ic** (from *nekros*, and *σκοπεῖν* to examine). Relating to autopsy or to post mortem examination.

**Nec'roscopy** (*necroscopia*, from *nekros*, and *σκοπεῖν*, to examine). Autopsia. post mortem examination.

**Necro'sis** (from *nekros*, to kill) Mortification or death of a bone or portion of a bone, corresponding to gangrene of soft parts.

**Necrosis of the Alveoli.** When any portion of the alveoli is deprived of vitality it becomes a source of irritation to the living parts with which it is connected, and an effort is immediately made by the economy to remove it; the necrosed part is separated from the living and is thrown off by exfoliation. Although the alveolar processes, like other bone, are endowed with blood-vessels and nerves,

their recuperative powers are weaker, and hence, when deprived of a portion of substance by necrosis and exfoliation or other cause, the injury is not, as is often the case in other parts of the osseous system, repaired by the restorative efforts of nature.

The cause of necrosis of the alveolar processes is inflammation and death of the periosteum, occasioned in many cases by dental irritation, though it more frequently results from the immoderate and protracted use of mercurial medicines, and sometimes it is induced by ulceration of the gums.

**Necrosis of the Teeth.** Odontonecrosis. By the term necrosis, when applied to the teeth, is meant the entire death of the pulp and the loss of vitality of the periodontal membrane. It is a disease common to all bones, and is similar to mortification in a soft part.

When it affects other bones than the teeth, the dead part is thrown off and the loss repaired by the formation of new bone. But a tooth is not endowed with recuperative powers, and when affected with necrosis the loss of vitality extends to every part of the crown and every portion of the root. When the pulp alone dies, the organ may remain for years, the cementum retaining a sufficient amount of life to prevent, in a great degree, the morbid effects which would otherwise be produced in the surrounding parts.

Necrosis of the teeth sometimes occurs spontaneously or as an effect of impaired nutrition, but in the majority of cases, except when produced by the sudden destruction of the vascular connection of the organ with the rest of the system, as from mechanical violence, it results from inflammation and supuration of the pulp and periodontal membrane.

When a tooth is wholly deprived of its vitality, and is found to be productive of injury to the gums and to the adjacent teeth, it should be immediately removed, for, however important or valuable it may be, the health and durability of the other teeth should not be jeopardized by its retention.

**Necrosis Ustilagine'a.** Necrosis arising from the use of grain infected by ustilago, or blight.

**Necrot'ic.** Pertaining to or characterized by necrosis, as necrosed bone.

**Necrot'omy.** The act of cutting up a dead body for diagnostic purposes.

**Nec'tar.** A name given to many drinks, and particularly to wine sweetened with honey.

**Necu'sia** (*νεκος*, a dead body). A poisoned wound

**Nedy'ia.** The intestines.

**Ned'ys.** The abdomen, stomach, or uterus.

**Needle.** In *Surgery*, a round, flat, or triangular, straight or curved, sharp pointed instrument, most commonly with an eye at or near one extremity

**Needle, Acupunc'ture** A gold or silver, sharp-pointed, inflexible instrument, four inches long, of a conical shape, furnished with a handle and sometimes with a cannula.

**Needle, Cat'aract** A delicate knife attached to a handle, used for the purpose of depressing or cutting up the lens in cataract.

**Needle, Hare-lip.** A gold or silver pin with a movable steel point.

**Needle, Hypodermat'ic** The fine needle-pointed metallic tube attached to the barrel of the hypodermatic syringe.

**Needle Ore** A native sulphuret of bismuth, copper, and lead, so named from the acicular form of its crystals

**Needle, Se'ton.** A long, narrow, steel instrument, pointed and sharp at one extremity and pierced at the other

**Needle, Suture** A curved and nearly flat needle, with two cutting edges pointed and sharp at one extremity and pierced at the other.

**Needle-car'rier.** A pair of small forceps, called *porte-aiguille*

**Nefren'des** (*odontin edentula*) Persons without teeth.

**Neg'ative Pole.** The pole of a galvanic battery connected with the carbon or least oxidizable plate, also that pole of an electric generator toward which the assumed electric current flows

**Nem'alite** (from *νημα*, thread and *λίθος*, stone). A fibrous hydrate of magnesia

**Nematoblast.** A spermatoblast

**Nematod'ea** (*nematodeus* from *νημα*, a filament, and *ειδος*, form) The name of an order of Cœlumitha, or intestinal worms, characterized by a long, slender, uniform body.

**Neog'ala** (*neogalactin*; from *νεος*, new, and *γαλα*, milk) The colostrum, or first milk of the mother after childbirth.

**Ne'oplasm** (from *νεος*, and *πλασμα*, growth). The abnormal and exaggerated growth of tissue either normally or abnormally located

**Neoplastic.** Of or pertaining to a new growth.

**Neoplasty.** The fashioning of new parts by plastic operation.

**Nep.** See *NEPETA CATARIA*.

**Nepen'thes** (from *νη*, privative, and *πενθος*, grief). A remedy of unknown composition held in high esteem by the ancients for its effects in the relief of sadness or grief. It is supposed by some to have been a preparation of opium and by others to have been the *Cannabis indica*, or Indian hemp. Also a genus of Asiatic plants with curiously constructed leaves, which are called Pitcher-plants.

**Nep'eta.** A genus of plants of the order Labiata

**Nepeta Cata'ria** The nep or catnep, an infusion of which is recommended in uterine disorders, infantile colic, etc.

**Nephe'lium** (*νεφέλη*, a cloud). A spot on the cornea

**Neph'eloid.** An opthet applied to urine when it exhibits a cloudy appearance, nubecula urine

**Neph'ræmorrha'gia** (*νεφρος*, kidney, and *αιμορραγια*, hemorrhage) Hemorrhage of the kidneys

**Nephral'gia** (from *νεφρος*, the kidney, and *αλγη*, pain) Pain in the kidney

**Nephra'nuria.** Renal anuria or non-secretion of urine

**Nephreleco'sis** from *νεφρος*, the kidney, and *ελκος*, ulceration) Ulceration of the kidney

**Nephrele'mintic** (*nephrelemticus*; from *νεφρος*, a kidney and *εμυν*, a worm) A term applied to diseases which result from the presence of worms in the kidney

**Ne'phria.** Bright's disease or granulated kidney

**Neph'rite.** A hard mineral, composed chiefly of silica, lime, soda, and potash

**Nephrit'ic** (*nephriticus*; from *νεφρος*, a kidney) Relating to the kidneys.

**Nephrit'ica.** Medicines employed in the treatment of diseases of the kidneys

**Nephri'tis** (from *νεφρος*, a kidney, and *ετις*, signifying inflammation). Inflammation of the kidneys.

**Nephritis Albumino'sa.** Bright's disease of the kidney

**Nephro-** (*νεφρος*, the kidney) A prefix.

**Nephroce'le** (from *νεφρος*, a kidney, and *κηλη*, hernia). Hernia of the kidney.

**Nephro'dium.** A genus of plants of the order Polypodiaceæ.

**Nephrodium Filix Mas.** Male fern. It possesses anthelmintic properties.

**Nephrographia** (*nephrographia*; from *νεφρος*, the kidney, and *γραφω*, to describe). A description of the kidney

**Nephrohaemia** (from *νεφρος*, a kidney, and *αιμα*, blood) Congestion of the kidney

**Nephrolithiasis** (*nephrolithiasis*; from *νεφρος*, a kidney, and *λιθος*, a stone). A calculous disease of the kidneys.

**Nephrolithic.** Relating to calculi in the kidneys.

**Nephrolithotomy** (*nephrolithotomia*, from *νεφρος*, the kidney, *λιθος*, a stone, *τομή*, incision). Nephrotomy (which see)

**Nephroncus** (from *νεφρος*, a kidney, and *ογκος*, a swelling) Tumefaction of the kidney

**Nephrophlegia** (from *νεφρος*, the kidney and *πλησσω*, to strike). Paralysis of the kidney.

**Nephrophlegmatic** (*nephrophlegmaticus*, from *νεφρος*, the kidney, and *φλεγμα*, phlegm) Ischuria produced by an inordinate accumulation of mucus in the urine.

**Nephropys'asis** (from *νεφρος*, and *πυσις*, pus) Suppuration of the kidney

**Nephrorrhagia** (from *νεφρος*, the kidney and *ρρρρρρ*, to burst forth) Hæmorrhage from the kidney.

**Nephros.** The kidney

**Nephrospastic** (*nephrospasticus*) That which depends upon spasm of the kidney, applied to a variety of ischuria

**Nephrothromboid** (*nephrothromboideus*, from *νεφρος*, the kidney, and *θρομβος*, a coagulum). Ischuria produced by a collection of coagulated blood in the kidney or ureter

**Nephrotomy** (*nephrotomia*; from *νεφρος*, a kidney, and *τομή*, to cut) In *Surgery*, the operation of cutting for the removal of a stone from the kidney Also the dissection of the kidney.

**Neroli Oleum.** The essential oil of orange flowers.

**Nerv'ii.** Nervous Pertaining to nerves

**Nervaria.** The nervous fluid, an indispensable agent.

**Nerve** (*nervus*, *νευρον*). A white cord composed of substances similar to that of the brain and spinal marrow, enveloped in a sheath, originating from the ganglia, the spinal cord, and the brain. They are divided into ganglionic or sympathetic and cerebro-spinal. The cerebro-spinal are divided into

sensitive and motor. The nerves are the organs which transmit sensation and motive power to and from the brain, or nervous centre or centres, to every part of the body

#### TABLE OF NERVES.

The nerves of the body are divided into the *cranial*, *spinal*, and *sympathetic*.

The following is the classification.

#### I Cranial Nerves

These, counting from before backward, are:

- 1 The *olfactory*.
- 2 The *optic*.
3. *Motor oculi*.
- 4 *Pathetic* (trochlear)
- 5 *Trifacial* (trigeminal)
6. *Abducens* (motorius externus).
7. *Facial* (portio dura)
8. *Auditory* (portio mollis)
- 9 *Glossopharyngeal* (spinal accessory)
- 10 *Vagus*
- 11 *Spinal accessory*
12. *Hypoglossal*.

See CRANIAL NERVES

#### II Spinal Nerves.

These are divided into—

- 1 The *cervical*, 8 pairs.
- 2 The *dorsal*, 12 “
- 3 The *lumbar*, 5 “
- 4 The *sacral*, 6 “

Making in all thirty-one pairs, each of which arises by two roots—an anterior or motor root, and a posterior or sensitive root. The anterior roots arise from the anterior columns of the spinal cord and the posterior from the posterior columns of the same cord. These latter are larger and their filaments of origin more numerous than the anterior

In the intervertebral foramina a ganglion is found on each of the posterior roots. The first *cervical nerve seems to be an exception, as its posterior root is smaller than the anterior, is frequently without a ganglion, and often joins the spinal accessory*. The anterior branches, excepting the first two cervical, are larger than the posterior, and supply the front half of the body, while the posterior supply the posterior half.

#### III. Sympathetic Nerves.

This system of nerves is called *sympathetic*, from its communicating with all the nerves of the body and supplying all the various organs

and viscera, and *ganghonic*, from possessing numerous ganglia. It has also been styled *automatic*, or the original and self-moving system of nerves. This system is situated on each side of the vertebral column, extending from the head to the coccyx, and is seen to consist of a series of ganglia or knots, giving off an immense number of branches, forming various plexuses, which pursue the course of the arteries and have the same name.

The head has six ganglia, the neck, three; the back, twelve, the lumbar region, four, and the sacral, four or five.

#### *Cranial Ganglia*

1 The *ganglion of Ribes* is small, and situated on the anterior communicating artery of the brain

2. The *ciliary or lenticular ganglion* is also small, and situated within the orbit, between the optic nerve and the external rectus muscle, surrounded by a quantity of fat.

3. The *naso-palatine or ganglion of Cloquet*, is situated in the naso-palatine canal, and is a small though lengthened body

4 The *spheno-palatine or ganglion of Meckel* is situated in the spheno-maxillary fossa, and is the largest of the cranial ganglia

The *sub-maxillary ganglion* is small and situated in the sub-maxillary gland

6 The *optic ganglion or ganglion of Arnold* is situated directly below the foramen ovale, and rests against the inferior maxillary nerve. It is described as a small, red body. All these ganglia give off branches supplying the eye, the ear, the nose, the palate, and communicating with the other nerves. A plexus is formed in the carotid canal, called the *carotid plexus*, which is regarded as the centre of communication between all the cranial ganglia

#### *Cervical Ganglia*

1. The *superior cervical ganglion* is situated at the superior part of the neck in front of the rectus anticus major muscle, as low down as the third cervical vertebra, and is long, of a grayish color, and smooth

2. The *middle cervical ganglion* is situated opposite the fifth cervical vertebra, and is sometimes wanting.

3. The *inferior cervical ganglion* is situated as low down as the seventh cervical vertebra, and is called the *vertebral ganglion*. It is large in size compared with the middle.

From these cervical ganglia the cardiac nerves proceed, and constitute the cardiac plexus, which is situated behind the arch of

the aorta, at the bifurcation of the trachea, and goes to supply the heart.

#### *Thoracic Ganglia*

The *thoracic ganglia* are situated upon the heads of the ribs, covered by the pleura costalis, are twelve in number on each side, and are irregular in their form

The inferior of these ganglia, beginning at the sixth, sends off the great and less splanchnic nerves, which descend below the diaphragm, the former to terminate in the semilunar ganglion, the latter in the renal plexus.

The *semilunar ganglion* is situated at the side of the coeliac axis and consists of a number of small ganglia, presenting a semilunar form, and, sending off numerous branches, like the radii of a circle, receives the name of *solar plexus*. This plexus receives the splanchnic nerves and branches from the phrenic, and the pneumogastric sends off a multitude of filaments, called plexuses, upon all the branches of the abdominal aorta, having the same names as the arteries

The plexuses are as follows:

- 1 *Phrenic plexus*
- 2 *Gastric*
- 3 *Hepatic*
- 4 *Splenic*
5. *Supra-renal*
6. *Renal*
- 7 *Superior mesenteric*
- 8 *Spermatic*
- 9 *Inferior mesenteric.*

#### *Lumbar Ganglia*

These ganglia are four in number, and are situated upon the anterior portion of the lumbar vertebrae

They send off branches upon the aorta, called the *aortic plexus*, which also receives filaments from the solar and superior mesenteric plexuses

The *hypogastric plexus* is situated between the two common iliac arteries, over the promontory of the sacrum, and is formed from the aortic plexus and branches from the inferior lumbar ganglia

#### *Sacral Ganglia*

The *sacral ganglia* are smaller than the last, and situated upon the sacrum on each side, close to the anterior sacral foramina. The last of these ganglia is called *ganglion impar*, or *azygos*. The branches communicate freely with the hypogastric plexus.

**Nerve Bristles.** Fine branches barbed on one

side or with the end bent at right angles, employed for removing devitalized pulps from the canals of the teeth

**Nerve Canal Reamer.** An instrument for enlarging the pulp-canal of a tooth prior to the filling of the canal.

**Nerve Cell.** A variety of cell found in the nervous system, pear-shaped, polygonal, branching, and composed of a finely granular protoplasm, enclosing a large, clear nucleus, which in turn encloses a large, brilliant nucleolus.

**Nerve Center.** A portion of the gray matter which originates, maintains, or regulates a motor impulse

**Nerve, Division of.** An operation for the relief of intense pain in certain areas supplied by branches of the fifth pair of cranial nerves.

**Nerve, Excision of.** The removal of a portion of the branch of a nerve to relieve the intense pain of neuralgia, and employed where mere division fails to give permanent relief

**Nerve Instruments.** Instruments for excavating and filling the pulp cavities of the teeth. They should be made of the best quality of steel, and finished and tempered in the best manner. Others, finely hardened are used for extracting pulps of teeth

**Nerve Paste.** A preparation for destroying nerves of teeth for the composition of which different formulæ are given. Some are composed of arsenious acid and creasote, others of arsenious acid, creasote, and sulphate of morphia; others have combined with the arsenious acid cocaine iodoform, etc. See **ARSENIOUS ACID**

**Nerve-grafting.** The artificial replacement of a deficiency in a nerve by a segment taken from another nerve

**Nerveless.** *Enervia*

**Nerves of the Dental Pulp.** These nerves are many in number, and are composed of medullated and non medullated fibres, which enter the organ through the apical foramen in various sized bundles. They terminate in smaller branches, and form a rich plexus underneath the membrana eboris, and may pass between the odontoblasts, and either unite with the dentinal fibrils or pass with them into the dentinal tubuli. The non-medullated fibres are said by some writers to become united with the stellate layer of cells which lie underneath and are connected with the odontoblastic layers.

**Nerve-stretching.** The operation of

stretching a nerve so as to release it from adhesions or to effect some change in its connections or in the conditions affecting its nutrition

**Ner'vine** (*nervina*, from *nervus*, a nerve). **Neurotic.** A medicine which relieves or soothes nervous excitement

**Ner'vous** (*nervosus*). Belonging or relating to the nerves.

**Nervous Attack.** An affection attended with pain, spasms, rheumatism, and other nervous symptoms.

**Nervous Cent'res.** The brain, spinal marrow, and ganglia

**Nervous Diath'esis.** That disposition of body which predisposes to nervous diseases. Unusual impressibility of the nervous system

**Nervous Diseases.** Diseases which have their seat in the nervous system

**Nervous Fever.** Typhus mitor

**Nervous Fluid.** A fluid supposed to circulate through the nerves, and which has been thought to be the agent of sensation and motive power

**Nervous Matter.** The matter which composes the nerves, it resembles that of the brain and spinal marrow

**Nervous Principle.** Nervous fluid

**Nervous System.** The nerves, collectively, of the body

**Ner'vus.** A nerve

**Nervus Impar.** A prolongation of the neurilemma below the lower extremity of the spinal cord as a fibrous filament which is inserted into the base of the coccyx.

**Nervus Sympatheticus Medius.** The fifth pair of nerves

**Nes'tis** (*nestis*). The jejunum

**Nettle, Dwarf.** The common name of the *Urtica urans* (which see)

**Nettle-rash.** An eruptive disease resembling the sting of a nettle. See **URTICARIA**

**Neu'rad.** Toward the neural axis.

**Neuræ'mia** (from *νευρον*, a nerve, and *αἷμα*, blood). Purely functional diseases of the nerves

**Neu'ral** (*νευρον*, nerve). Pertaining to the nerves

**Neural Arch.** The arch formed by the posterior projections connected with the body of the vertebra, which protect the medulla.

**Neural Axis.** See **ENCEPHALON**

**Neural'gia** (from *νευρον*, a nerve, and *αλγος*, pain). Literally, pain in a nerve; nerve pain. A painful affection of the nerves. The

chief symptom of this disease is a very acute pain, exacerbating or intermitting, which follows the course of a nervous branch, extends to its ramifications, and appears to be seated in the nerve. The particular designation of neuralgia is determined by the situation of the affection, as *facial neuralgia*, or *tic douloureux*, when it affects the branches of the fifth pair of nerves, etc. See NEURALGIA, FACIAL.

**Neuralgia Cu'bito-digita'lis** Pain extending from the inner condyle to the back of the hand.

**Neuralgia Denta'lis.** See ODONTALGIA.

**Neuralgia, Facial** (*neuralgia faciei*) Neuralgia of the face, *tic douloureux*. An affection characterized by acute lancinating pains in certain parts of the face, occurring at more or less irregular intervals. It may be seated in the frontal nerve, in the infra-orbital, or in the maxillary branches of the fifth pair. Dental irritation may give rise to neuralgia in many nerves, and especially in the branches of the fifth pair. A tooth may be the seat of the pain, and when the patient specifies it there is little doubt but that it is the cause of neuralgia. A tooth affected with periodontitis, when exhibiting the characteristic symptoms of such an affection, whether it be carious or not, may also cause facial neuralgia, for if the pain is diffused and is felt over the side of the face, with distinct exacerbations it may eventually localize itself in proximity to the dental arch, and result in extreme sensibility, redness and swelling, and alveolar abscess, thus presenting a dental origin. When the facial neuralgia is constant, and there are no periods of rest such as characterize other forms of neuralgia, it indicates a dental origin. The general tendency is for facial neuralgia to manifest its symptoms from the dental irritation caused by carious teeth, exposed teeth, ulceration of the gums, alveolar periostitis, dead roots of teeth, the presence of osteo-dentine in the form of nodules in the substance of the pulp, undue pressure of artificial teeth, pulpitis impacted teeth, unerupted as well as carious wisdom teeth. It is sometimes dependent upon constitutional causes, but more frequently upon local dental irritation. In the former case the treatment should be constitutional and in the latter local, and consist in the removal of such irritants as may have been concerned in its production. See ODONTALGIA.

**Neuralgia, False.** Nerve pains occasioned by mechanical compression of a nerve.

**Neuralgia Fem'oro-poplite'al.** Sciatica.

**Neuralgic.** Of, due to, or resembling neuralgia.

**Neurangene'sis.** Regeneration or renewal of nerve tissue.

**Neurarte'ria** (*neuror*, a nerve, and *arteria*, an artery) Intimate association of minute nerves with minute arteries, distributed over the whole body.

**Neurasthen'ia** (from *neuror*, a nerve, and *asthenia*, debility) Debility of the nerves. Irritability, nervous weakness.

**Neuraxis.** The cerebro-spinal axis; the axis-cylinder.

**Neurectasis.** Nerve-stretching.

**Neurec'tomy** (*neurectomia*, *neuror*, nerve, and *ectomy* a cutting out) Excision of a nerve.

**Neu'ria.** Fine nervous tissues or membrane, as the retina.

**Neu'ricus.** Pertaining to a nerve, neuric.

**Neuridine.** A ptomaine produced by putrefaction of flesh, etc., of a repulsive odor and gelatinous consistence.

**Neurilem'ma** (from *neuror*, a nerve, and *lemma*, the bark or covering) The transparent membranous sheath which covers the nerves.

**Neurilemmi'tis** (*neurilemmatitis*, from *neuror*, a nerve, *lemma*, the coat, and *itis*, signifying inflammation) Inflammation of the neurilemma.

**Neurility.** The power of a nerve fibre to contract a muscle.

**Neu'rine.** The substance of which nerves are composed, consisting chiefly of albuminous and fatty matter.

**Neurit'ic.** Nervine. Pertaining to neuritis.

**Neuri'tis.** Inflammation of a nerve, especially of a nerve-trunk.

**Neu'ro-** (from *neuror*, nerve). A Greek prefix denoting connection with a nerve.

**Neuroblaci'a** (from *neuror*, a nerve, and *blasia*, stupor) Insensibility in a nerve.

**Neuroblast.** An embryonic cell which develops into nervous tissue; a granulation cell producing primary union in divided nerve fibres.

**Neu'rocyte** (from *neuror*, and *kytos*, cell). A nerve cell; the essential element of nervous structures.

**Neurodeal'gia.** Pain of the retina.

**Neuro'des.** Abounding in nerves.

**Neurodynam'ic.** Pertaining to the power of a nerve-current or of the systemic nervous structures.

**Neurodyn'ia.** See NEURALGIA.

**Neurog'mia.** Animal magnetism.

**Neurog'lia.** The tissue which invests the brain, forming the dura mater arachnoid membrane and the investment or matrix for its functioning cells. The consecutive tissues of the substance of nerve, brain, and spinal cord, the supporting tissue of the central nervous system.

**Neurog'raphy** (*neurographia*, from *νεῦρον*, a nerve, and *γραφω*, a description) Neurology. A treatise on the nerves.

**Neur'oid.** Resembling a nerve.

**Neurology** (*neurologia*, from *νεῦρον*, a nerve, and *λογία*, a discourse) A treatise on the nerves.

**Neuro'ma** (from *νεῦρον*, a nerve) A morbid enlargement or swelling of or painful tumor on a nerve, a new growth from a nerve.

**Neuromal'acia** (from *νεῦρον*, and *μαλακας*, a softening). A softening of nerve tissue.

**Neur'omatoid.** Resembling neuroma.

**Neurom'atous.** Pertaining to the nature of a nerve tumor.

**Neuromuscular.** Relating to nerves and muscles conjointly.

**Neuromyel'itis** (*νεῦρον*, nerve, *μυελον*, marrow, *τις*, inflammation) Inflammation of nerve-tissue or medullary substance.

**Neur'on.** A nerve.

**Neuron'osis** (*neuronus*, *νεῦρον*, nerve, and *ωσις*, a disease) Nervous disease or disease of a nerve.

**Neuropath'ic** (from *νεῦρον*, and *παθος*, suffering) Pertaining to nervous diseases.

**Neuropa'thy.** Any disease of the nervous system. See NEURONOSIS.

**Neuror'rhapsy.** The operation of joining a divided nerve by sutures.

**Neuro'sis.** Nervous disease, disease supposed to have its seat in the nervous system.

**Neurostheal's** (from *νεῦρον*, a nerve, and *σθεος*, force) Excess of nervous excitation. Nervous irritation.

**Neurothe'le** (*νεῦρον*, a nerve, and *θηλη*, nipple) A nervous papilla.

**Neurot'ic** (*νεῦρον*, nerve). Of or belonging to the nerves, nervous. Also nervous medicines.

**Neurot'omy** (*neurptoma*; *neurotemia*, from

*νεῦρον*, a nerve, and *τεμνω*, to cut). Dissection of the nerves or division of a nerve.

**Neurotro'sis.** Neurotrosmus. Wound or wounding of a nerve.

**Neury'men.** Neurymentia. Same as NEURITISMA.

**Neurypnol'ogy** (from *νεῦρον*, *υπνος*, sleep, and *λογος*, a discourse) The science or study of the nervous sleep produced by fatiguing the muscles of the eye, called hypnotism.

**Neu'tral** (*neutralis*, from *neuter*, neither) In Chemistry, saline compounds which possess the character of neither an acid nor alkali.

**Neutral Mixture.** Solution of citrate of potassa, prepared by saturating fresh lemon juice with bicarbonate of potassa and filtering. Dose, a tablespoonful every three hours.

**Neutral Salts.** Salts in which the base is perfectly saturated with alkali, and not possessing the characters of an acid or alkaline base.

**Neutraliza'tion.** In Chemistry, the combination of acid and alkaline matter in such proportion that the compound will not change the color of litmus or violets.

**New Growth.** See NEOPLASM.

**Ni.** Symbol for nickel.

**Nic'colate.** Compounds of which niccolic oxide is a base or an acid.

**Niccol'icus.** Pertaining to niccolum, or nickel.

**Nick'el.** Symbol, Ni. Atomic weight, 59. A whitish, malleable, and ductile metal. Constitutes one-fifth part of German silver. Specific gravity is about 9. The chief use for nickel, developed within a few years past, is for nickel plating or the electro-deposition of nickel upon other metals and to combine with steel. Dr. Adams developed this process of nickel-plating, which is a very valuable one on account of the hardness, beauty, polish, and lustre which nickel takes. Dental and surgical instruments are among the many articles to which a coating of nickel is given, especially as it is useful for extracting-forceps, although some are of the opinion that its action on the steel forming the beaks is such as to cause it to become brittle. In all electro-plating, or giving one metal a coating of another, the essentials of the process are a battery, a proper solution, a cathode, the object to be plated, and an anode, or plate of metal forming the positive pole of the battery.

**Nick'el Plat'ing.** See NICKEL.

**Nicotia'na.** So called from Nicot, who



carried it to Europe. Tobacco. A genus of plants of the order Solanaceæ

**Nicotiana America'na** *Nicotiana tabacum*  
Virginia tobacco

**Nicotiana Rustica** The leaves of this species are milder than those of *Nicotiana tabacum*.

**Nicotiana Tab'acum** Tobacco has a strong narcotic, penetrating odor, a bitter, nauseous, and acrid taste, and, when distilled, affords an empyreumatic oil, which is a virulent poison. It is a violent acro-narcotic, an emetic, and a diuretic, and when a decoction is injected into the rectum it sometimes operates as a cathartic. In large doses it induces giddiness, a small, weak pulse, impeded respiration, convulsive action of the muscles, and in overdoses these symptoms are sometimes followed by paralysis and death.

**Nicotia'nin.** A concrete oil obtained from tobacco, called tobacco-camphor, and one of its active principles.

**Nic'otine.** *Nicotina*. An alkaloid obtained from tobacco, and one of its active principles.

**Nic'otinism.** The constitutional effects of the excessive use of tobacco, poisoning by tobacco.

**Nicta'tion, or Nictita'tion** (*nictitatio*, from *nictare*, to wink) Rapid winking of the eyelids.

**Ni'dor.** Scent of burning animal matter.

**Niger.** Black.

**Night Blind'ness.** Hemeralopia.

**Night'mare.** Insulnia.

**Night'shade, American.** A plant of the genus *Phytolacca*.

**Nightsshade, Deadly** *Atropa belladonna*.

**Ni'grine** (from *niger*, black) Silico-calcareous oxide of titanium.

**Nigrit'ies Os'slum.** Literally, a blackness of the bones. Caries.

**Ni'hil Album.** Flowers of the white oxide of zinc.

**Nio'bium.** A metal discovered in 1846 by H. Rose.

**Nippers, Plate.** An instrument for removing redundant portions of a metal plate.

**Nippers, Side-cutting.** An instrument for removing that portion of the platinum pins of teeth which projects beyond the backing.

**Nip'ple.** A small conical protuberance at the centre of the breast.

**Ni'sus.** Effort, straining, a voluntary retention of the breath.

**Nisus Formati'vus.** Formative effort, vital activity, plastic force.

**Ni'tras.** A nitrate; a salt resulting from the combination of nitric acid with a salifiable base.

**Nitras Ammoniae** Nitrate of ammonia. This salt,  $\text{NH}_4\text{HONO}_2$  is formed by saturating pure nitric acid with the carbonate of ammonia, then evaporating and crystallizing it. Two forms of it are prepared, the crystallized and fused. When pure nitrate of ammonia is heated, the salt first melts and boils, nitrous oxide gas being liberated at about  $400^\circ$ . See **NITROUS OXIDE**.

**Nitras Argenti** Nitrate of silver.

**Nitras Calcis** Nitrate of lime.

**Nitras Potassæ** Nitrate of potash.

**Nitras Potassæ Fusus** Nitrate of potash containing a little sulphuric acid.

**Nitras Sodæ** Nitrate of soda.

**Ni'trate.** Nitrite. Compounds of nitric and nitrous acids with alkalis. A salt of nitric acid.

**Nitrate of Potash** *Nitras potassæ*.

**Nitrate of Silver.** *Argenti nitras*, or lunar caustic. It is prepared as follows: Take of silver in small pieces,  $\mathfrak{z}$  j, nitric acid,  $\text{f}\mathfrak{z}$  vi; distilled water,  $\text{f}\mathfrak{z}$  ij. Mix the acid with the water and dissolve the silver in the mixture in a sand-bath, then crystallize, or gradually increase the heat, so that the resulting salt may be dried. Melt this in a crucible over a gentle fire and continue the heat until ebullition ceases, and immediately pour it into moulds. Nitrate of silver is tonic, antispasmodic, sedative, escharotic, and astringent, and in large doses is an irritant poison. In *Dental Practice* it is employed as a styptic and for obtunding the sensibility of dentina, especially when it results from mechanical abrasion, also, in diseases of mucous membrane, in the form of an aqueous or ethereal solution, also, in aphthæ and ulcers, for its detergent property, and as a caustic application generally. From one grain to twenty or thirty to the ounces of water are employed. Common salt neutralizes its action. It is given in chorea, epilepsy, etc., locally, it is used as an escharotic. *Dose*, gr  $\frac{1}{2}$  to gr.  $\frac{3}{4}$  in pill three times a day. See Gorgas' "Dental Medicine."

**Ni'trated.** A base converted into a salt by combination with nitric acid.

**Ni'tre.** Nitrate of potash. Saltpetre.

**Ni'tric.** Of or belonging to nitre.



**Nitric Acid.** *Acidum nitricum. Aquafortis.* A colorless fluid, of a suffocating, pungent odor, acid taste, and extremely caustic. It is obtained by the action of sulphuric acid and heat on nitrate of potash or soda. Astringent. Dose of the diluted, gr. x to gr. xx. Dilute nitric acid is alterative, tonic, and refrigerant. In *Dental Practice* it is employed in cancerum oris, malignant ulcers, and tumors of the mouth, and for devitalizing pulps when almost exposed from mechanical abrasion. It has also been employed as an obtundent to sensitive dentine and for the removal of fungous granulations of the pulp and gums.

**Nitric Oxide.** A gas obtained during the action of nitric acid diluted with about two parts of water upon metallic copper, a deutoxide of nitrogen.

**Nitril.** A tertiary amide, a compound of ammonia and hydrogen.

**Nitrite.** A combination of nitrous acid with a base. A salt of nitrous acid,  $\text{HNO}_2$ , also applied to nitro-glycerine, etc.

**Nitrite of Amyl.** See AMYL NITRITE.

**Nitrobenzoic Acid.** *Acidum nitrobenzoicum.* A new nitrogenous acid into which benzoic acid is transformed when acted upon by strong nitric acid. Also called benzonitric.

**Nitrobenzole.** Nitrobenzide. A substance produced by the action of concentrated nitric acid on benzole.

**Nitrocellulose.** See PYROXYLIN.

**Nitrogen** (from *nitron*, nitre, and *gennao* to produce). Azote. An elementary irrespirable, colorless gas, incapable of supporting combustion, and forming four-fifths of the atmosphere—79 per cent.

**Nitrogen, Gaseous Oxide of.** See NITROUS OXIDE.

**Nitroglycerin.** *Glonoin.* A substance prepared by adding glycerin to a mixture of sulphuric acid and fuming nitric acid, pouring it into water and washing upon a filter. It is an oleaginous substance, of a sweet taste, slightly soluble in water, but readily in alcohol and ether. A drop brought in contact with the lips, or even the vapor, is said to cause the most distressing headache. It is a very dangerous explosive compound.

**Nitroleucic Acid.** An acid obtained by treating leucine with nitric acid.

**Nitromuriatic Acid.** *Acidum nitromuriaticum*; nitrohydrochloric acid; aqua regia. A mixture of nitric and muriatic acids. Chlor-

ine is evolved by this mixture, and it is probably owing to this that gold is readily dissolved by it. Astringent. Dose of the diluted acid, gr. x to gr. xv.

**Nitronaphthalene.** A compound produced by the action of nitric acid on naphthalene.

**Nitrosaccharic Acid.** A peculiar saccharine matter, in the form of a crystallized acid, produced by the action of sulphuric acid on gelatin.

**Nitroso.** A collective name for nitric and nitrous acids.

**Nitrosulphuric Acid.** An acid resulting from a mixture of one part of nitre with eight or ten parts of sulphuric acid.

**Nitrosyl.** Nitrogen dioxide when acting in composition as a univalent radical.

**Nitrous (nitroso).** Of or belonging to nitre or its combinations.

**Nitrous Acid.** *Acidum nitrosum.* The red fumes emitted by exposing binoxide of nitrogen and oxygen, which, when condensed, is a colorless fluid.

**Nitrous Air.** Nitric oxide gas.

**Nitrous Ether.** Ether nitrous; sulphuric ether, hyponitrous ether. A highly volatile, yellowish liquid, having properties similar to sulphuric ether.

**Nitrous Oxide.** Protoxide of nitrogen. Laughing gas.  $\text{N}_2\text{O}$ . It is obtained by decomposing the salt nitrate of ammonia by heat. It may also be obtained by dissolving zinc in dilute nitric acid. It is a colorless gas, of a sweetish taste and a pleasant smell. At a pressure of thirty atmospheres at zero or of fifty atmospheres at  $45^\circ\text{F}$  it condenses into a clear transparent liquid. At a temperature from between  $100^\circ$  to  $150^\circ$  below zero it crystallizes into a clear, transparent body. Its symbol is  $\text{NO}$ , as it contains equivalent proportions of nitrogen and oxygen. Its specific gravity is 1.527. Sir Humphrey Davy, in 1784, first discovered its anæsthetic property upon inhalation, and, in 1844, Dr. Horace Wells, of Connecticut, applied it to dental purposes. Used as an anæsthetic agent it is thought to act as a stimulant to the system, and in moderate quantity as an exhilarant, producing intoxication. When taken in large doses it induces narcotism and insensibility. Its influence upon the system usually passes off in about three or four minutes after the removal of the inhaler from the mouth, and insensibility to pain lasts from a minute to a minute and a half.

In certain conditions it may produce dangerous

and fatal results, but is generally considered safer than ether or chloroform. In diseases of the heart, in active congestion or acute inflammation of the brain, lungs, or kidneys, or in a general plethoric condition, or where there is a tendency to a hemorrhagic diathesis, its use as an anæsthetic agent is contraindicated. This gas is now manufactured in liquid form, which possesses the advantages of greater purity, for by condensation all extraneous gases are expelled, and it is more portable. See NITROUS OXIDE GAS APPARATUS. See NITRAS AMMONIÆ.

**Nitrous Oxide Gas, Administration of.** In using this gas for dental operations the patient is seated in a suitable chair, which will admit of the back being lowered in cases of necessity, and a cork or other plug, with a string attached to it, is placed between the jaws to prevent the closure of the mouth.

Previous to the application of the inhaler (see **INHALER**) the patient is directed to take a full inhalation, followed by an exhalation, for the purpose of emptying the lungs as perfectly as possible of atmospheric air. This being done, the mouth piece of the inhaler is placed between the lips, the nostrils held tightly by an assistant to exclude air, and the patient directed to take full inspirations. The first evidence of anæsthesia with the majority of patients is snoring, like that of deep sleep. To determine the proper time for operating, the patient, previous to the inhalation, should be directed to raise the hand at every order of the operator, and inability to make this motion is an evidence of the loss of voluntary power, which is soon succeeded by that of insensibility to pain.

As soon as the operation of extraction is performed, especially if the back teeth have been removed, the head of the patient should be inclined to one side or held over the spittoon to prevent the blood from running down the throat, and fresh air admitted into the room.

For the production of anæsthesia the inhalation of from four to eight gallons of the gas will, in the majority of cases, be sufficient. The patient can inhale the gas from an india-rubber bag or from a tube leading directly from the gasometer. See GORGAS' "Dental Medicine."

**Nitrous Oxide Gas Apparatus.** An arrangement for the manufacture and administration of nitrous oxide gas for the production of anæsthesia, and generally known by the name

of the inventor. Improvements in nitrous oxide gas apparatus have greatly facilitated the employment of this agent as an anæsthetic in dental operations. Among many others of merit and ingenuity the late Dr James B. Bean claimed to have given the profession some valuable improvements, which consist of the moist-lime purifier, a gasometer of peculiar construction, and a valved inhaler, by which the manufacture and storage of pure gas is much facilitated. The purifier is a cylindrical copper vessel, twelve inches high and five inches in diameter, open at both ends and having a partition of the same material about four inches from the lower end, with a series of holes around the circumference of the cylinder just below this partition. The upper portion of the cylinder contains several layers of moist lime separated by intervals and supported by disks of wire gauze. The whole rests in a vessel of water six inches deep and is covered with a bell-glass. The pipes are so arranged that the gas passes into the lower portion bubbling through the holes into the bell-glass, returning downward through the layers of lime, thence through the partition by a pipe leading into the gasometer. The gasometer is so arranged as to receive and measure the gas and keep it safely stored. The inhaling apparatus is so attached to the gasometer that the patient breathes fresh gas at every inhalation. The inhaler is furnished with a simple valve of thin sheet rubber, which is very easily opened or closed by the breath. The mouth-piece is of metal, cushioned with soft rubber, and is surrounded by a disk of thin sheet rubber five inches in diameter. With this disk of rubber the operator can exclude all atmospheric air without disagreeably compressing the lips or nostrils. The inhaler is attached to a rubber hose  $\frac{3}{4}$  of an inch in diameter leading to the gasometer, and having within it a valve similar to that in the inhaler, so arranged that the inhalations are from the gasometer and the exhalations into the open air. The improvements in the methods of making and preserving this anæsthetic, consisting essentially of condensing the gas under strong pressure in wrought-iron cylinders, whereby 100 gallons are confined in a receiver or bottle 12 by 4 inches, and so arranged that as small a quantity as is desired may be drawn off into an inhaling bag or gasometer, mark an era in the administration of this an-

esthetic; obviating the necessity, on the part of the dentist, of generating gas for his own use and disposing with the former cumbersome and unsightly apparatus. With such appliances purchasable, the dentist is enabled to use a pure and reliable form of this gas which is not subject to the uncertainties and deterioration so common to the ordinary form. See SURGEON'S CASE FOR LIQUID NITROUS OXIDE.

**Nitrous Oxide Gas Inhaler** See INHALER, NITROUS OXIDE.

**Nitrous Oxide, Liquefied.** A convenient form for use in dental operations. The nitrous oxide, after being subjected to intense cold, is condensed in the form of a liquid in a strong iron cylinder, from which it is drawn in the form of gas when about to be administered by inhalation. One hundred gallons of the gas weighs about ten pounds and is capable of being condensed into a small iron cylinder. For method of administration see Gorgas' "Dental Medicine."

**Nitrous Oxide Purifier** An apparatus consisting of two glass jars similar in arrangement to what are known as Wolf's bottles, except that they have no central or safety tube. One of these jars contains a solution of the sulphate of iron the other a solution of caustic soda, and they are so connected by means of rubber tubing with the retort in which the gas is generated and the receiver or gasometer that the gas is compelled to pass through these solutions before it can reach the gasometer in which it is stored. For another form of purifier see NITROUS OXIDE GAS APPARATUS.

**Nitrous Powders** Refrigerant, diaphoretic and alterative. Composed of potassæ nitratis, ʒj; ammoniæ et potassæ tetratis, gr i, hydrarg. chlorid. misis, gr iv. It is powdered and divided into six parts one to be taken every two hours in syrup or molasses.

**Nitrum.** Nitre.

**Nitrum Flammans.** Nitrate of ammonia.

**Nitrum Purificatum** Purified nitre.

**Nitrum Vitriola'tum.** Sulphate of potash.

**No'bilis.** Noble; principal essential applied to some objects of natural history by way of eminence.

**Noctambul'ation** (*noctambulatio*, from *nox*, night, and *ambulo*, to walk) Somnambulism. Sleep-walking.

**Noctambulus.** Noctambulist; somnambulist. A night-walker.

**Nocturnal** (*nycternus*; *nocturnus*). Re-

lating to night. A term applied in *Pathology* to diseases or the phenomena of diseases which occur at night, as a night fever, night-sweats, etc., and in *Zoology* to a tribe of rap-torial birds, including those which fly at night, also to a family of lepidopterous insects, which, in like manner, are chiefly active at night.

**Nocturnal Blindness.** See HEMERALOPIA.

**Nod'ding.** Nodans (which see).

**Node.** Nodus. A hard tumor proceeding from a bone and caused by a thickening of the periosteum. Also a calcareous concretion formed around articulations which have been the seat of rheumatism or gout. See NODULE.

**Nodi Nervo'rum.** Knots of nerves. Same as GANGLIA (which see).

**Nodose.** Having or forming nodes.

**Nodo'sus.** Knotty.

**Nod'ular.** Characterized by nodes or nodules.

**Nodular Dentine.** Secondary calcific deposits found in dental pulps which may be purely physiological and not necessarily pathological. This form of dentine is found at all ages and in both the deciduous and permanent teeth. It is common to teeth of a strong, dense character and of a yellowish color. The cause of such a formation may be classified as increase of density and irritation.

**Nod'ule** (from *nodus* a knot) A little knot-like eminence or excrescence. The nodular masses seen at times on teeth are the result of abnormal arrangements or displacements of normal tooth tissue, generally of the enamel.

**Nod'ulus.** A little node.

**No'dus Cer'ebr'i.** The pons Varolii.

**No'li Me Tan'gere.** In *Surgery*, a species of malignant herpes affecting the skin and sometimes the cartilage of the nose. The disease is often of a very malignant character, the nose is sometimes destroyed by it.

**No'ma.** Water-canker, gangrenous sore mouth, occurring usually in children, a specific ulcer. See CANCERUM ORIS.

**Nom'ad** (*nomadi*, *nomas*, from *nomos*, pasturage). In *Surgery*, a spreading sore.

**No'menclature** (*nomenclatura*, from *nomen*, name, and *callo*, I call). The words peculiar to a science or art, the technical terms of any particular art or science.

**Non-cohesive Foil.** A term applied to gold foil which does not possess the cohesive property to any high degree, such as is required in the cohesive foil, or which is incapable of

perfect cohesion even after being highly heated, also called "soft foil."

**Non-conduct'or.** A term applied to substances which do not transmit heat and electricity or which do it with difficulty. In filling teeth in which the lining membrane is nearly exposed it sometimes becomes necessary to interpose a substance of this sort between the bottom of the cavity and the gold to prevent the irritation which would otherwise arise from the transmission of impressions of heat and cold to the pulp. Such substances as Hill's stopping, gutta percha, asbestos, etc. are used for this purpose.

**Non-metal.** An element which is not metallic.

**Non-nat'urals** (*non-naturalia*). The ancient physicians comprehended under this term air, meat and drink, sleep and watching, motion and rest, the retentions and excretions, and the affections of the mind.

**Nonus.** Ninth nerve. The hypoglossal nerve.

**Nooth's Apparatus.** An apparatus consisting of three glass vessels, placed vertically, for impregnating water with carbonic acid gas.

**No'r'ium.** A metal discovered in zircon.

**Norm'al** (from *norma* rule). That which is in accordance with or conforms to the natural order or law. Regular, natural, healthy.

**Nor'moblast.** A nucleated red blood-corpuscle of normal size.

**Normo'blasts.** See CORPUSCLE.

**Normocyte.** A non-nucleated red blood-corpuscle of normal size.

**Nose.** *Nasus*. The organ of smell in man, an eminence of a pyramidal shape situated on the middle and upper part of the face between the upper lip and forehead the eyes and the cheeks. The external part is composed of the *durum* or bridge, the *labe* or tip, the *alae* or sides, and the *columna* or termination of the septum. The cavities of the nose are called *nares* (which see). The nose serves to modulate the voice in speaking. The tears from the lachrymal ducts are discharged into the nose, the air usually passes through it.

**Nose, Artificial.** See ARTIFICIAL NOSE.

**Nose, Bleeding of the.** Epistaxis.

**Nose, Running at the.** Coryza.

**Noseros.** Inalubrious.

**Nosocomi'um** (from *nosos*, a disease, and

*nosua*, to take care of). An infirmary or hospital.

**Nosog'eny** (*nosogena*, from *nosos*, a disease, and *γενος*, origin). The origin of disease.

**Nosog'raphy** (*nosographia*; from *nosos*, a disease, and *γραφω*, to describe). A description of diseases.

**Nosol'ogy** (*nosologia*, from *nosos*, a disease, and *λογος*, a discourse). That department of medical science which treats of the classification of diseases.

**Noson'omy** (*nosonumia*, from *nosos*, a disease and *νομια*, name). The nomenclature of diseases.

**No'sophite.** Any pathogenic microbe or minute parasitic organism which causes disease.

**Nosos'.** Disease.

**Nostal'gia** (from *nostos*, a return, and *αλγος*, pain). Melancholy, loss of appetite, etc., occasioned by the desire of returning to one's country, home-sickness.

**Nostoma'nia.** Nostalgia.

**Nos'trils.** Nares.

**Nos'trum** (from *nostri*, ours). A medicine the ingredients of which are kept secret for the purpose of securing to the proprietor the profits arising from the same, a private or quack medicine.

**No't'al** (from *νωτος*, the back). Belonging to the back.

**Notal'gia.** Pain in the back.

**Notch.** In *anatomy*, a depression or indentation observed on the margin of a bone.

**Notch, Ethmoid'al.** The depression in the frontal bone which receives the superior part of the ethmoid bone.

**Notch, Parot'id.** The triangular space between the parotid edge of the lower jaw and the mastoid process in which the parotid gland is lodged.

**Notches, Ischiat'ic.** These are two in number. The first, which is the largest is situated at the inferior part of the pelvis gives passage to the sciatic nerve, pyramidalis muscle, and to the superior gluteal vessels and nerves. The other gives passage to the tendon of the obturator internus and to the internal pudic vessels and nerves.

**Noth'e Coste.** The false ribs.

**No'thus.** False, spurious.

**No'tochord.** The embryonic spinal marrow. The cellular cord enclosed in a structureless sheath, which in the embryo after-

ward develops into the vertebral column. The spinal cord is also known by this name.

**Noue.** A French word applied, in *Surgery*, to a bandage having a number of knots placed one above the other, employed for the compression of the parotid region after the removal of the parotid gland, and, in *Pathology*, to children affected with rickets.

**Nouffer's Vermifuge.** A decoction of male fern, followed by a drastic purge of calomel, scammony, and gamboge.

**Nubec'ula.** Little cloud-like appearances suspended in the urine in certain disordered conditions.

**Nu'cha.** The nape of the neck, the part where the medulla spinalis begins.

**Nu'clear** (from *nucleus*, a cell) Pertaining to a cell nucleus.

**Nu'cleate.** Having nuclei.

**Nu'cleated** (*nucleatus*, from *nucleus*, a kernel) Provided with a nucleus.

**Nucleated Cell.** The cell formed in a primary granule (cytoblast or nucleus). See CYTOBLAST.

**Nuclei'form.** Formed like a kernel.

**Nu'clein.** A colored amorphous substance of acid properties present in the nuclei of pus corpuscles and, it is probable, of all cells. It is also thought to be the constituent upon which the functional properties of the cell depend.

**Nucle'olus.** A little nucleus, a nucleole. A small glandular vesicle within the cell nucleus.

**Nu'cleus** (from *nux*, a nut. Literally, a kernel or nut. The center of any body, the part about which matter collects, central point around which a calculus is formed. In *Animal and Vegetable Physiology*, a primary granule or cytoblast. See CYTOBLAST.

**Nu'cleus Germinati'vus.** The nucleus resulting from the union of the male and female pronuclei.

**Nu'cula.** A little nut.

**Nuculan'tum.** In *Botany*, a fleshy fruit containing two or more cells and several seeds, as the grape.

**Nu'dus.** Naked.

**Numb'ness.** Insensibility of touch or general feeling.

**Nu'm'mular** (from *nummus*, coin) The spade in phthisis are so termed when they flatten at the bottom of a vessel like a piece of money.

**Nu'tans** (from *nuto*, to bend) Nodding.

**Nu'tation.** Constant involuntary movement of the head.

**Nut'gall** (*galla*). An excrescence of the *Quercus infectoria* or gall-oak, caused by the puncture of an insect. It is powerfully astringent and tonic, and is used in diarrhoea, internal hemorrhage, and intermittents. The powder, mixed with lard, is used as an ointment for piles.

**Nut'meg.** The kernel of the fruit of *Myristica moschata*.

**Nu'triant.** A medicine that modifies the nutritive process.

**Nutrit'ity.** The power of a cell or organism to perform the function of nutrition.

**Nu'triment.** Anything that nourishes or forms living tissue.

**Nutrit'ion** (*nutritio* from *nutrire*, to nourish) The reparation of the molecular changes and decomposition of the body, the function by which the elaborated nutritive matter loses its own nature and assumes that of the different living tissues; nourishment, growth.

**Nutrition.** Force of Plastic force.

**Nutri'tious** (*nutritivus*) Nutritive, nourishing, capable of sustaining life.

**Nu'tritive** (from *nutrio*, to nourish) Possessing the quality of affording nutrition.

**Nutritive Centre.** A cell from which a succession of cellules originates.

**Nu'tritus.** Aliment.

**Nux.** A nut, a fruit with a hard shell.

**Nux Aquat'ica.** The fruit of a plant of the genus *Trapa*.

**Nux Aromat'ica.** Nutmeg.

**Nux Barbaden'sis.** The physic nut, or seeds of the *Jatropha curcas*.

**Nux Cathar'tica.** The physic nut.

**Nux Metel'la.** See *STRYCHNOS NUX VOMICA*.

**Nux Pistaci'a.** The fruit of a plant of the genus *Pistacia*.

**Nux Scrapio'nis.** St Ignatius' bean. The fruit of *Ignatia amara*.

**Nux Vom'ica.** The seeds of *Strychnos nuxvomica* (which see).

**Nyctalo'pia** (from *nyx*, night, and *arropia*, I see) A defect of vision which renders a person incapable of seeing by day and of discerning objects distinctly by night.

**Nyc'talops.** One affected with nyctalopia.

**Nycthem'erum** (from *nyx*, night, and *hemera*, a day) Twenty-four hours, or a day and a night.

**Nyctoba'sis.** Somnambulism.

**Nyctophēnia** (νύξ, night, and φωνή, voice). Loss of voice during the day.

**Nym'pha** (from νύμφη, a water-nymph) A membranous fold arising from the lateral part of the prepuce of the clitoris, within the external labia of the female parts of generation on each side.

**Nymphæ'a**. A genus of plants of the order Nymphaeaceæ

**Nymphæa Al'ba**. The white water-lily, formerly used as an antaphrodisiac and demulcent

**Nymphæa Glandif'era**. See NYMPHÆA NELUMBO.

**Nymphæa Lu'tea** The yellow water-lily, a demulcent and emollient

**Nymphæa Nelum'bo** The Pontic or Egyptian bean The fruit is tonic and astringent

**Nymphæa Odo'ra'ta**. The sweet-scented water-lily. The root is astringent and bitter

**Nymphē'tis**. Inflammation of the clitoris

**Nymphoma'nia** (from νύμφη, a bride, and uavid, madness). Furor uterinus. An irresistible desire for coition in females, particularly those of a nervous temperament, and is supposed to be caused by preternatural irritability of the uterus, nymphæ, and clitoris, or unusual acrimony of the secretions in these parts.

**Nymphon'cus**. Tumefaction of the nymphæ

**Nymphot'omy** (nymphotomia, from νύμφη, and τέμνω, to cut) The operation for the removal of the nymphæ when attacked by scirrhus, cancer, or fungus

**Nystag'mus**. Involuntary movement of the eyelids.

**Nyx'is** (from νύκτωρ, to pierce). Puncture.

## O.

**O**. Symbol for oxygen, also *oæterium*, a pint; also abbreviation for "opening of circuit" in *Electro-therapeutics*

**Oak**. The popular name of a forest tree of the genus *Quercus*, of which there are upward of a hundred species

**Oak Bark**. See QUERCUS ALBA.

**Oak Gall** See GALL-NUSS

**Oak Poison** An acrid juice of the lhus, of which toxicodendric acid produces violent inflammation of the skin and internal poisoning with symptoms of depression

**Oarial'gia**. See OVARIASALIA

**Oar'ic** (*ovarius*) Relating to the ovary

**Oarioce'le** (*oapnoi*, an ovule, small egg, the ovary, and *κύη*, a tumor) A tumor or hernia of the ovary.

**Oariocye'sis**. Ovarian pregnancy

**Oarion'cus**. Ovarian tumor

**Oari'tis**. Inflammation of the ovarium

**Oa'rium**. Ovary.

**Oat'meal**. Farina obtained by grinding the grains of the *Avena sativa*, or common oat

**Ob**. A Latin preposition, used as a prefix in some botanical terms, and denoting inversion.

**Obelæ'a**. The sagittal suture.

**Obese'** (*obesus*, from *obesus*, fat) Obesity, corpulency, fatness

**Object-glass**. The glass or system of glasses next to the object of examination in a telescope or microscope The lens, being placed at the end of the tube next to the object, collects the rays of light into a focus, forming the image of the object viewed through the eye-glass

**Obliquus'**. That which deviates from the vertical line, anything inclined.

**Obli'quus**. Oblique In *Anatomy*, applied to certain muscles from their oblique direction

**Obliquus Exter'ius Abdom'inis**. A broad, thin muscle of the abdomen

**Obliquus Infer'ior Cap'itis** A muscle of the head

**Obliquus Inferior Oc'uli** A muscle of the eye

**Obliquus Inter'ius Abdom'inis** A muscle of the abdomen, situated under the obliquus externus abdominis

**Obliquus Superior Cap'itis**. A small muscle of the head, situated between the occiput and first vertebra of the neck.

**Obliquus Superior Oc'uli**. Trochlearis. A muscle of the eye.

**Obliteration.** In *Anatomy*, the disappearance of a part that has ceased to be useful, as the ductus venosus after birth. In *Dental Surgery*, filling the cavity of a carious tooth.

**Obliv'ion (oblivio).** Forgetfulness; loss of memory.

**Oblonga'tus.** Prolonged, somewhat long.

**Obovate.** In *Botany*, inversely ovate, having the narrow end down, as an obovate leaf.

**Obovoid.** Like an egg of which the small end is turned downward.

**Observa'tion (observatio)** Act of examining a thing and also the knowledge gained. In *French* it means case, or the history of the phenomena of a disease.

**Obsid'ian (obsidianum).** Volcanic glass so named from Obsidius, who first discovered it in *Ethiopia*.

**Obstet'rics.** The art of midwifery.

**Obstipa'tion (obstipatio)** Constipation; costiveness.

**Obstip'itas (obstipus)** Wry neck.

**Obstruc'tio Alvi.** Constipation.

**Obstruc'tion (obstructio)** In *Pathology*, the arrest of a function or secretion by the closure of the perietes of a duct or by the accumulation of foreign or morbid matter in it.

**Obstruent (obstruens, from obstruo, to shut up).** A medicine supposed to have the power of closing the orifices of ducts or vessels.

**Obtund'ent (from obtundo, to make blunt).** A medicine which has the power of relieving irritation and pain or of diminishing or blunting sensibility.

**Obtunders.** Obtunding mixtures. Agents locally applied to a part for the purpose of temporarily depriving it of sensibility. See PAIN OBTUNDERS.

**Obtura'tor (obturatorius, from obturare, to close, to stop up the entrance)** That which closes or stops up the entrance of anything.

**Obturator Ar'tery.** A branch of the hypogastric or epigastric artery, which passes forward and a little below the brim of the pelvis and escapes through the obturator foramen.

**Obturator Exter'nus.** A small, flat muscle, situated at the anterior and upper part of the thigh.

**Obturator For'amen.** An opening beneath the horizontal ramus of the os pubis in the anterior part of the os innominatum.

**Obturator Inter'nus.** A muscle situated almost entirely within the pelvis.

**Obturator Lig'ament.** Obturator membrane.

A tendino-fibrous membrane stretched across the obturator foramen.

**Obturator Mus'cles.** Two in number—the *obturator externus* and the *obturator internus*.

**Obturator Nerve.** A nerve formed by a branch of the third and another from the fourth lumbar nerve and distributed to the muscles on the inside of the thigh.

**Obturator and Palate Plates, with Artificial Teeth.** When an imperfection of the palate, whether the result of malformation or accident, is accompanied by the loss of one or more of the teeth, and especially from the anterior part of the mouth, the plate employed for remedying the former should be so constructed as to serve as a base for a substitute for the latter. The idea of complicating a palate plate with artificial teeth originated with Fauchard. When a palatine obturator and artificial teeth are to be applied at the same time, they may be connected, and the piece made to answer an excellent purpose, provided there be healthy natural teeth in the upper jaw to sustain it.

In the construction of an artificial plate or obturator a gold, vulcanite, or celluloid plate of the proper size should be fitted to all that portion of the vault of the palate and alveolar ridge which is to be covered by it, with a lateral branch on each side, extending to the first molar or to the tooth to which it is to be clasped. To these clasps should be attached, and afterward artificial teeth fitted and secured. If, however, the upper surface of the palate is to be surrounded with a drum or arch-chamber, this should be put on before the teeth are attached. The drum is sometimes so constructed as to retain the obturator in place without any other means of support.

It sometimes happens that an imperfection of the palate is accompanied by an opening into the maxillary sinus. In this case the palatine plate should be large enough to cover both openings, and the loss of the alveolar border replaced by means of a raised plate soldered to the lower surface of the palate plate, to which artificial teeth may be applied or the deficiency supplied with long porcelain gum or block teeth. Vulcanite and celluloid are good substitutes for metal.

**Obturator, Palatine.** An instrument for closing an opening through the palatine arch. This is an ancient invention. According to Guillemeau, obturators were applied by the Greek physicians; but it is to



that celebrated surgeon, Ambrose Paré, that we are indebted for the first description of an appliance of this sort. He has also furnished an engraving of an obturator which he had constructed in 1585. The instrument consisted of a metallic plate, probably of silver or gold, fitted to an opening in the vault of the palate, and maintained in place by means of a piece of sponge fastened to a screw in an upright attached to the upper surface of the plate.

A palatine obturator, as usually constructed at the present time, consists of a plate of gold or vulcanite, adapted to the inner surface of the alveolar arch and to the parts surrounding the opening in the palate, with or without a drum, as the case may require, and maintained in place by means of a clasp attached to a tooth on each side of the mouth.

To Dr. Stearns is due the credit of having demonstrated, by his experiments, that an artificial velum and palate can be constructed which may be worn in the fissure without discomfort, and be made available for accomplishing perfect speech. But to Dr. Norman W. Kingsley is certainly due the credit of having taken up the matter where Dr. Stearns left off, to have made such improvements in the perfection and simplicity of the instrument, and to have reduced the manner of accomplishing it to such system as to leave success no longer problematical and dependent upon chance, but a certainty, dependent only upon the skill of the operator. For a description of Dr. Kingsley's artificial palate and velum see Harris' "Prin. and Pract. of Dentistry."

For a description of the manner of constructing an obturator or palatine plate with an artificial velum see ARTIFICIAL PALATE.

**Obtuse'** (*obtusus*) Blunt.

**Obtus'ion** (from *obtundo*, to blunt) The weakening or blunting of the normal strength of sensation.

**Occip'ital** (*occipitalis*) Pertaining to or connected with the occiput.

**Occipital Ar'tery.** A branch of the external carotid artery distributed to the muscles, etc., of the occiput.

**Occipital Bone** (or *occipitis*). One of the bones of the cranium, situated at its posterior and inferior part, convex externally and concave internally.

**Occipital Nerve.** A nerve which arises by eight or ten filaments from the upper part of

the spinal marrow and passes between the foramen magnum and posterior arch of the atlas, dividing into an *anterior* and a *posterior* branch. The former anastomoses with a branch of the second cervical nerve and the latter is distributed to the muscles of the upper and back part of the head.

**Occip'ito-at'loid.** That which is connected with the occiput and atlas.

**Occipito-ax'oid.** That which is connected with the occiput and the axis, or second vertebra.

**Occipito-fronta'lis.** A broad, flat muscle covering the cranium from the occiput to the eyebrows.

**Occipito-meninge'al.** Belonging to the occipital bone and the meninx, or dura mater.  
**Occipito-meningeal Artery.** A name given by Chaussier to a branch of the vertebral artery given off to the dura mater immediately after it enters the cranium.

**Oc'ciput.** The back part of the head.

**Occlu'sion** (*occlusio*, from *occludere*, to shut up) Closure. Applied in *Pathology* to the partial or total closure of a duct, blood-vessel, cavity, or hollow organ.

**Occlusion of the Teeth.** The upper teeth form the segment of a circle larger than that of the lower teeth, so that the edges of the upper anterior teeth close over the lower anterior teeth and the outer cusps of the upper masticating teeth close outside the same (buccal) cusps of the lower masticating teeth. By such an arrangement the buccal cusps of the lower masticating teeth are received into the depressions between the cusps of the superior molars and bicuspidæ, and the palatal cusps of the upper masticating teeth are received into the depressions of the lower molars and bicuspidæ. The superior incisors naturally close over the lower incisors for one-third of their length, which allows for the incisive junction of these front teeth.

**Occlusion of the Teeth, Line of the Horizon of.** A decided curve of the tooth from front to rear, of greater or less degree, according to the form of each arch, being high at the incisors, curving downward at the bicuspidæ and further down at the first molar, then upward at the second molar, and still higher at the third molars.

**Oc'cult** (*occultus*, from *ob*, and *celo*, to conceal). Hidden, invisible, secret, undetected.

**Occult Sciences.** The imaginary sciences of



the middle ages—magic, alchemy, necromancy, and astrology

**Ocel'ate** (*ocellus*, a little eye). Marked by spots resembling the pupil of the eye

**Ochle'sis**. A general condition of disease produced by a great number of sick under one roof

**O'chra**. Ochre.

**Ochra'ceous**. Ochre-like.

**O'chra**. An argillaceous earth.

**O'crea**. The shin

**Oc'tagon** (*οκτώ*, eight, and *γωνία*, an angle) A plane figure having eight angles and sides

**Octahed'ron** (from *οκτώ*, eight, and *ρῖπα*, a base) A solid with eight surfaces, the most common form of a crystal

**Octa'nus**. Applied to an intermittent fever whose paroxysms are said to return every eighth day

**Octa'rius**. The eighth part of a gallon, or sixteen fluid ounces, a pint

**Octofi'dus**. Eight-cleft.

**Oc'ular** (*oculus*, the eye) Pertaining to the eye

**Ocular Spec'tres** Imaginary bodies, like flies, spots, etc., floating before the eyes

**Ocula'res Commu'nes**. The motores oculorum

**Oc'ulist**. One who devotes himself particularly to the treatment of diseases of the eye

**Oculo-muscula'res**. A name given by Vieq d'Azyr to the third pair of nerves.

**Oculo-musculares Communes** A name given by Chaussier to the third pair of nerves.

**Oculo-musculares Exter'ni** A name given by Chaussier to the sixth pair of nerves

**Oc'ulus** (from *οὐα* or *ουα*, the eye) The eye.

**Oculus Bovi'nus** Hydrophthalmia

**Oculus Bo'vis** A plant of the genus *Chrysanthemum*

**Oculus Cæ'sius**. Glaucoma

**Oculus Ge'nu**. The putella

**Oculus Lach'rymans**. Epiphora.

**Oculus Purlen'tus** Hypopton

**Ocytoc'ic** (from *οξύ*, quick, and *τοκος*, labor) That which quickens parturition, as ergot.

**Odaxes'mus**. The bitten tongue or lip during an epileptic fit.

**Odaxis'mus** (*odaxismus*, *σκαμνισ*; from *οδον*, a tooth). The pungent itching of the gums which sometimes precedes the eruption

of the teeth. Lancing in cases of this sort generally affords immediate relief. See DENTITION, MORBID.

**Odont'eter** (from *οδον*, a road, and *μετρον*, a measure). An instrument fixed to the wheel of a carriage to measure distance in traveling.

**Odonten'chytes** (from *οδον*, a tooth, *εν*, into, and *χω*, to pour) A tooth syringe used for injecting the cavity of a tooth

**Odont-** (*οδον*; from *οδον*, a tooth, and *γεν*, *οδον*-*ος*). A Greek prefix denoting connection with or relation to a tooth

**Odontago'gon**. An instrument for the extraction of teeth. See DENTAGRA.

**Odont'agra** (from *οδον*, a tooth, and *αγρα*, a seizure) According to French lexicographers toothache from retrocedent gout or rheumatism A rheumatic gouty, or neuralgic pain in the teeth.

**Odontal'gia** (from *οδον*, a tooth, and *αλγες* pain). Odontia dentium dolor Toothache Pain more or less severe, in one or more teeth, resulting most frequently from caries and inflammation of the pulp,—pulpitis,—but often dependent upon inflammation of the periodontal membrane, and sometimes upon the transfer of nervous irritation. The pain varies in degree and duration Sometimes it amounts to a slight uneasiness, at other times, to the severest agony It may be dull, deep-seated, throbbing acute, or lancinating It may be confined to a single tooth or several may be affected at the same time Commencing in one, it sometimes passes to another and another, until all in one and occasionally in both jaws are affected The pain is sometimes continuous, at other times paroxysmal, and it may announce itself gradually or suddenly and in its most intense form

After caries has penetrated to the pulp-cavity the organ is exposed to the action of acrid humors and other exciting and irritating agents, causing inflammation, which in this exquisitely sensitive tissue is often attended with the most insupportable agony, because, surrounded as it is by the hard and unyielding parietes of the tooth, it is prevented from expanding, and is consequently subjected to severe pressure, an additional cause of irritation Toothache arising from inflammation of the pulp is usually of the agonizing kind, equaling, not infrequently, in lancinating intensity the excruciating severity of the worst forms of facial neuralgia.

Odontalgia has been divided into *reflex*, depending upon peripheral origin, either dental, nasal and ocular, or visceral, or *cerebral*, depending upon thrombi, tumors, and inflammatory conditions, or *systemic*, depending upon gout, malaria, syphilis, and constitutional conditions. By *local odontalgia* is meant pain in a tooth excited by local causes, such as superficial and deep caries, exposed pulp, inflamed, dead, or putrescent pulp, nodules of dentine in the substance of the pulp, inflammation of the peridental membrane and fracture of the tooth.

The term "odontalgia" is literally defined as pain in a tooth, but it embraces all painful conditions of the teeth from local or general causes. Reflex odontalgia implies pain in teeth which are not the seat of the original pathological condition giving rise to it. It may also be occasioned by affections of distant organs, such as an inflamed eye, disorders of the viscera of the abdominal cavity, affections of the uterus, pregnancy, thrombi, tumors and inflammatory processes at the base of the brain and abscesses at the origin of the fifth pair of nerves. Such affections as hysteria, rheumatism, malaria, syphilis, gout, epilepsy, chorea, mania, headache, etc., occasion odontalgia.

"It not infrequently happens," says Mr. Thomas Bell, "that parts the most remote become the apparent seat of pain, from the exposure of the nerve of a tooth. I have seen this occur not only in the face over the scalp, in the ear, or underneath the lower jaw, but down the neck, over the shoulder, and along the whole length of the arm."

When the inflammation is confined to the parts within the pulp-cavity, pressure upon the tooth does not sensibly augment the pain, but a slight blow upon it with any hard substance increases it, as do also hot and cold liquids. Although of rare occurrence, it sometimes happens that the inflammation extends no further than the pulp-cavity. But whether it remains confined to the pulp or extends, as it most frequently does, to the investing soft tissues, suppuration generally takes place in six or eight days. It rarely, except prompt and active means be employed to arrest its progress, terminates in resolution. Suppuration of the pulp having taken place, the pressure of the accumulating matter upon the parts at the extremity of the root, in the apical space, generally soon gives rise to the formation of a sac and true alveolar abscess.

When the peridental membrane is the part first attacked by the inflammation, the pain is less severe and more easily controlled. It is, however, equally constant and deep-seated, and generally soon extends to the pulp, causing, in the meantime, a thickening of the investing tunic or peridental membrane, swelling of the gums and often of the salivary and tonsil glands and face. A painful throbbing sensation is now experienced, a sac soon forms at the extremity of the root, suppuration of the peridental membrane supervenes, and an alveolar abscess is formed. See PERIODONTITIS, DENTAL.

But toothache sometimes results from the transfer of nervous irritation. Individuals of a nervous temperament and pregnant females are particularly liable to this variety of odontalgia, and it is sometimes a symptom of a disordered state of the stomach. When it results from these causes its attacks are periodical, seldom lasting more than two or three hours at a time, and recurring at stated, but more frequently at uncertain, intervals. Sound as well as carious teeth are subject to this variety of toothache, and it is often difficult to locate the pain in any particular tooth. Sometimes it seems at one minute to be seated in one tooth, and at the next in another, frequently passing round the whole jaw. Sometimes it is acute and lancinating but more frequently dull and tantalizing. Gouty and rheumatic persons are occasionally affected with it.

Toothache is frequently occasioned by exostosis of the roots of one or more teeth, but for a description of this variety and the treatment of odontalgia the reader is referred to the article upon that subject in Harris' "Prin and Pract. of Dentistry."

Odontalgia Hæmorrh. See HÆMODIA.

Odontalgia Nervosa Neuralgic toothache.

See ODONTALGIA.

Odontalgic (odontalgicus) Anti-odontalgic. Relating to toothache. A remedy for toothache.

Odontalite (from *odon*, a tooth, and *lithos*, a stone) A petrified tooth.

Odontat'rophy (odontatrophia, from *odon*, and *tropha*, want of nourishment). Atrophy of the teeth (which see).

Odont'ia. Odontalgia.

Odontia Deformis. Deformity of the teeth, arising either from error of shape, position, or malformation of the jaws or alveolar border.

**Odontia incrustans.** Tartar of the teeth.

**Odontia'sis.** Dentition. The cutting of teeth.

**Odontia'ter** (from *odont*, and *ιατρος*, a physician). A dentist.

**Odontiatrist's** (from *odont*, and *ιατρεία*, a healing). Dental surgery.

**Odonticus.** Appertaining to the teeth.

**Odontit'icus.** Pertaining to odontitis.

**Odontit'is.** Dentium inflammatio Inflammation of the teeth, and formerly applied to dental caries when this affection was supposed to be an inflammatory disease of the dentine.

**Odont'o-** (from *odont*, tooth) A prefix Of or pertaining to a tooth

**Odontoblasts** (from *odont*, and *βλαστος*, a bud). The cells which form the denture of teeth. They consist of a modified form of connective-tissue cells, which are situated upon the periphery of the pulp, and send out rod-like processes or fibrils to the inner side of the enamel organ of the crown By means of the odontoblasts lime salts are deposited around the rod-like fibrils which are to occupy the tubuli, and thus form tubular dentine

**Odontoboth'rion.** The socket of a tooth

**Odontobothri'tis** (from *odont*, *δονθριον*, the socket of a tooth, and *ιτις*, inflammation) Inflammation of the sockets of the teeth

**Odontoceram'ic** (from *odont*, a tooth, and *κεραμος*, anything made of potters' clay) Pertaining to porcelain teeth, as the odontoceric art.

**Odontoceramic Art.** Odontoceramotechny The art of manufacturing porcelain teeth See PORCELAIN TEETH.

**Odontocla'sis** (from *odont*, and *κλασις*, fracture). Fracture of a tooth (which see)

**Odontocne'sis** (from *odont*, and *κνησις*, itching). The itching of the gums caused by dentition. See ULACNESIS and ODAKISMUS.

**Odonto'des** (*odont*, a tooth) Resembling teeth or full of teeth.

**Odontog'eny** (from *odont*, *odontos*, a tooth, and *γενσις*, generation). Odontogenia, odontosis. The generation or origin and development of the teeth. See TEETH, DEVELOPMENT OF PULPS AND SACS OF

**Odontog'raphy** (*odontographia*; from *odont*, a tooth, and *γραφη*, a description). A description of teeth.

**Odont'oid** (*odontoides*, from *odont*, a tooth, and *μοις*, resemblance, shape). Toothlike. In *Anatomy*, a name applied to a process of the

second cervical vertebra; also to a ligament attached to it.

**Odontolith** (*odontolithes*; from *odont*, a tooth, and *λιθος*, a stone) Salivary calculus (which see).

**Odontol'ogy** (*odontologia*; from *odont*, a tooth, and *λογος*, a discourse) The doctrine or science of the teeth, a treatise on the teeth.

**Odontolox'ia** (*odontoloxia*; *odont*, a tooth, and *λαξικ*, slanting or oblique) Irregularity or obliquity of the teeth

**Odonto'ma** (from *odont*, and *ωμα*) A tumor arising in connection with the teeth.

**Odontom'es.** A term applied to masses of dental tissues which result from morbid conditions of the formative pulp, they may consist of hypertrophies, local or general, or of various degenerations Enamel nodules are sometimes so called

**Odontonecro'sis** (from *odont*, and *νεκρωσις*, I kill) Necrosis of the teeth

**Odontonom'y** (*odontonamia*, from *odont*, a tooth, and *ωνυμα*, a name) See DENTONOMY

**Odontonosol'ogy** (*odont*, a tooth, *νοσος*, a disease, and *λογος*, a discourse). A treatise on diseases of the teeth, also that branch of medicine which treats of diseases of the teeth.

**Odontoparallax'is** (from *odont*, and *παράλλaxis*, deviation) Irregularity of the teeth, deviation from the natural position of one or more of the teeth See IRREGULARITY OF THE TEETH

**Odontop'athy** (from *odont*, tooth, and *παθη*, suffering) Abnormal or pathological conditions of the teeth or of the organs connected with them

**Odontophy'ia.** Dentition.

**Odontoplero'sis** (from *odont*, a tooth, and *πληρωσις*, filling) Filling teeth

**Odontopri'sis** (*odont*, a tooth, and *πρισις*, a sawing) Stridor dentium, or grinding of the teeth

**Odonto'rine** (from *odont*, a tooth, and *ρινη*, a file). A tooth file. See FILE, DENTAL.

**Odontorrhag'ia** (from *odont*, a tooth, and *ρηγνυμαι*, I break forth) Hæmorrhage from the socket of a tooth.

**Odontorthre'sis** (*orthos*, straightening). The operation of straightening the teeth.

**Odontosei'sis** (from *odont*, *odontos*, a tooth, and *σεισις*, a shaking, agitation). Odontoseismus. Looseness of the teeth, arising from

partial or total destruction of the alveolar processes, caused, most frequently, by diseases of the gums

**Odontosis/mus** (*odontocisimos*). Odontosis

**Odonto'sis.** Dentition

**Odontosmeg'ma** (from *odontos*, and *σμεγνν*, to cleanse) Anything employed for cleaning teeth, a tooth powder or tooth-brush.

**Odontostere'sis** (from *odontos*, and *στερησις*, privation) Loss of the teeth

**Odontosynesis/mus** (from *odontos*, and *συνεσις*, to strike together) Chattering of the teeth.

**Odontotech'ny** (*odontotechnia*, from *odous*, a tooth, and *τεχνη*, art). Dental surgery

**Odontotherap'ia** (from *odontos*, and *θεραπεια*, to heal) Odontotherapy Dental therapeutics, the treatment or care of the teeth

**Odon'totribe.** Odontotripsy

**Odontotrim'ma** (from *odontos*, tooth, and *τριμμα*, a pulverized substance) A tooth-powder.

**Odontotrip'sis** (from *odontos*, and *τριψις*, wearing away) The gradual loss of substance of the coronal extremities of the teeth from attrition See ABRASION OF THE TEETH, MECHANICAL

**Odont'trypy** (from *odontos*, a tooth, and *τρυναι*, to perforate) Odontotripsy, odontotripsy. The perforation of a tooth (an operation usually performed with a drill) for the purpose of affording egress to purulent matter confined in the pulp-cavity The performance of this operation was recommended by Dr Hullihen and Dr Miller, preparatory to filling a tooth in which the pulp is exposed, for the purpose of preventing congestion of the sanguineous capillaries and for the escape of lymph, should any be effused The operation, when performed for the latter purpose, is made through the gum, alveolus, and root of the tooth, and has been termed *rhizodontotripsy*. This operation is also employed to afford an escape for gases confined in the nerve canal, instead of filling these canals; the opening being made under the free edge of the gum, the gum acting as a valve at the orifice and preventing foreign matter from entering, but such practice is unreliable.

**Odor.** Smell, scent, a sweet or an offensive smell. The subtle emanation of an odoriferous body.

**Odoramen'tum.** Odoraments, substances employed in medicine on account of their odor.

**O'dorate.** Odor, small, fragrant, scent; having a strong odor.

**Oderif'erous** (from *odor*, smell, and *fero*, to bear) Exhaling an agreeable or an offensive odor; fragrant.

**Odoriferous Glands** (*glandulae odoriferae*).

The small glands around the corona glands of the male and under the skin of the labia majora and nymphæ of the female which secrete a sebaceous matter that gives out a peculiar odor

**O'dorin.** A highly concentrated empyrenematic odor, made by the redistillation of the volatile oil obtained by distilling bones.

**Odous** (*odontos*) A tooth.

**Od'yne** (*odynè*) Pain, used as a common suffix

**Odynophagia.** Painful deglutition

**OE'cold.** Red corpuscles of the blood deprived of their hæmoglobin

**OEcon'omy** (*oconomia*). See ECONOMY

**Ede'ma** (from *oidein*, to be swollen) Swelling occasioned by the infiltration of serous fluid into the cellular tissue. See ANASARCA

**OE'dema Arsenica'lis** The swelling of the eyelids and face produced by the use of arsenical medicines

**OE'dema Cer'ebr'i** Infiltration of the brain with a watery fluid

**OE'dema, Compact** Induration of the cellular tissue

**OE'dema Lac'teum.** Phlegmasia dolens

**OE'dema of the Glot'tis.** Oedematous swelling of the mucous membrane of the glottis; a very dangerous and almost always fatal affection

**OE'dema of the Lungs.** Serous infiltration into the tissue of the lungs, carried to such an extent as to impede respiration.

**OE'dema Uvulae** See STAPHYLOEDEMA.

**Ede'm'atous.** Pertaining to oedema; of the nature of oedema.

**Ede'mosar'coma.** A tumor having oedematous and sarcomatous characteristics.

**Enan'thic Acid.** An acid obtained from oenanthic ether

**Enan'thic Ether.** An oily liquid which gives to wine its characteristic flavor

**Enan'thyl'ic Acid.** A colorless, oily, inflammable, faintly aromatic liquid, produced during the decomposition of fats.

**Enel'e'um** (from *enos*, wine, and *elaion*, oil). A beverage composed of wine and oil.

**Enom'ell** (from *enos*, wine, and *μελι*,

honey). Honeyed wine; wine sweetened with honey.

**Oeostag'ma.** Rectified spirits of wine.

**Oesophage'al.** Relating to the oesophagus.

**Oesophageal Cords** Two elongated cords formed of the pneumogastric nerves, which descend along the oesophagus.

**Oesophagis'mus.** A name given by some writers to spasmodic contraction of the oesophagus, and by others to inflammation of the oesophagus.

**Oesophagi'tis.** Inflammation of oesophagus.

**Oesophagorrhag'ia** (from *oesophagus*, and *πηρυναι*, to burst forth) Hæmorrhage from the oesophagus.

**Oesophagot'omy.** The operation of cutting into the oesophagus for the removal of a foreign body.

**Oesoph'agus** (from *αερεν*, *αγειν*, to carry and *αγω*, to eat) The gullet. A musculo-membranous tube, extending from the pharynx to the superior orifice of the stomach. Commencing opposite the lower border of the cricoid cartilage and the fifth vertebra of the neck, behind and a little to the left of the trachea, it passes in its descent behind the arch of the aorta along the posterior mediastinum, enters the abdomen through an opening in the diaphragm, and terminates in the cardiac orifice of the stomach, situated nearly opposite the tenth dorsal vertebra.

**Oestroma'nia** (from *αερος*, vehement amorous desire, and *μανια*, madness) Nymphomania, applied by some French writers to the periodical sexual orgasm exhibited by certain animals. See **KUT**.

**Oes'trum** (from *οιστρος*, venereal orgasm) A term signifying, with some, the clitoris. Also intense desire or passionate impulse.

**Oestrum Venere'is.** A strong desire for sexual intercourse, the excitement of coition.

**Offic'ial.** A medicine emanating from and directed by the Pharmacopœia.

**Officinal (officinalis).** A term applied to medicines directed by the Pharmacopœia with the assent of physicians; those authorized in pharmacy.

**Ohm.** In *Electricity*, the unit of resistance. Practically, it is the resistance of a pure silver wire one metre in length and one millimetre in diameter.

**Ohmmetre.** An apparatus for measuring the resistance in ohms.

**Ohm's Law.** A law discovered by Professor

Ohm, which declares that the current produced in a galvanic circuit is directly proportional to the electro-motive force or difference of potential between the elements, and inversely proportional to the resistance.

**Old** or **l'des** (*ειδος*, a form). A terminal denoting resemblance to an object indicated by the word to which it is joined, as *alkaloid* or *alkaloides*, resembling an alkali.

**Old'ium** (from *ων*, egg, and *ειδος*, like). A parasitic fungus.

**Ordium Albicans.** A parasitic fungus found in thrush upon the tongue.

**Oil** (*oleum*). An unctuous substance obtained from various animals and vegetables which gives a greasy stain to paper. Oils are either solid or fluid, and are insoluble in water and combustible with flame. They are distinguished into *fixed* and *essential* oils. The former are common fats and those oils which require a high temperature for their volatilization, and are obtained by the action of fire or by expression. The latter, called also *volatile* oils, from their evaporating when exposed to the air, are obtained principally by distillation from plants, and exhale a strong aromatic odor.

**Oil of Al'monds** (*oleum amygdalæ*). The fixed oil of the kernels of *Amygdalus communis*. It is clear and colorless, or slightly tinged of a greenish-yellow, nearly odorless, and has a bland, sweetish taste. It is obtained from either sweet or bitter almonds. When inflammation of the mucous membrane of the mouth results from the action of some corrosive substance, almond oil spread over the surface will prove useful. In *Dental Practice*, the oil of sweet almonds, *Oleum amygdala dulcis*, forms a pleasant and soothing application for excoriations of lips and inflamed mucous membrane, also for the small but painful ulcers which sometimes form on the gums, tongue, and mucous membrane of lips and cheeks.

**Oil of Am'ber** (*oleum succini*). A thick, dark-colored liquid of a peculiar, strong, empyreumatic odor, obtained by distillation of amber with its weight of fine sand in a glass retort over a sandbath. Dose, grs. x to grs. xv.

**Oil of Amber, Rectified.** A limpid and nearly colorless liquid, of a strong odor and bitter taste.

**Oil of An'ise.** A colorless or yellowish fluid with the peculiar odor and taste of the seed.

**Oil of Benné.** A colorless bland oil expressed from the seeds of the *Sesamum orientale*.

**Oil of Ber'gamot.** The volatile oil of the rind of the fruit of the *Citrus limetta*.

**Oil of Cajeput.** The essential oil of the leaves of *Melaleuca cajuputi*. It is used as a stimulant, antispasmodic, and diaphoretic.

**Oil of Car'away.** A somewhat viscid essential oil, of a pale yellow color, obtained by distillation from the seeds of *Carum carui*.

**Oil of Cassia.** An oil obtained from cinnamon buds, stimulant, astringent, antiseptic, and aromatic.

**Oil, Castor.** See CASTOR OIL.

**Oil of Cedar.** Obtained from cedar, a species of pines, or *Juniperus*. Employed in *Dental Practice* for obtunding sensitive dentine.

**Oil of Chamomile.** An aromatic oil obtained by distillation from the flowers of the *Anthemus nobilis*.

**Oil of Cinnamon.** The volatile oil of the bark of the *Cinnamomum zeylonicum* and *Cinnamomum aromaticum*, a warm, stimulating and pleasant stomachic.

**Oil of Cloves (*oleum caryophylli*).** The volatile oil of the unexpanded flowers of the *Caryophyllus aromaticus*. It is prepared by distilling cloves with water, to which common salt is added in order to raise the temperature to the boiling-point. It is an aromatic stimulant and a powerful irritant. Dose gtt. ij to gtt. vj. In *Dental Practice* oil of cloves is used to relieve odontalgia, its action being due to over-stimulation. It is also effective as a dressing to canals of recently exposed pulps, although eugenol, its active principle is more effective for such purposes. It has been employed as a substitute for creosote. For dental application see Gorgus' *Dental Medicine*.

**Oil, Cod-liver.** A fixed oil obtained from the liver of the *Gadus morrhua* and other allied species. It is of a white, yellow, red, or brown color, and contains variable proportions of iodine, bromine, sulphur, and phosphorus. Within the last few years it has attracted considerable attention as a medicinal agent. It has been recommended in chronic gout, rheumatic affections, scrofula and rickets, chronic pectoral complaints, tubercles mesenterica, and various other diseases. Dose for an adult is from ℥j to ℥jss.

**Oil of Copai'ba.** A colorless essential oil of an aromatic and acrid taste, separated from copaiba by distillation with water. Dose, gtt. x to gtt. xxx.

**Oil, Cro'ton.** See CROTON OIL.

**Oil of Cu'beba.** A volatile oil obtained by

distillation from the berries of the *Piper cubeba*. It is colorless when pure, has a warm, aromatic, camphorons taste, and has all the medicinal properties of cubeba.

**Oil of Dill.** A volatile oil obtained from the seed of the *Anethum graveolens* by distillation. It is of a pale yellow color, has the odor of the fruit and a hot, sweetish taste.

**Oil of Eucalyptus.** Eucalyptol. See EUCALYPTUS.

**Oil of Fen'nel.** A colorless or yellowish volatile oil, obtained by distillation from the seed of the *Foeniculum vulgare*, and having the odor and taste of the seed.

**Oil, Fu'sel.** Amylic alcohol. Potato oil. An acrid volatile oil, of a pungent, suffocating odor, obtained during the distillation of potato whiskey. It is said to be an irritant narcotic. It was thought at one time to be the cause of the occasional fatal action of chloroform, but that theory is now exploded.

**Oil, Hæ'r'lem.** Supposed to consist chiefly of petroleum, turpentine, and balsam of sulphur. Used internally in renal and rheumatic affections.

**Oil of Horse'mint.** A reddish amber-colored, volatile oil of a fragrant odor and warm, pungent taste, obtained from the fresh herb of *Monarda punctata* by distillation.

**Oil of Ju'niper.** A volatile oil, colorless or of a light greenish-yellow, with a terebinthinate odor and hot, acrid taste, obtained from the berries of *Juniperus communis* by distillation. It is stimulant, carminative, and diuretic.

**Oil of Lavender.** An essential oil, used chiefly as a perfume, though possessed of carminative and stimulant properties, obtained from the flowers of *Lavandula spica* by distillation.

**Oil of Lem'ons.** A yellow or colorless volatile fluid, having the odor of the fruit and a warm, pungent, aromatic taste, obtained from the rind of the fruit of *Citrus limonum*, either by expression or distillation, but the former method is generally preferred.

**Oil of Nut'meg.** A limpid, colorless, volatile oil, obtained from the kernels of *Myristica moschata* by distillation and used for the same purposes as the nutmeg.

**Oil, Olive.** A fixed oil obtained from the fruit of *Olea europæa* by expression. It is an unctuous liquid of a pale yellow or yellowish-green color, having very little odor and a bland, sweetish taste.

**Oil of Orig'anum.** A very acrid and stimulating essential oil, frequently called oil of marjoram, obtained from *Origanum vulgare* by distillation.

**Oil of Partridge-berry.** An essential oil of an agreeable odor and pungent, aromatic taste, obtained from the berries of *Gaultheria procumbens* by distillation.

**Oil of Pennyroy'al.** A volatile oil obtained from *Hedeoma pulegioides* by distillation. It has a light yellow color, a pleasant aromatic smell, and a warm, pungent, mint-like taste.

**Oil of Peppermint.** A volatile oil possessing the active principles of the plant from which it is obtained.

**Oil, Phosphor'ated.** Phosphorated almond oil, used as a nervous stimulant in cases of great prostration from typhoid fever.

**Oil of Pimen'ta.** A volatile oil of a brownish-red color, obtained by distillation from the berries of the *Myrtus pimenta*, and having the odor and taste of the berries.

**Oil, Rock.** Petroleum.

**Oil of Rose'mary.** An essential oil, obtained by distillation from the flowering summits of the *Rosmarinus officinalis*. It has stimulant properties and is chiefly used in rubefacient liniments.

**Oil of Roses.** This is a volatile oil of the petals of *Rosa centifolia*, commonly called attar, otto, or essence of roses. It is nearly colorless and has a grateful and powerfully diffusive odor.

**Oil of San'tas.** See OLEUM SANITAS.

**Oil of Sas'safrae.** A volatile oil obtained from the root of the *Sassafras officinalis*, or *Laurus sassafras*. It is of a yellowish or reddish color, is stimulant, carminative, and supposed to be diaphoretic.

**Oil of Sav'ine.** This oil is obtained by distillation from the tops and leaves of *Juniperus sabina*. It is stimulant, emmenagogue, and rubefacient.

**Oil of Spear'mint.** A volatile oil possessing similar properties to the oil of peppermint.

**Oil of Tar.** An impure, red-colored volatile oil, obtained from tar by distillation with water.

**Oil of Thyme.** A volatile oil obtained from the garden herb, thyme. See THYMOL.

**Oil of Tur'pentine.** The volatile oil of the resinous juice of the *Pinus palustris* and other species of *Pinus*; commonly called spirits of turpentine.

**Oil of Vit'riol.** Sulphuric acid.

**Oil of Worm'seed.** A volatile oil obtained from the fruit of *Chenopodium anthelminticum* by distillation. It is of light yellow color when recently distilled, has the peculiar odor of the plant, and is used as an anthelmintic.

**Oils, Essential or Volatile.** Oils obtained by distillation and of a pungent, aromatic odor. See OIL.

**Oils, Expressed.** Fixed oils.

**Oils, Fixed.** Fatty acids, usually mixtures of olein, stearin, and palmitin.

**Oint'ment.** See UNGUENTUM.

**O'lea** (the plural of *oleum*) Oils. Also a genus of plants of the order Oleaceae, of which there are about twenty-five species. See OLEA EUROPEA.

**Olea Distilla'ta.** Distilled or essential oils.

**Olea Empyreumatica.** Empyreumatic oils, or oils which have a burnt smell.

**Olea Europea.** The olive. *Olive* and *Olea sativa*. The olive tree, from the fruit of which olive oil is obtained.

**Olea Expressa.** Fixed oils, expressed oils. See OLEA FIXA VEL PINGUIA.

**Olea Fixa vel Pinguis.** Expressed oils. Fixed oils. Fatty oils. The oils obtained from the seeds of vegetables without distillation.

**Olea Fuga'cia.** Oils which are of so volatile a nature as to require a different process for obtaining them than that employed for other volatile oils, as the oils of jessamine, lily, violets, etc.

**Olea Medicina'lia.** Medicinal oils or oily solutions of certain medicinal substances.

**Olea Volatilia.** Distilled or essential oils. Oils obtained from aromatic vegetables, and generally by distillation.

**Olea'ceae.** The olive tribe of dicotyledonous plants.

**Oleag'inous.** Unctuous, oily, having the qualities of oils.

**Olea'men.** A soft ointment prepared of oil.

**O'leate.** A combination of oleic acid with a base. A medicinal ointment.

**Oleates, Medicinal.** Definite chemical compounds or salts having too excess of either their acid or basic radicles. The best method of preparing oleates is by the double decomposition of sodium oleates with solutions of neutral salts. See Gorgas' "Dental Medicine."

**Olecranthri'tis** (from *ωλεκρανον*, olecr-



non, *αρθρον*, a joint, and *τις*, inflammation). Inflammation of the elbow-joint

**Olecranonarthroc'ace** (from *ὀλεκρانون*, olecranon, *αρθρον*, a joint, and *κακον*, injury). Caries of the articular surfaces of the elbow-joint.

**Olecranon** (from *ὀληνη*, the ulna, and *κρανον*, the head) A large process at the upper extremity of the ulna forming the projection of the elbow

**Oleff'ant Gas.** Heavy carburetted hydrogen or oil of carbon, ethylene

**Oleic Acid.** An acid obtained by the saponification of oleine or a compound of glyceryl as a base

**Oleine.** That portion of a fat which is left after the separation of margarine and stearine. It is an oleate of oxide of llyl, and is a thin, transparent liquid.

**Oleomar'garine.** An artificial butter made by removing the excess of stearine from tallow, suet, or lard, and flavoring with the natural flavoring principle of butter

**Oleo-res'ins.** Native combinations of volatile oil and resin, the proper juices of coniferous and other plants. In *Pharmacy* a mixture of natural oils and resins extracted from vegetable substances by percolation with stronger ether.

**Oleoricin'ic Acid.** An acid obtained by the saponification of castor-oil.

**Oleosac'charum** (from *oleum*, oil, and *saccharum*, sugar). A mixture of an essential oil and sugar

**Olera'ceous** (from *olus*, any garden herb for food) Of the nature of an herb grown for food.

**O'leum, Oil.**

**Oleum Æthe'rum.** Ethereal oil, heavy oil of wine, sulphate of ether and etherine. A yellowish liquid of an oleaginous consistency, acrid odor, and sharp, bitter taste, formed in the distillation of ether

**Oleum Amyg'dalæ** *Amande* Oil of almonds  
Dose, gtt. ʒ

**Oleum Ans'ethi** Oil of dill

**Oleum An'isi.** Oil of anise Dose, gtt. ʒ  
to gtt. v

**Oleum Anthem'idis** Oil of chamomile

**Oleum Benzo'ini.** Oil of benzoin.

**Oleum Berge'mi.** Oil of bergamot.

**Oleum Bu'bulum.** *Neat's-foot oil*

**Oleum Cajupu'ti** Oil of cajuput Dose, gtt. ʒ  
to gtt. v.

**Oleum Camphora'rum** *Camphor* *liniment*.

**Oleum Cari,** or *Ca'ru* Oil of caraway

**Oleum Caryophylli.** Oil of cloves (which see).

**Oleum Chenopo'dii.** Oil of wormseed

**Oleum Cinnamo'mi.** Oil of cinnamon is obtained by distillation, which is employed to correct or conceal the taste of other medicines, it is a powerful local stimulant. Dose, gtt. ʒ to gtt. ʒj. A drop applied to an exposed nerve will relieve odontalgia

**Oleum Copal'bæ.** Oil of copaiba.

**Oleum Cor'ni Cer'vi.** Oil of hartshorn

**Oleum Cubebæ.** Oil of cubebs.

**Oleum Fœniculi.** Oil of fennel

**Oleum Gaulthe'riæ.** Oil of partridge-berry  
It is nearly colorless when first distilled, but changes to a brownish-yellow or red. It has a sweetish, slightly pungent taste and an agreeable odor. Large doses are poisonous. It is used chiefly on account of its pleasant flavor to cover the taste of other medicines. It is a stimulant, astringent, and an emmenagogue

**Oleum Hedco'mæ** Oil of pennyroyal

**Oleum Junip'eri.** Oil of juniper

**Oleum Lavan'dulæ.** Oil of lavender.

**Oleum Limo'nis.** Oil of lemons. Dose, gtt. ʒ  
to gtt. ʒv

**Oleum Li'ni** Oil of flaxseed

**Oleum Lini Sine Igne** (abb., *of lins* 2). Linseed oil without fire. Cold-drawn linseed oil.

**Oleum Menar'dæ** Oil of horsemint.

**Oleum Men'thæ Piper'itæ** Oil of peppermint.

**Oleum Menthæ Pule'gæ** Oil of European pennyroyal

**Oleum Menthæ Vir'dis.** Oil of spearmint.

**Oleum Mor'rhue** Cod-liver oil. It is specially useful in chronic rheumatism and gout, in scrofulous affections, phthisis, etc. Dose, from a teaspoonful to a tablespoonful.

**Oleum Myris'ticæ.** Oil of nutmeg

**Oleum Ol'ivæ** Olive oil Dose, ʒj

**Oleum Olivæ Opt'mum** Best olive oil.

**Oleum Orig'ani.** Oil of organum

**Oleum Phosphora'tum.** Phosphorated oil.

**Oleum Pimentæ** Oil of pimenta Dose, gtt. ʒ  
to gtt. v

**Oleum Pulegi** Oil of European pennyroyal.

**Oleum Ricci'ni.** Castor oil Dose, ʒj.

**Oleum Ro'sæ.** Oil of roses.

**Oleum Rosmari'ni.** Oil of rosemary. Dose, gtt. ʒ to gtt. ʒj.

**Oleum Ru'tæ.** Oil of rue Dose, gtt. ʒ to gtt. ʒj.



**Oleum Sabi'næ.** Oil of *savina*. Dose, grt. ij to grt. iij.

**Oleum Sambu'ci.** Oil of elder flowers.

**Oleum Sani'tas** Oil of sanitas. Obtained by the oxidation of oil of turpentine. It is antiseptic and disinfectant. Employed in *Dental Practice* for the treatment of alveolar pyorrhœa, alveolar abscess, exposed pulp, diseases of mucous membrane, ulcers, abscess of antrum, etc. See Gorgas' "Dental Medicine."

**Oleum Sas'safra's.** Oil of sassafras. Dose, grt. iv to grt. vj.

**Oleum Sen'am.** Benné oil.

**Oleum Suc'cum.** Oil of amber. Dose, grt. v to grt. x.

**Oleum Succin Rectifica'tum.** Rectified oil of amber.

**Oleum Sulphura'tum.** Balsam of sulphur.

**Oleum Tar'tari per Deliq'uum.** Solution of carbonate of potash.

**Oleum Terebinthinæ.** Oil of turpentine. Dose, ℥ss to ʒss.

**Oleum Terebinthinæ Purifica'tum.** Purified oil of turpentine.

**Oleum Ter'ræ.** Oil of earth. Petroleum.

**Oleum Theobro'mæ.** Oil of theobroma, or butter of cacao.

**Oleum Thy'mi.** Oil of thyme.

**Oleum Tig'lii.** Croton oil. Dose grt. ½ to grt. ij.

**Oleum Vitri'oli.** Sulphuric acid.

**Oleum Vi'trum.** Bitumen.

**O'leyl.** The hypothetical radicle of oleic acid.

**Olfac'tion** (*olfactus*). The faculty of smelling. The sense of smell.

**Olfac'tory** (*olfactorius*, from *olfactus*, the smell). Belonging or relating to the apparatus of smelling.

**Olfactory Foram'ma.** The holes or foramina in the cribriform plate of the ethmoid bone.

**Olfactory Gan'glion.** The olfactory nerves reaching the ethmoid foræ expand and form a triangular ganglion, called the olfactory ganglion.

**Olfactory Nerves** (*nervi olfactorii*). The first pair of cephalic nerves, distributed on the pituitary or Schneiderian membrane of the nose.

**Olfactory Tu'bercle.** Olfactory ganglion.

**Olfac'tus.** The sense of smell.

**Oliva'mma.** A gum-resin of a bitterish flavor, agreeable odor, and of a yellowish-white color, the product of the *Boswellia serrata* or of the *Juniperus lycia*.

**Olig-, Oligo-** (from *ὀλιγος*, *littles, few*) prefix denoting paucity, or that the number of a thing is small.

**Oligæ'mia** (from *ὀλιγος*, little, and *αιμα*, blood). Deficiency of blood; anemia.

**Oligæsthe'sia** (from *ὀλιγος*, little, and *αισθησια*, feeling). A dulness of sensibility, not an absolute annihilation of it, like *anæsthesia*.

**Oligoblen'ia** (from *ὀλιγος*, few, and *βλεννα*, mucus). Deficiency of mucus.

**Oligochol'ia** (from *ὀλιγος*, few, and *χολη*, bile). Deficiency of bile.

**Oligochromæ'mia.** The state in which the hæmoglobin of the blood is below the normal amount.

**Oligoch'y'lia** (from *ὀλιγος*, few and *χυλος*, juice, chyle). A deficiency of chyle.

**Oligocop'ria** (from *ὀλιγος*, little, and *κοπος*, exertion). Deficiency of the alvine evacuation.

**Oligocythæ'mia** (from *ὀλιγος*, want of, and *αιμα*, a cell). A deficiency of red corpuscles in the blood.

**Oligodac'rya** (from *ὀλιγος*, little, and *δακρυ*, a tear). Deficiency of the lachrymal secretion.

**Oligogalac'tia** (*oligogalia agalactia*, from *ὀλιγος*, little, and *γαλα*, milk). Deficiency of the mammary secretion.

**Oligohæ'mia** (from *ὀλιγος*, little, and *αιμα*, blood). Anæmia. Deficiency or poverty of the blood.

**Oligosia'lia** (from *ὀλιγος*, little, and *σαλiva*, saliva). Deficiency of salivary secretions.

**Oligosper'mia** (from *ὀλιγος*, little, and *σπερμα*, seed). Deficiency of the seminal secretion.

**Oligospond'ylius** (from *ὀλιγος*, small, and *σπονδυλος*, a vertebra). A term applied by Gault to a monster with defective vertebrae.

**Oligotrich'ia** (from *ὀλιγος*, little, and *τριχ*, hair). Deficiency of hair.

**Oligotroph'ia** (from *ὀλιγος*, few, and *τροφω*, to nourish). Deficiency of nourishment.

**Oligure'sia** (*oliguria*, from *ὀλιγος*, little, and *ουρησις*, act of discharging urine). Morbid deficiency of urine.

**Olisthe'ma.** A luxation.

**Ol'iva.** The olive. See *OLEA EUROPEA*.

**Oliva'ceous.** Olive-colored, olive green; green mixed with brown.

**Olivæfor'mis.** Olive-shaped.

**Oliva'ris** (from *oliva*, the olive). Ovary. Resembling an olive. Olive-shaped.

**Olivary Bodies.** The oval-shaped bodies behind the anterior pyramids of the medulla oblongata.

**Olive.** See *OLEA EUROPEA*.

**Olive Oil.** Olive oleum or salad oil. A fixed oil expressed from the ripe fruit of the *Olea europæa*. It is demulcent, emollient, and laxative.

**Olivile.** A substance crystallizing in white needles, obtained from the resin of the olive tree. Also a substance obtained from the leaves of the olive tree. It occurs in colorless, lustrous crystals, which emit aromatic vapors when burning.

**Olivine.** A mineral of an olive-green color containing oxide of iron.

**Olophlyc'tis.** An eruption of small, hot pustules over the skin.

**Olophonia.** Congenital defect of the organs of voice.

**Omal'agra** (from *omac*, the shoulder, and *agros*, a seizure). Gout in the shoulder.

**Omal'gia** (from *omac*, scapula, and *algos*, pain). Neuralgia of the shoulder.

**Omarthri'tis** (from *omac*, the shoulder, *arthron*, a joint, and *itis*, inflammation). Inflammation of the scapulo-humeral articulation.

**Omenta'lis.** Pertaining to the omentum, omental.

**Omenti'tis.** Inflammation of the omentum.

**Oment'oceles.** Same as *EPIPTOCELE*.

**Omen'tula.** A term applied in *Anatomy* to the prolongation of the peritoneum beyond the surface of the large intestine.

**Omen'tum.** The caul or epiploon. A duplicature of the peritoneum, with more or less fat interposed.

**Omi'tis** (*omac*, shoulder). Inflammation of or in the shoulder.

**Omniv'orous** (*omnivorus*, from *omnia*, all and *voro*, to devour). Animals which feed indiscriminately on vegetable and animal substances.

**Omo-** (from *omac*, the shoulder). A prefix signifying the shoulder.

**Omo'c'tyle.** The glenoid cavity of the scapula.

**Omo'hyoid'es.** A muscle arising from the superior costal of the scapula and inserted into the inferior margin of the os hyoides.

**Omphag'ia** (from *omac*, raw, and *phago*, to eat). Fondness for raw food.

**Omo'plate** (from *omac*, the shoulder, and *platys*, broad, flat). The scapula.

**Omos** (*omac*). The shoulder.

**Omothroc'ace** (from *omac*, the shoulder, *arthron*, a joint, and *akke*, injury). Caries or disease of the shoulder-joint.

**Omoto'cia.** A miscarriage.

**Omot'ribes.** Oil from unripe olives.

**Omphaci'tes.** Wine prepared from unripe grapes.

**Ompa'cium.** The juice of unripe grapes.

**Omphaloce'le** (from *omphalos*, the navel, and *celen*, hernia). Umbilical hernia.

**Omp'haloid** (*omphalos*, navel, and *eidos*, a form). Resembling the navel.

**Omphaloman'tia** (from *omphalos*, the navel, and *manthea*, prophecy). The divination practised by credulous midwives, who pretend to foretell the number of children a woman will have by the knots in the umbilical cord.

**Omphalo-mesenter'ic** (*omphalo-mesentericus*, from *omphalos*, the navel, and *mesenterium*, the mesentery). Relating to the navel and mesentery.

**Omphalo-mesenteric Vessels.** A name given by Haller to an artery and vein of the umbilical vesicles of the fetus which terminate in the superior mesenteric artery and vein.

**Omphalophy'ma** (*omphaloma*, from *omphalos*, and *oma*, tumor). Tumefaction of the navel.

**Omphalorrhag'ia** (from *omphalos*, the umbilicus, and *rhizo*, to burst forth). Hemorrhage from the navel, which sometimes occurs in new-born infants.

**Omphalorrhex'is** (from *omphalos*, the umbilicus, and *rhxis*, rupture). Rupture of the umbilical cord.

**Omp'halos.** The umbilicus.

**Omphalotom'ia** (from *omphalos*, the umbilicus, and *tomia*, incision). Omphalotomy. A term applied in *Obstetrics* to the division of the umbilical cord.

**O'nanism.** Masturbation.

**Oncology.** The branch of surgery relating to tumors.

**On'cos.** A tumor or boil.

**Oncot'omy** (*oncotomia*; from *oncos*, a tumor, and *tomia*, incision). In *Surgery*, the operation of opening a tumor or abscess.

**Oncirodyn'ia** (from *onchos*, a dream, and *dynia*, anxiety). Morbid, disturbed, and troubled dreams.

**Oncirog'mos.** A lascivious dream, nocturnal pollution.

**On'ion.** A plant of the genus *Allium*, and particularly its bulbous root.

**Onion, Sea.** See *SCHILLA MARITIMA*

**Ono'ma.** A name.

**Onomatolog'ia.** Nomenclature.

**Onos'ma.** A genus of plants of the order Boraginaceae.

**Onosma Echiol'des.** A European plant, the root of which affords a red dye, sometimes used as a substitute for alkanet.

**Ontogen'esis** (from *ον*, existence, and *γενωσθαι*, to beget). The development of the individual cell into the mature being.

**Ontol'ogist.** One who treats of the nature and qualities of beings in general.

**Ontol'ogy** (*ontologia*, from *ον*, gen *οντος*, a being, and *λογος*). That department of science which investigates the nature of beings.

**Ony'chia** (from *ονυς*, the nail). Paronychia at the side of the finger nail. An abscess near the nail, whitlow

**Onychi'tis.** Inflammation of the nails

**Onychogrypho'sis.** Curvature of the nails; a phenomenon of frequent occurrence in hectic fever.

**Onychion'osi** (from *ονυς*, and *νοσος*, disease). Diseases of the nails.

**Onychopto'sis** (from *ονυς*, and *πτωσις*, falling). Falling off of the nails.

**Onyx** (*ονυς*, a nail). In *Surgery*, a collection of purulent matter between the lamellae of the cornea, so called from its resemblance to a nail. In *Mineralogy*, a species of agate consisting of parallel layers of different shades of color, used in making cameos.

**Onyx'is.** A sinking or immersion of the nails into the flesh.

**Oöblast.** A cell of the germinal epithelium which develops into an ovum.

**Oocyte'sis.** Ovarian pregnancy

**Oöel'des.** The aqueous humor of the eye

**O'olite** (from *ωον*, an egg, and *λίθος*, a stone). A granular variety of carbonate of lime, like the roe or eggs of a fish.

**Oölog'ia** (*ovology*, from *ωον*, an egg, and *λογος*, a discourse). In *Ornithology*, a treatise on the eggs of birds.

**Oön.** 'An ovum, egg.

**Oöphori'tis** (from *ωοφορος*, that which bears or produces eggs, and *ιτις*, inflammation). Inflammation of the ovary.

**Oösperm.** A fertilized ovum, the cell formed by the combination of an ovum and spermatozoon

**Opac'ity** (*opacitas*). Incapability of transmitting light. The quality of an opaque body which obstructs the rays of light.

**Opacity of the Cornea.** Defect in the transparency of the cornea, from a slight film to an intense whiteness.

**Opake.** Opaque. Impermeable to the rays of light; not transparent

**O'pal.** A beautiful and rare mineral, consisting of silic and about ten per cent. of water

**Opales'cence.** A reflected milky light exhibited by some minerals

**O'paline.** Having a milky or bluish tint, with the reflection of light, of the opal

**Open Circuit.** See *CIRCUIT*

**Opera'tion** (*operatio*, from *opus*, work). In *Surgery*, the application of instruments to the human body for the cure of disease. In *Therapeutics*, the action of medicine, as that of a purgative, etc.

**Opera'tive.** Active, efficacious; practical, effective.

**Operative Den'tistry.** That department of dentistry which pertains to the surgical treatment of diseases of the teeth and surrounding parts

**Op'erator.** One who performs a manual process. In *Surgery*, a surgeon. In *Dentistry*, a dentist.

**Oper'cula Ocu'li.** The eyelids.

**Oper'cular.** That which closes a cavity similar to a lid

**Oper'culate** (*operculatus*). Having a lid-like cover. Operculated

**Opercula'tus.** Operculated, closed by opercula

**Operculifor'mis.** Operculiform; resembling an operculum or lid

**Oper'culum.** A lid or cover. Applied in *Dental Physiology* to the lips of the follicle of a tooth-germ, which, coming together, close the mouth of it and form a tooth-enc. In *Metazozoology* to the tragus of the ear when sufficiently elongated to close the auricular cavity. In *Ichthyology*, to the gill-cover which protects the branchiae of many fishes. In *Botany*, to the epiphragma (which see)

**Ophia'sis.** A species of porrigo decalvans, or partial baldness, which progresses in a serpentine form

**Ophios'toma.** A genus of intestinal worms which have two lips.

**Ophi'tes** (from *οφις*, a serpent). The serpentine or black porphyry; a rock formerly worn as an amulet for the cure of diseases of the head.

**Oph'rya.** The eyebrow.

**Ophthalmal'gia** (from *οφθαλμος*, the eye, *αλγος*, pain). Pain in the eye

**Ophthalm'ia** (from *οφθαλμος*, the eye). **Ophthalmitis** A term used to designate inflammation of the investing membranes of the eye and of the inner surfaces of the eyelids or of the whole bulb of the eye. There are several varieties of ophthalmia, each of which has received a specific designation, as acute, chronic, conjunctival, Egyptian, gonorrhoeal, purulent, etc.

**Ophthalmia, Catar'hal** (*ophthalmia catarrah'tis*). This variety arises from atmospheric causes, and is known by the terms "cold" or "blight."

**Ophthalmia, Gonorrhoeal** (*ophthalmia gonorrhoeica*) A severe form, produced by the introduction of gonorrhoeal matter into the eye through a want of cleanliness.

**Ophthalmia, Mu'cous** (*ophthalmia mucosa*) The increased mucous discharge accompanying catarrhal ophthalmia.

**Ophthalmia Neonato'rum**. Ophthalmia of new-born children A variety of purulent ophthalmia which sometimes attacks infants soon after birth

**Ophthalmia, Pur'ulent** (*ophthalmia purulenta*) Also called Egyptian ophthalmia, it being common in Egypt A severe form of ophthalmia, attended with a puriform secretion It is generally contagious.

**Ophthalmia'ter** (from *οφθαλμος*, the eye, and *ιατρος*, a physician) An oculist, a practitioner of ophthalmic surgery.

**Ophthalmiatr'i'a**. The art of the oculist. Also an eye infirmary

**Ophthalm'ic** (*ophthalmiaki*, from *οφθαλμος*, the eye). Belonging or relating to the eyes.

**Ophthalmic Artery** A branch of the internal carotid artery which passes to the eye through the optic foramen

**Ophthalmic Gan'glion** Lenticular ganglion A ganglion situated on the external part of the optic nerve in the orbit.

**Ophthalmic Nerve** Orbito-frontal A branch given off from the Gasserian ganglion, the first and smallest of the fifth pair It enters the orbit by the sphenoidal fissure, and divides into the lachrymal, frontal, and nasal nerves.

**Ophthalmic Vein** A vein which accompanies the ophthalmic artery

**Ophthalm'icci Exter'ni**. The motor nerves of the eye, or third pair of nerves.

**Ophthalm'itis**. Ophthalmia. A term re-

stricted by some writers to inflammation of the bulb of the eye, but usually applied synonymously with ophthalmia.

**Ophthalmio-blennorrhoe'a**. Purulent ophthalmia

**Ophthalmio-carcino'ma**. Cancer of the eye

**Ophthalmoce'le**. Hernia or protrusion of the bulb of the eye.

**Ophthalmodyn'ia** (from *οφθαλμος*, the eye, and *οδυνη*, pain). Pain in the bulb of the eye According to Pienck, orbito-frontal neuralgia

**Ophthalmog'raphy** (from *οφθαλμος*, the eye, and *γραφη*, a description). A description of the eye

**Ophthalmol'ogy** (from *οφθαλμος*, the eye, and *λογος*, a discourse) A treatise on the eye.

**Ophthalmom'eter** (from *οφθαλμος*, the eye, and *μετρον*, a measure). An instrument for measuring the capacity of the chambers of the eye

**Ophthalmon'cus**. Tumefaction of the eye

**Ophthalmople'gia** (from *οφθαλμος*, the eye, and *πλησσω*, to strike) Paralysis of one or more of the muscles of the globe of the eye.

**Ophthalmopto'sis** (from *οφθαλμος*, the eye, and *πτωσις*, a falling down). Protrusion and prolapsus of the globe of the eye.

**Ophthalmorrh'e'gia**. Hæmorrhage from the conjunctiva.

**Ophthalm'os**. The eye

**Ophthalmoscope** (*οφθαλμος*, eye, and *σκοπεω*, to examine) An instrument used in examining the eye

**Ophthalmoscop'ia** (from *οφθαλμος*, the eye, and *σκοπεω*, to examine) Ophthalmoscopy. The art of distinguishing the temperament of an individual by examination of his eyes. Used also as a means of diagnosis in diseases of the eyes.

**Ophthalmosta'tum** (from *οφθαλμος*, the eye, and *στασις*, station) An instrument for confining the eye, a speculum oculi

**Ophthalmotherapi'a**. Ophthalmiatry. Ophthalmic therapeutics, treatment of the diseases of the eye.

**Ophthalmot'omy**. Ophthalmotomia In *Autotomy*, the dissection of the eye. In *Surgery*, incision of the cornea or extirpation of the eye.

**Ophthalmox'ysis** (from *οφθαλμος*, the eye, and *ξύω*, to scratch). Scarification of the eye, or rather of the conjunctiva, practised in cases of inflammation of this membrane.

**Ophthalmoscope.** An instrument for examining the eye.

**Opium.** *Opium.*

**Opiumum.** A yellow powder obtained by treating opianic acid with ammonia and evaporating the alkali.

**Opiate.** Narcotine. An active nitrogenous principle derived from opium.

**Opianic Acid.** An acid obtained by the decomposition of narcotine.

**Opiamine.** *Opium.* An alkaloid discovered in opium, which resembles morphia both in properties and doses.

**Opiate (opiate).** A medicine containing opium; an anodyne; any preparation which causes sleep.

**Opi.** The genitive of opium.

**Opium.** Opium.

**Opi'thecar.** The back of the hand.

**Opi'thot'omous** (from *opisthro*, backward, and *tomos*, to bend) A variety of tetanus in which the body is bent backward.

**Opium** (*opium*) The inspissated juice of the *Papaver somniferum*, or poppy. A stimulant narcotic. As an antispasmodic it is used in tetanus, colic, violent cough, and convulsive affections. Its power of checking secretions renders it a valuable remedy in diarrhoea, catarrh, diabetes, etc. It allays restlessness, allays pain, and produces sleep. The Smyrna variety is the best. Dose, gr. j. The effects of opium upon the teeth when it is recklessly administered to infants or its employment upon the nipples of indolent nurses when nursing children may be such as to cause a degenerate organization, the type of which has not yet been determined. The habitual use of opium produces physical degeneracy, which is transmitted to the offspring.

**Opium, Camphorated Tincture of.** *Opil camphorata tinctura.* Dose, ʒj to ʒiv.

**Opium, Extract of.** *Opil extractum.* Dose, gr. i.

**Opium, Tincture of Laudanum.** Dose, gtt. xx to gtt. xxv. The tincture of opium in hot water is useful in inflammation of the peridental membrane. Combined with lead-water it is a useful application to inflamed gums and after tooth extraction.

**Opium, Vinegar of.** *Opil acetum.* Dose, gr. x.

**Opium, Wine of.** *Opil vinum.* Dose, gr. xx to gr. xxv.

**Opodeldoc.** *Opodeldoc.* Camphorated

**Opopanax.** The solid gum-resin of *Opopanax chironium*. Also a genus of plants of the order Apiales.

**Opposition** (from *oppos*, to close up). Obstruction, as the closing of a cavity by the adhesion of its walls.

**Oppositivus.** In *Pharmacy*, a medicine which closes the pores of the skin.

**Opposens.** Opposing. An epithet applied to two muscles of the hand.

**Opponens Min'im'i Dig'iti.** A small muscle of the hand situated on the hypothenar eminence.

**Opponens Pol'icis.** The flexor ossis metacarpi pollicis muscle. It brings the thumb inward, thus opposing it to the fingers.

**Oppres'sio Cer'ebr'i.** Catalepsy.

**Oppres'sion** (*oppression*) A sense of weight, especially about the chest, which seems to impede respiration.

**Opsig'onus** (from *ops*, late, and *gignomai*, to be born) A term sometimes applied in *Dental Anatomy* to a wisdom tooth or a tooth erupted late in life.

**Opsiom'eter** (from *opsis*, sight, and *metron*, a measure). An instrument for measuring the limits of distinct vision in different individuals and for determining the refraction of the eye, and the lenses necessary for the correction of imperfections of the eye.

**Opsionu'si** (from *opsis*, vision, and *nosus*, a disease) Diseases of vision.

**Op'sis.** Pupil. Vision.

**Op'tic** (*opticus*, from *optomai*, to see). Relating to vision.

**Optic Fora'men.** A foramen in the sphenoid bone through which the optic nerve passes.

**Optic Gan'glio.** Quadrigemina tubercula.

**Optic Lobes.** Quadrigemina tubercula.

**Optic Nerve** (*nervus opticus*) The second pair of cerebral nerves, forming the communication between the brain and the eye.

**Optic Thal'amus** (*thalamus opticus*). Each of two eminences in the anterior and internal part of the lateral ventricles of the brain.

**Op'tica.** That branch of physics which relates to vision and the phenomena of light.

**Ora.** Plural of *os*, a mouth.

**Ora Ser'ata.** The posterior serrated margin of the ciliary processes.

**O'ral** (*os, oris*, a mouth). Relating to the mouth or uttered by the mouth; verbal.

**Oral Sur'gery.** Surgery of the mouth.

**Oral Teeth.** The incisors and caninetti are so called because they are situated behind the lips at the entrance of the mouth.

**Grail Whistle.** A peculiar, intermittent, expiratory noise of the breath, supposed to be an indication of intrathoracic aneurism.

**Or'angeade.** Orange sherbet. A drink made of orange-juice and water sweetened with sugar, often used as an antiphlogistic in acute diseases.

**Orbic'ular** (*orbicularis*; from *orbis*, a circle). Round; a circle.

**Orbicular Bone.** The smallest of the four bones of the ear.

**Orbicula'ris Oculi.** Same as ORBICULARIS PALPEBRARUM.

**Orbicularis O'ris** The circular muscle which surrounds the mouth. It has no bony attachment and consists of two planes of fibres,—one for the upper, the other for the lower lip,—which meet at the angles of the mouth. Its use is to draw the lips together and shut the mouth.

**Orbicularis Palpebra'rum** A muscle common to both eyelids, in the substance of which it is seated. Its use is to shut the eye by drawing both lids together.

**Orbic'ulate** (*orbiculatus*). Round and flat.

**Orbic'ulus.** A little circle.

**Orbicularis Cilia'ris.** The ciliary ring or circle.

**Or'bit** (*orbitum*) The name of the two cavities which lodge the organs of sight.

**Or'bita.** Pertaining to the orbit of the eye.

**Orbital Arch.** The superior edge of the orbit of the eye.

**Orbital Fis'sures** The sphenoidal and sphenomaxillary fissures situated in the orbit. The first is called the *superior*, and the other the *inferior*.

**Orbital Nerve.** A branch of the superior maxillary which enters the orbit by the sphenomaxillary fissure.

**Or'bitar.** Relating to the orbit of the eye.

**Orbital Foram'ins.** The foramina entering the orbit, which are the anterior and posterior ethmoid orbitar, the optic, the foramen lacrum superius, and the supra- and infra-orbital foramina.

**Orchid'tis** (*orchitis*, from *orchis*, the scrotum). Inflammation of the scrotum.

**Orchot'omy.** Castration.

**Orchid'al'gia** (*orchidalgia*; from *orchis*, the testicle, and *algos*, pain). Pain in the testicles.

**Orchidistroph'ia.** Atrophy of the testicles.

**Orchidectab'anis** (from *orchis*, a testicle, and *ectab'anis*, descent). The descent of the testicles into the scrotum.

**Orchidoc'e'le** (from *orchis*, a testicle, and *cels*, a swelling). Hernia of the scrotum; also swelling of the testicles.

**Or'chis** (*orchis*) A testicle.

**Orchit'tis** (from *orchis*, a testicle, and *itis*, signifying inflammation). Inflammation of the testicle.

**Or'chos.** The tarsal extremities of the eyelids.

**Orchot'omy** (*orchotomia*, from *orchis*, the testicle, and *temno*, to cut) Castration; the removal by surgical operation of one or both testicles.

**Or'der.** Systematic arrangement, a command; method To bid, to command. In *Natural History*, a number of allied objects which include one or more *genera*, and a collection of *orders*, which constitutes a *class*.

**Ore.** A mineral body from which metal is extracted. Ores, when combined with sulphur, are termed *sulphurets*, when combined with oxygen, *acides*, and when combined with acids, *salts*.

**Oreodaph'ne.** A genus of plants of the order Lauraceæ.

**Oreodaphne Cupula'ris** The bark of this species possesses properties similar to cinnamon, and has been called the Isle of France cinnamon.

**Oreodaphne Opifera** This species yields a large quantity of volatile oil, obtained by incision, which is said to possess discutient qualities. An oil is also obtained from its fruit said to be efficacious in pains of the limbs and contraction of the joints.

**Orex'is.** Appetite.

**Or'gan** (*organum*) A part of an organized body, animal or vegetable, which has a determined function or office to execute.

**Organ'ic** (*organicus*) Relating to or characterized by an organ or organs, exhibiting animal or vegetable characteristics.

**Organic Chemistry.** The chemistry of matters derived from animals or plants.

**Organic Defects of Teeth.** The variety of anomaly formerly denominated atrophy of teeth, and characterized by a series of irregular pits or depressions in the enamel, extending transversely across the crown or entirely around it. Sometimes two or three rows of pits are present, and the depressions may be separate or confluent or the crown may be deficient in enamel on the cutting edge.

Another anomaly consists in fully developed roots, but the crowns are rudimentary in

character and seemed to be small, irregular masses of dentine without any enamel.

**Salient spines of compressed or flattened cornea, sections of the roots of either single or double-rooted teeth, or sections of the cornea**—which are exceedingly rare—resembling a beveled fracture, or another anomalous structure may occur in the form of two teeth (See **CONCOMITANT** or **THIN** and **GUMMOSUS TUBER**).

**Organic Diseases** Diseases which cause a change in the structure of an organ or organs or in which the organ is directly implicated.

**Organic Force** See **PLASTIC FORCE**.

**Organic Functions** Those possessed by both animals and vegetables.

**Organic Life** That life which belongs properly to the organs necessary to vital existence.

**Organic Molecules** Certain floating bodies supposed to exist in the male semen.

**Organ's lesion (organismes)** A term sometimes applied in **Pathology** to the doctrine of the localization of disease.

**Organisms.** The aggregate of the organs and powers which govern an organized being. Whatever is organized or composed of organs.

**Organism, Dental.** See **DENTAL ORGANISM**.

**Organization (organismos, from *organon*, an organ)** The condition or arrangement of the parts of an organized body or of the laws which regulate its action.

**Organized.** In **Physiology**, composed of organs, endowed with life.

**Organogenesis.** The process of development and growth of an organ.

**Organogeny (organogenesis, from *organon*, an organ, and *genesis*, generation)** The formation of the organs.

**Organography (organographia, from *organon*, an organ, and *grapho*, a description)** A description of the organs of a living body.

**Organology (organologia, from *organon*, an organ, and *logos*, a discourse)** A treatise on the organs of the living body. **Anatomy**.

**Organotaxis (organotaxis, from *organon*, an organ, and *taxis*, a law)** The doctrine of the laws of organic life.

**Organotaxy.** **Anatomy**.

**Organism (organismos, from *organon*, to desire satisfaction).** Satisfaction, especially venereal, and vital temptations of an organ, but generally applied to the organs of generation.

**Organisms.** Diseases which affect the organs.

**Organisms.** Diseases which affect the organs, and flesh, to teeth). A term applied in **Anatomy** to the mouth or opening of any cavity or canal, and in **Dental Surgery** to the aperture or entrance of a cavity in a carious tooth.

**Organism.** The organism vulgar; also a genus of plants of the order **Lamiaceae**.

**Organum Creberrimum.** **Organum dischismos.** **Disease of Ovis.** The leaves are said to be emmenagogue and alexipharmic.

**Organum Vulgare.** Wild marjoram. It is stimulant and emmenagogue, and was formerly used as an emmenagogue. It yields an essential oil which has been used for the relief of toothache.

**Origin.** In **Anatomy**, the commencement of a muscle.

**Oria.** Genitive of *os*, a mouth.

**Oria Construtor.** The orbicularis oculi.

**Orismology (from *opsis*, a term, and *logos*, a discourse)** **Terminology**, **glossology**, the explanation of the technical terms of any science.

**Ornithoid (ornis, a bird, and *oides*, form)**

Resembling a bird.

**Ornithology (from *ornis*, a bird, and *logos*, a discourse)** A treatise on birds, embracing their arrangement and natural history.

**Ornithodes (ornithodes, from *ornis*, a bird, and *odes*, form)** A term applied in **Pathology** to urine (urine or ornithodes) when it deposits a brown-colored sediment like the meal of the orobos.

**Orophthalmos (from *opsis*, the end of the os sacrum)** A term applied by **Gault** to a monster having a second male organ originating from the rump.

**Orplacement.** Native yellow sulphuret of arsenic or king's yellow. **Arsenic bisulphide**,  $As_2S_3$ .

**Orthopygion (from *opsis*, the end of the os sacrum, or the space between the anus and pudenda, and *pygion*, the rump)** A term applied in **Anatomy** to the inferior extremity of the vertebral column. Also the right or left extending from the penis to the anus, dividing the scrotum into two parts.

**Orthorrhoea (orthos, straight, and *pygion*, to burst forth)** **Orthorrhoea.** A sudden discharge of serum. A watery discharge.

**Orthosis.** **Strain.** Also the perturbation and the activity of the nervous.

**Orthostasis.** A lymphatic vessel.

**Orthostasis, or Orthostasis.** A nervous system.

**Ortho'thagra** (op'θe, straight or right, true, op'θw, a joint, and ag'ra, a suture) True or regular joint

**Ortho-** (from op'θe, straight) A prefix denoting straightness or correctness of position

**Ortho'se'a** (from op'θe, straight, and se'a, limb) A term applied in *Pathology* to a stiff limb. *Tachylase* with the limb extended

**Orthodon'tia** (from op'θe, straight, right, and d'nt, a tooth) Dental orthopodia. That part of dental surgery which has for its object the treatment of irregularity of the teeth. See **IRREGULARITY OF THE TEETH, TREATMENT OF**

**Orthodon'tic**. Relating to the treatment of irregularity of the teeth

**Orthopedi'a** (from op'θe, straight, right, and ped'ia, one rearing, a child) The correction of deformities of children, such as club foot, etc

**Orthopnea** (from op'θe, straight, and pne'a, to breathe) Inability to breathe in a normal posture

**Orthopnea Cardi'aca** Angina pectoris

**Orthopnea Convul'siva** Asthma

**Orthopnea Cynan'chica** Cynanche trachealis

**Orthoprax'y** (from op'θe, right, and prax'ia, to work) The mechanical treatment of deformities of the body

**Os** (gum oss). A bone. Symbol of osmium

**Os** (gum ore) A mouth or entrance into any place, as the *os externum*, *os internum*, *os nasus*, etc.

**Os Artificial** (from os, bone, and artif'ialis)

A compound of the oxide and chloride of zinc mixed so as to form a paste, and in this form introduced into the cavity in a tooth, where, if protected from moisture, it hardens in from twenty minutes to half an hour. Several preparations are in use, known by the names of *bone filing*, *oxychloride of zinc*, etc. See **OSTEOPLASTIC OR SILEX**.

**Os Inter'mum**. The entrance into the vagina.

**Os'smore Teeth**. A name given by Mr. Wilham Rogers to artificial teeth constructed from the ivory of the tooth of the *hippopotamus*, and, as he says, submitted to the action of some peculiar chemical agent by which the pores of the ivory become filled with a silicious substance

**Oss'e'de**. Aphasia, also yawning

**Oss'cheal**. Relating to the scrotum

**Oschel'tis**. Inflammation of the scrotum. Same as **ORCHITIS**

**Osteocarcino'ma**. Chimney-sweeper's cancer

**Osteoco'e'le** (from oste'ia, the scrotum, and co'e'le, a tumor) A tumor of the scrotum. Also scrotal hernia

**Osteochole'alis** (from oste'ia, the scrotum, and chole'ia, relaxing) A term applied in *Pathology* to hypertrophy of the cellular tissue of the scrotum with enormous distention of the integument of the part

**Oste'chaon** (oste'ia) The scrotum

**Osteo'cous** (from oste'ia, the scrotum, and co'e'le, a tumor) Tumefaction of the scrotum. **Osteophyma** **Osteonema**

**Osteophy'ma**. **Osteonema**

**Osteoplas'tic** (osteoplas'tos, from oste'ia, the scrotum, and plas'tos, to form) A term applied in *Surgery* to the operation for the restoration of the scrotum when lost

**Osteon'ema**. **Osteonema**

**Oscilla'tio**. Muscular irritability

**Oscilla'tion**. Vibration, swing like; the motion of a pendulum

**Oscillato'ria**. A term applied to plants of the lowest organization. They are found in wet and damp places, and consist of threads, which apparently sometimes have movement.

**Oscitant** (from oscite, to yawn) Oscitation. Yawning, yawning

**Oscula'tion** (diminutive of os, a mouth) The union or simultaneous of vessels or canals by their mouths

**Oscula'tor**. The articulating one.

**Os'culum** (diminutive of os). A little mouth

**Os'culosum** (from osc'ia, small, and osc'us, to suck)



young. Superficially similar to the immature stage of a brownish-yellow color and of the color of washed sand.

**●** **●**

### Consider the Bookings

**Osmium.** Symbol, Os. Atomic weight, 193.8. A metal discovered by Tennant, and so called from the peculiar smell of its oxide. Its crystals have a bluish-white color with violet lustre, and are harder than glass, resembling platinum.

**Customer's try.** The estimating of the quality of eddy current substances

**Answers' only.** Answers of the names of small

**Osmoseology** (from *osmē*, odor, vapor, disease, and *logos*, a discourse) The doctrine of the disease of the sense of smell.

**Osmosis (osmos, impulse) Osmosis** The force by which fluids are impelled through semi-membranes and other porous septa in osmotic and osmotic actions. The diffusion of a dissolved substance in a solvent to equalize the concentration the passage of solutions or liquids through a porous partition.

**General Electrical** bei CATAPHORON

Canonic. Canonic Relating or be  
 longing to canons, as canonic force the force  
 which induces canons

**Coxsackia** (from cox, the loins or hips and sack, pass) A synonym of coxsackie (which see)

**Quadrants.** Collection, the sum of small

On the way. The lower branch, lower

**Osteomyelitis** (from *osteo*, the bone or bones and *mye*, inflammation) Inflammation of the parts in and about the coxo-femoral articulation or of the cellular membrane of the bone.

**Osseus** (adj., osseous) Plural of os, a bone

**Owner: Alvin T. Taylor**

**Open Drug's action** The paracetamol binds

**Class. Incisor/Canine** Class intermaxillary

One Intermaxilla's One Labialia Two  
bones situated between the superior maxillary  
or quadrupeds, but not in man, which receive  
the roots of the inner teeth of animals that  
have these teeth

DATE RECEIVED: \_\_\_\_\_ DATE RETURNED: \_\_\_\_\_

Ones Up'n A'bn. Ones calcinate. Bones  
calcined into white powder

**Cytology** (from *cyto*, a house) A combination word; *cyto* meaning, and an all-around meaning the same structure of house.

1. Mr. J. Edgar Hoover

**bone.** A term applied in Anatomy to the whole assemblage of the bones of the body, as the *skeletal system*; in Pathology to marked affections or alterations of bones.

**Osseous Bases for Artificial Teeth.** Previously to the employment of metallic bases, osseous attachments for artificial teeth were much used. They were generally carved from the ivory of the tusk of the elephant or the tooth of the hippopotamus, and, indeed, the entire substitute—the teeth as well as the bases—was formerly wholly constructed of it, but since the introduction of the metallic bases it has been less frequently employed for this purpose. See Harris' *Prin and Pract of Dentistry*.

**Oscuous Union of Teeth** See **TEETH, OSCU-**  
**ON A LATION OF** - also **GENUINE TEETH**

**On-site:** A small house

**Oculus/pla.** The plural of *oculus*.

**Ossicula Auditus** *Ossicula auris* The four small bones of the internal ear—viz., the malleolus, incus, stapes, and os orbiculare.

**Ossacula Bertini** *Cornus sphenoidalis*. The triangular process of the sphenoid bone, can transculens

**Ossiculum** (diminutive of os, a bone) A small bone

**Osteiferous** (from *os*, bone, and *ferre*, to bear) Producing or forming bone tissue

**Ossific** (os, a bone, and *fac* to make)  
**Forming bone.**

**Ossification** (*ossifies* from *os*, a bone, and *facere*, to make) The formation of bone.

**Ossification Points** of or Centres of The points where the formation of bone commences. In the teeth, the edges of the incisors, the points of the caninæ, cuspæ of the bicuspidæ and protuberances upon the grinding surfaces of the molars are the points where ossification commences on these organs.

**On airm Praght'ins. Birtleness of the**

**Oshiv'erus** (from *ov*, a house, and *viv*, to devour) A particular kind of tumor mentioned by Raych, occurring in the thigh, which causes the destruction of the bone.

**Oste'mia** (osteo, a bone, and aima, blood).  
Morbid fulness of blood in a bone.

**Osteopore** (from *osteo*, a bone, and *pore*, a pore) In *Surgery*, an instrument for removing portions of bone. *bone surgery*.

Copyright (from cover, a base, and style, vein). Fals is a base.

**Ostealgia**'tis (from *osteo*, a bone, and *algia*, inflammation) **Osteitis** Inflammation of bone, accompanied by sharp, lancinating pain.

**Osteal Cells.** Bone cells

**Osteonephrosis** (error, and *osteon*, to produce) Reproduction of bone

**Osteotomy.** Excision of bone

**Osseous** (from *osseo*, bone) **Ossum** The animal matter or organic constituents of bone

**Ostitis**, or **Ostitis**. Inflammation of the substance of a bone

**Osteomyelitis** (from *osteo*, a bone, and *myelitis*, effusion of pus) The occurrence of suppuration in the interior of a bone

**Osseous**. A Greek word derived from *osseo*, bone, and which denotes connection with or relation to bone

**Osteogenesis**. The regeneration or reproduction of bone

**Osteoblast** (from *osseo*, and *blastema*, to bud) Young cells in the development of bone which assist in the formation of the osseous tissue, bone cells

**Osteosarcoma.** A carcinoma of bone an ossified carcinoma, a combined carcinoma and an osteoma

**Osteoma** (from *osteo*, a bone, and *oma*, a tumor) A term applied in *Pathology* to the cartilaginous or bony induration which some times occurs in a bony sac

**Osteoclasts** (from *osteo*, bone, and *clast*, to break) Cells that absorb bone

**Osteocytic** (from *osteo*, a bone, and *cytic*, gins) Glass-bone, bone-binder Petrified carbonate of lime, as called from the supposition that it promoted the formation of a union between the extremities of a fractured bone.

**Osteocope.** Osteocopus

**Osteocopus** (from *osteo*, a bone, and *copus*, to strike) Osteocopic, osteodynia, dolor osteosus A severe lancinating or tearing pain in the bones Ostealgia If or similarly occurs in syphilitic constitutions

**Osteocystoma.** A cyst springing from bone

**Osteodentine.** A term applied in *Dental Anatomy*, by Professor Owen, to a hard substance partaking both of the nature of bone and dentine, but more analogous to the former than the latter, deposited within the pulp-chamber, usually after the age of twenty, and designated by Mr. Thomas by the name of secondary dentine. The entire pulp is sometimes

converted into this substance, especially when it becomes the seat of slight irritation. This substance is very analogous in structure to osseous, and is termed by Blumenbach bony substance. Later writers separate osteodentine from secondary dentine by describing the former as an osseous formation within the pulp-chamber. These formations are rare in human teeth, but common in those of animals

**Osteodynia.** Osteocopus Pain in bone  
**Osteofibroma.** A tumor consisting of bony and fibrous tissue

**Osteogen.** The soft substance from which bone is developed in the process of ossification  
**Osteogenesis.** The development of bone  
**Osteogenia** (*osteogenia*, from *osteo*, a bone, and *genesis* to generate) Ossification, formation of bone

**Osteography** (*osteographia*, from *osteo*, a bone, and *graphein* to describe) A description of the osseous system

**Osteoid.** Reassembling bone

**Osteology** (*osteologia*, from *osteo*, a bone, and *logos*, a discourse) A treatise on bones.

**Osteolysis** (from *osteo* and *lysis*, dissolution) Absorption and disappearance of bone

**Osteoma.** An osseous tumor Exostoma.  
**Osteoma, Dental.** Dental exostosis or hypercementosis

**Osteomalacia** (from *osteo*, a bone, and *malacia*, soft) Mollitas ossium, softness of bones

**Osteon** (*osteon*) A bone

**Osteomalacia**, or **Osteomalacia**. Simple absorption of bone, such as occurs in the removal of the temporary teeth

**Osteosarcoma** (from *osteo*, bone, and *sarcoma*, a tumor) See EXOSTOMA.

**Osteoma** (from *osteo*, a bone, and *oma*, a tumor) Osteoma, exostoma

**Osteomalacia** (from *osteo*, a bone, and *malacia*, a disease) Disease of the bones

**Osteopathy.** Any affection of bone.

**Osteophthoride** (from *osteo*, a bone, and *phthor*, destruction, decay) Spina veritosa (which see)

**Osteophytoma.** Osteoma. Any outgrowth of bone

**Osteophyte.** A bony tumor or node.

**Osteoplastic.** A form of cell in the production of bone; osteoblast.

**Osteoplastic** (from *osteo*, a bone, and *plastikos*, to form). Pertaining to plastic op-

condition as being. Also the condition of the prepared for filling teeth. See OXYTOLO-  
GIES or FINE PREPARATION.

Osteoplasia (from *osteo*, a bone, and *plasia*, a rise). Condition of the cartilages of the ribs.

Osteoporenia (from *osteo*, bone, and *poros*, small). An infection of the bones produced by dilatation of the Haversian canals, lacunae, and canaliculi, and sometimes accompanied by softening of the tissue of the bone.

Osteopetrosis (from *osteo*, a bone, and *petros*, fragile) Ossium fragilitas. Fragility or brittleness of the bones.

Osteosarcoma (from *osteo*, a bone, and *sarcoma*, a fleshy tumor) A tumor containing a mixture of bony and soft matter. Also *osteoma*. See JAWS MALIGNANT GROWTHS or

Osteosarcoma.

Osteoma. Ossification.

Osteostoma (from *osteo*, a bone, and *stoma*, fat). A tumor composed of bony and fatty matter.

Osteotomy (from *osteo*, a bone, and *tomos*, to cut) The cutting of bone.

Osteon (the plural of *osteon*, a vertebrate animal) A term applied in Zoology, by Huxley, to vertebrate animals having a vertebral column.

Osteon (from *osteo*, a bone, and *on*, a habit)

Quale *ostium*, condition.

Otitis, Otitis. Otitis, inflammation of bone.

Otitis. A mouth, foramen or opening.

Otitis Abdominalis. The orifice of the umbilical extremity of the Fallopian tube.

Otitis Uteri. The opening of the Fallopian tube into the uterus.

Otitis Ventricle Arterio-venous. The opening at the origin of the pulmonary artery and vein.

Otitis Saccharalis. Tooth-bone. A name given by Parkyn and Frankel to osseous, enamel points, or cortical substance of a tooth.

Otitis. Ossous, bony.

Otitis. Ossous, osseous.

Otitis. A small oyster shell.

Otitis. The fusion and conversion of parts of bone, especially of the cranium, into a single mass.

Otitis. Oyster shell.

Otitis. (Otitis) from *ot*, *ot*, *ot*.

the ear). A name given to instruments which improve the sense of hearing, as the different kinds of ear-trumpets.

Otitis (from *ot*, the ear, and *itis*, pain). Pain in the ear. Carious teeth, impacted teeth, and dying pulps of teeth have sometimes this affection of the ear.

Otitis. A term applied to remedies for diseases of the ear.

Otitis (from *ot*, the ear, *it*, into, and *it*, to pour) An ear syringe.

Otitis. Old name for mercury of the pharynx.

Otitis. Ulceration of the ear.

Otitis. An ear.

Otitis. Pertaining to the ear.

Otitis. A small ganglion of the inferior maxillary nerve at the inner margin of the foramen ovale of the sphenoid bone.

Otitis. Pertaining to the ear.

Otitis. Otitis. Discharge from the ear.

Otitis (from *ot*, the ear, and *itis*, inflammation) Inflammation of the ear.

Otitis (from *ot*, ear, and *itis*, flow, mucus, and *itis*, to flow) Mucous discharge from the ear.

Otitis. A calcareous deposit found in the sac of the vestibule of the ear.

Otitis. Otitis. Cavity in the petrous bone for the reception of the ossicles or cartilaginous capsule of the labyrinth of the ear.

Otitis. Chronic pain in the ear.

Otitis. The muscular ganglion.

Otitis. The history and development of single beings, or of the individual from the ovum to death.

Otitis. An ear-pick.

Otitis (from *ot*, the ear, and *itis*, to describe) A description of the ear.

Otitis (from *ot*, the ear, and *itis*, a stone) The calcareous substance found in the vestibule of the ear of the mammal.

Otitis (from *ot*, the ear, and *itis*, a disease) An anatomical treatise on the ear.

Otitis. Ear trumpet.

Otitis (from *ot*, the ear, and *itis*, to turn). An operation for the restoration of a lost ear.

Otitis. Otitis. An ill-conditioned ulcer behind the ear.

Otitis (from *ot*, the ear, and *itis*, to

pus). A discharge of purulent matter from the ear.

**Otorrhagia** (from *ot*, *otoc*, the ear, and *pyrrhoe*, to burst out). Hemorrhage from the ear.

**Otorrhoea** (from *ot*, the ear, and *rhoi*, to flow). A discharge of serous, mucous, or purulent fluid from the ear.

**Otoscope** (*ot*, ear, and *scopos*, to examine). An instrument for listening to the sound of air as it passes through the tympanic cavity in certain morbid conditions of the ear.

**Otostomy** (*otostomia*, from *ot*, the ear, and *stoma*, to cut). The dissection of the ear.

**Otto of Russia**. Atar of roses. Oil of roses.

**Otolingual Gold Crown**. A gold band is formed around the root of the tooth of the length the crown is to be, a piece of platinum plate is fitted into the other open end and gold flowed over the top. The piece is then tried in the mouth and ground to occlusion and the cusps modeled or carved in the gold. No dies are used.

**Oula**. The gums.

**Oule** (*oula*). A cicatrix.

**Ouloid** (from *oula*, a scar, and *oid*, resemblance). Resembling a scar. Also a scar of syphilis, lupus, etc.

**Oulorrhagia** (from *oula*, the gums, and *pyrrhoe*, to burst forth). Hemorrhage from the gums.

**Ounce** (*uncia*). Eight drachms, or the sixteenth part of a pound avoirdupois, or 437 5 grains. A twelfth part of the Troy pound, or 480 grains.

**Ouzerl**. Woundl. See **CURARE**.

**Ourom**. Urine.

**Ourology** (*ourologia*; from *ouros*, urine, and *logos*, a discourse). A treatise on urine.

**Ous** (*ous*). The ear.

**Oua**. A terminal used in chemistry, and denoting a smaller quantity of oxygen in a compound than in the corresponding one, the name of which ends in *is*, as nitric, nitrous.

**Ouvra**. Storage; unusual.

**Ovul** (*ovula*; from *ovum*, an egg). Round and oblong.

**Ovalbumin**. Egg albumin.

**Ovaria**. Female testes. See **OVARIUM**.

**Ovarialgia** (*ovarian*, *ovary*, and *algos*, pain). Pain in the ovary.

**Ovarium**. Pertaining to the ovarium.

**Oviduc Artery**. The spermatic artery.

**Ovarian Dropsy**. Encysted tumour in the ovary.

**Ovarian Pregnancy**. Extra-uterine pregnancy in which the ovum resides in the ovary.

**Ovarists**. Those who believe that the phenomena of generation in the human species, as well as in all animals, result from the development of the ova or ovula in the female as a consequence of the mere excitement of the male—a doctrine almost wholly discredited by physiologists of the present day.

**Ovarium** (from *ovum*, an egg). The ovary. In the female mammalia the ovaria are the secretory organs of the embryo. They are two oval bodies, situated one on each side of the uterus, behind and a little below the Fallopian tubes, and connected with the uterus by the broad ligament.

**Ovary**. The ovarium.

**Ovula**. Oval or egg-shaped.

**Oven**, **Enamelling**. A small oven made of brick, sometimes used in enamelling porcelain teeth.

**Ovi Vitellus**. The yolk of an egg.

**Oviduct** (*oviductus*; from *ovum*, an egg, and *ductus*, a canal). The duct through which the ovum or egg passes.

**Oviductus Mullerian**. The Fallopian tube.

**Oviform**. Of the shape of an egg, egg-like.

**Ovigerum**. An embryonic cell which develops into an ovum.

**Ovigerous** (from *ovum*, an egg, and *gero*, to bear). A term applied in *Zoology* to parts containing or supporting an egg.

**Oviparous** (*oviparus*; from *ovum*, an egg, and *parere*, to bring forth). Producing or laying eggs, producing young from eggs, outside of the body of the animal.

**Ovisac**. A Graafian vesicle or the inner layer of its wall.

**Ovoid**. Egg-shaped. Applied to solids.

**Ovo-viviparous** (from *ovum*, an egg, *ovus*, living, and *parere*, to bring forth). Oviparous animals in which the process of incubation is commenced in the body of the mother.

**Ovula Graafiana**. The Graafian vesicles; small serous vesicles found in the structure of the ovary, the ova in which the future embryo is developed.

**Ovula Nabothi**. Naboth's glands (which see).

**Ovule** (diminutive of *ovum*, a little egg). **Ovulum**. The term *ovule* is also applied to the unimpregnated ovum.

**Ox'isum.** A small egg.

**Ovum** (from *ov*, egg). An egg. In *Physiology*, the capsule enclosing the prothic germ of animals. In *Pharmacy*, the white of the *fowl's* egg, *album ov*, is used for clarifying syrups, and the yolk, *ovum ov*, for suspending capsules and vesicles in emulsions. The shell, *testis ov*, is sometimes used, when calcined, as an absorbent. The oil, *oleum ov*, is emollient and used as an application to burns.

**Ox'acid.** Acids that contain oxygen, as distinguished from those formed from chlorine, etc.

**Ox'aliste.** A salt resulting from the combination of oxalic acid with a salifiable base.

**Oxalic Acid** (*acidum oxalicum*). Acid of saccul. An acid occurring in the form of an acid oxalate of potash in certain vegetable juices, as that of sorrel. It is also obtained by the action of nitric acid on sugar and starch. Formula,  $C_2H_2O_4$ .

**Oxalic Ether** Oxalate of ethyle. A colorless, aromatic liquid.

**Oxal'um** (from *ox*, acid, and *al*, salt). A mixture of vinegar and salt.

**Oxal'uria.** Urine in which calcium oxalate is formed to an excessive amount.

**Oxal'uric Acid.** A crystalline white powder formed by the action of bases on parabenic acid. Formula,  $C_8N_2H_2O_4 + HO$ .

**Ox'oid.** Oxaloid. A white crystalline powder formed by the action of ammonia in solution on oxalic ether or on oxalate or oxide of ether. Formula,  $C_2O_2 + NH_3$ .

**Ox'istyl.** The hypothetical radicle of oxalic acid. It is one of Lowig's carbyls,  $C_2$ .

**Oxichlor'ata.** Oxichlorosis. A combination of oxichloric acid with a base.

**Oxichlor'idia.** Phlogone gas, termed carbonic oxichloride.

**Oxidat'ion.** The combining of a certain quantity of oxygen with metals or other substances; change of metals into oxides, being oxidized.

**Ox'idie** (from *ox*, acid, and *oid*, form). **Oxidum**; oxyd. A compound of oxygen with an element or other body. Any binary combination of oxygen.

**Oxide, Cystic.** Cystine. A very rare species of tertiary calculeus, consisting of yellowish, semi-transparent, hard crystals.

**Oxide of Carbon, Gaseous.** Carbonic acid.

**Oxid'ine.** To convert into an oxide; to cause to combine with oxygen.

**Oxid'ation.** A body in an inferior degree of oxidation.

**Ox'idum.** Oxide.

**Oxidum Fer'ri Ni/grum.** Black oxide of iron.

**Oxidum Fer'ri Ru'brum.** Red oxide of iron.

**Oxidum Stib'i Semiviv'um.** Glass of antimony.

**Oxidum Stib'i Sulphur'um.** Ores of antimony.

**Oxid'eter.** A measure of oxygen

**Ox'odine.** Iodic acid. A white, transparent solid, obtained by boiling iodine with nitric acid.

**Oxymethosia.** Excessively acute sensation; hypermethosia.

**Oxyl'coiled Blow-pipe.** See **BLOW-PIPE**, DR. ELLIOT'S COMPOUND SELF-ACTING.

**Oxychlo'ric Acid.** Perchloric acid

**Oxy'chloride of Zinc Preparation.** A semi-metallic plastic filling for temporary purposes, such as protecting sensitive denture and exposed pulps, it consists of oxide of zinc and chloride of zinc in combination. Combined with borax, this preparation is known by the names of *os artificiel*, *ostodontine*, *osteoplastic*, etc.

Borax and powdered glass or silica are sometimes added to confer greater hardness when the plastic mass has set. See **ZINC OXYCHLORIDE**.

**Ox'ycreta** (*oxycreta*; from *ox*, acid, and *creta*, to mix) A mixture of honey and diluted vinegar.

**Oxycro'ceum Emplas'trum.** An anodyne plaster composed of saffron, pitch, colophony, yellow wax, turpentine, gum ammoniac, myrrh, galbanum, mastic, and oil of turpentine.

**Oxyder'cia** (from *ox*, acid, sharp, and *dercia*, to see). Acuteness of vision.

**Oxycot'a** (from *ox*, acid, and *cot*, sense of hearing). Preternatural acuteness of the sense of hearing, as sometimes manifested in cerebral irritation.

**Oxyg'ale** (from *ox*, sour, and *gale*, milk). Sour milk.

**Oxyg'arum.** A composition of garum and vinegar.

**Ox'ygen** (*oxygenium*; from *ox*, acid, and *gennai*, to generate). One of the elements. A tasteless, inodorous, colorless element, always existing in a gaseous state when not combined with other ponderable matter; a supporter of combustion, combining with every combustible body, with all the metals, and with most vegetable and animal substances; it is indispensable to respiration, and in a subsequent part of

air and water. It is labeled as a therapeutic remedy in diseases of the respiratory organs and blood, acting as a stimulant and tonic to the respiration and circulation.

**Oxygensated Mariet's Ac'id.** Chlorine.

**Oxygenation.** Oxidation. The saturation of a substance with oxygen, either by chemical combination or by mixture.

**Oxygenic.** An oxymel.

**Oxyhydrogen Blow-pipe.** An instrument for burning one volume of oxygen and one of hydrogen, which issues from a small tube or aperture. It produces a most intense heat.

**Oxymel** (from *ox*, acid, and *mel*, honey) A syrup composed of honey, vinegar, and water; an excipient.

**Oxymel Col'chici.** Oxymel of colchicum. It is expectorant and diuretic. Dose, fʒj, in gruel.

**Oxymel Cu'pri Subacetatis.** Oxymel of subacetate of copper.

**Oxymel Scall'is.** Oxymel of squill. Expectorant and diuretic. Dose, fʒj to fʒij

**Oxymercur Hydri'gyri.** Corrosive chloride of mercury. Bichloride of mercury, corrosive sublimate

**Oxymercur Potass'is.** Chlorate of potash

**Oxymercurate of Lime.** Chlorinated lime.

**Oxymercurate of Mercury.** See CORROSIVE SUBLIMATE.

**Oxymercuric Acid.** Chlorine.

**Oxymercurine.** See MYRUS COMMUNIS.

**Oxymercurum.** Acute disease.

**Oxyd'is.** Iodic.

**Oxyo'pla.** Prematured acuteness of vision.

**Oxyosteth'ia.** Acuteness of the sense of smell.

**Oxyphlogum'ia.** Violent inflammation.

**Oxypho'nia.** Shrillness of voice

**Oxyphosphate of Zinc.** Also a semi-metallic plastic filling material, which is a basic compound of calcined oxide of zinc with glacial phosphoric acid. See ZINC, OXYPHOSPHATE.

**Oxypro'tein.** The substance which forms the buff coat of inflamed blood.

**Oxyquinoseptol.** Daphtharm. Obtained by a union of two molecules of oxyquinolin and one molecule of sepiol. An antiseptic with no caustic action.

**Oxyreg'mia.** Acid eruptions.

**Oxyr'ia.** A genus of plants of the order Polygonaceae.

**Oxyria Reniform'is.** Mountain sorrel, a plant possessing refrigerant, anti-scorbutic, and diuretic properties.

**Oxyrrhod'inos.** A composition of vinegar and oil of roses

**Oxys (ox).** Acid; sharp; acute.

**Oxysac'charum.** Sugar and vinegar

**Oxysalts.** Combinations in which oxygen is found, both in the acid and base.

**Oxysul'phuret.** The sulphuret of a metallic oxide.

**Oxytar'tarus.** Acetate of potash.

**Oxytoc'ia** (from *ox*, quick, and *reos*, bringing forth) Quickness of birth.

**Oxytoc'ic.** Oxytocus. That which expedites delivery

**Oxym'ria.** The ascaris or thread worm.

**Oys'ter.** A bivalve, testaceous animal, the *Ostrea edulis*.

**Oyster Shells.** The shell of the *Ostrea*.

**Oz.** Abbreviation for ounce (avoided-poi.).

**Ozema** (from *oz*, a stench) Elevation of the pituitary membrane of the nose and discharge of purulent and exceedingly stid matter. It is sometimes accompanied by caries of the bones. It is usually dependent on a syphilitic or scrofulous disease. The author once met with a case which had resulted from a diseased condition of the lining membrane of the maxillary sinus.

**Oze.** A bad smell from the mouth.

**Ozone.** See OZONA

**Ozocerite.** Candelit, vegetable wax, shell wax. A hydrocarbon found in a layer of bituminous slate, and which, when refined, acts like tar, mixed with linseed oil it is used in skin diseases.

**Ozono.** O<sub>3</sub>. A gas of a pungent odor discovered by Schonbein. It is formed by the action of phosphorus upon moist air by the electric fluid passing through damp oxygen. It was thought at one time to be a modification of oxygen, but it is now generally believed to be a tetroxide of hydrogen. It is an active oxidizing agent, possessing antiseptic properties.

**Ozostoma** (*oz*, a stench, and *stoma*, mouth). Same as OZZ.

## P.

**P.** Symbol for phosphorus. Also an abbreviation of *pagina*, a leaflet; and of *part* or *partes*, a part or parts, also for *paste*, powder; *pondus*, by weight; *pituita*, mucus.

**Pal'dium.** Food; aliment; anything nutritive.

**Pachio'nian Glands or Bodies.** Minute whitish or yellowish bodies, isolated or disposed in clusters on several points of the dura and pia mater, and particularly in the longitudinal sinuses. Their use is not known.

**Pachio'nia.** See **PACHYLOMA**.

**Pachy-** (*παχύς*, thick) Prefix meaning thick.

**Pachy'mia** (*pachymia*, from *παχύς*, thick, and *μαίς*, blood). Thickness of the blood.

**Pachyblepharo'mia** (from *παχύς*, thick, and *βλεφαρ*, the eyelid). Pachyblepharosis. A morbid thickening of the eyelid.

**Pachyceph'alic** (from *παχύς*, thick, and *κεφαλή*, head). Unusual thickness of the skull.

**Pachyder'ma.** An order of mammals with thick skins, as the elephant, etc.

**Pachylo'mia** (from *παχύς*, thick) Preternatural thickness of the epidermis, occasioned by hypertrophy of the papillae of the skin.

**Pachyme'nia** (*παχύς*, thick, and *μεν*, a membrane). A thickening of the skin.

**Pachym'ica.** Medicines formerly supposed to have the property of thickening the humors.

**Pacin'ian Corpus'cles.** Pacinian bodies. The small tubercles found on the peripheral extremities of the nerves.

**Pad.** A small cushion used to compress certain parts, and sometimes placed on splints or between them and the fractured limb.

**Pado's'chase** (from *παρ*, a child, and *αδύς*, to struggle). A fatal angina peculiar to children, described by some old writers.

**Pedarthro's'is** (from *παρ*, a child, *αρθρ*, a joint, and *αίμα*, bad, evil). **Pedarthrosis.** A nervous affection or crisis of the joints of children.

**Pedotroph'ia** (from *παρ*, a child, *τροφία*, and *τροφή*, to nourish). Emaciation of children; taken metaphorically; infantile atrophy.

**Pedotro'phy.** **Bedotry.** An unnatural posture for legs.

**Pediatri'a.** **Pediatrics.** The treatment of diseases of children.

**Pedotro's'ogy** (*pedotrologia*; from *παρ*, a child, *τροφή*, a disease, and *λογία*, a discourse). A treatise on the diseases of children.

**Pedotroph'ia** (from *παρ*, a child, and *τροφή*, to nourish). The nourishment of children in accordance with the rules of hygiene.

**Pal'dicus** (*παρ*, child). Pertaining to children.

**Pain** (*δolor*). Suffering of different degrees of intensity.

**Pain Obtun'dara.** Preparations capable of producing local anesthesia. One for dental use has been prepared by Dr. C. von Boenhorst, which is applied to the gums by means of an "applicator," which consists of two small metallic cups attached to an elliptical handle seven inches long. Sponges in sections of rubber tubing are placed in the cups, and, when saturated with the anesthetic fluid, are pressed against the gum on each side of the tooth to be extracted and retained from one to two minutes. The agents commonly employed to obtund the sensibility of the dental pulp are creosote, carbolic acid, oil of cloves, oil of capsaicum, and cocaine, either alone or in combination with such narcotics as morphine. An effective remedy for the pain of pulpitis is acetate of morphine combined with a sufficient quantity of oil of cloves to form a thin paste. Other obtunding agents and mixtures are oil of eucalyptus; camphor combined with ether or chloroform; acetate, either alone or combined with iodine or chloroform; iodoform; iodol; iodoform and carbolic acid; menthol, alone or combined with oil of cloves or oil of capsaicum; pyrethrum, etc. See **ANESTHETICS**, **LOCAL**.

**Pains, After.** The pains experienced after parturition by lying-in women; also the pain following the extraction of teeth.

**Pains, Labor.** The pains that accompany parturition.

**Palet, Indian.** Blood-mot, the common name of *Stigmatopora canadensis*.

**Palet'er's Cells.** **Calks pletens.** A species of cells peculiar to psoriasis and often exposed to lead poisons.

**Paleontol'ogy** (*paleontologia*; from *παλαιο*,

ant, mechanism, and ontology, the science of being). The science of ancient beings or creatures; applied to the fossil remains of extinct animals and plants.

**Palaeozoic.** Pertaining to the age in which the first life-forms appeared.

**Palatine.** Of or pertaining to the palate; uttered with the aid of the palate.

**Palatal Glands.** See **PALATINE GLANDS**.

**Pal'ata.** Palatum The roof of the mouth

See **PALATE, HARD**.

**Palate, Arch of.** The anterior arch arises from the middle of the velum palati, at the side of the uvula, and is attached to the edge of the base of the tongue.

The posterior arch also arises from the side of the uvula, and passes downward to be inserted into the side of the pharynx.

**Palate, Artificial.** See **ORTHODONTIC** and **ARTIFICIAL PALATE**; also see **VELUM, ARTIFICIAL**.

**Palate Bones.** Two bones situated at the back part of the superior maxillary bone, between its tuberosities and the pterygoid processes of the sphenoid bone. They are shaped precisely alike.

The palate bone is divided into three plates—the horizontal or palate, the vertical or nasal, and the orbital.

The palate plate is broad, and on the same line with the palate processes of the superior maxillary bone; its upper surface is smooth, and forms the posterior floor of the nostrils, the lower surface is rough and forms the posterior part of the roof of the mouth, its anterior edge is connected to the palate process of the upper jaw, and its posterior is thin and crescentic, to which is attached the velum pendulum palati, or soft palate, at the posterior point of the suture uniting the two palate bones there projects backward a process called the posterior nasal spine, which gives origin to the aryepiglottic muscle. The vertical plate ascends, helps to form the nose, diminishes the opening into the antrum by projecting forward, and by its external posterior part, in conjunction with the pterygoid processes of the sphenoid bone, forms the posterior palatine canal, the lower orifice of which is seen on the margin of the palate plate, called the posterior palatine foramen, which transmits the palatine nerve and artery to the soft palate; behind this foramen is often seen a smaller one, passing through the base of the pterygoid process of this bone and

forming a filament of the same nerve to the palate.

The upper end of the vertical or nasal plate has two processes: the one is seen at the back of the orbit and is called the orbital process; the other is posterior and fits to the under surface of the body of the sphenoid bone. Between these two processes there is a foramen, the *spheno-palatine*, which transmits to the nose a nerve and artery of the same name.

The palate bone articulates with six others—namely, the superior maxillary, inferior turbinate, vomer, sphenoid, and ethmoid.

The structure of this bone is very thin and consists almost entirely of compact tissue. Its development, it is said, takes place by a single point of ossification at the place of the union of the vertical, horizontal, and pyramidal portions.

These bones are all more or less related to the bones of the head, of which eight compose the cranium and fourteen the face. These of the cranium are one frontal, two parietal, two temporal, one occipital, one sphenoid, and one ethmoid. Those of the face are six pairs and two single bones; the pairs are, to wit, the two malar, two superior maxillary, two lacrymal, two nasal, two palatine, and two inferior spongy. The vomer and inferior maxillary are the two single bones.

**Palate, Hard.** A bony palate, covered by mucous membrane, forming the floor of the nose and the roof of the mouth. The palatal processes of the superior maxillary bones form the anterior three-fourths of the hard palate, the remaining fourth being composed of the horizontal plates of the palate bones.

**Palate, Soft.** The velum pendulum palati.

The soft palate is a movable curtain or septum which is attached to the posterior border of the palatine arch, and is continuous with the hard palate. It is membranous and is controlled by five pairs of muscles, which, in conjunction with the muscles of the tongue, pharynx, and larynx bone, assist in deglutition.

**Pal'atine (palatine; from palatum, the palate).** Belonging or relating to the palate.

**Palatine Arteries.** There are two—the superior palatine and the sphenopalatine. The superior descends from behind the superior maxillary bone, passes through the posterior palatine canal to the roof of the mouth, and supplies the palate, gums, and velum pendulum palati. It also sends off a small branch through the foramen maxillare to the nose.



The sphenopalatine enters the back part of the nose through the sphenopalatine foramen and is distributed upon the pliniary membrane.

**Palatine Foramina.** Two foramina—*anterior* and *posterior*. See PALATE BOXES.

**Palatine Glands.** These glands are located in the deep portion of the mucoparosteum of the hard palate and under the mucous membrane of the oral and nasal surfaces of the soft palate and uvula. They are small, round, or compound tubular glands, and form a continuous layer upon each side of the roof of the mouth, but are wanting in the median line.

**Palatine Nerves.** Three nerves—the *anterior*, *middle*, and *posterior*. The *anterior* descends through the posterior palatine canal passing forward through the hard palate, to which it is distributed, communicating with the naso palatine ganglion and its branches. It also sends off several branches to the antrum and spongy bone. The *middle* palatine nerve, descending through the same canal as the posterior, supplies the soft palate, uvula, and tonsils. The *posterior* emerges from an opening behind the posterior palatine foramen and is distributed to the hard and soft palates, gums, and tonsils.

**Palatine Organs.** The organs which enter into the formation of the hard and soft palate.

**Palatine Organs, Defects of.** The nature and extent of the defects of the palatine organs are exceedingly various. They sometimes consist of a simple perforation of the vault of the palate, either in the centre or on one side of the median line, at other times the loss of substance extends to the entire vault and velum. Nor is the loss of structure always confined to these parts, it sometimes extends to an anterior part of the alveolar border and upper lip, constituting what is termed *harelip*.

The defects of the palatine organs may be divided into *accidental* and *congenital*. The first are caused by a pathological change of structure. The second are the result of malformation or imperfect development of the parts. But from whatever cause they may be produced, their effects upon the voice, speech, mastication, and deglutition are the same. These functions are all impaired in proportion to their nature and extent. When they extend so far as to cause a complete

division of the hard and soft structures, distinct utterance is wholly destroyed, and the acts of mastication and deglutition are greatly impaired, and always performed with difficulty.

When the loss of substance is the result of disease, and extends so far as to establish a communication between the mouth and nasal fossa, the defect can seldom be remedied in any other way than by means of an artificial obturator; and even when it is congenital, though the aid of surgery may very frequently be successfully invoked, the resources of art will often be required. When the defect is confined to the vault of the palate, and consists of an opening between the mouth and nasal cavity, these resources may always be successfully applied, and even when the loss of substance extends to the soft palate and anterior part of the alveolar ridge, a mechanical appliance may be so constructed as to restore, in a great degree, the functions dependent upon the presence and integrity of the natural parts.

**Accidental Defects.**—Lesions of the palate not congenital may be caused either by accident or disease, and are known as *accidental cleft palate*. They may be remedied by more simple appliances than are cases of congenital cleft palate. Accidental lesions of the palatine organs are divided, by M. Delabarre into three species. The first consists in perforations of the vault of the palate; the second, in perforations of the velum, and the third, in the destruction of the entire vault of the palate or of a great portion of it. To this last might also be added the destruction of the whole or a large portion of the velum, as well as of the inner, part of the alveolar border, and turbinated bones.

**Congenital Defects.**—Congenital cleft palate is caused by a want of development of the maxillary bones, such as hereditary disease, malformation during embryonal life, impaired trophic nerve supply resulting from a want of nourishment of the maxillary and palate bones. It was formerly treated by staphylorhaphy alone; now artificial palates and obturators answer better purposes. Congenital defects of the palate occupy the median line or palatine raphe, and consist of a division of the mucous and soft textures of greater or less extent. This division is sometimes confined to the vault of the palate; at other times the velum, anterior part of the alveolar arch, and

upper lip are implicated. It forms a communication with both nostrils, and when the malformation extends to the alveolar border and upper lip, which is divided vertically in one and sometimes in two places, it gives to the mouth a most disagreeable aspect. But hare-lip is sometimes met with when there is no imperfection of the osseous structures, and imperfections are often met with here when the lip is perfect. In some cases the cleft or fissure is more than three-fourths of an inch wide throughout the whole extent of the palate and velum, extending through the whole of that portion of the alveolar border which should be occupied by the four incisors, at other times the alveolar arch is divided in two places, leaving a portion between the lateral and central incisors, or one lateral and one central, which, projecting more or less, very greatly increases the deformity. Although a double hare-lip with two divisions of the alveolar border is seldom met with without some defect of the palatine organs, cases do occasionally occur.

**Cleft palate** is a congenital defect consisting of a fissure extending through the middle of the soft palate, through the hard palate, or both. It prevents the shutting off of the cavity of the mouth from that of the nose, and thus causes difficulty in the sucking of the infant and in mastication and deglutition (the food passing up into the nostrils) and articulation. Treatment consists of refreshing the edges of the cleft and uniting them (staphylorrhaphy uranoplasty) or closure by an artificial palate or obturator.

Congenital defects of the palate are sometimes accompanied by more or less deformity of the sides of the alveolar arch and of the teeth. Sometimes the sides of the alveolar ridge are flared too far apart, and at other times they are too near to each other, while the teeth are too large or too small, with imperfectly developed roots and generally of a soft texture. Thus it is seen that defects of the palate arising from malformation are as diversified as defects produced by disease.

**Functional Disturbances resulting from Defects of the Palatine Organs.**—The principal effects resulting from the absence of a portion of the palatine organs are impairment of the functions of mastication, deglutition, and speech. Distinct uterine is sometimes wholly destroyed by it, and mastication and deglutition are often so much embarrassed as to be per-

formed only with difficulty. These effects are always in proportion to the extent of the separation or deficiency of the parts. See STAPHYLORRHAPHY, STAPHYLOPLASTY, OBTURATOR, PALATINE ARTIFICIAL PALATE AND OBTURATOR, and PALATE PLATE.

**Palatine Organs, Diseases of.** In common with other parts of the body, the palate sometimes becomes the seat of various morbid phenomena, but the occurrence of disease here is generally the result of constitutional causes, such as certain depraved habits of the body. It is, perhaps, more frequently induced by secondary syphilis than any other cause, and when it is its ravages are often very deplorable. It may, however, result from the immoderate and protracted use of mercurial medicine or a scorbutic, cancerous, scrofulous, or rickety diathesis of the general system. Among the diseases liable to attack the palate are tumors, caries and necrosis of the bones, ulceration of the mucous membrane, and inflammation, elongation, and ulceration of the uvula.

**Tumors of the Palate.**—Morbid growths of the palate are analogous to those of other parts of the mouth. A description of their various peculiarities, therefore, is not deemed necessary. See JAW, MORBID GROWTHS OF. But with regard to the causes which are concerned in their production there exists some diversity of opinion. They are supposed by some to be dependent upon a peculiar specific constitutional vice, as venereal, scorbutic, cancerous, scrofulous, etc., while others think they may occur in individuals in whom no such habit or vice exists. Local irritation, no doubt, is the immediate or exciting cause of the various morbid productions of the palate; but this, unless favored by some specific or peculiar constitutional tendency or carceric habit of the body, would not be likely to give rise to them. Thus, while the former would seem to be the exciting cause, the character assumed by the disease is evidently determined by the latter.

Although tumors of the palate may sometimes disappear spontaneously on the removal of the exciting cause, the proper curative indication consists in their entire extirpation. When they are attached by a small base this may be easily effected with a pair of scissors properly curved at their points or by means of a ligature. But when they are attached by a broad base, a curved bistoury is the most

convenient instrument that can be employed, and sometimes it may be necessary to have two—a right and a left, or one for each side. In the removal of tumors from the palate, as well as from other parts of the body, no portion should be left, as, in this event, a reproduction of the disease would be likely to occur, and more especially if it be of a malign character. The operation should be performed, too, before the tumor has acquired great size or implicated in the diseased action the neighboring structures.

Both before and after the operation such general or constitutional treatment as may be indicated by the habit of body, or vice under which the patient may be laboring should be adopted. If of a scorbutic or scrofulous habit or afflicted with a syphilitic disease suitable remedies should be prescribed, and when practicable, such local irritants as may have acted as an exciting cause should be removed.

#### *Caries and Necrosis of the Bones of the Palate*

*and Ulceration of the Mucous Membrane*—The bones of the palate sometimes become the seat of caries and necrosis causing ulceration of the subjacent soft parts and the destruction of a greater or less portion of the structures which separate the cavity of the mouth and nose. Although these affections are of more frequent occurrence than tumors they are less dangerous in their consequences. Commencing with inflammation and suppuration of the periodontal tissues caries and necrosis of the bones, accompanied by ulceration of the subjacent mucous membrane soon supervenes, and ultimately exfoliation takes place when an opening of greater or less size between the buccal and nasal cavities is established.

During the progress of the disease fetid sanies is constantly discharged from one or more fistulous openings into the mouth and sometimes the cavity of the nose rendering the condition of the unhappy sufferer exceedingly loathsome and distressing. The progress of the disease is often slow continuing not infrequently, for weeks, months and in some cases, even years, destroying all the pleasures of life and rendering existence itself a burden. But ulceration of the mucous membrane often occurs while the subjacent bones are in a healthy condition, caused by inflammation and absorption of the velum and uvula. But soon whenever comes the ulceration may be profound, it may ultimately give rise to caries and necrosis of the bones. It is, however,

more frequently an effect than a cause of rupture of the osseous structures of these parts.

In the treatment of caries of the bones of the palate it is important to ascertain if the patient be laboring under any constitutional vices which may have contributed to the disease and the local irritants concerned in giving rise to it. If the inflammation from which it resulted was caused by mechanical irritation, the irritants should at once be removed. If decayed, dead, or loose teeth be suspected as having had any agency in its production they should be immediately extracted, but so long as any portions of decayed or necrosed bone remain, it is needless to say the ulcerations or fistulous openings in the soft parts can not be healed. The dead bone as soon as it has become sufficiently exfoliated should be detached and removed, but in doing this it may be necessary to increase the size of the external opening. During the process of exfoliation the affected parts should be syringed with diluted aromatic sulphuric acid or a solution of permanganate of potash and the mouth frequently gargled with astringent and detergent lotions for the purpose of correcting the odor of the offensive matter which is continually discharging.

Suitable constitutional remedies should, at the same time be prescribed. As in the case of tumors if the patient be laboring under a scorbutic, scrofulous or venereal diathesis of the general system the constitutional indication should be properly fulfilled. But before instituting any general treatment, the physician should be well assured that his diagnosis is correct. A venereal vice is sometimes suspected when none exists.

#### *Inflammation and Ulceration of the Velum and Uvula*

—The velum palati and uvula sometimes become the seat of inflammation accompanied by pain increased redness, difficult deglutition and articulation of speech. Most frequently it terminates in resolution, but sometimes in ulceration and at other times in gangrene. Where resolution is the termination it gradually subsides, after having continued for a greater or less length of time, when by ulceration, one or more white or pink-colored spots appear upon the velum and uvula after it has continued for a certain period, and when by gangrene, the part, after having assumed a dark purple or almost black color, sloughs off. The last termination, fortunately, rarely happens.

As a consequence of the inflammation the uvula sometimes becomes tumefied and elongated; at other times it becomes elongated when there is no apparent tumefaction. In the latter case it is vulgarly termed "a falling of the palate." Most frequently, when it is elongated, its thickness is at the same time increased; there is then an increase of redness. But when there is elongation without an increase of size, resulting simply from relaxation of the part, its color, instead of being heightened, is often diminished, presenting a whitish or semi-transparent appearance. This description of elongation is termed serous tumefaction of the uvula. It is seldom accompanied by pain. When the uvula becomes so much elongated as to rest upon the tongue, it causes irritation, difficult deglutition, oftentimes a sense of suffocation, the frequent expulsion of mucus from the throat, and sometimes a disagreeable cough.

Ulcers of various kinds sometimes attack these parts, though they are less subject to them than are other parts of the mouth, the fauces, or tonsils. Sometimes the ulcers are of a simple nature, at other times they are aphthous, scrofulous, scorbutic, venereal, or cancerous, according to the specific poison or diathesis which has given rise to them. When the ulcer is not dependent upon constitutional causes it is termed a simple ulcer, and is nothing more than a granulating sore which secretes healthy purulent matter.

Aphthous ulcers at first appear in the form of small white spots or vesicles, which break and are ultimately transformed into ulcers, which are surrounded by a slightly elevated edge of a reddish color: the ulcers may spread and unite with each other. The former are termed discrete, and the latter confluent aphthae. But ulcers of this kind generally appear in other parts of the mouth and fauces before they attack the velum and uvula of the palate.

The velum and uvula are, perhaps, more subject to venereal than to any other kind of ulcers. The characteristics of these are sometimes very similar to ulcers which result from some other specific constitutional vice, and their character can only be positively determined by ascertaining all the circumstances connected with the history of the case. They are usually preceded by ulceration of the throat, dull heavy pain, especially at night, increased redness of the parts, swelling of the uvula, and difficult deglutition. They gen-

erally have a whitish, dirty gray, or ash-colored appearance, with slightly elevated and irregular margins, and secrete thin, ichorous matter having a very stidid odor. The surrounding parts are preternaturally red, and sometimes present an almost purple appearance. At other times the ulcers appear in the form of aphthous specks, followed by sloughing of the surrounding parts. Sometimes the ulcers attack the posterior side of the velum and uvula first, where they commit extensive ravages before they appear anteriorly. From these parts they often extend to the vault of the palate, but more frequently when they appear here the peritonsillar abscess and tonsils are diseased before ulceration shows itself in the mucous membrane.

Ulcers of the velum and uvula are sometimes developed as a consequence of the protracted and immoderate use of mercury. When from this cause, they are preceded by a copperish taste in the mouth, increased flow and viscosity of the saliva, tumefaction and increased sensibility of the gums, looseness of the teeth, a peculiarly disagreeable odor of the breath, general debility and emaciation, and sometimes diarrhoea. The gums, edges of the tongue, mucous membrane about the angles of the jaws, and inner surface of the cheeks and throat ulcerate before the velum and uvula are attacked.

The velum and uvula are sometimes the seat of other bad-conditioned ulcers, such as the cancerous, scrofulous, etc., not necessary to describe.

Inflammation of the velum and uvula most frequently results from irregular exposure to cold and moisture, though it may sometimes be produced by local irritation, as mechanical injury or acidity of the gastric and buccal fluids. Ulceration of the parts may result from the same causes, but the character which the ulcer assumes is determined by the habit of body or peculiar diathesis of the general system. Elongation of the uvula is caused either by inflammation and general enlargement, a relaxation of the parts, or serous infiltration of its apex.

For simple inflammation of the velum and uvula, unaccompanied by fever or other general constitutional effects, little more will be required than gargling the throat with an infusion of capsaicum, sweetened with honey. When the inflammation is severe and the uvulae have the appearance of being distended,

advantage may be derived from cauterizing the parts or the application of leeches.

But when the uvula is so much elongated as to rest upon the tongue and cause a sensation of suffocation or a troublesome cough it does not yield to cauterizing and astringent gargles; in this case it may be advisable to remove a portion of it.

For a simple ulcer of the velum or uvula no other treatment will be required than to gargle the throat occasionally with some gently stimulating and astringent lotion; the one recommended for inflammation of these parts may generally be employed with advantage.

In the treatment of venereal or syphilitic ulcers of the velum and uvula little advantage will be obtained from local remedies. They can only be cured by appropriate constitutional antisyphilitic treatment, such as is prescribed in works on general medicine and surgery.

In cases of mercurial ulcers it is desirable that two or three liquid evacuations from the bowels should be procured daily. For this purpose sulphate of magnesia or sublimed sulphur should be administered night and morning. The mouth should, at the same time, be gargled six or eight times a day with some gently astringent lotion. A weak solution of the sulphate of zinc or alumina, sweetened with honey, may sometimes be advantageously employed, but more benefit, perhaps, will be derived from the use of a solution of the chloride of lime. When the pain is so severe as to prevent rest opium should be prescribed. The diet of the patient, for the most part, should consist of farinaceous substances, and after the ulcers have begun to heal milk, light soups, etc., may be recommended.

In the treatment of scirrhus and other ill-conditioned ulcers of the velum and uvula, dependent upon a cancerous habit of body, it is necessary that the constitutional indications should be properly fulfilled, and that the vitiated action of the disease should be changed by the application of local irritants, such as caustics. The actual cautery has been found to be more efficient in changing the condition of ulcers of this sort and creating a healthy action than any other means which have been employed.

For cancerous ulcers it has been found necessary to remove a portion of the velum and

uvula, and even this operation has seldom proved successful, for the disease may reappear in some of the neighboring parts.

**Palatit'is.** Inflammation of the palate.

**Palatoglossus.** Pertaining to the palate and tongue.

**Palato-pharyngeus.** A muscle occupying the posterior lateral half arches of the palate, extending from the soft palate behind, near the uvula, at its origin, and inserted into the pharynx, between the middle and lower constrictors, and into the thyroid cartilage. Its use is to draw down the velum and raise the pharynx.

**Palatorrhaphy** (*palatus*, palate, and *rhaphe*, suture). The operation of uniting by suture the cleft palate; synonymous with staphylorhaphy (which see).

**Palatoschisis** (from *palatus*, and *schis*, to split) Cleft or split palate.

**Palatostaphyl'ium.** The stygois muscle.

**Pal'atum.** The palate or roof of the mouth or forepart of the roof of the mouth.

**Palatum Durum.** The hard palate.

**Palatum F'irmum.** Fibrous of the palate.

**Palatum Mol'le, or Ve'tum Pala'ti.** The soft palate. The soft, movable, fleshy membrane attached to the posterior part of the palate, between the mouth and the pharynx.

**Palatum Pen'dulum.** Velum pendulum palati.

**Palis.** Deficient in color, white or whitish; not of a ruddy color.

**Palis'cosus** (from *palis*, straw, chaff). Chaffy covered with or consisting of or resembling chaff.

**Palis'ness.** Pallor Want of freshness or ruddiness of color. Whiteness of complexion arising from diminution or alteration of the blood in the capillary vessels. It is sometimes a sign of disease.

**Palindrom'ia** (from *palin*, again, and *drōmē*, a course). In *Pathology*, a reflux of fluids from the exterior to the interior, also the return or growing worse of a disease.

**Palla'dium.** Symbol, Pd. Atomic weight, 106.5. A metal resembling platinum in color and lustre, but harder. It occurs as a natural compound of platinum in its ores, and is also found in some specimens of gold and in some selenium ores. Its melting-point is 1600° C., the same as that of pure iron. Before it arrives at the melting-point it softens and may be welded. It is ductile and malleable, and has been used by some dentists as a base for

artificial teeth and also as an ingredient of an amalgam filling.

**Pal'iative** (*palliative*, from *pallio*, to dissemble). In *Medicine*, anything which relieves a disease without curing it.

**Pal'lor** (from *pallio*, to be pale). *Palcosm*. *Pallor Virginum*. Chlorosis.

**Palm**. *Palma*. The inside of the hand.  
**Palm Oil**. The produce of the palm called *Elaeagnus* and several other species. It is of a solid consistence and fragrant odor.

**Palmas**. The palm of the hand. Also a palm tree.

**Palma Christi**. The castor-oil plant.

**Pal'mar** (*palmaris*, from *palm*, the palm of the hand) Pertaining or relating to the palm of the hand.

**Palmar Aponeuro'sis**. A strong expansion formed by the tendon of the *palmaris brevis* and the anterior annular ligament of the carpus, and covering the palm of the hand.

**Palmar Arches**. Two arches formed in the palm of the hand, one by the radial artery, which is called the deep-seated and the other by the ulnar artery, called the superficial palmar arch.

**Palmar's Bre'vis**. A small flexor muscle of the hand situated between the wrist and little finger.

**Palmaris Lon'gus**. A small muscle of the forearm which arises from the inner condyle of the os humeri and is inserted into the annular ligament of the carpus and palmar fascia.

**Palmaris Mag'nus**. A muscle arising from the internal condyle of the humerus and inserted into the second metacarpal bone. It bends the hand and forearm.

**Pal'mate** (*palmate*) Shaped like a hand.

**Pal'mistry** (from *palm*, the palm of the hand). The pretended art of foretelling future events by the lines on the palms of the hands.

**Palmos**. *Palma*. Palpitation of the heart.

**Palmoscopy**. Investigation of the beating of the heart. Prognosis from the beating of the heart.

**Pal'mula**. A date; also the flat, broad end of a rib.

**Palpe'tum** (from *palpeo*, to feel). The sense of touch. Also manual exploration of disease by slight pressure with the fingers.

**Pal'pebra** (from *palpiare*, to palpitate; from its frequent motion). The eyelid.

**Pal'pebral**. Pertaining or relating to the palpebra.

**Palpebral Ar'teries**. The arteries distributed to the eyelids.

**Palpebral Nerves**. The nerves of the eyelids.

**Palpebra'lis**. The orbicularis palpebrarum.

**Palpebrarum Apo'teius Rec'tus**. Levator palpebre superioris.

**Palpita'tion** (*palpitatio*, from *palpit*, to beat, leap, or throb) Preternaturally strong or frequent pulsations of the heart.

**Pal'pus**. Palpitation of the heart.

**Pal'sy**. Paralysis (which see).

**Palay, Lead**. Paralysis of the hands caused by lead poison.

**Palay, Mercu'rial**. Mercurial erethism.

**Pampin'iform** (*pampiniformis*, from *pampa*, a tendril, and *forma*, a likeness). In *Anatomy*, applied to the spermatic cord.

**Panple'gia** (from *pan*, all, and *pleg*, to strike) *Panplegia*. Paralysis of the whole body.

**Pan** (from *pan*, neuter of *pro*, all). A prefix denoting all, every one, everything.

**Panacea** (from *pan*, all and *aceo*, to cure) A pretended universal remedy.

**Pan'da**. Bread boiled in water to the consistence of pap. A bread poultice.

**Pan'aria**. Paronychia. Whitlow.

**Pan'ary**. Pertaining to bread.

**Panax Quinquafe'llum**. *Ginseng*, a mild and agreeable stimulant.

**Pan'creas** (from *pan*, all, and *kreos*, flesh) A glandular organ situated in the epigastria region of the abdomen under the stomach.

**Pancreat'algia**. Neuralgia of the pancreas.

**Pancreatophra'xis**. Obstruction of the pancreas.

**Pancreathelco'sis**. Ulceration of the pancreas.

**Pancreat'ic** (*pancreaticus*). Pertaining or relating to the pancreas.

**Pancreatic Duct**. A small, white duct passing through the pancreas to the duodenum, into which it discharges its contents.

**Pancreatic Juice**. A fluid secreted by the pancreas, resembling the saliva and conveyed by the pancreatic duct to the duodenum, to be mixed with the chyle. It converts starch into sugar, and has been supposed by Ber-

used to heighten chief agent in the digestion of bile.

**Pancreatic Sarcoma.** A tumor occurring in the lymphatic glands and in the cellular substance of the pancreas.

**Pancreatico-duodenal.** A name applied to an artery and a vein distributed to both pancreas and duodenum.

**Pancreatin.** The ferment of the juice of the pancreas.

**Pancreatit'is.** Inflammation of the pancreas.

**Pancreaticus** (from *pancreas*, and *cus*, a tumor) A tumor or swelling of the pancreas.

**Pancreatorrhagia.** Hemorrhage from the pancreas.

**Pan'creas.** The pancreas.

**Pandall'ism.** A whitlow.

**Pandemic** (from *pan*, all, and *dein*, people) An epidemic which attacks the entire population of a place.

**Pandiculation** (*pandiculus* from *pan*, all, to stretch out) Stretching, such as occurs at the commencement of certain paroxysms of fever.

**Pandiculus** (from *pan*, all and *dein*, evening) Sweating of the entire body.

**Panivorous** (from *panis*, bread, and *vor*, to devour) Panivore. Bread-eater. Substantive or bread.

**Panniculi.** A synonym of multiple neuritis.

**Pan'nicle** (diminutive of *pannus*, a web) Membrane.

**Panniculus** (from *pannus*, cloth) A term in *Anatomy* applied to adipose membrane, also applied to a disease of the eye.

**Pannus.** A piece of cloth. In *Surgery*, a tent for a wound. In *Ophthalmology*, pterygium. The term is sometimes also applied to an irregular nevus or mark upon the skin or to a membrane over the cornea.

**Pannus Hepaticus.** Diffused ophelia followed by degeneration of the skin.

**Pannus Lenticularis.** Epithelia.

**Pannus Vesicatorius.** Blistering cloth.

**Pan'cula.** Bulbo.

**Panophthalmitis** (from *pan*, all, and *ophthalmos*, inflammation of the eye) Inflammation of the whole eye.

**Pansy.** The Violet tricolor, or garden violet.

**Pant'agone.** That which expels all mortal human.

**Pantamorph'is** (from *pan*, and *morphis*, shapable) Completely deformed.

**Pantaneoccephalus** (from *pan*, all, and *encephalos*, absence of brain) Entire absence of brain.

**Pantatroph'ia.** General atrophy.

**Pant'hes'is** (from *pan*, all, and *thes*, a way). A term applied in *Pathology*, by Dr. Marshall Hall, to nervous action proceeding in all directions from a single point.

**Pant'ing.** Dyspnoea, difficulty of breathing.

**Pantoph'agus** (from *pan*, all, and *phag*, to eat) Pantophagous. Omnivorous (which see).

**Pap.** A nipple also soft food prepared for infants with bread softened or boiled with water.

**Papa'ver.** A genus of plants of the order Papaveraceae. The poppy.

**Papaver Album.** *Papaver somniferum*. The white poppy.

**Papaver Nigrum.** The white poppy with black seeds.

**Papaver Officinale.** *Papaver somniferum*.

**Papaver Rhoeas.** *Papaver rhoeas*. The red corn poppy.

**Papaver Somniferum.** The poppy from which opium is obtained.

**Papav'erin.** A crystalline resin obtained from opium.

**Papil'is** (from *pappus*, down) Any small conical eminence. The nipple of the breast. The word is used alone to designate the optic disc or nerve head as seen by the ophthalmoscope. In *Pathology* a pustule or pimple.

**Papillae Calyciflorae.** The lenticular papillae of the tongue. See *TONGUE*.

**Papillae Dentinal.** The small conical eminences which arise from the corium, and which constitute the germs of the teeth in the earliest perceptible stage of their formation. See *TEETH, DEVELOPMENT OF PULPS AND RACS OF*.

**Papillae Medullares.** Small eminences on the medulla oblongata.

**Papillae of the Kidney.** The small projections of the spaces of the cones of the tubular substance of the kidney into the pelvis of the organ.

**Papillae of the Tongue.** See *TONGUE*.

**Papillary** (*papillaris*, *papillatus*). Of or pertaining to the papillae or to the nipple.

**Papillitis** (from *papilla*, and *itis*). Inflammation of the papilla of the eye.

**Papilloma**. A tumor arising on the skin from a morbid transformation of the papilla—a wart, for example; also a corn and certain polyp.

**Papilloma of Gum**. Prurient growth of the gum. See GUM, PRURIENT GROWTH OF.

**Papillous**. Papillary.

**Pap/pus**. The hair on the middle of the chin.

**Pap/ulm**. Pimples; the first order of cutaneous diseases in Dr. Willan's arrangement.

**Pap/ule**. Papula. A pimple; a small circumscribed, solid elevation of the skin, but containing no fluid nor tending to suppuration.

**Pap/ulous**. Pimpied.

**Papyra/cous** (from *papyrus*, paper) Of the consistency of paper.

**Par**. A pair.

**Par Vagus**. The eighth pair of nerves.

**Para-**. A prefix denoting alongside of, near, beside.

**Parabasic Acid**. A crystalline acid obtained by the action of nitric upon uric acid. Its salts are readily converted into oxalates by the conjoint influence of heat and moisture.

**Oxaluria**.

**Par/ablast**. That portion of the mesoblast from which the blood and primitive vessels are developed.

**Parabola**. Abnormal act of the volition. disorder of the will.

**Parabys/ma** (*para* *bys*, to stuff) Turgescence of a part.

**Paracentesis** (from *para* *centesis*, to pierce through). The operation of tapping in ascites and ovarian dropsy for the evacuation of the water.

**Parasthesia**. Disease of the motor nerve causing morbid movements of the voluntary muscles.

**Parasmas/tic** (*parasmaticus*, from *para* *smas*, to decrease). A term applied in Pathology to a fever the symptoms of which gradually decrease.

**Paras/ma**. Deafness.

**Par/acos**. Dullness of hearing.

**Paras/ops**. A slight delirium, such as sometimes occurs in febrile diseases.

**Paracousal**. See OUSAL.

**Paracus/ia** (from *para*, wrong, and *acus*, to hear). Confused or imperfect audition; depraved hearing.

**Paracusia Ac/ia**. Painfully acute hearing.

**Paracusia Imagina/ria**. Hearing imaginary sounds.

**Paracusia Imperfec/ta**. Deafness.

**Paracyan/ogen**. A brown, amorphous, infusible, coal-like body, remaining after the preparation of cyanogen from cyanide of silver.

**Paracye/ma**. Extra-uterine fetation or morbid pregnancy.

**Paracyssa/cba**. Inflammation of the external muscles of the larynx. Also slight cyanosia.

**Parasesthesia** (from *para*, and *asthesia*, sensation) Morbid or deranged sensation.

**Par/affin** or **Par/affine**. A white, fusible, wax-like substance, crystallizing in scales, obtained from petroleum and from the distillation of coal, wood, and wax. A compound of wax and paraffin is used in Dental Mechanics for taking impressions of the mouth, etc.

**Paragen/ia** (from *para*, badly, and *genesis*, taste) Gustus probe. Depraved taste.

**Paraglob/ulin**. A native proteid of the globulin series obtained from blood-serum and the other fluids of the body. Called, also, serumglobulin, fibroplastin, and fibrinoplastin.

**Paragloss/ma**. A swelling or prolapse of the tongue.

**Paragompho/ia** (from *para*, by, near, and *gomphosis*, a nailing). In Obstetrics, wedging of the head of the child in the pelvis during parturition.

**Paralamp/ia** (from *para*, by, near, and *lampe*, to shine) A shining spot on the cornea, a variety of *sibigo*.

**Paral/dehyd**. A modified form of aldehyde. A clear, colorless liquid, of a peculiar unpleasant odor and burning taste, soluble in water, alcohol, and ether. Hypnotic and diuretic. Dose,  $\mathfrak{v}\mathfrak{i}\mathfrak{i}\mathfrak{j}$  to  $\mathfrak{g}\mathfrak{i}\mathfrak{i}\mathfrak{j}$ .

**Paralge/ia** (from *para*, and *alge*, pain). Absence of sensation or of pain. Anesthesia.

**Paral/gia**. Disagreeable cutaneous sensations, such as cold, burning, formication, etc.

**Par/allel**. Having the same direction, and equally distant from one another throughout their course.

**Parallelo/gram**. Any quadrilateral figure whose opposite sides are parallel.

**Paral/yxis** (from *paralyxis*, to relax). Palsy. A loss or diminution of the power of voluntary motion in one or more parts of the body. Four species of palsy are enumerated by Dr. Cullen: (1) *Paralytic partialis*, or partial



paralytic (2) paralytic hemiplegia, or palsy affecting one side of the body longitudinally; (3) paralytic paraplegia, or palsy of one-half of the body taken transversely; (4) paralytic cramp, when produced by the excitative effects of poison.

**Paralysis Agitans.** Shaking palsy.

**Paralysis Belli's.** Palsy of the face arising from a lesion of the petio dura of the seventh pair of nerves.

**Paralysis Rachid'gica.** Colica pictorum.

**Paralysis Spina'lis.** Paraplegia.

**Paralytic.** Tending to or affected with paralysis.

**Paralytic Stroke.** A sudden attack of paralysis.

**Paramagnetic.** A term denoting the ordinary form of magnetism.

**Parame'nia** (from *para*, badly, and *μη*, the women). Disordered menstruation.

**Parame'ria.** The inner part of the thigh.

**Parame'tritis.** See *METRITIS*.

**Parame'trion.** A fluid substance of a cell filling the interstices between the nutomes.

**Parame'phia** (from *para*, wrong, and *φω*, form). Abnormality of form. In *Pathology*, a morbid structure; also organic disease and applied in *Medicines* to thebaine, a crystalline base existing in opium.

**Parame'phine.** See *THEBAINE*.

**Parameyosin'ogen.** One of the proteids of muscle-plasma.

**Parameyotone.** A disease characterized by toxic spasm of the muscles.

**Parame'thecia.** Abscesses limited to the lower half of the body.

**Paramephrit'is** (from *para*, by, near, and *μεφρη*, inflammation of the kidney). Inflammation of the renal capsules.

**Parameptone.** A proteid, closely resembling acid-albumin, formed in the peptic digestion of proteids and convertible into peptone only by trypsin and not by pepsin digestion, anti-albumin.

**Paraph'ia.** Abnormal tactile sense.

**Paraphimosis** (from *para*, about, and *φω*, to bridle). Contraction of the prepuce behind the corona in such a way as to prevent its return over the glans penis.

**Paraph'onia** (from *para*, wrong, and *φωνη*, sound). Change of voice; impaired articulation of sounds.

**Paraph'ria.** Slight delirium.

**Paraphren'ia.** Delirium; also paraphrenia.

**Paraphren'ia** (from *para*, near, and *φρεν*, the diaphragm). Diaphragmatic.

**Paraphro'sia.** Delirium.

**Paraph'thaline.** A substance which accompanies asphaltine in coal-tar.

**Paraplegia.** An abnormal situation.

**Paraplas'ma.** In *Biology*, Knyffer's term for the more fluid matrix of cell protoplasm.

**Parap'ogis.** Paralysis of the half of the body, either upper or lower, usually the lower.

**Parapleur'itis.** Pleurodynia.

**Parap'oplexy** (from *para*, defective, and *ερωληφια*, apoplexy). Parapoplexia. False or slight apoplexy.

**Parap'als** (from *para*, defective, and *ερωληφια*, to touch). A vitiated or impaired sense of touch.

**Pararrhyth'mus** (from *para*, wrong, and *ρhythμος*, rhythm). An epithet applied in *Pathology* to the pulse when the rhythm is not suited to the age and constitution of the individual.

**Parascen'ia.** In *Surgery*, apparatus, preparation.

**Paras'chides.** In *Pathological Surgery*, fragments or splinters of a fractured bone.

**Par'asite** (*parasitus*, from *para*, near, and *ερωληφια*, corn, food). A vegetable or animal that lives upon or infests the body.

**Parasit'ic** (*parasitica*, from *parasitus*, a parasite). A term applied to animals which live in or on the bodies of other animals, as worms, polypi, etc., also to vegetables that derive their nourishment from the body, having the characteristics of a parasite.

**Parasiticide.** An agent for destroying all parasites.

**Paraspe'dia** (from *para*, near, and *σπεω*, to draw). An opening of the urethra at the side of the penis.

**Paras'phagis** (from *para*, near, and *σφαγην*, the throat). The part of the neck contiguous to the clavicles.

**Paras'tasis** (from *para*, near, and *στανω*, to stand near). Situated near together. Formerly applied to the epididymis, to the prostate gland, and to the commencement of the vas deferens.

**Parastit'itis.** Inflammation of the epididymis.

**Parastrom'ma** (from *para*, against, to distort or pervert). Convulsive distortion of the face or mouth.

**Parasyn'osis.** Cynanche parotidea, or mumps.

**Parasy'stole** (*para*, among, and *sy'stole*, a contracting) An unusual interval between the pulsations or between the systole and diastole of the heart and arteries

**Parath'esar** (from *para*, near, and *th'esa*, the sole of the foot) Applied by Winslow to a parson of the abductor of the little toe and to the flexor brevis of the same The first he called parathesar major and the other parathesar minor

**Parathrom'a**. A partial lutation

**Paratroph'ia** (from *para*, and *troph*, nourishment) Paratrophy Malnutrition, imperfect nutrition

**Paracth'usa** (from *para*, beyond, or out of, and *trach*, to stretch) Paracthinus Preternatural dilatation or extension of a part

**Paragor'is** (*paragor'is*, from *para*, or to mitigate) *Opium tinct camphorata* An anodyne

**Paragonic Elix'r** A camphorated aromatic tincture of opium See TINCTURA OPII CAMPHORATA

**Parot'a** (*parot'a*) The cheek

**Parotia Brava**. A plant, native of South America and the West Indies having a sweetish, slightly rough and bitter taste It is recommended in asphering and calculus affection Dose, gr xx to 51 See OLEUM PLEURARIA

**Paroceph'al'is**. The cerebellum

**Paro'chyma** (from *para*, to suffice The texture of glandular organs is that of the liver, kidney, etc., and the spongy tissue which connects parts, the essential part of an organ as distinguished from the supporting structures or stroma

**Paro'chymat'is**. Inflammation of the substance of an organ

**Paro'nia**. A slight paralysis incomplete motor paralysis This affection has been relieved by the extraction of diseased teeth

**Parotic**. Of or pertaining to parotia

**Par'ia Nervo'rum**. Pains of nerves A term applied to the cranial or encephalic nerves

**Paridrosis**. Abnormal secretion of sweat

**Par'ies** (plural, *parietes*) The sides or walls of any cavity or organ are called its parietes

**Par'ietal** (*parietalis*, from *paries*, a wall) A name given to two of the bones of the cranium

**Parietal Bones**. Two flat quadrangular bones, separate below and convex above,

forming the sides and upper part of the cranium

**Par'ietes** (the plural of *paries*, a wall) Applied to parts which form enclosures See PARIETES

**Paris White**. Prepared chalk

**Paristh'mia** (from *para*, and *sthen*, the throat) The parts forming the fauces, also inflammation of the fauces

**Paristhmot'omus**. Name of an instrument formerly used for verifying the tonsils

**Paristhm'is**. Inflammation of the fauces, cyanotic or suppurative

**Parodon'tides** (from *para*, near, and *odon*, a tooth) Parulis, tumors of the gums See JAW, MORBID GROWTH OF

**Parodyn'ia**. Morbid parturition, difficult labor

**Parodynia** *Ferver'ia* Unnatural presentation

**Paromphaloc'e** (from *para*, near, *omphal*, the umbilicus, and *ce*, rapture) Hernia near the navel

**Parom'ia** from *para*, near, and *omphal*, a dream Deprived or morbid dreaming

**Parony'chia** (from *para*, near, and *onyx*, the nail) A whitlow or felon of the finger An abscess in the fingers

**Parop'sis** (from *para*, badly, and *opsis*, sight) A general term employed by Dr Good for disorders of the vision

**Parop'ic Illuso'ria** False sight, perverted vision

**Parop'ic Latera'lis** Lateral vision, skew sightedness

**Parop'sis** (from *para*, and *opsis*, to see) Weak or depraved vision

**Parorchid'ium** (from *para*, near, and *orchis*, gen *orchidis*, a testicle) Malposition of one or both testicles

**Parorchido-enteroce'ia**. Sauvages has given this name to intestinal hernia with displacement of the testicle

**Paros'mia**. Perverted smell

**Paros'tis**. Defective or imperfect ossification

**Parostia Flex'is** Softening of the bones

**Parostia Frag'is** Brittleness of the bones

**Parost'o'ia** (from *para*, and *ostion*, bone) The abnormal production of bone outside of the periosteum or in the surrounding connective tissue

**Parot'id Fascia**. A portion of the deep cervical fascia which closely encloses the parotid gland

**Infector muscle and the mastoid process of the temporal bone, and as deep back as, and even behind, the styloid process of the same bone. Its extent of surface is from the zygoma above, the angle of the lower jaw below and from the mastoid process and mastoid externus behind to the masseter muscle in front, overlapping its posterior portion.**

**This gland is one of the conglomerate order and consists of numerous small granular bodies connected by cellular tissue each of which may be considered a small gland in miniature, as each is supplied with an artery, vein, and secretory duct.**

**The gland thus formed presents on its external surface a pale, flat, and somewhat convex appearance.**

**It is covered by a dense strong fascia extending from the neck attached to the mastoid externus of the ear, and sends countless processes into every part of the gland separating its lobules and conducting the vessels through its substance.**

**The use of this gland is to secrete or separate from the blood the greater part of the saliva furnished to the mouth. As the parotid is, however, on the outside and at some little distance from the mouth, it is furnished with a duct to convey its fluid into this cavity. The duct is called the duct of Steno, or the parotid duct.**

**It is formed of the excretory ducts of all the granules composing this gland, which, secretorily uniting together, at last form one common duct.**

**The duct of Steno commences at the anterior part of the gland and passes over the masseter muscle, on a line drawn from the lobe of the ear to the middle part of the upper lip then passes through a quantity of soft adipose matter, and finally enters the mouth by passing through the buccinator muscle and mucous membrane opposite the second molar of the upper jaw.**

**Parotiditis. The parotid gland**

**Parotiditis (from *parotis*, the parotid, and *itis*, a tumor) Tumor of the parotid gland.**

**Parotitis (from *parotis*) The parotid gland, also inflammatory swelling of the parotid gland or of the parts which sur-**

**of typhus and other acute diseases.**

**Parotitis (from *parotis*, the parotid gland, and *itis*, inflammation) Cynanche parotidea, or mumps. Inflammation of the parotid gland.**

**Parova'rrium (from *para*, near, and *ovary*, the ovary) Kobelt has given this name to a body very analogous in structure to the cystic yolk situated in the broad ligament, between the ovary and Fallopian tube.**

**Par'oxysm (*paroxysmus*, from *παροξυσμός*, to irritate) The occurrence at regular intervals of an obvious increase in the symptoms of a disease. Also a periodical attack or fit of a disease, as in intermittent fever, neuralgia, etc.**

**Paroxysmal Applied in Pathology to diseases attended with paroxysms.**

**Parr Crown. An artificial crown of porcelain for which a plain plate tooth may be used in the inversion of which the natural root is prepared capped, and banded without a post or pin the same as for a gold collar crown. The root is capped independently of the crown, which can be removed without disturbing the cap on the root. The cap on the root is secured with oxyphosphate and the post of the canal and the cap on the crown with gutta percha.**

**Parr's Flux A finely pulverized vitrified preparation of borax, which can be conveniently kept in the form of a saturated solution which is applied with a brush or stick or is combined with wax, in the melting out of which when the heat is applied, the flux is carried into the indentures used in fine soldering such as for crown- or bridge-work.**

**Parr's System of Bridge-work See BRIDGEWORK, STRENGTH OF**

**Particle (diminutive of *pars*, a part) An atom, a corpuscle, the smallest part into which a body can be divided.**

**Part'ing. In Chemistry, the separating of gold and silver from each other. There are two methods of parting, the dry and the humid. The former is accomplished by fusing the alloy of the two metals with sulphur or a sulphide, which forms sulphide of silver but does not act upon gold. The latter is accomplished by dissolving out the silver with nitric or sulphuric acid or, when that metal is in small**

gummy, as in gold coin, by dissolving the gold in aqua regia, the silver being left behind as chloride.

**Partu'riant.** Bringing forth or about to bring forth; pertaining to the lying-in state.

**Partu'rie'clent.** In *Obstetrics*, that which promotes or causes parturition.

**Parturi'tion.** The expulsion of the fetus and its appendages from the uterus.

**Par'tus** (from *pario*, to bring forth) **Parturition.**

**Paru'lis** (from *rupe*, near, and *odus*, the gum). Inflammation, swelling, or abscess in the gum. See **ALVEOLAR ABSCESS**.

**Paru'ria** (from *rupe*, defectively, and *ovore*, to pass urine) A morbid secretion or discharge of urine.

**Par'sa.** A whitlow. See **PARONYCHIA**.

**Par'sis.** In *Medicine*, a disease or affection.

**Pasalo Hyster'ica.** Hysteria.

**Pasalo Ill'a'ca.** Illness passion.

**Pas'sion** (*passio*, from *patior*, to suffer) In *Pathology*, an emotion of the mind, as desire, hope, fear, joy, grief, anger, love, hatred, etc.

**Pas'sive.** **Passiva.** A term applied to diseases in which there is no apparent remission, or which seems to be dependent on a diminution of the vital energy, the opposite of active.

**Passive Motion.** Motion of the limbs made by the surgeon and not by the patient.

**Pas'ta.** A lozenge.

**Pasta.** A soft compound medicine. In *Dental Surgery*, a term applied to a number of preparations employed in a soft state for filling teeth.

**Pasta, Mineral.** See **AMALGAM**.

**Pastil'um** (*pastille*, from *pasta*, a lozenge). A pastil or compound medicine composed of sugar and mulling, with essential oil or some other ingredient.

**Patchou'li.** See **POGOSTEMON PATCHOULL**.

**Pate'l'a** (diminutive of *patina*, a dish). The knee-pan. A small, flat bone situated at the forepart of the knee-joint.

**Pathe'ma.** Emotion; morbid affection, disease.

**Pathet'ic** (*pathetic*; from *pathos*, an affection). Pertaining to the passions, expressive of suffering.

**Pathetic Nerves.** The fourth pair of nerves.

**Pathic.** Diseased; pertaining to a morbid condition.

**Pathog'e'nic.** **Pathogenic.** Disease-producing.

**Pathog'e'ny** (from *pathos*, a disease, and *genesis*, generation). **Pathogenia.** That part of pathology which relates to the origin and development of disease.

**Pathognomon'ic** (*pathognomonic*; from *pathos*, a disease, and *gignomai*, to know) Applied to the signs which characterize a disease.

**Pathograph'ic** (*pathographic*). Pertaining to pathography.

**Pathog'r'aphy** (from *pathos*, disease, and *graphein*, to describe). **Pathographia.** A description of disease.

**Patholog'ical** (*pathologic*) Pertaining to pathology, as *Pathological Anatomy*.

**Pathological Anatomy** The anatomy of diseased structures.

**Pathol'ogist.** A writer on pathology or one versed in the science of diseases.

**Pathol'ogy** (from *pathos*, a disease, and *logos*, a discourse) **Pathologia.** That branch of medical science which treats of the essential nature of diseases. It is divided into *general* and *special*; the former regards diseases in general and the latter individual diseases. Also into *humoral*, on the theory that disease is due to changes in the composition of the liquids of the body into cellular, where such changes are due to the condition of the cells; and *external* (surgical) and *internal* (medical) according as it relates to morbid processes which are or are not accessible to operative interference.

**Pathol'y'sis** (from *pathos*, and *lysis*, to dissolve). The dissolution of tissues by the influence of disease.

**Pathoma'nia.** A morbid perversion of the natural feelings, habits, disposition, and affections.

**Pa'thos.** An affection, a disease.

**Pa'tient.** A sick person under the care of a physician. The term is sometimes applied to a sick person abstractly. Also a person receiving the professional services of a dentist.

**Pa'tor Na'riana.** The cavity of the nose.

**Pat'ulous** (from *patere*, to be open). Open or expanded.

**Pavement Epithelium.** See **BRICK-LIQU**.

**Pe'ver.** Anxiety, fear; dread, alarm.

**Pb.** Symbol for lead.

**Pd.** Symbol for palladium.

**Pearl.** A small calcareous concretion, of a

bright silvery-white color, found in the shell of the *Atrina margaritifera*.

**Pepel Ash.** The potash of commerce.

**Pearl barley.** Common barley divested of its husks.

**Pearl White.** A white powder precipitated from the nitrate of bismuth by a solution of muriatic acid; flake white.

**Pectinifera.** The pericarpium.

**Pect'yagra** (from *per*, the elbow, and *agra*, a seizure). Gout in the elbow.

**Pe'chya.** The elbow

**Pec'ten** (from *pec*, to comb). A comb or crest. The vascular membrane, duplicated with parallel folds like the teeth of a comb, situated in the posterior and external part of the cavity of the eye of birds, termed *membrana*. Also the pubes

**Pectin.** Pectina. Vegetable jelly, one of a group of carbohydrates found in ripe fruits and other vegetable substances, and forming a jelly when heated and cooled

**Pectin'is** (from *pecten*, the pubes) A long, flat muscle extending from the pubes to a little below the lesser trochanter of the os femoris.

**Pectinatus** (*pectinatus*, from *pecten*, a comb). Comb-like: applied to the fascicular texture observed in the right auricle of the heart.

**Pectin'ed, or Pectin'ous.** Of or pertaining to the pubes.

**Pect'oral** (*pectoralis*, from *pectus*, the breast). Pertaining or relating to the breast

**Pectoral Moss.** Common name of *Lichen palmarius*.

**Pectoralis Major.** A broad, thick muscle situated on the anterior part of the thorax and in front of the axilla. It arises from the sternal part of the clavicle, all the edge of the sternum, extending as far down as the cartilage of the sixth rib, except the first and last, and is inserted into the anterior margin of the bicipital groove of the humerus.

**Pectoralis Mi'nor.** A small muscle occupying the anterior and upper part of the chest. It arises from the upper margin and external surface of the third, fourth, and fifth ribs, near their cartilages, and is inserted into the inner and upper border of the coracoid process of the scapula near its extremity.

**Pectin'ifera** (from *pecten*, the breast, and *ferre*, to speak). Pectinifera. Speech coming, as it were, from the chest. A morbid phenomenon, consisting in the direct issue of

the voice, distinctly articulated, from the point of the chest on which the ear or stethoscope is placed, indicating the existence of elevated cavities in the surface of the lungs.

**Pec'tus.** The breast.

**Pede'sis.** Pulsation.

**Pedial'gia.** Neuralgic affection in the foot.

**Pedicula'tion.** A term applied in Pathology to a morbid condition of the body in which lice are bred on the skin.

**Pedic'ulus.** Pediculosis. The louse. A genus of parasitic insects. Three species infest the human body—namely, the body louse, the head louse, and the pubic or crab louse

**Ped'icula.** The extensor brevis digitorum pedis.

**Ped'iform** (from *pes*, a foot, and *forma*, form) Shaped like a foot.

**Pedil'vium** (from *pedes*, the feet, and *lavare*, to wash) A foot-bath

**Pe'dion.** The sole of the foot.

**Pe'dora.** The orifice of the eyes, ears, and feet.

**Pedun'cle** (*pedunculus*, from *pes*, the foot).

In *Anatomy*, a slender process or prolongation of medullary substance which connects parts.

**Peduncle of a Dental Sac** See GURKHAAGOU-LI & DEPATI

**Pedun'cles of the Brain.** The crura cerebri

**Peduncles of the Cerebellum.** Crura posteriora medulle oblongate.

**Peduncles of the Medulla Oblongata.** The corpora testiformia.

**Pel'ican.** In *Dental Surgery*, an instrument employed by the older dentists for the extraction of teeth, and although ill calculated for the purpose, it is still used in the north of Europe. It consists of a handle, made of wood, ivory, iron, or steel, flattened on two sides, with a blunt, rounded, and serrated extremity, to serve as a fulcrum. The other end, intended to be received in the hand, is round or oval. To the middle a long hook is screwed bearing some resemblance to the beak of a pelican, and hence the name which the instrument has received. This hook passes in front of the fulcrum extremity of the handle sufficiently to admit the tooth to be extracted between them. As with the key instrument, several hooks, varying in size, are required. An engraving of this instrument is given by Fauchard and several other French authors.

**Pelle'ma** (from *pelle*, hide, black). An ecchymosis of a livid color.

**Pelle'ma.** *Purpura haemorrhagica.* See **PURPURA.**

**Pel'lagra** (from *pellis*, skin, and *agra*, a sore). *Pelagra*, *elephantiasis italica.* A species of scaly erysipelas in the hands, which sometimes extends to the feet and face. A disease beginning by a shining red spot on the head or body.

**Pel'let.** A globule made by rolling pieces of gold or tin between thumb and fingers, and used for filling teeth.

**Pel'l'cle** (*pellis*, from *pellis*, the skin). The delicate membrane which lines the shell of an egg or invests the seed of plants. In *Medicine*, a delicate membranous production, a thin skin. Also the film which sometimes forms on the surface of urine.

**Pel'lis.** The cutis or skin.

**Pellis Summa.** The epidermis

**Pel'l'tory.** The name of several plants of different genera. *pyrethrum.*

**Pel'l'tory, Bee'tard.** *Achillea ptarmica.* A plant said to possess diaphoretic properties. The powder of the root and leaves is expectoratory

**Pel'l'tory of Spain.** *Anthem. pyrethrum.* French chamomilla. See **PIRETHRUM.**

**Pel'le'cid** (*per*, through, and *laeo*, to shine). Translucent or semi-transparent.

**Pelo'plasm.** One of the metals discovered in the minerals called tantalites

**Pel'tate** (from *pellis*, a shield). Shield shaped

**Pel'tiform** (from *pellis* a shield). Like a shield.

**Pel'vic** (*pelvis*). Pertaining to the pelvis.

**Pelvic Aponeuro'sis.** A tendinous expansion attached to the brim of the pelvis.

**Pelvim'eter.** An instrument for measuring the dimensions of the female pelvis.

**Pelviot'omy** (*pelvis*, a basin, and *temo*, to cut). Section of the bones of the pelvis.

**Pel'vis** (from *pelus*, a basin). An irregular bony cavity of the conoidal shape, formed by the two os innominata, the os sacrum, and os coccygis, open above and below, and containing the rectum and urinary bladder and the internal organs of generation.

**Pelvis Au'ris.** The cochlea of the ear

**Pelvis Cer'ebri.** The infundibulum of the brain.

**Pelvis of the Kidney.** A membranous cavity situated in the posterior part of the fissure of the kidney, between the principal branches of

the renal artery and vein and at the superior part of the ureter, with which it is continuous.

**Pelvi-trochan'tric.** That which relates to the pelvis and greater trochanter.

**Pem'phigus** (from *peris*, a bubble). A cutaneous disease, consisting of vesicles scattered over the body filled with a transparent, pellucid fluid. The vesicles, after some days' duration, break and terminate in a scab, though frequently they ulcerate

**Pem'phix.** A bubble or vesicle.

**Pencil'iform.** Having the form or shape of a pencil.

**Pem'dulous.** Pendant, hanging down.

**Pem'strating** (*perstrere*, from *perstrere*, to pierce or enter into). Applied to medicines which are supposed to pass through the pores of the skin and stimulate. Also to wounds which penetrate any of the large cavities.

**Pencil'ium** (*pencilium*, diminutive of *pencilus*, a brush). In *Surgery*, a test or pledge. In *Anatomy*, the secreting extremities of the vena porta are called pencilii.

**Pe'nis** (from *pendere*, to hang down). A tail. *Membrum virile.* An erectile cylindrical organ hanging exclusively to the male sex, situated before and beneath the symphysis pubis. It consists of two principal parts, the *corpus cavernosum*, or *corpus cavernosa*, and the *corpus spongiosum*, also called the spongy body of the urethra, because it surrounds the urethra.

**Penis Cer'ebri.** The pineal gland

**Penis Mulie'bris.** The clitoris.

**Pen'uliform** (*penuliformis*, from *penus*, a pen, and *forma*, form). Having the form of a pen or feather, applied in *Anatomy* to muscles having fleshy fibres inserted on each side of a middle tendon, like the feathers of a pen.

**Pennyroy'al.** The popular name of the *Mentha pulegium*, also *Hedeoma pulegioides*.

**Pennyroyal, Hart's.** *Mentha cervina.*

**Pennyweight.** A weight of twenty-four grains.

**Pentad.** A pentavalent element.

**Pen'tagon** (from *per*, five, and *gonos*, angle). A plane figure having five angles and five sides.

**Pentaphar'macon** (from *per*, five, and *pharmakon*, remedy). Any medicine consisting of five ingredients.

**Pentate.** See **ANYLITE.**

**Peete'mia.** Aspiration of the penis.

**Pepa'tis.** Concoction.

**Pep'per.** A plant of the genus *Piper* and its fruit.

**Pepper, Black.** The berries of the *Piper nigrum*.

**Pepper, Cayenne.** The fruit of the *Capsicum annuum*.

**Pepper, Jamaica.** Allspice; pimento; the fruit of the *Myrtus pimento*.

**Pep'permint.** The popular name of *Mentha piperita*. It is a grateful, aromatic stimulant, allays nausea, relieves spasmodic pains of stomach and bowels, expels flatus, and covers the taste and prevents the vomiting or griping effects of other medicines. The oil is more frequently used in the form of essence of peppermint, which is prepared by dissolving two fluid ounces of the oil in a pint of alcohol.

**Pep'sin** (from *perro*, to digest) *Pepsine*, *pepsin*. The active, digestive principle of the gastric juice, and is prepared in a variety of ways from the stomachs of calves, sheep, and pigs. The medicinal preparation is a nitrogenated, light, amorphous, grayish-white or flesh-colored powder, soluble in water and alcohol, and of a peculiar, faint odor and a bitter, nauseous taste. When quite pure it should be both tasteless and inodorous. Taken internally it increases the appetite and allays irritability of the stomach. It is administered in dyspepsia, gastralgia, obstinate vomiting, and indigestion. In *Dental Practice*, it is employed in the treatment of putrid pulp of teeth as an antiseptic and deodorizer. It is also recommended for an application to partially decomposed dentine which is allowed to remain immediately over a pulp, and which it is not advisable to remove. It is made into a paste with two per cent. of hydrochloric acid and distilled water. This dressing has also been employed to devitalize dental pulps by a slow action.

**Pepsinogen.** A synonym of the glands of the stomach, which becomes transformed into pepsin and a proteid during the process of secretion of the gastric juice.

**Pep'tic.** Of or pertaining to digestion.

**Pepsinogenes.** Producing or favoring the formation of pepsin.

**Pepsins.** A proteid formed from other proteids by gastric or pancreatic digestion; also by the action of water at high temperatures.

**Pep'tones.** Compounds formed by the gastric juice out of the proteid elements of the

food in the stomach. They are more soluble than the original proteid compounds.

**Peptones, Beef.** A nitrogenous food compound composed of beef, milk, and gluten from wheat.

**Peptunize.** To convert into peptones, to digest.

**Pep'tonized.** Ingested with or containing pepsin, either naturally or artificially, to promote digestion.

**Per-** A Latin preposition used as a prefix to denote excess.

**Peracute' (peracutus).** Very sharp, very severe. Applied in *Pathology* to diseases which are very severe or attended with much inflammation.

**Percep'tion (perceptio).** The act of receiving the knowledge of external impressions made on the organs of sense.

**Per'chlorate.** A combination of perchloric acid and a base.

**Perchlorat'ed E'ther.** Obtained either by combining directly chlorine with oléfiant gas or by causing certain chlorides to react upon that gas.

**Perchloric Acid.** A monobasic acid,  $\text{HClO}_4$ , containing more chlorine than chloric acid; a volatile irritant liquid.

**Perchloride, Peroxide, Persulphide.** Compounds containing respectively more chlorine, oxygen, and sulphur than the ordinary chlorides, oxides, and sulphides.

**Perchloride of Fer'myle.** *Chloroform*.

**Perchloride of Iron.** See *Iron*.

**Perclu'sion** (from *per*, and *claudo*, to shut up) A condition resulting from peripheral lesion of an organ.

**Percolate** (from *percolo*, to strain through). **Percolation.** In *Pharmacy*, the act of straining or filtering.

**Percolat'or.** A pharmaceutical instrument used for filtering or straining.

**Percus'sion** (from *percutere*, to strike). The act of striking one body against another. In diseases of the chest it is used as a means of diagnosis, and also sometimes in diseases of the teeth.

**Peren'nial (perennis; from per, and annus, a year).** Lasting from year to year.

**Per'forans** (from *perforare*, to bore through). A term applied in *Anatomy* to organs which pass through openings in other organs.

**Perforans Cereb'ri Ner'vus.** The external cutaneous nerve.

**Perforans Profundus.** *Flexor digitorum pedis profundus perforans.*

**Perforans Vulgo Profundus.** *Flexor profundus perforans.*

**Perforation** (*perforatio*, from *perforare*, to pierce). An opening in the continuity of the parietes of a hollow organ.

**Perforator.** In *Obstetrics*, an instrument used for perforating the skull.

**Perforatus.** Applied to muscles or tendons which have an opening through their fibres through which other parts may pass through them.

**Perfrication.** Inunction or rubbing in through pores of the skin any unctuous or oily substance.

**Perfume.** The volatile effluvia from any substance which affects agreeably the organs of smelling.

**Pergameneous** (from *pergama*, parchment). Having the texture of parchment.

**Peri-** (from *peri*, around, on all sides). A prefix signifying enveloping, round about, as the dental periosteum, etc.

**Periosteal** (from *peri*, about, and *osteon*, to take away). A circular incision about a tumor.

**Periblast** (from *peri*, and *blastos*, a germ). The envelope surrounding the cell nucleus.

**Peribulbia** (from *peri*, around, and *bulbus*, to cut). Ulceration of the corners of the eyelids.

**Pericardiac.** Relating to the pericardium.

**Pericarditis** (from *pericardium*, the pericardium, and *itis*, inflammation). Inflammation of the pericardium.

**Pericardium** (from *peri*, about, and *cardes*, the heart). The membranous sac which envelops the heart.

**Pericementalgia** (from *peri*, around, *ceramentum*, and *algia*, pain). Pain in the alveodental periosteum or periodontal membrane.

**Pericementitis** (from *peri*, around, *ceramentum*, and *itis*, inflammation). Inflammation of the periodontal membrane in the apical space, periodontitis following the death of the pulp. It is classified as acute marginal, acute circumscribed, acute apical, and acute diffuse, also as chronic hyperplastic, partial and chronic hyperplastic diffuse pericementitis.

The symptoms of the acute form of pericementitis, or pericementitis which has its origin in the apical space, usually begin with a dull

pain, which is referred to the affected tooth. Pressure at first affords some relief, but as the inflammation increases pressure soon causes extreme pain. The swelling of the tissues in the apical space causes a slight elevation of the tooth in its cavity and brings the force of occlusion on the affected tooth, the result of which is extreme suffering. The mucous membrane over the affected root then presents signs of inflammation by becoming a deeper red, and pressure on it causes pain. The gum is liable to present a purplish hue, and the pain becomes continuous and throbbing. Within twenty-four hours, or in some cases after several days, pus forms in the apical space and a case of acute alveolar abscess is developed.

Chronic periodontitis presents all the characteristics of the acute variety, but in a modified form. The affected tooth is sore, but the degree of soreness varies, sometimes being considerable and at other times causing annoyance only. In some cases there is considerable congestion of the gum, and other cases may show no visible signs. There is generally, however, sensitiveness to pressure over the affected root, but in such cases there may be no sensitiveness to thermal changes. The cause of both forms of pericementitis is some irritation of the tissues of the apical space.

**Pericementitis, Phagedenic.** A specific infectious inflammation, having its beginning at the gingival or gum margin, and accompanied by destruction of the periodontal membrane and alveolar walls.

**Pericementitis, Septic.** Inflammation of the periodontal membrane due to decomposition of the dental pulp, the septic invasion passing beyond the apical foramen; also where the periodontal membrane (pericementum) has become the seat of septic invasion.

**Pericementitis, Traumatic.** Inflammation of the periodontal membrane resulting from injuries.

**Pericementitum** (from *peri*, about, and *ceramentum*). The dental periosteum or periodontal membrane.

**Perichondrium** (from *peri*, about, and *chondros*, a cartilage). The fibrous membrane which covers the non-articular cartilages.

**Pericula** (from *peri*, around, and *culas*, to break). A compound fracture.

**Pericula** (from *peri*, around, and *culas*, the leg). The parts surrounding the tibia; the tibia itself.



covering of the roots of the teeth which unites them to their alveolar cavities. It differs in both structure and functions from the periosteum of bone although it has commonly been designated the *dental periosteum*. The fibres of the periodontal membrane radiate from above downward to the end of the root and outward toward the walls of the alveolar cavity, and permit of a slight motion. On the apex of the root and near to the neck of the tooth the course of the fibres is different. In the apical space the fibres radiate from the apex to the root of the alveolar wall in various directions, but approaching a fan-like radiation. At the neck of the tooth the fibres form a thick mass immediately over the rim of the alveolar cavity where they merge into the pericoracium covering the outer surface of the alveolar process, which forms what has been called the dental ligament.

The vessels supplying this membrane with blood enter the apical space and there divide into a number of branches, one of which enters the apical foramen of the root of the tooth while the others are distributed to the structure of the periodontal membrane. At the rim or margin of the alveolus the union of the arteries of the periodontal membrane and gum form a rich plexus known as the *gingival plexus*, so that this membrane receives its supply of blood from two sources, and in the condition known as alveolar abscess when the vessels in the apical space are destroyed, a supply of blood is still furnished to the membrane by the vessels from the gums. The nerve supply is also furnished from two sources, which correspond with those of the blood supply. The periodontal membrane is the organ of touch of the teeth while the pulp of the teeth conveys painful sensations alone, such as are, under normal conditions, caused by thermal changes. The periodontal membrane is subject to various diseases, such as *parodontitis* or *periodontitis* (inflammation), *alveolar abscess* (suppuration), and

*Peridontal sinus* (from *peri*, around, and *sinus*, ligament). The delicate areolar investment of a ligament.

*Pericardiacote*. The almost imperceptible period or interval that succeeds the diastole of the heart.

*Pericardium* (from *peri*, around, and *cardium*, heart). The serous coat of the heart.

*Periglottis*. The epiglottic gland.

*Perigraphe*. The linea transversa of the rectus abdominis muscle.

*Perimeter*. The line which bounds any plane figure.

*Perimysium*. The cellular membrane that covers a muscle or its fasciculi.

*Perineocele*. Hernia in the perineum.

*Perineus Transversus*. The transverse perineal muscle.

*Perineal*. Pertaining or relating to the perineum.

*Perineal Artery*. A branch of the internal pudic distributed to the perineum.

*Perineal Nerve*. A branch of the internal pudic nerve distributed upon the perineum and scrotum in the male and upon the perineum and vulva in the female.

*Perineum*, or *Perineum*. The space between the anus and genital organs.

*Perineum* (from *peri*, around, and *neuron*, a nerve). The neurilemma.

*Periosteal* (from *peri*, around, and *osteon*, bone). An epithet applied in *Pathology* to a cutaneous eruption which appears at night and disappears during the day.

*Period* (*periodos*, from *peri*, about, and *odos*, way). A stated time, the time of the exacerbation and remission or of the paroxysm and intermission of a disease. The different phases of a disease are called periods, as the invasion, augmentation, height, decline, and termination.

*Periodic Acid*. An acid consisting of nitric and oxygen.

*Periodical Diseases*. Diseases the paroxysms of which, as those of intermittent fever

and certain cervical and neuralgic affections, occur at stated intervals.

**Periodicity.** The tendency of certain physiological and pathological phenomena to occur after longer or shorter intervals.

**Periodology** (from *repono*, a course or event, or the act of going round, and *logos*, a discourse) The doctrine of periodicity in health and disease.

**Periodontitis** (from *peri*, about, *odont*, a tooth, and *itis*, inflammation) Inflammation of the periodontal membrane the living membrane of the cavity of a tooth. See **PERI** **OSTITIS**.

**Periods, Monthly.** The menstrual periods.

**Periodynia** (from *peri*, around, and *dynia*, pain) An acute, circumscribed pain.

**Periorbitis** (from *peri*, around, and *orbitis*, the orbit) The periorbitum of the orbit.

**Periorbititis.** Inflammation of the periorbitum of the orbit.

**Periosteal.** Of or pertaining to the periosteum.

**Periosteophyte.** A morbid osseous formation upon or from the periosteum.

**Periosteum** (from *peri*, around, and *ostion*, a bone) Perosteum. A white fibrous membrane which surrounds all the bones of the body except the crowns of the teeth. The external surface is united to the neighboring parts by areolar tissue. Its internal surface covers the bone and accurately follows its depression. It is joined to the bone by small fibrous prolongations and by a great number of vessels which penetrate their substance. At the attachment of the tendons the periosteum blends with the fibers of the tendons. The periosteum consists of two layers: an outer one composed of one or more lamellae of dense white fibrous tissue, the direction of the fibres being parallel to the surface of the bone and among which is a number of fine yellow elastic fibres, and also cellular elements in the lymph spaces formed by the apposition of the bundles of white fibrous structure.

In the external or fibrous layer the blood-vessels and lymph-vessels ramify and form networks. The inner layer of the periosteum consists of very loose fibrous tissue, in the meshes of which are many cells similar to osteoblasts existing upon the trabeculae of spongy bone, among them are many elements which possess characters similar to those of lymph-corpuscles. This inner layer is very vascular, the blood vessels passing among the cells occupying the

meshes. Beneath the periosteum there is a bony network covering the surface of the bone, in the meshes of which are numerous cells, which are contiguous with those which fill the interstitial spaces of the inner layer. At different points sharp curved spicules of bone penetrate the inner layer of the periosteum. The periosteum is bound under mucous membranes (submucous tissue), under serous membranes, and about the blood-vessels it forms a continuous sheath or investment, and thus furnishes support and protection. It also invests nerves (neurilemma), gives to each muscle a distinct sheath (myolemma), and, passing in between the muscular fibres, surrounds each one (sarcolemma), and connects them with their tendons or with the periosteum. It also invests the glands, holding their lobes in position, and following the ducts into the substance of the gland, invests each lobule, and within the substance the blood vessels of the gland ramify. It supports the peritoneum and pleura, invests the brain (dura mater, arachnoid membrane), and becomes the investment for its functioning cells (neuroglia).

In the form of fascia it binds down the muscles and holds them in position, it invests the bones (periosteum) and attaches the teeth to their alveolar cavities (periodontal membrane). It also forms the tendons which connect the muscles with the bones and the ligaments which hold the bones together. It also invests the eye (sclerotic).

**Periosteum Dentium.** The periosteum or periodontal membrane of the teeth. See **PERI** **DONTAL MEMBRANE**.

**Periostitis.** Inflammation of the periosteum.

**Periostitis, Dental, or Periodontitis.** Inflammation of the investing membrane of the roots of the teeth. Symmetric and local treatment are necessary—the first to remove or counteract the predisposition and abate the determination of blood to the part by allaying the excitement and inducing an equal circulation, and the second to relieve the congestion by counter-irritation or by depletion from the gum opposite the seat of the affection. Cantharidal collodion, tincture of iodine and tincture of acetate root equal parts, crotona, crotona and iodine, continual application of cold, etc., are some of the agents employed in the local treatment.

**Periosteoma.** Any morbid osseous growth on or about a bone.

**Pericarditis.** A tumor of the pericardium  
**Pericarditis.** Belonging to the periphery or circumference.

**Pericarditis.** See PERICARDIAL.

**Pericardium** (from *peri*, around, and *cardi*, to hear) The circumference of a circle, the out side of the body or any other object.

**Pericarditis.** Pericarditis.

**Pericarditis.** Inflammation of the tissues of a vein.

**Pericardium.** That part of the cell protoplasm outside of the nucleus.

**Pericarditis.** Pericarditis.

**Pericarditis.** Pericarditis. An excessive discharge.

**Pericarditis.** (from *peri*, around and *cardi*, the lung) Inflammation of the lungs. Acute variety of bronchitis.

**Pericarditis.** About a pole, as the polar region of an electrified body.

**Pericarditis** (from *peri*, about, and *cardi*, to surround) Surrounding around an organ. This frequently occurs around a tooth.

**Pericarditis** (from *peri*, about, and *cardi*, to flow) An afflux or determination of fluids toward an organ. Also efflux.

**Pericarditis** (from *peri* and *cardi*, used) The albumen between the investing membrane and the embryo of some seeds.

**Pericarditis** (from *peri*, about, and *cardi*, to move) Circumduction, a motion given to a limited base for the purpose of reaching it.

**Pericarditis** (from *peri*, about, and *cardi*, to contract) The vermicular motion of the intestines, by which they contract and force the chyle downward to the mouth of the lacteals and the feces to the anus.

**Pericarditis.** Pertaining to the arula.

**Pericarditis-pharyngitis.** The upper part of the palato-pharyngeal muscle.

**Pericarditis.** Verbena officinalis (which see).

**Pericarditis** (from *peri*, about, and *cardi*, the stomach). The lateral portions of the thorax.

**Pericarditis** (from *peri*, around, and *cardi*, to contract, to close) The peristaltic motion of the intestines.

**Pericarditis** (from *peri*, around, and *cardi*, a mouth). The margin or circumference of a mouth or a mouth-like opening.

**Pericarditis** (from *peri*, around, and *cardi*, to spread). The inner or mucous coat of the intestines.

**Pericarditis** (from *peri*, about, and *cardi*, a contraction) The space or interval between the contraction and dilatation of the heart.

**Pericarditis.** See PERICARDIUM.

**Pericarditis.** Circumcision.

**Pericarditis** (from *peri*, around, and *cardi*, to stretch) Pericarditis. The serous membrane which surrounds all the abdominal viscera and lines the cavity of the abdomen.

**Pericarditis.** Inflammation of the pericardium.

**Pericarditis Typhoid.** Pericarditis.

**Pericarditis** (from *peri*, around, and *cardi*, inflammation of the arula) Inflammation of the cellular tissue which surrounds the caecum.

**Pericarditis Acid.** The acidulous phosphate of soda.

**Pericarditis Teeth.** The teeth of second dentition. See TEETH.

**Pericarditis White.** Sulphate of barytes fused into an opaque white enamel. This is used as a pigment and in the manufacture of porcelain ware.

**Pericarditis.** Permanganate. A salt of the monobasic permanganic acid. The permanganates are unstable bodies, readily parting with their oxygen, and so acting as oxidizing and disinfecient agents.

**Pericarditis of Potash.** See POTASSIUM PERMANGANATE.

**Pericarditis Acid.** Manganese acid.

**Pericarditis** (from *peri*, to pass through). Applied to membranous and cellular tissues which permit gases and fluids to pass through them. Pericarditis possessing permeability.

**Pericarditis Fever.** A congestive intermittent.

**Pericarditis.** A chilblain.

**Pericarditis Exulceratus.** A chilblain accompanied with ulceration.

**Pericarditis Simplex.** A chilblain in which the skin is unbroken.

**Pericarditis** (from *peri*, wanting, and *cardi*, a limb) Congenital absence of a limb.

**Pericarditis** (from *peri*, a breach) Pericarditis. The fibula, so called because it resembles the pin of a breach.

**Pericarditis** (from *peri*, the fibula). Belonging or relating to the fibula.

**Pericarditis Artery.** The fibular artery.

**Pericarditis Muscles.** These are three in num-

ter: (1) The *peroneus brevis*; (2) the *peroneus longus*; (3) the *peroneus tertius*.

**Peroneal Nerve** The external popliteal nerve.

**Peroneus**. A term applied in *Anatomy* to organs attached to or that occupy the region of the fibula.

**Peroneus Brevis** A muscle situated beneath the peroneus longus.

**Peroneus Longus** A long, thick muscle situated at the outer part of the leg.

**Peroneus Tertius** A muscle situated at the anterior, outer, and inferior part of the leg.

**Perosis** (from *peros*, wanting) Abnormal or defective formation.

**Perospasmodia** (from *peros*, wanting, and *spasmos*, a spasm). Congenital malconstruction or want of a portion of the viscera.

**Peroxide**. Peroxydum. In *Chemistry*, the combination of a simple body with the largest portion of oxygen it is capable of absorbing, the highest degree of oxidation or the greatest proportion in which oxygen can saturate any solid base.

**Peroxide of Hydrogen** Hydrogen peroxide. Hydrogen dioxide. Formula,  $H_2O_2$ . It is obtained by rubbing up peroxide of barium with distilled water, to which is added distilled water acidulated with hydrochloric acid in a fuming mixture. Typically it acts by imparting oxygen to diseased tissues, and thus destroying them. In *Dental Practice* it is employed for alveolar abscesses, alveolar pyorrhea, ulcerations of mucous membrane, cancerous oris, fungous growths, bleaching discolored teeth, etc. It is a powerful antiseptic and germicide. Dose,  $\mathfrak{ss}$  to  $\mathfrak{ss}$ , when internally administered in diphtheria, etc.

**Peroxide of Sodium** Sodium peroxide. Obtained by adding peroxide of hydrogen to an excess of caustic soda solution of twenty per cent, and then pouring into alcohol. An alkaline and caustic white solid, soluble in water. It closely resembles peroxide of hydrogen. It is employed as an antiseptic, disinfectant, sterilizer, and bleaching agent.

**Perparoxysm**. A term applied in *Pathology* to extremely acute or to very violent and rapid diseases.

**Perpunction** (*perpunctio*; from *per*, through, and *punctio*, to pierce). A term applied in *Surgery* to a method of tying an artery which consists of making a small incision through the side of it near the bleeding orifice and drawing the open extremity, with a pair of

scalable forceps, backward through the opening made in the side of the vessel, thus forming a sort of knot.

**Perry Crown**. An artificial crown attached to the natural root of a tooth, and to which is soldered a collar with a cap fitted on it. The porcelain crown is similar to the Howland crown, and the pin or pivot is secured in the root-canal, its end projecting into the concavity in the base of the crown, which is cemented to the cap through which the pin passes with oxyphosphate cement.

**Perris's Fever**. An intermittent fever, the paroxysms of which recur at constant and varied periods.

**Persistant**. *Persistens*. Permanent, lasting. Mr Thomas Bell applies this term to three of the membranes of the tooth: (1) The internal pericostium; (2) the investing pericostium of the root, and (3) the pericostium of the alveolus. The other membranes of the tooth, which are the two lamellae of the dent, he regards as deciduous.

**Persistent Dental Capsule**. Neustath's membrane, the enamel cuticle (which see).

**Perspiration** (*perspiratio*; from *per*, through, and *spirare*, to breathe, exhale). The insensible transpiration of the fluids of the body continually carried on at the surface of the skin. When this fluid is condensed into sensible moisture, it is called sweat. Also the matter perspired.

**Persulphate**. Persulphates. The sulphate of a peroxide.

**Persulphate of Iron**. See *Iron*.

**Perturbation** (from *perterbo*, to disturb). Disturbance of the natural course of a disease by the employment of very active therapeutic agents.

**Pertussis** (from *per*, much, and *tussis*, cough). The whooping-cough (which see).

**Peruvian Balsam**. A resinous substance of a fragrant odor, obtained from the *Myroxylon peruvianum*.

**Peruvian Bark** The bark of several species of *Cinchona*, trees of Peru. Tonic, antiperiodic, stomachic, and astringent. Dose of powder,  $\mathfrak{ss}$  to  $\mathfrak{ss}$ ; of extract, gr.  $\mathfrak{ss}$  to gr.  $\mathfrak{x}$ . Different alkaloids are contained in this bark, the most important being Quinine, which is a well-known tonic and antiperiodic. Powdered Peruvian bark forms one of the ingredients of a number of dentifrices.

**Pervertion** (*pervertio*; from *per*, and *vertio*, to turn). A term applied in *Pathology* to

a morbid change. Also to a diseased state of the bones.

**Peruigil'ione** (from *per*, watch, and *vigil*, to watch). Want of sleep; watching, sleeplessness.

**Pes** (*pes*). The foot. In *Comperative Anatomy*, the inferior extremity of the pelvic limb of man and birds, and of the thoracic and pelvic limbs of four-footed mammals, reptiles, and amphibians, consisting, in the human subject, of the tarsus, metatarsus, and toes. In *Batans*, the portion of stem by which certain fungi are attached to the earth.

**Pes Alexandri'nus**. The Spanish chamomile or pellitory of Spain.

**Pes Anserinus**. The radiated branches of the porile dum on the side of the face.

**Pes Columbrinus**. *Geranium rotundifolium*.

**Pes Equinus**. Club-foot.

**Pes Hippocampi**. The tuberculated extremity of the hippocampus major, so called from its foetal resemblance to the foot of some animal.

**Pes'ary** (*passerium*, from *passer*, a small stone). An instrument made of wood, ivory, or caoutchouc and introduced into the vagina to retain the uterus in cases of prolapse of the organ.

**Pes'sinus**. A passery.

**Pest'ulence** (from *pesta*, plague). Pestilence. The plague, any epidemic, contagious, or infectious disease of a fatal character.

**Pest'is** (from *pesta*, to destroy). The plague; a malignant and contagious typhoid fever.

**Pest'ile** (*pestilens*, *pestis*). An instrument made of wood, glass, iron, or porcelain, for heating and pulverizing substances in a mortar.

**Petaloid'ous**. Petaloid. Resembling a petal. Applied to urine which has a fleshy substance resembling leaves floating in it.

**Petech'ia**. Petecula. A term applied in Pathology to a small spot upon the skin, of a reddish-purple color, resembling a flea-bite, and occurring in the progress of malignant fever.

**Petech'ia**. Also *Petra*. *Peripora simplex* or petechial scurvy.

**Petech'ial**. Affected with or resembling petechia.

**Petech'ial Scurvy**. Scurbutus.

**Pet'ina**. The sole of the foot.

**Pet'roleum**. A highly refining, pungent liquid, obtained during the destructive distillation of animal substances.

**Petrific'ation**. Petrifying or converting into stone.

**Petrific'um**. *Petroleum elastum*. Vaseline. A basis for ointments and a valuable emollient.

**Petro'leum** (from *petra*, a rock, and *oleum*, oil). Petroleum. Literally, rock oil. A reddish-brown, liquid, inflammable, bituminous substance exuding from the earth, of a fixed odor and acid, bitter taste. Insoluble in water and alcohol, combines with fixed and essential oils and sulphur and is partly soluble in ether. It is also obtained by boring wells. Petroleum is a hydro-carbon. Paraffin, kerosene, and the numerous naphthalene hydro-carbons are the products of the distillation of petroleum.

**Petroleum Barbado'ense**. Barbadoes tar; a black, opaque, inflammable liquid, of about the consistence of molasses having a strong odor and bituminous taste.

**Petroleum**, New York. Sassa oil. Used externally in the same cases as the petroleum rubrum.

**Petroleum Ru'brum**. A species of naphtha found at Calnan, France. It has been used as an expectorant, and for tapeworm combined with meadowsweet. It is used externally in chronic rheumatism affections of the skin and joints, paralytic, as a disinfectant, etc. Dose, *grs* *ss* to *℥j*.

**Pet'roleum**. The commercial name for hydro-carbons derived from petroleum.

**Petro-occip'ital**. Belonging to the petrous portion of the temporal and to the occipital bone.

**Petro-pharyng'eus**. The constrictor pharyngei superior.

**Petro-salpin'go-pharyng'eus**. The levator palati molis.

**Petro-salpingo-staphyl'eus**. The levator palati.

**Petro-sphenoid'al Suture**. A small suture between the anterior edge of the petrous portion of the temporal bone and the posterior edge of the sphenoid.

**Petre'um**, Os (from *petra*, a rock). The petrous, one of the portions of the temporal bone, is so called from its great hardness.

**Pet'reous** (*petreus*; from *petra*, stone). Resembling stone, having the hardness of stone.

**Pet'reous Ganglion**. The petrosal ganglion. A ganglion of the glossopharyngeal nerve.

formed soon after it escapes from the jugular *vein*.

**Petrous Sinuses.** Petrosal sinuses. Two of the venous sinuses of the dura mater connected with the petrous portion of the temporal bone.

**Pe'um.** Nicotiana tabacum.

**Pot'mine'.** A Chinese name for finely ground, undecomposed feldspar, used with kaolin in the manufacture of porcelain.

**Pow'ter.** An alloy of lead and tin, sometimes containing a little copper and antimony.

**Peyer's Glands** (*peyeri glandulae*) The small clusters of glands or follicles beneath the villous coat of the intestines. They are clustered together and have a honeycomb appearance. They are most numerous in the lower portion of the ileum, and are concerned in the function of lymphoma.

**Pe'za** (from *πεζα*, the foot). The foot, also the astragalus; the ankle.

**Pha'cia** (*phaseus*) A lentil seed. Lantigo, or freckles.

**Phac'itis** (from *φας*, a lens, and *ιτις*, inflammation) Inflammation of the crystalline lens.

**Phacocys'tis** (*φακος*, a lentil *κυστις*, a bag) The capsule of the crystalline lens.

**Phacolymer'itis** (from *φακος*, a lens, *μειν*, a membrane, and *ιτις*, inflammation) Inflammation of the capsule of the crystalline lens.

**Phacomal'ia.** Softening of the crystalline lens.

**Phac'opsis** (from *φακος*, lens, and *οψις*, a knife) A lenticular-shaped knife.

**Phacoplas'ma.** A cataplasm or poultice of lentils; also of linseed-oil.

**Phacop'sia.** Freckled.

**Phagede'ma** (from *φαγειν*, to eat) An obstinate, rapidly spreading ulcer. Eroding, gangrenous. The extension of an ulcer, with the formation of sloughs, ulceration which spreads rapidly and shows no tendency to spontaneous limitation.

**Phagedena** Gangreno'ma. Hospital gangrene.

**Phagede'mic.** In *Surgical Pathology*, a corroding and rapidly-spreading ulcer; in *Veterina Medica*, an escharotic, pertaining to phagedena.

**Phagede'mic Per'forans'tis.** Destructive inflammation of the peridental membrane, followed by absorption of the walls of the alveolus.

**Phag'ocyte.** Cells of the organism having the property of absorbing and digesting microbes.

**Phalacro'sia.** Baldness.

**Phalanges.** The plural of *phalanx* (which see).

**Phalango'sia.** An affection of the eyelids in which the lashes are arranged in two rows.

**Phal'angx** (from *φαλαγγ*, a row of soldiers) In *Anatomy*, the small bones of the fingers and toes are called phalanges, because they are arranged alongside of one another like a phalanx.

**Phallal'gia** (from *φαλλος*, membrum virile, and *αλγος*, pain) Pain in the penis.

**Phall'itis.** Inflammation of the penis.

**Phallocarcino'ma** (from *φαλλος*, the male organ and *καρκινος*, cancer). Cancer of the penis.

**Phallon'cus** (from *φαλλος*, and *κυς*, a tumor) A morbid swelling of the penis.

**Phal'lus.** The penis.

**Phantas'ma** (from *φαντασμα*, to make appear) Phantasm. In *Pathology*, a morbid phenomenon, resulting from lesion of the brain or optic nerve, consisting of the perception of imaginary objects.

**Phar'macal.** Pertaining to pharmacy.

**Pharmacou'tic** (*pharmacouticus*; from *φαρμακον*, a medicine) Pertaining to pharmacy.

**Pharmacochym'ia** (from *φαρμακον*, a medicine, and *χημια*, chemistry). Pharmaceutical chemistry.

**Pharmacodynam'ics** (from *φαρμακον*, a medicine, and *δυναμις*, power) That branch of pharmacology which treats of the effects and uses of medicines, and also of poisons.

**Pharmacog'nosy** (from *φαρμακον*, a medicine, *γινωσκω*, to know). Pharmacognosia. That part of pharmacy which treats of simple medicines.

**Pharmac'olite.** A term applied in *Metallurgy* to the native arseniate of lime.

**Pharmacol'ogy** (from *φαρμακον*, a medicine, and *λογος*, a discourse). Pharmacologia. A treatise on or the doctrine of medicinal agents. *Materia medica*.

**Phar'macon.** A medicine, a drug; a poison.

**Pharmaceps'ia** (from *φαρμακον*, a medicine, and *ποιω*, to make). Literally the art of preparing medicines. A code or book containing a collection of medicinal formulae, with a

description of the process for the preparation of such. A dispensary

**Phar'macy** (from *pharmazeo*, a medicine)

**Pharmaco** The art of selecting, preserving, and preparing therapeutical agents

**Phar'ma'cia** Pharmacy

**Phar'macium** A genus of plants of the order Cerothylaceae

**Phar'macum Lenae'ne** A South African plant, supposed to be useful in pulmonary affections

**Pharynge'al** (from *pharyx*, the pharynx)

Pertaining to or respecting the pharynx

**Pharyngeal Ar'teries** These are two in number, the *superior* and *inferior*. The superior is a branch of the internal maxillary and sends a branch through the pharygo-palatine fossae to supply the arch of the palate and contiguous parts. The inferior is a branch of the external carotid and sends off several branches as it comes upward toward the base of the cranium, to the pharynx and contiguous deep-seated parts.

**Pharyngeal Nerve** This nerve is a branch of the pneumogastric and is distributed to the pharynx. It communicates with the glossopharyngeal, divides into a number of branches, which unite with branches of other nerves, forming a network of filaments which constitute the pharyngeal plexus

**Pharyngo'id'eum** The pharynx, or the throat

**Pharynge'us** Spasm of the muscles of the pharynx

**Pharyng'i'tis** Inflammation of the pharynx

**Pharyngitis, Catarrhal** Catarrhal inflammation of the pharynx, which may be either *acute* or *chronic*

**Pharyngitis, Diphtheri'tic** Diphtheria in inflammation of the pharynx, or inflammation accompanied by the formation of false membranes

**Pharyngitis, Follic'ular** Inflammation and enlargement of the follicles of the pharynx, extending sometimes to the larynx

**Pharyngo'cele** (from *pharyx*, the pharynx and *cele*, a tumor) A marked enlargement of the upper part of the gullet

**Pharyngo-glos'sal** Pertaining to the pharynx and tongue

**Pharyngo'scopy** (from *pharyx*, the pharynx, and *scopos*, a description). Pharyngoscopy. An anatomical description of the pharynx

**Pharyngogast'ritica** Pertaining to the pharynx and stomach

**Pharyngople'gia** (from *pharyx*, the pharynx, and *plegein*, to strike) Paralysis of the pharynx

**Pharyngorrhag'ia** Hemorrhage from the pharynx

**Pharyngotome'us** Spasm of the pharynx

**Pharyngostaphyl'us** The palato-pharyngeus muscle

**Pharyngotome** (*pharyngotomeus*, from *pharyx*, the pharynx, and *temno*, to cut) An instrument for scarifying the tonsils

**Pharyngot'my** Pharyngotomy The operation of cutting into the pharynx. Also of scarifying the tonsils

**Phar'ynx** The muscle-membranous sac at the back part of the mouth, which terminates in the oesophagus. It is invested with a strong *funiculus* which serves to connect it to the basilar process of the occipital and the petrous portions of the temporal bones. There are seven *foramina* which open into it—namely, the two posterior nares, the two Eustachian tubes, the mouth, larynx and oesophagus

**Phat'mion** (*catarrhus*) Pharyngitis. The socket of a tooth

**Phat'morrhag'ia** (from *phat'mion*, an alveolus, and *rhoim*, to break forth) Hemorrhage from the socket of a tooth. See HEMORRHAGE AFTER THE EXTRACTION OF TEETH

**Phenac'etone** An antipyretic analgesic,  $C_{10}H_{11}NO_2 = C_6H_5(OC_2H_5)NH(C_2H_5O)$ . Its great insolubility renders it non-toxic. Given in capsules, gr. viij or gr. iijss, once or twice a day as a remedy for neuralgia. It is devoid of odor or taste

**Phenig'mosis** (from *phaino*, red) A cutaneous disease characterized by redness of the skin without fever

**Phen'ol** Carbohc acid

**Phenol Sodique** Phenate of soda. An antiseptic, haemostatic and disinfectant. Used as an astringent and styptic application to check excessive bleeding after extraction of teeth, and to prevent subsequent soreness of the gums. It is made by neutralizing phenic acid with soda, and is manufactured directly from wood, peat, and coal-tar.

**Phenot'mosis** (from *phaino*, to appear) A remarkable and unusual appearance. In *Medicine*, any appreciable change in an organ or function. The phenomena of a disease are its symptoms.

**Pheno-resorcin.** A mixture containing carbolic acid, sixty-seven, resorcin, thirty-three per cent.

**Phenyl.** The hypothetical radical of phenol, or carbolic acid. Formula,  $C_6H_5$ .

**Phenyl Salicyl.** See SALOL.

**Phial/ale, or VI'al.** A small bottle or phial.

**Philt'er, or Phil'tre** (from *aleu*, to love). In *Anatomy*, the vertical depression between the nose and upper lip.

**Phimo/sicus.** Relating to phimosis.

**Phimo/sis** (from *phou*, to bind up). A constriction of the extremity of the prepuce, which prevents it from being carried back behind the coronal glands.

**Phimo/sis.** A constriction.

**Phlebotartaroidi'al/yala** (from *phēph*, a vein, *apros*, artery, and *dialux*, separation). Various aneurisms.

**Phlebotecti'sia** (from *phēph*, a vein, and *ectō*, to dilate). The dilation of a vein or a portion of a vein. **VARI**

**Phlebotecti'pia** (*phēph*, and *arō*, out of place). Abnormal situation of a vein from malformation or the pressure of a tumor.

**Phlebot'om.** A vein.

**Phlebot'i'tis** (from *phēph*, a vein, and *itis*, a terminal denoting inflammation). Inflammation of a vein.

**Phlebotitis, Cru'ral.** Phlegmasia dolens.

**Phlebotitis, Uterine.** Puerperal fever.

**Phlebo'des.** Resembling a vein. Also having veins.

**Phlebog'raphy** (from *phēph*, a vein, and *grapē*, to describe). Phlebography. An anatomical description of the veins.

**Phleb'olite** (*phlebotitis*; from *phēph*, a vein, and *lithē*, a stone). A calculeous concretion in a vein.

**Phlebotom'ia** (from *phēph*, a vein, *phō*, eye, *tomē*, to cut). The abstraction of blood from the eye.

**Phlebotrha'gia** (from *phēph*, a vein, and *trō*, to break out). Hemorrhage from a vein or veins.

**Phlebotrha'xis** (from *phēph*, a vein, and *trō*, rupture). Rupture of a vein or veins.

**Phleb'otomy.** An instrument employed in phlebotomy; a thumb or spring lancet.

**Phlebot'omy** (from *phēph*, a vein, and *tomē*, to cut). Phlebotomy. The operation of opening a vein. **Venesection.**

**Phlegm.** Phlegma. One of the four primary humors of the ancients. Also the viscid mucus expectorated or expelled by vomiting.

**Phleg'magogue** (*phlegmago*; from *phēph*, phlegm, and *ago*, to expel). An expectorant medicine.

**Phlegmasy'ra** (from *phēph*, phlegm, and *syra*, fever). Phlegmatopyra. Adeno-meningeal or mucous fever, a fever accompanied with considerable mucous secretion from the digestive passage.

**Phlegmas'i'a** (from *phēph*, to burn). Inflammation.

**Phlegmasia Dolens.** Phlegmasia lēta, phlegmasia alba, crural phlebitis; milk leg. A disease occurring in women soon after delivery, attended by fever, pain, swelling of the thigh, and other symptoms of a more or less severe character.

**Phlegmas'ia.** Inflammation.

**Phlegmas'i'a.** According to French pathologists, edema, sanare, and to the German, extravasation of serum or mucus. Dropsical swelling.

**Phlegmat'ic.** Abounding in phlegm, dull, sluggish.

**Phlegmatopy'r'a.** Phlegmatopyra. Adeno-meningeal fever.

**Phlegmatorrh'e'gia** (from *phēph*, phlegm, and *rho*, to flow). A discharge of a thin, limpid mucus from the nose, unaccompanied by inflammation.

**Phleg'mon** (from *phēph*, to burn). Inflammation of the cellular tissue, unaccompanied by increased heat pain, and circumscribed swelling, usually terminating in suppuration or abscess.

**Phlegmono'des.** Phlegmonoid. Phlegmonous.

**Phleg'monous** (from *phēph*, a phlegmon, and *nos*, resemblance). Phlegmonodes. Belonging or relating to phlegmon.

**Phlegmonous Erysipelas.** Diffused cellular inflammation, with tendency to suppuration.

**Phlegmonous Inflam'mation.** Inflammation of the cellular tissues tending to suppuration.

**Phlegmymen'i'tis** (from *phēph*, phlegm, *men*, a membrane, and *itis*, inflammation). Phlegmymenitis. Inflammation of a mucous membrane.

**Phlepa.** A vein.

**Phlegis'tic** (*phlegistic*, from *phēph*, to burn). In *Chemistry*, inflammatory. See **PHLOGISTON**. In *Medicine*, pretensional vital energy. Increased action of the heart and arteries.

**Phlegm'ticized Air or Gas.** Nitrogen.

**Phlego'des** (from *phēph*, same, and *des*,



resemblance). An epithet employed in Pathology to express particularly the redness of the face.

**Phlogo'mia.** Literally, inflammation; but some authors use the term to designate exclusively external inflammation, and others superficial or erysipelatous inflammation. The Germans employ it to designate a fugacious heat or simple redness of the face.

**Phlogot'ic.** Inflammatory.

**Phlycten'ae** (from *phlyō*, to boil). A vesicle containing a limpid, serous fluid.

**Phlycten'ula** (diminutive of *phlycten*). A vesicle containing a limpid, serous fluid of the ciliary margin.

**Phlyctenular Conjunctivitis.** The appearance of small vesicles upon the conjunctiva of the eye, which soon rupture and form small ulcers. It is supposed that there is a direct causal relationship between this disease and the disorders incident to dentition.

**Phlyctid'ium.** A pustule encircled by an inflamed ring or zone, as the small-pox pustule.

**Phly'ula.** A subcutaneous, ulcerative tumor. Also phlyctena. Whitlow.

**Phlyzn'cium.** A small pustule containing pus, raised on a round, hard, inflamed base, and terminating in a dark-colored scab.

**Phloe'mic Acid.** A volatile odoriferous acid contained in the oil of the yarrow.

**Phloe'mine.** A peculiar fatty matter mixed with oleine, found in the oil of the Delphinium phosnea.

**Phloedip'son.** Hydrophobia.

**Phosni'chus Morbus.** Tubercular elephantiasis.

**Phosni'g'mus.** A red cutaneous eruption without fever. Also a rubefacient.

**Phosni'd'um, or Phosni'oline** (from *phosnia*, of a blood color). Crust sanguinis, or blood clot. Also hematine.

**Phosni'tion** (from *phos*, the voice). The production of the voice.

**Phosni.** The voice.

**Phosni'ic.** Pertaining to the voice or representing articulate sounds.

**Pho'sica.** Diseases affecting the organs of the voice.

**Pho'sica.** Acoustics, the doctrine of sounds.

**Pho'sicus** (from *phos*, the voice). Relating to the voice.

**Phosniot'ia.** The chronic venous, or vessel disease.

**Phosni'ot** (from *phos*, the voice, and *ot*, disease). Disease of the voice.

**Pho'ta.** Gestation.

**Phosniot'ia** (from *phos*, motion, and *ot*, law). In *Physiology*, the laws of muscular action.

**Phos.** Light.

**Phos'gene Gas.** Chloro-carbonic acid gas.

**Phos'phus.** Phosphorus.

**Phos'phate.** Phosphate. A salt resulting from the combination of phosphoric acid with a salifiable base.

**Phosphate of Lime** (*calcis phosphas*). A combination of phosphoric acid and lime, forming the solid or earthy portion of bones.

**Phosphate of Soda** (*sodæ phosphas*). A mild, saline cathartic, in the form of colorless, transparent crystals, with a taste like common salt.

**Phosphate of Zinc** See **ZINC PHOSPHATE**.

**Phos'phated.** A base converted into a phosphate by combination with phosphoric acid.

**Phosphat'ic.** Relating to the phosphates; containing a phosphate.

**Phosphatic Diath'esis.** A habit of body favoring the formation of calcoli or phosphates.

**Phosphine.** Phosphuretted hydrogen.

**Phos'phite.** A salt formed by the union of phosphorous acid and a salifiable base.

**Phospho-cafeina.** A compound of caffeine, acid phosphoric, as gr ss; antipyrin, ext. opii grv; dulc (celery), as gr j, and sodium bromide, gr v. Dose, one or two teaspoonfuls in water. Used for headache, neuralgia, insomnia, and general nervous debility.

**Phospho-mesit'ic Acid.** An acid obtained by the action of chloride of phosphorus upon acetone.

**Phosphorat'ed.** Combined with or containing phosphorus.

**Phosphores'cence.** The luminous appearance exhibited by phosphorescent bodies.

**Phosphor'ic Acid** (*acidum phosphoricum*). An acid composed of one part phosphorus and five of oxygen. It has been used in medicine, in the form of leucanade, in passive hæmorrhage, typhus, phthisis, and as an injection in cancer of the uterus. Dose, diluted,  $\mathfrak{v}$ , x to  $\mathfrak{v}$ , xx. It is a serviceable application in caries of the bones of the jaws and in abscess of nostrum, 1 part of the dilute acid to 3 of water.

**Phos'phorus-Acid** (acidum phosphoricum). ( $H_3PO_4$ ). A very sour, volatile, white powder, obtained by the slow combustion of phosphorus. It reddens vegetable blues and neutralizes bases.

**Phosphor'u'ria**. Phosphorus in the urine. **Phos'phorus** (from  $\phi\omega\varsigma$ , light, and  $\phi\omega\varsigma$ , to carry) An undecomposed substance, of a yellowish color, semi-transparent, and burning in common air with great rapidity. In the dark it exhibits a luminous or phosphorescent appearance, and emits a white smoke in the air. It should be kept under water and protected from light. In small doses it acts as a powerful general stimulant, and in large doses is an irritant poison. It is also indicated in all diseases in which there exists defective development of the bones and teeth. Dose, gr  $\frac{1}{2}$  to gr.  $\frac{3}{4}$ .

**Phos'phorus-macro'nia**. Necrosis of the jawbone from exposure to the fumes of phosphorus.

**Phos'phuret** (phosphureum). A combination of phosphorus with a metal.

**Phosphoret'ted Hy'drogen**. A gaseous body formed by the combination of phosphorus with hydrogen, inflammable in the air and soluble in ether.

**Phot'al'gia** ( $\phi\omega\varsigma$ ,  $\phi\omega\varsigma$  light, and  $\alpha\gamma\gamma\iota\varsigma$ , pain) Pain from too much light, photalgia.

**Pho'togene Gas**. See I'RO-GASE.

**Photogen'ic** (from  $\phi\omega\varsigma$ , light, and  $\gamma\epsilon\gamma\epsilon\iota\varsigma$ , to generate). Producing light. Applied to drawings made by the action of light on a chemically prepared ground.

**Photoma'nia**. Delirium produced by the action of intense light.

**Photom'e'ter** (from  $\phi\omega\varsigma$ , light, and  $\mu\epsilon\tau\epsilon\iota\varsigma$ , measure) An instrument for ascertaining the intensity of light.

**Photom'oses** ( $\phi\omega\varsigma$ , light, and  $\omega\varsigma\omega\varsigma$ , disease) Disease from exposure to a glare of light, as snow-blindness, etc.

**Photopho'bia** (from  $\phi\omega\varsigma$ , light, and  $\beta\omega\beta\alpha$ , to dread). Intolerance of light.

**Pho'tosphere**. An instrument for examining cavities of the body by means of the electric light.

**Photop'nia** (from  $\phi\omega\varsigma$ , light, and  $\sigma\eta\eta\iota\varsigma$ , vision). Lucid vision, or perception of sparks, flashes of fire, etc.

**Photop'y'lia**. Derived from wood-pulp and employed as a substitute for collodion.

**Phos'u'ria** (from  $\phi\omega\varsigma$ , light, and  $\sigma\upsilon\upsilon\varsigma$ , urine). Luminous urine.

**Phrag'mes** (from  $\phi\epsilon\gamma\gamma\mu$ , to enclose). A row of teeth.

**Phra'sia**. Articulated voice.

**Phre'mea**. The fore part of the thorax. Also the diaphragm.

**Phre'me'sis**. Phrenitis.

**Phrenet'ic** (phreneticus) Connected with or suffering from phrenitis.

**Phren'ic** (phrenicus) Diaphragmatic. Relating or belonging to the diaphragm.

**Phrenic Arteries**. The diaphragmatic arteries.

**Phrenic Nerve**. The diaphragmatic nerve.

**Phre'nica** (from  $\phi\omega\varsigma$ , the mind). Diseases of the mind, an order in the class *Neurotica* of Dr Good.

**Phrenal'itis** (from  $\phi\omega\varsigma$ , the mind, and  $\iota\tau\iota\varsigma$ , inflammation). Inflammation of the brain.

**Phrenol'ogy** (from  $\phi\omega\varsigma$ , the mind, and  $\gamma\iota\gamma\gamma\iota\varsigma$ , a discourse). Phrenologia. A treatise on the mind as deduced from the external configuration and volume of the brain.

**Phrene-mag'netism**. The pretended power of exciting the organs of the brain of a mesmerized person, whereby the functions of the organs are manifested. That no such power exists is evident from the fact that such phenomena can not be elicited in children.

**Phren'ny**. Phrenitis.

**Phthar'ma Collige**. Colligo.

**Phthar'ma Catarac'ta**. Cataract.

**Phthar'ma Glauco'ma**. Glaucoma.

**Phthiri'asis** (from  $\phi\theta\epsilon\iota\varsigma$ , a louse). Morbus pediculosis. A disease favoring the generation of lice.

**Phthis'ical**. Pertaining to phthisis; consumptive.

**Phthisiol'ogy** (from  $\phi\theta\iota\varsigma$ , consumption, and  $\gamma\iota\gamma\gamma\iota\varsigma$ , a discourse) A treatise on phthisis.

**Phthisi-pneumo'nia**. Phthisis pulmonalis.

**Phthi'sis** (pronounced *it'-sis*; from  $\phi\theta\iota\varsigma$ , to waste away) Consumption progressive emaciation of the body from whatever cause produced, but usually restricted to phthisis pulmonalis.

**Phthisis Can'cerosa**. Cancer of the lungs.

**Phthisis Dorsu'lis**. Tabes dorsalis.

**Phthisis Larynge'a**. Chronic laryngitis, a species of consumption resulting from ulceration of the larynx.

**Phthisis Mesenter'ica**. Tabes mesenterica.

**Phthisis Pulmon'alis**. Phthisis tuberculosa. Pulmonary consumption.

**Pituita, Tooth of.** Characterized by especial cleanness and transparency, but of frail structure, onides being formed by a constitutional weakness of structure. Blue-white and pearly both, but prone to caries; often of surprising beauty.

**Pituita Trachealis.** Chronic inflammation of the trachea, accompanied by ulceration and emaciation.

**Pituitaria.** Diabetes.

**Pituita.** Ulceration of the lungs.

**Pituitaria.** Finesine.

**Pituitaria** (from *pituita*, an abortion). Favouring abortion.

**Physiophlem** (from *physis*, to live). Inflammation of the superficial lymphatic glands.

**Physiata.** A defective protest occurring in animals which have received artificial immunity against disease.

**Phyma** (from *phus*, to produce). A tubercle or phymoma.

**Phymatoid.** Resembling a tumor.

**Phymatosis.** Tuberculous disease.

**Phymatosis.** An excrescence, the formation or progress of tubercular disease.

**Phymosis.** Phimosis.

**Physocyst** (from *cystis*, a bladder). Any tumor developed in the abdomen which is neither mucous nor fluctuating. Eight species are enumerated: (1) *Physocyst hepatica*, enlarged liver; (2) *physocyst peritonei*, tumored peritoneum; (3) *physocyst splenis*, enlarged spleen; (4) *physocyst omentalis*, enlarged omentum; (5) *physocyst renalis*, enlarged kidney; (6) *physocyst uterina*, enlargement of the uterus and its appendages; (7) *physocyst mesenterica*, enlargement of the mesentery; and (8) *physocyst intestinalis*, laxity of the intestinal canal, producing enlargement of the abdomen.

**Physocyst** (from *cystis*, to inflate). **Physocyst.** A tumor caused by an accumulation of air in the cellular texture. Also tympanites.

**Physic.** The art of healing diseases; medicine.

**Physicist.** Pertaining to the tangible properties or effects of material things.

**Physician.** One who has received the degree of doctor of medicine from a regularly incorporated institution. In France, a professor or student of natural philosophy.

**Physica** (from *phus*, nature). The science of nature; but in the usual and more restricted acceptation of the term, the movements, processes, and sensible properties of things. Natural philosophy.

**Physica, Medica** (physics medicine). **Physica** applied directly to medicine, whether for the explanation of the vital phenomena of the functions of the body, the preservation of individuals, or the treatment of disease.

**Physiognomy** (from *phus*, nature, and *gnosis*, to know). **Physiognomy.** The art of judging of the character and dispositions of men by their countenance, gesture, and external appearance, as taught by Lavater.

**Physiological.** Of or pertaining to physiology.

**Physiology** (from *phus*, nature, and *logos*, a discourse). **Physiology.** By the ancients this term was used in the same sense as that of physics, but at present it is limited to the science which treats of the laws of life and the functions of living beings. **Physiology** is divided into *human* and *comparative*. The former relates to man and the latter to animals and vegetables. It is also divided into *general* and *special*, the one relating to the general laws of life, and the other to the functions of individual organs.

**Physia.** Nature, life.

**Physiophyma** (from *phus*, to inflate, and *phyma*, eyelid). Emphysematous swelling of the eyelids.

**Physocyst.** **Physocyst.** An emphysematous tumor of the scrotum.

**Physocyst** (from *cystis*, to inflate, and *phus*, the head). Emphysematous swelling of the head.

**Physocyst** (from *cystis*, to inflate, and *phus*, the belly). Tympanites.

**Physodes** (from *cystis*, to inflate, and *phus*, resemblance). A term applied in *Physodes* to tumors apparently filled with air.

**Physodes** (from *cystis*, to inflate, and *phus*, the womb). Inflation uteri. Windy swelling of the uterus.

**Physodes.** Flatulencia.

**Physodes.** A windy tumor.

**Physodes.** Windy colic, with spasmodic contraction of some portion of the alimentary canal.

**Physostigma.** Calabar bean. Properties due to two alkaloids, carine and physostigma. It paralyzes the spinal motor centres, and arrests reflex action without affecting muscular irritability. It produces nausea, vomiting, and myosis. Used in tetanus and torpor of bowels. Dose of the alcoholic extract, gr  $\frac{1}{2}$  to gr. i.

**Physostigma.** Pilocarpine.

**Phytococcus**'in (from *phos*, a plant, and *chemis*, chemistry). Vegetable chemistry.

**Phy'toplastem**. The vegetable analogue of ectoplasm.

**Pia Mater**. The highly vascular membrane which immediately invests the convolutions of the cerebrum, cerebellum, medulla oblongata, and medulla spinalis.

**Piss**. Urine, or urina.

**Piss**. Fat.

**Pissin's** (from *pis*, fat, and *sis*, blood). Fat in the blood.

**Piss**. Depraved appetite.

**Piss**. The bitter principle of tar.

**Pickling Pan**. A copper or Wedgwood vessel for dissolving, by the action of sulphuric acid, the fused borax and oxide of copper which darkens the surface of gold or silver during the soldering process.

**Picric**. A volatile, acid, oily liquid obtained by the distillation of animal substances.

**Picris**. Bitterness.

**Picric Acid**. Carbazotic acid, a yellow crystalline substance with an extremely bitter taste.

**Picris**, **Picris**. A bitter substance obtained from *Digitalis purpurea*, said to be identical with digitalin.

**Picrocarmin**. A preparation for staining microscopical specimens.

**Picrosal**. A mixture of salts of soda and different lithary products. A peculiar substance, of a sweetish-bitter taste, which exists in bile.

**Picrotox'in**, or **Picrotox'ic Acid** (from *pis*, bitter, and *tox'in*, poison). Picrotox'in; picrotoxine. A vegetable alkali, which crystallizes in white, brilliant, four-sided transparent prisms. It is this principle which gives to the *Cocculus indicus* its poisonous properties.

**Pigment** (from *pingo*, to paint). Any color used by painters.

**Pigment Cells**. Cells for the secretion of a black or dark-brown matter which gives color to the parts over which they are spread. They are found in the epidermis of the negro and other dark races of mankind and on the inner surface of the choroid membrane of the eye.

**Pigmentum** (from *pingo*, to paint). A pigment or paint. An ophthol applied in Ancony to a black mucous substance found in the eye—namely, the pigment of the iris, called the eye; and the pigment of the choroid membrane, called the pigmentum nigrum.

**Pigmentum Indicum**. Indigo.

**Pigmentum Nigrum**. The dark-brown substance lining the choroid membrane of the eye and covering the posterior surface of the iris.

**Pile's** **Ma'isma**. Trichoma. Hair disease.

**Pile'tio** (from *pile*, a hair). A hair-like fracture of the skull.

**Pile**, **Galvanic**. A galvanic apparatus consisting of a pile or column of zinc or copper plates and discs of wet card, placed in succession to one another in the same regular order throughout the series.

**Pile'ous**. Relating to the hair.

**Piles**. Hemorrhoids (which see).

**Pile's**. A kind of cloth of sponge and wool, used as a substitute for position and ventilation cloths.

**Pile**. See **Pile's**.

**Pilocarpus**. *Jabocardi*. The leaves of the *Pilocarpus pumatifolius*. It increases the action of the heart, but lowers arterial tension. It is a powerful diaphoretic and very much augments the secretion of the salivary glands. Efficacious in colds. Dose of the fluid extract, ℥ x to ℥ j.

**Pilo'tum Arrecto'res**. The minute muscles of the skin, which cause the appearance called cutis anserina, or goose skin. They are thought to raise the hairs when one is frightened.

**Pile's**. Hair.

**Pile's** (diminutive of *pila*, a ball). A simple or compound medicine of a firm consistence, spherical in shape, and rarely exceeding five or six grains in weight.

**Pile's**. An instrument for breaking substances in a mortar, a pestle.

**Pile's**. The short hair on the surface of the body.

**Pile's** (from *pile*, fat, and *sis*, gland). A sebaceous gland.

**Pile's**. Fat.

**Pile's** (from *pile*, fat, and *sis*, green). A green mineral of a greasy feel, containing silica, alumina, and nickel.

**Pile's** (from *pile*, fat, and *sis*, denoting inflammation). Inflammation of the adipose tissue.

**Pile's**. Full of fat, or fatty.

**Pile's** (from *pile*, fat). The conversion of any texture into fat.

**Pile's** **Hepatic**. The degeneration of the liver into fat.

**Pile's**. Jamaica pepper; allspice; the fruit of the *Myrica pimenta*.

**Flapshut's Small's**. Small's ointment. The ointment is astringent, and has been employed as a styptic in toothache.

**Flap's** (pencil). A small, acuminated elevation of the cuticle with an inflamed base, but not leading to suppuration.

**Flap**. A small instrument, pointed at one extremity, made of brass, iron, silver, or gold, and used in surgery to fix dressings, and some times in sutures.

**Flap's**. Forceps, vellecia.

**Flap's**. Dutch gold, an alloy of copper, brass, and zinc.

**Flap's** (pencil). From *pencil*, a pen. Resembling the pencil.

**Flap's Gland** (glandula pinealis). A small gland about the size of a pea, of a conical shape, situated between the furrow and tuber calc. quadrifidus in the brain.

**Flap's** (from *pencil*, a pen). A form of phlegm, consisting of a small whitish yellow granule between the margin of the cornea and the outer or inner angle of the eye under the conjunctiva.

**Flap's**. Fat.

**Flap's Acid**. An acid obtained from roun.

**Flap's**. In *Anatomy* a portion of the external ear, representing a kind of tunnel and called the *pinna auriculae*. Also the ala, or lower cartilage of either side of the nose.

**Flap's**. A summit or pinnacle.

**Flap's**. The eighth of a gallon, or sixteen fluid ounces.

**Flap's**. *Abies canadensis*. *Abies canadensis*. Hemlock. *Pinus canadensis*. Canada pitch, a yellowish green, transparent, viscid liquid when fresh. A topical astringent. It is also employed to make rubefacient plasters.

**Flap's**. Pepper. A genus of plants of the order *Piperaceae*.

**Flap's**. *Albus*. White pepper, or the black seed from its cuticle.

**Flap's**. *Angustifolium*. The native plant.

**Flap's**. *Arvense*. The pepper nigrum.

**Flap's**. *Cubeb*. Cubeb pepper. The plant which yields cubeb.

**Flap's**. *Nigrum*. Black pepper.

**Flap's**. *Piper*. A white, fatty, resinous substance, obtained from black pepper, containing the active principle of pepper.

**Flap's**. *Brythia*. *Juncea*. Degwood, a small tree, native of the West Indies. It has an acid, aromatic fruit, which is used to perfume. A distillate of the bark and root has been used as a remedy for toothache.

**Flap's**, *Ca.* The fourth bone of the first row of the osseous.

**Flap's**. A mortar.

**Flap's**. *Mineral*. Mineral pitch, an indurated bitumen.

**Flap's**. *Petroleum*.

**Flap's**. *Vera*. The tree which affords the pitch which yields a large quantity of fixed oil used as an emulsion in irritation of the urethra.

**Pit of the Stomach**. The epigastrium.

**Pitch**. Impassated tar.

**Pitch**, *Burgundy*. A concrete resinous exudation from the *Pinus abies*.

**Pitch**. *Mineral*. A mineral of a brownish color and semi-metallic lustre, consisting of the oxides of uranium and iron.

**Pitch**. *Phlegm*. *viscidum*.

**Pitch**. *Petroleum*. *Pinus*. *Pinus*. A name applied to parts which are supposed to be connected with the secretion of phlegm or mucus.

**Pituitary Body**. See **PITUITARY GLAND**.

**Pituitary Fossa**. The depression in the sphenoid bone (sella turcica) which gives lodgment to the pituitary gland.

**Pituitary Gland** (glandula pituitaria). A small body situated in the sella turcica. It is composed of two lobes—an anterior and a posterior. The anterior is of a yellowish-gray color, and the posterior grayish white. Its functions are unknown.

**Pituitary Membrane** (membrana pituitaria). The mucous membrane that lines the nostrils and the sinuses which communicates with them.

**Pituitary** (pituitary, from *pituita*, phlegm or mucus). Consisting of, filled with, or resembling mucus or phlegm.

**Pityria** (from *pyrion*, bran). A genus of scaly diseases, characterized by irregular patches of small scales, which repeatedly exfoliate and recur but never form crusts. It occurs under several different forms. (1) *Pityria capitis*, dandruff, (2) *pityria rubra*, which consists in the cuticle becoming first red, then scurfy, and exhibiting which process is frequently repeated, (3) *pityria versicolor*, which is principally confined to the arms, chest, and abdomen, and consists of exfoliations of small scales, irregularly diffused and of a brown color.

**Pityria**. *Pityria*.

**Pityria**. *Pityria*.

**Pityria**. An instrument used for cutting.

teaching the root, in preparing it for a pivot or cap-crown, having a centre-point to fit into the hole in the root, and thus guide the instrument.

**Pivot Extractor, Elliot's.** An instrument invented by Dr. Elliot for removing a pivot from the root of a tooth after the crown has been displaced.

**Pivot Gauge.** An instrument constructed by Dr. G. F. J. Colburn, for determining the proper size and length of the projecting portion of a pivot in an artificial tooth previous to the introduction of the pivot into the canal of the root.

**Pivot, Perforated.** A pivot, tenon, or dowel, perforated through the centre, and extending through the artificial tooth, to give egress to any matter which may be secreted at the extremity of the root and accumulate in the canal. This method of affording egress to purulent matter was first employed in the United States by Dr. Elliot; but it had been previously resorted to in France, a fact of which Dr. Elliot was ignorant at the time he adopted it.

**Pivot Tooth.** An artificial crown, designed to be applied to the root of a natural tooth, by means of what is usually termed a pivot, but more properly a dowel or tenon. Also a tooth thus applied. For the manner of inserting, see Harris' "Prin. and Pract. of Dentistry."

**Pivot/ing.** Crown setting. A term applied in *Dental Surgery* to the operation of fitting and securing an artificial crown to the root of a natural tooth by means of a wood, gold, or some other pivot or tenon. See PIVOT TOOTH, MANNER OF INSERTING, in Harris' "Prin. and Pract. of Dentistry."

**Pix (gen., pitch).** Pitch

**Pix Abietis.** Burgundy pitch

**Pix Arida.** Pitch from various species of *Pinus* abies.

**Pix Burgundica.** Burgundy pitch. A concrete resinous exudation from the Abies ex-celsa.

**Pix Canadensis.** Canada pitch. Concrete juice of the Abies canadensis.

**Pix Liq'uida.** Tar. Dose, ℥ss to ʒj

**Pix Nigra.** Black pitch; impregnated tar

**Placebo (place, to please or soothe).** A term applied to a medicine intended rather to please than benefit the patient.

**Placenta (from placere, to please).** The after-birth; a spongy, vascular, and lobu-

lated organ in the pregnant female formed of the capillary extricates of the hypogastric arteries and umbilical vein and the decidua and chorion.

**Placenta Febri/ta.** The ague cake.

**Placenta Prae/via.** Presentation of the placenta, a condition which always gives rise to uterine hemorrhage.

**Placenta Sanguinis.** The coagulum of the blood.

**Placenta, Veg'etabile.** The cellular substance in the carpels of plants from which the ovules originate

**Placenti'tis.** Inflammation of the placenta.

**Placenta'la.** A little cake. A rudimentary placenta

**Placodermis (placoderm; from placode, soft).** A soft tumor within the eyelid.

**Pla'ga.** In *Surgeon's Pathology*, a wound inflicted by a mechanical agent.

**Plague (from γάγ, γ, plague, a stroke).** Pestis. An exceedingly malignant febrile disease, endemic and sometimes epidemic in Egypt, Syria, and Turkey. It has prevailed several times in the larger cities of Europe with frightful mortality

**Plague, Black.** Pestis nigra.

**Plague, Cold.** A severe form of congestive fever, occurring in the Southern States, in which there is little or no reaction. Bilious pneumonia.

**Plagu'la.** A compress, pledget, or splint.

**Plane (from planus, smooth or plane).** A surface without elevation or depression.

**Plano'tes.** An epithet applied in *Pathology* to diseases which return at irregular periods, as is sometimes the case in intermittent fever.

**Plano-.** A Latin prefix signifying flat.

**Plano-con'cave.** Flat on one side and concave on the other. Applied to lenses.

**Plano-convex.** Flat on one side and convex on the other

**Plano'dia (πλανωμαι, to wander, and oia, a way).** A false passage, as is sometimes made in stricture of the urethra by a bougie, sound, or catheter

**Plant.** An organized body belonging to the vegetable kingdom.

**Planta.** In *Anatomy*, the sole of the foot.

**Plan'tar (plantaris; from plantis, the sole of the foot).** Pertaining to the sole of the foot.

**Planter Apocynum/na.** The thick, dense

aponeurosis situated under the integuments of the sole of the foot.

**Plantar Arteries.** Two arteries, an external and an internal, arising from the extremity of the posterior tibial.

**Plantar Ligaments.** The inferior ligaments of the tarsus and metatarsus.

**Plantar Muscles.** The extensor tend minor. The plantaris.

**Plantar Nerves.** Two nerves, an internal and an external, proceeding from the posterior tibial; the internal to the first three toes, and the external to the outer side of the fourth and fifth and to the muscles situated on the outer side of the foot.

**Plantaris.** The plantar muscle.

**Pla'ssum, Os.** A name formerly given to the orbital plate of the ethmoid bone.

**Pla'ster/rin** (from *plaster*, wandering, false)

A term applied in *Pathology* to the discharge of urine through some other passage than the urethra.

**Pla'ssum.** Soft; smooth, flat.

**Pla'ssum** (from *plasma*, to form) The liquor sanguinis. The fluid part of the blood in which the corpuscles float; it is a translucent, plastic liquid, forming the coagulating portion of the blood.

**Pla'sma'dium** (from *plasma*, to form)

Tissue formed by the coalescing of amoeboid cells.

**Pla'ster.** In *Pharmacy*, a solid and glutinous compound for external application. See **EMPLASTICUM**.

**Plaster of Paris.** Gypsum or sulphate of lime. A white powder obtained by the calcination of gypsum, and so named from its abounding at Mont Martin, near Paris. See **GYPSEUM**.

**Plas'tic** (*plastikos*, from *plasma*, to form)

That which forms, also capable of being formed or moulded, as clay.

**Plastic Element.** That from which growth takes place; elements of food which go to the formation of organized tissue.

**Plastic Force.** The formative power of organized bodies.

**Plastic Lymph.** Liquor sanguinis (which see)

**Plastic Operations of the Mouth.** Those complete of measures for the restoration of parts congenitally at fault through excess or deficiency; for those deficient through accident or disease; for those destroyed by electrical contraction. The treatment consists of obtaining a piece of flaps to fill the vacancy and protecting the

places of reception; putting it in position and keeping up its nourishment; filling the vacancy resulting from the transfer, and the ultimate result as regards usefulness and appearance.

**Plastic Surgery.** *Meioplastica*. The restoration of a lost part by means of a surgical operation, as of the nose by the transfer of integument from the forehead or arm.

**Plasticity.** The quality of being plastic.

**Pla'ta.** The scapula.

**Plate.** A dental term applied to the metal or other base of artificial dentures.

**Plate Forceps.** Forceps employed in *Mechanical Dentistry* for the partial adaptation of a metallic base to a model previous to being stuck up between metallic dies. They are usually constructed with an oval bulb at the extremity of the jaw.

**Plate Line.** The outline of the dental plate or base of artificial sets of teeth as marked upon the model or die.

**Plate Metal with Rubber or Celluloid Attachment.** A gold, silver, aluminium, or fusible alloy base-plate to which the teeth are attached by rubber or celluloid, which forms the artificial alveolar ridge.

**Platino'stoma** (from *platinos*, broad). Defective articulation from excessive development of the lips.

**Platina, Black.** Black platinum. A black powder obtained by decomposing a weak solution of the chloride of platinum by galvanism.

**Platina Foil.** Platina foil coated with pure gold has been successfully used as a substitute for gold in filling teeth.

**Platina Sponge.** Spongy platinum. Porous platina, obtained by dissolving the metal in fuming in a mixture of one part nitric and two parts muriatic acid, then dilute with an equal quantity of water; by adding to this liquor ammonia, a yellow precipitate will be formed, which, on being separated by filtering through paper, and exposed to a red heat in a crucible, will leave fine platinum in the form of a dark, lead-colored, spongy mass. It has the remarkable property of being ignited by contact with hydrogen gas. Good filings can be made of properly prepared platinum sponge, and when used in connection with gold it serves in some respects a good purpose.

**Plat'mate.** A combination in which platinum oxide acts the part of an acid.

**Platinic.** Pertaining to platinum.

**Plati'nium** (from *platis*, silver) *Platina*, *aurum album*, or white gold. Symbol, Pt. Atomic weight, 197.6. A metal nearly of the color of silver, very malleable and ductile, harder than iron, resisting the action of acids and alkalis, and fusible only at a very high temperature. In France it has been extensively used as a base for artificial teeth and also for filling teeth, but its employment for the latter purpose in the United States is very limited, on account of its stiffness and harshness. It is, however, used extensively, both pure and alloyed with iridium, as a base for continuous-gum work (which see).

It is not soluble in any of the pure acids. It may be dissolved by nitromuriatic acid. Its specific gravity is 21.5. It is the heaviest substance known, and its preparations resemble in their therapeutical properties those of gold. They are not frequently prescribed.

**Platyceph'alus** (from *platys*, broad, and *kephalē*, the head) Broad-headed.

**Platyco'ria**. *Platyco'ria* mydriasis. Morbid enlargement of the pupil.

**Platygl'ossus** (from *platys*, broad, and *glossa*, the tongue) Broad-tongued.

**Platypros'opus** (from *platys*, broad and *prosopon*, a face) Broad-faced.

**Platy'r'ris** (from *platys*, broad and *rhis*, the nose) Broad-nosed.

**Platy'stma** (from *platys*, broad). Anything widened or spread out, a flat place.

**Platy'ma Myo'des**. A broad, thin muscle, situated on the side of the neck. Its fibres arise from the areolar tissue of the anterior and superior part of the chest, pass before the clavicle, and attach themselves at the inferior part of the symphysis menti, at the external oblique line of the jaw and the commissure of the lips.

**Platy'st'omus** (from *platys*, and *stoma*, the mouth). Broad-mouthed.

**Plac'trum**. The styloid process of the temporal bone; also the trawl.

**Pledg'et**. A small compress of lint, to be applied to wounds, ulcers, etc. As now used, a pledget consists of a piece of patent lint, shaped to the wound, and on which ointments are applied.

**Pleg'ma** (from *plegō*, to wind) Anything twisted, as the tendrils of a vine, or interlaced, as a plexus of blood-vessels.

**Pleco'sis**. *Plethora*.

**Pleiomorph'ism** (from *pleion*, more, and *morphē*, form). The state of crystallized sub-

stances which nearly resemble one another in their angles, but are not absolutely identical.

**Pleiomorph'ous**. Nearly alike in form.

**Pleth'ora**. A condition in which the entire quantity of the blood is too great. The same condition has also been designated "general hyperemia." See **HYPEREMIA**.

**Plethor'ic** (*plethoric*). Full of blood. Relating to or affected with plethora.

**Pneumo'nia**. *Pneumonia*.

**Pleur'a** (*πλευρα*, the side, or a rib). The serous membrane which lines the right and left cavities of the chest and is reflected upon each lung. It is divided into two portions by the mediastinum.

**Pleura Cost'al**. *Pleura parietalis*. That portion of the pleura which lines the ribs or parietes of the thorax.

**Pleura Pulmo'n'is**. *Pleura of the lungs*. That portion of the pleura which invests the lungs.

**Pleuralgia** (from *πλευρα*, the side, and *algos*, pain) *Pleurodynia*.

**Pleurapost'e'ma**. Abscess in the pleura.

**Pleurarthroc'ace** (from *πλευρα*, a rib, *arthron*, a joint, and *akos*, bad) Caries of the ribs.

**Pleurar'thron** (*πλευρα*, rib, and *arthron*, a joint) The articulation of a rib.

**Pleur'isy**. *Pleuritis* (which see).

**Pleurisy**, False. *Pleurodynia*.

**Pleurisy**, Rheumat'ic. *Pleurodynia*.

**Pleurisy**, Root. Common name of *Asclepias tuberosa*.

**Pleurit'ic**. Relating or pertaining to pleurisy.

**Pleurit'is** (from *πλευρα*, the pleura, and *itis*, a terminal denoting inflammation) Inflammation of the pleura.

**Pleurisy** *Pleuritis* *Bronchitis*.

**Pleuritis** *Spu'ra*. False pleurisy.

**Pleuru'le**. Hernia of the pleura.

**Pleurocolle'sis** (from *πλευρα*, the pleura, and *kollos*, to glue) Adhesion of the pleura.

**Pleurodyn'ia** (from *πλευρα*, the pleura, and *dynas*, pain) Rheumatic pain over the intercostal muscles; a stitch in the side.

**Pleuropathi'a** (from *πλευρα*, the pleura, and *pathos*, a disease) A disease of the pleura.

**Pleuropneumo'nia**. Inflammation of the pleura and lungs at the same time.

**Pleurorrhoe'a**. An accumulation of fluid in the sac of the pleura.

**Pleurorrhoe'ous** (from *πλευρα*, the pleura,



*plate*, upright, and *respir*, to breathe) A glass in which the patient can not breathe except in an upright position

**Pleurorhysis** (from *pleura*, the pleura, and *rhysis*, a laceration) Laceration of the pleura

**Pleurorhizismus** *Pleurorhizismus*

**Pleurorhizismus** (from *pleura*, laterally and *rhysis*, laceration) A form of tetanus in which the body is drawn to one side

**Pleximeter** (from *plexis*, percussio and *meter*, a measure) **Plexometer** An ivory plate used in percussio

**Plexus** (from *plectō* to intertwine, to interlace) **Plexus** A network of blood vessels or nerves

**Plexus Axillaris** See **AXILLARY PLEXUS**

**Plexus Cardiacus** A plexus formed by a union of the eighth pair of nerves with the great sympathetic

**Plexus Choroideus** The choroid plexus, a plexus of blood vessels found in the fourth ventricle of the brain

**Plexus Glandularis Peyerii** Peyer's glands

**Plexus, Median** The colic or solar plexus

**Plexus Pampiniferus** A plexus of blood vessels about the spermatic cord

**Plexus Pulmonarius** The pulmonary plexus formed by the union of the eighth pair of nerves with the great sympathetic

**Plexus Reticularis** The network of vessels under the skin

**Plexus Rotundus** The corpus cavernosum vaginæ

**Plexus Solaris** A plexus formed by numerous nervous filaments from the semi-lunar ganglia of the great sympathetic nerve

**Plura** (from *pluri*, to be knit together)

A disease characterized by a matting of the hair, and agglutination of the hair

**Plum Palmaris** Planted hair

**Plum Semilunaris** A slight folding of the conjunctive membrane on the outer side of the cornea

**Plura** (from *pluri*, a fold) Applied in *Androg* to folds of mucous membrane

**Plumaria** The club moss a plant of the genus *Lycopodium*

**Plurica** (from *pluri*, from *pluri*, to fold)

**Plurica**, folded like a fan

**Plurica** *Plurica*

**Plurica** (from *pluri*, a fold, and *dens*, a tooth) A modification of the fundamental form of tooth, in which, on a transverse section, the dentine exhibits numerous wrinkles springing from the central pulp cavity.

**Plura** A kind of process for eating, holding, or binding any small body These used in the laboratory of the dentist and by jewelers have long slim jaws, the inner surfaces of which are rough like a file and will meet each other when closed See **PLUGGING PLUGS**

**Plurica** (from *pluri*) An instrument formerly used in the reduction of fractures and dislocations

**Plurica Ceylonica** Ceylon moss. This species and the *Plurica tenax* are supposed to be the materials of which the edible nests, so much esteemed in China, are composed The Ceylon moss is a light and nutritive article of diet It is much used in England and France

**Plurica Halmithorica** Ceylon moss, formerly supposed to possess antineoplastic properties and said to be a remedy for cancer

**Plumb** The French designation of a noxious gas the sulphuretted hydrogen discharged from pipes during the process of emptying which sometimes induces dangerous and fatal asphyxia in the workmen exposed to its influence

**Plumb**, Automatic. See **AUTOMATIC PLUMB**

**Plumb**, Electro magnetic An instrument for condensing gold etc in filling teeth, in which the motive power is electricity

**Plumb**. In *Surgery* the introduction of lint or pieces of rag into a wound the socket of a recently extracted tooth, the vagina, etc. to arrest hemorrhage and sustain the parts. In *Dental Surgery* an operation to arrest the progress of caries in a tooth

**Plumbing Forceps** A form of forceps used for consolidating fillings upon the approximal surfaces of teeth See **HARRIS PRIN and PRIN of Dentistry**

**Plumbing Instruments** Dental instruments for introducing and consolidating fillings

**Plumbing Plumb** Introducing plumb. A dental instrument used for picking up pieces of gold in some of the forms in which it is employed and placing them in the proper position in the cavity The points of some forms are so shaped as to answer as condensing points Other forms of plumb are employed in operative dentistry, such as annealing plumb, collage plumb, and drawing plumb, for applying drying materials, medicinal applications, withdrawing leucostom and wedges, and cutting wedges, etc.

**Plugging Tooth.** See **FILLING TOOTH**.

**Plum.** The fruit of a tree belonging to the genus *Prunus*.

**Plum, Malabar.** The fruit of the *Eugenia jambol*, used as a mild astringent; also the tree.

**Plumbaga.** Graphite. Black lead. One of the purest native forms of carbon, with the exception of the diamond. In popular language, black lead. Also a genus of plants of the order Plumbaginaceae.

**Plumbago Ectopaea's** Toothwort, the root of which was formerly used as a remedy for toothache.

**Plumbate** (*plumbus, atis*) A combination of plumbic oxide with another oxide, acting the part of an acid.

**Plumbi Acetate.** Acetate of lead. Sugar of lead. It is prepared by dissolving, with the assistance of heat, protoxide of lead obtained by calcination in an excess of distilled vinegar contained in leaden boilers. It is a white salt, crystallized in brilliant needles, which have the shape of long prisms, and having a taste at first sweet and afterward astringent. Acetate of lead is astringent and sedative, and is one of the few astringents admissible during the presence of inflammation. Dose, gr. j to gr. ij, in the form of pill. Lead water, *Aquæ plumbi*, *subacetatis dilutus*, is a very useful lotion in many cases of superficial inflammation. In *Dental Practice*, lead water is applied to inflamed gums and mucous membrane, indolent and foul ulcers, and is a soothing application where there is a tendency to periodontitis and in the treatment of the pain and inflammation following tooth extraction. See *Gorges' "Dental Medicine."*

**Plumbi Carbonas.** Carbonate of lead.

**Plumbi Chloridum.** Chloride of lead.

**Plumbi Disacetatis Solutio.** Solution of subacetate of lead.

**Plumbi Iodidum.** Iodide of lead.

**Plumbi Nitras.** Nitrate of lead

**Plumbi Oxidum Hydratum.** Hydrated oxide of lead.

**Plumbi Oxidum Rubrum.** Red oxide of lead.

**Plumbi Oxidum Semivitratum.** Semivitrified oxide of lead

**Plumbi Subacetatis Liq'or Compositus.** Diluted solution of subacetate of lead. Lead water.

**Plumbic.** Pertaining to lead.

**Plumbic Acid.** Peroxide of lead.

**Plumbum.** Lead.

**Plumbum Candidum.** Tin.

**Plumbum Cincereum.** Bismuth

**Plumbum Nigrum.** Plumbago.

**Plumbum Ustum.** Burnt lead.

**Plumose.** Plumose. Feathered

**Pneuma** (*pneuma, pneuma*) Wind, air, life.

**Pneumopostema** (from *pneuma* the lung, and *postema*, abscess). *Pneumopostema.* Abscess of the lungs.

**Pneumothorax** (from *pneuma*, air, and *thorax*, a joint). A collection of air in the joints.

**Pneumatic** (*pneumaticus*, from *pneuma*, air) Of or belonging to air or gas.

**Pneumatic Mallet.** An instrument for condensing fillings, the motive power being compressed air.

**Pneumatic Trough.** A vessel made of wood or metal, used for the purpose of making experiments with gases.

**Pneumatice.** A term applied in *Pathology* to diseases of the air-passages.

**Pneumatic** (from *pneuma*, air). The science which treats of the physical properties of elastic fluids, and especially of atmospheric air.

**Pneumatocele** (from *pneuma*, air, and *celle*, a tumor) *Physocoele*, *hernia ventris*, a tumor distended with air.

**Pneumatocele** (from *pneuma*, wind, and *celle*, resemblance). A term applied in *Pathology* to one distended with air, or who respires with difficulty owing to an accumulation of gas in the digestive canal, or, according to others, owing to emphysema.

**Pneumatometer.** An instrument by which the quantity of inspired air can be ascertained.

**Pneumatoxis** (from *pneuma*, to inflate). Distention of the abdomen with flatus.

**Emphysema.** Four varieties are mentioned (1) *Pneumatoxis spontanea*, without any obvious or apparent cause, (2) *pneumatoxis traumatica*, from a wound (3) *pneumatoxis canalis*, from poison, (4) *pneumatoxis hysterica*, from hysteria.

**Pneumatoxis Abdominalis.** Tympanitis.

**Pneumatoxis Enterica.** Flatulence.

**Pneumatotherapy.** Pneumothorax (which see).

**Pneumogastric** (*pneumogastricus*; from *pneuma*, the lung, and *gaster*, the stomach). Pertaining to the pneumogastric nerve, or lungs and stomach.

**Pneumogastric Nerve** (from *πνεύμα*, the lung, and *γαστήρ*, the stomach). The eighth pair of nerves, *par vagus*, have been so named because they are distributed to the organs contained in the thorax and abdomen, especially to the lungs and stomach.

**Pneumography** (from *πνεύμα*, the lung, and *γραφία*, a description) Pneumographia. A description of the lungs.

**Pneumo-hæmorrhag'ica**. Hemorrhage from the lungs.

**Pneumothorax** (from *πνεύμα*, the lung, and *θώραξ*, formation of stone) A disease characterized by the formation of concretions in the lungs.

**Pneumonia**. The lungs.

**Pneumono'mia** (from *πνεύμα*, lung, and *αἷμα*, blood). Congestion of blood in the lungs.

**Pneumono'gy** (from *πνεύμα*, the lung, and *αἷμα*, pain) Pneumonalgia. Laterally, pain in the lung.

**Pneumono'mphrax'is**. Obstruction of the lungs, as by an accumulation of mucus.

**Pneumo'nia** (*inflammatio pneumonica*; *pulmonis inflammatio*) Pneumonitis. Inflammation of the lungs, characterized by difficult respiration, cough, fever, pain, more or less acute in the thorax, and usually a quick, hard pulse. The disease is sometimes chronic, and this may occur accidentally.

**Pneumonia**, Typhoid. Inflammation of the lungs accompanied by gastric fever and typhoid symptoms, bilious pneumonia.

**Pneumoni'ca**. Pulmonic. A medicine for diseases of the lungs.

**Pneumoni'ca**. Diseases affecting the lungs.

**Pneumoni'ic**. Belonging or relating to pneumonitis.

**Pneumoni'tis** (from *πνεύμα*, the lung, and *itis*, a terminal, denoting inflammation). Pneumonia.

**Pneumono'ch'rism**. Scirrhus or induration of the lungs.

**Pneumono'ses**. Diseases of the lungs.

**Pneumo-pericard'ium** (*pneumopericarditis*; from *πνεύμα*, air, and *περικάρδιον*, pericardium). Effusion of air into the cavity of the pericardium.

**Pneumo-plouri'tis**. Pleuro-pneumonia.

**Pneumorrhag'ia**. Hæmoptysis.

**Pneumotho'rax** (from *πνεύμα*, air, and *θώραξ*, the thorax). Effusion of air in the cavity of the pleura.

**Pneumotho'ry** (from *πνεύμα*, the lung,

and *θώραξ*, to cut). Pneumotomy. Division of the lungs.

**Pneum'ia**. Respiration.

**Pain**. Strangulation; a sense of suffocation.

**Pock**. A small-pox or vaccine pustule of the skin.

**Pod'agra** (from *πύξ*, the foot, and *αἷμα*, seizure). Pain in the foot. Gout in the foot.

**Podarthri'tis** (from *πύξ*, foot, and *αρθρία*, inflammation of joints) Inflammation of the joints of the foot.

**Podarthroc'aca**. Disease or caries in the articulations of the feet.

**Podect'um**. In *Betula*, the foot-stalk of the lobed frond of lichens.

**Podol'ogy** (from *πύξ*, the foot, and *λόγος*, a discourse) Podologia. A treatise on the feet.

**Podophyl'in**. A resinous principle of a yellow color found in the root of the *Podophyllum peltatum*. Used as a drastic purgative in doses of from two to five grains. In smaller doses it is an alternative and cholagogue.

**Podophyl'ium**. A genus of plants of the order Ranunculaceæ.

**Podophyllum Pelt'um** Mandrake May-apple. The root is purgative and acts like jalap. Dose of powder, gr xx; of extract, gr v to gr xv, of the resin (podophyllin, gr 1 to gr 1).

**Podotheca** (from *πύξ*, the foot, and *θήκη*, a sheath a receptacle) An anatomical preparation of the cuticle of the foot.

**Pogoni'asis** (*pogonis*, from *πύξ*, the beard) Female beard.

**Poikilo'blasts**. Corpuscles of the blood which are of irregular shape and size. See CORPUSCULE.

**Poikil'ocyte**. An irregular red blood-corpuscle.

**Point**. Punctum. In *Electricity*, the acute termination of a body, which facilitates the passage of the electric fluid to or from the body.

**Poult**, Blistering. Dr. Rush has given this name to the intermediate period between the stages of high excitement and collapse in the course of continued fever, when he believes blisters are productive of good effects.

**Pot'am**. [ME, *potum*, *poton*.] Any agent which, when introduced into the body or applied externally, uniformly exerts a noxious or dangerous effect. Such agents exist in the

animal, vegetable, and mineral kingdoms. Oslin arranges them into four classes. (1) *Irritant*; (2) *narcoctic*; (3) *narcoctic-acrid*; (4) *acrid*. Christison reduces them into three classes. (1) *Irritant*; (2) *narcoctic*, (3) *narcoctic-acrid*, which are thus arranged

1. *Irritant Poisons*.—The mineral acids, phosphorus, sulphur, chlorine, iodine, hydriodate of potash, bromine, oxalic acid, the fixed alkalis, nitre, alkaline and earthy chlorides, lime, ammonia and its salts, alkaline sulphurets, the compounds of arsenic, the compounds of mercury, the compounds of copper, tellurium, mæstemon, strum, gamboge, daffodil, jalap, saffron; the compounds of antimony the compounds of tin, silver, gold, platinum, bismuth, chrome, and zinc, the compounds of lead and baryta; euphorbia, castor-oil seeds, physic-nut, bitter cassia, manchineel, croton oil, bryony, colocynth, elaterium, rauwolfia, anemone, caltha, eleusine, cantharides, poisonous fish, venomous serpents and insects, diseased and decayed animal matter, mechanical irritants.

2. *Narcoctic Poisons*.—Opium, hyoscyamus, lactuca, solanum, hydrocyanic acid

The vegetable substances which contain hydrocyanic acid are bitter almonds, cherry-laurel, peach, cluster cherry, mountain ash

Nitric oxide gas, chlorine gas, ammoniacal gas, muriatic acid gas, sulphuretted hydrogen, carburetted hydrogen, carbonic acid, carbonic oxide, nitrous oxide, cyanogen, oxygen

3. *Narcoctic acrid Poisons*.—Night-shade, thorn apple, tobacco, lobelia, hemlock, water hemlock, hemlock dropwort, fool's parsley, monk's-hood, black hellebore, ipseacuanha, squill, white hellebore, meadow saffron, foxglove, strychnia, nux vomica, St Ignatius' bean, false angustura, camphor, cocculus indicus, upas anthar, corioria myrtifolia, poisonous fungi, poisonous mushrooms, acule cornutus, mouldy bread, damsel grass, seeds of lathyrus, clover, seeds of the bitter vetch, seeds of the common laburnum, alcohol, ether, some empyreumatic oils.

Viewed, however, with reference to their effect on the animal system, Dr. J. Thomas arranges them under the four following heads.

1. *Irritant poisons*, or those which produce irritation or inflammation, as the mineral acids, oxalic acid, the caustic alkalis, antimony, arsenic, baryta, the salts of copper, some of the compounds of lead, nitrate of silver, the salts of zinc, cantharides, iodine, phosphorus, etc.

A distinction is sometimes drawn between irritant and corrosive poisons, but the difference appears to be, at least in some cases, one of degree rather than of kind.

Thus, one of the more powerful mineral acids in a concentrated form would be a corrosive poison, but in a diluted form only an irritant poison.

2. *Narcoctic poisons*, or such as produce stupor or delirium, as opium, hyoscyamus, etc.

3. *Fedative poisons*, or those which directly reduce the vital powers, as hydrocyanic acid, cyanide of potassium, sulphuretted hydrogen, and other of the poisonous gases.

4. *Acro-narctic and acro-ardent poisons*, including those which produce sometimes irritation, sometimes narcotism or sedation, or both together. They are chiefly derived from the vegetable kingdom. Stramonium or belladonna will furnish an example of the acro-narctic, and aconite of the acro-sedative poisons.

*Treatment*.—It is not deemed necessary to enter here into a minute consideration of the symptoms caused by the various kinds of poisons. In fact, the symptoms produced by many different substances so nearly resemble one another that, without other data, they would be wholly insufficient for determining the character of the poison.

But some assistance toward forming a correct diagnosis will undoubtedly be furnished by a knowledge even of the general properties of the various poisons. With respect, however, to the more important articles of this class, such as the mineral acids, the caustic alkalis, arsenic, and several of the other metals, it has been deemed important to describe the most usual and characteristic symptoms.

*Acids*.—Most of the mineral acids, as well as oxalic acid, are corrosive poisons, if taken into the stomach they cause an extremely sour, acid taste, with a sense of burning pain in the throat and an excruciating burning pain in the stomach. The matter vomited causes effervescence with chalk or other forms of carbonate of lime. The proper treatment in such cases is to administer chalk or magnesia, made into a thin paste with water.

In case these substances are not at hand, the plaster of the apartment may be beaten to powder and made into paste.

As antidotes for nitric and oxalic acids, lime and magnesia only are admissible; for acetic, citric, muriatic, sulphuric, and tartaric acids,

the effluents of nitric acid may also be used.

The effects of hydrocyanic or prussic acid are usually so rapid as to render medical treatment of no avail. When death does not follow instantaneously, cold effluents or a cold douche on the head will often prove extremely beneficial. Arsenic may also be administered with advantage.

**Alkalies**—In cases of poisoning with the caustic alkalies there is an extremely harsh acid taste, with intense burning or smarting in the throat, caused by the destruction of its lining membrane, accompanied with great difficulty or pain in swallowing. The matter vomited will turn vegetable blues to green or turnerite to brown. The proper antidotes are the fixed fixed oils, an sweet-oil, linseed-oil, castor-oil, etc., or the mild vegetable acids as vinegar, lemon juice etc.

**Antimony**—In cases of poisoning with the preparations of antimony there is usually vomiting, which should be facilitated and rendered as free as possible by copious draughts of warm or tepid water or by tickling the fauces with one's finger or with a feather etc. This is to be followed by astrigent drinks, such as the infusion of galls, oak bark. Peru vine bark, dogwood (*Cornus florida*) etc.

**Arsenic**—When any of the soluble compounds of arsenic have been taken there is an intense burning pain in the stomach and bowels, accompanied by violent vomiting, a sense of dryness and tightness in the throat, with an incessant desire for drink. The eyes are red and sparkling and the countenance expresses extreme suffering and anxiety. Frequently there are nervous tremors and other symptoms showing that the nervous system is powerfully affected.

In rare instances arsenic has been known to produce coma and other symptoms closely resembling narcotic poisoning. For treatment of cases of poisoning with arsenious acid, the hydrated arseniurets or protoxide of iron, made into a paste with water, is the best if not the only efficient antidote. But even this remedy has been found to be of little avail when the arsenic has been swallowed in a solid state.

Hydrate of magnesium has also been found useful, it is said, when the poison has been taken in solution.

For *Berrier's solution* (*Liquor arsenicalis*), *Howe's* is a good antidote. In case the

other preparations of arsenic have been taken, an emulsion of sulphate of zinc should be administered, followed by a copious use of demulcent drinks, such as flaxseed or slippery-elm tea, milk, farinaceous decoctions etc.

**Barytes**—The symptoms are similar to those produced by the corrosive metals.

The sulphates of soda and magnesia are efficacious antidotes for the salts of barytes.

**Copper**—In cases of poisoning with the salts of copper which are corrosive poisons the best antidotes are the whites of eggs and metallic iron (in the form of filings or raspings).

Vinegar should be carefully avoided, as likely to dissolve the solid or insoluble compounds that may have been formed by the salts of copper with animal or vegetable substances.

**Iron**—For poisoning with the sulphate of iron or copperas, carbonates of soda and magnesian drinks are the proper remedies.

**Lead**—For the soluble salts of lead such as the acetate (sugar of lead), the best antidotes are sulphate of magnesium (Epsom salts) and phosphate of soda.

For lead in any form insoluble in water,—white lead for example—very dilute sulphuric acid should be administered.

**Strychnia** has been recommended for paralysis resulting from lead.

**Mercury**—For the poisonous compounds of mercury such as corrosive sublimate, the cyanide and nitrate of mercury, red and white precipitates etc., the whites of eggs beaten up with water or milk should be promptly and freely given or if these articles should not be at hand flour made into a paste may be used as a substitute.

**Silver**—For nitrate of silver or lunar caustic, common salt is an excellent antidote.

**Iron and Zinc**—For the poisonous compounds of tin and zinc, milk and the whites of eggs will serve as antidotes. When the sulphate or acetate of zinc has been taken vomiting should be promoted by plentiful draughts of warm water.

**Gases**—Among the other most important inorganic poisons may be numbered the poisonous gases, including carbonic acid gas, carbonic oxide, carburetted and sulphuretted hydrogen, the vapor of ether, and chlorine.

In cases of poisoning with these, the best remedy is fresh air, if there should be stupor, cold effluents may be applied to the head and the vital power quickened by artificial respiration and by the use of a galvanic apparatus.

For the poisonous effects of carbonic acid gas, the inhalation of oxygen is the best antidote. A cautious inhalation of ammonia may prove useful in cases of poisoning with chlorine. For iodine, the best antidote is starch; when this is not at hand, flour, which contains starch, may be substituted.

The poisonous effects of arsenate may be counteracted or mitigated by the prompt administration of albumen in some form. In cases of poisoning with phosphorus, the chief reliance must be placed on some prompt emetic, which should be followed by mucilaginous drinks.

If the phosphorus should have been taken in a solid form, the fluid oils should be carefully avoided, on account of their solvent property.

**Organic Poisons.**—Those found in the vegetable kingdom are to be treated according to their character. If vomiting has been produced by their action, this may be facilitated or rendered more free by plentiful draughts of warm water. But if the taking of the poison has been followed by insensibility, some active emetic, such as sulphate of zinc, should be administered, or in extreme cases, recourse must be had to the stomach-pump. In the case of opium and similar narcotics, copious affusions of cold water to the head have sometimes proved of great advantage.

A strong infusion of coffee has been found beneficial in counteracting the subsequent effects of an overdose of opium.

The remarkable antagonism existing between belladonna and opium has sometimes, it is stated, been used with the greatest advantage, each having, in its turn, been made to act as an antidote to the other. In like manner, it is said, opium and stramonium may be used mutually to counteract each other.

Tannin is the proper antidote for strychnia, but, to be successful, it should be greatly in excess, in the proportion of not less than 25 or 30 of the antidote to 1 of the poison.

Animal poisons may be properly ranked under two heads.

1 Those taken into the stomach by mistake as food; such are the various kinds of poisonous fish, which should be treated on the same principle as the vegetable poisons; that is, by emetic, copious draughts of warm water, etc., followed, perhaps, by an active purgative, in order to remove any deleterious matter which may have lodged in the intestines. If

cuterides should have been taken, vomiting, should be excited by copious draughts of sweet-oil, linseed-oil, milk, etc.

2. The poisonous secretions of the various venomous animals, used by them as a weapon of defence.

As such poisons are not taken into the stomach, but introduced into the system through a wound, an altogether different plan of treatment is required. A cupping-glass should be promptly placed over the wound, and the air exhausted, for the purpose of extracting the venom. At the same time, if practicable, a moderately tight ligature should be applied above the bite or sting, in order to prevent the virus from diffusing itself through the system. If a cupping-glass can not be procured, the poison may be extracted by sucking, in which case, it is scarcely necessary to remark, care should be taken not to swallow the saliva. In cases of poisoning from venomous serpents, the alkalies, especially ammonia, applied to the wound and taken internally, are said, in some instances, to have proved extremely beneficial. The application of clay or mud to the part, by excluding the air, tends to obstruct the activity of the poison. From several cases recently reported it would appear that by far the most efficient antidote for the venom of serpents is the compound known as Eilken's antidote. A common formula for its preparation is the following: Take of bromine two drachms and a half, iodide of potassium, two grains, corrosive sublimate, one grain, dilute alcohol, thirty fluid drachms. Mix. Dose, one fluid drachm, diluted with a tablespoonful of wine or brandy, to be repeated *pro re nata*. See **POISON OF SERPENTS**.

For hydrophobia, after the poison has once been received into the system, there is no antidote known. As soon as possible after the wound has been inflicted the bitten part should be completely cut out, and free bleeding promoted by immersing the wound in warm water, the surface should afterward be burned with the actual cautery or with some efficient caustic.

**Poisoned.** Infected with or destroyed by poison.

**Poisoning.** Infecting with poison, the administration or the application of poisonous substances to any of the textures in a sufficiently large quantity to produce serious effects.

**Poisonous.** Having the qualities of poisons.

**Polar.** Relating to poles or polarity.

**Polarity.** That property of bodies which causes them, when free, to tend or point to certain determinate directions, as the magnetic needle.

**Polarization.** The state of a body which causes it to exhibit polarity; act of polarizing or of giving polarity to a body; thus, light, when changed by the action of certain media, by which it is caused to exhibit the appearance of having polarity, or poles possessing different properties, is said to be polarized.

**Poles.** In *Astronomy*, the extremities of the axis on which a sphere revolves. In *Electricity* and *Galvanism*, the poles or parts of a magnet which exhibit the phenomena of attraction.

**Pollipies'ma.** The grayish, granular part of a cell. See PROTOPLASM.

**Polishing Brush.** An instrument employed in the laboratory of the dentist for polishing the metallic portions of any appliance or piece of mechanism intended to be placed in the mouth. It sometimes consists of a simple brush, like that used for cleaning the teeth, except that it is longer and a little wider, and at other times of a brush-wheel.

**Polishing Rouge.** Jewellers' rouge. A polishing powder made by dissolving copperas in water, filtering the solution, and adding a filtered solution of pearlash or subcarbonate of soda as long as any sediment falls. The liquor is then filtered again, and the sediment left on the filter, washed by running clean water through it, and then calcined until it is of a scarlet color.

**Polishing Wheel.** A small wheel with the peripheral surface covered with buckskin or other soft leather and made to revolve on the mandrel of a lathe.

**Pollex.** The thumb. Also the great toe.

**Pollinctoria.** Embalming.

**Pollux'ic** (*polluxius*, from *pollux*, many, and *ic*, a way). A term applied by Dr Marshall Hall to a course of nervous action proceeding from one point to another in many directions.

**Poly-** (from *polux*). A prefix signifying many.

**Polyar'mia** (from *polux*, many, and *ar'mia*, blood). *Floetoria*. Abnormal increase of blood.

**Polyar'thria** (from *polux*, much, and *arth'*, joint). *Rheumatism*.

**Polychromat'ic** (from *polux*, many, and *chrom'*, color). A term applied to minerals which exhibit a play of colors; also of various colors; many-colored.

**Polychrom'ic Acid.** Aleoic acid. Artificial bitter principle of aloes. With different ingredients it dyes silk a great variety of colors; hence its name.

**Polychry'mia.** Excess of chyle.

**Polycrot'ic.** A pulse that appears to have more than two rhythms for each cardiac impulse.

**Polycytham'ia.** Excess of red blood-corpuscles.

**Polydac'ria** (from *polux*, many, and *dac'ria*, tears). Excessive secretion of tears.

**Polydac'tylus** (from *polux*, many, and *dactyl'os*, a finger). One who has one or more supernumerary fingers or toes.

**Polydip'sia** (from *polux*, much, and *dip'sis*, thirst). Excessive thirst.

**Polygala Sen'ega.** Rattlesnake milkwort. Seneca snakeroot, a plant found in all parts of the United States. The bark of the root is the active part of the plant. It is stimulant, expectorant, and diuretic. In large doses it is emetic and cathartic. It is sometimes diaphoretic and emmenagogue.

**Polygala Virginia'na.** *Polygala senega*.

**Poly'gon.** A plane figure having more than four angles, and, consequently, more than four sides. If the sides are equal, it is called a regular polygon.

**Polyga'ria.** *Polymria*.

**Poly'halfia.** A mineral or salt of a bright red color, containing sulphates of lime, magnesia, soda, and potash.

**Polyhe'dron** (from *polux*, many, and *ed'm*, side). A solid bounded by many sides or planes.

**Polyid'ria** (from *polux*, many, and *id'ra*, sweat). Excessive sweating.

**Polylymph'ia.** *Anasarca*.

**Polymer'ic** (from *polux*, many, and *mer'*, a part). A term applied in *Chemistry* to compounds in which the ratio of the elements is the same with other compounds, but the total number of atoms is greater in one than in the others.

**Polymeris'mus** (from *polux*, much, and *mer'*, a part). A monstrosity in which there is an excess or multiplicity of organs or parts of the body.

**Polymer'ismus.** Having many forms.

**Polyan'stents.** Having made them one nucleus.

**Polyop'ia** (from *πολύ*, much, and *οὐρα*, to see). Vision in which a person sees more objects than are present.

**Polyorax'ia** (from *πολύ*, much, and *ορεξία*, appetite). Excessive hunger.

**Polype'ria** (from *πολύ*, much, and *ρῆμα*, mutilated). Congenital malconstruction.

**Polyphag'ia** (from *πολύ*, much, and *φαγέω*, to eat). Voracity of appetite, devouring all sorts of food.

**Polypharm'acy** (from *πολύ*, much, and *φάρμακον*, a medicine). Polypharmacy. The prescription of many medicines in one compound.

**Polyplast.** Composed of many cells.

**Polyplas'tic** (from *πολύ*, much, and *πλάσσω*, to form). Passing through many changes of form.

**Poly'poid.** Shaped like or resembling a polypus.

**Polypo'ria** (from *πολύ*, much, and *ρῆμα*, drink). Excessive thirst.

**Poly'pus** (from *πολύ*, many, and *πόω*, foot). In *Zoology*, a class of zoophytes. In *Surgery*, a morbid excrescence developed from mucous membrane, as in the nasal fossa, uterus, etc.

**Polypus Bronchis'tis.** A membranous secretion of a diphtheritic character in the bronchial tubes.

**Polypus of the Pulp.** A hypertrophied condition of the dental pulp that becomes so great as to fill the cavity of decay in the tooth. The growth is of a dark red color and of a fleshy consistence. On being cut away the polypus returns, and resists the action of arsenious acid. The treatment consists of excision and the application of strong nitric acid, chromic acid, or iodine.

**Polyur'ia** (from *πολύ*, much, and *ουρά*, flesh). Excessive corpulency, fatness.

**Polyur'ia** (from *πολύ*, much, and *ουρά*, saliva). Excessive secretion of saliva.

**Polytroph'ia** (from *πολύ*, much, and *τροφή*, to nourish). Excessive nutrition.

**Polyur'ia.** Excessive secretion of urine, diabetes.

**Poma.** Drink.

**Poma'can** (from *poma*, an apple). That division of the natural order of Rosaceæ to which the apple, pear, quince, and medlar belong.

**Poma'can.** Cider.

**Poma'tum.** A fragrant ointment.

**Poma'tum.** The French name for poma'tum.

**Pom'pholyx** (from *πομπή*, a bladder). A small vesicle. An eruption of bullæ or blebs, without fever and without inflammation around them. Three varieties are summarized. (1) *Pompholyx benigna*, consisting of a succession of bullæ, varying from the size of a pea to that of a hazel nut, usually appearing on the face, neck, and extremities. They break about the third or fourth day, and soon after heal. (2) *Pompholyx durius* consists of a succession of numerous red pimples attended with a tingling sensation, and which soon become filled with a transparent fluid, rising up to the size of a pea, and, when not broken, to the size of a walnut. This variety usually occurs in aged and debilitated persons, and is generally preceded by languor, headache, and pain in the limbs. (3) *Pompholyx setiformis* occurs only in women, and but one vesication appears at a time. This is preceded by a tingling sensation in the skin, and develops itself in the night, and sometimes contains a teacupful of lymph, but at the expiration of forty-eight hours it breaks, and in a day or two another is developed.

**Pom'phos.** A blister, a bubble.

**Po'mum.** An apple. Also a fleshy, pulpy pericarp, containing a membranous capsule with several seeds.

**Pomum Ad'ami.** Adam's apple, the projection formed on the anterior part of the neck by the thyroid cartilage.

**Pom'dorable** (from *pomus*, weight). That which has weight.

**Ponde.** A pound weight.

**Pons.** A bridge.

**Pons Hepa'tis.** A portion of the substance of the liver crossing the passage for the round ligament from the lobules anastomoses.

**Pons Tar'ni.** The layer of grayish substance between the corpora albicantia, forming the locus perforatus of the floor of the third ventricle of the brain.

**Pons Var'ii.** An eminence at the upper part of the medulla oblongata, formed by the union of the crura cerebri and crura cerebelli. Varolius's bridge.

**Pos'tles.** The ham, or back part of the knee-joint.

**Pogitatus.** The popliteal muscle—a long, flat, triangular muscle, situated in the popliteal region.



**Popliteal** (from *popa*, the ham). **Popliteum**. Belonging or relating to the ham.

**Popliteal Arterio-sclerosis**. An sclerosis of the popliteal artery.

**Popliteal Artery**. The continuation of the femoral artery in the hollow of the knee.

**Popliteal Nerves**. The two branches formed by the bifurcation of the sciatic in the popliteal space.

**Popliteal Space**. A somewhat oval space behind the knee-joint.

**Porcelain**. The finest species of earthenware, composed principally of decomposed feldspar and kaolin.

**Porcelain Base Dentures**. Full dentures made entirely of porcelain in one continuous piece. They are also known as "mineral plate teeth."

**Porcelain Crowns**. Dr. W. R. Hall's formula for counter-sunk porcelain crowns is as follows: Feldspar, 18 ozs., quartz, 3 ozs., German clay,  $\frac{1}{2}$  oz.

**Porcelain Filling**. See **INLAYING PORCELAIN** AND **PORCELAIN INLAY**.

**Porcelain Inlay**. Sections of porcelain teeth generally inserted as substitutes for gold fillings on exposed surfaces of the teeth and ground to fit the prepared cavity. Also sections of porcelain made from impressions of the prepared cavities and baked in a furnace on thin platinum plate, which is used as a cap to contain the porcelain paste during its manipulation. Cement, gold, etc., are used to retain the porcelain sections in the teeth.

**Porcelain Teeth**. Mineral teeth, incorruptible teeth; silicious ferro-metallic teeth, vitreous teeth. Dental substitutes, resembling, more or less closely, the shape and color of the natural teeth, so constructed that they may be securely fixed to the various attachments employed for their adjustment and retention in the mouth. They are composed of feldspar, silica, and other mineral substances.

**Porcelain**, like human teeth, consists of two portions—an internal and an external. The internal, called the body or base, is more or less opaque; the external, called the enamel, is semi-transparent, and has a smooth, glossy surface. The base or body is composed principally of feldspar, silica, and kaolin, and the enamel or covering of feldspar and silica.

There are also various fluxes, characterized as glasses, used to determine the point of fusion desired of different parts of the teeth. Besides these, various metallic oxides, or metals

reduced to a state of minute division, are employed for imparting to the teeth the necessary color.

The chief metals and oxides relied upon for coloring teeth are the following:

MINERALS USED.	COLORS GIVEN
Gold in filings and its oxides,	Bright rose red.
Purple powder of Cassius,	Rose purple.
Pistina sponge or filings,	Grayish blue.
Oxide of titanium,	Bright yellow.
Oxide of uranium,	Greenish.
Oxide of cobalt,	Bright blue.

These, with others in varying combinations, are used to color the body, point, and outside enamel. More than forty kinds of colors are used in the bodies and an equal number of point and outside enamel. Commencing with the lightest shade of body, forty different grades may be produced by using a different point enamel, and on each of these a different effect by the use of the various outside enamel.

The following are the formulas for the body and enamel of porcelain teeth, single or in sections:

#### BODY FOR MOULDED BLOCK TEETH.

Feldspar, . . . . .	18 ozs.
Quartz or silica, . . . . .	3 ozs.
Kaolin, . . . . .	1 oz.
Titanium oxide, . . . . .	65 grs.
Starch, . . . . .	10 grs. to each ounce

Or—

Feldspar, . . . . .	18 ozs.
Silica, . . . . .	3 ozs.
German clay, . . . . .	$\frac{1}{2}$ oz.
Titanium oxide, . . . . .	65 grs.
Starch, . . . . .	10 grs. to each ounce.

#### BODIES FOR CARVED BLOCK TEETH.

(Dr. William R. Hall.)

Feldspar, . . . . .	14 ozs.
Silica (quartz), . . . . .	$3\frac{1}{2}$ ozs.
Kaolin, . . . . .	1 oz.
Titanium oxide, . . . . .	40 grs.

Or—

Feldspar, . . . . .	14 ozs.
Silica, . . . . .	$3\frac{1}{2}$ ozs.
German clay, . . . . .	$\frac{1}{2}$ oz.
Titanium oxide, . . . . .	40 grs.

## RECIPE OF CARVED BLOCKS.

(Formulas of Prof. Willman.)

## (1)

Feldspar, . . . . .	4 oz.
Silica, . . . . .	300 gr.
Kaolin (Mansy's), . . . . .	100 gr.
Titanium oxide, . . . . .	.4 to 8 gr.

## (2)

Feldspar (Delaware), . . . . .	3 oz.
Feldspar (Wisconsin), . . . . .	1 oz.
Kaolin (Hoopes), . . . . .	40 gr.
Kaolin (Mansy's), . . . . .	80 gr.
Silica, . . . . .	300 gr.
Titanium, . . . . .	.4 to 8 gr.

## ENAMEL.

## Gold-yellow Enamel

Feldspar, . . . . .	1 oz.
Titanium, . . . . .	1 gr.
Gold frit, . . . . .	3 gr.
Starch, . . . . .	15 gr.

## Brown-yellow Enamel.

Feldspar, . . . . .	1 oz.
Titanium, . . . . .	2 gr.
Gold frit, . . . . .	4 gr.
Starch, . . . . .	15 gr.

The enamel flux is made of

## Enamel Flux

Carbonate of potassium, . . . . .	1 oz.
Powdered glass of borax, . . . . .	1 oz.
Powdered quartz (silica), . . . . .	4 oz.

Color frits are composed of the following materials:

## BLUE AND GRAY FRITS.

## Platinum Frit, Blue

Platinum (aqua regia as a solvent), . . . . .	1 dwt.
Feldspar, . . . . .	1 oz.
Plate glass, . . . . .	30 gr.

## Cobalt Frit, Azure Blue

Feldspar, . . . . .	1 oz.
Titanium oxide, . . . . .	8 gr.
Gold frit, . . . . .	60 gr.
Smalt, . . . . .	80 gr.

## Platinum Frit, Gray.

Platinum frit, . . . . .	30 gr.
Titanium oxide, . . . . .	10 gr.
Gold frit, . . . . .	100 gr.

## Iron Frit, Gray.

Iron scale, . . . . .	4 gr.
Titanium oxide, . . . . .	1 gr.
Gold frit, . . . . .	80 gr.
Feldspar, . . . . .	1 oz.

## Gold Frit, Reddish-brown.

Pure gold-fil, . . . . .	10 gr.
Plate glass, . . . . .	20 gr.
Feldspar, . . . . .	1 oz.

The gum enamel is composed of

## GUM FLUX.

Oxide of gold (purple of Cassius), . . . . .	10 gr.
Feldspar, . . . . .	700 gr.
Flux, . . . . .	175 gr.

## GUM ENAMEL.

Gum frit, . . . . .	1 oz.
Feldspar, . . . . .	3 oz.

Or—

Gum frit, . . . . .	1 dwt.
Feldspar, . . . . .	4 dwts.

Or—

Gum frit, . . . . .	1 dwt.
Feldspar, . . . . .	5 dwts.

Purple of Cassius gives the red color to the gums of artificial teeth, and is composed of: Pure silver, 432 gr., pure gold, 46 gr., pure tin, 36 gr. Gum frit is composed of purple of Cassius, 16 gr.; feldspar, 760 gr.; flux, 175 gr.

In preparing the material composing the teeth, large masses of the feldspar are thrown into a furnace until they become red hot, when they are plunged into water, which renders the feldspar brittle and easily broken by the hammer into small pieces. By this means all foreign matters, such as mica or iron, with which the feldspar may be mixed can be separated. It is then washed leaving a coarse powder, and subsequently ground under water in a mill. The silica is subjected to the same process. The colors are ground in a mortar. The materials are then dried, sieved, and properly proportioned, and again ground in combination into the various mixtures desired. At this stage the body assumes the consistency and appearance of putty, the point enamel of a thick batter, and the outside and gum enamels of cream.

The body is now ready for the moulds, which

ate of time, in two or three places, one-half of the tooth being represented on either side. As the shape and style of the tooth depend upon these models, great care is necessary in their construction. In each tooth-matrix are two small holes, into which are placed the platinum pins for securing the tooth to the gold, platinum, or rubber base. These platinum pins are made from small round platinum wire, and these designed for the vulcanite teeth are headed.

The pins being in their proper position, the requisite amount of point enamel is taken up with a small steel spatula and introduced into the matrix, which is then filled with the body and closed, after which it is pressed by machinery and dependent in a drying oven.

Carefully watched, it is taken out at the proper moment and emptied of its contents, which, being soft and brittle, are laid on clay slides and subsequently subjected to the process called burnishing, which is done by bringing them to a cherry-red heat. They are now like chalk and can be shaped as desired by the knife and file.

After being smoothed and smoothed, they are ready for enameling. The enamels are laid on with a brush, an operation requiring delicacy and care. Having received the coat of enamel,—first the crown, and afterward the gum enamel,—and all imperfections being removed, they are carefully laid on beds of quartz-sand in trays of fire-clay ready for the furnace.

After being subjected to a white heat in the furnace for from fifteen to thirty minutes, they are removed and gradually cooled, when it is found that the dull enamel has become as glass and the lustreless oxides have become bright and life-like. See BLOCK TEETH, also ARTIFICIAL TEETH, also Chapter on Teeth in HART'S "PAIN and Pract. of Dentistry."

**Porcelain Teeth, English Tube.** These differ from the ordinary porcelain teeth in that their attachment to the plate is effected by a central tube of platinum running through the body of the tooth, into which a pin or post is introduced.

**Porcelain Teeth, Pullen's.** Both gum and plate, in which there are no platinum pins, but which are constructed that the rubber vulcanizer will fit the teeth and warm them closely to the plate.

**Porcelain Teeth with Continuous Pins.** It is supplied by the Dentists (H. & W. White Co.)

that grows or bleeds with such pins allow of greater facility of adaptation to the mandibular ridge, and that they are more acceptable to the tongue.

**Pore (porus, interstice)** In *Anatomy*, the orifices of the absorbing and excreting vessels. In *Physics*, the minute intervals which separate the integral molecules of solid bodies. In *Botany*, the minute orifices of plants, as those which contain the spiracles of the *Boletus*.

**Pores of the Skin.** The excretory ducts of the sebaceous and sudoriferous glands.

**Pori Billæ'rili.** The ducts which receive the bile from the papilla of the liver.

**Pori Cutaneæ.** The pores of the skin.

**Porocoele.** A scirrhous tumor of the testicle or scrotum.

**Poroma.** Induration, the process of hardening, or rendering callous.

**Peromphalæa** (from *perom*, hard, and *phalæa*, the navel) **Peromphalæa**, **peromphalæa**. A hard tumor of the navel.

**Porosis.** The formation of poroma or the process by which the extremities of fractured bones are re-united by a callus. In duration or hardness resulting from inflammation.

**Porosity** (from *porus*, a passage) The state of having pores or interspaces, a quality of bodies by which they transmit fluids through their pores, or when gases can not escape, as in vulcanizing rubber. The condition of being porous.

**Porotic** (*poroticus*, from *poros*, callus) A medicine supposed to be capable of assisting the formation of callus.

**Porous.** Perforate.

**Porphyra hemorrhagica.** Land-scurvy.

**Porphyry.** A species of hard granitic stone or rock.

**Porraceous** (from *porrus*, a leak) A term applied to excretions of the body when they exhibit a green color.

**Porri'go.** Scurf on the head; scurf-head. An obsolete term used to designate several diseases of the scalp.

**Porri'go Decalvans.** A disease characterized by patches of baldness of a more or less circular form without change of color in the surrounding hair.

**Porri'go Favosa.** An eruption of large, soft, flat, straw-colored pustules, called *Acni*, with an irregular edge, surrounded by slight inflammation and occurring on all parts of the

body, though sometimes confined to the scalp, face, trunk, or extremities.

**Forigo Parfurans.** An eruption of small sores, the fluid of which soon dries up and separates in numerous scale-like exfoliations, reappearing and disappearing at irregular periods and with more or less itching and burning.

**Forigo Larva'lis Crusta lactea.** A disease almost exclusively confined to infancy and characterized by the appearance of an eruption of numerous small sores on the forehead and cheeks, which, after a while, break, discharge a viscid fluid, and become incrustated in thin yellowish or grayish scabs. These spread until the face sometimes becomes, as it were, enveloped in a scab.

**Forigo Scutula'ris.** Ringworm of the scalp. **Scut-head.** An eruption of an irregular, circular form upon the scalp, forehead, and neck.

**For'ta.** A door or gate. In *Anatomy*, the part of the liver where the vessels enter. Also the vulva.

**Porta Hepatis Porta jecoris.** The transverse fissure of the liver, through which the vessels pass.

**Por'tal** (from *porte*, a gate) Relating to the porta of the liver.

**Portal Blood.** The blood of the portal veins.

**Portal Circula'tion.** The circulation of the venous blood from the chyliferous viscera into the liver.

**Portal Vein.** *Vena portae.* A vein originating from all the organs within the abdomen, except the kidneys and bladder and the uterus in females. Its two principal trunks are the splenic and superior mesenteric veins.

**Porticus'tic** (*porta*, to carry) A small cylindrical instrument for carrying some caustic substance in the pocket.

**Porte, Port.** A carrier or holder.

**Porte-aiguille** (from *porter*, to carry, and *aiguille*, a needle). *Acutensillum.* A needle holder, a needle-carrier. See *ACUTENACTYLUM*.

**Porte-bougie.** A cannula for conducting bougies into the urethra.

**Porte-mèche.** An instrument for carrying a tent to the bottom of an ulcer through a deep sinuous opening.

**Porte-plaque.** A case for carrying fixed sticks of silver intended for the cauterization of wounds or ulcers.

**Porte-pulchier.** A steel instrument used in *Dental Surgery* to hold the material, such as

wood, Arkansas stone, or cerumen points, for cutting down fillings, removing superficial decay, and dressing filed or fractured surfaces of the teeth.

**Porte-ponde.** An instrument for holding the style and facilitating its introduction into the duct in the operation for fistula lachrymalis.

**Port'io.** A term signifying a portion or branch; applied in *Anatomy* to two nerves.

**Portio Dura.** The facial nerve, a branch of the seventh pair, so called from its firm consistence. See *FACIAL NERVE*.

**Portio Mollis.** The soft branch of the seventh pair of nerves, the auditory nerve.

**Porton'e'rium.** The pyloric orifice of the stomach.

**Porus.** A pore, duct, or passage.

**Porus Op'ticus.** The opening in the crystalline lamella which gives passage to the central artery of the retina.

**Posse.** Oatmeal.

**Positive Elements.** The plates of zinc in the galvanic pile.

**Positive System.** One of three systems or methods of regulating teeth, and which was introduced by Dr. J. N. Farrar. It is based upon the principle that when teeth are moved they should always be moved by a force that is positive in character and not variable; that the only available means of obtaining this kind of force is the screw in some of its different forms, and that by its use the amount of force can be accurately known, and that it can be regulated to suit the conditions of the case, that by exerting a fixed and definite amount of force in a given time we can keep within physiological limits, and that the moment we go beyond this we bring about a pathological condition of the parts.

A second system is that of Patrick, where the force employed is derived entirely from the elasticity of the metal of his appliance. A third system is that of Coffin, of London, and known as the "expansion system," in which the arch is expanded by the elasticity of a steel spring attached to a vulcanite plate; also by the Talbot spring.

**Po'se'o'gy** (from *posco*, quantity, and *logos*, a discourse) *Posologia.* That part of therapeutics which treats of the indications of the doses in which different medicines should be prescribed.

**Pos'set** (*possetum*). Milk curdled with wine, tranel, or any acid.

**Posterior Spandiloid.** An external interosseous muscle of the hand.

**Posterior Auris.** The retroauricular muscle.

**Posterior In'dian Muscles.** An internal interosseous muscle of the hand.

**Posterior Indian Pedis.** An external interosseous muscle of the foot.

**Posterior Medii Digiti Manus.** An external interosseous muscle of the hand.

**Posterior Medii Digiti Pedis.** An external interosseous muscle of the foot.

**Posterior Ter'di Digiti.** The adductor tertii digiti muscle.

**Postica.** The prepuce.

**Posticulator (posticulator, from *post*, the back, and *tor*, to turn).** One who performs the operation of circumcision.

**Postil'a (postila).** A sty on the eyelid.

**Postilum.**

**Postiloplastic (from *post*, the prepuce, and *plastic*, to form).** Postiloplastic. A plastic operation for the restoration of the prepuce.

**Postil'tis.** Inflammation of the prepuce.

**Postil'um.** Swelling of the prepuce.

**Posthumous (from *post*, after, and *humus*, the ground).** Occurring after death, as the publication of a work after the death of the author.

**Postica.** Situated behind.

**Post-mortem.** After death, applied to an examination of the body after death for the detection of the changes of structure produced by disease.

**Post-partum.** After childbirth, also hemorrhage or any other occurrence ensuing after parturition.

**Postposition (postpositio).** State of being put back or out of the regular place. In Pathology, delay in the return of a paroxysm.

**Potabile (potabilis).** Drinkable. Fit to be drunk.

**Potash.** Vegetable alkali; potassa, gas-ticum; a hydrated peroxide of potassium.

**Potash of Commerce.** Potassa carbonas impura. Impure carbonate of potash, pearl ash.

**Potash.** Potash. Potassa caustica.

**Potassa Caustica.** Caustic potash. See POTASSA FUSA.

**Potassa cum Calce.** Potash with lime, medicinally mixed.

**Potassa Fu'a.** Fused potash. Caustic potash. The hydrate of potash, prepared by evaporating a solution of potash to dryness.

It is a powerful caustic and is used for burning tumors, etc.

**Potassa Impura.** Potash of commerce.

**Potassa-alum.** See POTASSUM SULPHATE OF ALUM. Potassa-alum is employed in prosthetic dentistry for hardening plaster casts or models, to prevent the plaster from adhering to the rubber during the vulcanizing process, and also to prevent the plaster from shrinking. It may be prepared for such use by adding two or three teaspoonfuls of the potassa-alum to six ounces of fresh water.

**Potash Acet'ica.** Acetate of potash. Mildly cathartic and diuretic. Dose as a diuretic, ℥j to ℥j; as a cathartic, ℥j to ℥ij.

**Potassa Aqua Effervescens.** Effervescing solution of potash.

**Potassa Bicarbonas.** Bicarbonate of potash. Its use is the same as that of the carbonate, but it is less acid.

**Potassa Bichro'mas.** Bichromate of potash. In small doses it is an alternative; in large doses, an irritant poison. Externally it is used as a caustic.

**Potassa Bisul'phas.** Bisulphate of potash.

**Potassa Bicar'tras.** Bicarbonate of potash, or cream of tartar. It is cathartic, diuretic, and refrigerant. Dose, ℥ss to ℥j; as a purge.

**Potassa Car'bonas.** Carbonate of potash, formerly called salt of tartar.

**Potassa Carbonas Impu'ra.** Impure carbonate of potash. Potash of commerce. Known in commerce by the name of pearl ash.

**Potassa Carbonas Purus.** Pure carbonate of potash. Carbonate of potash from crystals of tartar. Salt of tartar. Diuretic, antacid, and deobstruent. Dose, gr. x to ℥ss, properly diluted.

**Potassa Chloras.** Chlorate of potash. Prepared by passing an excess of chlorine through a solution of carbonate of potash. It is a white salt of a cooling and slightly astringent taste. A refrigerant and diuretic, emollient and detergent. Dose of chlorate of potash, gr. x to gr. xxx. In Dental Practice it is used in the treatment of mercurial and gangrenous stomatitis, and in erysipelous inflammation of the mouth and throat, especially in cancrum oris, inflammation of the gums, aphthae, ulcers of tongue, both externally and internally. It is also very efficient in fester of the throat. A mouth-wash of it is made by dissolving a teaspoonful of the salt in four ounces of water.

For other dental uses see Gorge's "Dental Medicines."

**Potassum et Soda Tartrea.** Tartrate of potassium and soda. Tartarised soda. Rochelle salt.

**Potassum Hydras.** Hydrate of potassa. Caustic potash.

**Potassum Hydri/odas.** Iodide of potassium. Hydriodate of potassa. See IODIDE OF POTASSIUM.

**Potassum, Liq'ur of.** Solution of potash. Made by boiling potash in H<sub>2</sub>O. Dose, gr. x to gr. xxx.

**Potassum Nitras.** Nitrate of potassa, nitra saltpetre. It is refrigerant, diuretic, and diaphoretic. Dose, gr x to gr ss. It is employed in febrile and inflammatory affections, acute rheumatism, scurvy, purpura, hæmoptysis, dropsy, and inflammatory sore throat; and, in *Dental Practice*, in threatened alveolar abscess is introduced into the pulp-cavity in the form of powder, and is used in the form of a gargle for inflammatory conditions of mucous membranes.

**Potassum Nitras Purifica'tum.** Purified nitrate of potassa.

**Potassum Perman'ganas.** Permanganate of potash. The metal manganese combined with potassa. A substance in needle-shaped crystals of a deep purple color. It is used as an astringent, and is a powerful disinfectant for destroying fætid odors from organic sources, and hence is useful in the treatment of diseases of the antrum, gangrenous ulcers, abscesses, carious bone, ulceration of mucous membrane, for correcting fetor of the breath, abscess of antrum, putrescent pulps, and pyorrhea alveolaris.

**Potassum Sul'phas.** Sulphate of potassa. Purgative and deobstruent. Dose as a purge, gr ss to gr j, as a deobstruent, gr x to gr j.

**Potassum Tar'trea.** Tartate of potassa. Purgative. Dose, gr j to gr j, in solution.

**Potassii Bro'midum.** Bromide of potassium. Formula, KBr. It occurs in white crystals freely soluble in water and slightly soluble in alcohol. Is composed of bromine, iron filings, carbonate of potash, and water. Same use as iodide of potassium, but slower in effect. Dose, gr j to gr ij. It is alterative and resolvent, stimulant and antispasmodic. In *Dental Practice*, bromide of potassium is internally used in convulsions from teething, neuralgia where there is a syphilitic taint, and locally applied for diseases of dental pulp and

periosteum. It is also employed to lessen irritability of the tissues in obtaining impressions of the parts for the construction of an artificial vulva in cleft palate. It has also been used for bleaching discolored teeth, but is not so effective as chlorine.

**Potassii Cyanure'tum.** See CYANURET OF POTASSIUM.

**Potassii Ferrocyanure'tum.** Ferrocyanuret of potassium. It is chiefly used in the preparation of hydrocyanic acid, Prussian blue, etc.

**Potassii Iodi'dum.** Iodide of potassium. Hydriodate of potassa. Formed by decomposing the iodide of iron by carbonate of potassa. Its use is the same as that of iodine in gutta, acrofulous affections, etc., but the iodide of potassium is considered a valuable remedy in secondary syphilis, rheumatism, and lepra. Dose of the saturated solution, from ℥vj to ℥xxx; of the dry salt, from gr. ij to gr. x. Being less irritant, it possesses many advantages over iodine for internal use. It is also more soluble than iodine and is absorbed more rapidly. In *Dental Practice*, iodide of potassium is employed in mercurial stomatitis, dental exostosis, facial neuralgia, convulsions of teething, caries and necrosis of bones of the jaws, diseases of the periosteum, etc. For dental application see Gorge's "Dental Medicine."

**Potassii Sulphure'tum.** Sulphuret of potassium.

**Potassum.** Symbol, K. Atomic weight, 39. The metallic base of potassa. It has the low specific gravity of 0.865, it being the lightest known solid. It has a remarkable affinity for oxygen, igniting when thrown into water. **Potassium Sulphate of Alum.** K<sub>2</sub>Al<sub>2</sub>(SO<sub>4</sub>)<sub>6</sub>. The alum of commerce, a valuable astringent used as a five per cent. solution for a lotion.

**Po'telot.** Sulphuret of molybdenum.

**Po'tency (potentia).** Force; physical power.

**Po'tent (potens).** Powerful; physically strong.

**Potenti'al (from potens, able).** Potentialis. Opposed to actual. Potential curety is a term applied to those therapeutic agents which are capable of destroying vital tissue by establishing a condition incompatible with vitality. See CAUTION.

**Po'tis.** A potius.

**Potio Cal'cis Carbona'tis.** Chalk mixture.

**Po'tion (potis; from potis, to drink).** A.

**Spill** congested; the same as mixture; a medicinal drink.

**Stomach, Pectoral.** Fifteen drops of dilute hydrocyanic acid, mixed with two fluid ounces of infusion of ground ivy and one of syrup of althaea.

**Stomach, River's.** Potio effervescent antiscorbutic diach. riv. of the Parisian codex. A mixture of lemon juice and subcarbonate of potash; an effervescent beverage.

**Stott's Disease.** Caries of the bodies of the vertebrae, causing an angular curvature of the spine forward.

**Stout.** Drink.

**Stitch.** A small bag. In *Pathology*, a morbid dilatation of any part of a canal.

**Stitch.** A cataplexy (which see).

**Stomach.** Pulverised gum sandarach.

**Stomach.** A weight consisting of twelve ounces Troy, or sixteen avoirdupois. See **WEIGHTS AND MEASURES**.

**Stomach's Ligament** (*Ligamentum Stomachicum*). The lower border of the aponeurosis of the external oblique muscle of the abdomen, extending from the anterior spinous process of the ilium to the spine of the pubis.

**Stomach.** In *Pharmacy*, a substance reduced to minute particles by pulverisation.

**Stomach, Compound, of Chalk with Opium.**

**Stomach, Epistole.** An anodyne astringent compound of a mixture of compound powder of chalk, Ivin, and opium, *3iv*

**Stomach, Epistole.**

**Stomach, Chicken.** Varicella.

**Stomach, Small.** Variola.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** The forepart of the thoracic region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Stomach's (from *præ*, before, and *cor*, gen. cordis, the heart).** Pertaining to the anterior surface of the dorsal region.

**Premonitory.** The initial symptoms which indicate an on-coming disease.

**Preparation (preparatio).** That which is prepared by some process, as a pharmaceutical or chemical preparation.

**Prepared Chalk (ovum preparata).** Chalk reduced to an impalpable powder by levigation and elutriation. It possesses antacid and absorbent properties, and is given in cases of acidity of the stomach, and sometimes in diarrhoea. See CRETA PREPARATA.

**Prepared Sponge.** *Spongia preparata* (which see).

**Prepuce (preputium).** The integuments that cover the glans penis.

**Presbyon/oid (from presbyter, old, and ooid, disease).** The disease of advanced life or old age.

**Presbyopia (from presbyter, old, and ope, the eye).** Long-sightedness. A defect of vision, common in old persons, by which objects near by are seen confusedly, whilst at remote distances they are seen distinctly.

**Presbyty'm.** Presbyopia.

**Prescription (prescriptio, from pro, before, and scribere, to write).** The formula of a physician for the composition of medicine. A compound prescription is divided into (1) The basis, or active ingredient; (2) the adjuncts, which assist the operation of the former; (3) the corrigens, which is to correct anything injurious in the operation of the active ingredient; and (4) the constituenta, or mixture which is intended to give to the whole a convenient and agreeable form. But, ordinarily, prescriptions are more simple.

The following is the usual mode of making a prescription R.—Potassum nitratu, ʒij; melle rosæ, ʒiv; infus rosæ, fʒviii. Misce.

**Presentation.** In *Obstetrics*, the part of the fetus over the os uteri which is felt on examination per vaginam during the first stage of parturition. It is called natural when the vertex of the head, the feet, knees, or breech presents, and preternatural when any other part presents. In the latter case the operation of turning is necessary.

**Preputial (preputialis; from pro, before, and apice, the spine).** The anterior surface of the spine.

**Pressure (pressura).** The act of pressing, state of being pressed.

**Pressure, Abdominal.** A means of diagnosis in some diseases of the abdominal and thoracic organs.

**Protile/ial (protitidis; from pro, before, and tibia, the tibia).** Before or in front of the tibia.

**Pringle/cus (from spencer, the penis).** A tent or bougie shaped like the penis.

**Prisep/ism.** Priapismus. Constant and painful erection of the penis, occasioned by morbid causes.

**Prie/pus.** The penis.

**Prickly Ash.** *Xanthoxylum.* A shrub indigenous to the Northern, Middle, and Western States. The bark, root, and berries possess medicinal properties. The bark has an aromatic odor and an acrid, bitter, pungent taste. An infusion of the recent root is said to be emetic and cathartic. In *Dental Practice*, the powder is often efficacious for the relief of odontalgia, and a tincture relieves soreness after the extraction of the dental pulp. A decoction of the bark is useful as a wash for foul ulcers. Another species of prickly ash—*Aralia spinosa*, angelica tree—is found in the Southern States, and sometimes called "toothache tree," as a tincture of the bark affords relief in odontalgia.

**Prickly Heat.** *Lichen tropicus.* A cutaneous affection, consisting of an eruption of numerous elevated papules, about the size of a pin's head, of a bright red color and of an irregular shape, attended by an itching, stinging sensation. It is produced by the high temperature of summer, and occurs on the neck, various parts of the body, arms, and sometimes on the backs of the hands.

**Pri'mæ VI'æ.** The first passages. The stomach and intestinal canal, as distinguished from the lacteals, which are called the *secundæ viæ*.

**Prima'ria (primæ, first).** A term applied to a division or kingdom of organized bodies, including those of which the structure is altogether cellular without vascularity, and which simply possess the power of reproduction without organs appropriated to respiration or circulation.

**Primæry (primærie).** First in order of time. A term applied in *Pathology* to the first symptoms, causes, etc., of disease.

**Primary Cell.** Elementary, primordial, or parent cell. The first cell developed in the formation of an organism, organ, or tissue; the cell developed from a germ or germinal granule.

**Primary Teeth.** The teeth of first dentition.

**Pri'mine.** In *Botany*, the outermost covering of the ovule of plants.



**Proliferate** (from *pro*, and *ferre*, to bring forth). A disease who brings forth for the first time.

**Prothymia**. The part of the liquor acuti changed in putrefaction, which occurs previous to the extrusion of the fetus.

**Prout's Metal**. Tin in number. Stays, arsenic, lime, magnesia, alumina or clay, silica, glauca, silica, yttria, and borax.

**Prout's Metal or Prout's Rupture's Metal**. An alloy of copper and zinc.

**Prout's Metal** (prout's). In a general sense, that from which a thing proceeds; the beginning. In Medicine, that which serves as a basis for a system of practice. In Chemistry, a component part, also a substance on the presence of which certain qualities, common to a number of bodies, depend. Thus, oxygen is an acidifying principle. In Physiology, the proximate principles of animal and vegetable bodies are the particular substances which result from particular modes of combination of ordinary matter, called organic elements or compounds of organization.

**Prout's, Coloring of the Blood**. A solid, insipid, inodorous substance of a red color, a constituent of definite composition which imparts to the blood its red color. It has been found, on analysis, to contain iron, and it is to the presence of this agent that the red color of the blood is ascribed.

**Prout's, Digestive**. Pepsin.

**Prout's, Immune**. A name given in Chemistry to substances obtained, in some measure, immediately from animals and vegetables by simple processes, composed of three or more elements, as the fatty principles, which are stearin, olein, cholesterin, etc.

**Prout's, Vital**. See VITAL PRINCIPLE.

**Prout's, Prout's**. Immediate principles; organic elements; compounds of organization.

**Prout's** (from *pro*, a saw, and *ceder*, shape). Serrated. A term applied in Anatomy to the surface of the cranium.

**Proter**. The first; anterior, applied in Anatomy to certain muscles and parts, from their situation.

**Proter Anaxia**. An internal interosseous muscle of the hand.

**Proter Anaxia**. A muscle of the hand which shows the first finger outward.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. An external interosseous muscle of the hand.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proter Anaxia**. The adductor indicis pollicis, an internal interosseous muscle of the foot.

**Proces's/dysis** (from *pro*, before, and *so-dosis*, a condyle). The first joint of the finger next the metacarpus.

**Proces's'tion** (procreant). The act of begetting; fecundation; generation.

**Proctalg'ia** (from *proctos*, anus, and *algos*, pain). Pain in the anus.

**Proctofistula** (from *proctos*, anus, and *fistula*, imperforation). Imperforated anus.

**Proctitis** (from *proctos*, anus) Disease of the anus without primary inflammation.

**Proctitis**. Inflammation of the anus.

**Proctoco'ele** (from *proctos*, anus, and *coele*, bad). A name given by Fuchs to an adynamic, inflammatory condition of the rectum, frequently terminating in gangrene, and said to be common in Peru and in many other parts of South America and in some parts of Africa. The Portuguese call it *Moko*, and *Moko de cahe*, and the people of Quito, *mal de valle*. In Africa it is called *Moko de kile*.

**Proctocele** (from *proctos*, anus, and *coele*, hernia). Prolapsed ani, or, more properly, a hernia-like protrusion of the rectum through the anus.

**Proctocystostom'ia** (from *proctos*, anus, *stoma*, a pouch, and *to*, to cut). The operation of Hihotomy by cutting into the bladder through the septum lying between it and the rectum.

**Proctodermocorries's**. Proctorrhina (which see).

**Procton'cus** (from *proctos*, anus, and *oncus*, swelling). Tumefaction of the anus.

**Proctoparaly'sis**. Paralysis of the muscular coat of the rectum.

**Proctop'tic'sis** (from *proctos*, anus, and *ptosis*, a falling down) Prolapsed ani.

**Proctorrhin'gia** (from *proctos*, anus, and *rhin*, to burst forth). Hemorrhoidal flux.

**Proctorrhin's** (from *proctos*, anus, and *rhoi*, to flow) A discharge of mucus from the anus.

**Proctos**. The anus.

**Procto'sis**. Proctoco'ele.

**Proctotomy** (*proctos*, the anus, and *to*, to cut). The operation for fistula in ano, etc.

**Proctus/hant** (procreant) Lying down flat on the face.

**Prognathod'ont** (from *pro*, and *gnathos*, a canine or cupid tooth). The projection of a cupid tooth in the front of the dental arch—a common variety of irregularity.

**Prognos'tics** (from *pro*, before, and *gnosis*, to know). Prognosis. The period which immediately precedes the attack of disease. Prognostic.

**Prognosis** (from *prognosis*, to produce). The tangible result of a chemical or pharmaceutical operation.

**Prognosis**. An epiphysis. Production. A prolongation, a process; that which is produced.

**Prognosis**. A press; a tourniquet.

**Prognosis**. Premature development of the sexual organs, genital precocity.

**Prognosis**. A term applied in Pathology to all morbid discharges or fluxes.

**Prognosis** (from *prognosis*, to run down). A discharge of flux.

**Prognosis**. Deep-seated; also the flexor profundus pedibrans muscle.

**Prognosis**. A flow of fluids, as that of blood, without fever.

**Prognosis** (from *pro*, before, and *gnosis*, the tongue). The tip of the tongue.

**Prognosis**. Protrusion of the jaw.

**Prognathous** (from *pro*, before, and *gnathos*, the jaw). Having a projecting jaw, as in the case where the teeth of the inferior maxillary arch in front of those of the superior.

**Prognosis** (from *pro*, before, and *gnosis*, to know). The art of foretelling the future progress and termination of a disease from the symptoms.

**Prognosis**. The prediction of the termination of a disease. Pertaining to prognosis.

**Prognosis**. Prochelinum. The extreme prominent part of the lip.

**Prognosis** (from *prognosis*, to slip down). The falling down of a part of a viscus from its natural position.

**Prognosis Ani**. The involution and falling down of the lower part of the rectum.

**Prognosis Ir'idis**. Protrusion of the iris through a wound in the cornea.

**Prognosis U'teri**. A falling down of the uterus from relaxation.

**Prognosis U'vulae**. Elongation and elongation of the uvula. Staphylodema.

**Prognosis Vagi'nis**. Protrusion of the upper part of the vagina into the lower.

**Prognosis** (prognosis). The act of separating the finer parts of a body from the grosser.

**Prognosis** (from *pro*, before, and *gnosis*, to know). In Medicine, anticipating the

usual form, applied to a periodical disease, the symptoms of which return at an earlier period at every repetition.

**Proliferous.** Proliferating, producing new things in abundance.

**Prolific** (from *proles*, offspring, and *facere*, to make) Proliferation, fruitful A term applied to men and animals which possess the faculty of propagating their species.

**Proliferous** (from *proles*, offspring and *ferre*, to carry) Bearing the off-spring A genus of prokionites.

**Proleptops** (*proleptops*, from *pro* before, and *leptops* the forehead) The skin of the forehead.

**Proleptant** (*proleptant*) Projecting.

**Proleptantia.** Proleptance.

**Proleptantory.** Proleptantum In *Anat.* only, a projection of the inner ear.

**Proleptantory of the Sacrum.** The superior or projecting portion of the sacrum when it sits in the pelvis.

**Proleptant.** Pronation (*proleptant* from *proleptant*, inclined forward) The turning of the palm of the hand or arm downward or backward.

**Proleptant.** That which produces pronation, a name applied to two muscles of the forearm and hand.

**Proleptant Radialis Quadratus.** A small fleshy muscle situated at the lower and inner part of the forearm.

**Proleptant Radialis.** A muscle situated at the upper and anterior part of the forearm.

**Proleptant.** Having the face down palm of hand turned downward.

**Proleptantia.** An spongy or tendon.

**Proleptant.** The female and male elements which unite in the process of impregnation to form the ovum or fertilized ovum.

**Proleptant.** Inclined forward, leaning hanging, sleeping, or bending downward.

**Proleptant.** A mixture of equal weights of absolute alcohol and water, the specific gravity of which is 0.98.

**Proleptant.** A product of proteid digestion preventing the formation of pepsine.

**Proleptantia** (*proleptantia*) A preventive, a preventative.

**Proleptantia Medica Hygiene.**

**Proleptantia.** Preventive treatment.

**Proleptantia, Definita.** The preparation in which chemical substances which have a strong affinity for one another mutually combine.

**Proleptant.** Proper Applied in *Anatomy* to a muscle of the ear.

**Proleptant** (from *pro*, and *leptant*, falling) A falling or downward movement, proleptant.

**Proleptant.** The compact.

**Proleptant** (from *proleptant* to out) One who denotes a subject for anatomical demonstration.

**Proleptantia** (from *proleptant*, the face, and *leptant* pain) Facial neuralgia, neuralgia of the fifth pair.

**Proleptantia.** The frontal sinus.

**Proleptantia.** Inflammation of the frontal sinus.

**Proleptant** (*proleptant*) The face.

**Proleptantia** (from *proleptant*, neuralgia) Neuralgia of the face.

**Proleptantia.** Adhesion, applied in a limited sense to adhesion of the eyelids.

**Proleptant.** Abundance of excrementitious humors.

**Proleptant** (*proleptant* from *pro*, before, and *leptant*, to stand) Standing before, jutting out.

**Proleptant Gland.** A glandular, cordiform body, situated before the neck of the bladder and behind the bulb of the urethra.

**Proleptantia** (from *proleptant*, prostate, and *leptant* an ulcer) Ulceration of the prostate gland.

**Proleptant.** Pertaining to the prostate gland.

**Proleptant Concretions.** Calculi of the prostate gland.

**Proleptant Urethra.** That portion of the urethra occupied by the prostate gland.

**Proleptant Superior.** The compressor prostate, a muscle embracing the prostate gland and formed of the anterior fibres of the levator ani.

**Proleptantia.** Inflammation of the prostate gland.

**Proleptantia.** Prostatitis.

**Proleptantia** (from *proleptant*, prostate, and *leptant* a tumor) Swelling of the prostate gland.

**Proleptant.** In *Surgery*, the replacement of a lost organ or part with an artificial substitute. In *Medicine*, an overlapping, as of one febrile paroxysm upon another.

**Proleptant, Dental.** The replacement of the loss of one or more teeth with an artificial substitute. See *ARTIFICIAL TEETH*.

**Proleptant.** Pertaining to prosthetics.

**Proleptant Dentistry.** The science and art

of the replacement of natural teeth by artificial substitutes, or the replacement of other parts pertaining to the mouth by such substitutes. Commonly known as *Mechanical Dentistry*.

**Prostoma** (from *pros*, before, and *stoma*, mouth). The constriction of the lips.

**Prostration** (*prostratus*). Depression of strength and partial loss of voluntary power over the muscles.

**Protagon** (from *protos*, first). A nitrogenous glucoside containing phosphorus, and obtained from nerve tissue; a crystalline substance forming a large part of the brain substance.

**Protective**. In *Machinar*, applied to a substance which protects the surface from extraneous irritation, for example, lead plaster for bed sores.

**Protoid** (from *protos*, first). A general term used to denote a series of complex nitrogenous substances forming the important and characteristic constituent of solids and circulating fluids of the animal body, and also found in seeds and other parts of plants. They are precipitated from solutions by alcohol and different metallic salts, coagulated by heat and mineral acids.

**Protobiont**. Having various forms.

**Protein** (from *protein*, to be first). Protein. A nitrogenous substance analogous to fibrin, and formed by the action of an alkaline hydrate on albumen, fibrin, or casein. This organic compound was described by Mulder as the basis of albumen, fibrin, casein, and gelatin; it is now identified with alkali-albumin.

**Proteinaceous Principles**. Albuminous alimentary principles which yield protein, their composition being identical with that of the constituents of the blood.

**Proteinous**. Proteinaceous. Of or belonging to protein.

**Proteose**. A generic term including the albuminous and other substances formed in the primary stage of the digestion of proteids.

**Prothecia**. Prothecium (which see)

**Proto-** (from *protos*, first). A prefix denoting, in Chemistry, the lowest degree in which one body unites with another, and in Botany and Zoology, the lowest or earliest form of a plant or animal.

**Proto-compound**. A binary compound of single equivalents of salt-acid and base.

**Protoplast** (from *protos*, and *plastos*, to form). A cell without a distinct cell-wall.

**Protoplasma**. A diatom.

**Protopathic** (*protopathos*; from *protos*, first, and *pathos*, a disease). Idiopathic; primary disease.

**Protophyte** (from *protos*, first, and *phyton*, a plant). A vegetable production of the lowest organization, as a cryptogamic plant, a fungus.

**Protoplasm** (*protos*, first, and *plasma*, to form). Sarcode, blastema; protoplast; bioplasm, germinal matter. The nucleogene, granular matter of the cell, which has the power of reproducing itself and forming new cells. The physical basis of life. The nitrogenous substance from which the cell-nucleus is formed.

**Protoplast**. Protoplasma. A primary formation. See PROTOPLASM

**Protosalt**. In Chemistry, the salt of a protoxide.

**Protosulphate**. In Chemistry, a compound of sulphuric acid with a protoxide.

**Protoxide** (from *protos*, first, and *oxide*). The first or lowest degree of oxidation of a body capable of combining with oxygen in several different proportions. The oxide which has the smallest quantity of oxygen when there are several different oxides of the same substance.

**Protozoa** (from *protos*, first, and *zoo*, animal). The lowest class of animals, or those which have only the first step of organization.

**Protractor**. In Surgery, an instrument for the removal of extraneous bodies from wounds.

**Protruberance** (*protruberantia*; from *pro*, before, and *tuber*, a puff, bunch, or projection). In Anatomy, irregularly-rounded eminences on the surface of the bones, as the occipital and parietal protruberances. In Pathology, a swelling or tumor on the body.

**Protruberantia**. A protruberance.

**Proud Flesh**. Fungus. Any redundant growth of healthy granulation.

**Proventriculus** (from *pro*, before, and *ventriculus*, the stomach). In Ornithology, the bulbous expansion at the termination of the oesophagus above the gizzard of birds.

**Præmaxillary Surface**. The surface of a tooth next to the median line. The surface or end of a bone next to the centre of the body.

**Pru'p'rin** (*pru'prin*). *Pruritus*, next in order. *Intermediate*.

**Pru'p'rinic Acid**. In Chemistry, the resolution of a substance into the secondary compounds of which it is composed, opposed to ultimate analysis, which consists of the resolution of a substance into its absolute elements.

**Pru'p'rinic Cause**. That which immediately produces and produces the effect.

**Pru'p'rinic Principles**. The distinct compounds which exist ready formed in animals and vegetables, as albumen, etc. The elements of which pruritic principles are composed are called ultimate principles. See **PRINCIPLES**.

**Pru'p'rin**. An antiprur.

**Pru'p'rin** (*from prurere to itch*). *Pruritus*. A term employed by Willan and Bateman to designate a genus of cutaneous diseases, characterized by a troublesome itching and accompanied by an eruption of papules of nearly the same color as the adjoining cuticle, comprehending three species. (1) *Prurigo eructa*, which affects young persons, and is characterized by soft and smooth elevations of the cuticle, but without redness or much inflammation, except from violent friction, and attended with no itching sensation. When neglected it terminates in the itch. (2) *Prurigo furfuracea* usually affects adults, and the papules are sometimes larger and sometimes not so distinct as the first species, but attended with incessant and insupportable itching. The eruption is diffused over the whole body except the face, feet, and palms of the hands and sometimes terminates in a non-contiguous pustular eruption. (3) *Prurigo scabida*, a disease somewhat similar to the second species of prurigo though generally of a more permanent and aggravated form.

**Pru'p'rin**. Itching, prurigo.

**Pru'p'rinic Blue**. *Ferrum ferrocyanide* (from *Ferrocyanide of iron*, *ferrocyanide* of iron). A beautiful deep blue compound much used as a pigment. The composition of the pure anhydrous Prussian blue is  $3FeCy + 2FeCy_2$ . In Pharmacy, this salt is used in the preparation of hydrocyanic acid and the cyanide of mercury. In Medicine it is sometimes used as a tannin and astringent.

**Pru'p'rinic**. A combination of pruritic acid with a base.

**Pru'p'rinic of Iron**. Prussian Blue.

**Pru'p'rinic of Potash**. *Ferrocyanide of Potash*.

*ferrocyanide of potassium*, in the form of yellow crystals. It is much used as a test of the presence of metals, especially of iron, the peroxide of which it throws down from its solutions in the state of Prussian blue.

**Pru'p'ric Acid**. Hydrocyanic acid. It is a nervous sedative and the most deadly poison known. A single drop may cause death. Minute doses of the diluted acid are sometimes administered in pulmonary affections.

**Pru'p'rin**. Cyanogen.

**Pru'p'rin**. See **CORPUS PRALLIDUM**.

**Pru'p'rin**. See **LITRA**.

**Pru'p'rin** (*from prallere, to stammer*). Imperfect articulation of speech.

**Pru'p'rin** (*from prallere, to stammer*, and *prallere, to feed*). Depraved feeling, imaginary sense of touch in parts which have long been removed often experienced after the amputation of a limb.

**Pru'p'rin** (*from prallere, to stammer*, and *prallere, a joint*). A false joint.

**Pru'p'rin** (*from prallere, to stammer*). A prefix denoting spuriousness.

**Pru'p'rin**. *Laryngismus stridulus* (which see).

**Pru'p'rin**. A false membrane, consisting of an organized layer of effused lymph.

**Pru'p'rin**. Emaciation resulting from other causes than tuberculous of the lungs.

**Pru'p'rin**. *Pseudo-pluritis*. *Pseudo-dynia*.

**Pru'p'rin**. A sound heard during respiration like the ordinary rhonchus in the air passages, but which is anterior to them, as in the case of pleural pseudo-rhonchus.

**Pru'p'rin** (*from prallere, to stammer*, and *prallere, right*). Perverted vision, depraved sight, in which objects appear different from what they are.

**Pru'p'rin**. False conception.

**Pru'p'rin**. False or perverted sense of smell.

**Pru'p'rin** (*from prallere, to stammer*, and *prallere, to stammer*). A tribe of polygynous insects in which the body, by various contractions and changes of form, produces poll form processes.

**Pru'p'rin**. False or perverted appetite.

**Pru'p'rin**. False membrane.

**Pru'p'rin**. Duplicitary application.

**Pru'p'rin**. The limbs, also the name of two pairs of muscles of the limbs.

**Pru'p'rin** (*from prallere, to stammer*). Perturbating.

to the latus. Applied to two muscles of each latus, the *pross magnum* and *pross parvum*.

**Pross Albus.** Lanthan album.

**Pross Magnus.** A long, thick muscle, situated on the anterior and lateral parts of the lumbar vertebrae.

**Pross Parvus.** A muscle situated anterior to the *pross magnum*.

**Psell'itis.** Inflammation of the *pross* muscles.

**Psilon/cus.** Swelling of the penis or glans penis.

**Psora.** Scabies; itch.

**Psora Lepro'sa.** Psoriasis.

**Psoreico'nus** (*ψυρα*, the itch, and *ελκος*, an ulcer). A scabious ulcer.

**Psoreico'sis.** Scabious ulceration.

**Psori'asis** (*ψυρα*, the itch). A cutaneous eruption, consisting of patches of rough amorphous scales, sometimes continuous and sometimes in separate patches, varying in size, of an irregular figure, and attended with chaps in the skin. It has, according to Dr Willan, the following varieties. (1) *Psoriasis guttata*, which consists of irregular patches of laminated scales, with little or no inflammation. (2) *Psoriasis diffusa*, consisting of large, irregularly circumscribed, reddish patches upon the skin, which are rough, fissured, with scales interspersed, and wrinkled. It appears most frequently on the cheeks, temples, upper eyelids, corners of the eyes, neck, chin, external ear, the back of the forearm, hand, and fingers, sometimes extending the nails to crack and exfoliate. It also affects the scaly part of the lower extremities. (3) *Psoriasis gyrate*, characterized by slight cutaneous scales, distributed in narrow patches of a circular or semicircular form, with vermiform appendages. (4) *Psoriasis palmaris*, an obstinate species of tetter, mostly confined to the palms of the hands. (5) *Psoriasis labialis*, characterized by scabiness of the skin, intermixed with fissures and chaps, and is often wholly confined to the lip. (6) *Psoriasis scrotalis*, consisting of scabiness of the scrotum, attended with heat, redness, tension, and itching. (7) *Psoriasis infantilis*, characterized by scaly patches of various sizes, on the cheeks, chin, breast, back, nates, and thighs, commencing between the ages of two months and two years. (8) *Psoriasis frustulata*, consisting of nodules of the skin generally, which becomes harsh, dry, thickened, red, and deeply fissured.

**Psor'icus.** Pertaining to *psora*.

**Psorophthal'mia** (from *ψυρα*, the itch, and

*ophthalmos*, the eye). Ophthalmic tend. inflammation of the eyelids, attended with itching and ulceration.

**Psychicogones** (from *ψυχη*, life, soul, and *κίνησις*, to move). Medicines which reconstitute, as in cases of syncope.

**Psy'cho.** The mind or soul.

**Psychiatr'ia** (from *ψυχη*, mind, and *αἵρεσις*, healing). Treatment of mental disease.

**Psy'chical.** Relating to the mind or mental endowment. Also sometimes applied to analogous phenomena in the lower animals.

**Psychology** (from *ψυχη*, the mind, and *λογία*, a discourse). Psychology. A treatise on the moral or intellectual faculties. Mental philosophy.

**Psydra'cium** (from *ψύδρα*, a pustule). A small, irregularly circumscribed pustule, which terminates in a laminated scale.

**Ptar'mic** (*πταρμικός*, to sneeze). Causing to sneeze, stimulatory.

**Ptar'micus** (from *πταρμικός*, to sneeze). An arthritic, a stimulatory.

**Pteryg'ium** (from *πτερυγία*, a wing). Pterygion. An excrescence of a triangular shape occurring in the inner canthus of the eye, and thence extending over the cornea.

**Ptery'goid** (from *πτερυγία*, a wing, and *ειδής*, resemblance). Pterygoid, pterygoidum. Resembling the wing of a bird.

**Ptery'goid Artery.** The superior pharyngeal artery, also the branches furnished to the pterygoid muscle.

**Ptery'goid Bone.** The sphenoid bone.

**Ptery'goid Canal.** The narrow channel which traverses the base of the pterygoid process.

**Ptery'goid Fossa.** The depression between the alae of the pterygoid process.

**Ptery'goid Muscles.** The pterygoides externus and the pterygoides internus (which see).

**Ptery'goid Nerves.** The Vidian nerves; also the branches of the inferior maxillary, distributed to the pterygoid muscles.

**Ptery'goid Process'es.** The descending processes of the sphenoid bone.

**Ptery'goides'ma.** Pterygoid.

**Ptery'goides Ext'erna.** A muscle arising from the outward surface of the external plate of the pterygoid process of the sphenoid bone, from the tubercle of the superior maxilla and from the ridge on the sphenoid bone, separating the zygomatic from the pterygoid fossa, and inserted into the lower side of the neck of the lower jaw.

**Pterygoideus Inter'us.** A muscle arising from the internal surface of the pterygoid plate, filling up the greater part of the pterygoid fossa, and inserted tendinous and fleshy in the inner face of the angle of the lower jaw and capsular ligaments of the articulation.

The *pterygoideus externus* and *internus* are the great agents concerned in producing the grinding motion of the jaws, and thus they do by acting alternately.

The external one is triangular, having its base at the pterygoid process and running outward and backward to the neck of the condyle. When the pair act together the lower jaw is thrown forward. The internal is strong and thick, placed on the inside of the ramus of the jaw, and running downward and backward to the angle. When it and its fellow act together, the jaw is drawn forward and closed. Dr. T. B. Gamgee believed these muscles to be concerned in opening the jaws.

**Pterygoideus Major.** The pterygoideus in terms muscle.

**Pterygoideus Minor.** The pterygoideus externus muscle.

**Pterygo'ma.** A wing, a pendulous body. **Pterygo-pal'atine.** Behaving or relating to the pterygoid process and palate.

**Pterygo-pharynge'ma.** The constrictor pharyngeus superior.

**Pter'yx.** A wing, also.

**Ptosis** (from *ptōō*, to fall) Madarosis. Loss of the eyelashes, caused by chronic inflammation.

**PT'sm.** Mucilaginous pastosal drinks.

**Ptomaines.** Putrefactive alkaloids, of both animal and vegetable origin, which are formed during the putrefaction of organic matter. Some are poisonous, but the greater number not so.

**Pto'sis** (from *ptōō*, to fall) Prolapsus or falling of the upper eyelids. This affection has been relieved by the extraction of carious teeth.

**Puncta le'itis.** A prolapsus of the iris through a wound in the cornea.

**Puncta Pal'petens.** Inability to raise the upper eyelid.

**Ptych'oglossa.** A salivaglossa.

**Pty'ctin.** Ptyaline. An albuminous constituent of the saliva, but in such a state of change as to not be part of an uncoagulated stream. It has the property of changing starch into dextrine and a sugar known as

ptyalose. Upon its presence the pectiniferous particles of this liquid appear to depend. Without being identical with albumen and casein, according to Professor Lehmann, it closely resembles both.

**Pty'alium** (from *ptōō*, to spit). Ptyalismus. Salivation; an increased secretion of saliva, arising either from the use of narcotics, malodorous, or from constitutional causes.

**Ptyalism, Mercu'rial.** Mercurial salivation.

See SALIVATION, MERCU'RIAL.

**Ptyalops'thisis** (*ptōō*, to spit, and *stōō*, a wasting) Wasting from excessive salivation.

**Pty'alora.** See PTYALIN.

**Pty'alum.** Saliva; mucous spitte.

**Pty'alum** (*ptōō*, to spit). Saliva.

**Ptye'ma** (*ptōō*, to spit). Sputum (which see).

**Ptye'magogus** (from *ptōō*, saliva, and *gōō*, to drive) Expectorant; a salivaglossa.

**Puber'tas.** The age of puberty.

**Pa'ber'ty.** The period of life when an individual becomes capable of propagation. The stage of puberty occasions such a degree of nervous change or aberration as to affect the quality of such of the permanent teeth—the third molar, for example—as have not completed their formation at this age. The inferior quality of the third molar has been ascribed by some to the disturbances of puberty affecting the nervous centers concerned in the development of such teeth.

**Pa'bos.** The lower part of the hypogastric region, which, after the age of puberty, is covered with hair.

**Pubes'cence.** The state of a youth who has arrived at puberty, or the state of puberty. In *Botany*, the short hairs or down which partially covers the outside of leaves.

**Pubes'cent.** Covered with soft wool or hair.

**Pa'bic** (*pubes*). Pertaining to or concerning the pubes.

**Pubis Arch.** The arch at the anterior part of the inferior circumference of the pelvis, formed by the union of the two os pubis.

**Pubic Articula'tion.** The symphysis pubis.

**Pubic Li'gaments.** The two ligaments, called the anterior and posterior pubic, by which the two os pubis are connected.

**Pubic Re'gion** (*regio pubis*). The center of the hypogastric region.

**Pa'bis Os.** The anterior portion of the os

incubation, but a separate home in the fetal pelvis.

**Pudor'da.** The genital organs.

**Pudenda Vico'rum** (vir, man). Male organs of generation.

**Pudend'agra.** Pain or any disease in the genital parts.

**Pudor'dum** (from *pudore*, to be ashamed)

**Pudenda.** The parts of generation.

**Pudendum Muliebre.** The female parts of generation; the vulva.

**Pudib'nda** (from *pudore*, to be ashamed)

The genital organs of the male.

**Pudic** (*pudicus*) That which causes shame.

Pertaining to the pudenda.

**Pudic Ar'teries.** The arteries distributed to the parts of generation.

**Pudic Nerve.** A branch derived from the sacral plexus and distributed to the genital organs.

**Pu'erile** (*puerile*; from *puer*, a child). A term applied to loud respiration when heard through the stethoscope, as in healthy children.

**Pueril'itas.** Dotage, senile delirium or imbecility.

**Puer'pera** (from *puer*, a child, and *parere*, to bring forth) A lying in woman; one recently delivered.

**Puer'peral.** Pertaining to child-birth, as puerperal convulsions.

**Puerperal Convuls'ions.** Convulsions of parturient women.

**Puerperal Fever.** Any fever occurring during the puerperal state, but generally restricted to a malignant form of peritonitis occurring usually about the third day after child-birth.

**Puff'iness.** Inflation of the integuments, caused by an effusion of air, extravasation of blood, or accumulation of serum.

**Pugn'us** (from *pugna*, the fist) The eighth part of a handful.

**Pulver'ria.** A cutaneous eruption resembling gnaw-bites; applied also to diseases attended by such eruptions.

**Pul'mo.** The lung (which see)

**Pul'mon'eter.** An instrument for measuring the capacity of the lungs.

**Pul'monary** (*pulmonalis*). Belonging or relating to the lungs.

**Pulmonary Ar'tery.** The artery which carries the blood from the right ventricle of the heart to the lungs.

**Pulmonary Circula'tion.** See CIRCULATION.

**Pulmonary Consumption.** *Phthisis pulmo-nalis.*

**Pulmonary Plexus.** The bronchial plexus.

**Pulmonary Transpira'tion.** The aqueous vapor thrown out in expiration.

**Pulmonary Veins.** The veins which receive the blood from the minute extremities of the pulmonary artery, unite into four trunks, and empty themselves into the left auricle of the heart.

**Pulmon'ic.** Belonging or relating to the lungs, applied to individuals suffering from pulmonary disease.

**Pulmonit'is.** See PNEUMONITIS.

**Pulp** (*pulpa*). In *Anatomy* the soft and vascular part of a tooth situated in the central chamber of the organ, also the rudiment of a tooth.

**Pulp Capping.** See CAPPING PULPS OR TEETH.

**Pulp Cavity.** The cavity in a tooth containing the pulp.

**Pulp, Dental.** See DENTAL PULP; also TEETH, DEVELOPMENT OF.

**Pulp Nodule.** A deposit of calcareous matter originating in the veins of the dental pulp as a result of venous congestion or hypæmia. These nodules are of an irregular form, and are made up of an aggregation of smaller nodules. They are more abundant in the teeth in the middle-aged and the old, and especially in teeth subject to abscess.

**Pulp of the Fingers.** The fleshy ends of the fingers.

**Pulp of Tooth.** See DENTAL PULP.

**Pul'pa Den'tis.** A dental pulp.

**Pulpal'gia** (from *pulpa*, and *algia*, pain).

Pain in tooth pulp.

**Pulp'amen.** A pulp.

**Pulpit'is** (from *pulpa*, and *itis*) Inflammation of dental pulp. The causes of pulpitis are exposure of the pulp by decay, abrasions of the teeth, mechanical violence, carelessness in the use of the burr in the preparation of cavities in teeth for filling, etc. The pulp will recover from a restricted form of inflammation if placed in a good hygienic condition.

**Pul'satile** (*pulsa*, to beat, to throb) Beating, pulsating.

**Pulsat'ion** (*pulsatio*) The beating of the heart and arteries, also the beating of an inflamed part.

**Pulse** (from *pulsa*, to beat). *Pulsus.* The pulse is produced by the action of the heart, this organ taking the blood from the lungs



when not feeling it into the artery. The pulse is generally felt at the wrist by pressing the fingers upon the radial artery. A great number of characters of pulse have been enumerated; as a strong pulse, a hard pulse, a soft pulse, a slow pulse, a weak pulse, a quiet pulse, a natural pulse, with numerous other varieties. By a strong pulse is meant one which resists compression by the finger—in inflammatory affections, especially of the parenchyma of solid viscera, as lungs and liver, in the active hemorrhages. In plethoric and strong individuals any derangement of the circulation will cause it. By a weak pulse is meant one easily compressible—disease with prostration, nervous and chronic affections, diseases of old men, children, and women. A full or large pulse, where the volume of artery seems increased—natural pulse of plethoric and tall persons, cerebral congestion and apoplexy, cardiac disease. A small or low pulse is the opposite of full—peritonitis, pericarditis, infarction of stomach, intestines, bladder, etc., in nervous affections, in cholera, etc. By a slow pulse, less than the standard. By tense or corded, a pulse which is hard, sharp, or sustained, giving a vibratory sensation to the finger—in sanguine congestions, active hemorrhages, neuritis, lead colic, etc. By a soft pulse is meant one compressible or liquid, yielding readily to pressure—in adynamic affections. By a quick pulse, one where there is rapidity of each stroke. A natural pulse is one that is equal and regular in strength and frequency.

The pulse is more frequent in persons of an excitable temperament than in those of an opposite character, and usually more frequent in women than in men. The pulse of an adult at rest and in perfect health is from 65 to 75 beats a minute. An infant at birth has from 120 to 140 pulsations a minute; a child a year old, from 110 to 120; at three years old, from 90 to 100; at ten years, from 80 to 90; at puberty, about 80.

There is a frequent pulse in febrile and inflammatory diseases, hemorrhages, etc.; slow or infrequent in apoplexy, acute tubercular meningitis, some adynamic affections, sometimes in diseases of the heart; unequal, double in beat, or disturbed in convulsions.

**Pulse/lessness.** Failure of the pulse.

**Pulsill'gram.** Pulsimeter. An instrument for measuring the frequency and force of the pulse.

**Pulsimeter's.** Fragments by the pulse.

**Pulsimeter's.** Pulsill'gram.

**Pul'sus.** The pulse.

**Pulsus Cor'dis.** The impulse of the heart.

**Pulsus Di'stortus.** A pulse which conveys to the finger the impression of a double pulsation; a rebounding pulse.

**Pulsus Horr'ius.** A pulse in which some of the beats are strong and others weak.

**Pulsus Sudo'ris.** A pulse indicating the approach of perspiration.

**Pulsus Tar'dus.** A slow pulse.

**Pulsus Vac'uus.** A pulse which conveys the sensation of emptiness of the artery.

**Pulsus Veno'sus.** Pulsus venarum. The pulsation sometimes felt in the jugular vein, occasioned by the regurgitation of some of the blood from the right ventricle to the right auricle, indicating obstruction of the pulmonary arteries.

**Pulvis'cons.** Macerated; nearly fluid; having the consistency of porridge.

**Pul'tice.** A poultice.

**Pulver.** A medicinal substance in a state of very fine division.

**Pulverization (pulver'ate).** The operation of reducing hard substances to powder.

**Pulver'ulent.** In the state of a powder.

**Pulvi'nar (pulvis'arum).** A medicated pillow.

**Pulv'ear Hu'mill.** A pillow of hops, sometimes employed in mania.

**Pul'vis.** A powder, a substance reduced by pulverization into a powder.

**Pulvis Al'oes Compos'itus.** (Ph. L.) Compound powder of aloes.

**Pul'mex.** Pumex.

**Pum'ice.** A porous, volcanic substance, consisting chiefly of silica and alumina. It is sometimes used in a finely pulverized state, in connection with other ingredients, as a dentifrice. It is also used in the process of finishing pieces of mechanical dentistry.

**Pumil'lo.** Pumilus. A dwarf (white see).

**Punch (from pungere, to prick).** Rhinagra.

An instrument sometimes employed in the extraction of teeth. It is called by the French *pié-de-Méle* (hind's foot), and consists of a steel shaft fixed in a bulbous handle, parallel to its length; the extremity bent a little downward, bifurcated, and grooved upon its upper surface. Also a steel instrument with a small hooked point used for making holes through thin plates of softer metal, as the backings of mineral teeth, for the platinum sheets. Also on

alcoholic drink composed of spirit, lemon-juice, and sugar.

**Punch Forceps.** In *Mechanical Dentistry*, an instrument, resembling a pair of forceps, employed for punching holes through the metallic backings for the pins of mineral plate-teeth.

**Puncta** (plural of *punctum*, a point). Points.

**Puncta Lacrymalia.** Lacrymal points. Two small orifices at the edges of the eyelids near the inner angle of the eye.

**Puncta Ossificatio/nis** Points of ossification.

**Punctata.** Dotted punctured.

**Puncticulus.** Pitechla.

**Punctum** (from *pungere*, to prick) A point, a stitch.

**Punctum Cecum.** A spot in the centre of the retina where the central artery enters the eye. Also called *porus opticus*.

**Punctum Scellens.** The first point developed after the foundation of the germ.

**Punctura.** A puncture, also puncture.

**Puncture** (*puncture*). A wound or hole made by a small pointed instrument. Also the act of perforating with a small pointed instrument.

**Puncture, Electro- and Galvano-.** An operation to introduce electricity and galvanism to deep tissues. Needles are used which have a small ring to which the wire of the pole of the battery is attached. In their application two needles are introduced, one at either extremity of the organ, and the two are then connected with the poles of the battery.

**Punctured Wound.** A wound made by a long pointed instrument, penetrating to a considerable depth.

**Puncturing.** Piercing with a small pointed instrument.

**Pungent.** Sharp, stinging; biting, acrid applied to odors and tastes.

**Punk.** A species of fungus, the *Boletus igniarius*, used as a tinder. Prepared punk is also used in *Dentistry* for drying cavities preparatory to introducing the filling. See *BOLETUS IGNIARIUS*.

**Pur'ga.** An insect in the third or last state but one of its existence.

**Pur'pili** (*pupille*). The opening of the iris, through which the rays of light pass.

**Pupli, Artificial.** An opening formed through the iris after it is closed.

**Pupli, Closure of the.** See *SYMBRYN*.

**Pupill'ice Velum.** The pupillary membrane.

**Pupill'ice.** Pupillary.

**Pupillaris Membr'ana.** The pupillary membrane.

**Pu'pillary** (from *pupille*, the pupil). Pupillary. Pertaining to the pupil.

**Pupillary Membr'ana.** Membrana pupillaris (which see).

**Pur'blindness.** Dimness of sight. See *MYOPIA*.

**Purgamentum.** A purge.

**Purgatio** (*perpatis*) Catharsis; the action of purgative medicine.

**Purgatio/nis.** The menses.

**Purg'ative** (from *purgo*, to cleanse). A medicine which increases very considerably the alvine evacuations, less active than a cathartic, but more potent than a laxative.

**Pur'ge.** A purgative.

**Purg'ing.** A diarrhoea, premature evacuation of the intestines.

**Purificans.** Purifying.

**Purificatio/nis.** A term applied in Therapeutics to medicines that cleanse or purify the blood.

**Pu'riform** (*puriformis*; from *pus*, and *forma*, resemblance) That which resembles or has the character of pus.

**Purple Powder of Cassia** (*cassia coccinea purpurea*) See *CASSIA PURPURATE*.

**Pur'ples.** *Purpura hemorrhagica* (which see).

**Pur'pura.** A purple color. Livid spots upon the skin, occasioned by an extravasation of blood and attended by debility and pains in the limbs; miliary or spotted fever.

**Purpura Al'ba.** A term applied by some writers to miliary fever when the pustules are white. When the pustules are red it is termed *purpura rubra*.

**Purpura Contagio'na.** The occurrence of petechia in typhoid fever.

**Purpura Hemorrhag'ica.** Land scurvy. In this species the spots are of different sizes, irregular shape, of a livid color, and interspersed with marks resembling those left by the strokes of a whip, appearing on the thighs, arms, and trunk of the body, with a tendency to hemorrhage from the gums, nostrils, throat, tongue, and inside of the cheeks and lips, and sometimes from the external ear, inside of the eyelids, and from the viscera. The disease is attended with great debility.

and tongue, still they continue for months or years

**Purpura Macular** See *ecchyma* See *Scorbutus*

**Purpura Senilis** A kind of purpura which affects elderly women, characterized by the appearance of purple spots of an irregular form and varying in size on the outside of the fingers

**Purpura Simplex** This consists of numerous petechiae, without much constitutional disturbance At times it is accompanied by languor, pain in the limbs, and sallowness of complexion

**Purpura Urinaria** This consists of circular elevations of the cuticle which gradually dilate and in a short time subside, assuming a darker and ultimately a livid appearance

**Purpurula** A combination of purpura acid with a sulfidable base

**Purpurus** Purple

**Purpuric Acid** An acid obtained from uric or lactic acid having a remarkable tendency to form red or purple-colored salts with alkaline bases

**Purpurin, Purpurine** A red pigment of uric acid

**Purring Tremor** A peculiar vibration which is compared to the purring of the cat, communicated to the hand in those states of the heart and arteries in which the *lens* or *resonance* is detected by auscultation

**Purulence** Obesity

**Purulent (pusulent, from pus)** A term applied to all collections of matter which consist of pus and to diseases characterized by its formation, consisting of pus, of the nature of pus

**Purulent Infection** Gray hepatization of the lungs

**Pus** Matter Depraved white blood or pus. A yellowish-white opaque, creamy liquid of morbid origin the product of suppuration; consisting of innumerable nucleated cells floating in a clear liquid Pus is classed as healthy orlaudable and bad or offensive, the former being laudable, non-irritating to the tissues, or at least tolerated by them, the latter offensive, fetid, acrid, irritating, producing a more depraved condition of the blood, or a condition in which not only molecular change has taken place, but partial decomposition set in.

1. *Pus* *Stigmatis* of. Flaccidation on digital

examination. In the extreme, a sense of weight, fulness, etc. Pus from dead bone is always offensive

**Pus, Laudable** Healthy pus. That discharged from wounds and ulcers in the healing state, or from abscesses, the result of phlegmonous inflammation

**Pustle** A pustule

**Pustillitum (pusillum, from pusillus, small)** A coarse powder

**Pustula Oria** Aphthae

**Pustular** A condition characterized by the formation and development of pustules

**Pustule (puscula from pus, matter)** An elevation of the cuticle, sometimes of a globular and sometimes of a conical form, with an inflamed base, containing pus or lymph

**Putrescence** Hospital gangrene, putrefaction

**Putrefaction (putrescence, from putrescere, to make rotten)** The decomposition of organic matter attended with a fetid exhalation

**Putrefactive fermentation**

**Putrefactive Fermentation** Decomposition evolving ammonia

**Putrescent (putrescens)** Becoming putrid or pertaining to the process of putrefaction

**Putrescent Pulp** A putrid or gangrenous condition of the dental pulp demanding antiseptic treatment

**Putrescentia** Putrefaction

**Putrescence** A thin, watery, clear fluid which is closely related to dead matter—cadaverine

**Putrid** An epithet applied to some affections as typhus fever which exhibit the characteristic of putridity

**Putrid Fever** See *Typhus*

**Putridity** Putridity

**Putridity** Putrefaction

**Putridity (putridity)** The putrescent matter thrown off from certain gangrenous and other ulcers

**Pysemia or Pychaemia (pus, pus, and *em* blood)** An infectious disease caused by the absorption of septic products, with the formation of secondary or embolic abscesses. Purulent blood, or a state of the blood in which pus globules are found floating among the blood cells

**Pysemic, Pychaemic** Relating to pysemia

**Pysemic** An affection of pus

**Pyelitis** (from *pelvis*, and *itis*, signifying inflammation). Inflammation of the pelvis of the kidney.

**Pyemia, Pyæmia.** See PYÆMIA, PYÆMIO.

**Pyosis.** Suppuration.

**Pygmy.** A dwarf.

**Pylosa.** Belonging to pus

**Pylos.** A peculiar substance derived from pus and resembling mucus.

**Pylæmplicædis** (from *pylos*, a gate, and *emphic*, obstruction). Obstruction of the vena porta.

**Pylosic (pyloricus)** Belonging or relating to the pylorus.

**Pyloric Artery.** A branch of the hepatic, distributed to the pylorus and lesser curvature of the stomach.

**Pylorus** (from *pylos*, an entrance, and *spes*, to guard) The lower orifice of the stomach as so called because it closes the entrance into the intestinal canal.

**Pyo-.** A prefix meaning of or pertaining to pus.

**Pyobiontic.** Same as moco-purulent.

**Pyobiontorrhæa.** A flow of purulent mucus.

**Pyorrhæa** (from *pyos*, pus, and *rhæa*, to go to stool). Purulent diarrhoea.

**Pyosoma** (from *pyos*, pus, and *soma*, the body). An accumulation of pus in the abdominal cavity.

**Pyocyanin.** Methyl-violet. An aniline color and dye. Germicide.

**Pyocystis** (from *pyos*, pus, and *cystis*, a cyst). A cyst containing purulent matter, especially in the lungs. See VOMITOA.

**Pyocyte.** A pus corpuscle.

**Pyodes.** Purulent.

**Pyodermosis** (from *pyos*, pus, and *dermos*, vomiting). Vomiting pus.

**Pyogenin** (from *pyos*, pus, and *genesis*, generation). Pyrogenin. The elaboration of pus, the theory of the manner of its formation.

**Pyogenin (pyogenic).** Connected with the formation of or producing pus.

**Pyogenic Cocci.** Pus-producing micro-organisms of the cocci form.

**Pyohæmia** (from *pyos*, pus, and *hæma*, blood). Pyæmia. Alteration of the blood by pus.

**Pyoid** (from *pyos*). Of the nature of pus.

**Pyomembra** (from *pyos*, pus, and *membra*, weak). A collection of pus in the womb.

**Pyon (pus).** Pus.

**Pyophtalmia.** Pyophtalmia. Purulent ophthalmia.

**Pyophytic.** Preventing the access of pus.

**Pyophylactic Membrane.** The lining of an abscess cavity, which prevents the burrowing of pus into adjacent tissues.

**Pyoptysis** (from *pyos*, pus, and *ptysis*, to spit). Spitting of pus.

**Pyorrhægia** (from *pyos*, pus, and *pyrrhos*, to burst out). A sudden and copious discharge of pus or purulent matter.

**Pyorrhæa** (from *pyos*, pus, and *rhæa*, to flow). A discharge of purulent matter or pus.

**Pyorrhæa Alveolaria.** See ALVEOLAR PYORRHEA.

**Pyosis.** Suppuration, the formation of pus.

**Pyoturia.** Pyuria.

**Pyouria.** Pyuria (which see)

**Pyralisite.** A white or greenish mineral consisting essentially of silica. It undergoes various changes of color when exposed to heat.

**Pyramid** In *Anatomy*, a small bony protuberance in the cavity of the tympanum.

**Pyramidal (pyramidalis).** Having the form of a pyramid.

**Pyramidalis Os.** The candlebone bone.

**Pyramidalis Abdominalis.** A small muscle of a pyramidal shape, situated in front of the abdomen.

**Pyramidalis Facialis.** Levator labii superioris alæque nasi.

**Pyramidalis Femoralis.** See PYRIFORMIS.

**Pyramidalis Nasalis.** A thin triangular prolongation of the occipito-frontalis, situated over the nose.

**Pyramids of Malpighi.** The papillæ of the kidney.

**Pyretic** (from *pyrexia*, fever) Pertaining to or affected with fever.

**Pyretica** (from *pyrexia*, fever) Fevers. The first order in the class Hemation of Dr. Good.

**Pyron, Pyronia.** A colorless crystalline substance obtained from pitch.

**Pyronite.** A mineral found in limestone, supposed to be a variety of garnet.

**Pyrothrin.** A resinous substance found in the root of the pelitory of Spain.

**Pyrothrum.** Pelitory. The pharmacopœial name for the root of the *Anagyris pyrothrum*. It is a salagogue and an emetic.

local irritant. Does as a mentholary, gr. xix to gj. Applied to the skin, it acts as a rubefacient. It is used in the form of tincture for the relief of toothache, and also chewed for the relief of neuralgic affections of the face. Combined with other remedies, it has been used as a stimulant to the gums and mucous membrane. An alcoholic extract has been used as a local application to carious teeth before filling, with a view to its benumbing effect. It is an ingredient of Harris' gum wash. An ethereal oil of pyrethrum is both pleasant and efficacious in odontalgia.

**Pyrethrum Parthenium** Feverfew It is tonic. Dose, gr. ij to gr. x.

**Pyret'ic** (*pyreticus*, from *πυρ*, fire) Pertaining to or affected with fever.

**Pyretico'sis**. A febrile disease.

**Pyret'ic**. An antipyretic and analgesic, pitch.

**Pyretography** (from *πυρετος*, fever, and *γραφω*, a description). Pyretographos A description of fever.

**Pyret'ic**. Fever.

**Pyret'ia** (from *πυρ*, fire) Fever.

**Pyret'ic**. Febrile disease.

**Pyret'ic** (*pyreticus*) Febrile.

**Pyretiform** (from *pyram*, a pear, and *forma*, resemblance). Pyretiform. Pear-shaped.

**Pyret'mus**. In *Anatomy*, a small muscle of the pelvis, situated under the gluteus maximus.

**Pyret'ic**. Minerals presenting a whitish or yellowish metallic lustre, and consisting of a combination of sulphur with iron, copper, cobalt, or nickel.

**Pyret-** (from *πυρ*, fire) A prefix denoting the presence of fire or heat.

**Pyro-acetic Spirit**. Acetone; pyro-acetic ether, obtained with acetic acid by the destructive distillation of the acetates.

**Pyro-amic Acid**. An acid obtained by the distillation of music acid.

**Pyro-u'ric Acid**. Cyanuric acid, obtained by the dry distillation of uric acid.

**Pyrocat'echin**. Catechol. An antipyretic obtained from coal tar.

**Pyret'ic**. A white, sparingly soluble powder, an active antipyretic. Dose, gr. ss to gr. iv. It is also called phenacetylhydrazide.

**Pyrogallic Acid**. White soluble product obtained by action of heat on gallic acid; used especially in aqueous forms of cutaneous affections.

**Pyrogen** (*πυρ*, fire, and *γενω*, to produce). The electric fluid.

**Pyrogenous**. Produced by fire; igneous.

**Pyrola Umbellata**. *Chimaphila*; *pipewort*. Wintergreen. It has tonic and diuretic properties.

**Pyroly'neous Acid**. Acetic acid obtained by distillation from wood, coal, etc. It is used for preserving animal substances and as an antiseptic in gangrene and foul ulcers.

**Pyrolyneous Ether**. Methyl ether.

**Pyrolyneous Spirit**. Pyrazole spirit.

**Pyroll**. The product of the dry distillation of ammonium carbonate and nitrate.

**Pyrolusite**. Black oxide of manganese.

**Pyrom'ic Acid**. Malleic acid.

**Pyrom'ia** (from *πυρ*, fire, and *μανω*, mania). A form of monomania in which there is an irresistible desire to destroy by fire.

**Pyrom'eter**. An instrument for ascertaining higher degrees of temperature than the mercurial thermometer is capable of indicating.

**Pyrom'omy** (from *πυρ*, fire, and *ωμω*, a rule) Pyromania. The mania for regulating the fire in chemical processes and in the laboratory of the dentist.

**Pyrope**. A fire-red garnet.

**Pyroph'orus** (*πυρ*, fire, and *φωσ*, to bear, to produce) An artificial substance which ignites on exposure to air, also an instrument for striking fire.

**Pyrophosph'ory**. An instrument like a hammer, heated and employed as a cautery to cause irritation or venesection.

**Pyro'sis** (from *πρωω*, to burn). Water-brush. Heartburn. A burning sensation in the stomach, with eructations of an acid, burning liquid.

**Pyret'echasy** (from *πυρ*, fire, and *τεχω*, art).

**Pyrotechnia**. The science of the management and application of fire in its various operations, particularly to the art of making fireworks, etc. The term was formerly applied to chemistry. In *Surgery*, the art of applying fire as a topical agent.

**Pyroth'icoid**. Empyreumatic oil obtained by the combustion of paper or rags.

**Pyrot'ic**. Caustic.

**Pyrot'icus**. Pyretic.

**Pyroxylic Spirit**. One of the products of the destructive distillation of wood.

**Pyroxylin**. Gun-cotton or a like substance. See *CASELLENE*.

**Pyru'yous Acid.** Acid obtained in the distillation of wood, and not so strong as the acetylic.

**Pyro'some.**  $H_2O_2$ . Presented in the form of solution only. Various percentages of its solutions are as follows: Medicinal, 3 per cent., a aqueous solution, is a harmless antiseptic externally or internally; the ethereal 5 per cent. solution is a powerful antiseptic and acts as pus with great energy; the ethereal 25 per cent. is caustic and the most powerful. All of these solutions are blanches, the 25 per cent. acts more rapidly than the others. The 3 per cent. solution is effective as an injection in ab-

scess pockets, and is also employed as a mouth-wash in certain conditions, the 5 per cent. is employed in abscess pockets, alveolar pyorrhea, fistulous recta, putrescent vulva, etc.

**Pythogen.** Causing putrefaction.

**Pyul'ca.** Medicines drawing pus.

**Pyul'com** (from *pus*, pus, and *com*, to extract) An instrument for extracting pus from any suppurous ulcer. A syringe.

**Pyur'ia** (from *pus*, pus, and *urine*, urine). The discharge of purulent urine, occurring in renal calculi.

**Pyx'ia.** A box, a pill-box; also the acetabulum.

## Q.

**Q. L.** Abbreviation for *quantum lberi*, as much as is desired.

**Q. P.** An abbreviation for *quantum placet*, as much as you please, or as much as is proper or necessary.

**Q. S.** Abbreviation for *quantum sufficit*, as much as suffices.

**Quasabe.** Piper cubeba.

**Quack.** An empiric, a charlatan, an ignorant pretender to medical skill.

**Quack'ery.** Empiricism.

**Quadrang'ular.** Quadrangularis. Four-sided. Having four angles.

**Quad'rana.** A quarter of a pound. Three troy ounces.

**Quad'rant.** The fourth part of a circle, or ninety degrees. Also an instrument used in practical geometry.

**Quadr'a'tus** (from *quadra*, a square) Having a square shape, square-figured.

**Quadratus Fem'oris.** A flat, thin, and fleshy muscle extending from the ischium to the great trochanter of the femur.

**Quadratus Ge'næ.** The platysma myoides.

**Quadratus Lumbo'rum.** A muscle situated in the loins at the side of the lower part of the spine.

**Quadratus Menti.** Depressor labii inferioris.

**Quadrident'a'tus.** Quadridentata. Four-toothed.

**Quad'rifid.** Cleft in four parts.

**Quadrigen'ina Tuberc'ula.** The four

medullary tubercles situated at the posterior surface of the tuber annulare, called the corpora quadrigemina, or nodes and testes of the brain.

**Quadrigen'ina.** Four-double, or consisting of four nearly equal parts.

**Quadrigen'imus Primus.** The pyramidalis muscle.

**Quadrilat'eral.** A plane figure bounded by four straight lines; having four sides.

**Quadrivalent.** Having a quadrivalence of 4; replacing or combining with four atoms of hydrogen.

**Quadr'o'm'** Quateron. An offspring of a mulatto woman by a white man, quarter-blooded.

**Quad'r'aped.** Four-footed. A term applied in *Zoology* to an animal that has four feet.

**Quadr'u'plici.** Fourfold.

**Qual'itative.** Relating to quality.

**Qualitative Analysis.** In *Chemistry*, that kind of analysis which obtains the component parts of a compound without reference to their relative proportions.

**Quant'itative.** Relating to quantity.

**Quantitative Analysis.** In *Chemistry*, that kind of analysis which not only determines the component parts of a compound, but also their relative proportions.

**Quantit'y'science.** The chemical strength of an element or indide expressed in terms of the

number of named stones with which it will mix.

**Quar'antine** (from Italian *quarantia*; which is from *quarante*, forty, because forty days are its usual duration). The period during which travelers or goods coming from countries where the plague or other infectious disease prevails are required to remain on shipboard or in a lazaretto. The period of restraint is not always forty days. The length of it is determined by health officers appointed for the purpose.

**Quarantine'd**. The prohibition of all intercourse between a ship and its crew with the shore for a limited period.

**Quart** (*quartarius*). The fourth part of a gallon.

**Quar'tan**. A term applied to intermittent fever, the paroxysms of which occur every fourth day.

**Quar'tan Ague**. Intermittent fever in which the paroxysms occur every fourth day, leaving an intermission of two days. In a *double quartan* the paroxysms of one set occur in the intermissions of the other, leaving only one day of intermission and two of paroxysms in succession. The paroxysms of one differ in duration and violence from those of the other. A *triple quartan* consists of a single quartan with regularly returning paroxysms, which, on every third day correspond, the intervening ones being marked with a slighter or separate attack. A *duplex* or *repeating quartan* consists of a single quartan with two paroxysms on the regular day of attack. A *triplicate quartan* consists of a single quartan with three paroxysms on the regular day of attack.

**Quar'ter'ries**. A quart.

**Quar'ter'tion**. A term applied in Metallurgy to the fusing of silver and gold in the proportion of 3 to 1 prior to the separation of the former from the latter by means of nitric acid. Commonly, though incorrectly, this term is applied to the entire process of parting.

**Quar'ter'ter'nal** (*quar'ter'ter'nal*). A name given by Boerhaave to the fourth place of the stomach, corresponding with the fourth intercostal space.

**Quartz**. *Silica*. A German name applied in Mineralogy to the pure varieties of silica (*silica*), occurring in pellucid glass crystals of the form of a six-sided prism, each having a hexagonal oblique. It is also found in masses,

varying in color from transparent to opaque. Silica oxide is a compound of silicon and oxygen, and forms a large proportion of the material composing the body of porcelain teeth. *Rose quartz* is a rose-colored variety; *smoky quartz*, a violet, smoky quartz, a smoky brown; *chalcedony*, an uncrystallized variety, nearly white, with a waxy lustre; *cornelian*, a red or flesh-colored chalcedony; *agate*, a chalcedony in concentric or parallel layers of different colors; *jasper*, a brown or black variety; *jasper*, an opaque, yellow, brown, or red variety. Crystals of quartz are found, sometimes, inclosing a larger or smaller quantity of water. One of this sort was presented to the author by Dr. Andrews, of North Carolina. See *SILICA*.

**Quartziferous**. A term applied by Dana to minerals which consist chiefly of quartz.

**Quartz'ite**. A term applied by Dana to granular quartz.

**Quartz'rose**. Resembling or containing quartz.

**Quass'sia**. The bitter wood of the *Quassia excelsa*. Also a genus of plants of the order Simarubaceae.

**Quassia Ama'ra**. The Surinam quassia tree. It possesses tonic, stomachic, antiseptic, and febrifuge properties.

**Quassia Excel'sa**. The Jamaica or West India quassia. Bitter wood, bitter ash. The wood possesses an intense and permanent bitter taste, and is much used by brewers to give additional bitterness to malt liquors. In moderate doses it acts as a tonic, and is used in dyspepsia and other disorders of the stomach and bowels. It is sometimes given in intermittent and malignant fevers. Doses of the extract, gr ij to gr. v, of the tincture, ʒj to ʒij.

**Quass'sin**. The bitter principle of quassia.

**Quaternary**. Consisting of four elements or compounds; fourth in order.

**Quat'rio**. The astragalus.

**Quat'ribus**. Nausea.

**Quat'ry**. Affected with nausea.

**Quercit'rin**. Quercitrin. The coloring principle of the bark of *Quercus tinctoria*, sometimes called quercitrin acid. A dye.

**Querc'um**. Oak. Also a genus of trees of the order Cupuliferae.

**Quercus Al'ba**. The white oak. The bark is powerfully astringent and tonic. Commonly used in decoction of ʒj to ʒij of water. See *WHITE OAK BARK*.

**Quercus Infesta'ria**. The gall oak, called

also dyer's oak, is a small shrub rarely exceeding five or six feet in height. The morbid excrescences called galls (*gallæ*) originate from punctures made in the young boughs and shoots of this species of oak by a hymenopterous insect.

**Quercus Phœlica.** The willow-leaved oak. The bark of this species has properties similar to those of white oak bark.

**Quercus Suber.** The cork tree, a native of the south of France, Spain, Portugal, and Barbary. The bark, known under the name of cork, was formerly used as a styptic.

**Quercus Tinctoria.** The black oak. The bark is astringent, but is inferior to the white oak as a therapeutic agent. There are many other species of *quercus* which possess more or less valuable medicinal properties.

**Quick'sting.** The period of gestation when the motion of the fetus first becomes perceptible to the mother.

**Quick'lime (calc. viv.).** Lime freshly burned; peroxide of calcium.

**Quick'silver.** Mercury; a metal found both native and in the state of ore in the mines.

**Quiescent.** At rest, silent.

**Quilla'ia.** A genus of plants of the order Quillagæ.

**Quillaia Saponaria.** Soap-quillaia, a South American plant the bark of which is used as a substitute for soap. It imparts, when applied in form of a wash, a beautiful gloss to the hair, and in mouth-washes is excellent for the teeth and mucous membrane and for removing impurities from the mouth. When bruised and macerated in water it imparts to that liquid the property of frothing like soap when agitated. This is owing to the "saponaria" in the bark.

**Quilled Suture.** A suture in which the ends of the threads are made into a loop and drawn tight over a quill, a piece of rubber, or a roll of plaster, used in deep wounds.

**Qu'ina.** Quinine.

**Quina Disulphas.** Disulphate of quinine. The commercial sulphate of quinine.

**Quina Sulphas.** Sulphate of quinine. See QUINIA.

**Quina'squina.** See CINCCHONA.

**Quinac'ron.** A plane figure having fifteen sides and angles.

**Quina'ctine.** A violet-colored substance obtained from the sulphate of quinine.

**Quina'ia.** Quetina; quinine; quina. An

alkaloid obtained from the bark of the different species of cinchona. The principal salts of quinine are the sulphate, bisulphate, valerianate, hydrobromate, and the double salt, hydrochlorate of quinine and urea. See QUINIA, SULPHATE OF.

**Quina, Amorphous.** A bark-colored substance, having the appearance of an extract formed by the evaporation of the liquor left after the crystallization of sulphate of quinine, called impure sulphate of quinine. It has properties similar to the sulphate, though only about half as strong.

**Quina, KI'nate of.** An opaque or semi-transparent mammillated crystalline salt formed by the mutual decomposition of sulphate of quinine and kinato of lime. It has the properties of the other salts of quinine.

**Quina, Sulphate of.** Quina disulphas. Composed of cinchona (yellow bark), tartaric acid, sulphuric acid, lime, alcohol, animal charcoal, and water. It is used with great success in the treatment of intermittents, being available in many cases where the bark can not be used. Dose, as a tonic, from 3 to 10 grains in twenty-four hours; as an antiperiodic it may be carried much further. In large doses its action is sedative. In *Dental Practice* quinine is employed for inflammation of the periodontal membrane, especially in the early stages, in neuralgias of the fifth nerve when malaria is the cause, and in hypemalativness of tooth-structure. As an internal remedy, three- or four-grain doses every four hours until thirty grains have been taken. See QUININE.

**Qu'ina's Acetas.** Acetate of quinine, a salt formed by saturating quinine with diluted acetic acid. Its properties are similar to the sulphate of quinine.

**Quina's Arsenias.** Arseniate of quinine, or quinine formed by the union of arsenic acid and quinine. It is employed in intermittent fever.

**Quina's Arsenis.** Arsenite of quinine. A salt resulting from the double decomposition of arsenite of potash and sulphate of quinine. It is used in chronic cutaneous diseases; and, as an antiperiodic, in ague, neuralgia, etc. Dose, one-third of a grain, three times a day.

**Quina's Citras.** Formed of citric acid and quinine. Same properties as the sulphate.

**Quina's Ferrocyanas.** Ferrocyanate of quinine, a salt formed by the decomposition of sulphate of quinine by a solution of ferrocyan-



salts of potassium. Its properties are the same as those of the other salts of quinia.

**Quinia Hydriodica.** Hydriodate of quinia. Formed by precipitating sulphate of quinia by means of iodide of potassium. Used in malarious affections. Dose, gr. ss to gr. j, three times a day, to a child.

**Quinia Iodida.** Quinia hydriodica. **Quinia Valeriana.** A salt which combines the medicinal properties of quinia with those of valerian.

**Quin'ic.** Salts that have quinine for their base.

**Quinic Acid.** See KING ACID.

**Quinid'ina.** A derivative of quinia, corresponding with it in therapeutic effects, but causing less unpleasant symptoms in the head.

**Quinidine Sulphas.** An excellent antipyretic and antiperiodic. Dose, gr. j to gr. xx or more.

**Quin'idine.** An alkaloid found in cinchona. See QUINIDINE.

**Quin'ine.** Quina; quinia. quinine disulphate; disulphate of quinine, sulphate of quinine. An alkaloid obtained from the different species of cinchona. This is the only official preparation of quinia. It occurs in slightly flexible, fine, silky, needle-shaped crystals. It consists of two atoms of quina, +  $\text{SO}_4$  +  $\text{H}_2\text{O}$ . It has an intensely bitter taste, and produces the same effects upon the system as the cinchona bark, without being so apt to nauseate the stomach. It is given in doses of from three to ten grains, and in intermittent fever has been given in much larger quantities. In very large doses its action is sedative.

**Quinia'ium.** Cinchonum. The aggregate cerebral phenomena produced by an overdose or prolonged use of quinine.

**Quinol'dine.** Chinoidine. Amorphous quinia. See QUINIA, AMORPHOUS.

**Quinol'ine.** Cinchona. Formula,  $\text{C}_8\text{H}_7\text{N}$ .

It is in the form of an oily, colorless, volatile liquid, of a pungent odor, soluble in alcohol, and but sparingly soluble in water; obtained by distilling quinae with caustic alkali. It is a powerful antipyretic. Dose, gr. viij to gr. x. **Quinol'ine Sabcyate.** Used locally in purulent otitis.

**Quinol'ine Tartrate.** An antiseptic and antipyretic.

**Quinol'ogy.** A treatise on quinia.

**Quinqu'ina.** Cinchona.

**Quin'sy.** Cyncho tonsillaris. Inflammation of the throat or parts adjacent to it. Sore throat.

**Quin'ta Essent'ia.** Quintessence.

**Quint'an.** In Pathology, a fever in which the paroxysms recur every fifth day.

**Quint'esence.** In Pharmacy, an extract which contains all the virtues of a substance in a small quantity, an essential oil dissolved in alcohol.

**Quintistern'al.** The fifth osseous portion of the sternum.

**Quintup'le.** Five-fold.

**Quiz.** An informal recitation by which the student becomes familiar with his medical or dental studies.

**Quotid'ian.** An intermittent the paroxysms of which occur every day.

**Quotidian Ague.** An intermittent fever in which the paroxysms occur every twenty-four hours. It is simple, double, or triple, where there are two or three paroxysms every day; and, according to Dr. Good, partial when the febrile attack is confined to a particular organ or part, osteatus, when there are associated with it symptoms of other diseases; antic'ipatus, when the paroxysm precedes its antecedent by about three hours. protracted, when the intermission is unusually short, and retarding, when forming a direct counterpart to the antic'ipating

## R.

**R.** In *Medical Prescriptions* this letter is the abbreviation of *recipe*, take.

**R.** Symbol for rhodium; also abbreviation for "resistance," in *Electrotherapeutics*, also for "right."

**Rab'dol'des.** The sagittal suture.

**Rab'ies.** *Lyssa*. Canine madness; madness occurring after the bite of a rabid animal, hydrophobia.

**Race.** A term employed in *Zoology* as synonymous with family, genus, species, variety; and applied in the human species to the aggregate of individuals whose particular characteristics differ perceptibly from neighboring varieties. Blumenbach distinguishes the races into (1) The *Caucasian*, (2) the *Mongolian*, (3) the *American*; (4) the *Ethiopian*; (5) the *Malay*. Each of these varieties is distinguished by the shape of the head, the features of the face, color of the skin, and texture of the hair, from the others.

**Race'mic Acid.** Paratartronic acid. An acid found along with tartaric acid in the grapes of certain vineyards along the Rhine. Formula,  $C_4H_4O_6$ .

**Ra'cemosae** (from *racemus*, a bunch of grapes). Having a shape like that of a bunch of grapes.

**Rachial'gia.** Acute pain in the spine.

**Rachid'ean.** Pertaining to, emanating from, or distributed on the spine.

**Rachidian Arteries.** The arteries of the spine.

**Rachidian Canal.** The vertebral canal.

**Rachip'ry'ma** (from *pyr*, the spine, and *ma*, a tumor). A term sometimes applied in *Pathology* to a tumor on the spine or back.

**Ra'chis.** *Ethackia*. In *Anatomy*, the vertebral column.

**Rachis'agra** (from *pyr*, the spine, and *agra*, soreness). A gouty or rheumatic pain in the spine.

**Rachit'ic.** Affected with or pertaining to rickets.

**Rachit'is** (from *pyr*, the spine, and *itis*, denoting inflammation). Literally, inflammation of the spine. Rickets; a disease characterized by a large, hard, crooked spine, protruded sternum, tumid abdomen, emaciated limbs, short stature, and great debility. Its

attacks are usually confined to young children. A deficiency of the phosphates is often a prime cause of rickets or rickets, which causes ill-growth of the bones and teeth; it also retards dentition.

**Rac'oels.** *Rachosis*. A relaxation of the sacrum.

**Ra'dial.** Toward the radial aspect.

**Ra'dial** (*radialis*, from *radius*, a bone of the forearm) Belonging or relating to the radius.

**Radial Artery.** A branch of the brachial artery, descending by the side of the radius.

**Radial Aspect.** Barclay thus designates an aspect toward the side on which the radius is situated.

**Radial Nerve.** A nerve derived from the four inferior branches of the brachial plexus. It is distributed to the muscles of the forearm and hand.

**Radial Veins.** The veins which follow the course of the radial artery.

**Radia'ns Exter'nus Bre'vior.** The extensor carpi radialis brevis.

**Radialis Externus Lon'gior.** The extensor carpi radialis longior.

**Radialis Internus.** The flexor carpi radialis.

**Radia'ta** (*radiatus*, from *radius*, a ray). The lowest primary division of the animal kingdom.

**Radia'ted** (*radiatus*). Arranged in rays diverging from one common centre.

**Radia'tion** (from *radius*, a ray) The emission of the rays of light, heat, etc., spreading in all directions from a centre.

**Rad'ical** (*radicatus*, from *radix*, a root). Pertaining to the root or origin. In *Chemistry*, an element or simple constituent incapable of decomposition, also a substance acting as an acid or base by its union with oxygen or some other acidifying or basifying principle. When the base is composed of more than one substance, it is called a compound radical, as in the case when a vegetable acid has a radical composed of hydrogen and carbon.

**Radical Vessels.** In *Anatomy*, the small vessels which have their origin in the trunks, and by uniting form larger vessels.

**Radica'tion** (*radicatio*). In *Botany*, throwing out roots.

**Radiiformis (radiiformis).** Having the shape or appearance of a ray.

**Radiiformis.** Belonging or relating to the radius and corpus.

**Radiiformis.** A probe; also a sound.

**Radiiformis.** A spoke, so called from its shape. In *Anatomy*, the exterior bone of the forearm. In *Dental Surgery*, an instrument for removing salivary calculus from the teeth. In *Geometry*, a straight line extending from the center to the periphery of a circle.

**Radiiformis.** A root. In *Anatomy*, parts inserted into other parts, as the root of a tooth in the alveolar border.

**Radiiformis.** Ipecacuanha.

**Radiiformis.** A scraper. In *Pharmacy*, a spatula. In *Dental Surgery*, an instrument for removing salivary calculus from the teeth.

**Radiiformis Worm.** The Herpes iris, a species of tumor occurring in small, circular patches of different colors.

**Raised Base for Artificial Teeth.** A term applied in *Mechanical Dentistry* to a metallic base, surrounded by a box or chamber soldered to it, and designed to compensate for the loss of substance which the parts have sustained. A base thus constructed is usually termed by dentists a raised plate. See **MIXED BASE FOR ARTIFICIAL TEETH**.

**Râle.** A French word signifying rhonchus or rattle. Applied to various kinds of sound attending the circulation of air in the bronchiae and vesicles of the lungs, different from the murmur produced in health. Called also rhonchus.

**Râle, Grey-kent.** Crepitating rattle. A pathognomonic sign common in pneumonia when this disease is severe, and has been compared to what is produced by particles of salt thrown on live coals.

**Râle Mucosus.** Mucous rattle. A sound similar to that produced by blowing through a pipe into soap-bubbles. When very strong it is termed gurgling.

**Râle, Sub-Tant.** Simulant or hissing rattle. A sound caused by only a small quantity of mucus in the ramifications of the bronchiae. It has been compared to that produced by suddenly separating two oiled surfaces.

**Râle Sonant.** Sonorous rattle. A sound like that of creaking.

**Râle, Voix.** Voice.

**Râle, Voix.** Filings, as those of iron, zinc, etc.

**Râle, Voix.** A rupture, or hernia.

**Radiation (radiation).** In *Anatomy*, the division of blood-vessels and nerves into branches. Also the branches themselves.

**Radiated.** Having branches; divided into branches.

**Radiated (ramosa, ramosa).** Branched. Divided into branches.

**Radiated, Radiated.** Having many small branches.

**Radiated (diminutive of ramosa).** A little branch, a ramula.

**Ramus (plural, rami).** In *Anatomy*, the division or branch of an organ, especially of an artery, vein, or nerve. Also the lower part of the os innominatum and the ascending or perpendicular portion of the inferior maxillary bone.

**Ramosus.** A division of a branch or ramus.

**Ramosus.** Ramus.

**Ramosus.** Becoming sour or rancid.

**Rancid (rancidus; from rancus, to be stale).** A term applied to fatty substances which have become acid from age and exposure to air.

**Raninus (raninus; from rana, a frog).** The name of an artery called arteria ranina. The sublingual artery.

**Ranula (from rana, a frog).** So called from its frog-like resemblance. A small, soft, transparent cystic tumor which forms under the tongue, and filled with a translucent gelatinous fluid. It is caused by coagulation and dilatation of the ducts of the sublingual and submaxillary glands or mucous glands of the floor of the mouth.

**Ranula Lapidus.** See **SALIVARY CALCULUS**.

**Rapax (rapax, to seize).** Ravenous; rapacious.

**Rape.** In *Law*, carnal connection with a woman by force and against her will. In *Dental Surgery*, one of the names of Russian rape, or common turnip.

**Rape Oil.** An oil obtained from the common rape, or rape seed, and sometimes used in ointments.

**Raphanoid.** *Convolvulus raphanoides*. A genus of diatoms in the class *Navicula*, characterized by spasmodic contraction of the joints, severe pain, chill, lassitude, pain in the head, and anxiety about the present.

**Rapha.** A seam, a suture. A term applied in *Anatomy* to seam-like lines or to parts which appear as if they had been sewed together.

**Raphe Cerebr.** The longitudinal eminence of the corpus callosum of the brain.

**Raphe Cor'poris Callo'id.** Suture of the callous body. A linear depression along the middle of the corpus callosum.

**Raphe Scro'ti.** Raphe perineal. The eminence which divides the scrotum, as it were, into two equal halves.

**Ra'phis** (*papir*, dim. of *papir*, a needle). A pin.

**Rapid Breathing.** A method of producing transient anesthesia or analgesic influence suggested by Dr. Bonwill. It consists of rapidly breathing common air at the rate of one hundred respirations a minute, the inhalation to be vigorously kept up during the whole operation without for an instant stopping. The effect is unconsciousness to pain, with such symptoms as suffused face, darkened vision, and giddiness. The heart's action is not increased more than from seventy to eighty, and sometimes ninety beats, and is much enfeebled, the quantity of blood being decreased.

**Rappee'.** A coarse kind of snuff.

**Rap'tus** (from *rapio*, to seize violently). A sudden and violent seizure.

**Raptus Nerve'rum.** The cramp.

**Raptus Sup'ina.** Ophthalmia.

**Rarefac'tion** (from *rarus*, rare, and *facio*, to make). The decreasing density or tension of a gaseous substance, especially air.

**Rarefy.** To make less dense or more porous.

**Raricos'ties.** Having a small number of ribs.

**Ra'ritas.** Rarity; fewness, looseness of texture, distance apart.

**Raritas Den'tium.** Fewness of teeth, less than the usual number of teeth, with or without interspaces between them.

**Rash.** An eruption or redness of the skin, with little or no elevation of the cuticle.

**Rash Fever.** Scarlatina.

**Rash, Nettle.** Urticaria.

**Rash, Rose.** Roseola.

**Rash, Summer.** Lichen tropicus.

**Rash, Tooth.** Strophulus.

**Rasp Sound** (*bruit de rāpe*). An oscillatory sound resembling that produced by rasping wood.

**Raspato'rium** (from *rasper*, to scrape).

**Raspatory.** An instrument for rasping bone.

**Raspa'tra** (from *rasper*, to scrape). A mouse, scuteh, or eraser. Also the raspings or shavings of any substance.

**Ratall'a.** Ancient spirits flavoured with various kinds of fruit and sugar.

**Ra'tio.** Proportion. Also reason or explanation.

**Ra'tional (ratiōnāle).** Conformable to reason. In *Medicine*, the treatment of disease according to reason and rationalization, and not by routine or in accordance with experience, which is empirical.

**Rat'tio.** In *Pathology*, the noise produced by the air in passing through the trachea, of which the lungs and air-passages are unable to free themselves. It is often heard in dying persons.

**Rauco'do** (*raucitas*; from *raucus*, hoarse). Hoarseness, roughness of voice.

**Rauco'do Catarrh'al.** Hoarseness occasioned by a cold.

**Rauco'do Paralyt'ica.** Loss of voice.

**Ray.** A line of light; a straight line supposed to be described by a particle of light.

**Reack'ing** (*reaction*). See **REACTING**.

**Reac'tion** (*reactio*, from *re*, again, and *agere*, actum, to act). The effort made to resist other action or power. In *Medicine*, the vital action which follows depression, from whatever cause produced.

**Ready Method, Marshall Hall's.** See **REANIMATION**.

**Rea'gent.** In *Chemistry*, a test, a substance employed to detect the presence of other bodies. A test.

**Rea'gar.** Protosulphuret of arsenic.

**Rea'son.** The faculty of the mind which distinguishes truth from falsehood, good from evil, and which deduces inferences from facts.

**Reaumur's Thermometrical Scale.** A scale where zero is at the freezing-point of water and 80 degrees is the boiling-point. To reduce these degrees to those of Fahrenheit, multiply by 8, divide by 4, and add 32.

**Receiv'er.** A chemical vessel for the reception of the product of distillation.

**Receptac'ulum** (from *recipio*, to receive). Receptacle. In *Anatomy*, a part of the thoracic duct.

**Receptaculum Chyli.** A dilatation of the thoracic duct in front of the lumbar vertebra.

**Rec'ipe.** R. Take. Always used in the abbreviated form as the commencement of a medical prescription.

**Reclin'a'tion** (*reclinatio*; from *reclinare*, to bend back). In *Surgery*, a name given to one

of the operation for catarrh, which consists of turning it so as to change its anterior and posterior surfaces.

**Recurrent.** A term applied to those secretions which, after having been separated from the blood, are again employed in the operations of the economy, as the saliva, bile, and gastric juice. Such secretions are called *recurrent humors*.

**Recrudescence** (*recrudescere*) The aggravation of a disease after a temporary remission.

**Recrystallization.** The act or process of again crystallizing.

**Rectan'gle.** A right-angled parallelogram.

**Rectan'gular.** Having right angles.

**Rectification.** Redistillation of an oil or liquid to purify it. Making straight.

**Rec'ified.** Made more pure or stronger.

**Rectified Spirit** See **SPRIT, RECTIFIED**.

**Rectilin'ear.** Relating to or bounded by straight lines.

**Rect'or Spir'itus.** The aromatic principle of plants.

**Recto-urethral** (*recto-urethrale*). An epithet designative in *Surgery* of a fistula which impinges both the rectum and urethra.

**Rec'to-vaginal.** Belonging or relating to the rectum and vagina.

**Recto-vesical** (*recto-vesicale*). An epithet applied in *Surgery* to Blandin's operation for the extraction of stone from the bladder through the rectum.

**Rec'tum.** So called because it was thought to be straight. The third and last portion of the large intestine, terminating at the anus.

**Rec'tus.** Straight. A term applied in *Anatomy* to certain muscles, from their direction.

**Rectus Abdom'inalis.** A long, flat muscle situated at the anterior part of the abdomen and separated from its fellow by the linea alba.

**Rectus Abdom'ens Oculi.** See **RECTUS EXTERNUS OCULI**.

**Rectus Abdom'ens Oculi.** See **RECTUS INTERNUS OCULI**.

**Rectus Ant'ior Bra'vis** See **RECTUS CAPITIS INTERNUS MINOR**.

**Rectus Ant'ior Lon'gus.** See **RECTUS CAPITIS INTERNUS MAJOR**.

**Rectus Ant'ior Oculi.** See **RECTUS EXTERNUS OCULI**.

**Rectus Cap'itis Inter'ius Major.** A muscle

situated at the anterior and lateral part of the neck.

**Rectus Cap'itis Internus Minor.** A muscle of the neck situated deeper than the rectus major.

**Rectus Cap'itis Later'alis.** A muscle situated immediately behind the internal jugular vein as it emerges from the cranium.

**Rectus Cap'itis Post'icus Major.** A muscle situated between the occiput and second cervical vertebra.

**Rectus Cap'itis Post'icus Minor.** A muscle situated beneath the rectus cap'itis post'icus major.

**Rectus Exter'ius Oculi.** The outer muscle of the eye.

**Rectus Fem'oralis.** A muscle situated at the forepart of the thigh.

**Rectus Infer'ior Oculi.** The inferior straight muscle of the eye.

**Rectus Inter'ius Fem'oralis.** The gracilis. A long, slender muscle, situated under the integuments of the inner part of the thigh.

**Rectus Internus Oculi.** The internal muscle of the eye.

**Rectus Super'ior Oculi.** The upper muscle of the eye.

**Recur'rent** (*recurrens*; from *recurro*, to run back) Running back. A name given to branches of arteries and nerves which recend toward the origin of the trunk from which they emanated.

**Recurrent Arteries.** Several arteries of the forearm and one of the leg are so called.

**Recurrent Nerve.** A branch given off by the par vagum on each side of the cavity of the thorax.

**Red Chalk.** An argillaceous iron ore, used for marking or drawing.

**Red Fire.** A pyrotechnical compound of nitrate of strontia, sulphur, antimony, and chloride of potash, which burns with a red flame.

**Red Gum.** See **STROPHULUM**.

**Red Lead.** Minium, or red oxide of lead. A preparation of lead of a fine red color, used in painting.

**Red Precip'itate.** The red oxide of mercury.

**Red Silver.** A variety of silver ore, so called because of its ruby-red or reddish-black color.

**Redin'tegrare** (*re, again, and integro, entire*). Restored to soundness; renovated.

**Redoub'tement.** A French word applied

in *Pathology* to augmentation of the intensity or exacerbation of the symptoms of a disease.

**Reducible.** A leucococci of the urine.

**Reduction.** In *Surgery*, an operation for the restoration of a dislocated or luxated bone to its original situation.

**Refining.** The act of purifying; separating from alloy or any extraneous matter; applied particularly to the purifying of gold and silver. In *Pharmacy and Chemistry*, the separation of a substance from the extraneous matter with which it is mixed. See GOLD, REFINING OF.

**Reflexion** (from *reflexo*, to bend back) In *Anatomy*, a duplication or fold of membrane. In *Optics*, the bending back of a ray of light from a surface that neither absorbs, transmits, or distributes it. In *Pathology* the bending back of an organ or part from its normal position.

**Reflection, An'gle of** The angle made by the line of direction of the reflected body or ray with a line which is perpendicular to the reflecting surface.

**Reflect'ors, Dental.** Small mirrors for throwing light upon dark points. Some are adjusted upon the fingers of the operator, others on rubber-dam clamps.

**Re'flex** (from *reflexo*, to bend) The bending or bounding back or return of an impulse or body.

**Reflex Ac'tion or Movement.** The propagation of an impression made on the extremity of one nerve, to the extremity of another, through the intervention of the nervous centres.

**Reflex Func'tion.** Certain functions of living beings performed through the medium of the reflex nerves.

**Reflex Spi'nal Nerves.** Those of the spinal system of nerves which convey motor impulses from the spinal marrow in consequence of impressions made upon the surface of the body.

**Reflex'ed** (*reflexus*). Bent backward; applied in *Botany* to leaves and organs of plants thus disposed.

**Re'flux** (from *re*, and *fluere*, to flow). The return of a current by reversal along its former course.

**Refraction** (from *refractus*, broken back). In *Physics*, the change of direction which a ray of light experiences in passing from a dense to a rare medium, or the reverse, or by passing obliquely from one medium into another of different density.

**Refraction, Double.** The refraction of light

in two directions and the consequent production of two images—a property possessed by Iceland spar and other minerals.

**Refracture.** The act of breaking over again a bone which has already been broken and united.

**Refract'ible.** Susceptible of refraction.

**Refresh.** In *Surgery*, to make raw by removing the epithelial covering, to denude; as in the operation for cleft-palate or in refreshing the edges of a wound.

**Refrig'erant** (*refrigerans*, from *refrigere*, to cool). A term applied in *Pharmacy* to a medicine which has the property of reducing the heat of the body or blood.

**Refusum.** The operation of returning to the vessels blood which has been taken from them, as in *aphysia*.

**Regenera'tion.** Reproduction of a lost or destroyed part or its renewal.

**Re'gis A'qua.** Royal water See NITROMURIATIC ACID.

**Régime** (from *regere*, to govern). **Regimen.** In *Hygiene*, the systematic regulation of the diet and habits of an individual, with a view to the preservation of health and the cure of disease.

**Re'gio.** **Region.** A portion of the body marked out by definite outlines.

**Regio Auricu'laris.** The region of the ear.

**Regio Bucca'lis.** The region of the cheeks.

**Regio Epiga'strica.** The epigastric region (which see).

**Regio Facie'lis.** The facial region.

**Regio Gas'trica.** The umbilical region.

**Regio Hypochondri'aca.** The hypochondrium (which see).

**Regio Hypoga'strica.** The hypogastrium (which see).

**Regio Ili'aca.** The iliac region (which see).

**Regio Lumb'a'lis.** The lumbar region, or region of the loins.

**Regio Mente'lis.** The mental region, or region of the chin.

**Regio Nasa'lis.** The nasal region.

**Re'gion** (*regio*) In *Anatomy*, a certain determinate space of the surface of the body.

**Re'gional** (from *regio*, a region). Pertaining to a region.

**Re'gins** (from *rex*, a king). **Royal.** Applied in *Chemistry* to the noble metals, especially gold, and aqua regia, which has the power of dissolving it.

**Regressive.** Retiring, abating; marked by abatement, as the regressive stage of a disease.

**Reg'lar** (*regular*; from *regula*, a rule) Regular; conformable to rule; applied in *Pathology* to the pulse when the intervals between each two pulsations of the artery are equal, and to the paroxysms of a disease, as those of an intermittent fever, when they occur at the proper or usual time. The term is also applied to a practitioner of medicine or dentistry who practices according to established rules.

**Regulating Appliances.** "Simple machines," such as the inclined plane, wedge, and screw, with such adjuncts as levers, supports, etc., which are employed in correcting irregularity in the arrangement of the teeth.

**Reg'ulus.** A term applied to several of the inferior metals when freed from their impurities and obtained in a metallic state.

**Regurgitation** (*regurgitatio*). The flowing back of the contents of a canal or reservoir of the body, usually applied to the vomiting of infants. Vomiting at pleasure. Eructation.

**Reimplantation.** The act of putting back into the alveolar cavity a tooth which by any means has come out or been extracted.

**Reinsch's Test.** A test for arsenic; performed by acidulating the suspected liquid with hydrochloric acid, immersing in it a slip of copper or copper-plate, and boiling. Arsenic is deposited on the copper as a grayish film, which, on heating in a tube, sublimes, forming a ring of crystals.

**Relapse.** The return of a disease soon after its cessation.

**Relation of the Upper to the Lower Teeth when the Mouth is Closed.** The crowns of the teeth of the upper jaw generally describe a rather larger arch than those of the lower. The upper incisors and cuspids usually shut over and in front of the lower, but sometimes they strike plumb upon them, and at other times, though rarely, they strike on the inside. The outer tubercles of the upper bicuspids and molars generally strike outside of those of the corresponding lower teeth. By this beautiful adaptation of the tubercles of the teeth of one jaw to the depressions of those of the other, every part of the grinding surfaces of the organs is brought in immediate contact in the act of mastication, which operation of the teeth, in consequence, is rendered more perfect than it would be if the teeth came together in any other manner.

The incisors and cuspids of the upper jaw are broader than the corresponding teeth in the lower; in consequence of this difference in the lateral diameter of the tooth of the two jaws, the central incisors of the upper cover the centrals and about half of the laterals in the lower, while the superior laterals cover the remaining half of the inferior and the anterior half of the adjoining cuspid. Continuing this peculiar relationship, the upper cuspidal close over the remaining half of the lower and the anterior half of the first inferior bicuspids, while the first superior bicuspids cover the remaining half of the first inferior and the anterior half of the second. In like manner the second bicuspids of the upper jaw close over the posterior half of the second in the lower and the anterior third of the first molars. The first superior molars cover the remaining two-thirds of the first inferior and the anterior third of the second, while the uncovered two thirds of this last and anterior third of the lower dentures sapientine are covered by the second upper molars. The dentures sapientine of the superior maxillary, being usually about one-third less in their antero-posterior diameter, cover the remaining two-thirds of the corresponding teeth in the inferior.

Thus from this arrangement of the teeth it will be seen that when the mouth is closed each tooth is opposed to two, and hence, in biting hard substances and in mastication, by extending this mutual aid a power of resistance is given to these organs which they would not otherwise possess. Moreover, if one, or even two, adjoining teeth should be lost, the corresponding teeth in the other jaw would, to some extent, still act against the contiguous organs, and thus in some degree counteract a process—first noticed by that eminent dentist, the late Dr. L. Keeneker—which nature sometimes sets up for the expulsion of such teeth as have lost their antagonists.

**Relax'ans** (from *re*, and *laxare*, to loose). Relaxants. Applied in *Therapeutics* to medicines which diminish the tension or cruetism of organs.

**Relax'ation.** In *Pathology*, looseness or diminution of the natural tone of parts.

**Relief Incision.** A division of over-tense parts to relieve tension.

**Remedial.** Medicinal.

**Remedial.** Remedy; cure.

**Remedium Divinum.** The roots of *Hypericium*, or *St. John's wort*, were formerly so called

because they were supposed to possess divine virtues.

**Remedy** (*remedium*). A medicine employed for the prevention, alleviation, or cure of a disease.

**Remission** (*remissio*). In *Pathology*, the temporary cessation of the paroxysms or symptoms of a disease.

**Remittent** (*remittens*; from *remitto*, to send or lessen). Any disease characterized by periods of increment and remission, but without periods of complete recovery.

**Remittent Fever**. A fever which increases and diminishes, but without intermission, as the bilious fever of the United States.

**Remora**. In *Surgery*, the name of a bandage intended to retain displaced parts or organs in their natural situation. In *Pathology*, retardation, especially of the circulation.

**Remote**. In *Pathology*, the more distant causes of diseases.

**Ren**. The kidney.

**Renal** (*renalis*, from *ren*, the kidney). Pertaining to the kidney.

**Renal Apoplexy**. Another name for ischuria renalis.

**Renal Artery**. An artery sent off by the abdominal aorta to the kidney. See **EMULGENT**.

**Renal Calculus**. A concretion of the kidney.

**Renal Capsule**. Suprarenal capsule. The ductless glandular body at the apex of each kidney. See **RENAL GLAND**.

**Renal Gland**. Renal capsule, suprarenal gland. A hollow glandular body of a somewhat triangular shape on each kidney, filled with a reddish-brown liquor, and smaller in the adult than in the fetus. The use of it is unknown. The accessory capsules is another name for these glands. See **ATREMIARY**.

**Renal Vein**. A large vein the root of which follows the same course as the artery in the substance of the kidney.

**Renal sinus**. Snoring; starter.

**Renal sinus**. The name of each distinct lobe of the kidney in the embryo of the mammalia.

**Renal sinus**. The renal capsule.

**Reniform** (*reniformis*). Kidney-shaped.

**Rennet** (from *Ger. rennen*, to coagulate). The dried, salted stomach of a

sucking calf. When soaked in water, it possesses the property of coagulating milk.

**Rennet Whey**. Composed of milk two parts, rennet half an ounce, infused in a little hot water, mix and keep in gentle heat for a few hours and strain.

**Rennet**. The ferment found in the gastric juice, capable of curdling milk by coagulating the casein.

**Respire**, **Respire** (from *res*, to flow, and *spere*, to carry). Any conducting substance leading from the poles of a galvanic battery coil or dynamo, the practical electrodes which the patient grasps in his hands or that are applied to his body when he is receiving the current.

**Respirator**. Waved serpentine.

**Respirator**. Reinstating or restoring to the normal condition.

**Respirator** (*respirator*; from *res*, and *spere*, to drive). In *Therapeutics*, medicines which, when applied to an inflamed part, cause the fluids, as it were, to recede from it.

**Respiration**. Percolation performed a second time on the same material with the percolate from the first percolation.

**Respirator** (*respirator*). The disappearance of a tumor, abscess, or eruption in consequence of the application of a repellent.

**Respirator**. Repellent.

**Respirator**. Repellent.

**Replacement of Teeth**. The replacement of teeth which have been extracted or otherwise removed from their cavities, when diseased, the thickened pericardium is sumped off before returning such teeth to their sockets.

**Repletion** (*repletio*). Plethora; superabundant fulness.

**Repression** (*repressio*, to repress). Repressing medicines. Remedies for fluxes, as astringents, etc.

**Repression**. Same as **REFRIGERANTIA**.

**Reproduction** (from *reproducere*, to produce again). The function by which living bodies perpetuate their species. Generation.

**Reptant** (*repta*, to creep). Creeping.

**Reptant** (*reptant*). The act of creeping or crawling.

**Repression** (*repressio*; from *repre*, to repress). In *Physics*, the power by which bodies or particles of matter are caused to recede from one another. Also the effect resulting from the operation of this power.

**Repression**. In *Dental Surgery*, a



resin; an instrument employed in the extraction of roots of teeth.

**Resurgens'ia.** Medicines which produce respiration.

**Resurgens'tion (resurgens).** A term applied by Celsus to purgation by cutaneous transpiration or exspiration.

**Res Naturalis.** The natural, the union of the elements, temperaments, humors, spirits, etc., which were supposed to constitute the nature of man.

**Res Non Naturalis.** See NON-NATURALIS.

**Res Veneris.** Sexual intercourse, coition.

**Resection (resect; from resecta, to cut off).** In Surgery, an operation for the removal of curious excrescences of long bones or false joints; also the excision of bones with the design of preserving limbs in more or less integrity and avoiding amputation.

**Residens'ia.** Sediment.

**Residuum.** Residue. In Chemistry, that which remains after any process of separation or purification.

**Resilience.** The act or power of rebounding or recoiling, or returning by elastic force to the original state after stretching or compression.

**Resin (resin).** A brittle, semi-transparent, inflammable vegetable product, insoluble in water, but soluble in alcohol and oils, and composed of oxygen, hydrogen, and carbon. It forms an ingredient in ointments and plasters, but is never given internally.

**Resin of Bile.** Biliary resin.

**Resin of Copper.** Protochloride of copper.

**Resin, Elastic.** Caoutchouc.

**Resin Alba.** The implanted juice of the *Pinus sylvestris*, etc.

**Resin Flava.** Yellow resin. The resin which remains in the still after distilling oil of turpentine mixed with water.

**Resin Nigra.** The most common resin which remains in the retort after distilling oil of turpentine from common turpentine.

**Resinoid.** Resembling resin.

**Resist'ance.** In Mechanics, a force acting in opposition to another force. When it corresponds to the useful effect produced by the machine it is called active, and when it belongs to the inertia of the machine it is passive.

**Resist'ia Nervorum.** Paralysis.

**Resist'ion (resistio; from resistere, to resist).** A termination of inflammation with suppuration or mortification.

**Resol'vent (resolvens).** A term applied to substances which have the power of dispelling inflammation and preventing suppuration. A discutient, an agent producing resolution.

**Res'onance (from re, again, and sona, to sound).** A return or reverberation of sound. A peculiar thrilling of the voice, or the existence of it in a part where it is not heard in health, as discovered by auscultation.

**Resor'bans.** Absorbent.

**Resorcin (resorcinum).** Formula,  $C_6H_4O_2 = C_6H_4(OH)_2$ . This agent differs from carbonic acid or phenol, which it resembles, in the substitution of one molecule of hydroxyl (HO) for one atom of hydrogen. It is an artificial product in the form of colorless, odorless crystals of a sweet taste, soluble in water and alcohol. It is employed as a substitute for carbonic acid, being less irritating and not objectionable on account of odor. In doses of 30 to 60 grains it causes profuse perspiration and weakness. Large doses cause convulsions and tetanic rigidity. Its uses in Dental Practice are the same as those of carbonic acid. See GORGE'S "Dental Medicine."

**Resorp'tion.** The absorption by the vessels of material which they have once contained but which has been exuded into the tissue or upon a free surface.

**Res'pirable (respirabile).** Capable of being respired without danger.

**Respira'tion (respiratio; from respirare, to take breath).** The inhalation and expiration of air; the act of breathing.

**Respiration, Artific'ial.** The establishment of a process resembling respiration in persons laboring under asphyxia. Dr. Marshall Hall's ready method consists of placing the body in a prone position, making gentle pressure on the back, then removing the pressure and turning the body on its side and a little beyond, executing these movements sixteen times in a minute.

Dr. Sylvester's method consists of placing the patient on his back, pulling the tongue forward, and then drawing the arms slowly over the head, by which means the ribs are elevated by the pectoral muscles and the chest is enlarged. The arms are now to be brought down to the side of the chest, which they must be made to compress slightly. These movements must be repeated so as to stimulate respiration.

**Respiration, Bronch'ial.** A kind of respiration in which there is a sound of air passing

through the bronchial tubes without entering the minute air-cells.

**Respiration, Cav'ernous** That in which there is a sound of air passing from the bronchia into large morbid cavities instead of into the air-cells.

**Respiration, Jerk'ing** The interruption of the murmur of respiration so that, instead of being continuous, it is, as it were, by starts. It occurs in spasmodic asthma, pleurodynia, and tubercular affections of the lungs.

**Respiration, Pu'aria** That in which there is a sound like the respiration of infants.

**Respira'tor** An instrument to be adjusted before the mouth to warm the inspired air, intended for persons subject to bronchitis and pulmonary affections.

**Res'piratory** Pertaining to respiration.

**Respiratory Mur'mur** A sound heard by auscultation in a healthy adult during inspiration and expiration, occasioned by the passage of the air into and from the cells of the lungs.

**Respiratory Tract** The middle column of the spinal marrow

**Rest'iformis** (*restiformis*, from *restis*, a cord, and *forma*, likeness). A term applied in *Anatomy* to two cord-like processes of the medulla oblongata, the corpora restiformia.

**Resus'pinata** Having the lower surface turned upward.

**Resurrec'tionist** One who violates the sanctity of the grave to obtain bodies for dissection.

**Resuscita'tion** (*resuscitatio*; from *resuscito*, to move up, to raise up anew) The restoration to life of a person apparently dead. When asphyxia results from the administration of anæsthetic agents, such efforts should be made for resuscitation as the following. The napkin or inhaler being removed, the patient's tongue should be drawn forward with forceps or a tenaculum, fresh air admitted from the door or windows or induced by a fan, and artificial respiration instituted. Stimulating applications to the surface and cold water to the face and head. The main reliance, however, is on artificial respiration, and this is best kept up by Marshall Hall's "ready method," as follows: "Turn the body gently and completely on the side and a little beyond, and then on the face, alternately, repeating these measures deliberately, efficiently, and powerfully, fifteen times in a minute." When the patient reposes on the thorax this

cavity is compressed by the weight of the body and expiration takes place, when he is turned on the side this pressure is removed and inspiration occurs. When the prone position is resumed, make equable but efficient pressure along the spine, removing it immediately before rotation on the side (the first measure augments the expiration, the second commences inspiration). As soon as the patient can swallow, give brandy and ammonia. Efforts at resuscitation should not cease until death is evident.

A method of producing artificial respiration is known as Sylvester's. It consists of laying the patient on his back, drawing the tongue forward, then carrying the arms slowly upward over the head, thus elevating the ribs by means of the pectoral muscles and inducing respiration the arms are then brought down to the side of the chest and slightly compressed against it, these movements are to be repeated slowly, as by the other method. If a galvanic battery is at hand it should be resorted to among other possible means of restoring animation.

Another method is to elevate the feet and lower the head, which can be accomplished by means of a cork or by grasping the lower extremities at the ankles and elevating them with the head hanging down.

**Retain'ing Appliances**. Appliances for holding malposed teeth after they have been moved into their proper positions until they have become firm and preventing their tendency to return to the positions from which they have been moved.

**Retaining Screws**. See SCREW

**Retarda'tion**. A stopping or hindering.

**Retch'ing**. Ineffectual efforts to vomit.

**Re'te**. A net. A term applied in *Anatomy* to cellular membrane and to the interlacing of nerves, blood-vessels, etc., when they form a sort of network.

**Rete Melpighii**. The rete mucosum.

**Rete Mirab'ile**. The anastomoses of the internal carotid and vertebral arteries at the base of the brain.

**Rete Mucosum**. A term applied to a supposed mucous substance situated between the cuticle and true skin. It is really only the lower cells of the epidermis which have not been dried to scales.

**Rete Vasculo'sum**. The plexus retiformis corporis cavernosum vagina.

**Rete Vasculosum Testis**. The network

formed by the very roots at the upper part of the testicle.

**Reten'sion** (*retentio*, from *retinere*, to hold back). The accumulation of a solid or liquid substance in a canal or cavity intended to contain it only for a short time.

**Retention of the Menstrues.** Amenorrhoea.

**Retention of Urine.** Accumulation of urine in the bladder from inability to expel it.

**Retic'ular** (*reticularis*, from *rete*, a net). A term applied in *Anatomy* to structures which have the appearance of a net or web.

**Reticular Sub'stance.** The cellular tissue

**Retic'ulum** (diminutive of *rete*, a net). A small net or web.

**Reticulum Cuts'nem.** The rete mucosum.

**Ret'iform.** Reticular.

**Ret'ina** (from *rete*, a net). Two almost impenetrable layers of membrane, extending from the optic nerve to the crystalline lens, enclosing the vitreous humor, and lining the choroid coat without adhering to either. It is formed by an expansion of the optic nerve and constitutes the true organ of vision.

**Retinac'ulum.** A halter, band, or cord keeping anything in place.

**Retinaculum Ten'dinum Perone'orum.** The ligamentous sheaths that retain in place at the outer ankle the tendons of the peroneal muscles.

**Retin'itis** (from *retina*, the name of the part, and *itis*, a terminal denoting inflammation). Inflammation of the retina.

**Retinol.** A hydrocarbon produced by the dry distillation of resin; used as a solvent.

**Retort'.** A chemical vessel with a long neck employed in distillation. For the generation of nitrous oxide gas for dental purposes the retort should be made of glass; one without a stopper answers best.

**Retort, Tri'bulated.** A retort with a small hole in the top.

**Retrac'tion** (*retractio*, from *retrahere*, to draw back). The state of a part when drawn toward the center of the body or backward; also the state of being drawn up.

**Retrac'tor.** In *Anatomy*, a muscle the function of which is to draw back the part into which it is inserted. In *Surgery*, a piece of linen held in suspension for drawing the divided muscles upward, to prevent injury from the air. In *Dental Surgery*, an instrument for drawing the stump of the tip back for the purpose of exposing the under teeth while

separating them with a file or disk. The file is seldom used.

**Retractor An'guli Or'is.** The buccinator muscle.

**Ret'rehaus** (from *retrahere*, to draw back). Drawing back. Applied in *Anatomy* to a muscle of the ear.

**Retrahens Auris.** Two small bundles of muscular fibers situated behind the ear.

**Retroce'ssant.** A term applied in *Pathology* to a disease which moves from one part of the body to another, as sometimes happens in cases of gonorrhea.

**Retroces'sion.** The act of going back. The transfer of a disease from the surface to the interior.

**Retroclussion.** Compression of an artery by the passing of a pin through the tenses alongside of it.

**Re'trorter** (from *retrahere*, back, and *torere*, to turn). Turning back abruptly or suddenly.

**Retroflex'ion.** An abrupt displacement, or changing of the normal direction.

**Re'trograde** (from *retrahere*, and *gradus*, a step). Receding, or going backward.

**Retrovers'ion** (*retroversio*). Turning back; applied to the uterus and other organs.

**Retroversion of the Uterus** (*retroversio uteri*). A deviation of the natural position of the uterus wherein the fundus of the organ is turned back into the concavity of the sacrum while the neck is directed toward the symphysis pubis.

**Reu'nion.** In *Surgery*, the union of parts separated by a wound. When this takes place without suppuration the reunion is said to be by the *first intention*, but if not until after suppuration occurs it is said to be by the *second intention*.

**Reuss's Test.** A test for atropine made by heating the suspected substance with sulphuric acid and oxidizing agents; when, if atropine is present, an odor of blossoms is developed.

**Revel'ant.** Derivative; applied to that which draws inflammation or other diseased action from a part.

**Reverbera'tion** (*re*, again or back, and *verbera*, to strike). Reflection of light, heat, or sound.

**Revert'eratory Fur'nace.** A furnace in which the flame is made to play over an arched surface.

**Reverbera'tion.** Resonance; reflection of light. In *Chemistry*, the reflection of a metal

from a state of composition to its metallic condition.

**Revul'sant** (from *revelle*, to push away). A medicine that draws the blood from a distant part of the body by irritation.

**Revul'sion** (*revulse*, from *revellere*, to pluck). The act of drawing a disease from the organ in which it appears to have taken its seat.

**Revul'sive**. Derivative. Revellent (which see).

**Rhubarb'aric Acid**. *Rhubarbarin*. The yellow crystalline coloring matter of rhubarb, supposed by Brande to be the active principle of the drug.

**Rhubarb'arum**. *Rhubarb*.

**Rhachis'us** (*ρῆχς*, the spine). Belonging to the spine.

**Rhachis'gia** (*ρῆχίσις*, from *ρῆχς*, the spine, and *γίσις*, pain). Spinal irritation. pain in the spine.

**Rhachis'mus**. The first symptoms of epilepsy.

**Rhachiot'ome**. An instrument for opening the spinal canal.

**Rhachiot'omy**. Dissection of the spine.

**Rhachipar'ysis**. See PARAPLEGIA.

**Rhachiph'y'ma**. A tumor of the spine.

**Rhachirhoe'ma**. Lumbago.

**Rhe'chis**. The spine or vertebral column.

**Rhachis'gra** (from *ρῆχς*, the spine, and *γίσις*, a seizure). Sudden seizure of the spine with pain. A gouty or rheumatic affection of the spine.

**Rhach'tis**. The muscles of the spine.

**Rhaco'des**. Wrinkled.

**Rhaco'ma**. A rent or chapped portion of the skin. Also a lax condition of the cuticula.

**Rhe'gades**. A fissure, chaf, or cleft.

**Rhegol'des**. A term employed in *Anatomy* to designate a membrane of the eye, the tunica rhabdica, or uvula, from its resemblance in color to a grape.

**Rhe'phie** (Gr. = a seam). A ridge or raised line, especially one in the median line of a part.

**Rhet'ary**. *Rheumia*. *Krameria triandra*. Astringent, diuretic, and detergent. Dose, ℥ss to ʒj, in powder.

**Rheg'ma**. A laceration or fracture.

**Rhe'ic Acid** (*rheum*, *rhubarb*). The yellow, crystalline, granular matter of rhubarb, pressed from the plant by means of ether.

**Rheothorax**. See RHINORRHEA.

**Rheum'ter** (from *ρῆν*, to flow, and *τερος*,

a measure). An instrument for arresting and reestablishing the electric current of an electromagnetic machine; a galvanometer. Also an apparatus for measuring the rapidity of the blood-current.

**Rhe'oscope** (from *ρῆν*, current, and *σκοπεῖν*, to examine). An instrument for testing the existence of an electric current; a galvanoscope.

**Rhe'ostat** (from *ρῆν*, and *σταῖν*, to stand). An instrument for the measurement or comparison of resistance of an electric current.

**Rhe'otome** (from *ρῆν*, current, and *τομή*, to cut). An instrument for breaking a galvanic current or circuit.

**Rheotrope**. An appliance for reversing a current.

**Rhe'uma**. *Rhubarb*. *Rheuma*. A genus of plants of the order *Polygonaceae*. There are numerous species of *rheum*, but the commercial varieties most esteemed are the Russian, Turkish and Chinese. The English, French, and German are of inferior quality. *Rheum* root is purgative, stomachic, and astringent. Dose, gr x to ʒss of the powder to open the bowels, gr vj to gr x as a stomachic. Dose of the syrup and of the spiced syrup, for an infant, ʒj; of the fluid extract the dose is ʒss.

**Rheum, Salt**. A common name for several cutaneous affections of the scumetous and herpetic forms.

**Rheu'ma** (from *ρῆν*, to flow). The discharge from the nostrils and air-passages. It is also applied to any mucous discharge.

**Rheumat'rosis** (from *ρῆμα*, a defluxion, and *ρῶσις*, a joint). Acute rheumatism.

**Rheumat'gia**. Chronic rheumatism.

**Rheumat'ic** (*rheumatic*). Pertaining or relating to rheumatism.

**Rheu'matism** (from *ρῆμα*, a defluxion, a catarrh). A more or less painful affection occupying the muscles or parts surrounding the joints. It is sometimes acute and sometimes chronic.

**Rheumatism, Acute** (*rheumaticus acutus*). A disease usually ushered in by fever. Excruciating pain in different parts of the body, but more particularly in the larger joints, which soon become red and swollen. Several joints are usually affected at the same time, and the pain shifts from one to another.

**Rheumatism, Arthrit'ic**. *Rheumatismus*. Acute rheumatism, having the appearance of gout.

**Rheumatism, Cephalic.** Rheumatism affecting the lining membrane of the joints and bones of the tendons.

**Rheumatism, Chronic.** Pain in one or more of the joints, unaccompanied by inflammation, redness, or fever.

**Rheumatism, Gouty.** Arthritis; inflammation of the synovial membrane.

**Rheumatism, Peritoneal.** Rheumatism of the muscles of the anterior and lateral parts of the abdomen.

**Rheumatophy'ra.** Acute rheumatism.

**Rheumatic fever.**

**Rheumato'sis.** Rheumatism.

**Rheumatic Acid.** Oxalic acid.

**Rhiz'is.** A rupture of any part. A spontaneous opening of an abscess.

**Rhigo'line** (from *ρῑγ*, extreme cold) A petroleum naphtha boiling at 70° F., one of the most volatile liquids obtained by the distillation of petroleum, and which has been applied to the production of cold by evaporation. Used in *Dentistry and Surgery* as a local anesthetic, applied by means of Richardson's spray apparatus. Freezing by rhigolene is considered by some far more effective than by absolute ether, and also more convenient and more easily controlled than the freezing mixtures previously employed.

**Rhiz'gon.** Rhizg.

**Rhiz.** The nose.

**Rhino'gia** (from *ρῑν*, the nose, and *αἰγ*, pain). Pain in the nose.

**Rhino'chrysis** (from *ρῑν*, the nose, *χρ*, in, and *ζω*, to pour). An injection into the nostrils made with a syringe.

**Rhinocopy'ies.** A nose syringe.

**Rhino'tis** (*ρῑν*, nose) Nasitis. Inflammation of the nose. Coryza.

**Rhinody'n'ia.** Pain in the nose.

**Rhinopho'nia.** Nasal voice.

**Rhinophyma** (from *ρῑν*, growth) Nodular swelling of the nose caused by hypertrophy and congestion.

**Rhinoplas'tic** (from *ρῑν*, the nose, and *πλασ*, to form). A surgical operation for forming a new nose.

**Rhinopne'y'pus** (from *ρῑν*, nose, and *πνευ*, gas). Pyopus of the nose or nostrils.

**Rhinorrhoe'ia.** Epistaxis.

**Rhinorhin'ophy** (from *ρῑν*, the nose, and *ρῑν*, a nostril). Rhinorrhaphia. An operation for the removal of epistaxis, or a portion of the skin of the nose.

**Rhinostoma** (from *ρῑν*, a nose, and *στω*, to

flow). A discharge of limpid mucus from the nose without inflammation of the Schneiderian membrane.

**Rhinocopy.** Examination of the nasal cavity.

**Rhi'za.** A root.

**Rhi'zagra.** A punch; an instrument much used by ancient dentists in the extraction of roots of teeth, and occasionally employed at the present day.

**Rhizoph'agous** (from *ρῑζ*, a root, and *φαγ*, to eat) Feeding on roots.

**Rho'dium.** A hard, white metal found in crude platinum. Specific gravity is about 11.

**Rhodium Lig'num.** Rosewood.

**Rhodium'ic Acid.** An acid obtained from carbonyl oxide.

**Rhodo'meli.** Honey of roses.

**Rho'donite.** A variety of magnesian spar.

**Rho't'olite.** A variety of kyanite.

**Rhomb** (*rhombus* from *ρῑν*, to turn or whirl round, to wander) Literally, a deviating square. An oblique-angled, equilateral parallelogram or a quadrilateral figure the planes of which are equal, the opposite ones parallel, with unequal angles, two being obtuse and two acute.

**Rhombohe'dron.** A solid having six equal rhombic planes or sides.

**Rhom'bold.** Rhomboidal. A figure having the form of a rhomb, with sides and angles equal, but which is neither equilateral nor equiangular.

**Rhomboid'es.** A muscle of the scapula, which is sometimes described as two muscles, the rhomboides major and rhomboides minor.

**Rhomb-spar.** A crystalline mineral resembling calc spar, consisting of carbonate of lime and magnesia with some traces of carbonate of iron.

**Rhon'chal.** Relating or pertaining to rhonches.

**Rhon'chus.** Râle. A rattling or wheezing sound in the air-passages, generally arising from certain morbid states of respiration. Five species of rhonchus or rattle are enumerated by writers: (1) The *crepitans*, *râle crepitant*, resembling the decrystallization of salt over a gentle fire or rubbing a lock of hair between the fingers; (2) the *moeson*, *râle moeson*, consisting of unequal, irregular bubbles, like the sound heard in the windpipe of a dying person; (3) the *sonorus*, *râle sonorus*, resembling the sound of snoring, except when slight, then somewhat

like that of the cooing of a dove; (4) the *whist*, *whist* sound, a whistling or clicking, as of a small valve; (5) the *crackling*, consisting during inspiration of two, three, or four dry, sharp sounds.

**Rhopalic's.** See **PLICA**.

**Rhu'barb** (*rhei radix*) The root of several species of rhubarb, a very valuable drug. It is a mild purgative, slightly astringent and tonic. See **RHEUM**.

**Rhy'ms.** A decrease or defect of the lachrymal secretion of the eye.

**Rhythm** (from *pothos*, regular movement). Applied in *Medicine* to the pulsations of the heart and the arteries, which, when equal in force, are said to be in rhythm.

**Rhythmical.** Pertaining to or having the quality of rhythm.

**Rhytids'ms** (from *peridos*, to grow wrinkled). Atrophy or collapse of the cornea, without impairing its transparency, corrugation of any part.

**Rib.** *Casta*.

**Ribbon or Tape of Gold Foil.** A form of gold foil for filling teeth made by folding any portion of a sheet of foil over and over again until the desired width and thickness is produced.

**Rice Water.** The evacuations of persons affected with cholera are so termed from their resemblance to it.

**Richardson's Spray Apparatus.** Invented by Dr. Benjamin W. Richardson, of London, consists of a spray tube and bottle worked by a hand bellows. The tube differs from all other spray tubes in that the volatile fluid, absolute ether, or rhigolene is brought up for dispersion by air pressure, produced by the same motion as that which causes the dispersion.

Dr. Richardson says that the effect of his apparatus is due entirely to the cold generated by the rapid evaporation of the ether. In effecting local anesthesia by this process the entire blanching of the surface to be operated on may be produced or, short of this extreme result, a superficial anesthesia only may be induced. To produce insensibility of a part with absolute ether, the application of the spray from thirty to sixty seconds only is necessary. For the extraction of a tooth, before applying the spray the parts to be acted upon should be carefully dried, otherwise a film of ice will be formed and the anesthesia be obstructed and impeded. There is little or no difficulty in

extracting the superior front teeth by this process, without causing pain, but in the case of the back and inferior teeth there is difficulty, owing to the saliva freezing.

**Richmond Crown.** An all-porcelain crown having a base V-shaped from the mesial to the distal side. The pin or post is first pushed through a thin perforated disk of gutta percha and the crown warmed and pressed into place; when cool it is removed and the gutta percha trimmed away close to the crown-neck. The crown is then warmed, a little oxyphosphate cement put on the post, and the crown pressed into its proper place.

**Ricin'ic Acid.** One of the three acids produced by the saponification of castor-oil.

**Ric'inus.** A genus of plants of the order Euphorbiaceae.

**Ricinus Commu'nis.** The castor-oil plant, or Palma christi. The oil obtained from the seeds is a mild cathartic.

**Rick'ets.** An affection of early childhood characterized by excessive deposition of cartilage in and about bones, causing undue flexibility enlargement, and deformity of the bones. It is a constitutional disease of childhood, characterized by increased cell growth of the bones. The bones are deficient in earthy matter, resulting in deformities, muscular pains, sweating upon the head, and later, excessive calcification occurs in the distorted bones and their cartilaginous enlargements. There are also abnormal changes in the spleen and liver. Treatment: Nourishing food, cod-liver oil, the iodide of iron, the hypophosphites and phosphates, bathing, and open-air exercises.

**Ridge, Crest, or Line.** A prominent border of a bone.

**Riga Bal'sam.** The resinous juice from the young twigs of the *Pinus canadensis*.

**Rig'id** (*rigidus*) Hard; stiff; not pliant.

**Rigid'itas.** Rigidity.

**Rigiditas Articulo'rum.** False ankylosis.

**Rigid'ity** (from *rigere*, to be stiff). Rigidity. Stiffness; want of pliability.

**Rig'or** (from *rigere*, to shiver) A sensation of cold, with involuntary shivering.

**Rigor Mortis.** The rigidity which takes place after death.

**Rigor Nerve'vus.** Tetanus.

**Ry'ms.** A *secura*, clef, or opening.

**Rima Cana'tis Suborbita'ria.** The suborbital fissure.

**Rhinostoma.** The opening of the glottis, or, spoken, of the larynx.

**Rhynchon.** The valve.

**Rhinotomy.** Fall of rhinosis.

**Rhinotomy.** A small fissure or crack.

**Ring (circular).** In *Anatomy*, a circular ridge which serves for the passage of a vessel or other organ, as the vaginal ring, the abdominal ring, etc.

**Ring, External Abdominal.** An opening formed by the separation of the fibres of the aponeurosis of the obliquus externus.

**Ring, Femoral.** An opening between Poupert's ligament and the pubes.

**Ring, Internal Abdominal.** An opening in the fascia transversalis, a little above Poupert's ligament.

**Ringworm.** *Herpes circinatus*. Any parasitic affection of the skin spreading in the form of a ring, with healthy skin inside of it.

**Ringworm of the Scalp.** *Porrigo scutula*.

**Rinsing.** Regurgitation.

**Risorius.** A name given by Santorini to a portion of the platysma myoides muscle.

**Rissus** (from *ridere*, *risus*, to laugh). Laughing.

**Rivet.** A term applied in *Mechanical Dentistry* to the small platina pins baked in the heels of porcelain teeth to serve as a means of attachment to narrow strips of gold, silver, or platina plate, which are afterward soldered to the band designed to sustain the teeth in the mouth.

**Rivulus Ducts.** The excretory ducts of the sublingual glands, first discovered by Rivinus.

**Roadway.** In *Chemistry*, a process employed for the separation of mineral substances, consisting in the volatilization of some of their principles and in changing others so as to prepare them for other operations.

**Robertson's Alloy.** An amalgam for filling teeth, consisting of 1 part of gold, 3 of silver, and 2 of tin, the gold and silver being first melted and the tin added at the moment of fusion. When cold, the alloy is finely pulverized, and equal quantities of the powder and mercury are kneaded together.

**Robertson's Metal.** A textile metallic filling material, introduced as a substitute for amalgam.

**Robinson's Remedy.** Carbonized potash, consisting of equal parts of caustic potash and metallic acid. Employed as an obdurate for

sensitive dentine and as an application in alveolar pyorrhea.

**Robinson's.** Corrosive; a strengthening medicine.

**Robinson's.** Tonic.

**Roche Alena.** Native alum.

**Rockelle Salt.** Tartrate of potash and soda (which see).

**Rock Oil.** Petroleum.

**Rock Salt.** Common salt found in masses or beds.

**Rodent Ulcer.** A superficial, sluggish, but spreading ulcer, usually on the face; a form of epithelioma of the skin.

**Rodem'ia** (from *rode*, to gnaw). An order of mammalia having two incisor teeth in each jaw with an empty space between them and the molars, comprehending the rat and mouse, the squirrel, rabbit, muskrat, beaver, and other gnawing animals.

**Roll'er.** A term applied in *Surgery* to a long, narrow bandage.

**Roll'ing Mill.** An apparatus for reducing metal to thin plates or laminas, consisting of two iron rollers, mounted in a strong iron frame, so adjusted as to be separated or brought near together by means of a crank. It is used in the laboratories of dentists for reducing gold and silver into plates to serve as a basis for artificial teeth.

**Roof of the Mouth.** The palate.

**Root Fillings.** Fillings of different materials inserted into the pulp canals of the teeth.

**Root Trimmer.** An instrument for shaping and reducing the roots of natural teeth in crown and bridge-work.

**Roriferous** (res, dew, and *ferre*, to bear). In *Anatomy*, vessels which pour exhaled fluids on the surface of organs.

**Rosa Aqua.** Rose water. Pale rose, 40; water, 300 parts; mixed and distilled.

**Rosa Aqua Unguentum.** Cold cream. Oil of almond, 50, spermaceti, white wax, 10, rose-water, 30 parts. A useful emollient.

**Rosa Centifolia.** The damask, cabbage, or hundred-leaved rose. The petals of this species have properties similar to those of the rose alba. The oil of roses (oleum rose) and rose-water are obtained chiefly from them.

**Rosa Mollis.** Honey of roses. Red rose, 3; honey, 33; alcohol ad., 100 parts.

**Rose'cons.** Rose-like.

**Rose'ic Acid.** A peculiar acid supposed

to exist in the lateritious sediment of urine in gout and in inflammatory and intermittent fevers.

**Rose/lin.** *Scarlatina*.

**Rose, Cam'phor.** A solid oil of rose.

**Rose Pearl.** See *CHLULOID*.

**Rose Pink.** Chalk or whiting dyed in a decoction of Brazil wood and alum.

**Rose Rash.** *Roseola*.

**Rose Red.** A red pigment used by the manufacturers of porcelain teeth in gum-enamel.

**Rose/ols** (from *rosa*, a rose) **Rose rash** An effluence of a rose color, appearing in patches of various shapes, without papula, alternately deepening and fading, and usually occurring as a symptom of dentition, dyspepsia, and often in connection with different febrile affections. The following are the principal varieties: (1) *Roseola acties*, which generally occurs in the summer, first appearing on the face and neck, but afterward distributed over the body, accompanied by an itching and tingling sensation; (2) *roseola cutaneous* appears on children in the autumn in the form of circular or oval patches, which gradually increase in size and assume the hue of a dark damask rose; (3) *roseola exanthemata* appears in rose-colored rings on almost every part of the body; (4) *roseola infantilis* occurs in infants as a symptom of the irritation of dentition in fevers, etc.; (5) *roseola varicelosa* appears previous to the eruption of small-pox, whether occurring in the natural way or from inoculation, though seldom before the former; (6) *roseola vaccina* occurs generally in small patches, about the ninth or tenth day after vaccination; (7) *roseola miliaris* frequently occurs during the eruption of military vesicles.

**Rose/ols.** *Rosellina*, false measles, French measles. A name sometimes given to an acute exanthem, an eruptive disease intermediate between measles and scarlatina, but affording no protection against either.

**Rose's Fusible Metal.** Composed of lead, 1 part; tin, 1 part, bismuth, 3 parts, and fuses at 94° C., or 210.2° F.

**Ro'seum.** Of a rose-red color.

**Ros'in.** The residuum after the distillation of the volatile oil from the turpentine of pines. *Colophony*. See *RESIN*.

**Ros'trate** (*rostratus*). Having a beak or bill.

**Ros'triform.** Having the form of a beak.

**Ros'trass.** A beak. A name given to

several old fowls, from their resemblance to the beaks of different birds.

**Rosy-drop.** The same roscous, or carbuncled face.

**Rota/cocon.** Wheel-like.

**Rotac'o/mas.** A faulty pronunciation of the letter *r*.

**Rot'ate.** Wheel-shaped. In *Dentistry*, the term rotation denotes the turning of a tooth on its axis.

**Rotat'ing Devices.** Appliances, either single or double, for correcting torsion of single-rooted teeth.

**Rotat'or** (from *rota*, a wheel). A name applied in *Anatomy* to several muscles the office of which is to rotate the parts upon which they act.

**Rot'ten Stone.** An earthy mineral, consisting of alumina, carbon, and silica, used for polishing metals, etc.

**Rot'mis.** The patella; also a lozenge, called a drop.

**Rotun'dus.** Round.

**Rouge.** A species of lake prepared from the dried flowers of the *Carthamus tinctorius*. A cosmetic or dye.

**Rouge, Pol'ishing.** See *POLISHING ROTUN*.

**Round** (*rotundus*). Applied in *Anatomy* to foramina and parts which have this figure, as the *foramen rotundum*, and *Hymenote rotunda*, etc.

**Round Ligaments** (*Hymenotus rotunda*) Two cords composed of condensed cellular or fibrous tissue, blood-vessels, and nerves. They proceed, one from each side of the uterus, through the abdominal ring, to be lost in the meso venteria.

**Rostr'alist.** In *Medicine*, a physician who practices in accordance to fixed rules, without regard to circumstances.

**Royal Mineral Succo'da'meum.** A name given by the Chymists to amalgam for filling teeth (which see).

**Rubber, Indian.** *Caoutchouc* (which see). Also see *VULCANITE BASE*.

**Rubber Sore Mouth.** A characteristic inflammation of the mucous membrane of the mouth, due to vulcanite plates being insufficiently hardened, and as a consequence porous, or to the want of a smoothly finished surface; also (according to Dr. Black) to the presence in great numbers of a certain fungi (*strepococcus magnus*), which elaborates an irritating acid secretion, and which are found in greater numbers on vulcanite plates, also to the ab-



conducting quality of vulcanite, which prevents inflammatory action. Cellular dentures are also regarded as preventing this inflammatory action, but to a less degree if moulded upon the dies or on plaster casts covered with the foil.

**Rubber-dam, or Coffler Dam, Baranow's.** Consists of a small piece of sheet rubber or rubber cloth, about six inches wide and from six to ten inches long, used for preventing the saliva and breath from interfering with the operation of filling teeth. If the tooth to be filled stands alone, a single hole may be cut near the centre of the rubber, in diameter about one-third that of the tooth, and through which the crown of the tooth is to pass. With a small, flat burnisher or rubber-dam applicator the edge of the rubber is worked around the neck of the tooth toward the alveolus as far as is possible. If the tooth does not stand alone, several holes are cut in the rubber sufficient to allow several to pass through, the holes to be from  $\frac{1}{4}$  to  $\frac{1}{2}$  of an inch apart, according to the proximity of the teeth, allowing sufficient margin for working it well under the gum. The shape of the piece of rubber is not material, some operators preferring the square form, others the parallelogram or a piece of a triangular form. It is secured by ligatures and clamps.

**Rubber-dam Applicator.** An instrument of a sick shape, across the two ends of which a cord is stretched to force the rubber down between back teeth, as far as the necks, without tearing it.

**Rubber-dam Clamps.** Flexible steel clamps to prevent the rubber-dam from being forced off the tooth by movements of the lips and tongue, and also useful in forcing the rubber higher up on the tooth and in pressing it aside to improve access to the cavity. See **CLAMP**.

**Rubber-dam, Depressed.** A form of dam which contains in some part of the sheet an arched depression, which isolates the crown of the tooth to be operated on, and also admits light, especially when used with a mirror combination; the small mirrors are  $\frac{1}{4}$ ,  $\frac{1}{2}$ , and  $\frac{3}{4}$  of an inch, both plane and concave.

**Rubber-dam Holder.** This consists of an elastic ribbon attached to two oval plates, upon which spring catches are adjusted to hold the rubber. One end of the ribbon, which passes around the hand, is drawn through two rings, by which it is tightened or loosened, and the

rubber is thus held aside to open the tooth to access or light.

**Rubber-dam Punch.** An instrument used for perforating the rubber dam for the reception of the tooth. Three sizes are generally required for the different classes of teeth, so that the holes made may be half a line, one line, and one line and a half in diameter.

**Rubber-dam Weights.** Small weights of metal intended to be suspended from the free ends or borders of the dam to keep it out of the way of the operator.

**Rube'do** (from *rubeo*, to be red). Redness. A uniformly diffused redness on any part of the skin, as that arising from blushing.

**Rube's's'cleat** (*rube's's'cleat*; from *rubeo*, red, and *fescle*, to make). A term applied to substances which, when placed upon the skin, cause redness by exciting the action of the capillaries and giving occasion to an afflux of vascular and nervous power to the part on which they are applied.

**Rube's's** (from *rubeo*, to be red) Menses; an exanthematic disease consisting of crimson stigmata arranged in semi-circles. See **MENSTRUUM**.

**Ru'ber.** Red.

**Ru'bidium.** Symbol, *Rb*. Atomic weight, 85.2. An alkali metal prepared in the same manner as that used for potassium. It is silver-white in color and melts at 38.5° C. It burns like potassium, an explosive compound with carbon monoxide.

**Rub'ig'ous** (*rube'g'ous*, from *rubeo*, rust). Of the color of rust.

**Ru'igo.** Rust.

**Rub'go Cu'pri.** The subacetate of copper. Verdigris.

**Rub'go Fer'ri.** Sesquioxide of iron.

**Rubi'mus Ve'r'm.** Anthrax.

**Rubi'ca Fabri'ca.** Red chalk, a heavy argillaceous substance.

**Ru'brin.** Hametoin.

**Ru'brula.** Frankensia, or yawa.

**Ru'by** (from *rubeo*, to be red). A mineral of a color intermediate between carmine and hyacinth red. It is next in hardness and value to the diamond.

**Ruby of Arsenic.** The protosulphuret of arsenic.

**Ruby of Zinc.** Red blend, or protosulphuret of zinc.

**Ruby, Rock.** A beautiful red variety of garnet.

**Ru'et'na.** Eructation; belching.

**Red'sia.** A kind of red chalk.

**Ru'diment** (*rudis, raw*). The first principle in science. The origin of anything.

**Ru'ga** (plural, *rugae*). Folds or wrinkles in the anterior part of the mucous membrane of the hard palate in the roof of the mouth.

**Ru'gine** (from *rupe*, a wrinkle). In *Surgery*, an instrument for removing the diseased portions of bones.

**Rugose** (*rugosus*). Wrinkled. In folds.

**Rugosity.** Roughness.

**Rum.** Jamaica spirit. A spirituous liquor distilled from sugar-cane.

**Ruminan'tia.** Ruminants. Animals which chew the cud, as the ox, deer, etc.

**Ruminat'ion** (*ruminatio*). A function peculiar to ruminating animals, consisting of chewing a second time the food they have swallowed.

**Ru'n'ing.** Applied to a continual flow of pus or mucus.

**Ru'pha** (from *parva, sordida*). A disease characterized by an eruption of large, flat vesicles with a slightly inflamed base and containing a fluid, at first serous, but afterward puriform, and often bloody, which concretes into a hard crust. The disease appears under the following forms, viz. (1) *Eruptio simplex*, which consists of slight vesications, leaving a surface of a livid or blackish color after they pass away, (2) *rupia profundus*, which is characterized by the formation of elevated conical scabs upon the vesicated bases, (3) *rupia escherechii*, which is confined to infants and children of a cachectic habit, the vesicles

occur on the loins, thighs, and lower extremities.

**Rup'ture** (*ruptura*). Hernia, or the protrusion of some part of the viscera of the abdomen.

**Rup'turing.** In *Dentary*, bursting; a mode of dehiscence in which the pericarp is spontaneously perforated by holes.

**Rust.** The oxides, hydrates, and carbonates which form on metals when exposed to moist air, especially iron.

**Ruth'e'nium.** A metal resembling iridium and rhodium, found in the ores of platinum. Specific gravity about 8.5.

**Rutido'sis** (from *rudere*, to wrinkle). **Rytidosis.** Act of wrinkling; applied in *Pathology* to atrophy of the eye attended by subluxation and corrugation of the cornea.

**Ru'tilent** (from *rubus, to shine*). Shining.

**Ru'tilite.** Native oxide of titanium.

**Ruyachia'na Membrana.** Membrane of Ruyach. The internal layer of the choroid coat of the eye. Called also *ruyachiana tennica*.

**Ruyachiana Tu'nica.** The inner surface or coat of the choroid membrane, supposed by Ruyach, after whom it is named, to be a lamina distinct from the external surface.

**Ruyc'ollite** (from *ruof*, a stream, and *lithos*, a stone). Glassy felspar.

**Rye, Ergot of.** See **SECALE CORNUTUM**.

**Rye, Spurred Ergot, horned rye.** See **SECALE CORNUTUM**.

**Rytido'sis.** **Rutidosis** (which see)

**Ry'tis** (from *ruo*) Wrinkle.

## S.

**S.** Symbol for sulphur, also for *signe* in prescriptions.

**S. A.** In *Medical Prescriptions*, the contraction of *secundum artem*, prepared according to art; or *secundum artis leges*, according to the rules of art. So is also the symbol for *salicyl*.

**Sabadill'ia.** The veratrum sabadilla (which see).

**Sabadill'ia.** A new principle obtained from the veratrum sabadilla. See **VERATRINA**.

**Sabi'na.** Savina.

**Sab'u'losus** (*sabulosus*) Gritty Applied in *Pathology* to the sandy deposit sometimes seen in urine.

**Sabur'ra.** Sordes, silt, coarse sand; but according to the common acceptation of the term, foulness of stomach.

**Sac** (from *sacus*, a bag) In *Anatomy*, a small natural cavity, in *Pathology*, a morbid cavity.

**Sac, Peritoneal.** The peritoneal covering of a hernia, the sac of a hernia.

Sac of a Tooth. See DENTAL SAC.

Sac'cula, Sac'culina. Sacculated; involved in a spot or bag.

Sac'charata, Sac'charated (saccharum, sugar). Having or containing sugar.

Sac'charic Acid (from saccharum, sugar). An acid produced by the action of nitric acid on sugar.

Saccharifica'tion. Sugar-forming. The conversion of starch into sugar.

Sac'charin. A benzol sulphonicimide derived from coal-tar. It is used in diabetes.

Sac'charine. Belonging to or having the properties of sugar.

Sac'charoid. Having the appearance of sugar. Applied to minerals.

Sac'charum or Sac'charose. Cane sugar. The soluble, crystalline substance,  $C_{12}H_{22}O_{11}$ , occurring in the juice of sugar-cane.

Saccharum Acet'icum. Maple sugar. It is employed as an aliment and a demulcent.

Saccharum Al'bum. Refined sugar, white sugar; loaf sugar. See SUGAR.

Saccharum Lac'tis. Sugar of milk. A crystalline substance obtained from whey in hard white masses of a sweet taste. Used as a bland and nutritious article of diet in certain diseases.

Saccharum Satur'al. Acetate of lead. Sugar of lead.

Saccharin's Acid. An acid obtained by digesting the sugar of milk in nitric acid. It is identical with mucic acid.

Sac'charum. Formed like a sac.

Sacculated. Composed of small sacs.

Sac'culus, Sac'cula. A little sac or pouch. Sacculus Chylif'erous. The receptaculum chyli.

Sacculus Cor'dis. The pericardium.

Sacculus Lacryma'lis. The lacrymal sac.

Sac'cus. A bag.

Sacchar's Test. A test for sugar made by heating with a solution of potassium and mercuric iodide and caustic potash. Glucose decomposes this compound so that it no longer is turned black by the addition of ammonium sulphhydrate.

Sack. See BAG.

Sac'ral. Belonging or relating to the sacrum.

Sacral Arteries. These are distinguished into the anterior or middle sacral and the lateral sacral arteries.

Sacral Nerves. The sacral nerves arise from

the termination of the spinal marrow, and are six in number.

Sacro-coccyg'eus. A muscle arising from the sacrum and inserted into the coccyx.

Sacro-coccy'gia. A rheumatic affection of the sacro iliac symphysis.

Sacro-iliac. Relating to the sacrum and ilium.

Sacro-ischiat'ic. Relating to the sacrum and ischium.

Sacro-ischio'lis. A long muscle, seated at the posterior part of the trunk, arising from the sacrum and extending to the lower part of the neck.

Sacro-sciat'ic. Pertaining to the sacrum and ischium.

Sacro-sciatic Ligaments. Two ligaments which assist in securing the sacro-iliac articulation.

Sacro-ver'tebral. Pertaining to the sacrum and vertebra.

Sac'rum (from sacer, sacred). Os sacrum. The bone forming the posterior part of the pelvis. It is a continuation of, and forms the base of, the vertebral column. It is articulated above with the last lumbar vertebra, laterally with the osseous innominate, and below with the coccyx.

Sac'rum. The prepared stigmata of the *Oreanus sativus* (which see).

Saffron, Meadow. Common name of *Calchicum autumnale*.

Saffron of Steel. Red oxide of iron.

Safrano. An ingredient of the oil of saffron.

Saf'rol. The liquid stearoptene of oil of saffron, used in headache and anæmia.

Sage. Common name of *Salvia officinalis*.

Sagit'tal (agittalis, from sagitta, an arrow). Arrow shaped, applied to a suture of the cranium.

Sagittal Suture. The suture which unites the two parietal bones.

Sag'ittate (from sagitta, an arrow). Arrow-shaped.

Sa'go. The prepared fecula of the pith of *Sagrus rumpit*. When boiled in milk or water it forms a light and nutritious food for invalids. It is necessary, however, to add to it a little sugar and wine or lemon juice to render it palatable.

Salm. Adape collina, or hog's head.

Saint Anthony's Fire. Erysipelas.

**Salut Vitæ' Dance.** Common name of chara.

**Sal (salt).** A salt. The following are a few of the designations of this extensive class of compounds:

**Sal Ammoniac.** Muric acid of ammonia.

**Sal Ammoniacum.** Volatile salt of ammonia.

**Sal Ammoniacum Acetosum.** Solution of acetate of ammonia.

**Sal Antimonii.** Tartarised antimony, tartar emetic.

**Sal Argenti.** Nitrate of silver

**Sal Benzoic.** Benzoic acid. *Acidum benzoicum*

**Sal Chalybeis.** Sulphate of iron

**Sal Commune.** Common salt. Chloride of sodium.

**Sal Saturni.** Acetate of lead

**Sal Soda.** Subcarbonate of soda; salt of soda.

**Sal Tartari.** Tartaric acid

**Sal Vitrioli.** Sulphate of zinc, salt of vitriol.

**Sal Volatile.** Volatile salt, subcarbonate of ammonia.

**Salvæ Convulsivæ.** Convulsions attended with bowings of the head. They sometimes occur in children.

**Salubrity** (from *salus*, salacious). Lust, propensity for sexual indulgence.

**Salvæ tæ.** See **SODIUM**.

**Salicina, Sal'icina.** A bitter febrifuge substance obtained from the bark of most of the species of willow. Formula,  $C_{10}H_{12}O_4 + HO$ . Dose, gr. ij to gr. viij or x. See **SALICINIC ACID**.

**Salicornia.** A genus of plants of the order Chenopodiaceæ.

**Salicornia Europæa.** The jointed glasswort. It is eaten as a salad or pickle under the name of marsh asphodel.

**Salicyl.** A hypothetical radical of a series of compounds. Formula,  $C_6H_5O$ . Symbol, *Sal*. See **SALOL**.

**Salicylamide.** A substance forming yellow tabular crystals.  $C_6H_5NO_2 = H_2(OH)(CO_2NH_2)$ . Germicidal, and used as a substitute for salicylic acid in smaller doses.

**Salicylic Acid.** Formula,  $HC_6H_4O_2$ . Salicylic acid is a derivative of salicin, the vegetable principle existing in various species of the willow, poplar, etc. Prof. Kolbe, of the University of Leipzig, recognising the fact that phenol or carbolic acid might be so prepared as to produce, among other substances, salicylic

acid, devised a process for its manufacture. Phenate of sodium is first prepared by double decomposition of phenol of soda, and dried carbolic anhydride is then passed through the dry powder at a temperature of  $110^\circ$  to  $250^\circ$  C. The carbolic anhydride combines directly with the metallic derivative of phenol, and alkaline salts of acids of a higher series are formed, among these, salicylate of sodium is dissolved in water and treated with hydrochloric acid, which, by double decomposition, sets salicylic acid free in small crystals. These crystals are washed, dissolved in hot water, and by recrystallisation, obtained in the form of a crystalline powder of a light brown color. The product thus obtained is then bleached either to light cream color with a reddish tinge or quite white. Salicylic acid is odorless and nearly tasteless, with a sweetish and astringent after-taste, with slight acidity in the fauces but none in the mouth. It has a tendency to produce exspiration. Salicylic acid is a powerful antiseptic, and is said to be far more effective in smaller quantities than any other preparation of the same class, and is devoid of any irritating, inflammatory, or caustic action on the living tissue. It also has no poisonous effect in any reasonable quantity. In *Dental Practice*, salicylic acid is employed in the treatment of suppurating, gangrenous pulps of teeth in the form of an ethereal solution, acting as a deodoriser, it may also be employed in the form of the dry powder. It is also useful in inflamed conditions of mucous membranes, such as stomatitis, and in scorbutic inflammations, and in every form of inflammation caused by dead teeth and roots of teeth. For a disinfecting mouth-wash, one part of salicylic acid is added to 300 parts of water, or a stronger solution may be made by adding 8 parts of phosphate of soda and 30 parts of distilled water to one of salicylic acid. It is also useful as an ingredient of tooth powder.

**Salicylous Acid.** Hydruret of salicyl. A compound forming the chief ingredient in the essential oil of *Spiræa ulmaria*, or meadow-sweet.

**Salifiable.** Capable of combining with an acid to form a salt.

**Saligenin.** A substance which, together with sugar, contains the elements of salicin, from which it is obtained.

**Saline' (saline; from *sal*, salt).** Containing a salt or of the nature of salt.

**Salicylicum.** *Antipyrine salicylate.* A crystalline substance used as an anodyne and ptychic in rheumatism, hectic fever, and neuritis.

**Salivaria.** A resinous substance obtained by the action of sulphuric acid on salicin.

**Saliva (saliv).** Saliva; spit. The fluid secreted by the parotid, submaxillary, and sublingual glands. It is inodorous, insipid, and slightly viscid. Its use is to lubricate the mouth, mix with the alimentary bolus, and assist in the process of digestion. From fourteen to twenty ounces are secreted every twenty-four hours. Its chemical constituents, according to Barmann, are: Water, 998.2; a peculiar animal matter, soluble in water and insoluble in alcohol, 2.9; mucus, 1.14; chloride of potassium and sodium, 1.7; lactate of soda and animal matter, 0.9; soda, 0.2. The chemical composition of human saliva, according to Bidder and Schmidt, is as follows:

Water, . . . . .	996.16
Epithelium, . . . . .	1.02
Soluble organic matter, . . . .	1.34
Potassium sulphocyanide, . . . .	0.06
Sodium, calcium, and magnesium phosphates, . . . . .	0.66
Sodium and potassium chloride, . .	0.64
	1000.00

The proportion of water is about 95 per cent., and results from a transudation from the blood-vessels during the functional activity of the salivary glands. It holds the other constituents of the saliva in solution, and also assists in the solution of the different varieties of food. The organic matter consists chiefly of mucus, globulin, serum, albumen, and ptyalin. The function of the saliva is to soften and moisten the food during mastication, and to exert a chemical influence upon its starchy elements, transforming them into glucose or grape-sugar. The secretion of saliva is a reflex act, controlled largely by the medulla oblongata, from the impressions made by the food upon the peripheral terminations of the nerves of the mucous membrane of the mouth, and spread along the afferent nerves, such as the lingual branch of the fifth pair and the glossopharyngeal, to the medulla oblongata. Parotid saliva contains a diastase ferment (ptyalin) and a small quantity of urea. Submaxillary saliva contains a less proportion of

ptyalin, mucus, and sulphocyanide of potassium. Sublingual saliva contains mucus, sulphocyanide of potassium, and numerous salivary corpuscles. Saliva has no action on proteids or fat. Mixed saliva is more potent than the saliva from a single gland. In certain states of the general health, the acetic, lactic, oxalic, muriatic, and uric acids have been detected in it, but it is not improbable that these acids may have been derived from the mucous secretions of the mouth, which are always more or less abundantly mixed with it. Donné and others have detected acid in the saliva of persons affected with gastritis.

**Saliva, Characteristics of the.** See FLUIDS OF THE MOUTH, CHARACTERISTICS OF.

**Saliva Ejector.** A saliva instrument employed to evacuate the mouth, and connected with a fountain-syringe for the purpose of disposing of the saliva during operations on the teeth and at the same time maintaining the cleanliness of the esophr.

**Saliva Pump.** A dental instrument used to facilitate the filling of teeth in the lower jaw by keeping the mouth free from saliva. A number of these instruments are in use, known by the names of their inventors. Some, besides keeping the mouth free from saliva, hold the tongue away from the teeth and support the upper jaw, thus assisting the muscles which keep the mouth open.

**Salivari.** Salivaris; salivary. Of or belonging to the saliva.

**Salivari Ducts.** The excretory ducts of the salivary glands. They are the *Stensen's*, the *Wharton's*, and the *Sublingual*. The first belongs to the parotid, the second to the submaxillary, and the third to the sublingual.

**Salivari Glands.** The salivary glands (which see).

**Salivariis.** Salivary.

**Salivary.** Salivaris, salival. Of or belonging to the saliva.

**Salivary Calculus.** Odontolithos; odontia incrustans, tartar of the teeth. An earthy concretion found upon the teeth and in the mouths of the salivary ducts. It sometimes accumulates upon the teeth in a very large quantity, giving to the mouth an exceedingly disagreeable appearance, and often imparting to the breath an almost insupportably offensive odor. Salivary calculus is composed principally of phosphate of lime and animal matter, differing, however, in their relative pro-

portions according as it is hard or soft, and hence scarcely any two analyses furnish the same results. According to Mr. Poggys, fifty parts yield:

Phosphate of lime, . . . . .	85.00
Fibrine, or cartilage, . . . . .	9 00
Animal fat, or oil, . . . . .	3.00
Loss, . . . . .	3.00
	<hr/> 80.00

In an analysis made by Berzelius, 100 parts were found to contain

Phosphate of lime and magnesia, . . . . .	79 00
Salivary mucus and salivine, . . . . .	13.50
Animal matter, . . . . .	7 50
	<hr/> 100 00

The following is the result of an analysis made by Dr. DeWelle, a dentist of New York

Phosphate of lime, . . . . .	80 00
Carbonate of lime, . . . . .	14 00
Animal matter and mucus, . . . . .	18 00
Water and loss, . . . . .	10 00
	<hr/> 108.00

Hard, dry calculus contains more earthy and less animal matter than soft humid calculus, and hence the variations in the results of different analyses.

M. Maschl says it is composed of infusoria (micro-organisms), and that they are thickly distributed throughout its substance, but it is not wholly composed of them, and such as are found in it evidently have their origin in the mucous secretions of the mouth, which mix with it during its deposition. Hence they are more or less numerous as the calculus is hard or soft or in proportion to the quantity of mucus mixed with it.\* English and American writers on dental surgery concur in the belief that salivary calculus is a deposit from the saliva. Jourdain believed it to be attracted by certain glands scattered over the dental pericorion. Garot contended that it comes from the gums, and Sarres claimed to have discovered glands upon the mucous membrane of this structure, the peculiar

function of which is to secrete this substance; but the absurdity of this theory has been fully exposed by M. Delabarre. But while this author exposed one error in regard to the origin of this substance, he fell into another equally great. He was of the opinion that it is an exhalation from the mucous membrane of the gums, and that this results as a consequence of inflammation or of an increase of vascular action in the tissue.

Of the existence of the elements of its composition in the saliva there can be no question. Chemical analyses of this fluid, direct from the glands that secrete it, place all doubt upon the subject at rest. Turner, in enumerating its chemical constituents, mentions as one bone earth,\* and Tiedemann, Gmelin,† and Suberer,‡ have detected phosphate of lime, as have also Enderlin§ and other chemists who have analyzed this fluid. Thus it is seen that its chief earthy constituent is contained in the saliva. It may also exist in solution in the mucous fluid of the mouth.

It is precipitated from the saliva, as this fluid enters the mouth, on the surfaces of the teeth, opposite the openings into the ducts from which it is discharged. To these its particles become agglutinated by the mucus always found, in greater or less quantity, upon them. Particle after particle is afterward deposited, until it sometimes accumulates in such quantities that nearly all the teeth are almost entirely enveloped in it. It is always, however, found in greatest abundance on the outer surfaces of the superior molars and the inner surfaces of the inferior incisors, and it is opposite to these that the mouths of the salivary ducts open.

The pressure of salivary calculus upon the teeth is always productive of injury, though sometimes more so than others. An altered condition of the fluids of the mouth, diseased gums, and not infrequently the gradual destruction of the alveolar processes, and the loosening and loss of the teeth, are among the local consequences that result from it. But besides these, other effects are sometimes produced, among which may be enumerated—Tumors and spongy excrescences of the gums; necrosis and exfoliation of the alveolar pre-

\* Dr. W. H. DeWelle has given a minute description of the microscopic appearance of the infusoria found in salivary calculus in the 4th volume of the "American Journal of Dental Science."

\* Turner's "Chemistry," p. 787.

† Muller's "Physiology," vol. 1, p. 581.

‡ French "Lecures," April, 1843.

§ Tiedb. "Annalen," 1844, pt. 3 and 4.

constant position of the maxillary bones, hemorrhages of the gums; erosion and disengagement of the whole digestive apparatus, foul breath, catarrh, cough, diarrhoea, diseases of various kinds in the maxillary sinus and nose, pain in the ear, headache, melancholy, hypochondriacism, etc.

When it is permitted to accumulate for any great length of time, the gums become so markedly sensitive that a tooth brush can not be used without producing pain, consequently the cleanliness of the mouth is not attempted and thus, no means being taken to prevent its formation, it accumulates with increased rapidity.

In the removal of this substance injury to the periodontal membrane of the necks of the teeth should be carefully avoided, and it is important, too, that not a particle be left, as it would serve as a nucleus for its redeposition. When it has accumulated in large quantities, several sittings are sometimes necessary for its complete removal.

It should be taken first from between the edges of the gums and the necks of the teeth adhering opportunely between the respective sittings of the patient, for the gums to heal, and for any of the teeth that are loosened to become firm. The mouth, in the meantime, should be gargled four or five times a day with some astringent or detergent lotion, such as dilute tincture of myrrh and nuxgalls. But for more particular directions on this subject see Harris' "Prin and Pract of Dentistry."

**Salivary Calculus, Characteristics of.** It has already been remarked that salivary calculus is very variable in its density, and its color and quantity on the teeth of different individuals are equally so, and these differences furnish diagnostics valuable both to the general and dental practitioner. They are less equivocal than the appearance of any of the other parts of the mouth. The relative proportions of the constituents of salivary calculus, as has been before stated, vary, according as it is hard or soft.

There are two kinds of black calculus. The first never accumulates in large quantities, and is most frequently found on the lingual surface of the lower incisors and canines. It is very hard, adhering firmly to the teeth, and is indicative of a good tissue constitution. The second accumulates in much larger quantities, is often found on all the teeth, has

an uneven surface, is covered with a glistening mucous fluid, is very hard, and adheres to the teeth with such great tenacity that it can only be removed, as it were, particle by particle. This variety is found on the teeth of infirm males of good innate constitution, but whose physical powers have become enervated from privation or disease, or intemperance and debauchery, and particularly the last.

The teeth on which both of these varieties of calculus are found are, as a general rule, of the best quality, and seldom affected with caries.

The dark brown calculus is not so hard as either of the preceding descriptions. It sometimes collects in large quantities on the lower front teeth and on the first and second superior molars, is often found on all the teeth, though not in so great abundance as on these. It does not adhere to the teeth with so much tenacity as either of the black varieties. It exhales a more fétid odor than the first, but is less offensive than the second.

The persons most subject to this kind of calculus are of mixed temperaments—the sanguineous, however, almost always predominating. They may, perhaps, be designated sanguineo serous and bilious. Their physical organization, though not the strongest and most perfect, may, nevertheless, be considered very good, but, being more susceptible to morbid impressions, their general health is less uniform.

**Calculus of a light or yellow-brown color** is of a softer consistence than any of the preceding varieties, and is seldom found upon the teeth of persons except those of bilious temperaments or those in whom this disposition predominates. It has a rough and, for the most part, a dry surface, it is found in large quantities on the teeth opposite the mouths of the salivary ducts, and it sometimes happens that every tooth in the mouth is completely encrusted with it. It contains less of the earthy salts and more of the fibrine and animal fat than that of any of the foregoing descriptions, and, from the quantity of vitiated mucus mixed with and adhering to it, has an exceedingly offensive smell. It is sometimes, though not always, so soft that it can be crumbled between the thumb and finger.

Inflammation, tenderness, and suppuration of the gums, inflammation of the alveolar-dental parietes, the destruction of the socket and loss of the teeth, are almost constant of

the fluids of the mouth, and solid breath are among the local effects produced by the long-continued presence of large quantities of this kind of calculus on the teeth. The constitutional effects are not much less pernicious. Indigestion and general derangement of all the assimilative functions are among the most common.

White calculus rarely accumulates in very large quantities, and consists almost wholly of hard and uncrust. It resembles somewhat cheese curd, and seldom exceeds it in hardness. This variety is usually found on the teeth of persons particularly subject to disease of the mucous membrane. It is very irritating to the gums, and corrodes the teeth.

Another accumulation on the teeth is a green deposit which stains the teeth, and is usually confined to the labial surfaces of the upper incisors, cuspids, and bicuspids. It is met with more frequently in children than adults, generally about the tenth to thirteenth year, and is exceedingly acrid, irritating the gums and decomposing the enamel of the teeth. This description of deposit is indicative of an irritable condition of the mucous membrane and of viscosity of the fluids of the mouth. See GREEN STAIN. See SERRUMAL or SANGUINARY CALCULUS.

**Salivary Fistula.** Such as are caused by an abnormal opening into the excretory ducts of the salivary glands. They are most common to the duct of Steno.

**Salivary Glands.** The organs which secrete the saliva. They are six in number, three on each side—namely, the parotid, the submaxillary, and the sublingual. Duglison makes the number on each side of the face four, by the addition of a gland which he designates as the intralingual or lingual, seated at the inferior surface of the tongue, where the mucous membrane forms a fringed fold.

**Saliva'tio.** Salivation.

**Saliva'tion** (*salivatio*; from *saliva*, the spittle). *Ptyalism.* A superabundant secretion of saliva, occasioned either by the use of stimulating narcotics or by some cause which acts upon the whole economy.

**Salivation, Mercurial.** Salivation resulting from the use of mercury. It is attended with profuse salivation, a coppery taste, and often by loosening of the teeth and inflammation and ulceration of the gums.

**Sal'ix.** A genus of plants of the order *Asclepiaceae*.

**Salix Frag'ilis.** The common crack willow. The bark is bitter, astringent, and tonic, and has been recommended as a substitute for cinchona. The other species are said to possess similar properties. *Salicin*, or *salicine*, is the active neutral principle, and acts like quina. Dose of the powder, from ℥j to ʒj. Dose of salicin, from gr. iv to gr. vj. See SALICOLIC ACID.

**Sal'low.** Paleness tinged with yellow. Also a name of certain shrubs of the genus *Salix*.

**Sal'miaz.** A contraction of *sal ammoniac*. *Ammoniac muris*.

**Sal'ol.** Phenyl salicylate. An antiseptic considered to be superior to iodoform for local use as a dressing for wounds. Also a decided antipyretic. Dose, gr. xx to ʒj. Useful in intestinal catarrhs, cystitis, and in typhoid fever.

**Salophene.** A crystalline substance, acetyl-paranidomol. Used in acute articular rheumatism.

**Salping'itis.** Inflammation of the Eustachian tube.

**Salpin'go-** (from *salpinx*, a tube). A prefix applied in *Anatomy* to a muscle arising from the Eustachian tube.

**Salpingo-pharynge'us.** A bundle of muscular fibres which assist in dilating the mouth of the Eustachian tube. Pertaining conjointly to the Eustachian tube and the pharynx.

**Salpingo-staphyl'ius.** A term applied by some writers to the levator palati muscle.

**Sal'pax** (*salpinx*). A tube or trumpet. A name also for the Eustachian and Fallopian tubes.

**Salt** (*sal*). A compound of an acid with an alkali, earth, or metallic oxide, or of a metal with a halogen, or a substance formed by the union of a base with an acid. A salt is called neutral when the acid and base reciprocally saturate each other. The term *super-* is prefixed when the acid is in excess, *sub-* denotes excess of the base; *bi-*, two equivalents of acid to one of the base; *quasi-*, four equivalents of acid; *sesqui-*, one and a half equivalents of acid; and *acy-*, a salt of an oxide. *Deliquescent salts* are those which attract moisture from the air and become fluid. *Efflorescent salts* are those which lose a portion of their water on crystallization by exposure to air, and fall into powder. *Permanent salts* do not undergo any change on exposure. *Decomposing salts*, when heated, burst into smaller pieces with a crackling noise. *Double salts* are those which consist of one acid



and two basic, or two acids and one base, or of two acids and two bases, though most of them consist of the same acids and two different bases.

**Salt, Common.** Murate of soda, or, more correctly, chloride of sodium.

**Salt, Neutral.** A combination of an acid with an alkali, earth, or metallic oxide, in which the salt has neither acid nor alkaline properties.

**Salt of Lem'ons.** A combination of oxalic acid with a small portion of potash as found in weed sarsel. Also crystallized citric acid.

**Salt of Tartar.** A very pure carbonate of potassa, or cream of tartar.

**Saltation** (salt, to dance). A dancing or leaping. Chorea.

**Saltipetre.** Common name of nitrate of potassa (which see).

**Salts.** Popular name for Epsom salts. See MAGNESIUM.

**Salts, Sec'ondary.** See SALT, N'ATURAL.

**Salt/brines** (*salinarum*). Salinary, healthy.

**Salt/brity** (*from virus health*). Anything which contributes to health.

**Saline.** Health. Safety.

**Salutary.** Favorable to health.

**Salvafila.** A vein situated on the back of the hand near its inner margin.

**Salva.** An ointment.

**Salva, Dis'torting.** Common name for cerate of Spanish See.

**Sal'via.** A genus of plants of the order Salicaceae. Sage.

**Salva Horten'sa Minor.** The small sage or sage of virtues. It is aromatic, slightly tonic and astringent, and has a bitterish taste. It is used as a condiment in the form of tea, and as a gargle.

**Salva Officinalis.** The common garden sage. It is aromatic, slightly astringent, and tonic. It is applied, in infusion with honey and alum or sublimed soda, in inflammation of the mouth and fauces and for relaxation of the uvula.

**Sal'mas La'pis.** Sarnian stone. A stone found in the Island of Samos, used as a polishing material by goldsmiths and in the laboratory of the dentist. The ancients believed it to be astringent and refrigerant.

**Sal'm'itis.** Sarcitis. Gumbles.

**Sal'm'itis.** Caution.

**Sal'm'itis** (*from cura, to cure*). Curative; having the power to cure. Promoting the health.

**San'ctory.** Healing, applied also to that which tends to guard public health.

**Sand.** Finely granulated silicious matter, but it often has particles of other substances mixed with it. It is used in Mechanic' Dentistry in making moulds for metallic castings or dies for striking up a base for artificial teeth.

**Sand Bath.** In Pharmacy, a bath in which sand is interposed between the fire and the vessel to be heated.

**San'darach.** Sandarac, gum sandarach.

An odorless gum-resin in white tears, supposed to be the product of the *Callitriche quadrivalvis*, used in the preparation of a varnish employed in the arts, and in Mechanic' Dentistry for varnishing plaster models, also, in Operative Dentistry, a temporary stopping for teeth, in which case it is made available by saturating a pellet of cotton in a thick solution of the gum in alcohol, and using this as a filling. Not soluble in saliva. The formula for sandarach varnish is as follows: Gum sandarach, 5 or avoirdupois, alcohol, 1 pint.

**Sand'ix.** An inferior kind of red lead, technically termed plumbi oxidum rubrum.

**Sanguif'erous** (*sanguis, blood, and fero, to bear*). Containing or conveying blood.

**Sanguifica'tion** (*sanguis, from sanguis, blood, and fero, to make*). That function of the body by which the chyle is changed into blood. Blood making.

**Sanguifl'u'us.** Hemorrhage.

**Sanguin'ary Calculus.** See HEMORRHAL CALCULUS.

**San'guine.** Sanguineous. Relating to or containing blood. Bloody. Plethoric.

**Sanguin'eous.** Pertaining to the blood. Bloody. Sanguine. In Pathology, a temperament.

**Sanguis'olent** (*sanguis, olentus*). Tinged with or of the color of blood, as, in Pathology, bloody expectoration, bloody urine, etc.

**San'guis.** Blood.

**Sanguis'uga.** The blood-sucking leech.

**Sanguis'ugum.** Congestion of blood in the heart.

**Sand'ides** (*from sand, a beard, and ides, resemblance*). Sandides. One with a contracted or narrow flat chest.

**San'ies.** A thin, foetid, greenish, unhealthy, serous discharge from a fistula or ulcer, and most commonly mixed with blood and pus.

**Sa'viness** (from *salvus*). Pertaining to *salvus*.

**Sanita'rium** (from *sanitas*, health). Reconvalescence. A health station or institution. Also a place selected on account of its health- and vigor-promoting conditions.

**San'i'tary**. Pertaining to or designed to secure health.

**San'tum**. A highly emulsified preparation of turpentine. The oil of *sanitas* is an antiseptic, disinfectant, and oxidizer.

**San'ity** (*sanitas*, from *sanus*, sound, whole). Soundness of body, health; or that condition of organized bodies in which all the functions essential to life are regularly performed. The term, however, is more frequently used for soundness of mind.

**Santor'i'al Fissu're**. The fissures at the upper and back part of the cartilaginous portion of the external ear.

**Santor'i'al Tubercu'la**. The cartilaginous projections on the top of the arytenoid cartilages, which support the ligaments of the glottis.

**Santor'i'al's Duct**. An accessory pancreatic duct.

**Saphe'nomus** (from *saepe*, manifest, evident). Saphena. A name given to the two large veins of the leg.

**Sap'id**. Having taste, not insipid.

**Sap'id'ity**. Tastefulness, capable of affording the organs of taste.

**Saplen'tine Dentas**. The posterior or third molar teeth.

**Sapo**. Soap (which see).

**Sapo Durus**. Hard soap, made with soda and fatty and resinous substances. To this class belong the Castile, the almond, and the rosin or yellow soap.

**Sapo Medicin'a'lis**. Soap made with soda and olive-oil.

**Sapo Mol'lis**. Soft soap, made with caustic potash and rosin oil, tallow, or refuse fat.

**Sapo Terrebis'tinum**. Starkey's soap, made of dried and warm subcarbonate of potash and oil of turpentine.

**Sapo Vulgaris**. Common soap, made from soda and animal oil.

**Sapone'aceus**. Having the properties of or containing soap.

**Saponifica'tion**. Conversion into soap; the process by which soap is made.

**Saponify**. To convert into soap.

**Sap'o'nin**. A glucoside possessing an irritant and anesthetic effect. Used locally.

**Sap'o'nin**. Impurely formed soap, a combination of an alkali with an essential oil.

**Sapori'fic** (*sapor*, taste, and *facio*, to make). Causing or imparting taste.

**Sapp'h'ire**. A hard gem of various colors, consisting essentially of crystallized alumina.

**Sapri'na**. Old, high-flavored wine.

**Saprine**. A ptomaine found in putrefying viscera.

**Saprodon'tia** (from *saepe*, rotten, carious, and *odon*, a tooth). Caries or rottenness of the teeth.

**Saprog'e'ic** (from *saepe*, putrid, and *gignere*, to beget). Pus-forming; producing putrefaction.

**Saprog'e'ous**. Arising from putrid matter; also a certain species of microbes.

**Sap'rophyte**. Certain forms of bacteria; bacilli micrococci connected with putrefactive fermentation.

**Sapros**. Foul; rancid, rotten; carious.

**Sapros'tomous** (from *saepe*, foul, of a bad odor, and *stoma*, mouth). One who has a foul or offensive breath.

**Sarc'i'tis**. Anasarca. Muscular inflammation.

**Sarc'ium**. Sarcosin. A caruncle or small fleshy excrescence.

**Sarco-**. A prefix pertaining to flesh.

**Sarco-epiploce'ic** (from *sarx*, flesh, *epiploce*, the epiploon, and *epile*, a tumor). Epiplocele complicated with a flesh tumor.

**Sarcoc'e'ic** (from *sarx*, flesh, and *epile*, a tumor). Scleritis or cancer of the testicle.

**Sarcode**. Protoplast.

**Sarco'des**. Carnaceous, like flesh.

**Sar'coid**. Resembling or having the nature of flesh.

**Sarcolem'ma** (from *sarx*, flesh, and *lemma*, a coat). The sheath which envelopes the muscular fibrilla; the myolemma.

**Sarcot'ogy** (from *sarx*, flesh, and *logos*, a discourse). Sarcologia. That part of anatomy which treats of the soft parts.

**Sarco'ma** (from *sarx*, flesh). A malignant, fleshy tumor or excrescence composed of embryonic connective tissue, in which the cells so predominate in number and often also in size that the intercellular substance is a secondary element.

**Sarcoma Sarc'l**. Sarcocele.

**Sarcom'atous**. Belonging to or exhibiting the character of sarcoma.

**Sarcom'phakia** (from *sarx*, flesh, and *phakia*

**sarcoma, fleshy-tumor.** A fleshy tumor about the joint.

**Sarcophagus** (from *sarx*, flesh, and *phus*, to eat). Flesh-devouring, flesh-destroying. That which eats flesh or destroys caruncles. Applied by the ancient Greeks to a coffin or sarcophagus for a dead body, made of Assian stone, said to possess the property of corroding dead bodies, so as to consume them in forty days.

**Sarcophagy-in.** A fleshy tumor or excrescence.

**Sarcoplasma.** The substance in which the pulsative fibrils (sarcoctyls) of a muscle-fiber are embedded.

**Sar'coplasta.** The germinal cells of muscular tissue lying between the fibres.

**Sarcoptes Scabiei.** *Sarcoptes hominis*. The itch-beetle.

**Sar'cosin.** An extractive principle of the blood. A methyl glycol.

**Sarco'sin.** The preformational formation of flesh. Also a fleshy tumor.

**Sarco'soma.** Osteo-sarcoma. A bony formation or tumor in muscular tissue.

**Sarco'tic** (sarcot, to produce flesh). Pertaining to sarcoma. Applied also to medicine.

**Sar'coma.** Of or belonging to flesh, fleshy. **Sarcoma Elements.** A term applied in *Histology*, by Bowman, to the elementary or pulsative particles which by uniting, form the mass of muscular fibre.

**Sar'donyx.** A reddish-yellow gem or stone, orange-colored agate with a wavy or undulating surface.

**Sarsaparilla.** The root of several species of smilax. It has a slightly bitter taste and is mucilaginous. Alterative, demulcent, and diuretic properties are ascribed to it. It has been most extensively used in secondary syphilis and in disordered states of the system arising from the use of mercury in those affections. It has also been employed in chronic rheumatism, scurf, and cutaneous affections. There are numerous varieties, of which the Japanese, the Brazilian, the Lima, the Han down, and the Yucca tree are the best known in commerce. Dose of extract, gr. x to gr. xx, of the solid extract, ʒij; of the compound syrup, ʒss.

**Sarto'tine** (from *sarto*, a tailor, because it is used in stitching the leg). A slender muscle situated at the anterior part of the thigh.

**Sat'ir, flesh.**

**Sat'aration.** The word of the lowest saturation. The lack is a mild stimulus, sedative, and afterwards. The medicine obtained by macerating the pith of the stem is used as a cathartic in inflammation of the eyes and as a drink in irritation of the mucous surface.

**Sat'arolin.** Native boracic acid.

**Sat'ellitae Voles** (from *satellitae*). The veins which accompany the arteries.

**Sat'is (satis).** Membran viride, penis.

**Sat'is (satis).** Looking from excess of gratification.

**Sat'in-spar.** A fibrous variety of carbonate of lime, presenting a silky appearance when polished.

**Saturan'tia (saturans).** Absorbents. Medicines which neutralize acid in the stomach.

**Sat'urate.** A liquid filled with as much salt or other substance as it will dissolve.

**Satura'tio.** Saturation.

**Satura'tion (saturate, from satis, enough).** In *Chemistry* and *Pharmacy*, the union or impregnation of one body with another until the receiving body can contain no more, a fluid holding as much of a soluble substance as it can dissolve.

**Sat'uritas.** Satety.

**Sat'urify.** The state of being saturated, fulness.

**Sat'urine.** Containing or caused by lead.

**Satur'ous.** Satura. Old name for lead.

**Satur'ous.** A variety of nephritis, a mineral of a white, greenish, or grayish color, so called from M. Saurer, the discoverer.

**Sav'in.** Savine, savina, sabina. An evergreen tree or shrub of the genus *Juniperus*. Savine leaves are stimulant, diaphoretic, emmenagogue, antihelmintic, and are astringent. Dose, gr. v to gr. x of the powder, of the infusion, ʒij, of the oil, gr. ij to gr. v. Savin Ointment. Ceratum sabina.

**Sav'or.** Taste or odor, qualities which render bodies agreeable to the sense of taste or smell.

**Sav'ory.** An aromatic plant of the genus *Salvia*. Applied also to bodies which have an agreeable taste or smell.

**Saw.** In *Surgery*, an instrument used for dividing bones in amputation and for the removal of excrescences. In *Mechanical Dentistry*, a useful instrument for removing carious parts of plates, etc.

**Saw, May's.** An instrument invented by Mr. May to be used in treatment of the catarrh.

**Scald/ragus.** *Lithemphytic.*

**Scald.** In *Pathology*, an incrustation formed over a sore by the coagulation of the fluid discharged from it.

**Scald/less** (from *scald*, to scratch). *Poem.*

**The itch.** Four species are described by Wilson. (1) *Scabies papuliformis*, consisting of an extensive eruption of slightly inflamed, itching vesicles, resembling papulae, intermixed with and containing a thick yellow pus; (2) *scabies lymphatica*, consisting of an eruption of intensely itching transparent pustules on the wrists, backs of the hands, between the fingers, on the feet and toes, about the flaps of the anus, axilla, hams, and at the bend of the elbows; (3) *scabies purulenta*, consisting of elevated yellow pustules, inflamed around their bases, and which, in a short time, suppurate, break, and then ulcerate, (4) *scabies exsiccata*, exhibiting all the appearances, on different parts of the body, of the three foregoing species. Treatment. Sulphur (15 to 20 per cent.), preceded by emollients if eczema is severe, carbolic acid, naphthol, balsam of Peru, styrac, staphisgria.

**Scab/rities.** *Roughness.*

**Scabre/ness.** *Scabrous.* Rough; covered with short rigid points or projections.

**Scala Tym/paui.** The superior spiral cavity of the cochlea of the ear.

**Scala Vestib/uli.** The inferior spiral cavity of the cochlea.

**Scald** (Italian *scaldare*, to heat). A lesion of a part from the application of a hot fluid.

**Scald-head.** See *PORRIGO FAVORA*.

**Scale** (*squame*). In *Pathology*, an opaque and thickened lamina of the cuticle.

**Scale, Dry.** *Psoriasis.*

**Scaleme/** (*scalper*, unequal). A figure having unequal sides. A triangle of which all the sides are unequal.

**Scale/ness.** Irregular or unequal. A muscle situated at the side of the neck, of an irregular triangular shape, divided into three portions.

**Scaler, Barbed.** An instrument designed to pass between and around the necks of teeth which are loosened by old deposits of tartar or salivary calculus in the removal of this substance.

**Scal/ers.** Instruments for removing salivary calculus from the teeth. See *INSTRUMENTS FOR CLEANING THE TEETH*.

**Scal/ing the Teeth.** An old name for the operation, in *Dentistry*, which consists of the

removal of salivary calculus, commonly called tartar, from the teeth. See *SALIVARY CALCULUS*.

**Scal/oped.** Marked with even and rounded notches on the margin. Same as *ORNHATE*.

**Scalp.** The integuments covering the head.

**Scal/pel** (*scalp/um*; from *scapo*, to map or cut). An instrument employed in surgical operations and in dissections for dividing the soft parts. It is formed of a blade of well-tempered steel, very sharp, of variable shape and size, fixed in a handle.

**Scalp/um.** A knife used in trepanning. In *Neurology*, the cutting edge of the incisor teeth.

**Scalprum Denta/rum.** *Lima dentaria.* A dental file. See *FILE, DENTAL*.

**Scaly Disease.** An order of cutaneous diseases.

**Scal/pis** (from *scavo*, to make hollow). The cavity of the external ear, between the helix and anti-helix. Also the name of a double-headed roller.

**Scaphium Oculi/re.** The shell employed for artificial eyes.

**Scaph/oid** (from *scapha*, a boat, and *oid*, resemblance). Boat-like; in *Anatomy*, applied to several parts.

**Scaphoid Bone of the Foot.** A bone situated at the forepart of the foot, the os naviculare.

**Scaphoid Bone of the Wrist.** The boat-like bone, the os naviculare of the carpus.

**Scaphoid Fossa.** A depression or cavity in the internal side of the pterygoid process.

**Scap/olite.** A crystallized, grayish-white mineral, of a pearly lustre, consisting of silica, alumina, and lime.

**Scap/ula.** The shoulder-blade; an irregular flat bone, of a triangular shape, situated at the posterior part of the shoulder.

**Scap/ular** (*scapularis*, from *scapula*, the shoulder-blade). Belonging to or relating to the scapula.

**Scap/ulary.** A bandage for the shoulder. **Scap/ulo-hu/meral.** Pertaining to the scapula and humerus.

**Scar.** See *CRATHEX*.

**Scardamysg/um** (*scap/amyg/um*; from *scap/amyg/um*, to wink). Winking. *nictitation*.

**Scar/skin.** The epidermis, or cuticle.

**Scar/ific/um** (*scar/ific/um*; from *scap/um*, to make a slight scratch). Small, superficial incisions made with a lancet or scarifier for local depletion.

**Scarlatina** (*scarlatina*). An infectious complaint of a number of insects, quoted by a spring, and so contrived as to be used to infect a number of slight incisions spontaneously. See CURRING.

**Scarlatina** (from Italian *scarlatto*, a deep red). The scarlet fever. There are two varieties of this disease. (1) *Scarlatina simplex*, or *scarlatina benigna*, which is of a mild character; and (2) *Scarlatina maligna*, or *scarlatina epidemica*, which is attended with ulcerated sore throat. *Scarlatina maligna* is regarded as a stage of the last-mentioned variety. Scarlatina interferes with the development of the teeth, and the eruption characteristic of this disease has its effect upon the enamel in the form of distinct markings, etc. Osseous, neural, and epithelial lesions follow as sequelae, and the developing teeth are impressed.

**Scarlet Fever.** *Scarlatina*.

**Scorred** (*scorred*). Marked with a scar. **Scorfula** (from *scor*, the leg, and *fula*, pain). Puff in the leg.

**Scorfulous** (from *scor*, the leg and *fula*, a tumor). A tumefied or swelled leg.

**Scorfulous** (*scorfulous*). The leg.

**Scorfulous** (from *scor*, the leg and *fula*, tumor). Dragging the lower limb. Also chronic.

**Scorfulous**. Table spar. It occurs in incandescent gray masses.

**Scorfulous Green.** A green pigment obtained by mixing arsenite of potash with sulphate of copper.

**Scorfulous.** A synonym of tongue.

**Scorfulous.** Dry inflammation of the eye.

**Scorfulous**. An immovable articulation. A variety of synarthrosis in which one bone is sutured into a cleft in another, as the corner into the sphene.

**Scorfulous.** Oil of menthol.

**Scorfulous.** A variety of slate, also a species of rock, such as gneiss.

**Scorfulous.** A blood-corpuscle undergoing division.

**Scorfulous** (from *scor*, cleft, and *fula*, a cavity). A cavity—"cleft-face"—instead of the middle of the face, a want of development of the first maxillary arch and nasal process of the frontal.

**Scorfulous Test.** A test for sugar made by adding extract of lead and precipitating with potassium; on heating, the white precipitate remains unchanged with acid of milk sugar, but turns an orange-red if glucose is present.

**Scorfulous** (from *scor*, the leg, and *fula*, pain). The scarlet fever.

**Scorfulous** (from *scor*, the leg, and *fula*, pain). The scarlet fever.

**Scorfulous.** A black, brittle mineral, usually occurring in prismatic crystals, and becoming electric by heat and friction.

**Scorfulous.** A mineral of a greenish-white and sometimes of a yellowish color, a variety of topaz.

**Scorfulous, White Substance of.** A hollow cylinder of white nervous matter, differing in composition from that which occupies the centre the latter being of a fibrous character.

**Scorfulous** (from *scor*, the leg, and *fula*, pain). The scarlet fever.

**Scorfulous Artery.** The uterine artery, a branch of the hypogastric, which escapes from the pelvis through the sciatic notch, then dividing into a number of branches to supply the posterior pelvic muscles.

**Scorfulous Nerve.** Two nerves, distinguished into greater and less. The former is a continuation of the second or sciatic plexus, and escapes from the pelvis between the pyramidal and superior gemellus muscle. The latter is formed by the second and third sacral nerves, and escapes from the pelvis below the pyramidal muscle.

**Scorfulous Notch.** A large notch at the posterior edge of each os innominatum, converted into a foramen by the sacrum and sacro-sciatic ligament.

**Scorfulous.** Neuralgia of the sacro-sciatic nerve.

**Scorfulous** (from *scor*, shady, and *fula*, the eye). A defect of vision in which all objects assume a color darker than natural.

**Scorfulous.** The squill or sea onion.

**Scorfulous Hispanica.** Spanish squill.

**Scorfulous Marina.** The official squill, or sea onion. The fresh bulb is very acid and poisonous. The dried root is bitter and slightly acid. It is diuretic, expectorant, emetic, and cathartic. Dose, gr. j to gr. v of the dried root, with or without mercury.

**Scorfulous.** Scillitine. The active, bitter principle of the bulb of *Scilla maritima*, Squill.

**Schiller'ition** (*schille*, to sparkle). A sparkling, as of fire.

**Schirr'ogno'tria** (from *schir*, hard, and *gastro*, stomach). Scirrhus of the stomach.

**Schirr'oid** (*schir*, a hard tumor, and *oid*, form). See **KILOID**.

**Schirr'o'ma**. Scirrhus.

**Schirr'o'ma**. Indurated, hard. Of or belonging to scirrhus, as a scirrhus disease.

**Schir'ous Sarco'ma**. A hard, smooth, vascular tumor of a glandular structure.

**Sch'r'hus** (from *schir*, hard, indurated). Scirrhus, scirrhosis. A hard tumor, generally occurring in glandular structures, usually preceding carcinoma, and of which it may be regarded as the first stage.

**Sch'r'us**. The shavings of metals, applied in *Mechanical Dentistry* to small pieces of gold, platinum, or silver clipped from a plate in cutting out a base for artificial teeth or any appliance formed from plate of any of these metals.

**Sch'r'us**. An instrument composed of two cutting blades which move upon an axis and are variously shaped to suit the purposes for which they are designed. In *Dental Surgery* they are used principally for cutting gold.

**Sclerecto'sia**. See **STAPHYLOMA**.

**Sclerecto'mia**. An operation which consists of the removal of a portion of the sclerotic to form an artificial pupil.

**Sclerema**. A disease of infants, usually fatal, in which the skin turns cold, hard, rigid, and oedematous, with great depression of pulse and respiration.

**Scler'e'ma**. Sclerema. Induration of the cellular tissue.

**Sclerenceph'a'lia** (from *enkeph*, hard, and *encephalon*, the brain). Induration of the brain.

**Scler'tasis** (from *enkeph*, hard). Scleroma. Act of becoming hard, or a state of induration. The term, however, is usually applied to induration of the edges of the palpebra, and, in females, of the labia pudendi.

**Sclero-** (from *enkeph*, hard). A prefix signifying hardness.

**Scleroder'ma** (from *enkeph*, hard, and *derma*, skin). Induration of the skin.

**Sclerophthal'mia** (from *enkeph*, hard, and *ophthalmos*, the eye). Pain, swelling, and hardness of the eye and eyelids.

**Sclerose'ma**. A hard, fleshy tumor or excrescence, resembling the comb of a cock, attached to the gums.

**Sclerose** (*enkeph*, hard). Affected with sclerosis.

**Sclero'sis**. Thickening with induration.

**Sclerotic Coat**. See **SKLEROTICA**.

**Sclerot'ica** (from *enkeph*, to harden). Sclerotic. A term applied in *Anatomy* to the dense, opaque, fibrous membrane, situated immediately under the conjunctiva, investing nearly four-fifths of the posterior part of the globe of the eye.

**Sclerotico'my'ia** (from *enkeph*, hard, and *myia*, puncturing). Scleromyxia. Punctation of the sclerotic coat of the eye in the operation for cataract by depression.

**Sclerot'icus**. Sclerotic. In *Medicine*, medicines which are supposed to have the effect of increasing the density of animal tissues.

**Sclero'tis**. Sclerotic.

**Sclerot'itis**. Inflammation of the sclerotic coat of the eye. This affection has been relieved by the devitalization of the exposed pulp of teeth.

**Sclery'sma**. Induration.

**Scobe**. The filings, scales, or shavings of any metal or wood. Also the scales of any metal.

**Scollo'ma** (*scolio*, to crook). A morbid curvature of the spine.

**Scollo'sis** (from *scolio*, crooked). A distortion of the spine, rickets.

**Scope** (*scopos*, from *enkeph*, to examine). A suffix denoting ocular examination.

**Scoracra'sia** (from *scopos*, encrement, and *scopos*, want of control). Scorcacria. Involuntary evacuation of the feces.

**Scorbu'tic** (*scorbuticus*). Belonging or relating to scorbutus or scurvy. Affected with scurvy.

**Scorbutic Teeth**. Characterized by the defective character of the phosphate of lime deposited in the cells of the dentine and enamel membrane in their development, rendering the cells imperfect in shape and number.

**Scorbu'tus**. Scurvy. Purpura scurva. A disease characterized by spongy gums, offensive breath, livid spots on the skin, great general debility, and a pale, bloated countenance. Vegetable acids are the best antiscorbutics in a scurvy, with a change of food and locality, especially the use of green vegetables. There are other forms of scorbutus, known as purpura simplex and purpura hemorrhagica, in which the use of the mineral acids are indicated. *Scorbutus* is aggravated by want of cleanliness and by a diet of fat, salt-meat, etc.

**Scr'vice** (from *scrap*, *scrub*, *scrub*). The faces of gruffed inside or the refuse of any substance. *Vulcanite* *scrap*.

**Scoter's** (from *scoter*, *duck*) *Scotter*. A term applied in Pathology to obscurity of vision. Also to *scotodynia*.

**Scotch-stone**. A stone cut into a proper shape, used by dentists for removing filaments from gold, platinum, silver, or vulcanized rubber.

**Scotodynia** (from *scoter*, *darkness*, and *dyna*, to turn round) *Scotoma* *scotoma*, *scotoma*. Giddiness, with impaired vision.

**Scote's**. *Scotodynia*.

**Scote's**. *Scotodynia*.

**Scraper**. A useful instrument for cutting down the surface of vulcanized rubber plates preparatory to the use of the Scotch-stone, in the process of polishing.

**Scratch Brush**. A brush of brass wire for cleaning brass, steel, and the serrations of plungers.

**Screw**. In *Machinery* a spiral ridge or groove winding round a cylinder with every turn or thread parallel to the axis at the same angle. When formed on the outside of the cylinder, it is called the male screw, and on the inside, the female screw.

**Screw, Central**. An instrument sometimes employed in *Dental Surgery* for the extraction of the roots of the upper incisors and cuspids.

**Screw Elevator, Elliot's**. An instrument invented by Dr W H Elliot for removing fragments of teeth by means of a screw which is inserted into a universal joint upon the end of the instrument. The instrument can be applied with equal facility to the roots of the molar and those of the front teeth.

**Screw Forceps**. See *FORCEPS*, COMPOUND *Screw*, *HOLLAND*'s.

**Screw Pivot**. A pivot with a screw cut on it for the retention of an artificial tooth to a natural root. Introduced by Bourlet.

**Screw Plate**. A plate of steel pierced with two or more rows of holes, gradually decreasing in size from the first to the last, with a spiral thread cut on the inner wall of each. Accompanying this plate is a tap or steel borer for each hole. This instrument is used in the laboratory of the dentist.

**Scrubs, Scurvy's**. Small screws made of poverty hard-pan, used for securing filings in shallow and difficult cavities. Different kinds are in use, described by Dr. DeCelle,

Mink, and Omond. Omond screws are split about half-way once or twice. These are opened or bent down, as may be necessary, after the screw is inserted by means of a small screwdriver. See *JACKSCREW*.

**Scrabble/slate**. *Scrabbled*, *putted*, having numerous small depressions or hollows.

**Scrobiculus Cordis**. The pit of the stomach, the hollow part near the region of the heart.

**Scrof'ula** (from *scrof*, a scow, because legs were supposed to be affected with it). A disease characterized by hard, glandular tumors in various parts of the body, but occurring most commonly in the neck, behind the ears, and under the chin, suppurating slowly, and discharging, instead of pus, a white curdled matter. It is popularly termed *king's evil*. Dr Cullen mentions four species of the disease: (1) *Scrof'ula vulgaris*, when it is not complicated with other disorders, is external and permanent; (2) *scrof'ula medullaris* when internal and accompanied by swelling of the abdomen, pale countenance, loss of appetite, and peculiar fever of the blood; (3) *scrof'ula faciei* when it is seated in the neck, which is the simplest form of the disease; (4) *scrof'ula americana* when complicated with the yaws.

**Scrof'ulose**. Affected with or relating to scrof'ula.

**Scrof'ulous Teeth**. Teeth similar in some respects to those of syphilis, but distinguished by a muddy white color, large, rough, and irregular, lingual surfaces indented, arch broad and teeth regular in arrangement. Milk white or dark-brown spots often adorn these teeth.

**Scrophulo'sis**. *Scrophulous*. *Scrophulous*.

**Scro'tal (scrotis)**. Relating to the scrotum.

**Scrotal Hernia**. A protrusion of any of the contents of the abdomen into the scrotum.

**Scro'tiform**. Purse-like.

**Scro'tace'le**. *Scrotal* *hernia*.

**Scro'tum** (from *scro'tum*, skin or leather).

The integuments which cover the testicles.

**Scrotum Cordis**. The pericardium.

**Scro'yle**. A weight of twenty grains.

**Scull**. *Skull*.

**Scurf**. *Furfur*. Small excoriations of the scalp.

**Scur'vy**. *Scurvius* (which see).

**Scurvy of the Gums**. See *GUMS*, *INFILTRATED*, *TYPHOID*, *ULCERATED*, AND

**RECHERCHER OF**; also, **GUMMA**, **PREVALENT** **CAUSE** **OF**.

**Reuch'sia**. A small cup.

**Reuch'sia** (*reuch'sia*; from *reuch*, a shield, and *forma*, likeness). Having the form or resemblance of a shield.

**Reuch'sia Cartilago**. The thyroid cartilage.

**Reuch'sia**. Hard excrement, discharged in round lumps or balls.

**Reuch'sia Andro'ria**. The infundibulum of the cochlea.

**Reuch'sia Car'etri**. The infundibulum of the brain.

**Reuch'sia Ra'dix**. Glycyrrhiza, liquorice root.

**Reuch'sia**. **Reuch'sia**. Sadness of countenance, often a bad augury in disease.

**Reuch'sia** (*reuch*, a skin, and *forma*, a growth). The organic growth or development of the skin, also of the exanthemata.

**Reuch'sia Acid**. Tannic acid (which see).

**Reuch'sia**. Tannin.

**Re**. Symbol for selenium.

**Reel**, **Golden**. The *Hydrastis canadensis*, or yellow root.

**Reel Pivot**. A method, practiced by Fanchard, of securing the retention of a pivot or stem of an artificial tooth in the canal of the natural root, consisting of first filling it with cement and then introducing the pivot.

**Reel'ing**. Sounding, the introduction of a metallic instrument into the bladder for the purpose of ascertaining whether there be a stone in it or not.

**Reel'coons** (from *reel*, snout) Of the nature of snout or land.

**Reel'coons**. Follicles or crypts of a round or pyriform shape, situated in the substance of the skin and opening on its surface by small excretory ducts. Similar glands are situated about the prepuce and labia majora, which secrete sebaceous matter of a mucous or oily nature.

**Reel'coons** (from *reel*, snout). Pertaining to or obtained from snout or fat-like substances.

**Reel'coons Acid**. A crystalline substance resembling benzoic acid, obtained from oil or fat, containing oleic or oleic acid. Formula,  $C_{18}H_{34}O_2$ , 880.

**Reel'coons**. See **VERATRUM SARRACILLA**.

**Re'fute** (*refute*). In Chemistry, a salt resulting from the combination of sebatic acid with a salifiable base.

**Re'fute**. Rye.

**Re'fute**. The rye plant.

**Re'fute**. **Re'fute**. Ergot. Spurred rye, a black, morbid excrescence occupying the place of the seeds of the *Secale cereale*, which, from its resemblance to the spur of a cock, is named ergot. It is given internally to excite the action of the uterus during parturition and for other purposes. Dose of the powder, gr xv to gr xx, of the fluid extract, which is the best, ʒss to ʒj.

**Re'fute**. Literally, cutting. A line that cuts another, especially a straight line cutting a curve in two or more points.

**Re'fute** (from *re'fute*, to separate). Vessels which deposit matters separated from the blood and nutritious fluids for the reparation and reproduction of the several parts of the body.

**Re'fute** (from *re'fute*, to hide). Secreting, the function of a gland or follicle.

**Re'fute**. The healing or closing of wounds by suppuration, granulation, and cicatrization. See **FIRST INTENTION**.

**Re'fute**. See **OPTIC NERVE**.

**Re'fute** (from *re'fute*, the second). Something which acts subordinately to another, not primary, as secondary symptoms.

**Re'fute**. Amputation after the immediate effects produced on the system by the injury have subsided and suppuration has taken place.

**Re'fute**. Dentine formed at a later period than the rest of the dentine, where the pulp, for example, is converted into solid material and no pulp-cavity remains; the material so formed is called "secondary dentine." Secondary dentine is the result of a new growth of dentine produced by abrasion, caries, or other injury, by which the dentinal fibrils are irritated at their distal ends. Deposited upon the walls of the pulp-chamber it reduces its size, and is different from the normal growth of the dentine; and there is generally a marked difference in the color of the new structure, as compared with normal dentine, in the form of a yellowish spot on teeth worn by abrasion, which spot designates the original pulp-chamber. There is also a marked distinction in the number of the tubules of the dentine called "secondary," and in some cases a sharp curve or



change in the direction of the tubular. See **Discharge**.

**Secondary Fever.** The occurrence of fever after the crisis of a disease, or after the declaration of small-pox or measles.

**Secondary Haemorrhage.** The occurrence of hemorrhage from wounds or operations at a time when, if the state of the parts were healthy, it would not have happened.

**Secreting (secretory).** Secreting. A term applied in *Anatomy* to organs which secrete.

**Secretion (secrete, from *secrevere*, to suppress).** A function of the animal economy, consisting of the separation of the materials of the blood at the extremities of the arteries, or of the vascular secretory system, and which differs in each organ, and hence the formation of bile, urine, saliva, milk, etc. There are, according to Magendie, three kinds of secretions—exhalant, follicular, and glandular.

**Secrete/rine.** Secreting.

**Secretory.** An epithet applied in *Anatomy* to organs which perform the functions of secretion. See **SECRETORIAL**.

**Sec'tile (see, to cut)** Capable of being cut.

**Sec'tile.** A section, an incision.

**Scotch Anatom'ical.** Dissection.

**Scotch Nymphæ'rum.** Nymphotomy.

**Scotch Reme'dy.** Nephrotomy.

**Scot'tion (scute).** The act of cutting or of separating by cutting; also a part separated from the rest, as a thin piece of dentine, for examination under the microscope.

**Scot'tidines.** All that remains in the uterus after birth, as the placenta, membranes of the ovum, etc.

**Scot'tish Ar'tem.** According to art.

**Scot'tion.** Calving; the action of a sedative.

**Sed'sive (sedare; from *sedare*, to settle or soothe).** A medicine which depresses the vital forces and allays irritability and irritation.

**Sedative Salt.** A name sometimes given to benzoic acid.

**Sedentaria Ovis.** The bones on which animals sit; the scapula and lumbar.

**Sed'stary (sedare, to sit).** Habitual sitting.

**Sed'st.** The seat; also the floor.

**Sediment (sedimentum).** A deposit of substances left in solution or suspension by a liquid.

**Sed'stix Pow'der.** A compound of Rochelle salt, carbonate of soda, and tartaric acid, dissolved in water, forms an effervescent spiritous liquid. The Rochelle salt and carbonate of soda are prepared in the blue paper and the tartaric acid in the white paper. Employed as a gentle purgative.

**See'ing.** Vision. The perception of external objects by means of the organs of vision.

**Seg'ment (segmentum; from *seco*, to cut off)** A part cut off or divided; a section.

**Seg'moid Valves.** The valves of the pulmonary artery have been so called from their resemblance to the segments of a circle.

**Segn'tia (segnes; from *sepes*, sluggish).** Sluggishness; applied in *Pathology* to torpidity of a function, as that of the bowels.

**Seld'nix Pow'der.** A cooling, effervescent, and aperient draught. See **SELDEN'S POWDER**.

**Sels'nists.** A salt resulting from the combination of selenic acid with a salifiable base.

**Sels'nic Acid.** A volatile, crystallizable acid, consisting of one equivalent of selenium and three of oxygen.

**Sels'nious (selenious)** Applied to an acid, the second degree of oxidation of selenium.

**Sel'sonite.** Transparent sulphate of lime. Lapis specularis.

**Sels'nists.** An elementary substance resembling sulphur, found in pyrites, and the basis of selenic acid. It is brittle, opaque, tasteless, insoluble in water, and unaltered by air.

**Sel'sodont.** Those ungulates in which the masticating surfaces of the molar teeth present crescentic ridges.

**Sell'ern, or Sennil'ern.** Half a pound.

**Sell'ern.** White spots found on the milk.

**Sell'ern Tur'cia.** So called from its supposed resemblance to a Turkish saddle. A cavity in the sphenoid bone, bounded anteriorly and posteriorly by the clinoid processes, and containing the pituitary gland.

**Sell'ern Water, Artificial.** B. Hydrochloric acid, gr. xxxv; water, Oj, white marble, gr. ij. *Sell'ern* is an abbreviated name for an acid-acid mineral water. The term "*sell'ern*" is also applied to artificial mineral water.

**Sennel'in.** Senna (which see).

**Sennology (from *sepes*, a symptom, and *logos*, a description).** Sennology. A description of the symptoms or signs of disease.

**Semiotology** (from *sema*, a symptom, and *logos*, a discourse). Semiotics; semiology; semeiology. The doctrine of the symptoms or signs of disease.

**Semiotology** (*semiotology, semeiology*). Relating to the signs of disease.

**Semen** (from *semen*, to sow). A seed. Also the stimulating fluid secreted by the testicles, and carried by the epididymis and vas deferens to the vesicula seminalis, to be ejected into the vagina during coition.

**Semi-**. A prefix from the Latin *semis*, half.

**Semi-circular** (*semi-circularis*). Of the shape of a half globe.

**Semi-circulæris Oria**. The articularia oris munda.

**Semi-cervicæ Coll.** A muscle situated at the posterior part of the neck.

**Semi-cervicæ Dors.** A muscle of the back.

**Semi-cervicæ Fem.** A muscle situated obliquely on the back part of the thigh.

**Semicircular Canals**. Three canals in the petrous portion of the temporal bone which open into the vestibule of the ear.

**Semiconvulsus, Semiconvulsus**. A half bath, or one that receives only the lower extremities and hips.

**Semilunaris** (from *semi*, half, and *luna*, the moon). Half-moon shaped.

**Semilunaris Cartilago**. The two falciform fibro-cartilages between the condyles of the tibia and the articular surfaces of the femur.

**Semilunaris Ganglion**. A ganglion of the great sympathetic nerve, situated in the abdomen and behind the suprarenal capsules.

**Semilunaris Notch**. The indentation between the coracoid process and the upper border of the scapula.

**Semilunaris Valves**. The three valves at the beginning of the pulmonary artery and aorta.

**Semimembraneus**. A muscle of the thigh, situated at its posterior part. It binds the leg.

**Seminal**. Pertaining to seed or semen, or the elements of procreation.

**Seminal Air** (*aura seminalis*). The supposed vivifying principle of the semen vicia, believed to ascend through the Fallopian tubes, thus impregnating the ovum in the ovarium.

**Seminal Membrane**. The penis.

**Seminalis**. Seminal. Spermatheca.

**Seminalis**. Seminal. Spermatheca.

**Semiotography**. Semeiology.

**Semiotology**. Semeiology. Semeiology (which see).

**Semiotology**. Semeiology (which see).

**Semis**, or **Semisole**. The half of anything.

**Semiscan Oil**. A variety of petroleum found near Seneca Lake, New York.

**Semiscis** (*semis*; from *semen*, to be old). Old age, senility.

**Semiscis Ultima**. Senectute.

**Semile** (*semile*). Pertaining or peculiar to old age.

**Senna**. The dried leaves of several plants of the genus *Cassia*. The kinds of senna known in commerce are designated by the names of the places where they are grown or from which they are imported, as the East India senna, the Tripoli senna, the Aleppo or Italian senna, etc. Senna is an active purgative, but does not produce a violent impression on the bowels. It has a tendency to produce griping, in consequence of which it is usually combined with some aromatic. The purgative principle of senna is called cathartine. Dose of senna, in powder, ʒss to ʒij; of the infusion, ʒiv; of the confection, ʒj to ʒij, of the fluid extract, fʒj to fʒm.

**Sensation** (*sensatio*; from *sensire*, to sense, to feel). An impression caused by external bodies on the organs of the senses and transmitted to the brain.

**Senses** (*sensus, sensus*). The faculty whereby animals receive impressions of the qualities of external bodies. Man is endowed with five senses—namely, sight, hearing, smell, taste, and touch.

**Sensibility**. Sensibility.

**Sensibility** (*sensibilitas*). Susceptibility of sensation, or faculty of receiving impressions.

**Sensitiveness**. Producing sense.

**Sensitive**. Endowed with feeling; easily affected.

**Sensitive Dentine**. Hyper-sensitive dentine. A hyper-sensitive condition of the dental structure of the teeth, due to dental irritation of the tubular fibrils. The most important remedies are warm air, carbolic acid, chloride of zinc, cocaine, nitrate of silver, combinations of carbolic acid and acetate of morphine or tannic acid, tannic acid in combination with glycerin and veratrin; also anæsthetics by the administration of sulphuric ether and the application of the spray of eth-

solids either or rhizoplane amphipodous. See HYPERAMPHIPOD DENTINA.

**Sensorial.** Pertaining to the sensorium.

**Sensorium.** The common seat or centre of sensations, the brain.

**Sensorium Commune.** Common sensorium. Applied to the brain.

**Sensory.** Sentient. Pertaining to sense or sensation. Nerves which convey impressions to the neural axis, as distinguished from the motor nerves.

**Sensitient (sensuous).** Sensory. Susceptibility of feeling, as the sentient extremities of the nerves.

**Separating Teeth.** The materials in common use for this purpose are India-rubber, cotton, wood, tape, sea-tangle, and ligatures, by which gradual and constant or rapid pressure is made. The object is to gain space for filling, etc. Upon the removal of the material used for separating, the teeth readily return to their former position.

When the file or disk is used to separate teeth, a portion of the crown of each tooth operated on is necessarily sacrificed. Files, chisels, and corundum disks are used for permanent separations, in which case a part of the proximal wall of the tooth is necessarily removed. Temporary separations are made: immediate, with wooden wedges and instruments made for the purpose, etc.; gradual, by substances, as wood, cotton, rubber, etc. See SEPARATORS.

**Separatorium** (from *separare*, to separate) An instrument for separating the pericranium from the skull. Also a pharmaceutical vessel for separating fluids of different densities from one another.

**Separators.** Instruments employed for making temporary spaces between teeth for purposes of inspection and filling, and consisting of two wedges capable of being forced apart by means of a thumb screw when placed between teeth, or instruments called separators.

**Septodogenensis** (from *sepsis*, putrescence, and *genesis*, generation) *Septodogenes*. In Pathology, a septic tendency, as in typhus fever and putrid diseases.

**Sepla.** A genus of cephalopodous molluscs. Also pigment from the black juice of the cuttle-fish.

**Sepla Officina'lia.** Cuttle-fish. The internal shell of this animal is sometimes employed as a dentifrice.

**Seplum.** The internal shell or bone of the cuttle-fish.

**Sep'ula.** Putrefaction.

**Septic'mia.** A morbid state of the blood from putrid matters.

**Sep'tan.** Septena. A term applied in Pathology to a fever which recurs every seventh day.

**Sep'tic** (*septicus*, from *sepsis*, to putrefy). Relating to or producing putrefaction.

**Septic'mia** (from *sepsis*, to putrefy, and *aima*, blood). An infective disease caused by the absorption of septic matters or products. Pyemia is septicemia with the formation of embolic or secondary abscesses.

**Septic'dal.** That form of dehiscence which takes place between the laminae of the dissepiment.

**Septicina.** A mixture of berylline and anylamine found in putrid matter.

**Septif'ragal.** That form of dehiscence in which the dissepiments adhere to the axis and separate from the valves.

**Sep'tine.** A poisonous product of the putrid formation of organic matter.

**Septivalent.** Able to combine with or replace seven atoms of hydrogen.

**Septochym'ia** (from *sepsis*, putrefaction, and *chymos*, juice). An epithet applied in Pathology to putrescence of the humors.

**Sep'tum** (from *sepsis*, to separate). A partition, a part separating two cavities.

**Septum Auricul'rum.** The partition between the auricles of the heart.

**Septum Cerebel'li.** The falx cerebelli.

**Septum Cordis.** Septum ventriculorum. The partition between the ventricles of the heart.

**Septum Enceph'al.** The tentorium (which see).

**Septum Lu'cidum.** Septum pellucidum. The thin portion of the brain which separates the lateral ventricles from each other.

**Septum Na'rrium.** The partition between the nares.

**Septum Pectiniform'e.** The pectinated partition passing along the middle of the corpus cavernosum penis.

**Septum Scro'ti.** A partition formed by the clitoris, dividing the scrotum into two unequal parts.

**Septum Thorac'is.** The mediastinum.

**Septum Transver'sum.** Diaphragm.

**Seque'la** (from *sequi*, to follow). In Pathology, any secondary affection following upon a disease.

**Sequestrum** (from *sequestrare*, to separate)  
A dead portion of bone separated from the living, and in a cavity, abscess, or wound

**Sera'plum.** Syrup

**Serice'ous.** Silky

**Seric'ic Acid.** Myristic acid

**Ser'icin.** A white, crystalline salt, composed of sericic acid and glycerine, obtained from the butter of nutmegs.

**Serice'ria.** The glands which secrete the silk in the silk-worm

**Ser'icum.** Silk It is used by surgeons and dentists for ligatures See **FILK**, **DENTIST'S**

**Flora** Also the fine pubescence of plants

**Sericum An'glicum** Court-plaster

**Ser'ies Den'tium.** A row of teeth

**Ser'olin** (from *serum*, whey) A peculiar non saponifiable fatty matter detected in the blood

**Seros'ity.** That liquid which remains after the albumen of serum has been coagulated by heat

**Ser'ous** (serous, watery) Of the character or nature of serum, relating to the watery portion of animal fluids

**Serous Membranes** Thin, transparent laminae, arranged in the form of a closed sac, and moistened by a thin serous fluid The pleura, peritoneum, arachnoid, etc are of this kind

**Serpe'do** (from *serpens*, to creep) Poisons

**Serpente'ria.** Virginia snake-root, a species of *Aristolochia* It is a stimulant tonic, sometimes acting as a diaphoretic and diuretic Dose of powder, gr xx to gr xxx, of infusion fʒss to fʒij, of tincture fʒj to fʒij

**Serpentine.** In *Mineralogy*, a species of stone of various colors and often speckled like a serpent

**Serpiginous** (from *serpere*, to creep) A term applied to certain affections which creep, as it were, from one part to another, as a tetter or ulceration

**Serpi'go** (from *serpere*, to creep) A ring worm or tetter, spreading herpes

**Ser'ra.** A saw

**Serrate** (*serratus*) Serrated Having teeth on the edge or margin like those of a saw

**Serration.** A cut like that between two teeth of a saw, as the serrations on the points of certain dental instruments

**Serra'tus** (from *serra*, a saw) Serrated In *Anatomy*, applied to muscles and other parts from their serrated appearance

**Serratus An'ticus** Pectoralis minor

**Serratus Mag'nus.** Serratus major arctos A broad, fleshy, irregular quadrilateral muscle, situated at the side of the thorax

**Serratus Post'icus Infe'rior** A broad, thin muscle, situated at the lower part of the back

**Serratus Post'icus Supe'rior** A small, flat, quadrilateral muscle, situated at the upper part of the back

**Serre-artere.** French name of an instrument invented by Deschamps for compressing an artery

**Serre-fine.** [French] A spring forceps made of wire, with two branches curved like the letter S, used for uniting wounds by pressure on the sides the teeth of the forceps separate, and may be made to fix themselves upon both lips of the wound and when the pressure is removed they close with sufficient firmness to bring the edges of the wound together, and maintain them in apposition

**Ser'ru'late.** Minutely serrated or notched

**Ser'rum.** The yellowish watery fluid which separates from the blood when cold or after its coagulation

**Serum Alu'mi-num** Alum whey

**Serum of the Blood** It is of a greenish-yellow color, viscid, and slightly coagulable by heat acids, and alcohol It consists of water, chloride of sodium, certain phosphates, and albumen, constantly united to soda almost in a saponaceous combination

**Serum Globu'm** Paraglobulin

**Serum Lac'tis** The serum of milk

**Serum Ma'panum** Mustard whey

**Ser'rumal Calculus.** Sanguiniv calculus A variety of calculus found principally upon the roots of teeth affected by phagedenic ulceration, pericementitis alveolar ulceration and alveolar pyorrhea This form of calculus is supposed to be deposited directly from the blood as a result of inflammation It appears on the surface of the root in the form of small nodules and is firmly adherent and very irritating in its effects Such deposits are usually dark colored or light brown or greenish, with a glossy appearance, sometimes they are granular, and consist of aggregations the size of a small pin's head

**Ser'ru'moid** (from *serax*, a grain of ammonium, and *sero*, likeness) Like the ammonium acid

**Small Bones.** The small bones of the articulations of the great toes, sometimes at

the joints of the thumbs, and occasionally at the condyles of the os femoris and at the extremity of the fibula under the os cuboides of the tarsus.

**Sesqui.** One and a half. This word is frequently joined to some number, weight, measure, etc., as sesquigramm, signifying a grain and a half.

**Sesquichloride of Chromium.** Obtained by heating a mixture of chromic oxide and carbon in a stream of dry chlorine. Used in *Dental Practices* for obtaining sensitive dentine. **Sesquichloride of Iron, Crystallized.** See **Iron.**

**Sesquioxide.** A compound of one and a half proportions of oxygen with one proportion of some other body, or three equivalents of oxygen and two equivalents of another body.

**Sesquioxide of Iron.** Peroxide of iron, made by adding water of ammonia to a solution of sulphate of iron. The precipitate deposited is the hydrated oxide or peroxide of iron, the best antidote for poisoning with arsenic. By exposure to heat in a covered vessel it becomes the simple sesquioxide or peroxide of iron.

**Sesum (sesum).** An ounce and a half.

**Seta/ceous.** Set with bristles, bristly.

**Seta/ceum.** A seton.

**Seton (seton).** A strip of linen or portion of silk or thread passed through the skin and cellular membrane to keep up a constant irritation and suppuration. Also the issue itself. A seton is applied by laying hold of a fold of skin and passing a seton-needle through it with the thread attached. Daily a fresh portion of the thread is drawn through the wound.

**Seventh Pair of Nerves (per septimum).**

The ophthalmic nerves, called the facial, or portio dura, and also the portio mollis.

**Se/vum.** Suet, fat of the omentum.

**Servum Co'd. Spemacodi.**

**Servum Ov'le.** *Servum ovillum* Mutton suet.

**Servum Propersu'm.** Prepared suet. Suet melted and strained through linen.

**Sex (sex).** The physical difference which exists between the male and female of organized beings.

**Sex'tus.** Sextant. The sixth part of a pound.

**Sex'tarius.** An ancient measure equal to a pint and a half.

**Sex'tula.** The sixth part of an ounce.

**Sex'ual (sexual).** Pertaining to or that which characterizes the sexes.

**Sexual Functions.** The functions by which the species are propagated.

**Sexual Intercourse.** Coition.

**Sexual Organs.** The organs of generation.

**Sex'valent.** Able to combine with or replace six atoms of hydrogen.

**Shad'dock.** The fruit of the *Citrus decumana*.

**Shak'ing Pal'sy.** Paralysis agitans. A disease occurring in advanced life and consisting of great weakness, trembling, and ultimately constant vehement agitation.

**Shale.** A variety of slate; indurated clay. **Sharpey's Fibers.** Calcified fibers of white fibrous tissue holding together the peripheral lamellae of bone.

**Shears, Foll.** For cutting the gold and tin-foil used in filling teeth. They have blades six inches long and broad handles.

**Sheath.** Vagina; theca. Applied in *First-aid* to the fascia enveloping the limbs, to cellular membranes enveloping the muscles and to those which surround blood-vessels, to synovial membranes surrounding tendons, etc.

**Shed'ding.** Caducous. Falling off, applied in *Dental Physiology* to the temporary teeth.

**Shedding Teeth.** The teeth of first dentition. The term is also applied to the loss of the first or temporary set.

**Shell.** The external hard covering of testaceous and crustaceous animals and insects.

**Shellac.** A resinous substance which exudes from punctures of several East Indian trees. Dissolved in alcohol it is used as a varnish for plaster models in *Mechanical Dentistry*. The formula for shellac varnish is as follows: Gum shellac, 5 oz., avoird., alcohol, 1 pint.

**Shor'bet.** A cooling drink prepared with the juices of fruits, water, and sugar, variously flavored.

**Shor'ry.** A deep amber-colored wine, having an aromatic flavor and fragrance without solidity.

**Shield, Coffler-dam.** A small rubber cup which is drawn over the crown of a tooth and held in place by means of a clamp.

**Skin.** The anterior part of the leg.

**Skip Fever.** Putrid fever; typhus gravior.

**Skiy'ring.** Shaking with cold or fear.

**Sneck.** A sudden and marked depression of the vital powers resulting from an injury more or less severe or from an impression

made on the nervous system through the medium of the sensorium, as by fright, etc. Collapse is also an overpowering of the nervous system. In *Electricity*, the effect on the animal system of a discharge of the fluid from a charged body.

**Short Circuit or Current.** See **CIRCUIT**.

**Short-sight/edness.** Myopia. Near-sightedness, inability to see distinctly above twenty inches or to exercise vision at the usual distance.

**Shoul'der-blade.** The scapula.

**Show'er Bath.** The falling of water through apertures, from a greater or less height, upon the head and body.

**Shud'dering.** A peculiar sensation accompanied by an involuntary spasmodic movement, and sometimes by a sensation of cold. It is sometimes the precursor of shivering and sometimes the result of mental operations.

**Sl.** Symbol for silicon.

**Stegastri'tis** (from *σταστον*, the jaw, *ατραν*, a cavity, and *ατς*, inflammation). Inflammation of the lining membrane of the maxillary sinus.

**St'agon** (*σταγον*) The jaw bone, maxillary bone.

**Stego'sagra** (from *σταγον*, the jaw, and *αγρς*, a seizure) Gout in the jaw

**Stal'adeu** (*σταλς*, spittle, and *αδς*, gland) A salivary gland.

**Stal'agogus** (*σταλς*, saliva, from *σταλον*, saliva, and *αγς*, to expel) A medicine which excites a preternatural flow of saliva, as pyrethrum, mercurial preparations, etc.

**St'aline.** Saline. Belonging to saliva.

**Stal'ne** (*σταλς*, spittle) A peculiar principle contained in the saliva; salin.

**Stalis'ma** (*σταλισμα*) Salivation

**St'aloid.** Resembling saliva.

**Stalolith'asis.** Formation or presence of salivary calculus.

**Stalolithus** (from *σταλς*, saliva, and *λιθος*, a stone) Salivary calculus.

**St'alom.** The saliva.

**Stalos'cus.** A tumor under the tongue, caused by the obstruction of the flow of the saliva owing to the presence of a salivary calculus.

**Stalorrhoe'a.** Salivation. Excessive flow of saliva.

**Stalos'cheia** (from *σταλς*, saliva, and *αχς*, retention). Suppression or retention of saliva.

**Stalose'mia.** Salivation.

**Stib'ileant** (*στίβη*, to hiss) A hissing or whistling sound.

**Siccac'tis** (from *σικκω*, to dry). Drying medicines.

**Siccac'tion** (*σικκωσις*). Drying.

**Sicche'sia.** Diarrhoea for food, such as is frequently experienced by pregnant women.

**Sick.** Laboring under disease, affected with nausea.

**Sick'ness.** A disease of any sort. Also nausea, retching, or vomiting.

**Sickness, Falling.** Epilepsy

**Sidera'tio** (from *σιδος*, a star, because it was thought to be the result of the influence of the stars) Syderation. Apoplexy. Also paralysis and gangrene.

**Sideri'tas.** Magnet, or loadstone.

**Sider'um.** Phosphuret of iron.

**Si'cuite or Sy'cuite.** A granular rock, composed of quartz, hornblende, and feldspar.

**Sieve.** An instrument used in *Mechanical Dentistry* for the separation of pulverized from coarse substances, as in sand moulding

**SH'flement.** Whistling. A sound like the humming of certain insects, heard at times on osculation

**SH'f'er.** In *Surgery*, a tissue, perforated with a great number of holes to allow the pus to escape as fast as it is formed, used in water-dressing, and to separate a wound from the substance which absorbs the purulent matter. Common tulle or linen, perforated, perfectly answers the indication.

**Sight.** Vision

**Sight by Day.** Hemeralopia.

**Sight by Night.** Nyctalopia.

**Sight, Dimness of.** Caligo.

**Sight, Lat'eral.** Dysopia.

**Sigilla'tus.** Sealed. Formerly applied to certain earths formed into small cakes and stamped, called *terra sigillata*.

**Sigil'um** (diminutive of *signum*, a sign) A seal, image, or little figure.

**Sig'moid** (from the Greek *Σ*, *sigma*, and *ειδος*, resemblance). In *Anatomy*, applied to several parts from their resemblance to the Greek letter sigma.

**Sigmoid Flexure.** The fold of the colon where the rectum commences.

**Sigmoid Valves.** The valvular folds of the aorta and pulmonary artery.

**Sigs.** In *Petiology*, any circumstance or phenomenon indicative of the nature and seat of a disease.

**Sig'ma** (*σγμα*). A sign, a mark. A tumor

prefixed in prescriptions to the part called the *signature*. Abbreviated to *S.* or *Sig.*

**Silica.** Silica; flint; quartz. The oxide of silicon,  $\text{SiO}_2$ .

**Silica, Liquid.** Water glass. A silicate of soda or of potassa, prepared by digesting it in one of these substances, in either of which it is soluble. Used in the arts in making artificial stone. Used in *Neck-and-neck Dentistry* as a coating for plaster models and to repair broken models; also to prevent the rubber of vulcanite work from filling the joints of the teeth. After the wax is removed and the case is ready for packing, fill the joints with common dry plaster and surround the plaster with the silica. It is also used for mending broken black-teeth by placing a drop or two on the broken surface, then pressing together, and subjecting to a dry heat. See GLASS, SOLUBLE.

**Silica.** Flint, quartz. The oxide of silicon,  $\text{SiO}_2$ . Silicic acid, a compound of silicon with three atoms of oxygen. It is used in the manufacture of porcelain teeth, and, after feldspar, forms the largest proportion of the material of the body, and increases its strength; being very infusible, it assists in the preservation of the teeth in shape during the burning process. It occurs in nearly a pure state in flint, quartz, and white sand; but for use the crystalline form should be selected. The rock crystal, or pure silica, is found in various parts of the United States. It is prepared for use by first heating it to a red heat, then plunging it in cold water, and afterward reducing it to a fine powder in a mortar or on a slab.

**Silicates.** A compound of silicic acid with a base.

**Silicic Acid.** An acid derived from silica.

**Silicious** (from *silica*, flint). Flinty.

**Silicium.** Silicon.

**Silicon.** The basis of silicic acid. An element, next to oxygen the most abundant, forming about one-fourth of the crust of the globe. In *Medicine*, it is employed in the form of an alkaline silicate.

**Silicium.** Metallic basis of silica.

**Silk, Dentist's Floss.** Untwisted filaments of fine silk, prepared expressly for the purpose of cleaning the approximal surfaces of the teeth, and used by some dentists for finishing the surfaces of fillings in the sides of teeth. See DENTAL HYGIENE.

**Silimanite.** A mineral of a dark gray

color, composed of silica and alumina, with a trace of oxide of iron; so named after Professor Siliman.

**Silver.** Argentum. Symbol, *Ag*. Atomic weight, 108. A white metal of a brilliant lustre, harder than gold, but softer than platinum, copper, or iron. It is malleable and ductile. Its specific gravity is 10.5. It is found native and in combination with various substances.

**Silver, Annealing of.** During the process of swaging silver plates it is necessary to frequently soften the metal, for the same reasons as in the case of gold plate, and the same process is performed. See GOLD, ANNEALING OF. The silver, however, should not, in the light, present the cherry-red heat as in the case of gold, for it is then at a white heat, its light color preventing the proper degree of heat (a cherry-red in the dark) from being seen.

**Silver Foil.** Silver beat into thin leaves. It was formerly employed for filling teeth; but as it is liable to oxidize by the secretions of the mouth, the use of it has been discontinued.

**Silver Leaf.** See ARGENTUM FOLIATUM.

**Silver, Nitrate of** (*argent. nitras*). Lunar caustic, formed by dissolving pure silver in dilute nitric acid, evaporating to dryness, melting, and pouring the fused mass in moulds.

**Silver Solders.** Silver alloyed with copper and zinc or copper and brass. To make a free-flowing solder, melt together twenty dwts. pure silver, five of brass, and three of copper, or alloy fine silver with one-third its weight of brass; or make according to the following formulae:

Silver, . . . . .	6 dwts.
Copper, . . . . .	2 dwts.
Brass, . . . . .	1 dwt.

Or—

Silver, . . . . .	5½ dwts.
Brass wire, . . . . .	40 grs.

Or—

Silver, . . . . .	66 parts.
Copper, . . . . .	30 parts.
Zinc, . . . . .	10 parts.

**Simple Cor'ate** (*corros. simplex*). Eight parts of lard and four of white wax. A mild and excellent application to inflamed surfaces.

**Sin'ples.** Medicinal herbs.

**Sinapis.** Glucoside in white mustard  
**Sinapisæsem** (from *seavi*, mustard, and *Acus*, oil) Oil of mustard, a powerful stimulant and rubefacient.

**Sinap/pi.** See **SINAPIS NIGRA**

**Sinapisæ.** An alkaloid produced in the decomposition of sinalbin by myrosin

**Sinap/pis.** Mustard A genus of plants of the order **Brassicæ**. Also the seeds of *Sinapis nigra* and *Sinapis alba*

**Sinapis Al'ba** The white mustard plant The seeds of this species are less pungent than those of *Sinapis nigra*

**Sinapis Nigra** The common black mustard, the seeds of which, when bruised, have an exceedingly pungent odor and an acrid, but ter taste they are stimulant, rubefacient, diuretic, and emetic Dose, as an emetic, ʒv

**Sinapis Sem'ina** Mustard seeds, the principal use of which is as a condiment When bruised or reduced to flour they have an acrid, pungent taste In small quantities they promote the appetite and assist digestion but in large doses they act as an emetic Applied externally, they act powerfully as a local excitant, producing redness of the skin burning pain, and, when long continued, venesation

**Sinapisina.** A peculiar crystalline substance obtained from black mustard seed

**Sin'apism** (*sinapismus*, from *seav* mustard) A mustard plaster An external stimulant composed of the farina of mustard seeds and commeal, made into a paste with water or vinegar, in the form of a poultice or plaster used as a rubefacient

**Sinap'plum.** An infusion of mustard seed

**Sin'ciput.** The top of the head Applied by some to the fore part of the head

**Sin'ew.** A tendon

**Sin'gul'us.** A spasmodic motion of the diaphragm and adjacent parts The hiccough

**Sin'istral.** Toward the left

**Sin'istral** (*sinister* the left) Belonging to or situated on the left

**Sin'uate.** Indented, having a wavy margin

**Sinuos'itas.** A sinus

**Sin'uosus** (from *seavi*, a bay or curve) Tortuous, wavy A term applied to certain fistulous ulcers

**Sin'us.** A cavity or canal within bone, the interior of which is larger than the entrance or outlet In *Anatomy*, certain cavities in the

bones of the head and face with small external communications Also certain venous canals into which a number of vessels empty their selves In *Surgery* a long, narrow hollow tract, communicating with some abscess, diseased bones etc

**Sinus Acus'ticus.** The internal auditory canal

**Sinus Arterio'sus** The left auricle of the heart

**Sinus Car'di.** The ventricles of the brain

**Sinus Corona'rius** **Sinus circula'ris** A venous canal nearly surrounding the pituitary fossa and gland

**Sinus, Cor'onary Ve'nous** The coronary sinus of the heart

**Sinus Coxæ** The acetabulum

**Sinus Dex'ter Cor'dis** The right auricle of the heart

**Sinus Falcifor'mis** The longitudinal sinus

**Sinus, Longitu'dinal** See **LONGITUDINAL SINUS**

**Sinus, Max'illary** The antrum of Highmore See **MAXILLARY SINUS**

**Sinus Mulieb'ris** The vagina

**Sinus Pecu'li'ris** A small depression at the commencement of the caput gallinaginis of the urethra

**Sinus Re'nalis** The pelvis of the kidney

**Sinus Termin'al** A venous canal surrounding the area vasculosa of the incubated egg

**Sinus Urogenita'lis** A cavity or duct, opening externally in which the excretory ducts of the Wolffian bodies, the ureters and the genurative apparatus terminate internally The canal is prolonged into the urachus subequally dividing into a pars urinaria and a pars genitalis

**Sinus Uteri'ni** The sinuses of the uterus are the large veins contained within its walls

**Sinus Venæ Porta'rum** The entrance of the veins porta into the liver

**Sinus Venos'us** The right auricle of the heart

**Sin'usæ, Frontal.** Two cavities in the cranium one over each orbit

**Sin'usæ of the Dura Mater** Certain channels or triangular cavities formed by reflections of the internal lamina of the dura mater, separating from the external and lined with the same membrane as that of the veins They all communicate with one another, and are designed for the reception of the venous blood of the brain Anatomists are not agreed



with regard to the number of these sinuses. Some enumerate as many as fifteen, while Most admit but four.

**Sinuses of the Larynx.** The ventricles of the larynx.

**Sinuses of Morgagni.** Small openings in the mucous membrane of the urethra.

**Sinuses of Valsalva.** Three depressions in the aorta and pulmonary artery behind the semilunar valves.

**Sinuses, Pulmonary.** The depressions behind the semilunar valves of the pulmonary artery.

**Sinuses, Vertebral.** The two large veins extending from the occipital sinuses to the end of the sacrum.

**Siph'ila.** Syphilis.

**Siph'ita.** Somnambulism.

**Siphna Parva.** Chorea.

**Siph'na.** A syringe.

**Siph'na, Syphon.** A bent tube, usually having one end longer than the other, used for conveying fluid from one vessel to another.

**Siph'na Cahu'cha.** Caoutchouc.

**Siphonia Elastica.** Caoutchouc. The systematic name of the tree which yields India-rubber. It belongs to the natural order Euphorbiaceae.

**Siphon'culum.** A syringe.

**Sit'asis** (from *asis*, the cavity of the fontanelle) Disease, especially inflammation of the brain, produced by insulation or exposure to the influence of the solar rays - sun-stroke.

**Sit'up.** Syrup.

**Sit'ology** (from *straw*, food, and *logy*, a discourse). A treatise on diet or food.

**Sit'um** (*straw*). Food.

**Sit'is.** Thirst.

**Sitis Morbo'sa.** Morbid thirst; the thirst experienced in febrile diseases.

**Sit'us** (*straw*). Allment.

**Sixth Pair of Nerves.** A pair of ophthalmic nerves distributed to the rectus externus oculi muscle.

**Sine.** In the *Arts*, impure hydrated gelatin. In *Medicine*, the buffy coat of the blood.

**Skeleton'ogy** (*osteology*; from *os*, bone, and *logy*, a discourse). A treatise on the solid parts of the body, comprehending osteology and syndesmology.

**Ske'ton** (*bones*). The bones of the body preserved in their natural situation, divested of their soft parts. When connected by

their own ligaments the skeleton is called natural, but when joined by wires it is called artificial.

**Skeleton'ia** (from *skeleton*, a skeleton, and *ia*, to make). An epithet applied to that department of anatomy which treats of the preparation of bones and the construction of skeletons.

**Skin.** The organ of touch and natural covering of animal bodies. It is flexible, elastic, and extensible, and is loosely attached to the parts directly beneath, except where it is connected with flesh, as in the palms of the hands, soles of the feet, and the calvarium. Its thickness varies in different parts of the body, and either long or short hairs, coarse or fine, protrude from it, being more plentiful in some places than in others. The appendages of the skin are the teeth, hair, nails, and sebaceous glands. See *CUTIS*.

**Skin, Scarf.** The epidermis.

**Skin-bound Disease.** Induration of the subcutaneous cellular tissue.

**Skol'oxite** (from *skolox*, twisted) A massive, crystallized, colorless, and translucent mineral, which, when heated with a blow-pipe, assumes a worm-like, contorted appearance.

**Skor'odite.** Native arseniate of iron.

**Skull.** Cranium.

**Skull Cap.** The dome of the skull. Also a name sometimes applied to a bandage invented by Mr Fox. See *FOX'S BANDAGE*.

**Slag.** In *Metallurgy*, the vitrified cinders produced in the reduction of metallic ores by various fluxes.

**Slav'ering.** Drivelling, involuntary flow of saliva.

**Sleep** (*somnus*) A suspension of the voluntary exercise of the intellectual faculties and powers of the body.

**Sleep'lessness.** Insomnia.

**Sleep-walk'ing.** Somnambulism (which see).

**Sling.** A bandage suspended around the neck for sustaining the forearm.

**Sloath.** The dead part which separates from the living in suppurative and ulcerative processes.

**Slum'ber.** To sleep lightly; drowse. Also somnolency.

**Small-pox.** The common name of variola (which see).

**Smalt.** The protoxide of cobalt. It has been employed as a remedial agent in doses of

ten to twenty grains in rheumatism. In larger doses it excites nausea and vomiting.

**Senec'tica.** *Deturgens*

**Seneg'ma.** Soap

**Smegma Prepu'ti.** The sebaceous matter secreted by the glandula odorifera and prepuce

**Smetell (smell)** The sense which perceives and appreciates odors. Also the qualities of bodies which affect the olfactory nerves or organs of smell.

**Smelling Salt.** Ammonium carbonate used as a stimulant by inhalation.

**Smit'le.** A curved bistoury having two sharp edges.

**Smit'loon.** A scalpel

**Sneez'ing (sternutation)** A convulsive action of the expiratory muscles commonly occasioned by irritation of the nasal fossae.

**Salpa.** A pair of very strong scissors or shears used in the laboratory of the dentist for shaping gold, silver or platinum plate for bases for artificial teeth and for other purposes.

**Sneez'ing (stertor)** The noise made by the passage of air through the flaccid and nasal fossae in respiration, either during sleep or in certain diseases as in apoplexy.

**Snow-blindness.** An affection of the eyes produced by the reflection of light from snow.

**Suffi, Cephal'ic.** Compound powder of Asinibacum, a stercoratory.

**Suff'fies.** Breathing hard through the nose.

**Suffices, Morbid.** *Cor'ia maligna* (which see)

**Soap (sapo)** A compound in definite proportions of certain oil acids with a salifiable base, usually soda or potassa. The soaps in most common use are either margarates or oleates of potassa or soda made by boiling common oil or fat with the lye of wood ashes. Castile soap is oleate and margarate of soda. Soaps are divided into soluble and insoluble. The former are combinations of oil acids with soda, potassa, or ammoniac; the latter are combinations of the same oil acids with earths and metallic oxides, as baryta lime, the protoxide of lead etc.

Soap possesses laxative, antacid, and antilithic properties. It is rarely given alone but is usually combined with rhubarb. Applied externally, it is a stimulating discutient. It is used successfully in cases of poisoning by acids. It constitutes an ingredient in some liniments and plasters.

**Soap Amyg'daline.** Almond oil soap.

**Soap, Castile (sapo castis)** Olive-oil soda soap.

**Soap Cerate (ceratum saponis)** A cerate of subacetate of lead, soap, white wax and olive oil.

**Soap, Common (sapo vulgaris)** Soda soap, made with concrete animal oil or tallow.

**Soap, Common Yellow.** Soda soap with a little rosin and palm oil mixed with the tallow.

**Soap Liniment (linctura saponis emporialis)** (Amphocetate tincture of soap).

**Soap Liniment, Camphorated (linctamentum saponis camphoratum)** Opodeldoc.

**Soap Liquid.** A name sometimes given to a French pharmaceutical preparation, *Liquor de Juss (sage hum)*, composed of white soap, alcohol rectified oil of amber, and concentrated water of ammonia. A stimulating compound employed to excite the nervous system and sometimes used as a remedy for the bite of the viper and other venomous animals. The name is also applied to a cosmetic, *lote saponacea* compound of olive oil solution of subcarbonate of potassa, and rose water.

**Soap Palm.** Soap made of palm oil, with a little tallow to give it consistency and soda.

**Soap Plaster (emplastrum saponis)** A mixture of one part soap and six parts lead plaster.

**Soap Plaster, Compound (emplastrum saponis compositum)** A mixture of two ounces soap plaster with three ounces of litharge plaster with resin.

**Soap, Rose.** Common yellow soap.

**Soap, Soft.** *Sapo molis*

**Soap Starkey's.** Equal parts of carbonate of potassa, oil of turpentine and Venice turpentine triturated together.

**Soap Tree Bark.** See *QUILLARIA SAPONARIA*.

**Soap, Wind'cor.** Soap made with one part olive oil nine of tallow and soda scented.

**Soapstone.** See *STRATHLE*.

**Sob.** A sudden spasmodic inspiration and expiration.

**Socia Parot'idis.** The accessory gland of the parotid, or a lobe of the parotid separated from the principal gland.

**Socket.** A hollow into which anything fits tightly, as the socket of a tooth.

**Soc'otrine Aloes.** A gum resin.

**So'da.** [An Arabic word.] The oxide,

$\text{Na}_2\text{O}$ , of the metal sodium. The mineral alkali of sodium, a white, caustic powder, obtained naturally from Egypt, and artificially, in limited quantity, by the incineration of marine plants, but principally from the sulphate of soda.

**Soda, Acetate of** (*soda acetic*). A salt formed by the combination of acetic acid with soda.

**Soda, Borate of** (*soda boric*, *soda borax*).

**Borate of soda**, borax.

**Soda, Carbonate of** (*soda carbonica*, *sou bicarbonate*). Bicarbonate of soda. The subcarbonate of soda, a mild mineral alkali. Its use is the same as the subcarbonate, than which it is less caustic and better adapted for effervescing draughts.

**Soda Cambrica**. The hydrated protoxide of soda. Caustic soda (which see).

**Soda, Chloride of**. Chlorinated soda. Used as a disinfecting agent.

**Soda, Dried Carbonate of** (*soda carbonas calcinata*). Carbonate of soda deprived of its water of crystallization by being dried, heated to redness, and then rubbed to a powder.

**Soda, Hyposulphite of**. Used in chronic cutaneous and scrofulous affections, especially in tuberculosis of the lungs. Dose, gr x and more in syrup.

**Soda Imperia**. Impure soda. Barilla. Soda obtained by the incineration of the sea-bore plants.

**Soda, Lithiate of**. Urate of soda.

**Soda, Muriate of** (*soda murica*, *sodii chloridum*). Chloride of sodium or common salt.

**Soda, Nitrate of**. Peruvian nitre. A salt having precisely the same qualities as nitrate of potash.

**Soda, Nitrite of** (*soda nitica*). Made by heating a mixture of nitrate of soda and charcoal in a crucible to dull redness.

**Soda, Oxymuriate of**. Chloride of soda.

**Soda, Phosphates of** (*soda phosphica*). A compound of phosphoric acid and soda. Dose, as a cathartic,  $\mathfrak{ss}$  to  $\mathfrak{ij}$ .

**Soda Powders**. Two powders, one consisting of half a drachm of carbonate of soda, and the other of twenty-five grains of tartaric acid, which, when dissolved in separate tumblers of water and mixed, form a refreshing, effervescing, saline draught.

**Soda, Subcarbonate of** (*soda subcarbonica*). Carbonate of soda. The impure carbonate dissolved in water, the solution filtered and crystallized. It is used as an antacid; and

also as a deobstruent in scrofulous and other affections. Dose, gr. x to  $\mathfrak{ss}$ .

**Soda, Sulphate of** (*soda sulphica*). Glauber's salts. Its powers cathartic and diuretic properties. Dose,  $\mathfrak{vj}$  to  $\mathfrak{xx}$ .

**Soda, Tartrate of** (*soda potassica tartara*). A double salt, consisting of tartrate of soda and potassa. Rochelle salt. It is a gentle cathartic. Dose,  $\mathfrak{ss}$  to  $\mathfrak{ij}$ .

**Soda Water**. A refreshing effervescing draught, formed by dissolving carbonate of soda in water and superimizing it with carbonic acid.

**Sodas et Argenti Hyposulphide**. Hyposulphite of soda and silver. A solution of it is used for the same purposes as nitrate of silver.

**Soda Chloras**. The chlorate of soda.

**Soda Chlorinas Liqor**. Solution of chlorinated soda, known as "Labarraque's disinfecting liquid," is composed of chloride of lime, carbonate of soda, and water. It is a colorless liquid with an alkaline taste and faint odor of chlorine. It is stimulant, antiseptic, and resolvent, and is useful in all affections attended with fetor, such as ulcers, etc. In *Dental Practice* it forms a mouth-wash in mercurial stomatitis, ulcerations of gums, disease of nostrum, and fetid breath. Also used in bleaching discolored teeth.

**Soda Hydrodas**. Sodii solum.

**Soda Hypochloris**. Hypochlorite of soda.

**Soda Potassico-tartaras**. Tartrate of soda.

**Soda Sesquicarbonate**. An imperfect bicarbonate of soda.

**Soda Subbotras** (*soda biborata*). Borax.

**Soda Subcarbonas**. Carbonate of soda.

**Soda Sulphas**. Sulphate of soda.

**Soda Valerianas**. Valerianate of soda, used for obtaining the other valerianates.

**Sodii Auro-terchloridum**. Chloride of gold and sodium.

**Sodii Chloridum**. Chloride of sodium, murate of soda, common salt.

**Sodu Iodidum**. Iodide of sodium. Hydriodate of soda. It has been used in the same cases as iodide of potassium.

**Sodium**. The metallic base of soda. Symbol, Na. Atomic weight, 23. A metal of the alkaline series which has a strong affinity for oxygen. It is of a silver-white lustre and is softer than lead. The action of the sodium salts is similar to that of the potassium compounds.

**Sodium Bicarbonas**. Salicatus. Baking-soda.

**Sodium Carbonas Effluviatus** The carbonate dried until it loses fifty per cent of its weight

**Sodium Chloras** The basis of an agreeable gargle.

**Sodium Dioxide** Peroxide of sodium Per oxide of sodium

**Sodium Ethylas** Caustic alcohol

**Sodium Hydrate** Caustic soda

**Sodium, Oxide of** Soda

**Sodium Peroxide** Peroxide of sodium (which see)

**Sodium Sulphas** Glauber's salt Washing soda

**Soft Pal'ate.** The velum pendulum palati an incomplete movable partition between the mouth and pharynx

**Soft'ening (melitias)** A term applied in *Pathology* to a morbid diminution of the cohesiveness of organs

**Softening of the Brain** Ramollissement of the brain (which see)

**Sol.** The sun A name given to gold by the older chemists

**Sol'anum.** An alkaloid extract of Solanum nigrum It is a narcotic and causes no nausea Dose, gr  $\frac{1}{2}$  to gr  $\frac{1}{4}$

**Sol'anosed (sol'anoides** from sol'anum the potato, and *oides* resemblance) Resembling a potato A term applied to a form of cancer from its resemblance to a potato

**Solanum Lethale.** Atropin belladonna (which see)

**Solar (solaris** from sol the sun) Pertaining to or having rays like the sun

**Solar Phos'phorus** Canton's phosphorus A composition made by mixing three parts of calcined cystic shells and one of the flowers of sulphur and exposing the mixture in a closed crucible, to a strong heat for one hour Thus, on being afterward exposed to light exhibits phosphorescent properties

**Solar Plex'us** Plexus solaris See PLEXUS SOLAR

**Sol'dar.** An alloy easily fused employed to unite the surfaces of two pieces of metal

**Solder** Gold See GOLD SOLDER

**Solder, Silver** See SILVER SOLDER

**Sol'dering.** A process which consists of uniting the surfaces of two pieces of metal by melting a more fusible metal (an alloy) between them, which serves, by chemical attraction and cohesive force, to bind the pieces together The pieces may be of the same or dissimilar metals, but the metal or alloy by

which they are to be united must have an affinity for both Thus, gold alloyed with silver and copper melts more easily than the first named metal, and, having an affinity for it constitutes a proper uniting medium See GOLD SOLDER The surfaces however of the pieces to be united should be bright and in actual contact to insure a uniform effect of the solder upon them They should also be covered with a mixture of borax and water, or the consistence of cream After this has been applied which may be most conveniently done with a small camel's hair pencil a sufficient quantity of solder cut in small pieces, should be laid along the line of contact between the gold pieces to be united, to effect the desired strength of union

The pieces to be united should be prevented from separating during the application of the heat, either with a mixture of plaster of Paris and asbestos or sand iron clamps, or wire This precaution is necessary to insure a perfect union of the pieces

These preparatory steps having been gone through with, the pieces should be placed and made fast upon a piece of charcoal or pumice stone to prevent the too rapid escape of the heat during the actual process of soldering

The most common method of obtaining the requisite amount of heat is from the flame of a spirit or oil lamp thrown upon the work with a blow pipe

When plaster is employed it should first be heated to a red heat by throwing the whole of the flame of the lamp in a stirring manner over it This done the flame should be concentrated upon the point where it is wished that the solder should take effect and kept there until it fuses and flows between the pieces to be united Should it flow in a wrong direction from an improper application of the heat the concentrated point of the flame should be moved to the proper place when the solder will immediately return and take effect there

**Soldering Clamps** Clamps constructed of wire bent into suitable forms for holding gold roller rows caps parts of bridge work, etc., and to which handles may be attached

**Soldering Lamp** A lamp used in *Mechanical Dentistry* for soldering, holding about a pint of alcohol and having a wick  $\frac{1}{4}$  of an inch or 1 inch in diameter By connecting the wick tube to the body of the lamp by a small tube, which should be, under all circum-

stemon, full of alcohol, a safety-lamp may be made. Dr. R. W. Franklin's lamp is so constructed as to contain the alcohol uniformly at the same level.

**Soldering Pan.** A sheet-iron pan, used in *Mechanical Dentistry*, of funnel-shape with a handle to support it. Filled with ignited charcoal, it forms a convenient receptacle for metallic work during the process of soldering.

**Soldering Support.** An appliance used in *Prosthetic Dentistry* for holding the work to be soldered. Such supports are generally made of plumbago, charcoal, or fire-clay, asbestos and metal, binding-wire, etc.

**Sold'ers, Gold and Silver.** Dorrance's formula for twenty-carat gold solder. One part of pure silver, 2 parts of pure zinc, 3 parts of pure copper. Four grains of this alloy melted with 30 grains of pure gold.

Litch's formula for eighteen-carat solder. Gold coin (\$10), 369 grains. Spelter (or braser's solder), 24 grains, silver coin, 24 grains.

Richmond's formula. Add to scraps of American coin gold one-fifth of their weight of fine brass wire cut in small pieces, using borax freely during the melting process.

Low's formula for nineteen-carat solder. One dr. of coin gold, 2 grains of copper, 4 grains of silver.

Another formula for twenty-carat solder: American coin gold (31 6 carats fine—\$10 piece), 238 grains, spelter solder, 30 64 grains. Another of the same carat. Gold coin (\$10), 268 grains; spelter solder, 24 grains, and silver coin, 24 grains.

Gold solder 22 carats fine is used for bridge-work, and 20 carats fine for crown-work. See GOLD SOLDER.

Silver solder can be made by alloying fine silver with one-third its weight of brass. See SILVER SOLDER.

**Sole (solē).** The under surface of the foot.

**Sol'ion (sol'v).** Literally, a tuba. In *Surgery*, an oblong semicircular box or case, used in the treatment of fractured limbs to prevent the contact of the bed-clothes. In *Conchology*, a genus of bivalve shells, constituting the type of the family Solenidae.

**Solenost'rius (from sol'v, a canal).** A catheter.

**Sole'u's.** The gastrocnemius internus, a muscle situated at the posterior part of the leg. It terminates below, by a large tendon which

joins that of the gastrocnemius externus, to form the tendo Achillis.

**Sol'id (sol'idus).** A body whose particles are so united by cohesive attraction as to require some degree of force to separate them. In *Anatomy*, the bones, muscles, ligaments, membranes, nerves, vessels, cartilages, etc.

**Solid'ity.** Density; compactness, the condition of a solid; opposed to fluidity.

**Solub'il'ity (sol'ubilis, from solvere, solve, to dissolve).** Capable of dissolving in a menstruum.

**Sol'uble.** Capable of being dissolved.

**Sol'u'tio.** A solution

**Solutio Arsenica'lla.** Liqueur arsenicalis.

**Solutio Cal'cia.** Liqueur calcia.

**Solutio Potas'sii Iodidi Iodure'ta.** Liqueur iodini compositus.

**Solutio Sulpha'tis Cupri Compos'ita.** Aqua cupri vitriolati composita. Compound solution of sulphate of copper.

**Solut'ion (sol'utio).** In *Chemistry*, an operation which consists of dissolving a solid in a menstruum. Also the product of such operation. In *Surgery* the separation of parts previously united, which is called a solution of continuity.

**Sol'utive (sol'utivus; from solvere, to loosen).** A laxative.

**Solutal.** An alkaline solution of sodium crocyate in creosol; used as a disinfectant.

**Sol'vent (from solvere, to dissolve).** A menstruum. Also medicines supposed to possess the property of dissolving or removing obstructions of extraneous substances.

**Sol'veol.** A neutral solution of sodium crocyate in creosol, used as an antiseptic, like creolin.

**Sol'vene (from solvere, to dissolve).** A syrupy substance with great dissolving power, produced by the action of sulphuric acid upon a fixed oil.

**So'ma.** The body.

**So'macule.** The smallest subdivision possible which is capable of retaining its physiological functions.

**Somat'ic (somat'icus, from soma, the body).** That which relates to or concerns the body.

**Somatol'ogy (somatologia; from soma, the body, and logos, a discourse).** A treatise on the human body, anatomy.

**Som'nal.** A mixture of alcohol, chloral, and urethan. A hypnotic producing a quiet, deep, and natural sleep commencing one hour after administration and lasting six to eight

leaves Don, gets xxx Some assert that it occasionally causes dangerous secondary action of the heart

**Somnambulism** (*somnambulatus* from *somnus* sleep, and *ambulare*, to walk) Sleep walking

**Somnambulist.** A sleep walker  
**Somnifacient.** A medicine causing sleep  
**Hypnotic**

**Somniferous.** A morphine ether which causes no bad effects upon the heart

**Somniferous** (from *somnus* to sleep, and *ferre* to bring) That which induces sleep

**Somnolent.** One who talks in his sleep

**Somnolency** (*somnolentia*) Somnolent Sleepiness Inclined to sleep Often a symptom of disease

**Somnolism.** The state produced by what is called animal magnetism

**Somnolism.** Somnolism Sleep from sympathy improperly called magnetic sleep

**Somnus.** Sleep, the repose of sense and voluntary motion during which time the relations which unite hold with the external world, through the organs of sense are interrupted

**Sonorous** (*sonorus*) Your loud sound ing, giving sound when struck as a sonorous body, giving a clear loud sound as a sonorous voice, sometimes applied in *Pathology* to roughness

**Sonata.** Sound

**Soot** (*fuligo*) A black substance disengaged from fuel in the process of combustion

**Sophistication** (*sophisticatio*) Adulteration, counterfeiting, falsification

**Sophtomatus Dentes.** Wisdom teeth or dentes sapientum

**Soploia.** Soporosis

**Sopor.** A profound sleep from which the person can only be roused with difficulty It occurs in many cerebral diseases

**Soporific.** Somniferous, tending to cause sleep

**Soporosis.** Sleepy

**Sorbifacient** (*sorbifacient*, from *sorbere*, to suck in, and *facere*, to make) A remedy that promotes absorption

**Sorbic Acid.** An acid obtained from the berries of the *Sorbus aucuparia*, or mountain ash

**Sordes.** The foetid excrementitious matter which forms on the teeth during fever Also dirty masses discharged from ulcers

**Sordidus Auritus.** *Otorrhea aurium* (which see)

**Sore.** An ulcer or excoriation

**Sore Mouth** *Stomatitis*

**Sore Mouth Gangrenous** *Cancerum oris* Also gangrenous oris

**Sore Throat** *Cynanche*

**Sore Throat, Ulcerous** *Cynanche maligna*

**Soreness.** Painful uneasiness or tenderness of a part when touched It is a symptom of inflammation

**Souffle.** A term used for distinguishing the blowing sounds heard in auscultating the chest

**Sound** In *Physiology* the sensation produced by sonorous bodies or certain vibrations on the organ of hearing In *Surgery* a solid metallic instrument shaped like a catheter, used for the purpose of ascertaining the extent of calculus in the bladder

**Sound ing.** Searching the exploration of the bladder

**Soul.** A defensive protoid naturally present in the human body comprising mucousness, which destroys injurious microbes and faeces and which destroy the injurious products (toxins) of the microbes

**Soulodol.** A compound of sulphur, iodine, and creosote and An antiseptic

**Soulodol Acid.** Sulphuric acid

**Spaces, Interdental.** See *INTERDENTAL*

**Spado.** Castritis (which see)

**Spagyria.** Chemistry

**Spain, History of The Anthrax pyrothrum** or Spanish chumole

**Spal ter** See *SPERME*

**Spasmodic** (from *crasis*, poor, and *mas*, blood) *Spasmodic* Poverty of the blood, from a deficiency of fibrine and red corpuscles

**Spasmodic.** Relating to spasms Also a term applied to hemostatic remedies when such remedies impoverish the blood

**Spanish Fly.** See *CANTHARIS*

**Spanish White** White bluish extract of h-muth

**Spar.** A term applied in *Mineralogy* to certain substances which break with regular surfaces and exhibit some degree of lustre Hence minerals of a spary fracture are called sparose

**Spar Heavy** Sulphate of baryta

**Spar, Iceland** Rhomboidal carbonate of lime

**Springing** (from *craspedo*, to tear) In *Surgery*, a laceration

**Spas'mos.** A convulsion or spasm.

**Spasmod'icum.** Adhesive plaster spread on silk, flax, cotton, or paper.

**Spargano'stis** (from *σπᾶνω*, to swell). A swelling. Also a milk abscess.

**Spas'mus.** Irregularly scattered, dispersed.

**Spasms** (*σπασμοί*, from *σπᾶνω*, to draw) An involuntary muscular contraction. Spasms are distinguished into *tetanic*, which consist of complete rigidity of the muscles, as in lock-jaw, and *clonic*, which consist of alternate contractions and relaxations, as in convulsions.

**Spasms of the Larynx.** *Laryngismus stridulus* (which see).

**Spas'mus** (from *σπᾶνω*, to draw). Voluntary straining, energetic contraction or extension of the muscles, as in running, riding, or bearing heavy burdens.

**Spas'mi.** Spasmodic diseases characterized by a morbid contraction of the muscular fibres.

**Spasmo'dia.** Convulsive.

**Spasmod'ic** (*σπασμωδῆς*, *spasmodicus*) Relating to a spasm or convulsion.

**Spasmodic Croup.** *Laryngismus stridulus* (which see).

**Spasmo'dicus.** Spasmodic.

**Spasmodismus.** A ptomaine obtained from the culture of the tetanus bacillus. It produces tetanic and clonic convulsions in animals.

**Spas'mus.** A spasm, a convulsion.  
**Spasmas Cyn'icus.** *Risus caninus*, the sardonic grin.

**Spas'tic** (*σπαστικός*). Spasmodic.

**Spasmo'tor** (from *σπᾶνω*, I draw) In *Surgery*, an instrument used for drawing the prepuce, when too short, over the glans.

**Spas'thos.** *Spathiform*. In *Mineralogy*, resembling spar in form.

**Spas'tis** (*σπαστίς*). Liquid fecal evacuation.

**Spas'tria** (diminutive of *spatha*, a broad instrument). An instrument like a knife, used for spreading plasters, etc. Also for mixing plaster of Paris, oxychloride of zinc, etc.

**Spatula, Foli.** An instrument for folding gold foil, having a blade six inches long and  $\frac{1}{8}$  of an inch wide.

**Spas'triola.** Shaped like a spatula.

**Spaty.** To extirpate the ovaries.

**Spat-shaped.** *Lanceolata*.

**Spacial Anat'omy.** That which treats of the healthy structure of the body and its organs.

**Spas'dia.** A group of such individuals as have an essential identity resulting from their

ultimate constitution or nature. Individuals, animals, plants, and minerals agreeing in their appearance and composition. When individuals differ in circumstances from accident, they are termed *varieties*. The circumstances common to one or more species constitute a *division* or *genus*. *Species* is also an old pharmaceutical term for powders.

**Specific** (*specificus*) In *Medicine*, a medicine that cures some disease upon a principle peculiar to itself, and not common to two or more. Also a remedy that infallibly cures a particular disease. The term is applied, too, to a medicine which acts on some particular organ more than on others. In *Natural History*, the trivial name or designation of the species of a genus.

**Specific Gravity.** See GRAVITY, SPECIFIC.

**Specific Poison.** One producing special diseased conditions.

**Spec'ulum** (from *specio*, to examine). A probe or sound; a surgical instrument employed in the exploration of wounds, fistulae, etc.

**Spec'tacles** (from *spectari*, to behold). An optical apparatus consisting of two lenses fixed in a metallic or other frame adapted to the eyes, and used to assist the sight.

**Spec'trum.** An optical illusion; a spectrum. Also an elongated figure of the seven prismatic colors, formed by a transparent prism.

**Spec'ulum** (from *speculo*, to see) A mirror. Also an instrument for dilating cavities to facilitate their examination.

**Speculum A'ni.** An instrument for dilating the anus while an operation is being performed on the parts within.

**Speculum Metal.** An alloy for metallic mirror, composed of two parts copper and one part of tin.

**Speculum Oc'uli.** An instrument for keeping the eyelids open and preventing the eye from moving.

**Speculum O'ra.** An instrument for dilating the mouth.

**Speculum Oris, Elliot's.** An instrument for distending the cheeks during the removal of wax impressions from the mouth.

**Speculum Vaginae.** An instrument for dilating the vagina.

**Speech.** Articulated voice.

**Spelter, Speltre** (*spelter*). Commercial, impure zinc, which often contains copper, iron, lead, manganese, plumbeo, and a little arsenic.

**Solder Solder.** Brazier's solder. A fusible brass, made of sixteen parts of copper and twelve parts of zinc.

**Spence's Metal.** A non-metallic compound of a hard and brittle nature, employed for making dies and for swaging plates by means of a screw or hydraulic press. It is composed of sulphur, blenath, antimony, etc., the exact formula not having been published. It fuses at 238° F. It is claimed that this substance neither expands nor shrinks in setting. See D'ARCY'S METAL.

**Sperm** (*sperma*, from *σπερμα*, to sow) **Spermatic fluid**, seed; semen. Also *spermatol*.

**Spermace'ite** (from *sperma*, sperm, and *σπρ*, a whale). A fatty substance obtained chiefly from the head of the cachalot, or sperm whale. See CETACEUM.

**Spermatic** (*spermaticus*, from *σπερμα*, seed) A term applied in *Anatomy* to the parts or vessels connected with the secretion or transmission of the seminal fluid, or sperm.

**Spermatic Arteries.** Two arteries one on each side, given off, most commonly, by the aorta, though sometimes by the renal arteries, and distributed, in man, to the spermatic cord, testicle, and epididymis, and in the female to the ovarium, Fallopian tube, and round ligament.

**Spermatic Cord.** The vascular and nervous cord by which the testicle is suspended.

**Spermatic Fluid.** Sperm.

**Spermatic Liquor.** The spermatic fluid.

**Spermatic Plex'us.** A nervous plexus formed by filaments from the renal plexus.

**Spermatic Veins** The veins which accompany the spermatic arteries.

**Sperma'tin.** The animal matter of the sperm; an albuminoid substance.

**Spermat'imus.** The emission of semen.

**Spermatoblast.** Spermatoblast. A cell which develops into a spermatozoon.

**Spermatozo'ia** (from *σπερμα*, seed, and *ζωον*, a tumor). Swelling of the testicle.

**Spermato'des** (from *σπερμα*, sperm, and *ειδος*, resemblance) Anything which resembles or has the appearance of sperm.

**Spermatozo'ia** (from *σπερμα*, sperm, and *ζωον*, to beget). Spermatozoa. The preparation or secretion of the seminal fluid.

**Spermatoth'egous.** A term applied in *Zoology* to animals which subsist on seeds. It is synonymous with granivorous.

**Spermatoth'era** (from *σπερμα*, seed, and *τροφειν*, to bear) The sheaths in the cephalopods which convey the semen or sperm. They are also called the moving filaments of Needham, their discoverer.

**Spermatoz'us** (*spermatozous*; from *σπερμα*, sperm, and *ζωον*, to make) In *Physiology*, a term designative of food or anything calculated to augment the secretion of the seminal fluid.

**Spermatorrhoe'a** (from *σπερμα*, sperm, and *ρρρ*, to flow) An involuntary emission of semen.

**Spermatozo'a** (from *σπερμα*, sperm, and *ζωον*, animal) Spermatozoon. Spermatic animalcules. Minute particles resembling infusoria seen in spermatic fluid. They are supposed by most physiologists to be the active agents in generation.

**Spermo'tite** (*spermatites*, from *σπερμα*, sperm, and *τις*, a stone). In *Pathology*, the indurated concretions which sometimes form in the vesicular seminales. In *Oryctology*, a fossil seed.

**Spew'ing.** Vomiting.

**Sprey's Adhesive Plate.** Consists of a layer of unvulcanizable rubber plate attached to the palatal surface of vulcanite plates. The soft vulcanite yields slightly, and gives a firmer adhesion than the hard surface of vulcanized rubber.

**Sphacelle'tion.** Mortification.

**Sphacelle'mus** (from *σφαιλλω*, to be gangrened) Gangrene, mortification. The term is also sometimes applied to inflammation of the brain.

**Sphac'eloid.** Resembling a gangrenous part.

**Sphac'elous.** Pertaining to sphacelus.

**Sphac'elus** (from *σφαλω*, to destroy). The disorganized portion thrown off in mortification. Complete mortification.

**Sphaerol'des.** Sphenoides.

**Sphaerobact'ria.** A division of the bacteria comprising the genus *Micrococcus*.

**Sphero'ma** (from *σφαρρα*, sphere) Anything made round or globular. Applied in *Pathology* to a globular, fleshy protuberance.

**Sphingo.** The throat.

**Sphene** (from *σφρ*, a wedge) A dull yellow, green, gray, brown, or black mineral, composed of silicic acid, lime, and titanite acid. It occurs in amorphous crystals of the form of oblique rhombic prisms.

**Sph'e'noid** (*sphenoides*; from *σφρ*, a wedge,



and *otic*, *stomachicæ*). Wedge-like; applied to a base of the cranium.

**Sphenoid Bone** (*sphenoides os*). A bone situated in the middle of the base of the cranium, extending underneath from one temple to the other, wedged in, as it were, amid the other bones.

**Sphenoidal** (*sphenoidalis*). Pertaining to or connected with the sphenoid bone.

**Sphenoidal Spine**. A projecting crest at the lower surface of the sphenoid bone which articulates with the vomer.

**Spheno-maxillary**. Relating to the sphenoid and maxillary bones.

**Spheno-maxillary Fissure**. The inferior orbital fissure. *Foramen lacerum inferius*.

**Spheno-maxillary Fossa**. A depression at the union of the sphenomaxillary and pterygomaxillary fissures.

**Spheno-orbital** (*spheno-orbitalis*). An epithet applied by Bécclard to the anterior or orbital portion of the sphenoid bone.

**Spheno-palatine**. Relating to the sphenoid and palate bones.

**Spheno-palatine Artery**. The termination of the internal maxillary artery, which enters the back part of the nose through the sphenopalatine foramen, to be distributed upon the pituitary membrane.

**Spheno-palatine Foramen**. A foramen formed by the vertical portion of the os palati and sphenoid bone, establishing a communication between the nasal fossa and the zygomatic fossa.

**Spheno-palatine Ganglion**. A small ganglion situated without the sphenopalatine foramen in the pterygo-maxillary fissure.

**Spheno-palatine Nerves**. The lateral nasal nerves, which arise from the ganglion of Meckel, and enter the nose through the sphenopalatine foramen, to be distributed to the outer and inner parietes of the nasal fossa.

**Spheno-parietal**. Belonging or relating to the sphenoid and parietal bones.

**Spheno-staphylina**. The levator palati muscle.

**Spheno-temporal**. Belonging or relating to the sphenoid and temporal bones.

**Spher'oid**. A little sphere.

**Spher'ulite**. Pearl-stone; a variety of *calcium*, occurring in rounded grains.

**Sphincter** (from *sphynō*, to constrict). A name given to certain muscles the office of which is to close openings around which they are situated.

**Sphincter Ani**. A muscle situated around the anus.

**Sphincter Ani Inter'na**. The circular fibres of the muscular coat of the rectum at its extremity.

**Sphincter Cu'la**. The superior constrictor pharynx.

**Sphincter Labio'rum**. The orbicularis oris.

**Sphincter Oculi**. The orbicularis palpebrarum.

**Sphincter O'ris**. The orbicularis oris.

**Sphincter Vagi'na**. A muscle situated on the side of the vagina, near its external orifice, opposite the nymphæ, covering the corpus cavernosum.

**Sphincter Vesicae**. A name given by some anatomists to a few fibres which surround the neck of the bladder.

**Sphyg'ma** (*sphynōs*). Sphygmos (which see).

**Sphyg'mic Art** (*sphynōsica ars*). The knowledge or doctrine of the pulse, art of judging by the pulse.

**Sphyg'micus**. Of or belonging to the pulse.

**Sphygmol'ogy** (from *sphynōs*, the pulse, and *logos*, a discourse). Sphygmologia. A treatise on the pulse.

**Sphyg'mos** (from *sphynōs*, to leap or rebound). The pulse, pulsation.

**Sphyg'mosis**. Having the nature of a pulse.

**Sphyn'ia**. Pulsation.

**Spica**. A spike. In *Surgery*, a spiral bandage, the turns of which cross each other like the letter V.

**Spica Du'plex**. A double spica or double spiral bandage.

**Spica Linguae'lis**. A bandage for inguinal ruptures.

**Spices**. *Agrestia*, warm, aromatic drugs, such as nutmeg, cinnamon, etc.

**Spic'ula**. In *Pathology*, pointed pieces or fragments of bone.

**Spider** (*aranea*). Common name of the animals belonging to the class *Arachnida*.

**Spig'nan Lobe**. See *LOBULUS SPIGELII*.

**Spilanthes Olera'ceus**. The spear-leaved spilanthes. A tincture of this plant has been recommended as a cure for toothache.

**Spilo'ma**. A spot or discoloration of the skin. A variety of *nervus*.

**Spilo'sia**. A synonym of *Epilepsia*.

**Sp'iss**. A spot on the skin.

**Spi'ma.** A thorn. In *Anatomy* a process on the surface of a bone the backbone.

**Spina Bi'fida.** A congenital malformation or defect of the spinal column.

**Spina Vento'sa.** A rarefying form of osteitis in which the bone is eroded or destroyed and the subperiosteal tissue and osseous marrow contain numerous small cells with transuded red blood corpuscles. It is often a result of syphilis.

**Spina Vertebra'lis.** The vertebral column.

**Spi'nal** (*spinalis* from *spina* the spine) In *Anatomy* belonging or relating to the spinal column.

**Spinal Accessory Nerve.** The eleventh pair of the cranial nerves which are endowed with the function of motion. It is divided into two roots one of which arises from the lower portion of the medulla oblongata and the other from the cervical portion of the spinal cord.

**Spinal Arteries.** Two arteries descending one on the anterior and one on the posterior surface of the spinal cord.

**Spinal Centre.** Applied to the spinal marrow regarded as distinct from the nerves proceeding from it.

**Spinal Column.** See VERTEBRAL COLUMN.

**Spinal Cord** (*medulla spinalis*) The spinal marrow which is a continuation of the medulla oblongata.

**Spinal Diseases.** The diseases which affect the spinal cord and its membranes.

**Spinal Foram'ina.** The foramina of the vertebrae which give egress to the spinal nerves.

**Spinal Irritation.** A term applied to subinflammatory affections of the spinal cord and its membranes.

**Spinal Mar'row.** The spinal cord.

**Spinal Meningi'tis.** Inflammation of the meninges or membranes which enclose the spinal marrow.

**Spinal Nerve.** The accessory of the posterior ganglion, or accessory nerve of Willis.

**Spinal Nerves.** The vertebral nerves.

**Spinal System of Nerves.** The nerves which issue from the spinal marrow independently of the ganglionic or cerebral systems.

**Spina'les.** Spinal muscles of vertebrae.

**Spinalis Cer'vicis.** Semi-spinalis colli; a muscle of the posterior part of the neck and upper part of the back.

**Spinalis Colli.** The semi-spinalis colli.

**Spinalis Dorsi.** A muscle situated on the lateral surfaces of the spinous processes of the back and the inner side of the longissimus dorsi.

**Spina'tus.** Spinal.

**Spin die.** In *Technique* the axis of a wheel or roller.

**Spindle Tree.** A shrub of the genus *Emorya*.

**Spine.** In *Anatomy* the vertebral column.

**Spinescent** (*spinescent*) Becoming hard and thorny.

**Spinous** (*spinous*)

**Spinous Process.** Having the shape of or beset with spines or thorns.

**Spinous Process of the Vertebra.** A narrow and tapering prominence or elevation on a vertebra.

**Spinous Processes of the Vertebrae.** The processes situated one on the back part of each vertebra.

**Sparthorom'eter** (*σπάρη* a spark and *μετρον* measure) An instrument for determining the size power etc. of electrical sparks.

**Sparthoropsis** (*σπάρη* and *ὄψις* the eye) A method at the eye in which there is an appearance of sparks or scintillations before the eyes.

**Spiracles** (from *σπῆρα* to breathe) Spiracles. The breathing pores of insects. Applied also to the pores of the skin.

**Spiral** (*spiralis* from *σπῆρα* a spire) Winding round a cylinder or other round body in a circular form and at the same time rising or advancing forward winding like a screw.

**Spiral Bandage.** The common bandage or roller wound spirally around a limb.

**Spiral Springs.** In *Dental Prosthetics* the coiled wires employed for the retention of a double set of artificial teeth in the mouth.

The simplest method of winding the wire is to secure it between two blocks of wood held between the jaws of a small bench vice. Then the upper end of the wire in connection with a spindle or steel wire the size of a small knitting needle six or eight inches in length, is grasped by a hand vice or pair of sliding-tongs the spindle resting on the blocks of wood is made to revolve by turning the hand vice or sliding-tongs according as the one or the other may be used. In this way the wire is wound firmly and closely around the steel rod or spindle.

**Spiril'ium** (from *σπῆρα*, a curled hair)

A genus of *Imperiales* of the family *Bacteriaceae*, whose elements are curved, often forming a spiral of several turns.

**Spir'it** (*spir'itus*, from *spiro*, to breathe). This term was formerly applied to all volatile substances obtained by distillation. They were formerly distinguished into *inflammable* or *ardent spirits*, *acid spirits*, and *alkaline spirits*, but at present the term is restricted to alcoholic liquors and ether.

**Spirit of Alum.** The acid liquid distilled from alum.

**Spirit of Bone.** Spirit of hartshorn, or impure ammonia.

**Spirit of Mindere'rus.** Liquid acetate of ammonia. See MINDERERUS, SPIRIT OF

**Spirit of Salt.** Hydrochloric acid

**Spirit of Tin.** Perchloride of tin.

**Spirit of Turpentine.** Oil of turpentine

**Spirit of Wine, Rectified.** Alcohol.

**Spirit of Wine, Weaker** (*spir'itus tenuior*).

Proof spirit half the strength of rectified spirit.

**Spirit, Rec'tified.** Alcohol in a high state of concentration, commonly called spirit of wine. Alcohol fifty-six per cent. over proof, or containing eighty-five per cent. of spirit.

**Spir'itus.** Spirit. Also breath.

**Spiritus Aeth'eric Aromatic'us.** (Ph. L.) Aromatic spirit of ether.

**Spiritus Aeth'eric N'itric.** (U. S.) Sweet spirit of nitra. Spirit of nitric ether.

**Spiritus Aeth'eric Sulphur'ic.** (U. S.) Spirit of sulphuric ether. Sweet spirit of vitriol

**Spiritus Aeth'eric Sulphur'ic Compos'itus.** (Ph. L., U. S.) Compound spirit of sulphuric ether. Hoffman's anodyne. A stimulant and antispasmodic. Dose, fʒss to fʒj

**Spiritus Ammon'iac.** (Ph. L.) Spirit of ammonia. Stimulant and antispasmodic. Dose, fʒss to fʒj

**Spiritus Ammon'iac Aromatic'us.** Aromatic spirit of ammonia. Stimulant. Dose, fʒss to fʒj

**Spiritus Ammon'iac Succina'tus.** Succinated spirit of ammonia. Stimulant and antispasmodic. Dose, gr. x to fʒss or fʒj

**Spiritus Camph'orae.** (U. S.) Spirit of camphor. Stimulant, anodyne, and discutient. Used only externally.

**Spiritus Chloroform'us.** Spirit of chloroform.

**Spiritus Cinnamon'ml.** (Ph. L.) Spirit of cinnamon. Dose, fʒj to fʒss.

**Spiritus Cor'aci Cor'vi.** Subarborescent of ammonia.

**Spiritus Frumen'ti.** Spirits distilled from rye and corn, as whiskey, etc.

**Spiritus Gal'licus.** French brandy.

**Spiritus Jamaica'nus.** Jamaica spirit, rum.

**Spiritus Limon'is.** Spirit of lemon. Essence of lemon.

**Spiritus Ment'ham Piper'itis.** (Ph. L.) Spirit of peppermint. Dose, gr. v to gr. xx.

**Spiritus Mindere'ri.** See MINDERERUS'S SPIRIT.

**Spiritus N'itri Sim'plex.** Dilute nitrous acid.

**Spiritus Rectific'us.** Dilute alcohol containing sixteen per cent. of water.

**Spiritus Sa'lis Ammonia'ci Caus'ticus.** Aqua ammoniac. Water of ammonia.

**Spiritus Tenu'ior.** Dilute alcohol containing forty nine per cent. of pure alcohol.

**Spiritus Vin'al Gal'lic.** French brandy.

**Spiritus Vitrioli.** Sulphuric acid.

**Spiram'eter** (from *spira*, to breathe, and *perros*, a measure). An instrument for measuring the air inhaled.

**Spiru'ridae.** A family of dibranchiate cephalopods characterized by a spiral discoid chambered shell in the substance of the mantle.

**Spissu'stis.** Incrementa. That which inspissates or thickens.

**Spis'situde** (*spissus*, thick). Thickness or density

**Spit'ting.** Expectoration, ejecting spitte from the mouth.

**Spitting of Blood.** Hemoptysis (which see).

**Spit'tle.** The salivary and mucous secretions ejected from the mouth in the act of spitting.

**Spittason', Dentists'.** A vase or other vessel used by dentists while operating, to receive the saliva or blood from the mouths of patients.

**Splanch'na.** The entrails.

**Splanch'nic** (*splanchnicus*, from *σπλῆγξ*, an entrail). Relating to the entrails.

**Splanchnic Cavities.** The cavities of the abdomen, chest, and head.

**Splanchnic Nerves.** These are two in number, the *greater* and *lesser*, the first arises from the sixth, seventh, eighth, ninth, and sometimes the tenth thoracic ganglia; the second from the tenth and eleventh thoracic ganglia.

**Splanch'nicus.** The order of diseases which affect the abdominal organs, without primary inflammation.

**Splanchnod'ynia** (from *σπλῆγχον*, a viscus, and *όνειν*, pain). Pain in the bowels.

**Splanchnog'raphy** (from *σπλῆγχον*, a viscus, and *γραφία*, to describe) Splanchnography. The anatomy of the viscera.

**Splanchnolithi'asis** (from *σπλῆγχον*, a viscus, and *λίθος*, a stone) The formation of a calculus concretion in any of the viscera.

**Splanchnol'ogy** (from *σπλῆγχον*, a viscus, and *λογία*, a discourse) A treatise on the viscera.

**Splanch'tom.** An intestine, viscus, or entrail.

**Splanchnop'athy** (from *σπλῆγχον*, a viscus, and *πάθος*, disease) Disease of the intestine.

**Splanchnoscopy'ia** (from *σπλῆγχον*, a viscus, and *σκόπειν*, to survey). Anatomical examination of the viscera.

**Splanchnot'omy** (from *σπλῆγχον*, a viscus, and *τομή*, to cut) Dissection of the viscera.

**Spleen** (*σπλήν*). A spongy viscus, situated below the diaphragm in the left hypochondrium, between the eleventh and twelfth false ribs. Also hypochondriasis.

**Splenal'gy** (from *σπλήν*, the spleen, and *αλγία*, pain) Pain in the spleen.

**Splenatroph'ia** (from *σπλήν*, the spleen, and *ατροφία*, atrophy) Atrophy or wasting of the spleen.

**Splenom'ia** (*σπλήν*, spleen, and *αυξία*, increase) Enlargement of the spleen.

**Splenectomy'ia** (from *σπλήν*, the spleen, *εκ*, out of, and *τομή*, to cut). Amputation or extirpation of the spleen.

**Splenocol'ia** (*σπλήν*, and *ύλκος*, ulceration) Ulceration of the spleen.

**Splenomphrax'is** (from *σπλήν*, the spleen, and *φραγναι*, to obstruct). Obstruction of the spleen.

**Sple'mic.** Relating to the spleen.

**Splenic Artery** An artery distributed to the spleen.

**Splenic Plexus** A nervous network accompanying the splenic artery.

**Splenic Vein.** A vein having its origin in the spleen and accompanying the splenic artery.

**Spleni'tis** (from *σπλήν*, the spleen, and *ιτις*, a terminal denoting inflammation). Inflammation of the spleen.

**Sple'mus.** An oblong, broad, flat muscle, situated at the back part of the neck and upper part of the back.

**Spleniza'tion.** A term applied in Pathology to a morbid change of the lung, in one of the stages of pneumonia, in which the tissue resembles that of the spleen.

**Splenocoe'le** (from *σπλήν*, the spleen, and *κύστη*, a tumor) Hernia of the spleen.

**Splenog'raphy** (from *σπλήν*, the spleen, and *γραφία*, a description) The anatomy of the spleen.

**Splenohem'ia** (from *σπλήν*, the spleen, and *αίμα*, blood) Congestion of the spleen.

**Spleno'ma** (*σπλήν*, spleen, and *ωμα*, a tumor). Tumor of the spleen.

**Splenomala'cia.** Softening of the spleen.

**Splenom'cus** (from *σπλήν*, the spleen, and *ωμα*, a tumor) Tumefaction of the spleen. Ague cake.

**Splenopares'tama** (from *σπλήν*, the spleen, and *παρεστώμα*, excessive volume) Great enlargement of the spleen.

**Splenorrhag'ia** (from *σπλήν*, the spleen, and *ρρηγιαι*, to burst out) Hemorrhage from the spleen.

**Splenot'omy** (from *σπλήν*, the spleen, and *τομή*, to cut) Dissection of the spleen.

**Splint.** In Surgery, a long piece of wood, pasteboard, sheet-iron, leather, or plaster of Paris or other composition, employed in the treatment of fractures to keep the broken extremities of bones from moving.

**Splint, Interdental.** See INTERDENTAL SPLIT.

**Splint-bone.** The fibula.

**Splint-anchor.** A splint used for fracture of the jaw.

**Splint'er.** A term applied in Surgery to a fragment separated from a fractured or dislocated bone, also to a small portion of wood which has entered the skin.

**Split'ting instrument.** An instrument for separating the roots of a molar tooth; a kind of forceps provided with cutting edges, which, when they come together, form the letter V. By applying the force as deep between the roots as possible a perpendicular splint is produced.

**Spod'ism.** An old preparation of zinc and other substances. An old term for animal charcoal.

**Spodium Abalair.** Metallic oxides and a preparation of white lead and oil.

**Spodium Al'bum.** Bone earth.

**Spod'umene** (from *σποδον*, to reduce to ashes) Triphane; a hard, brittle, translucent mineral, occurring in laminated masses, of

various shades of green or gray, easily divided into prisms with rhomboidal bases. It exfoliates before the blow pipe into little ash colored scales.

**Spondyl-**. A prefix signifying pertaining to a vertebra.

**Spondylitis** (from *spondilos*, a vertebra, and *itis*, pain) Pain in the back.

**Spondylitis** (*spondylitis*, a vertebra) Inflammation of the vertebrae.

**Spondylium**. A vertebra.

**Sponge**. An organic porous marine substance considered by some to be a plant and by others to be produced by minute animals, termed polyps. See **SPONGIA**.

**Sponge or Crystal Gold**. See **CHRYMAL GOLD**.

**Sponge Test**. A test made of prepared sponge.

**Sponge-grafting**. A means of renewing the margin of the gums and lower border of the periodontal membrane when lost through phagedenic periodontitis by the application of very fine sponge which is first macerated in dilute hydrochloric acid and then rendered antiseptic by maceration in an antiseptic solution. The pieces of sponge of a suitable size is applied to the granulating sore in such a position that the granulations will quickly grow into the meshes of the sponge and completely fill every space.

**Spongia**. **Spongia** an organized porous marine substance found under water or attached to rocks about the shore at ebb tide. **Spongia** is assigned by most naturalists to the great class of *Zoophytes*. It has a reticulated fibrous structure and in its recent state is covered with a soft gelatinous substance. As found in commerce, it appears to be composed of numerous small capillary tubes capable of imbibing water and of becoming distended a property which together with its softness renders it valuable to surgeons in dressing wounds and ulcers and for distending fistulae and sinuses.

**Spongia Præparata**. Prepared sponge. **Spongia** dipped in hot melted wax or in some direct in euphrasium cornu compaction and pressed until cold between two iron plates. It is afterward cut into such shape as may be required.

**Spongia Usta**. Burnt sponge, a remedial agent of considerable value in cases of gonorrhea, glandular swelling of a scrofulous character, and in some cutaneous affections. It is given mixed with syrup or honey.

**Spongiform** (*spongiformis*) **Spongiform** (which see).

**Spongiform Ossa** (*ossæ spongiformes inferiores*) The inferior turbinate bones, situated in the under part of the side of the nose.

**Spongiosis**. Full of pores, like a sponge.

**Spongiform Ossa**. The ethmoid bone.

**Spongiform** (*spongiformis*, *spongiformis*, sponge, and *spongiformis* resemblance) **Spongy**, resembling or of the nature of sponge.

**Spongiform Inflammation**. **Fungus hæmatodes**, a morbid growth frequently developed in the gums.

**Sponges**. The total.

**Spongy** (*spongiformis*) Soft and full of cavities, applied in *Anatomy* and *Pathology* to textures resembling sponge.

**Spongiococcus** (from *spongia*, voluntary) That which occurs of itself or without apparent external agency or cause.

**Sporadic** (*sporadicus* from *sporos* to sow) A term applied to diseases which occur in every season and locality from accidental causes.

**Spore**. A fructifying particle of fungi, like a bud or germ cell.

**Spore**. A small spore.

**Spotted Fever**. Typhus gravior in which purple or black petechiae occur.

**Sprain**. Subluxation in excessive strain or rupture of the muscles or ligaments of a joint without dislocation.

**Spray**. A liquid dispersed by air force into minute drops.

**Spray Apparatus**. This consists of a bottle to contain the ether or the fluid to be used as a local anesthetic with a double tube passing through a perforated cork one extremity of the inner part of the tube going to the bottom of the bottle above the cork a tube connected with a hand bellows pierces the outer part of the double tube and communicates by a small aperture at the inner end of the cork with the interior of the bottle. The inner tube, for the delivery of the ether, runs upward to the extremity of the outer tube. When the bellows are worked a double current of air is produced—one current descending and pressing upon the ether, forces it along the inner tube, and the other ascending through the outer tube plays upon the column of ether as it passes from the inner tube. The bellows consist of two bulbs of rubber attached to rubber tubing, the extreme bulb being grasped in the hand and rapidly

used as a hand-bellows, the other bulb, acting as a reservoir, keeps up a steady pressure upon the other and produces a continuous jet. Small wires, called stylata, are inserted into the tube to graduate the spray. No more spray should be thrown on the part to be frozen than will evaporate instantly. See LOCAL ANESTHESIA, also RICHARDSON'S SPRAY APPARATUS.

**Sper'ma.** Froth, foam, scum.

**Sputa Argenti.** Semi-oxidized oxide of lead.

**Sputa Cerevisiae.** Yeast.

**Sputo'ma.** Frothy.

**Spunk.** The sperm of the oak touch-wood. A preparation of it is used in *Dentistry* for drying cavities.

**Sputa** (*sputum*, from *sputo*, to spit). The secretions ejected from the mouth by the act of spitting but more particularly the expectorated matter which comes from the chest.

**Squa'ma.** A scale.

**Squa'mae.** Scaly disease. See LEPROPHORIA, PITYRIASIS, and ICHEPHOSIS.

**Squa'mose, Squamose'** (*squamosus* from *squama*, a scale). Scaly, covered with scales as the squamous cones of the pines.

**Squamous Suture.** The suture which unites the squamous portion of the temporal bone with the parietal.

**Squa'rose, Squar'rous.** Rough, scaly.

**Squa'm'ulousness.** The common designation of Fastidium (a vicious delirium) of taste.

**Squilla** (*scilla*). A plant of the genus Scilla, an expectorant and a diuretic.

**Squilla, Vinegar of** (*aquila vinica*). A pharmaceutical preparation of squilla, vinegar, and alcohol, used as an expectorant.

**Squint'ing.** Strabismus, seeing with non coincident axis of the eyes.

**Sr.** Symbol for strontium.

**Se.** Abbreviation in *Prescriptions* for semis one half.

**Stac'ta.** A species of liquid myrrh.

**Stadium Ac'uae.** In *Pathology* the period of the height of a disease or of the paroxysm of a disease.

**Stadium Augmen'ti.** The stage or period of the increase of a disease.

**Stadium Decremen'ti.** The period of the decrease of a disease or the subsidence of a paroxysm.

**Stadium Frig'oris.** The cold stage.

**Staff.** In *Surgery* a grooved instrument

employed in the operation of lithotomy to guide the knife.

**Stages** (*stadium*). In *Pathology*, the period or degree of a disease, as the cold, hot, and sweating stages of an intermittent.

**Stag'ma** (from *σταμα*, to dust). Any druggilled liquor.

**Stagmation** (*stagnatio* from *stagnare* to form a pond). In *Pathology*, a congestion or retardation of the fluids in any part of the body. A cessation of motion.

**Stalec'tic.** Flowing or coming by drops, also relating to stelaerite.

**Staleg'ma.** Dislocation.

**Stam'ina.** A term applied in *Physiology* to the degree of constitutional strength and vigor.

**Stam'mering.** Balbutus. Stuttering, impediment of speech, hesitation in the utterance of words.

**Stand'ard.** A criterion for comparison. A well established rule or model.

**Stan'ni Ma'rias.** Variate of tin.

**Stann Pul'vis.** Tin finely divided or granulated.

**Stan'nic, Stan'eous.** Pertaining to stannum or tin.

**Stannic Acid.** Peroxide of tin.

**Stann'olum.** Tinful.

**Stannum.** Tin. Powder or shavings of tin.

**Stannum Foliatum.** Tinful.

**Stape'dius.** A muscle of the internal ear.

**Sta'pes.** A stirrup, applied in *Anatomy* to a bone of the internal ear.

**Staphylusmato'ma** (from *σταφυλη*, the uva, and *ματωμα*, a bloody tumor). A tumor of the uvula formed by an effusion of blood.

**Staphyla'gra** (*σταφυλαγρα*, from *σταφυλη*, the uva, and *γραψω*, to catch). Forceps for taking hold of the uvula, uvula forceps.

**Staphyle.** The uvula.

**Staphylopar'tes.** Name given by Paulus to an instrument for grasping and removing the uvula.

**Staphyl'ina.** An epithet applied in *Anatomy* to parts connected with the uvula.

**Staphylina Ext'erna.** The cuculifera, a muscle of the soft palate.

**Staphyl'itis** (from *σταφυλη*, the uva, and *ιτις*, inflammation). Inflammation of the uvula.

**Staphylococ'cus.** A class of microbes of the genus *Micrococcus*, and peculiar to pus.

**Staphyloplasty.** Reimposition of the uvula, either from invagination or infestation.

**Staphyloptosis** (*staphyloptosis*; from *staphylo*, a group). A generic designation of various tumors developed on the anterior surface of the ball of the eye. The following three species of staphyloptosis are recognized by French pathologists:

**Staphyloptosis of the Cornea.** *Staphyloptosis corneae*. A disease characterized by opacity and projection of the cornea.

**Staphyloptosis of the Iris.** *Protrudentia iridis*. Eversion of the iris.

**Staphyloptosis Scleroticæ.** A projection of the eye on the sclerotic coat.

**Staphyloptosis** (*staphyloptosis*, from *staphylo*, the uvula, and *ptosis*, swelling) Tumefaction of the uvula.

**Staphylopharyngæ.** The palato-pharyngeal mass.

**Staphyloplasty** (from *staphylo*, the uvula, and *plasty*, to form). An operation for replacing the soft palate, or any portion of it, when wanting. When there only exists an opening in the palate or velum, this operation may often be performed with complete success; but when the loss of substance is very considerable, the result of such an operation is doubtful.

**Staphyloptosis** (*staphyloptosis*, from *staphylo*, the uvula, and *ptosis*, a falling). A falling down or elongation of the uvula.

**Staphyloplasty** (from *staphylo*, the uvula, and *plasty*, a suture) Velarynthesis. The operation for uniting a cleft palate, which consists of paring the edges, passing ligatures or sutures through, dividing the muscles, and closing the gap by tying the sutures.

The idea of this operation was first conceived by an ingenious French dentist, by the name of Le Monnier, who attempted, and with success, to perform it as early as the year 1764. But for more than half a century afterward it does not seem to have attracted any attention or to have been generally known to the medical profession. In 1819, however, M. Roux, a celebrated French surgeon, and author of an able memoir upon the subject, published in 1820, performed the operation upon Dr. Stephens, a young American physician. In 1820 it was performed for the first time in the United States by Dr. J. C. Warren, of Boston, and in 1828 in England, by Mr. Alcock. Now

it is claimed among the regular operations of surgery. When the loss of substance is very considerable, the operation of sewing up a cleft is doubtful, and an artificial palate is necessary.

**Staphyloptosis.** *Staphyloptosis*.

**Staphyloptomy** (from *staphylo*, the uvula, and *ptomy*, incision) Excision of the uvula.

**Starch** (*amylum*). A proximate principle of vegetables, characterized by its insipidity, and by insolubility in cold water, in alcohol, and in ether. In boiling water it forms an almost transparent jelly. It constitutes the largest portion of all farinaceous substances, and is the principal ingredient in bread.

**Starch, Iodide of.** An ounce of starch mixed with twenty-four grains of iodine, previously triturated in a little water. The iodide is dried by a gentle heat and kept in a well-stoppered bottle for use. In this way iodine may be given in very large doses without irritating the stomach.

**Starch, Potato.** The fecula of *Solanum tuberosum*.

**Star-like.** *Stellata*.

**Starr's Method of Bridge-work.** See BRIDGE-WORK, SYSTEM OF.

**Stasis** (from *stasis*, to stop). In *Pathology*, a stagnant condition of the fluids, which condition indicates an early stage of inflammation.

**Static.** In *Physics*, pertaining to or the state of a body at rest, or in equilibrium.

**Static.** That part of physical sciences which treats of the forces that keep bodies at rest, or in equilibrium. It is the converse of dynamics, which treats of bodies in motion.

**Stasis** (*stasis*, from *stasis*, to stand) In *Physiology*, the act of standing. In *Zoology* and *Botany*, the habitation of animals and plants.

**Stationary** (*stationarius*; from *stare*, to stand). A name given by Hydenham to certain diseases which prevail in a place for a number of years.

**Statistics, Medical.** Vital statistics. The detail of facts connected with the deaths, births, salubrity, etc., of different places.

**Staturs** (*staturs*; from *stare*, to stand). The natural height of an animal body, but usually applied to that of man.

**Statum.** A state or condition; applied synonymously, in *Physiology*, with transparent and diathesis, and in *Pathology* with some. **Status Nerveus.** Nervous diathesis.

\* Vide Dr. Hume's Appendix to Cooper's "Surgical Dictionary."

**Stim'ulants** (from *crasper*, a cross, and *lifer*, a stone). Cross stone; barostones; a silicate of baryta and alumina with traces of lime and potash. It occurs in small quadrangular prisms crowding one another.

**Stim'uloids** (from *crasper*, a cross, and *lifer*, form). Prismatic garnet, or greenite. It forms four- or six-sided prisms, which sometimes cross one another at right angles.

**Steam**. The vapor of water at a high temperature. A cubic inch of water forms about 1700 cubic inches of steam. When generated under the common atmospheric pressure its elasticity is equivalent to the pressure of the atmosphere, and it is designated *low steam*, but when heated in a confined state its elastic force is rapidly augmented, and it is then known as *high steam*. On the application of cold, steam instantly returns to the state of water, a sudden vacuum being formed.

**Steam, Elastic Force of**. As the dental vulcanizer is subject to the same laws and conditions as a steam boiler, the following table—from French Academy experiments—will show the elastic force of steam.

Degrees of Temperature	Elastic Force in lbs. per sq. inch.
212.0 . . . . .	14.7
250.58 . . . . .	29.4
300.28 . . . . .	66.12
314.24 . . . . .	80.83
330.36 . . . . .	88.2
341.78 . . . . .	117.6
350.73 . . . . .	132.3
380.66 . . . . .	191.3
403.83 . . . . .	248.0
418.46 . . . . .	294.0

**Stom'ach** (*crasp*, fat). A diastase ferment of the gastric juice, capable of saponifying fat.

**Sto'er**. *Bovum*, fat.

**Stear'ic Acid**. An acid obtained from animal and vegetable fats.

**Ste'arins**. The solid component of fats. See **KLALIN**.

**Stearococo'ton** (*craso*, fat, and *coco*, dust, or powder). A peculiar yellow fat found in the brain mass, and said to contain phosphorus and sulphur.

**Stearop'one**. A crystalline substance contained in many volatile oils; the solid (often crystallized) constituent of a volatile oil; often called a camphor.

**Ste'arins**. Same as stearins. Also consisting of fat.

**Ste'arite** (from *crasp*, fat). A soft mineral of an unknown steel, called soapstone. Powdered soapstone or talc in the dry form is employed for vulcanizing rubber dentures without using wax plates or flasks; the plate when ready for vulcanizing is placed in a tin box filled with the soapstone powder, the powdered soapstone being pressed in lightly until the box is quite full, and covered with a lid secured by wire; the case is then vulcanized.

**Stento-**. Prefix signifying fatty.

**Stentoc'e'le** (from *crasp*, fat, and *aple*, a tumor). A fatty tumor of the scrotum.

**Stentococo'ton**. See **STEAROCOCOTUM**.

**Stento'dea**. Fatty, or full of fat.

**Stento'ma** (*stentole*; from *crasp*, fat). An encysted tumor, the contents of which are of a fatty nature.

**Stentom'atous** (*stentomatous*). Of the nature of or resembling stentoma.

**Stento'sis**. Stentoma.

**Stentosis Cordis**. Fatty heart; a preternatural deposition of the fat on the heart, or fatty degeneration of this organ.

**Steel** (*chalybe*). Iron combined with carbon. Carburized iron, or iron chemically combined with carbon to a certain proportion. The best, finest, and closest-grained forged iron, combined with carbon by a particular process. It is less malleable than iron, but harder and more elastic. The best steel is fine-grained, elastic, and tough.

**Steel Mix'ture**. Same as **MISTURA FERRI COMPOSITA**.

**Stegno'sis** (from *crasp*, to contract). In Pathology, contraction, constipation; suppression of the natural evacuations.

**Stegnot'ica** (*stegnotica*) Stegnosis. Astringents.

**Steiro'sis** (from *crasper*, barren) Barrenness, sterility.

**Stelen'gis**. Stridor dentium.

**Stel'itis** or **Stel'itoid**. Star shaped.

**Stellum Verhey'mi**. A term applied to the stellated plaques of veins on the surface of the kidney.

**Stel'ochite**. Osteocolla.

**Ste'ma**. The penis.

**Stenag'mus**. Sighing; groaning; often a consequence of disease.

**Stenocor'dia** (from *crasp*, strict, and *corpis*, the heart). Angina pectoris.

**Stenocar'pita**. Formula,  $C_{12}H_{10}NO_4$ . Ob-



injected from the lower of the tear blanket vein. Used in Dental Practice as a local anesthetic and abundant of sensitive dentine, and hyperdermally for the extraction of teeth.

**Steno'tor'pino**, or **Gleditsch'ine**. An alkaloid from the tree *Gleditsia tinctoria*. A local anesthetic. See Gorgas' "Dental Medicine."

**Steno'to'ria**. Narrowness of space, but employed by some modern pathologists to designate constriction of the vagina.

**Sten'o'don** (*stenos*, narrow) Having narrow teeth.

**Steno's** or **Stemon's Duct**. The duct of the parotid gland.

**Steno'sis** (*stenos*, to contract) A contracted condition of a viscus or vessel, constriction of a canal or an orifice.

**Stenostoma'sis**. Contraction of the parotid duct.

**Stenostom'ia** (from *stenos*, narrow, and *stoma*, mouth) Contraction of the mouth.

**Stenotho'rax** (from *stenos*, narrow, and *thorax*, the chest) One with a narrow chest.

**Stenotrophe'na**. One who has a strong voice.

**Stent's Composition**. An English preparation for taking impressions of the mouth. It is harder than wax at the temperature of the body, and not so flexible as gutta percha.

**Stephane**. The crown.

**Ste'ra**. The uterus.

**Stercora'ceous** (*stercoratus*, from *stercus*, dung). Of the nature of or relating to excrement.

**Stercus**. Excrement.

**Stereom'eter**. An instrument for determining the specific gravity of solid and porous bodies and of powders, also sometimes of liquids.

**Stereoplasm**. A mild, insoluble constituent of the protoplasm of a cell.

**Stereot'om** (from *stereos*, hard). Lesions or deformities of the hard parts.

**Ste'ria**. Barren.

**Ste'ril'ine**. Sterility. Not fertile.

**Sterility** (*sterilis*; from *sterilis*, barren). The condition of an animal or plant not capable of propagating its species or producing fruit.

**Sterilization**. Infecund, not capable of reproducing. In *Bacteriology*, the destruction of the spores or mature forms of bacilli, micrococci, and other micro-organisms; rendering aseptic. A sterilizer is an instrument for sterilizing.

**Sterilize**. To deprive of micro-organisms; to render aseptic; as the sterilization of instruments, the hands, etc.

**Ster'ling**. This term, as applied to silver and gold, is a degree of fineness established by England. Sterling silver is  $\frac{3}{4}$  fine, or 92½ per cent. pure silver and 7½ per cent. pure copper. Sterling silver, therefore, means an alloy of silver and copper in parts of 92½ per cent. pure silver and 7½ per cent. pure copper. The United States mint does not receive any silver in any form until it has passed through the assay office.

**Ster'nal** (*sternalis*) Pertaining to the sternum.

**Sternal Aspect**. Aspect toward the sternum.

**Sternal'gia** (from *sternon*, the sternum, and *algos*, pain) Pain in the region of the sternum, *angina pectoris*.

**Sterno-clavic'ular** (*sternoclavicularis*). Relating to the sternum and clavicle.

**Sterno-clavicular Articulation**. The articulation of the sternum with the clavicle.

**Sterno-clideo-brachio'sis**. The pectoralis major muscle.

**Sterno-clideo-mastoide'us**. A muscle situated on the anterior and lateral part of the neck.

**Sterno-costales**. From three to six muscles situated at each side of the lower surface of the sternum.

**Sternodyn'ia** (from *sternon*, the sternum, and *dynos*, pain) Sternalgia.

**Sternodynia** *Syncope'sis*. Angina pectoris.

**Sterno-humero'sis**. Name given by Chamberlain to the pectoralis major.

**Sterno-hyoide'us**. A long, flat muscle, situated at the anterior part of the neck, between the sternum and os hyoides.

**Sterno-thyroide'us**. A long, broad, and flat muscle, situated at the anterior part of the neck, between the sternum and thyroid cartilage.

**Ste'rnum** (*sternon*; from *stereos*, solid) Breast-bone. An oblong, flat bone, situated at and constituting the paries of the fore part of the thoracic cavity. It is articulated with the clavicle and seven superior ribs.

**Sternu'm'bum** or **Sternutamen'tum**. Sneezing. Also a snuff or a sternutatory medicine.

**Sternuta'tion**. Act of sneezing.

**Sternuta'tory** (*sternutatorius*; from *sternutari*, to sneeze). A substance which provokes sneezing.

**Sten'hor** (from *stenos*, to snore). Snoring; the noise caused by the passage of the air through the larynx, fauces, and nasal fossae in respiration during the invasion of certain diseases, particularly epoplexy.

**Sten'thorax**. Respiration of the character of stenter.

**Stethus'mia** (στυθος, breast, and αἷμα, blood). Accumulation of blood in the vessels of the lungs.

**Stethoch'yria**. Same as hydrothorax (which see).

**Stethos'meter** (from στυθος, the chest, and μετρον, a measure). An instrument for ascertaining the extent of the movement of the parietes of the chest, used in thoracic diseases as a means of diagnosis. It was invented by Mr Richard Quain.

**Steth'oscope** (from στυθος, the chest, and σκοπεω, to examine). Stethoscöpium. A hollow cylinder—commonly made of fine-grained wood, as cedar or maple—invented by Laennec to assist in auscultation. It is used as a means of diagnosis in diseases of the thoracic organs. Double stethoscopes have been invented to enable both ears to be used at the same time.

**Stheni'a** (from σθενος, strength, power). Excess of rigidity of the animal tissues, excess of vital action, or undue exaltation of the phenomena of life.

**Sthen'ic** (σθενος, strength). Strong, active; robust.

**Sthenic Diseases** (σθενικός). A term applied in *Pathology* to diseases which are produced by preternatural excitability, as a sthenic or inflammatory fever.

**Sthenop'ysia** (from σθενος, strength, and πυρ, fire). Eryocha; dynamic fever. A term sometimes applied in *Pathology* to inflammatory fever.

**Stibi**. See **STIBIUM**.

**Stib'ial** or **Stib'ia'lis**. Pertaining to antimony, antimonial.

**Stib'N Essent'ia**. Antimonial wine.

**Stib'ious Acid**. The white oxide of antimony.

**Stib'ium**. Old name for antimony.

**Stictac'me**. A variety of acne in which the pimples are tipped with a black dot.

**Stiff-joint**. Anchylosis.

**Stiff-neck**. Wry neck (which see).

**Stig'ma** (from στίγμα, point). In *Pathology*, a small red speck on the skin. Also, *navus melanurus*. In *Botany*, the female organ situated at the summit of the ovary or of the style where it exists.

ted at the summit of the ovary or of the style where it exists.

**Stilbo'ma**. A cosmetic.

**Stilette**. A small sharp-pointed instrument, enclosed in a sheath. Also a wire in a flexible catheter to give it firmness and a proper curvature.

**Still**. A vessel or holler employed in the distillation of liquors.

**Stillicid'ium** (from stillere, to drop). Literally, a dropping; applied in *Pathology* to strangury, or the discharge of urine drop by drop.

**Stimatoxis**, **Stymatoxis**. Hemorrhage from male organ.

**Stim'ml**. **Sibium**. An ore or sulphuret of antimony.

**Stimulant** (stimulus, from stimulare, to goad). A medicine which is capable of exciting the organic action of the different systems of the economy. Stimulants may be general or local, diffusible or permanent. When general they affect the whole system; when local, only a particular part, diffusible are those which act promptly, but temporarily; the permanent act more slowly, and their effects continue much longer.

**Stimulant, Excitome'tor**. A substance which possesses the power of exciting, through the spinal marrow and motor nerves, contraction of the muscles of the body.

**Stim'ulate**. To excite to action, to induce a temporary exaltation of functional activity in.

**Stim'ulus** (plural, stimuli). Anything which excites the animal economy generally or the action of a part. See **STIMULANT**.

**Stiro'nia**. Sterility.

**Stitch**. In *Pathology*, a sharp, spasmodic pain in the side.

**Stoichiom'etry** (στοιχειον, an element, and μετρον, to measure). The doctrine of chemical equivalents.

**Sto'ma** (plural, stomata). The mouth.

**Stomac'ace** (from στωμα, the mouth, and ακε, evil). *Oncrum oris*. Canker of the mouth. Fester of the mouth with ulcerated gums. See **CANCRUM ORIS** and **GANGRENA ORIS**.

**Stom'ach** (stomachus; from στωμα, the mouth, and χω, to pour). A musculo-membranous receptacle, continuous with the oesophagus, and situated in the epigastric region beneath the diaphragm, between the liver and spleen.

**Stomach Disease**. *Limonis* (which see).

**Stomach Pump.** An instrument for conveying water and bilious matters to the stomach in cases of impeded deglutition and for removing poisonous fluids from it.

**Stomach, Second.** Proventriculus (which see).

**Stomach Tube.** An instrument for introducing aliment when deglutition is lost.

**Stom'achal.** *Stomachia*.

**Stomachal'gia** (from *stomachos*, the stomach, and *algos*, pain). Pain in the stomach.

**Stomach'ic** (*stomachicus*) *Stomachal*. That which strengthens or gives tone to the stomach, a cordial.

**Stom'achus.** The stomach.

**Stomach'ic** (from *stomachos*, mouth, and *algos*, pain) Pain in the mouth.

**Stomat'ic** (*stomatikos*) A medicine used in diseases of the mouth, as a dentifrice or masticatory.

**Stomatit'is** (from *stoma*, the mouth, and *itis*, a suffix denoting inflammation) Inflammation of the mouth.

**Stomatitis, Aphthous.** Follicular inflammation of the mouth. *aphtha*, as it occurs in the child, is usually accompanied by more or less gastric disturbance.

**Stomatitis, Erythemat'ous.** Simple stomatitis.

**Stomatitis, Gan'grenous.** Gangrenous inflammation of the mouth, sloughing phagedena. See GANGRENA ORIS, or CANCER ORIS.

**Stomatitis, Mercu'rial** (*stomatitis mercurialis*) Inflammation of the mouth produced by the use of mercury.

**Stomatitis of Nursing Women.** A variety of aphthous inflammation of the mouth which sometimes occurs in debilitated females during lactation.

**Stomatitis, Pseudo-mem'branous.** Inflammation of the mouth accompanied by the formation of adventitious or false membranes, a symptom of disease of unfavorable import.

**Stomatitis, Syphilitic.** Inflammation of the mouth resulting from syphilis. In the form of ulcers of the tongue and mucous membrane of the mouth, it is due to the constitutional form of syphilis. It causes the teeth to have a dirty or dull brownish appearance and to decay readily.

**Stomatitis, Ul'cerous.** Aphthous inflammation of the mouth.

**Stom'ato-.** Prefix meaning of or pertaining to the mouth.

**Stomato-gastric** (from *stoma*, a mouth, and *gastric*, a stomach). A term applied to the system of nerves principally distributed upon the stomach and intestines.

**Stomatoc'ace.** *Stomacace*.

**Stomatodyn'ia.** *Stomatalgia*.

**Stomatodyno'dia** (from *stoma*, and *dynos*, exhalation). The odor of the breath as it leaves the mouth.

**Stomatog'raphy** (from *stoma*, the mouth, and *grapho*, to describe) *Stomatographia*. An anatomical description of the mouth or buccal cavity.

**Stomatol'ogy** (from *stoma*, the mouth, and *logos*, a discourse). *Stomatology*. A treatise on the mouth.

**Stomatonecro'sis.** *Necrosis infantilis*. *Gangrena oris* (which see).

**Stomatop'oma** (from *stoma*, the mouth, and *oma*, a glandular tumor) Tumefaction of the glands of the mouth.

**Stomatopathy** (from *stoma*, and *pathos*, disease). Disease of the mouth.

**Stomatophy'ma** (from *stoma*, the mouth, and *phus*, a swelling) A swelling in the mouth.

**Stomatoplas'tic** (from *stoma*, the mouth, and *plassein*, to form) The operation of forming a mouth, as in cases where the aperture is closed or contracted.

**Stomat'oplasty** (from *stoma*, and *plassein*, to form). Plastic operations upon or about the mouth.

**Stomatorrhag'ia** (from *stoma*, the mouth, and *rhoia*, to break out). Hemorrhage from the mouth.

**Stom'atoscope** (from *stoma*, the mouth, and *scopos*, to view) A speculum oris; an instrument for keeping the mouth open so as to permit an examination of the parts within.

**Stomato'sis.** *Stomatorrhagia*.

**Stomode'um.** The mouth of the embryo, formed by a pushing in of the epiblast.

**Stone in the Bladder.** Urinary calculus.

**Stool** (*defecatio alvi*). The evacuation or discharge from the bowels.

**Stopping Precoons.** A term applied to filling carious cavities in teeth after proper preparation.

**Storage Battery.** A special form of galvanic battery in which electricity, generated by an ordinary galvanic battery or by a dynamo, can be stored for a long time and used as required. See BATTERY.

**Sto'rax.** *Styrax*. A fragrant resin which

exudes from the *Styrax officinalis* in the form of small globules of a reddish color, but usually imported in large reddish-brown flat masses. Stimulant and expectorant. Dose, gr. x to gr.

**Storax Liquidus.** Liquid storax; a fragrant, bitterish resin, of about the consistence of turpentine. It exudes from the *Liquidambar styraciflua* and some other species.

**Stout.** A cant name sometimes given to strong beer.

**Stove.** In *Pharmacy*, a chamber or confined place raised to a certain temperature by artificial means for the desiccation of vegetable substances. In *Hygiene*, for the immersion of the animal body in hot air or vapor. In the former case it is called the dry stove, in the latter the humid.

**Strabismus (strabismus; from *στράβω*, to squint).** Squinting. An affection of the eyes characterized by a defect of parallelism in the axis of vision, occasioned by a shortness of one of the muscles of the eyeball.

**Strabismus.** Strabismus.

**Strabotomomy (from *στράβω*, one who squints, and *τομή*, incision).** Strabotomia. The operation of dividing the muscle or muscles that distort the eye for the correction of strabismus.

**Strain.** In *Pharmacy*, to pass a decoction or infusion freely through linen, flannel, or some porous substance, for the purpose of separating the liquid from extraneous matters. Also to exert with great effort, to stretch violently; to put forth the utmost strength. In *Pathology*, injury from excessive exertion, drawing, or stretching. A sprain.

**Strain'ing (sine).** Making a great effort by voluntary retention of the breath, so as to force down the diaphragm and cause a forcible contraction of the abdominal muscles, with a view to compress the contents of the abdomen and effect an evacuation of feces or urine.

**Strait of the Pelvis.** The upper opening of the pelvis, extending to the horizontal circle, and separating the internal surface into two parts, is called the superior or abdominal strait. The inferior opening, formed by the coccyx, the edges of the sacro-sciatic ligaments, the tuberosities of the ischium, and the ischio-pubic ramus, is called the inferior, lower, or perineal strait.

**Stramonium Folium.** The leaves of the *Datura stramonium*. Dose of powdered leaves, gr. ij.

**Stramonium Semen.** The seeds of the *Datura stramonium*. Dose, gr. j.

**Stramonium.** An alkaloid of stramonium.

**Straw'mina.** Thorn apple, the official name of *Datura stramonium*. See STRAMONIUM FOLIUM and SEMEN.

**Strump'le.** A small, hard tumor in the breast, arising from obstruction of the flow of milk.

**Strangul'ed Nierula.** See HERNIA.

**Strangulation (strangulation).** Constriction, obstruction of the air-passages, suffocation. Also constriction of an opening which has given passage to a portion of intestine, so as to prevent its return.

**Strangulation, Uterine.** Hysteria.

**Strangury (stranguria, from *στραγγί*, a drop, and *ουρά*, urine).** Difficulty, accompanied by heat and pain, in passing the urine, which escapes drop by drop.

**Strat'um.** A layer or lamina.

**Strum'ma (from *στραμ*, to turn).** A sprain; a luxation.

**Strength.** Vigor; a taut state of the tissues of the body.

**Streptus Aurium.** Tinnitus aurium (which see).

**Streptobacteria.** Bacteria forming twisted chains, corresponding to leptothrix.

**Streptococcus.** Micrococcus arranged in strings.

**Streptococcus Pyogenes.** Micrococcus found in acute abscess.

**Streptococcus Septopy'micus.** Micrococcus found in human saliva.

**Streptothrix.** A genus of schizomycetes with hair like filaments.

**Stretch'ing.** Pankulation (which see).

**Stri'a (plural, stris).** A streak or line.

**Striate (striatus).** In *Natural History*, scored, grooved, marked with long parallel lines; striped.

**Striated.** Striate, striped.

**Stricture.** Stricture.

**Stricture (stricture, from *stringere*, stric'tum, to tie hard).** A contracted state of some tube or duct of the body, as the urethra, œsophagus, or intestine.

**Stric'tus.** Stiff and straight.

**Strider.** A harsh, high-pitched sound, like the whistling of wind.

**Stridor Dentium (grincement des dents).**

**Brygmia.** Grinding of the teeth; a common symptom of children affected with worms or gastric derangement. It occurs during sleep.

It is also a symptom of some cerebral affection.

**Strid'ulous** (*striden*, to creak). Creaking; creaking, whistling, shrill, harsh sound.

**Strig'el** (*strigilo*). A flesh-brush.

**Stroke**, **Apoplec'tic**. A seizure of apoplexy.

**Stroke**, **Paralytic**. A sudden attack of cerebro-optical paralysis.

**Stru'ma**. In *Physiology*, the foundation texture of an organ. In *Pathology*, the bed or base in which the essential parts of an organ or tissue are imbedded; the framework of intestinal tissue.

**Stru'm'gylus**. In *Hemichetology*, a genus of entozoa, or intestinal worms, belonging to the order Nematoidea of Rudolphi.

**Strongylus G'g'us**. A long worm with a flat, obtuse head, sometimes found in the human kidney.

**Stru'tin**. An earth composed of oxygen and a base called strontium. When dry it is white, and resembles baryta in many of its properties.

**Stru'tianite**. Native carbonate of strontia.

**Stru'tium**. The metallic base of strontia. It is very similar to barium.

**Strophanthus**. A genus of plants containing a crystalline glucoside, strophanthin. Used, like digitalis, in cardiac disease.

**Strophus**. Turnina.

**Stroph'ulus**. Red gum or red gown, white gum; tooth-rash. A disease peculiar to infants, characterized by a cutaneous eruption of red and sometimes whitish pimples, occurring most commonly about the face, neck, and arms. It is distinguished by Dr. Willan into five species: (1) *Strophulus laterivertus*, red gum or red gown, (2) *strophulus albidus*, or white gum, (3) *strophulus confertus*, denominated tooth-rash, or rank red gum, (4) *strophulus solutus*, characterized by clusters of papules appearing successively on different parts of the body, and of a deep red color; (5) *strophulus candidus*, consisting of large, shining papules, which appear whiter than the adjacent cuticle.

**Stru'tu'ra**. Structure.

**Stru'tural**. Pertaining to structure.

**Stru'ture** (*stru'ture*; from *struere*, or *struere*, to build). The arrangement of the organic elements of animals and plants. The molecular arrangement of the materials that compose them. Also a texture, organ, or part.

**Stru'ma**. In *Pathology*, a term generally applied to scurfula. Also to luncheonula. Gaiter.

**Stru'ma Adipo'sa**. Prominence of the neck from an accumulation of adipose matter.

**Stru'ma Tyrolean'scum**. Oretinism (which see).

**Stru'mosa**. Scrofulous.

**Strych'nate** (*strychnos*). A combination of strychnic acid with a base.

**Strych'nia**. Strychnine.

**Strych'nine** (*strychnine*). An inodorous, bitter, solid, crystalline alkaloid, obtained from *strychnos nux vomica* (St. Ignatius' bean) and from the poison called *apoc. Mead.* Formula,  $C_{15}H_{22}N_2O_4$ . Strychnine and its salts are active poisons. The eighth of a grain given to a dog has been known to cause the death of the animal. It has been found useful in paralysis, given in very small doses, and it has been highly recommended in some nervous diseases. It acts as a tonic, and increases the secretion of urine, and sometimes it produces a diaphoretic effect. Applied internally, it acts as an irritant, and has been used in this way with advantage in anasarca. The usual dose is from  $\frac{1}{16}$  to  $\frac{1}{4}$ , or  $\frac{1}{2}$  of a gr. in acid solution.

Strychnine combines with various acids, forming salts, the most important of which are the *hydrochlorate*, the *sulfate*, and the *sulphate*, and are given in the same cases as the alkaloid.

**Strychnosma'nia** (from *στυγνός*, nightshade, and *μανία*, madness). Madness produced by eating *Atropa belladonna*.

**Strych'nos**. A genus of plants of the order Loganiaceae.

**Strychnos Colubr'na**. A tree of the East Indies. It yields the *Laganum colubrinum*, which contains strychnine.

**Strychnos Nux Vom'ica**. Ratabana. The tree which yields the poison nut called *nux vomica*. The bark is known under the name of *filix angustura*. The seeds are the official part, which, as well as their alkaloids, are powerful poisons. It is tonic and stimulant, when taken in large doses it causes tetanic spasms. Dose, gr. j to gr. v.

**Strychnos Sano'ti Igna'tii**. Ignatia amara; bean of St. Ignatius. The seeds contain strychnine, and are employed in the cases in which *nux vomica* is required. Dose of fluid extract, gr. i to gr. x.

**Stryph'nos** (*στυφνός*) Astringent.

**Stru'ma** (*στυφνός*). Pringium (which see).

**Stunned.** The state of an individual who, from a fall or blow, has suffered concussion of the brain.

**Stupe.** Stupor.

**Stupor/clout** (*stupor/clout*, from *stupor*, to stupor) That which stupifies; a narcotic.

**Stupor** (from *stupor*, to be senseless). Diminished sensibility to external impressions, often amounting to lethargy.

**Stuppa, Stupa.** A stupe, a piece of cloth or tow soaked in a warm liquid and applied to a part of the body; a fomentation.

**Stuprum.** Rape.

**Stuttering.** Defective speech, a high degree of stammering.

**Stye.** Hordeolum. A small inflammatory tumor on the eyelid.

**Styler.** In Surgery, a probe, a small silver or steel instrument used in the examination of wounds, ulcers, and fistulae.

**Styliform** (*styliform*) Style- or rod-shaped. A term applied in anatomy to processes of bone.

**Stylus** (*stylus*, a style) A tent in the form of a bodkin.

**Stylo-.** A prefix signifying or pertaining to muscles attached to the styloid process of the temporal bone.

**Stylo-cornu-hyoides.** The stylo-hyoides.

**Stylo-choan-dro-hyoides.** Stylo-hyoides.

**Stylo-glossus.** A muscle situated between the lower jaw and the os hyoides, at the anterior and upper part of the neck. Its use is to raise the tongue and draw it backward.

**Stylo-hyoides.** A muscle situated at the anterior, lateral, and superior part of the neck. Its use is to raise the os hyoides and carry it backward and to one side.

**Stylo-mastoid Foramen.** A foramen between the styloid and mastoid processes of the temporal bone. It gives passage to the petrosal part of the auditory nerve and to the stylo-mastoid artery.

**Stylo-mandibular Ligament.** A ligament extending from the styloid process of the temporal bone to the angle of the lower jaw.

**Stylo-pharyngeus.** A muscle situated at the anterior and lateral part of the neck. Its use is to dilate and raise the pharynx and to carry it backward.

**Styliform** (from *stylus*, a peg, shaft, or column, and *oides*, shape). Styliform. Shaped like a peg, shaft, or column.

**Styloid Process.** A long, slender process of the temporal bone, which gives attachment to the stylo-glossus, stylo-pharyngeus, and stylo-hyoides muscles.

**Stylus.** A stylus (which see).

**Styria.** The chief ingredient of unguent or ointment.

**Styria.** Constriction; constipation.

**Styria.** Alum.

**Styria** (*styria*; from *styria*, to strangle) A remedy which possesses the property of astringing the animal tissues and of arresting hemorrhage; hæmorrhagic.

**Styria Colloid, Richardson's.** Styria colloid; xylstyria ether. "A styria and adhesive fluid for instant and ready use in the dressing of wounded surfaces; a compound which is at one and the same time a styria, an antiseptic, and a protective." It is composed of xylidine, a substance resembling gun-cotton, and of tannin, formed into a solution with ether. It can be applied directly with a brush, or, mixed with equal quantities of ether, it can be applied in the form of spray by means of the spray apparatus. It has been successfully used in severe cases of hemorrhage after teeth extraction, etc.

**Styria.** The essential oil of storax.

**Styria.** A derivative of storax. Chemically it is an amyl alcohol, and highly antiseptic. Camphor alcohol, antiseptic.

**Sub-.** A Latin preposition, used as a prefix, signifying under, beneath.

**Subacetic Acid.** Subacetic acid of copper.

**Subacetic.** A basic acetate.

**Subacid.** Slightly acid.

**Subacute** (from *sub*, under, and *acutus*). Applied to inflammation, fever, etc., which is of but moderate activity.

**Subacetic Acid.** A name given by Chandler to the second pair of cervical nerves.

**Subarachnoid Fluid.** The serous fluid between the arachnoid membrane and pia mater.

**Subacetic Acid.** A name given by Chandler to the third pair of cervical nerves.

**Subacetic Acid.** Bonx.

**Subcarbonate Potassa.** Carbonate of potash.

**Subcarbonate (subcarbonate).** Combination of carbonic acid with a base, in which the latter is in excess.

**Subcarbonate of Ammonia or Carbonate of Ammonia.** A white, translucent salt, with a

perigast edge, sometimes called *smelling salts*, or *salts of tartarum*.

**Subcler'ida.** The one of two or more *cleridia* which contains the least chitina.

**Subcler'idia of Mercury.** Chloride.

**Subcla'vian** (*subclavicula*; from *sub*, under, and *clavicula*, the clavicle). That which is under the clavicle.

**Subclavian Arteries.** The arteries which pass under the clavicle to the axilla. There is a right and a left. The right arises from the *arteria innominata*, and the left from the arch of the aorta.

**Subclavian Veins.** These veins are two in number, one on each side; they are continuations of the axillary, and terminate in the *vena cava superior*.

**Subclavicle'ria.** Subclavian

**Subclav'ius.** A muscle on the anterior part of the thorax. See **MUSCLES**.

**Subcrue'tus** (from *sub*, and *crue'tus*, bloody). Having somewhat the appearance of blood. A term applied to certain excretions which are mixed with or have the appearance of blood.

**Subcrue'ti.** Two small muscular slips sometimes found under the cranium.

**Subcuta'neous** (from *sub*, under and *cutis*, the skin). That which is situated immediately under the skin; performed beneath the skin.

**Subcutaneous Glands** (*glandulae subcutaneae*).

The sebaceous and sudoriferous glands, the excretory ducts of which perforate the skin.

**Subcutaneous Injection.** See **HYPODERMIC**.

**Subdiaphragma'tic Plex'us.** A plexus formed by the solar plexus; it distributes its branches to the diaphragm.

**Suber'ic Pivot.** A pivot or tenon furnished with cork for attaching an artificial crown to the root of a natural tooth, recommended by M. Hise.

**Subinflamma'tion.** A very mild degree of inflammation, or slight arterial excitation. Boenacius defines it as an augmentation of the vital phenomenon of the lymphatic system.

**Subinter'mittens Febris** (from *sub*, under, and *inter'mittens*, to enter). Intermittents the paroxysms of which are so near together that one begins before that which has preceded it has completed its stage.

**Subluga'ment** (*sublugo*, to underbind). A bandage.

**Sub'lympha.** The product of sublimation.

**Sublimato, Cative.** Dichloride of mercury.

**Sublima'tion** (*sublimatio*; from *sublimo*, to raise up). The operation by which solid matters are volatilized by heat and again condensed into a solid form.

**Subli'mis.** A name given to certain muscles from their being more superficially situated than their kindred muscles.

**Sublin'guai** (*sublingualis*; from *sub*, under, and *lingua*, the tongue). Applied to parts situated under the tongue.

**Sublingual Artery.** An artery, a branch of the lingual, traversing the anterior border of the hyo-glossus muscle, to be distributed to the sublingual gland and to the muscles of the tongue. It also sends a branch to the *foramen linguae*.

**Sublingual Glands.** These are the smallest of the salivary glands, they are situated in the substance of the inferior part of the mouth, beneath the anterior and lateral parts of the tongue, resting on the mylo-hyoid muscle and covered by the mucous membrane. They are oblong, flattened, amygdaloid, and are covered by the mucous membrane of the mouth, beneath which they project. These glands have each ten or twelve excretory ducts.

**Subluma'tion** (*subluma'tio*) A sprain; injury to the ligaments of a joint without actual luxation or displacement of the articular surfaces or extremities of the bones.

**Submax'illid.** A branch of the seventh pair of nerves at the stylo-mastoid foramen.

**Submax'illary** (*submaxillaris*; from *sub*, under, and *maxilla*, the jaw). Situated beneath the jaw.

**Submaxillary Gan'ghion.** A small nervous ganglion formed of the Vidian nerve and situated at the posterior part of the submaxillary gland.

**Submaxillary Gland.** The salivary gland which is situated on the inner side of the ramus of the lower jaw.

**Submen'tal** (*submentalis*; from *sub*, under, and *mentum*, the chin). A term designative of an artery and a vein situated under the chin.

**Submental Artery.** A small artery given off by the facial near the base of the jaw. It divides near the median line, and is distributed to the muscles of the chin.

**Submental Vein.** The vein which accompanies the submental artery.

**Submers'ion** (*submersio*; from *sub*, under, and *mergo*, to plunge). The act of plunging under water; drowning.

**Submers'ions.** A term designative in Anes-

any of parts situated under the mucous membrane, as the submucous areolar tissue.

**Subperitoneal Tissue.** The peritoneal tissue found under mucous membranes.

**Submercuric.** A submercurate; a chloride. **Submercuric Hydrargyri.** Hydrargyri chloridum mitis. Calomel.

**Submercuriate.** A combination of mercuric acid with a base having a deficiency of the acid.

**Submuscular (submuscularis).** A term applied to parts situated beneath the muscles. **Suboccipital.** Situated beneath the occiput, as the suboccipital nerve.

**Suborbital** (from *sub*, under, and *orbita*, the orbit). **Infra-orbital.** That which is situated beneath the orbit of the eye.

**Suborbital Artery.** The infra-orbital artery. **Suborbital Foramen.** The infra-orbital foramen.

**Suborbital Nerve.** The infra-orbital nerve, a branch of the fifth pair.

**Subpyriform.** Modified hematine.

**Subsalt.** A salt in which there is less than one atom of acid to each atom of base, a basic salt.

**Subscapular (subscapularis; from sub, under, and scapula, the shoulder-blade).** That which is situated beneath the scapula.

**Subscapular Muscle.** A muscle situated under the scapula.

**Subserous Tissue.** The peritoneal tissue found under serous membranes.

**Subsidence.** Sediment.

**Substance.** The principal basis or substratum of a tissue or an organ.

**Substantia.** A substance.

**Substantia Adamantina Dentium.** The enamel of the teeth.

**Substantia Filamentosa Dentium.** A name given by Malpighi to the enamel of the teeth.

**Substantia Ossea Dentium.** A name given by Malpighi to dentine.

**Substantia Osteoidea.** A name given by Purkinje and Fränkel to the crusta petrosa, or cementum of the teeth.

**Substantia Vitrea Dentium.** The enamel of the teeth.

**Substitutive (substitutive).** A term applied in *Materia Medica*, by Dr. Paris, to remedial agents which possess an inherent and independent activity, in contradistinction to adjunctive agents, which, in themselves, are inert, but are capable, when combined with the

form, of imparting to them increased energy of action.

**Subsulphate of Iron Powder.** See *Iron*.

**Subsultus.** In *Pathology*, convulsive motions or twitches.

**Subsultus Tendinum.** Slight convulsive motions or twitches of the tendons. It occurs in extreme debility at an advanced stage of nervous and typhus fevers, and is generally indicative of a fatal termination.

**Subsultus.** Deafness.

**Substance.** A right line connecting the extremities of an arc, a cord of an arc.

**Substepid.** Lukewarm.

**Subungual (unguis, nail).** Beneath the nail.

**Succa** (from *succus*, juice). The impleated juice of fruits.

**Succedaneous.** Replacing, substituting; vicarious.

**Succedaneous Teeth.** Permanent teeth having temporary predecessors.

**Succedaneum** (from *succedere*, to go under, to come in the place of another). That which is used for something else, a substitute. Applied to medicines, etc.

**Succedaneum, Royal Mineral.** The name given by the Crawcoons to amalgam, the use of which, for filling teeth, they introduced into the United States about the year 1833.

**Succenturiatus** (from *succenturiare*, to fill up or supply). An epithet sometimes applied in *Anatomy* to the renal capsules, *succenturiati* veses, regarding them as supplementary kidneys.

**Succidan'eum.** Succedaneum.

**Succinic** (*succinicus; from succinum, amber*). Of or belonging to amber.

**Succinic Acid** (*acidum succinum*). An acid which exists in amber, and is obtained from it by distillation. It is also produced by the action of nitric acid on margaric acid.

**Succinite.** Amber-colored garnet.

**Succinum.** Amber; a hard, brittle, resinous, tasteless substance, sometimes transparent, but oftener semi-transparent or opaque, of a pale, golden yellow, found principally in Prussia. It has a shining lustre, and, when rubbed, becomes electric. Use: to afford its essential oil and acid.

**Succinum Clusacum.** Ambergis.

**Succinum Griseum.** Ambergis.

**Succulent (succulent).** Juicy; full of juice.



**Succus, Juices.** The fluid obtained from plants by pressing them. The term is also applied to animal fluids.

**Succus Gasticus.** The gastric juice.

**Succus'ion.** A mode of exploring the chest for the purpose of ascertaining if there be an accumulation of water in it. It consists of shaking the body of the patient and listening to the sounds thus produced.

**Suck'ing.** Drawing with the mouth or with an instrument.

**Suckling-bottle.** A bottle so contrived that, when filled with milk, an infant may suck from it instead of from the breast.

**Suck'le.** To give suck to, to nurse at the breast.

**Suck'ling.** Lactation; nursing at the breast.

**Suc'tion Power.** In Physiology, the force supposed to be exerted on the veins by the dilatation of the heart.

**Suc'tus.** Sucking.

**Sudam'tia** (from *sudor*, sweat) The small vesicles, resembling millet seed, which appear on the skin, especially in the summer, after profuse sweating.

**Suda'tio** (from *sudor*, sweat) Sweating.

**Sudato'rium.** A sweating-room.

**Su'dor.** Sweat. A fluid resulting from visible cutaneous transpiration. See PERSPIRATION.

**Sudor An'glica.** Sweating sickness.

**Sudor Cruen'tus.** Sudor sanguinea. Bloody sweat; perspiration intermixed with blood.

**Sudorif'erous** (from *sudor*, sweat, and *fero*, to carry). A term applied in Anatomy to the ducts which carry sweat.

**Sudorif'ic** (from *sudor*, sweat, and *facio*, to make). A diaphoretic; a medicine which provokes sweating.

**Sudorif'erous Fol'licles.** The follicles which secrete the perspirable fluid.

**Su'dor.** Serum (which see).

**Suffiment'um.** A perfume, a fumigation.

**Suff'itus.** A fumigation.

**Suffla'tio.** Puffing.

**Suffoca'tio.** Suffocation.

**Suffocatio Strid'ula.** Cynanche trachealis.

**Suffoca'tion** (*apnoea*). The state of an animal in which respiration is arrested or impeded, from whatever cause produced.

**Suffocatio, Hyster'ica.** Globus hystericus (which see).

**Sulfumig'ation** (from *sul*, under, and *fumo*, to smoke). The burning of odorous substances.

**Sulfu'rio.** An overgrowing; a vegetation (which see).

**Sulfato Aurigino'sa.** Jaundice.

**Sulfatio NV'gra.** Amaurosis.

**Sulfatio Viscus.** False vision.

**Sulfu'zion.** The act or state of being overpread, as with a fluid. In Pathology, an extravasation of some humor, as the blood. The term is sometimes applied to catarrh and to emaciation.

**Su'gar.** Saccharum. The sweet constituent of vegetable and animal products, obtained by impregnating the juice of the plants from which it is usually obtained, as that of the sugar-cane, the maple, the beet, etc., and allowing the sugar to crystallize.

**Sugar of Lead.** Plumbi acetas.

**Sugar of Milk.** Lactin.

**Sugilla'tion** (*angula*; from *angula*, to bruise) A bruise, an ecchymosis. Also a spot made by a leech-bite or a cupping-glass.

**Su'icide** (*suicidum*; from *suicidus*, murder of one's self). Self-murder.

**Sul'cate or Sul'cated** (*sulcatus*). Grooved; furrowed.

**Sul'cus.** A furrow; a groove.

**Sulph'amid.** A compound of sulphurous acid and antidogen.

**Sul'phas.** A salt formed by the union of sulphuric acid with a salifiable base.

**Sulphas Antimo'nii.** Sulphate of antimony.

**Sulphas Atrop'ic.** See ATROPIA.

**Sulphas Cal'cia.** Sulphate of lime, gypsum, or plaster of Paris.

**Sulphas Copri.** Sulphate of copper, or blue vitriol.

**Sulphas Ferri.** Sulphate of iron or copperas. See INOX.

**Sulphas Magn'e'sis.** Sulphate of magnesia, or Epsom salts.

**Sulphas Natrius.** Sulphate of soda.

**Sulphas Quina.** Sulphate of quinine.

**Sulphas Sodae.** Sulphate of soda, or Glauber's salt.

**Sulphas Zinc.** Sulphate of zinc, or white vitriol.

**Sul'phate.** Sulphas.

**Sulphate of Copper** (*sulphas cupri*) Sulphate of copper, or blue vitriol. In small doses it has been used for diarrhoea, but it is chiefly employed as an external application for foul ulcers and as a styptic. It is tonic, emetic, antispasmodic, and antiseptic. Dose, as a tonic, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{2}$  in pill; as an emetic, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{2}$  in water. A weak so-

lation is used in ophthalmia and gleet. In *Dental Practice* sulphate of copper is employed for fungous growths of gum and dental pulp, epitheloid ulcerations, ulceroous stomatitis, cancerum oris, etc.

**Sulphate of Lime.** Gypsum

**Sulphate of Magnesia** (*magnesi sulphas*). Formula,  $MgSO_4 + 7H_2O$ . It occurs in small colorless prisms, very soluble in water, and of a bitter saline taste. It is the most powerful of the saline cathartics. It is frequently combined with a few drops of aromatic or dilute sulphuric acid. In *Dental Practice* Epsom salts is employed in acute inflammation of the periodontal membrane and in pulpitis. Dose, ʒij to ʒviii.

**Sulphate of Nickel** (*nickeli sulphas*). A salt in the form of emerald-green crystals, recommended as a tonic in obstinate periodic headache.

**Sulphate of Quinine.** Quinine.

**Sul'phated.** Converted into salts by combination with sulphuric acid.

**Sul'phide.** Sulphuret. A combination of sulphur with a metal or other body.

**Sul'phite.** Sulphite. A salt formed by the union of sulphurous acid with a salifiable base.

**Sulphite.** A salt of sulphurous acid

**Sulphite of Aluminium** (*aluminiumi sulphite*). A sulphurous salt of aluminium. An antiseptic.

**Sulphite of Soda** (*sodæ sulphite*). An effective antiseptic. Together with the hyposulphite and the bisulphite, these preparations of soda are very efficacious in destroying the germs of organic poisons or ferments. The sulphite is the most active of them, and has the least taste. Dose of the sulphite in powder is gr. viij to gr. xxx. The sulphites of soda are employed in *Dental Practice* for aphthous sore mouth and for diphtheritic conditions of mouth and fauces, in the form of a gargle. The hypophosphite has been used as a solvent for calculi.

**Sulpho-.** A prefix denoting the presence of sulphur or sulphuric acid.

**Sulpho-carbolic Acid.** A mixture of twenty-five per cent of crude carbolic acid with an equal quantity of concentrated crude sulphuric acid. An effective and cheap disinfectant.

**Sulpho-cyanate.** A salt formed from thiocyanic acid.

**Sulpho-cyanide.** A compound of sulphocyanogen.

**Sulpho-cyanogen.** Bisulphuret of cyanogen.

**Sulpho-glyceric Acid.** A compound of glycerine with sulphuric acid.

**Sulpho-methyl'ic Acid.** Bisulphate of oxide of methyl.

**Sulpho-naphthal'ic Acid.** An acid obtained by dissolving naphthaline in sulphuric acid.

**Sulpho-phenol** Sulpho-carbolic acid. Produced by the action of sulphuric acid on phenol.

**Sulpho-prote'ic Acid.** A compound of sulphuric acid and protein

**Sulpho-salt.** A salt the two ingredients of which are sulphurets.

**Sulpho-vi'nic Acid.** Bisulphate of ethyl.

**Sulphote'ic Acid.** An acid obtained by the action of sulphuric acid on olefine.

**Sulphonal.** Formula,  $(OH)_2 = C = (C_2H_5SO_2)_2$ . A prompt and reliable hypæstic, without narcotic effects or unfavorable results. Sparingly soluble in cold water, but soluble in hot water and alcohol. Dose, gr. v to gr. xxx. It is a complex organic compound, with the structure diethyl-sulphon-dimethyl-methane.

**Sul'phur.** Brimstone. A combustible, brittle body, of a pale yellow color, and with an unpleasant odor when rubbed or heated. It is rendered electric by friction, volatilizes when heated, and condenses unchanged. It occurs as a mineral production in a massive state, particularly near volcanoes, and it exists in combination with several of the metals, such as copper, silver, mercury, antimony, zinc, lead, and iron. It sometimes occurs in a crystallized form. Native sulphur is obtained in great abundance from Solofara in the kingdom of Naples.

Sulphur possesses laxative, diaphoretic, and resolvent properties. It is employed both externally and internally in cutaneous affections, and is sometimes applied in cases of chronic rheumatism as a hot-air bath.

**Sulphur, Alcohol of** Old name of bisulphuret of carbon.

**Sulphur Antimoniatum Fuscum** (*antimonii sulphuratum præcipitatum*). Precipitated sulphuret of antimony, oxysulphuret of antimony.

**Sulphur Auratum Antimonii.** Golden sulphuret of antimony.

**Sulphur, Chloride of** Protochloride of sulphur, obtained by passing chlorine gas over washed, dried, and sublimed sulphur until it is nearly all dissolved, and distilling the decanted fluid from the excess of dissolved sulphur.

**Sulphur, Oiled** (*sulphur oileum*). The sulphur obtained by the distillation of native sulphur.

**Sulphur, Flow'ers of** (*sulphur sulfureum*). Sublimed sulphur. It occurs in the form of an insipidable crystalline powder of a pale yellow color. The sulphur of commerce.

**Sulphur, Iodide of** (*sulphuris iodidum*). A crystalline substance of a grayish-black color, directed by the Pharmacopœia to be made by rubbing together four ounces of iodine and one of sulphur in a marble mortar until thoroughly mixed. The mixture is then placed in a matrass, the orifice loosely closed, and sufficient heat applied to darken but not to melt the mass; when it has become uniformly dark throughout, the heat is increased so as to melt the iodide; the matrass is then inclined in different directions, to return into the mass any portion of iodine which may have condensed on the inner surface of the vessel. The matrass, after being allowed to cool, is broken, and the iodide put into bottles, which must be well corked.

**Sulphur Lotum** Washed sulphur; sublimated sulphur freed from acid by washing in boiling water.

**Sulphur, Milk of** (*lax sulphuric*). Sulphur penicillatum.

**Sulphur, Native**. Sulphur as it occurs in nature, before it has been freed from impurities.

**Sulphur Precipitatum**. Milk of sulphur, precipitated sulphur.

**Sulphur, Roll** (*sulphur rotundum*). Cane brimstone. Refined sulphur cast into cylindrical wooden moulds.

**Sulphur Sublimatum**. Sublimed sulphur. Flow'ers of sulphur.

**Sulphur Vivum**. The drugs which remain after the purification of sulphur.

**Sulphur, Washed**. Sulphur lotum.

**Sulphur Waters**. Mineral springs impregnated with sulphureous hydrogen.

**Sulphureted**. Combined or impregnated with sulphur.

**Sulphureted Oil** (*oleum sulphureum*) Balsam of sulphur; sublimed sulphur dissolved in boiling olive-oil. An exceedingly fetid, acid, viscid, reddish-brown liquid, formerly supposed to be useful in bronchial and pulmonary affections, and as a stimulating application to *scab ulcers*.

**Sulphureous** (*sulphureus*). Of or belonging to sulphur.

**Sulphuret**. A compound of sulphur with metal or earth, etc.

**Sulphuret of Antimony** (*antimonii sulphureum*). Native sesquisulphuret of antimony, purified by fusion.

**Sulphuret of Carbon**. Bisulphuret of carbon.

**Sulphuretted**. Having sulphur in combination; possessing the properties of or containing sulphur.

**Sulphuretted Hydrogen**. A compound of sulphur and hydrogen, an extremely fetid and inflammable gas.

**Sulphurettum**. A sulphuret. A compound formed by the union of sulphur with an alkali, earth, or metal.

**Sulphuretum Ammoniac**. Sulphuret of ammonia.

**Sulphuretum Calcis**. Sulphuret of calcium.

**Sulphuretum Hydrargyri Nitrum**. Black sulphuret of mercury.

**Sulphuretum Sodæ**. Sulphuret of sodium.

**Sulphuretum Stibii Nativum**. Native sulphuret of antimony.

**Sulphuretic** (*sulphureus*). Pertaining to sulphur.

**Sulphuric Acid** (*acidum sulphuricum*; *acidum sulfuricum*). A dense, oily, liquid, colorless acid, of a very caustic nature, consisting of one equivalent of sulphur with three of oxygen. Specific gravity, 1.845. It possesses tonic, refrigerant, and antiseptic properties, but is never administered except in a very dilute state. It is used more extensively in the arts than as a medicinal agent. Dose, gr. x to gr. xxx, diluted. See SULPHURIC ACID, DILUTED, which is the preparation for internal use.

**Sulphuric Acid, Aromatic** (*acidum sulphuricum aromaticum*). Aromatic sulphuric acid; elixir of vitriol, a valuable medicinal preparation possessing tonic and astringent properties. It is composed of sulphuric acid, ginger, cinnamon, and alcohol. Dose, gr. x to gr. xxx. In *Dental Practice*, a diluted form is used as a gargle in mercurial stomatitis, ulcers of mouth, necrosis and caries of the maxillary bones, cancerum oris, pyorrhea alveolaris, and as an injection in chronic alveolar abscess. The teeth should be protected by alkaline washes. For dental uses see Gorge's "Dental Medicine."

**Sulphuric Acid, Diluted** (*acidum sulphuricum dilutum*). One fluidounce of sulphuric acid mixed with thirteen fluidounces of distilled

water. It is used as a refrigerant, tonic, and astringent.

**Sulphuris Ether** See ETHER, SULPHURIC.

**Sulphuris Flores.** Flowers of sulphur (which see).

**Sulphuris Iodidum.** Iodide of sulphur.

**Sulphuris Læv.** Sulphur precipitatum.

**Sulphureo-sa.** A class of resolvent spasmics, including sulphur, the alkaline sulphurets, etc.

**Sulphureous** (from *sulphur*). A technical name applied to acids and anhydrides derived from sulphur dioxide, SO<sub>2</sub>.

**Sulphureous Acid.** A pungent gaseous acid, obtained by burning sulphur in air.

**Sulphydrate.** A hydrate in which sulphur replaces oxygen.

**Sulphydric Acid.** Sulphurated hydrogen.

**Sumac.** A plant or shrub of the genus *Rhus*, of many species. Both the leaves and berries have been used as astringents and tonics. An infusion of the inner bark of the root is useful in mercurial stomatitis, and the powder for ulceration of the gums.

**Summer Complaint.** The popular designation of diarrhoea occurring in the summer, also of cholera infantum.

**Summer Rash.** *Lichen tropicus*.

**Sun-burn.** *Ephelis* (which see).

**Sunstroke.** Coup de soleil (which see).

**Super-.** A common prefix signifying above, over, excess.

**Supercarbo-nas Potas-sæ.** Supercarbonate of potash, Macquer's ammoniacal salt.

**Super-bas.** The *radius superior oculi* muscle.

**Superciliary** (*superciliaris*; from *super*, above, and *cilium*, the edge of the eyelid). Belonging or relating to the eyebrows, as the superciliary arches.

**Superciliary Arches.** The projecting apophyses at the anterior surface of the frontal bone.

**Superciliary Ridges.** The superciliary arches.

**Supercilium** (from *super*, above, and *cilium*, the eyelid). The eyebrow, the projecting arch of integument, covered with short hairs, forming the upper boundary of the orbit.

**Superficialis** (from *super*, upon, and *facies*, the face or outer surface). Superficial. Being on the surface; not deep.

**Superficialis Vola.** A name sometimes given to a branch of the radial artery distributed to

the integuments and muscles of the palm, or vola.

**Superficies.** The surface; the exterior part of a thing.

**Superficies Plantæ-ris Pedis.** The sole or under part of the foot.

**Superfinitio** (*superfinitio*; from *super*, upon, and *fetus*, to bring forth young). The impregnation of a woman already pregnant.

**Superfinitio.** The pessalis.

**Superfinitio.** The epididymis.

**Superimpregnatio** (*superimpregnatio*). Superfinitio.

**Superior.** Upper; higher. A term applied in *anatomy* to certain parts from their relative situation, and in *Botany* to the fruit when it has no cohesion with the calyx, the latter being then termed the *inferior*. When the calyx coheres, it is termed *superior*, otherwise the fruit is called *inferior*.

**Superior Auris.** The *attollens aurem*, a muscle of the external ear.

**Superior Stone.** A fine stone resembling Arkansas stone, and used by dentists to smooth the surfaces of metallic fillings, plates, etc.

**Superbia.** The ciliaris.

**Superbia.** The epiglottis.

**Superbia** (*super*, above, and *nata*, to swim). Floating above or on the surface.

**Superphosphate.** An acid phosphate.

**Superpergation** (*superpergatio*). Excessive evacuation by stool.

**Supersalt.** A salt containing more atoms of acid than of base, an acid salt.

**Supersaturate.** To more than saturate, to add to a liquid more of an ingredient than it can take up.

**Suprascapularis.** The supra-spinatus and infra-spinatus muscles are so called.

**Supra.** Above.

**Supra-them** (*supra-them*; from *supra*, lying on the back). Turning the palm of the hand upward by rotating the forearm.

**Supra-tor.** A term applied to muscles which turn the head upward.

**Supinator Brevis.** *Supinator radii brevis*.

**Supinator Longus.** *Supinator radii longus*.

**Supinator Radii Brevis.** A small tendinous muscle situated at the upper part of the forearm.

**Supinator Radii Longus.** A long muscle, enveloped in a tendinous sheath, situated along the outer surface of the radius, immediately under the integuments.

**Supplemental Teeth.** Teeth above the normal number; not belonging to the regular or dental set, as a third lateral incisor in the same jaw; additional teeth.

**Support'er, Abdom'inai.** A belly-band. A band held, capable of being so applied as to support and exert methodical pressure upon the abdomen.

**Supports.** Appliances made of compressed carbon, charcoal, clay, graphite and fire-clay, or asbestos, for holding the work during the process of soldering. Clay supports are also used in the burning of porcelain teeth, composed of kaolin, 1 part, pulverized quartz, 2 parts, mixed with sufficient water to form a mass plastic enough to mould into shapes. See **SOLDERING SUPPORT**.

**Supposito'rium.** Suppository (which see). **Suppositorium Uterinum.** A pessary.

**Suppos'itory** (*suppositivus*, from *sub*, under, and *ponere*, to put). A solid medicine intended to be introduced into the rectum, either for the purpose of favoring an intestinal evacuation or to act as an anodyne.

**Suppres'sion** (from *supprimere*, to withhold). In *Pathology*, the stoppage of a natural, continued, periodic, or critical evacuation, as a suppression of urine, etc.

**Suppression of the Menses.** Amenorrhoea.

**Sup'purant.** Suppurative, producing pustulation.

**Suppurat'ion** (*suppuratio*, from *suppus*, to suppurate). The formation or secretion of pus, a frequent termination of inflammation. The separation from the organism of the products of inflammation.

**Suppurat'ive** (*suppurans*) That which promotes or produces suppuration.

**Supra-** A common prefix signifying above.

**Supra-costa'les.** The intercostal muscles.

**Supra-maxillary.** Above the jaws, or pertaining to the upper jaw.

**Supra-or'bitar** (*supra-orbitaris*). That which is situated above the orbit.

**Supra-pu'bican** (*supra-pubicus*) A name given by Chamber to parts situated above the pubis; as the supra-pubic artery and supra-pubic nerve.

**Supra-pubic Femoro'hia.** A name given by Chamber to the petrosus muscle.

**Supra-spina'tes.** Supra-occipularis. A muscle of the nuchæ.

**Supra-tar'sal.** A name given by Chamber to a modification of the tibial artery on the dorsal region of the foot.

**Su'tra.** The calf of the leg. Also the fibula.

**Su'te'dent** (from *supra*, above, and *dens*, a tooth). A temporary teeth fixed to one side by the eruption of the tooth of replacement.

**Surd'itas.** Deafness.

**Sur'dus.** Wholly or in part deaf.

**Sur'se'it.** A cause of fulness, oppression, nausea, and sickness occasioned by eating to excess.

**Sur'geon** (from *græc*, the hand, and *eyne*, work) **Chirurgon.** One who practices surgery.

**Surgeon-apothecary.** One who unites the practice of surgery with that of an apothecary.

**Surgeon-dentist.** Dental surgeon (which see).

**Surgeon's Case.** An apparatus devised by Johnston & Bros. for the administration of liquid nitrous oxide gas. It comprises an iron cylinder, 12½ by 3 inches, containing one hundred gallons of gas, a morocco-covered case provided with an iron ring and set screw to hold the cylinder in place during use, and a delicate valve at one extremity of the cylinder; also a rubber bag, with rubber tube at one end for the admission of gas, and an inhaling tube at the other end, to which is attached a metallic inhaler having two spring valves, which are affected by the slightest breath either of inspiration or exhalation. This inhaler has also a two-way stop-cock or ground-valve, so arranged that, the gas being shut off, the patient may be allowed to breathe air until all alarm is dissipated, and then, by an imperceptible movement of the fingers, and without previous notice, the air may be excluded and the gas admitted. This entire case and contents weighs about fifteen pounds, rendering it very portable and convenient. See **GASOMETER FOR LIQUID NITROUS OXIDE**.

**Surg'ery.** **Chirurgia.** That part of the curative art which has for its object the treatment of external diseases, injuries, and malformations.

**Surgery, Dental.** See **DENTAL SURGERY**.

**Surg'ical** (*chirurgicus*). Belonging or relating to surgery.

**Surgical Anat'omy.** That branch of surgery which treats of the relative situation of parts or organs.

**Susceptibil'ity.** Impressibility; capability of receiving impressions; great sensibility.

**Suspend'ed Anesth'esia.** Asphyxia.

**Suspend'ion.** Hanging. Also temporary coaction. Also the state of a solid body, the particles of which remain undissolved in water and may be separated by filtration. The solid in this case is said to be suspended in the liquid.

**Suspendo'rium** (from *suspendo*, to hang) A suspensory; that which sustains or suspends any part, as a bag or bandage.

**Suspensorium Hep'atis.** The broad ligament, a process of the peritoneum which connects the liver with the diaphragm.

**Suspensio'rius Test'is.** The cremaster muscle.

**Suspens'ory.** Suspensorium.

**Suspensory Bandage** **Suspensorium.** A bandage for supporting the scrotum, used in cases of scrotal hernia and diseases of the testicles.

**Suspensory Ligament of the Liver.** **Suspensorium hepatis** (which see)

**Suspensory Ligament of the Penis.** A fibro-cellular band which extends from the symphysis pubis to the corpus cavernosum of the penis.

**Suspir'ium** (from *sus*, under, and *spiro*, to breathe). Short breathing. A sigh

**Sustenta'tor Clitor'idis.** The erector clitoridis.

**Sustentator Penis.** The erector penis.

**Susurr'ation.** A murmur

**Susurr'um** (from *susurre*, to murmur) The low humming noise frequently heard by those under the influence of disease.

**Susurrus Aur'ium** **Tinnitus aurium** (which see)

**Sutur'a** (*sus*, *sutrum*, to sew together) A suture or seam. In *Anatomy*, the junction of the bones of the cranium by a serrated line; the stitches of a seam.

**Sutura Corona'lis.** The suture passing transversely over the skull. See **CORONAL SUTURE**. **Sutura Denta'ta.** Dentate suture. With long and tooth-like processes.

**Sutura Fronte'lis.** Frontal suture. The sagittal suture when it is continued down the frontal bone to the nose—the extension takes the name of the frontal suture.

**Sutura Lambdoid'e'lis.** Lambdoidal suture. The suture which begins at the termination of the sagittal suture and extends on each side to the base of the cranium. Named from its resemblance to the Greek letter  $\Lambda$  (*lambda*).

**Sutura Limbo'ea.** Bardered suture. Where,

besides the dentated margins, there is a degree of beveling of one, so that one bone rests on the other.

**Sutura Sagita'lis.** Sagittal suture. The suture which passes from the middle of the superior margin of the frontal bone to the angle of the occipital bone, and so called from its straight course.

**Sutura Serra'ta.** Processes small and fine, like the teeth of a saw

**Sutura Squamo'sa.** Squamous suture. The suture which joins the squamous portion of the temporal bone to the parietal.

**Sutur'al (suturalis)** Pertaining to a suture or seam.

**Suture** (*sutura*, from *sus*, to join together) A union. In *Anatomy*, the union of bones by means of serrated or dentated edges. In *Zoology*, the straight line which divides the elytra of coleopterous insects. In *Surgery*, the stitching of the lips of a wound for the purpose of procuring their union. Several kinds of sutures have been recommended by surgeons, but the four principal are the *interrupted*, the *continued*, the *quilled*, and the *twisted*. The interrupted suture consists in passing a needle, armed with a ligature, through the lips of a wound, previously brought together, and then tying the extremities. The continued suture consists in passing the needle, as in the interrupted suture, diagonally, and leaving the thread uninterrupted; it is used in wounds of the intestines. The quilled suture consists in passing the double ligature through the lips of the wound, as in the interrupted suture, but at greater distances, and the ends are tied over quills or pieces of bougie; it is used to close deep wounds. The twisted suture consists in passing a needle or pin through the lips of the wound, so as to keep them accurately in contact, and then passing a waxed ligature around it, from one side to the other, in the form of a figure 8. This latter suture is chiefly employed in the operation for hare-lip and to unite wounds in the face. Glover's suture consists in the introduction of a needle and thread into one lip of the wound from within outward; then into the other in the same way. Hare-lip suture, or figure of 8, is a suture about a pin thrust through the pared edges of the cleft in the lip. Gely's suture is so applied as to invert the edges of the wound.

**Swab.** A term applied in *Medicine* to a piece of rag or sponge made fast to the end of a rod of wood or whalebone, used for cleansing

the handle of the stick or for the application of remedial agents to deep-seated parts.

**Swaging.** In *Mechanical Dentistry*, the metal model or casting used as a die for striking a metallic base for artificial teeth; also to strike upon a base.

**Swaging.** The process of forming a metal plate by the use of a die and counter-die, between which the plate is swaged.

**Swaging with Shot.** The die is placed in a cylinder to which a plunger is adapted, and the die covered to the depth of an inch or more above the alveolar ridges with fine bird-shot; the plunger is placed in position and its cylindrical head is struck several times with a heavy hammer. Dr. Parker recommends using the plaster model instead of the die, after the plate is well adapted to the die by ordinary swaging. The pressure of the shot, evenly distributed over the entire plate area, drives the plate into accurate apposition with the plaster model.

**Sweat (sweat).** Sensible moisture upon the skin, excreted from it. Sensible perspiration.

**Sweat, Bloody.** See *Sudor cruentus* (which see).

**Sweating.** Excretion of moisture from the skin.

**Sweating Bath (sudatorium).** A bath for producing sensible sweat, a hot-air room; a steam-bath. See *SROVA*.

**Sweating Sickness (sweat capitis).** An epidemic which prevailed in England and some other countries in the fifteenth and sixteenth centuries, characterized by profuse sweating, great prostration of strength, palpitation of the heart, and variable pulse. The disease usually runs its course in a few hours, terminating favorably or in the death of the patient.

**Sweat Spirit of Nitro.** *Spiritus ætheris nitrici* (which see).

**Sweetbread.** A name for the pancreas.

**Swelling.** A morbid increase in the bulk of the whole or any part of the body.

**Swelling, White.** See *HYDARTHROSA*.

**Sweem.** Syncope (which see).

**Syndesmitis** (properly, *malacodentia*, from *malos*, saliva, *dentis*, a gland, and *itis*, inflammation). Inflammation of the salivary glands.

**Synchysis.** Wartlike excrescences on the tongue, eyelids, genitalia, or other soft tissues of the body.

**Synchysis.** Synchysis. A tumor resembling a fig in shape. Also a fungous ulcer. Dr.

Reisner describes it as an eruption of inflamed, but not very hard, tubercles, occurring, in adults, on the bearded portion of the face and on the scalp, in irregular patches or clusters. The tubercles are red and nearly the size of a pea.

**Symphlopharum** (*symphlopharum*, from *sym*, with, and *phlophar*, the eyelid). Adhesion of the eyelids occasioned by concretion-ulcers of the cornea, scarification, and burns.

**Sym'bol.** A sign or representation of something else. For symbols used in medical prescriptions see *ABBREVIATION*.

**Symbology.** Symptomatology.

**Symbols, Chemical.** See *EQUIVALENTS, TABLE OF*.

**Symmetrical** (*symmetricus*; from *sym*, with, and *metron*, a measure). In *Anatomy*, constructed with symmetry; susceptible of being divided into two equal and perfectly similar parts.

**Symmetry** (*symmetria*, from *sym*, with, and *metron*, a measure). Regularity of figure, correspondence in size and shape of the several parts of the body to one another.

**Sympathetic** (*sympatheticus*; from *sym*, with, and *patheo*, suffering). Depending on or relating to sympathy; associated in function, action, or condition.

**Sympathetic Action.** See *REFLEX ACTION*.

**Sympathetic Bub.** Inflammation of a gland from mere irritation, not from venereal disease.

**Sympathetic Nerve.** The triplanchnic nerve (which see).

**Sympatheticism.** Sympathetic (which see).

**Sympatheticus Minor.** The facial nerve.

**Sympathy** (*sympathia*; from *sym*, with, and *patheo*, affection). The relation that exists between two or more organs or parts, contiguously or remotely situated, whereby an action or affection in one is participated in by the others.

**Symphora'ma.** Congestion.

**Symphora'als** (*sym*, together, and *phora* to carry). Synonymous with congestion.

**Symphyccephalus** (from *sym*, to grow, and *cephalus*, the head). A monstrosity consisting of twins united by the head.

**Symphysotomy** (from *symphysis*, natural union, and *tomia*, to cut). Symphysiotomy; symphysectomia. The operation of section of the symphysis pubis, called the Sigaudian operation. It is performed with a view of

increasing the diameter of the pelvis, to facilitate parturition.

**Symphysis.** A species of malformation occasioned by the union of parts naturally divided.

**Sym'physis** (from *syn*, to grow together). The connection of bones by means of intervening cartilages or other texture. The vertical ridge in the median line of the inferior maxillary bone.

**Symphysis of the Pu'bes** The pubic articulation, or union of the pubic bones.

**Sympl'eais** (*syn*, together, and *πνω*, a pressing) A pressing or squeezing together, compression.

**Symptom** (*symp'toma*; from *συμπτω*, a coincidence) A sign of disease; a perceptible change or alteration in the appearance or functions of one or more of the organs of the body during the progress of disease.

**Symptomati'c** (*symp'tomaticus*) That which is a symptom of some other affection.

**Symptomato'logist.** A physician who treats the symptoms of disease instead of investigating their cause.

**Symptomato'logy** (from *συμπτω*, a symptom, and *λογία*, a discourse). Symptomatology. That part of pathology which treats of the symptoms of disease.

**Sympto'ma.** Emaciation, atrophy

**Syn-.** A prefix signifying union, similarity, etc.

**Synæsthe'sia** (from *syn*, together, and *αἴσθησις*, sensation) A sensation of a part resulting from irritation in a distant part.

**Synalgia.** Pain produced in one part by stimulation or lesion of another part.

**Syn'aptase.** Amygdalin.

**Synarthro'dia.** Same as **SYNARTHRODIA** (which see).

**Synarthro'sis** (from *συνάρθρω*, to articulate) That mode of articulation which does not admit of motion. There are three varieties—namely, suture, harmony, and gomphosis.

**Synæst'itus** (from *syn*, with, and *αἴσθησις*, the sense of the eye) Morbid adhesion between the globe of the eye and the orbit.

**Synchondro'sis** (from *syn*, with, and *χόνδρος*, a cartilage). The union of bones by means of an intervening cartilage.

**Synchondrot'omy.** Synchondrotomia. Synphysiotomy.

**Syn'chronous** (from *syn*, with, and *χρονος*, time). Occurring at the same time.

**Synchy'sis** (from *συνχω*, to confound or dissolve). A term applied in Pathology to softening of the humors of the eye, from injury or other cause, or to the conversion of the vitreous humor into a fluid state.

**Syncl'i'nal** (*syn*, and *κλίνα*, to bend) Inclining or bending together.

**Syn'clonus** (from *syn*, with, and *κλονω*, agitation). A genus of diseases in Dr Good's "Necology" comprehending those affections characterized by tremulous and clonic agitation of the muscles, particularly when excited by the will. Simultaneous clonic contraction of a number of different muscles.

**Synclonus Bellie'mus.** Shaking palsy

**Syncoen's'tis** (from *syn*, together, and *κοινός*, to carry or bring) Bread of unbolted meal. Also a cataplasm made of such meal.

**Synco'pal** (*syncope*) A term applied to a variety of intermittent fever characterized by frequent attacks of syncope.

**Syn'cope** (from *συνωπναι*, to fall down). Fainting; swooning. A partial or complete temporary suspension of the functions of respiration and circulation. Treatment Lowering of the head, elevation of extremities, strict maintenance of the recumbent position or posture, and diffusible stimulants, such as ammonia, ether, and alcohol.

**Syncope Angino'sa.** Angina pectoris.

**Syndesmi'tis** (*συνδεσμιτις*, a ligament) Inflammation of the ligaments.

**Syndesmol'ogy** (from *συνδεσμος*, a ligament, and *λογία*, a discourse). Syndesmologia. That part of Anatomy which treats of the ligaments.

**Syndes'mo-pharynge'us.** The constrictor pharynx medina.

**Syndesmos.** A ligament.

**Syndesmo'sis** (from *συνδεσμιτις*, a ligament) The union of bones by a ligament.

**Syndesmot'omy** (from *συνδεσμιτις*, ligament, and *τομή*, to cut) Syndesmotomy. Dissection of the ligaments.

**Syndes'mus.** A ligament.

**Synechl'sis** (from *syn*, with, and *εχαι*, to have, or to hold) Adhesion of the iris with the cornea or with the capsule of the crystalline lens.

**Syne'ma** or **Synne'ma** (*syn*, together, and *νῆμα*, thread) A column of filaments.

**Syn'ergy** (*syn*, and *εργον*, work). The combined action of several organs directed to one end, as in digestion.

**Syneti'sis** (from *syn*, with, and *γενεσις*,



operation). *Apophysis*. Closure or obliteration of the pupil of the eye. It may be *congenital* or *accidental*, *simple* or *complicated*, according to the time of its occurrence or the nature of the affection.

*Syngenes'is* (from *syn*, together, and *genesis*, generation, growth). A term applied in *Biology* to a class in the sexual system of *Linnaeus* comprehending plants in which the stamens are united by anthera.

*Synsarcose'is*. A synonym of *syndesmosis*.

*Syn'ochus* (from *synexō*, to continue) *Inflammatory fever*.

*Syn'ochus* (*synochus*). Pertaining to or having the characteristics of *synocha*.

*Syn'ochus* (from *synexō*, to continue). Continued fever, or a fever which is inflammatory at first, but which ultimately becomes typhoid.

*Synochus* *Pn'tris*. Typhus gravior.

*Synonym*, *Syn'onymy*. One of two words in the same language which have the same or a similar signification. An equivalent or superseded name.

*Synop'sis*. A collection of matter so arranged as to present the principal parts in a general view.

*Synosteo'graphy* (from *syn*, with, or *syn*, a bone, and *graphein*, to describe). *Synostegraphia*. An anatomical description of the articulation of bones.

*Synosteo'logy* (from *syn*, with, or *syn*, a bone, and *logos*, a discourse). *Synostecologia*. That part of *Anatomy* which treats of the joints.

*Synosteo'sis*. Union by means of bones or osseous deposit.

*Synosteo'smy* (from *syn*, with, or *syn*, a bone, and *temno*, to cut). *Synostecotomia*. The dissection of the joints.

*Synosteo'sis* (from *syn*, with, and *osteo*, bone). The union of fractured bones by osseous material.

*Synov'ia*. The viscous and serous fluid exhaled by the synovial membranes of the movable articulations to lubricate the joints.

*Synov'ial* (*synovial*). Belonging or relating to the *synovia*.

*Synovial Glands*. The fatty fibrous found within the synovial capsules of some of the joints.

*Synovial Membrane*. The membrane surrounding the movable articulations, which secretes the *synovia*.

*Synovi'tis*. A term sometimes applied to inflammation of a synovial membrane.

*Synys'is*. Tension of parts.

*Synys'is*. Articulation.

*Synys'e'is* (from *syn*, with, and *syn*, a tendon). The articulation of bones by tendons.

*Synys'is*. Mammæ; consumption.

*Synther'mal* (*synthermalum*; *syn*, together, and *thermos*, heat). Of equal heat or temperature.

*Syn'thesis* (from *synthesis*, to compose). In *Chemistry*, the combination of several bodies for the formation of a new compound, or the reunion of the elements of a compound previously separated by analysis. In *Surgery*, the reunion of parts which have been divided.

*Synthetic*. Relating to *synthesis*. *Synthetic operations* in *Chemistry* are those in which compounds are formed by the union of elements or component substances.

*Synthetic'mus* (from *syn*, together, and *thesis*, to place). In *Surgery*, the reduction of a fracture.

*Syn'tonin*, *Syn'tonine*. A peculiar substance obtained from muscular fibre by the action of dilute muriatic acid, a proteid identical with acid albumin produced by the action of acids upon myosin.

*Synsot'ica*. Remedies which promote the healing of a wound.

*Synsyme'matis* (from *syn*, with, and *syn*, a membrane). *Synsymetia*. The connection of bones by a membrane.

*Syphil'ides* (from *syphilis*). Skin diseases arising from *syphilis*.

*Syphilico'thus*. Copper-colored, scaly eruptions or patches from *syphilis*.

*Syph'ilia*. (The origin of this word is obscure. Some derive it from *sealer*, filthy.) A constitutional contagious, infectious, and incurable venereal disease, which consists of certain morbid phenomena produced in various textures of the body by the action of a specific poison, commencing with chancre and followed by bubo, ulcers in the throat, copper-colored blotches on the skin, pains in the bones, nodes, etc. *Congenital* or *hereditary* is derived from one or both parents during fetal life. *Primary* is the stage of the chancre and bubo. *Secondary* is the stage of secondary affections, and of organs not directly inoculated. *Tertiary* is the reappearance of syphilitic lesions after the secondary symptoms have subsided. *Syphilitic Ind'ica*. See *FRANKEL*.

**Syphilis, Secondary.** The form of syphilis after the morbid matter has been absorbed and diffused through the system. The symptoms—called secondary symptoms—are ulcers in the throat, blotches on the skin, pain in the bones, etc.

**Syphilis/mans.** Syphilis.

**Syphilis/tic.** Pertaining to syphilis.

**Syphilitic Teeth.** Teeth presenting the malformation diagnostic of the disease, such as dwarfing and notching of the upper centrals of the permanent set, also typically narrow, in the centre of cutting edge a deep vertical groove or notch, prolonged upward by a shallow groove in the middle of the labial surface, lower front teeth, especially the centrals, narrow, peg-like, and notched. Cases of epilepsy are reported with a syphilitic history and characteristic teeth.

**Syphilitic/tion.** Inoculation with the pus of a chancre. Also immunity against fresh inoculations of syphilis.

**Syphilitoid** (from *syphilis*, and *eidos*, resemblance), Pseudo-syphilis. A term applied to ulcers and other affections which resemble syphilis.

**Syphilitoma.** See GUMMA

**Syringomphos/sis** (from *συν*, *syn*, whistling, and *φων*, *phon*, voice). A shrill whistling voice.

**Syringismus.** Tinnitus aurium.

**Syring/sis.** A syringe, tube, or fistula.

**Syringe.** An instrument into which any liquid may be drawn, and afterward ejected with violence. Used for cleansing cavities.

**Syringe, Air, or Chip-blower.** A syringe used to clean out cuttings from the cavity of a tooth during its preparation for filling.

**Syringe, Electric Warm-air.** In which the air, before passing through the nozzle, is heated by electricity, thus maintaining an even degree of heat.

**Syringe, Hot-air.** An instrument for introducing hot air into cavities of teeth. Employed in the treatment of pulpless teeth, hyper-sensitive dentine, and for drying cavities in the operation of filling them; the metallic bulb is heated over a lamp or Bunsen burner, when a continuous stream of heated air is forced through the nozzle into the cavity.

**Syringe, Hot-air, Improved.** An instrument for drying cavities, consisting of a rubber bulb with a metal guard and a metal turret with valve, this turret being heated over a spirit-lamp to such a degree as to warm the

air injected through it by means of the rubber bulb.

**Syringe, Hypodermic.** An instrument employed for hypodermic injection, with a graduated piston-rod and jam-out to set for the exact quantity of fluid to be discharged.

**Syringe, Tooth.** See TOOTH-STRIVER.

**Syringotomy.** A knife used in the operation for fistula in ano.

**Syringotomy** (from *συν*, *syn*, a pipe, and *τομή*, *tomē*, to cut). Syringotomy. The operation of cutting for fistula in ano.

**Syrinx.** A fistula. A syringe. A pipe.

**Syrinx Hiera.** The spinal column.

**Syrinx/mosis.** A gentle evacuation by vomiting or stool.

**Syrup.** Sirup. Syrupus.

**Syrupus.** A term employed in Pharmacy to designate a liquid conserve made by dissolving sugar with some plant, or in water, either with or without medicinal impregnation.

**Sys/sis** (from *σύν*, *syn*, to contract). A genus of disease comprehending convulsions, epilepsy, and hysteria.

**Syssarco/sis** (from *σύν*, *syn*, with, and *σάρξ*, *sarx*, flesh). The union of bones by means of muscles, as the os hyoides with the sternum and other parts.

**Systole.** Systole (which see).

**Systaltic.** Capable of contracting. A term applied to the movement of parts, as the heart and arteries, which alternately contract and dilate.

**Systaltica** (from *συσταίνω*, *to synestainō*). Nervous diseases which affect several or all the sensorial powers at one time. The fourth order in the class Neurotic of Dr Good.

**System** (*systeme*; from *σύν*, *syn*, with, and *τάω*, *taō*, to place). In Anatomy, an association of organs which—as the bones, arteries, veins, or nerves—are destined to execute analogous functions, and hence the osseous, arterial, venous, and nervous systems. In Physics, the arrangement of bodies, as of the planets, around a common centre, exhibited in the system of the universe. In Natural History, the methodical arrangement of beings, with a view to facilitating their study.

**System, Animal.** The general system.

**Systematic.** Of or pertaining to a system intended to carry out some special function; methodical.

**Systermatism.** In Medicine, the collection of all the facts pertaining to an epidemic, whether correct or erroneous.

**Systematol'ogy** (from *systema*, a system, and *logos*, a discourse). **Systematologia**. A treatise or discourse on systems.

**Systém'ic**. Pertaining to the general system or whole organism.

**Systémic Circula'tion**. The circulation throughout the whole system, as distinguished from that through the lungs, which is called the pulmonary or pulmonary circulation.

**Syst'ole** (from *ovella*, to contract). The contraction of the heart to give impulse to the blood and carry on the circulation. See **DIASTOLE**.

**Systol'ic**. Pertaining to systole. Drawing together or contracting.

**Systrem'ma** (*ovrepeta*, to twist or roll together). Cramp in the muscles or calf of the leg. Same as **COXARIUM MORBUS**.

## T.

**T**. Abbreviation of *temper* and *tempera*ture.

**Ta**. The symbol of columbium.

**Tab'ac Folis** (*tabacum*) The dried leaves of *Nicotiana tabacum*.

**Tab'acum**. *Nicotiana tabacum* Tobacco.

**Tabed**. Emaciated.

**Tabet'is** (diminutive of *tabula*, a table). A *tabetis*. A lassaie or trocha, consisting of one or more medicinal agents incorporated with sugar and malleage; usually of a flattened, oval shape. See **THOENACON**.

**Tab'as** (from *tabere*, to consume) **Marasmus tabes**. Wasting of the whole body, attended by hunger and fever.

**Tabes Cox'aræ**. A wasting of the thigh and leg from abscess in the hip.

**Tabes Dorsæ/Hæ**. Locomotor ataxy. A disease characterized by great prostration of strength, dyspeptic symptoms, pain and weakness in the back and loins, gleet and impotence, hectic fever, and general emaciation; due to atrophy and degeneration of the nerve-fibres, with hypertrophy of the connective tissue.

**Tabes Glandula'ris**. **Tabes mesenterica**.

**Tabes Mesenter'ica**. **Tabes scirrhosa**; **tabes glandularis**. Enlargement and tubercular degeneration of the mesenteric glands, attended with irritability and derangement of the digestive functions. It begins with loss of appetite, hunger, and pain in the back, followed by tenderness of the abdomen and shelly appearance of the alvine evacuations, which are sometimes mixed with blood and mucus.

**Tabes Pulmonæ/Hæ**. **Phthisis pulmonalis**.

**Tabes Saturn'ina**. Wasting from lead poison.

**Tabes Urinæ/Hæ**. **Diabetes**.

**Tabes'cent** (*tabesce*, to waste away). Wasting or shrivelling.

**Tab'id** (*tabides*). Consumptive; emaciated; waste by disease.

**Tab'idness**. State of being wasted by disease.

**Tab'itude**. The state of one affected with *tabes*.

**Tab'is** (*tabula*) An extended surface; applied in *Anatomy* to either one of the two plates or layers forming the bones of the cranium, one external and one internal; the inner is called the vitreous table.

**Tablespoon**. A measure approximately equivalent to four fluidrachms.

**Tab'let**. A lassaie or trocha.

**Tab'ma**. A table.

**Tabula VI'trea**. The glassy table, a term applied in *Anatomy* to the internal table of the skull, on account of its brittleness.

**Taciturn'ity** (*taciturnitas*; from *taceo*, to be silent). The condition of a person who does not speak. It is often a symptom of nervous affections, particularly of melancholy.

**Tact** (*tactus*; from *tango*, to touch). Passive sensation, or the faculty by which the cutaneous membrane is made sensible of the presence of a body without being able to see it.

**Tact'ile** (*tactilis*; from *tango*, to touch). Susceptible to touch; that which may be felt; tangible.

**Tact'ion** (*tactio*, from *tango*, to touch). The act of touching.

**Tact'us**. **Tact**. Sense of touch.

**Tact'us**. **Tapeworm**.

**Tania Hippocampi** (*corpora fimbriata*). The plicated edges of the processes of the fimbria, which pass into the inferior cornu of the ventricles of the brain.

**Tania Læta**. The broad tapeworm, *Bothrioccephalus lætus*.

**Tania Semicirculæris**. A grayish semi-transparent layer running in the groove that separates the thalamus opticus from the corpus striatum in the lateral ventricle of the brain.

**Tania Solium**. The long tapeworm, varying from three or four to thirty or forty feet in length, and it is said to have attained a growth of 600 feet.

**Tania Tæni**. A band of a yellowish color passing over the vena corpora striata of the brain.

**Tænioid** (from *tænia*, a ribbon, and *oides*, likeness) Ribbon-shaped, like the tænia, or tapeworm.

**Tænioma**. One of the ultimate solid particles of which the essential living substance of a cell is supposed to consist.

**Talbot's Combined Surgical and Mechanical Method**. To avoid the delay caused by the slow absorption of the alveolar process while a tooth is moved in correcting its irregular position, Dr. Talbot advocates the removal of a portion of the process in the path of the advancing tooth.

**Talbot's Method of Regulating Teeth**. A method which consists of the use of coiled wire elastic springs.

**Talc**. A silicate of magnesium. A white unctuous powder, used in *Dental Practice* for hastening the setting of plastic fillings of zinc materials, and also used in sand-moulding.

**Talc Earth**. Magnesia.

**Tallico'tium Operation**. An operation to restore lost or defective parts, so called because first introduced by Caspar Taliacontius. This operation is called rhinoplastic, cheloplasty, etc., according to the part restored.

**Talipes** (from *talus*, the ankle, and *pes*, foot). Club-foot.

**Talipes Equinus**, or Horse-foot. Club-foot from simple retraction of the heel.

**Talipes Valgus**. Club-foot with distortion outward, or eversion.

**Talipes Varus**. Club-foot with distortion inward.

**Tallow** (*sebum*). A fat obtained from the coat of the ox and sheep.

**Tal'pa** (*talpæ*). A mole. A weasel. The

term has also been applied to a kind of tumor situated on the head, from its seeming to burrow, like a mole, under the scalp.

**Talus** (from *talus*, a small die). The astragalus, a bone of the ankle.

**Tam'arac**. The bark of *Larix americana*. Tonic and mildly astringent. Used on mucous membranes.

**Tam'pon**. A French word, meaning plug. A portion of rag or sponge used in plugging. See **PLUGGING**.

**Tam'ponnement**. Plugging.

**Tange** (*-w*) *Rancidity*. In *Pathology*, a kind of putrid tumor or abscess.

**Tan'gent** (from *tango*, to touch) Touching.

**Tan'nate**. Combination of tannic acid with a base, a salt of tannic acid.

**Tan'nic Acid** (*aciden tannicum*). Tannin; a vegetable acid found in most astringent barks, especially in the gall-nuts, sumach, kino, and catechu. It occurs in pale yellow scales of a very astringent taste and an acid reaction. It is soluble in water, alcohol, and glycerine. Formula,  $C_{12}H_{10}O_6$ . It is a valuable astringent, and in *Dental Practice* it has been employed for allaying the undue sensibility of teeth preparatory to forming a cavity for filling, and also for reducing inflammation of an exposed dental pulp, for alveolar hemorrhage, diseases of mucous membranes, such as mercurial stomatitis, necrosis of gums, ulceration and hypertrophy of gums, fungous growth of gums and of pulp, relief of odontalgia, sensativeness of teeth following the removal of salivary calculi, etc. For internal use the dose is gr. ij to gr. iv.

**Tan'nicum Purum**. Tannin.

**Tan'nin**. Tannic acid.

**Tannin**, Artificial. A dark substance produced by the action of nitric acid on charcoal or any substance containing charcoal.

**Tanno-gel'atina**. A yellow, flocculent precipitate, caused by a mixture of tannic acid with a solution of gelatin. It is the basis of leather.

**Tan'talum**. Columbium. Symbol, Ta. Atomic weight, 183. It is in the form of a black powder which assumes a gray metallic lustre under the burnisher.

**Tape of Gold Foil**. See **EXTRIN OR GOLD FOIL**.

**Tape-carrier**. A dental instrument intended to facilitate the use of cerivendum tape, and made upon the principle of a file-sawyer.

**Tapering.** *Diminute; attenuate; becoming gradually smaller in diameter toward one end.*

**Tape'rum.** A shining spot in the eye of certain animals, which is said to add to the intensity of the vision.

**Tapetum Alve'oli** (*membrana externa dentium*).

The periodontal membrane or inner lamina of the periodontal membrane.

**Tapeworm.** The popular name of two species of intestinal worms, *Tenia lata* or *Bothrioccephalus latus*, called the broad tapeworm, and *Tenia solium*, or long tapeworm.

**Tapio'ca.** The popular name of a fecula obtained from the root of the *Jatropha manihot*. There are two kinds of tapoca. One is in the form of irregular, hard, white grains, this is called *granular tapoca*. The other is *tapoca meal*, sometimes called *Brazilian arrowroot*. A food for invalids.

**Tap'pling.** In *Surgery*, paracentesis (which see).

**Tar.** The impure turpentine procured, by burning, from the wood of *Pinus palustris* and other species of *Pinus*.

**Tar, Barbadoes.** *Petroleum*

**Tar Water.** Water impregnated with tar.

**Tar'stasis** (τάρσις). *Taraxis*. A disordered state of the bowels, diarrhoea.

**Tarax'is.** *Taraxis*. Bowel complaint; diarrhoea. Also slight inflammation of the eyes or disordered sight.

**Tart.** Palm or cocoa wine, formerly used as a tonic.

**Tart'al, Pons.** See **PONS TARTAL**.

**Tart'al** (τάρσος). Relating to the tarsus.

**Tarsal Articula'tions.** The union of the tarsal bones.

**Tarsal Car'tilages.** The thin elastic plates which give shape to the eyelids.

**Tar'sus Lata.** Name given by Winslow to what he conceived to be three ligaments extending from the edge of the orbit to the tect, forming, as he supposed, a complete layer of the eyelid, but sold by other anatomists to be another substance.

**Tar'tum.** *Tarsus*.

**Tar'al Bristle'ear Mi'ner.** The plectenic munda.

**Tarso-metatar'sal.** An epithet designative, in *Anatomy*, of the articulations which connect the second row of the bones of the tarsus and the metatarsal bones; also the ligaments—disseminated into the dorsal and

plantar—by which these articulations are secured.

**Tarso'phary'nx** (from *tarsus*, and *pharynx*, a *tumor*). *Tumescence of the tarsus*.

**Tarso'rhaphy** (from *tarsus*, the tarsal cartilage, and *rhaphe*, suture). In *Surgery*, an operation for diminishing the opening between the eyelids when enlarged by surrounding cicatrices.

**Tarso'tomy** (from *tarsus*, the tarsal cartilage, and *tomia*, incision). In *Surgery*, an operation for the removal of the tarsal cartilages.

**Tar'sus.** In *Anatomy*, the instep, which, in man, is composed of seven bones—viz., the astragalus, or calcus, or navicular, and three cuneiforms. Also two thin cartilaginous layers situated in the substance of the edge of each eyelid.

**Tar'tar** (τάρταρος). The deposit attached to the inside of wine casks. Also the popular but erroneous name for the calcareous deposit which forms on the teeth. See **SALIVARY CALCULUS**.

**Tartar, Cream of.** Supersaturated of potash.

**Tartar Emet'ic** (*extenuans of potass tartar; emacians tartaricus*). Tartrate of antimony and potash. It is, according to the dose, an alterative, diaphoretic, diuretic, expectorant, purgative, and emetic. Externally it is used as a counter-irritant. Dose, as an alterative, from  $\frac{1}{12}$  to  $\frac{1}{4}$  of a grain. As an emetic, the dose is from gr. ij to gr. iij. See **VINUM ANTIMONII**.

**Tartar, Green.** A green or brown stain is so called which is common to the teeth of young persons, and due to an acid condition of the mucus.

**Tartar, Salt of.** Carbonate of potash.

**Tartar, Sol'uble.** Tartrate of potash.

**Tartar, Vatriol'ated.** Sulphate of potash.

**Tartar'ic Acid** (*acidum tartaricum*). Formula,  $H_2O, H_2O_2$ . The vegetable acid existing in cream of tartar, which, after being extracted, is a white crystallized solid, in the form of irregular six-sided prisms, having a strong acid taste, refrigerant and antiseptic. Dose, gr. x to  $\frac{3}{4}$  ss., found in grapes and other fruit. In *Dental Practice* it is employed, in combination with an equal quantity of chloride of lime, to bleach discolored teeth. It has also been employed in inflammation of the gums *Scorbuty*, in cancerous eru, and for fungous growths of gum and the dental pulp.

**Tar'tarum.** *Tartar*.

**Tartarum Emet'icum.** *Tartar emetic*.

**Tartarum Regeneratum.** Acetate of potassa.

**Tar'tarus Ammon'ialis.** Tartarum ammoniacum (which see).

**Tartarus Dentium.** Tartar of the tooth.

**Tar'tras.** Tartaric. A salt formed by the union of tartaric acid with a salifiable base.

**Tartarus Ammon'ialis.** Tartaric acid of ammonia.

**Tartarus Potass'icus.** Tartaric acid of potassa.

**Tartarus Potassae Acid'ulicus.** Bitartrate of potassa.

**Tartarus Sod'icus.** Potassio-tartrate of soda.

**Tar'trates.** A salt of tartaric acid.

**Ta'tula.** Extension; torsion.

**Taste (gustus).** That sense by which the flavor of solid bodies is perceived. The tongue is the principal organ of taste.

**Taste-bulbs or Taste-buds.** The end-organs of the gustatory nerves.

**Tasteless Salt.** Phosphate of soda.

**Taurocholeic Acid.** A crystalline biliary acid composed of taurin and cholic acid. Its salts (taurocholates), especially that of sodium, form the chief biliary salt of human bile.

**Taurocol'ic** (from *taurus*, a bull, and *col'ic*, glue). Glue made from the genitals and ears of the bull.

**Tax'is** (from *taxeo*, to order, to arrange). The replacement with the hand, without the aid of instruments, of parts which have left their natural situation, as in the reduction of hernia.

**T-bandage.** A bandage so named from its being shaped like the letter T. It is used for supporting dressings after the operation for fistula in ano, and in diseases of the perineum, anus, etc. There is also a double T-bandage, consisting of a transverse piece with two perpendicular pieces sewed to it.

**Ta.** Symbol of Tellurium.

**Tea.** The dried leaves of *Thea*, a genus of plants of the order *Turneraceae*, of which there are several kinds. See *THEA*. Also a refreshing beverage, consisting of a decoction, in boiling water, of tea leaves. The term is applied, too, to any decoction or infusion of vegetables, and sometimes of animal substances, as sage tea, chamomile tea, beef tea, etc.

**Tear (lacryme).** The limpid, saline, inodorous, and colorless humor secreted by the lacrymal glands, and poured out between the eyelids and globe of the eye.

**Teaspoon.** A measure approximately equal to one fluidrachm.

**Teat.** The nipple or projecting part of the female breast.

**Te'cedon.** Pthibin.

**Techn'ical** (*technicus*; from *τεχνε*, art) Pertaining to art; an epithet designative of words and phrases belonging exclusively to an art or to a particular profession.

**Technique.** Technica. The learning that relates to the arts.

**Techniques, Dental.** The preliminary teaching of dental students by a technical method, which includes ideas of practical dentistry, the regional anatomy of the tooth, formation of cavities, manipulation of fillings, study of the forms of root canals, shaying cavities, studying character of tooth; bone, enamel, cement, dentine, description of instruments, forming and tempering instruments, training the eye, judgment, and fingers; causes of decay, reparative treatment, filling materials, treatment of diseased teeth, making of silico-phosphate prints of sections of teeth, surface markings of teeth, also orthodontia technique, histological technique, prosthetic technique, etc., the object of this preliminary teaching being the instruction of students by the use of dummies, etc., so that they may commence their practical work on patients in the infirmary with a degree of confidence which will insure the safety of the patient and result in a total absence of all hesitancy and uncertainty on the part of the operator and also in more rapid advance of his progress.

**Technocaut'ic** (*τεχνε*, art, and *καυε*, a burning). Irritation by means of the application of hot iron, etc.

**Technol'ogy** (from *τεχνε*, art, and *λογε*, a discourse) Technologia. A description of or treatise on the arts. Also an explanation of the terms and phrases belonging to the arts.

**Tecnocton'ia.** Infanticide.

**Teeth (dentes)** In man, the small bones which occupy the alveolar cavities of the upper and lower jaws. They are the hardest calcareous portions of the body and the principal organs of mastication. They are distinguished into *erect, temporary*, or *deciduous teeth*, and *permanant* or *adult teeth*. The first division consists of three classes—namely (1) Incisors; (2) caninati; (3) molars. The second division consists of four classes—namely (1) Incisors; (2) caninati; (3) bicuspids; (4) molars.

The temporary teeth are twenty in number, ten in each jaw—namely, four incisors, two cuspids, and four molars. There are thirty-

two in the posterior set, sixteen in each jaw, which are designated as follows: Incisors, four; canines, two; premolars, four; molars, six. The third or last molar is sometimes called the *dens sapientie*, or wisdom tooth. For a description of the classes belonging to each division, see the articles respectively relating to them.

In speaking of the teeth in general, Mr. Alexander Hensmyth says they "may be regarded in the first place as the armory of the mouth, and in the second as the instruments by which the process of assimilation is commenced. They assist in seizing, dividing, tearing, and masticating the substances which the diversified surface of the earth, the fathomless depths of the ocean, and the boundless expanse of atmosphere afford, in infinite variety, as materials for building up the physical framework of animated existence. They present themselves as appendages of the skin, to the products of which, in some of their modifications, they bear a great resemblance, while in others they resemble true bone. The varieties which they present, throughout the range of the animal kingdom, correspond to the infinite diversities in the functions they are required to perform; and wonderful are the minute and perfect adaptations which they present in various animals to the wants and instincts of the latter. Indeed, from their peculiar conformation they indicate so exactly the type of animal to which they belong that they are found to furnish the best characteristic marks by which to classify the members of the animal kingdom. Their importance, therefore, from a scientific point of view, is very great, the aid which they afford to the naturalist being precise and definite, they have held a prominent place in all classifications of animals, and Brissou adopted them exclusively as his guide in this department of his labors. Such is the beautiful harmony of nature that the information acquired by means of these organs puts us at once in possession of a knowledge of many of the peculiarities and distinguishing habits of the animals to which they respectively belong. Moreover, the enduring nature of the materials which enter into their structure can not but give them additional value in the eyes of the geologist.

"Cuvier, whose scientific research was at once remarkable for its elevation and the generous and boundless of contemplation which it displayed, has witnessed, by his profound

labors, the field of physical philosophy; he has his torches in the abyss of time, to guide us in our inquiries into the past, which, were they solemnly presented, 'men, to whom only a temporary sojourn on earth has been accorded, would have the glory of unfolding the history of the thousands of centuries which have preceded his existence, and of the millions of beings who were not his contemporaries.'"

**Teeth, Abrasion of.** See **ABRASION OF THE TEETH.**

**Teeth, Apposition of the.** The arrangement is such that the greatest effectiveness of mastication is secured, two teeth receiving the impact of the half of two of the opposite jaw, thus distributing the force of occlusion, and in case of the loss of a tooth, the opposing teeth will still have antagonistic teeth.

**Teeth, Articulation of.** The teeth are united to the maxillary bones by a species of articulation called *gomphosis* (which see). Those having but one root depend greatly upon their nice adaptation to the alveoli for the strength of their union. Those having three or four often receive support from their divergence. But the periodontal membrane lining the alveolar cavities and investing the roots forms another bond of union, as do also the vessels entering the extremities of the roots, as well as the gums around their necks.

**Teeth, Artificial.** See **ARTIFICIAL TEETH** and **PORCELAIN TEETH.**

**Teeth, Atrophy of.** See **EROSION OF THE TEETH.**

**Teeth, Black.** See **BLACK TEETH.**

**Teeth, Caries of.** See **CARIES OF THE TEETH.**

**Teeth, Characteristics of.** The teeth present marked and striking differences in their appearance. They vary in volume, color, length, and arrangement, and all of these are indicative of the differences that exist in the susceptibility of these organs to disease.

Apart from the anatomical divisions into which these organs have been arranged, there are five principal classes or descriptions of teeth, each differing in some respects from the others. There are also a vast number of intermediate classes, the peculiarities of all of which it is impossible to describe.

**Class First.**—The teeth belonging to this class are of a medium size, and those of each class

\* "Cuvier sur les Ossements Fossiles," *Dictionnaire*, *Protes*, p. 42.

of uniform dimensions. They are of a dull white color, faintly tinged with yellow near the gum, which becomes more and more apparent as the subject advances in age, the enamel presenting a firm, glossy appearance. Teeth of this description are rarely affected with caries, and are most frequently met with in persons of a sanguineous temperament, or at least in those in whom this predominates. They are indicative of a good innate constitution, and of the most perfect health during the time they were undergoing ossification.

Such teeth are occasionally possessed by persons of all nations and classes, but far more generally by laboring people in healthy northern latitudes. Among the inhabitants of England, Ireland, and Scotland, and more especially the middle and poorer classes, they are very common. They are also frequently met with in the northern part of the United States, the Canadas, the mountainous districts of Mexico, and, so far as the author has had opportunity of informing himself, in France, Russia, Germany, and Switzerland. Those who have them generally enjoy excellent health, and are seldom troubled with dyspepsia or any of its concomitants.

**Class Second.**—The teeth of this class, though often very white, usually have a faint ashy appearance near the coronal extremity. They are rather long than short, the incisors are generally thin and narrow, the cuspidate very pointed, and the bicuspids and molars small in circumference, with prominent cusps and protuberances upon their grinding surfaces. The lateral incisors are sometimes very small and slightly pointed.

Teeth of this description are generally very sensitive, and easily acted on by corrosive agents.

They are also frequently affected with erosion, or have upon their surfaces white, brown, or opaque spots, varying in size and number. Several are sometimes found upon a single tooth, and in some instances every tooth in the mouth is more or less marked with them.

Teeth possessing these characteristics are indicative of a weakly innate constitution and of blood too serous to furnish the materials necessary for teeth of the best quality.

They are more common to females than males, though many of the latter have them. They are met with among people of all countries, but far more frequently among those who reside in sickly, southern latitudes, or whose

systems have become enervated by luxurious modes of living. Among the inhabitants of Great Britain they are more rare than among those of the United States, and those who have them seldom attain to a great age.

**Class Third.**—The teeth belonging to this class, though differing in many respects from those last noticed, are, nevertheless, not unlike them in their texture and in their susceptibility to the action of deleterious agents. The crowns of such teeth are much larger than those of the first class, their surfaces are rough and irregular, with protuberances rising not only from the grinding surfaces of the bicuspids and molars, but also not infrequently from their sides, with correspondingly deep indentations. They usually have a dull white color. The crowns of the incisors are broad, long, and thick.

This description of teeth decay readily, and in some instances appear to set at defiance the resources of the dentist. They are liable to be attacked at almost every point, but more particularly in their indentations and on their approximal surfaces.

**Class Fourth.**—The teeth of this class generally have a white, chalky appearance, are unequally developed, and have a very soft texture. They are easily acted upon by corrosive agents, and, like the teeth last noticed, when attacked by caries usually fall speedy victims to the ravages of the disease.

The teeth belonging to classes three and four are usually met with among persons of lymphatic-serous constitutions.

**Class Fifth.**—The enamel of the teeth belonging to this class usually has a white, pearly gloss. The crowns are long, generally rather small in circumference, though often well developed. Teeth of this description are generally regarded by medical writers as indicative of a tendency to phthisis pulmonalis, and they are supposed by some to be very durable. But this opinion is not well founded. The occurrence of febrile or other forms of constitutional disease which cause an alteration of the fluids of the body is usually followed by rapid decay of the teeth. The author has been led to believe, from the frequent observation of this fact, that the buccal fluids in strumous and consumptive individuals are less prejudicial to the teeth than in other constitutions, and that it is chiefly owing to this that the kind of teeth under consideration are so seldom attacked by caries.



There are many other characteristics which the teeth present in shape, size, density, and color, from which valuable indications might be made, both with regard to the health condition and the means necessary to their preservation; but on the limits we have prescribed to this article will not admit of their consideration, we shall conclude by observing that the appearance of these organs vary almost to infinity. Each is indicative of the state of the general health at the time of their formation, and of their own physical condition and susceptibility to injury.

**Teeth, Decaying of.** See **DECAYING OF THE TEETH.**

**Teeth, Development of.** In the development of the dental follicles of the human teeth is exhibited one of the most curious and interesting operations of the animal economy. From small mucous papillae, observable at a very early period of intra-uterine existence, they, in obedience to certain developmental laws, gradually increase until they attain the size of the crowns of the teeth they are respectively destined to form. They then begin to calcify, and this process, commencing on the cutting edges of the incisors, the points of the cusps of the cuspids, bicuspids, and eminences of the molars, extends over the whole surface of their crowns, until they are invested in a complete layer of bone, and so layer after layer is formed, one within the other, until nothing remains but a small cavity in each tooth, which contains the rudiment of the pulp. In the meantime the enamel and roots of the teeth begin to form.

In the earliest stages of development a slight longitudinal depression is seen in the epithelium covering the borders of the jaws, which is increased in depth by the addition of a ridge on either side of it. At the bottom of this groove the deepest layer of the epithelium (Malpighian) dips down into the corium as a continuous fold or lamina, with a downward and slightly inward curve. The continuity of the fold is then broken up, and the enamel organ appears as a process of the epithelium having a club-shape. The outer layer of the enamel organ is composed of cells, columnar in shape, which yet maintain their connection with the Malpighian layer of the epithelium above, and from which they originate, while the interior of the organ—the most expanded portion—is made up of polygonal cells. The edges of the enlarged extremity of the enamel

organ develop more rapidly than the center, which gives to it a heart- or bell-shape with the convexity downward.

At the same time, or in accordance with this development of the enamel organ, a papilla arises from the corium beneath, and is closely invested by the enamel organ, and this appearance of the papilla denotes the earliest stage of development of the dentine. The surface of this papilla is then covered by a layer of cells known as odontoblasts, which change into a gelatinous matrix, and they are next calcified from the outer surface inward in the form of a cap of dentine over the entire bulb of the papilla. The central portions of the odontoblasts, which remain uncalcified, form the dentinal fibrilla, while the lateral processes produce the numerous anastomoses of the dentinal tubuli and fibrilla of the adult tooth.

During this evolution of the dentinal papilla the enamel organ—which at the last stage noticed consisted of an outer layer of columnar epithelium, covering the convex portion and connected to the Malpighian layer above by a slender cord, and was also made up of an internal portion consisting of polygonal cells—has developed (coincidentally with the change of the dentinal papilla into a club- or bell-shape, and the formation of the odontoblasts) a peripheral layer of cells in juxtaposition with the dentinal papilla, which cells undergo great elongation and enlargement, forming regular six-sided prismatic enamel cells. In the interior of the enamel organ, coincident with this formation of enamel cells, the polygonal cells are transformed into stellate cells, which compose a stellate reticulum, these stellate cells having elongated processes, which pass through a series of unchanged cells, known as the stratum intermedium, into the enamel cells. Before the enamel is fully formed the external epithelium, the stellate reticulum, and the stratum intermedium atrophy and completely disappear. Before this disappearance the epithelial cords of the enamel organs of the deciduous teeth give origin to the germs of the permanent teeth which have deciduous predecessors, and which are developed in the same manner as the germs of the deciduous teeth. Each dental follicle consists of the enamel organ and dental papilla, enclosed by a net wall,—dental mesoderm,—the latter arising from the corium at the base of the dentinal papilla, in

the form of processes which grow upward on the outside of both the dental papilla and enamel organ, so as to enclose them in a short sac, known as the "dental sacculus."

The permanent teeth, having no deciduous predecessors, are developed directly from the epithelium and corium, in the same manner as the deciduous teeth.

The cementum of the teeth is developed from the fully formed dental sacculus, which consists of an outer and an inner wall, both highly vascular, the inner wall containing osteoblasts which calcify into cementum in the same manner as ordinary bone, while the outer wall becomes the periodontal membrane which invests the root. The close application of the inner wall of the dental sacculus to the surface of the enamel, and its partial or incomplete calcification, give origin to the membrane of Nannyth.

The last molar follicle is completed during the thirteenth week, and the different papillae, instead of remaining simple rounded masses of granular matter, assume the shape of the future teeth they are respectively destined to form. During this period the papillae grow faster than the follicles, and, consequently, protrude from them. In the meantime the sides of the follicles are becoming more developed, "so as to form opercula, which correspond in some measure to the shape of the crowns of the future teeth." The incisor follicles have two—one anterior and one posterior, the first larger than the latter; the cuspidal follicles have three—one external and two internal, the molar follicles, as many as there are protuberances upon their grinding surfaces.

By the fourteenth week the lips of the follicle have increased so much as to meet or apply themselves together in a "valvular manner," giving to the papillae the appearance of having receded back into their follicles, so that they are almost completely hidden by their opercula. The development of the germs and follicles of the teeth of the lower jaw is almost precisely similar to those of the upper, though these teeth are rather more tardy in making their appearance.

At the last-mentioned period "the dental groove" occupies a higher level than it did at first, and it is at this time that provision is made for the production of the ten anterior permanent teeth. It consists of the appearance of crescent-shaped depressions behind

the inner opercula of the follicles; first, of the central incisors, then of the laterals, next of the cuspidal, and, lastly, of the first and second temporary molars. This occurs about the fourteenth or fifteenth week, and about the same time the edges or margins of the follicles approach each other, and close the mouths of the follicles, beginning with the central incisors, next with the laterals, then the cuspidal, and ending with the second molars. Commencing from behind and proceeding forward, the lips and walls of the secondary follicles now begin to adhere, the follicles have become closed sacs. From the time the follicles of the temporary teeth close, they "become gradually moulded into their peculiar human shape. The molar pulps begin to be perforated by three canals, which, proceeding from the surface to the centre, gradually divide their primary base into three secondary bases, which become developed into the roots of the future teeth." The sacs, in the meantime, "grow more rapidly than the pulps," leaving an intervening space, "in which is deposited a gelatinous granular substance, at first in small quantity, and adherent only to the proximal surfaces of the sacs, but ultimately, about the fifth month," becomes "closely and intimately attached to the whole interior of these organs, except for a small space of equal breadth, all around the base of the pulp, which space retains the original gray color of the inner membrane of the follicle, and, as the primary base of the pulp becomes perforated by the canals formerly mentioned, the granular matter sends processes into them, which, adhering to the sac, reserve the narrow space, described above, between themselves and the secondary base. These processes of granular matter do not meet across the canals, but disappear near their point of junction. The granular matter is closely applied, but does not adhere to the surface of the pulp," but is exactly moulded to all of its eminences and depressions.

At the fundus of the sac each branch of the dental artery sends off small branches to the outer membrane of the sac, and the "true" or inner membrane is supplied from arteries from the gums, after having been cut off by the twigs sent off by the dental artery, but none of these are sent to the granular substance. "The dental branch, after giving off these secondary twigs, divides into a number of convoluted ramifications between the

roots of the pulp and the sac, from which stimuli transmitted into the pulp itself. In the case of the molars, the main branches divide into three secondary branches, one for each of the secondary sacs." From these the sac and pulp are supplied with blood.

During these changes in the sac of the temporary tooth "the follicle of the first permanent molar closes, and granular matter is deposited in its sac." Below the sac of this tooth, or between it and the gum, there is a cavity of reserve "of delicate mucous membrane," formed by the union of the edges of the secondary groove, from which the materials for the formation of the second and third permanent molars are derived.

But, previous to this period, a "raised border and same-like vascularity" has formed around the apices and eminences of the pulps of the temporary teeth, almost simultaneously with which the process of ossification commences. The inner surface of the granular matter is at the same time absorbed, and ultimately becomes so thin as to render the subjacent vascularity apparent. The absorption continues, and by the time the surface of the crown has become covered with a layer of bone, no remains of it are perceptible. As yet little change has taken place in the cavities of reserve for the teeth of replacement, or those for the two posterior molars. The former, however, "have been gradually receding from the surface of the gum, so as to be posterior instead of inferior to the milk sac. The two or four anterior, about the fifth month, begin to dilate at their distal extremities, across which a fold appears, which is the germ of the future pulp, lying in the direction of the cutting edge of the future tooth; and at the proximal or acute extremities of the cavities two other folds, an anterior and a posterior, appear." These are analogous to the opercula of the follicles of the temporary teeth. The bulgings at the distal extremities of the cavities of reserve soon assume the appearance of dental pulps, and the mouths of the cavities are gradually closed.

"The cavities of reserve have now become tooth-sacs, and under this form they continue to recede from the surface of the gum, imbedding themselves in the spongy cellular tissue, which has all along constituted the external layer of the milk-sac, and in which the larger, arterial vessels ramify before

arriving at the true mucous membrane of the sac. This imbedding of the permanent in the walls of the temporary tooth-sac gives the former the appearance of being produced by a gemmiparous process from the latter."

By the sixth month they have formed across the alveolar groove, and niches are now seen on the "posterior walls of the alveoli" for the sacs of the permanent teeth. Up to the eighth, and even to the ninth, month the sac of the first permanent molar is imbedded in the maxillary tuberosity. At or a little before birth the roots of the temporary incisors begin to be formed, and, "in the accomplishment of which," says Mr. Goodale, "three contemporaneous actions are employed—viz., the lengthening of the pulp, the deposition of tooth-substance upon it, and the adhesion to the latter of that portion of the inner surface of the sac which is opposite to it." By the time the central incisors begin to appear through the gum the jaw has lengthened sufficiently for the first permanent molar to assume its "proper position in the posterior part of the alveolar arch." During the advance of the temporary teeth the sacs or follicles of the permanent continue to recede, and to "insinuate themselves between the sacs of the former."

About the seventh or eighth month after birth the cavity of reserve behind the first permanent molar "begins to lengthen, to bulge out, and to curve backward and upward at its posterior extremity, under the form of a sac, into the mass of the maxillary tuberosity; a papilla soon appears in its fundus, a process of contraction spanning it from the remainder of the cavity. This new follicle, which is that of the second permanent molar, now occupies the position in the maxillary tuberosity which the first permanent molar did before it." As the jaw lengthens, it leaves this position and drops downward and forward on a level with the other teeth. In the meantime the follicle of the third molar, or dens splanctis, is developing, and this, as the other molars had done, takes a position in the maxillary tuberosity, where it remains until the jaw lengthens sufficiently for it to take its place behind the second molar, which it does at from the seven-month to the twentieth year.

The gelatinous granular substance described by Goodale, situated between the sac and tooth-germ, investing the latter, at first loosely, but afterward moulding itself completely to it, is the enamel organ. It is said

by Reeshow to form a "globular nucleus" between the follicle and dental germ at a very early period of the growth of the latter, presenting a parenchymatous appearance internally; but it gradually exhibits angular granulations, held together by "elements of cellular tissue," resembling "a kind of actinomyces, such as may be seen in plants." At first it has no connection with the germ of the tooth, and is surrounded by fluid resembling the liquor amnii, but it is gradually transformed into a membrane. When the pulp begins to ossify it attaches itself to it, and adheres with considerable tenacity. About this time a peculiar organ is seen on its inner surface, which the last-named author describes as "consisting of short, uniform fibres, placed perpendicularly to the cavity, and forming, as it were, a silky lining" to it, which, in a transverse section, may be "clearly seen, and can be accurately distinguished from the stellated parenchyma of the substance" which Reeshow designates the enamel-pulp. Each of these fibres he regards as an excretory duct or gland, whose peculiar function is to secrete the "enamel fibre corresponding to it." After the commencement of the calcification of the dental pulp, each one of these fibres, with its inner extremity placed on the now-forming subjacent dentine, begins to secrete the earthy salts of which this substance is chiefly composed. While this is going on, organic lymph, says the last-named writer, seems to be secreted from the parenchyma of the enamel membrane which penetrates between the individual fibres, rendering their whole substance soft, and this, by means of a sort of "chemico-organic process," afterward combines with the earthy substance, forming the animal base of the enamel.

**Teeth, Deviation in the Growth and Form of.** There are no organs of the body which are subject to more remarkable deviations in their form and growth than the teeth. Albinus mentions a case where two teeth, one on the right and the other on the left side, were found "enclined in the roots of the processes which extend from the maxillary bones to the extremities of the nose."

Mr. John Hunter mentions a case of a somewhat similar character.

Mr. G. Walke met with a case in which the crown of an upper cuspidatus was imbedded in the jaw, while the apex of the root protruded from it.

In the museum of the colleges of dental surgery there are numbers of cuspid teeth, each having two well-developed roots.

In a collection in the dental department of the University of Maryland there is a preparation in which are displayed two inverted supernumerary teeth in the base of the maxillary bone, and several inverted teeth closely joined in the bifurcation to the roots of molars. Marry mentions a case in which the right central incisor pointed toward the wing of the nose. Fully developed teeth have also been found in the maxillary sinus. There is in the upper jaw of an adult skull in the museum of the Baltimore College of Dental Surgery, between the central incisors in the substance of the bone, a supernumerary tooth, the crown of which points upward toward the crest of the nasal plates of the two bones. The whole tooth is about one inch in length, and the apex of the crown is nearly on a level with the floor of the nasal cavity.

Teeth sometimes deviate as much in form as in growth. Mr. Fox gives a drawing of a tooth shaped like the letter S, and there is a central incisor in the museum of the Baltimore College of Dental Surgery, and also one in the dental department of the University of Maryland, which has its root bent up upon the labial surface of the crown, also, in the former college, two teeth in which the roots, while in the pulp state, were reflected upon the crown, and in this state were ossified. The teeth were presented by the late Dr. John Harris, who extracted them from the right side of the upper jaw of a young man about twenty-five years of age.

The incisors and cuspidati sometimes, though very rarely, have two roots, the bicuspidi three, and the molars four, five, and occasionally six.

**Teeth, Differences in the Liability of, to Decay.** See **CARIES OF THE TEETH.**

**Teeth, Diseases of.** See **CARIES OF THE TEETH.** Also **ERUPTION, EXOSTOSIS, NECHROSIS, DENDRATISM OF,** etc.

**Teeth, Displacement of, by a Deposition of Bone in Their Sockets.** Hypertrophy of cavities. The teeth are sometimes forced from their sockets by a deposition of osseous matter in the alveolar cavities. This occurs more frequently with the incisors than with any of the other teeth, and it rarely happens that more than one is affected by it at the same time. Although the deposition gener-

ally counteracts at the bottom of the cavity, pushing the tooth from the socket, it sometimes takes place on one side, forcing the tooth against the opposite wall, which suffers a corresponding loss of substance. In this way, one and sometimes two or more teeth are forced asunder, and caused to take an improper position. Sometimes the central incisors are forced apart a quarter of an inch, at other times they are forced against each other, and caused to overlap.

The cause of this affection is supposed to be irritation of the periodontal membrane, occasioned, most probably, in the majority of cases, by pressure against the tooth, and it is doubtless favored by some peculiar constitutional diathesis.

**Tooth, Elongated or Extruded.** See **ELONGATED TEETH.**

**Tooth, English Tube.** See under **PORCELAIN TEETH.**

**Tooth, Eruption of the.** See **DENTITION.**

**Tooth, Exostosis of.** See **EXOSTOSIS OF THE TEETH.**

**Tooth, Extraction of.** See **EXTRACTION OF THE TEETH.**

**Tooth, Eye.** The cuspidate of the upper jaw.

**Tooth, Filling of.** See **FILLING TEETH.**

**Tooth, Formation of.** See **TEETH, DEVELOPMENT OF PULPS AND SACS OF**

**Tooth, Fractures of the.** See **FRACTURES OF THE TEETH.**

**Tooth, Functions of.** The mechanical subdivision of food substances preparatory to their digestion.

**Tooth Functions, Elements of.** Prohibition, holding, crushing, masticating, and insalivation.

**Tooth, Irregularity of.** See **IRREGULARITY OF THE TEETH.**

**Tooth, Malformation of.** See **TEETH, DEVIATION IN THE GROWTH AND FORM OF.**

**Tooth, Mechanical Design of.** From a simple cone, the primitive typical form, to biconoid and quadriconeoid forms.

**Tooth, Milk.** The temporary tooth.

**Tooth, Molar.** The last three teeth on each side, in each jaw.

**Tooth, Morbid Effects of Disposed.** The painful phenomena resulting from the irritation of displaced teeth. See the various articles on the diseases of the teeth.

**Tooth Moulds.** Moulds in plaster of Paris or metal employed in moulding porcelain teeth. See **PORCELAIN TEETH.**

**Tooth, Neck of the.** *Collum dentium.*

**Tooth, Macrodon of.** See **MACRODON OF THE TEETH.**

**Tooth, Osseous Union of.** Examples of osseous union of two or more teeth, though rare, are nevertheless occasionally met with. In 1835 the author was consulted, while on a visit to Richmond, Va., by two gentlemen who furnished similar examples. The crowns of the central incisors of the upper jaw of one were perfectly united, the posterior surface presenting the appearance of one broad tooth, while the anterior had a vertical groove in the center, indicating the crowns of two teeth. In the other case, the crown of the right central and lateral incisors were united antero-posteriorly, so as to exhibit the appearance of but one tooth, but when viewed from behind a vertical groove was seen passing through the centre. There are also a number of examples of osseous union of the crowns of deciduous teeth in the museums of the different dental colleges, besides a large number of a union of the roots. One of the latter consists of the union of the roots of two superior molars by exostosis, and the other of the union of the three molars, also by exostosis. See **GENIOTRUS TEETH**, **CONJUNCT TEETH**, **CONJUNCTION OF TEETH.**

**Tooth, Permanent.** The adult teeth. The teeth of second dentition.

**Tooth, Porcelain.** See **PORCELAIN TEETH.**

**Tooth, Premolar.** The bicuspid, or, as they are called by some French writers, the small molars.

**Tooth Set on Edge (apexement des dents).** A peculiarly disagreeable sensation in the teeth resulting from the contact of acids. Teeth thus affected are sometimes so sensitive that the slightest touch is productive of pain, and they have, seemingly, a roughness on their cutting edges and grinding surfaces which is not felt at any other time. Teeth which have suffered considerable loss of substance from mechanical abrasion are more subject to this affection than those which have a perfect coating of enamel. There is one thing connected with it which is not easy to explain. It is this: Persons who have lost all their natural teeth and wear artificial substitutes are sometimes troubled with it. Several examples of the kind have fallen under the observation of the author.

**Tooth, Supradentary.** Permanent teeth having temporary predecessors.

**Teeth, Supernumerary.** Teeth exceeding the usual number and not belonging properly to class of either dentition. They are rarely developed with the temporary teeth. When they do occur, it is almost always with the teeth of second dentition. They rarely resemble the teeth belonging to any of the classes. Their crowns are generally round and of a conical shape, though examples are occasionally met with in which it is impossible to detect any difference between the supernumerary and the adjacent teeth. They are sometimes developed in one part of the alveolar border and sometimes in another, but most frequently between or behind the central incisors of the upper jaw. Irregularity often results from their presence.

**Teeth, Tartar of.** See SALIVARY CALCULUS.

**Teeth, Temporary.** The teeth of first dentition; milk teeth; deciduous teeth.

**Teeth, Temporary and Permanent, Differences Between.** The temporary teeth differ from the permanent in many particulars. The former are smaller and of a less firm texture than the latter, "and their general characteristic forms and prominences," to use the language of Mr. Bell, "are much less strongly marked. The incisors and cuspids of the lower jaw are of the same general form as the adult, though much smaller; the edges are more rounded and they are not much more than half the length of the latter. The molars of the child, on the contrary, are considerably larger than the bicusps which succeed them, and resemble, very nearly, the permanent molars.

"The roots of these teeth, the molars of the child, are similar in number to those of the adult molars; but they are fatter and thinner in proportion, more hollowed on their inner surfaces, and diverge from the neck at a more abrupt angle, forming a sort of arch."

**Teeth, Temporary Shedding of.** See SECOND DENTITION.

**Teeth, Third Set of.** See DENTITION, THIRD.

**Teeth, To Elevate.** See ELEVATING OR RAISING TEETH IN THEIR CAVITIES.

**Teeth, Transposition of.** It sometimes happens that a central incisor is situated between the lateral of the side to which it belongs and the cuspidatus, or that a right central is situated in the place of the left and the left in the place of the right; or that a lateral incisor is situated between the cuspidatus and first bicuspid, and at other times a cuspidatus

is found between the first and second bicuspid. This description of aberration in the position of the teeth is supposed by many to be the result of a transposition of the dental pulps.

**Teeth, Villiform.** See VILLIFORM TEETH.

**Teeth, Vitreous Substance of the.** The enamel of the teeth.

**Teeth/ing.** Dentition.

**Teething, Difficult.** See DENTITION, MORBID.

**Teg'ment.** An integument.

**Teg'men.** An integument.

**Teg'ment (teg'men);** from *tego*, to cover) A cover or covering, an integument. In *Anatomy*, by the term integuments are comprehended the structures generally which cover and protect the animal body, as the cuticle, rete mucosum, skin, and adipose membrane.

**Tegumentary.** Pertaining to or consisting of teguments.

**Tegumen'tum.** Integuments.

**Tenues'mos.** Tenuous.

**Te'ta (from *tes*, to weave)** Applied in *Anatomy* to the cellular membrane, from its resemblance to a web of cloth.

**Tela Adipo'sa.** The adipose tissue of animals.

**Tela Arane'e'rum.** The spider's web, sometimes employed as a styptic.

**Tela Cellulo'sa.** The cellular tissue.

**Tela Choro'i'dea.** *Telma interpositum.* A membranous prolongation of the pia mater in the third ventricle.

**Tela Musco'sa.** The cellular tissue of organized bodies.

**Telamo'ses.** In *Surgery*, bandages, dressings for wounds.

**Telangiect'asis** (from *telec*, far, *angion*, vessel, and *ectasis*, dilatation). The dilatation of vessels, as in *navus matens* and *aneurism*, acquired, not congenital.

**Telangi'o'sis** (from *telec*, end, and *angion*, a blood-vessel). Disease of the capillaries.

**Tel'urated.** Applied to a gas which holds tellurium in solution.

**Tellu'ric Acid.** The peroxide of tellurium.

**Tellu'rium.** A metal of a color between tin and silver, inclining to steel-gray. It is white, brilliant, brittle, and easily fusible, with a specific gravity of 6.95. It is found in the mines of Transylvania, and is rare.

**Tem'perament (temperamentum);** from *tem-*

pass, to mix together). The constitution, as determined by the predominance of certain constituents of the body; constitutional peculiarity. Among the ancients it was supposed that the manifestations of the functions were tempered, or so determined by the predominance of any one of the four humors then recognized—namely, blood, lymph, bile, and atrabilla, or black bile—as to give rise to a sanguine, phlegmatic or lymphatic, choleric or bilious, and stasibilious or melancholic temperament. At present four temperaments are recognized as the basal temperaments—namely: (1) The sanguine or sanguiferous; (2) the bilious or choleic; (3) the phlegmatic or lymphatic; and (4) the nervous temperament.

The sanguiferous or sanguine temperament is characterized by a fair and ruddy complexion, yellow, red, or light ashen hair, a full vascular development, large, full veins, and active pulse, all indicating an abundant supply of blood.

The bilious temperament is characterized by a preponderance of bile, indicated by a dark or sallow complexion, black hair, and a slow or moderate circulation of the blood. The term choleric implies a certain combination of the bilious and sanguiferous temperaments.

The lymphatic or phlegmatic temperament is characterized, as it was thought by old physiologists, by a predominance of lymph or phlegm in the system, and persons possessing it have a fair but not ruddy complexion, light hair, and a general softness or laxity of the tissues.

The nervous temperament is characterized by the predominance of the nervous element, and by great activity or susceptibility of the great nervous centre—the brain. Persons possessing it are distinguished by their impressibility—weak susceptibility to intense feeling or intense excitement. A very small number of individuals can be regarded as possessing a purely sanguine, bilious, lymphatic, or nervous temperament, and the majority, therefore, exhibit the characteristics of two or more, all temperaments being in combination, the most frequent being the nervous and sanguine, the nervous and bilious, the lymphatic and sanguine, the lymphatic and bilious, the bilious and sanguine, the sanguine and lymphatic, and the nervous and lymphatic. Some persons have also peculiarities pertaining to those of the temperaments,—temperament combinations,—although the bilious and the nervous are the most common.

**Temperance.** Habitual moderation in the indulgence of the natural appetites and passions.

**Temperants (temperants).** Sensitive.

**Temperate (from temper, to regulate).** Moderate; without excess.

**Temperatura.** Temperature.

**Temperatura (temperature).** The degree of heat which exists in any given situation or body, as indicated by the thermometer.

**Temper'ion.** Temperament.

**Tempering.** An operation for rendering steel or iron more compact and hard, or soft and pliant, according to the purposes for which they are required. Surgical and dental instruments are required to be tempered in the most exact and best manner. If they are too hard or too soft they will not answer the purpose for which they are designed. A certain amount of elasticity can be imparted to steel by the process of hammering, independent of the hardening method in water; but the highest degree of elasticity and toughness is obtained by suddenly chilling the metal from a highly heated state, which process also imparts the highest degree of hardness. The tempering process consists, however, of heating steel, thus hardened, to a proper point and stopping the operation at the moment the desired temper is obtained by suddenly chilling the metal in water. The following table from the "American System of Dentistry" shows the approximate temperatures corresponding to the various tints produced by heating the polished surface of a piece of steel after it has been heated to redness and chilled in water.

TEMPERATURE.	COLOR.	TEMPER.
650° to 680° F.	Very slight yellow to pale straw.	Leaves, reamer, surgical instruments, enamel chisel.
680° . . .	Fall yellow.	Enameling. Very small gold chisel.
680° . . .	Brown.	Pluggers, reamer, pickers.
680° . . .	Brown with purple spots.	Ass. plane-truss, ream, gold chisel, etc.
680° . . .	Purple.	Table-knives, etc.
680° . . .	Bright blue.	Watch-springs and jewels.
680° . . .	Full blue.	Fine saw, reamer.
680° . . .	Dark blue.	Hand and pickers.

**Tem'ple (from temper, time, because the hair first begins to turn gray here).** In dentistry, the lateral parts of the forehead, covered by the temporal muscles.

**Temp'para.** The temples.

**Temp'poral (temporal).** Belonging or relating to the temple.

**Temporal Aponeurosis.** A strong aponeurosis attached to the whole of the curved line of the temporal bone and to the malar and zygomatic arch.

**Temporal Artery (arteria temporalis).** A branch of the external carotid which passes up on the temple.

**Temporal Bone (os tempore).** A bone situated on the lateral and inferior part of the cranium, usually divided into three parts: (1) The squamous; (2) the mastoid, and (3) the petrous portion.

**Temporal For'ea.** An excavation on each side of the head in which the temporal muscle is situated.

**Temporal Muscle.** A muscle situated on the temple, arising from the semicircular ridge, commencing at the external angular process of the os frontis, and extending along this and the parietal bones; also from the surface below this ridge formed by the frontal and squamous portion of the temporal and sphenoid bones, likewise from the under surface of the temporal spongy bone, and inserted, after converging and passing under the zygoma, into the coronoid process of the lower jaw, which surrounds it on every side by a dense, strong tendon. The office of this muscle is to draw the lower jaw upward, as in the cutting and rending of food.

**Temporal Nerves.** The nerves distributed to the temporal region, furnished by the inferior maxillary branch of the fifth pair. The same has also been given by Sumner to the division of the seventh pair distributed to the temporal region.

**Temporari Dentes.** The temporary or milk teeth.

**Temporary Teeth (temporari dentes).** The teeth of first dentition. Deciduous teeth.

**Temporo-facial (temporo-facialis).** Belonging to the temple and the face.

**Temporo-facial Nerve.** A branch of the facial nerve distributed to the face and temple.

**Temporo-maxillary (temporo-maxillaris).** That which belongs to the temporal bone and inferior maxillary bone, as the temporo-maxillary articulation (which see).

**Temporo-maxillary Articulation.** The articulation of the lower jaw on each side to the glenoid cavity of the temporal bone. This

cavity is situated at the base of the zygomatic process, is of an irregular oval shape, and divided into two portions, an anterior and a posterior. The anterior, which is the articular, is smooth, and in the living subject covered with cartilage, but the posterior does not enter into the formation of the joint. The two are separated by the fissure of Glaserius (*fissura Glaseri*), which gives passage to the chorda tympani nerve, the laxator tympani muscle, and the internal auditory vessels. The depth of this cavity is increased by the eminences which surround it. Its size is much greater than is necessary for the reception of the condyle of the lower jaw, but this disproportion only exists in man and ruminating animals. This cavity is placed nearly transverse, the outer extremity being a little more forward than the internal. It is bounded on the inside by the spine of the sphenoid bone, posteriorly by the styloid and vaginal processes, and anteriorly by the eminentia articularis, situated immediately at the root of the zygomatic process, which contributes, in mastication, to modify the motions of the jaw.

For a description of the condyles of the lower jaw, see MAXILLA. INFERIOR. They, however, as well as the glenoid cavity, are covered with a smooth layer of cartilage.

There is interposed between the condyle and the cavity an interarticular cartilage, sometimes perforated in the center, and so moulded as to fit the articular surfaces.

Except where it adheres to the external lateral ligament, and gives attachment to a few fibres of the external pterygoid muscle, the circumference of this cartilage is free, a circumstance which greatly facilitates the movements of the joint.

The union of this articulation is maintained

1. By the external lateral ligament, which has a broad attachment to the tubercle situated at the junction of the roots of the zygomatic process, extending thence to the neck of the condyle, covering the whole of the outside of the articulation. Externally it comes in contact with the skin, and internally with the interarticular cartilage and synovial capsules.

2. By the internal lateral or sphenomaxillary ligament, extending from the spinous process of the sphenoid bone to the spine on the inside of the orifice of the inferior dental canal, forming an aponeurotic band which protects the dental vessels and nerves from the pres-



ture of the *Submental pterygoid muscle*. This ligament can not be regarded as contributing to the strength of the articulation.

2. By the *Stylo-mandibular ligament*, which extends from the styloid process of the temporal bone to the inferior angle of the lower jaw, and to give attachment to the *Stylo-glossus muscle*.

Belonging to this articulation are two synovial capsules, one on each side of the interarticular cartilage, which sometimes, by an opening in the cartilage, communicate with each other.

**Temporo-mandibular Nerve.** The divisions of the facial nerve distributed to the temporal mandibular regions.

**Temporo-auriculaire** (*temporo-auricularis*) A name given by Chamber to the superior auric muscle. Dumas calls it *temporo-condylicus*.

**Tem'ulent** (*temulentus*) Intoxicated.

**Temulent'ia.** *Temulencia.* Drunkenness.

**Tenacious** (*from tenax, tough*). Possessing the quality of toughness, or resistance to fracture or dissolution.

**Tenac'ity** (*tenacity; from tenax, to hold*). That property of bodies which prevents them from parting without considerable force. Cohesiveness.

**Tenac'ula.** *In Surgery, bone-sippers* (which see).

**Tenaculum** (*from tenax, to hold*). A firm, sharp-pointed hook, attached to a handle, used to seize and draw out the mouths of wounded arteries.

**Tenaculum, Aesculap'ia.** A pair of small forceps, invented by Aesculap, furnished with fine bifurcated sharp points, received into each other when closed, and held together by a spring between the handles. It is used for seizing and holding small arteries while a ligature is being applied.

**Ten'dency.** The inclination toward a given state or condition.

**Ten'derness.** Abnormal sensitiveness to touch. *Serousness.*

**Ten'dinous.** Pertaining to tendons, or like tendons.

**Ten'ile.** A tendon.

**Tendo Achil'is.** The strong tendon of the heel, formed by the junction of the gastrocnemius and soleus muscles.

**Ten'sion** (*tense; from tens, to stretch*). A state shown out, serving for the attachment of a muscle or muscles to bones. The *tendons*, with few exceptions, are composed of

bundles of white fibrous connective tissue, bound together by fascioli from the deep fascia, which form their sheaths.

**Ten'sions, Twisting** of the. *Substantia tendinea.*

**Tenotom'ia.** *Tenotomy.*

**Tenot'mass** (*from tens, to stretch*). Frequent desire to go to stool, without a discharge, accompanied by straining and pain.

**Ten'antite.** A mineral compound of arsenical sulphuret of copper and iron, so named in honor of the late Mr. Tennant, the discoverer.

**Ten'nyala.** An alkaloid in brain-tissue.

**Ten'on** (*from tens, to hold*). A term applied in *Dental Prosthetics* to what is commonly called the pivot in the crown of an artificial tooth, which is received into a hole corresponding in size to the one in the root of a natural tooth, and by means of which the two are held together.

**Tenot'agra** (*from tens, to stretch, and agros, a suture*). Gouty or rheumatic pains in the tendons.

**Tenot'omy** (*from -tens, to stretch, and -tomy, incision*). *Tenotomia, tenotomia.* The operation of dividing a tendon, as in club-foot.

**Ten'sion** (*tense; from tens, to stretch*). The state of a part when extended or stretched.

**Ten'sive** (*tense, to stretch*). Tending to stretch or make tense; a forcing of tension.

**Ten'sor.** A term applied to muscles the office of which is to extend the parts to which they are attached.

**Tensor Pal'ati.** The circumflexus palati muscle.

**Tensor Tar'ei.** A small muscle situated at the inner commissure of the eyelids.

**Tensor Tym'pani.** A muscle of the internal ear.

**Tensor Vagi'nis Fem'oris.** The fascia lata muscle, situated on the outside of the thigh.

**Tensor'ia.** *Tension.*

**Tent.** *In Surgery*, an instrument made of compressed sponge or lamb's hair, tapers, or other material, used for dilating wounds, sinuses, etc., to prevent them from closing before they are filled up at the bottom; also introduced into fistulous passages to prevent adhesion.

**Tentac'ulum.** A feeler. A mobile appendage, belonging to many invertebrates, and serving as an organ of touch or as the means of attachment.

**Tentac'ulum.** The process of the dent

water which separates the cerebrum from the cerebellum.

**Ten'sacks.** To make thin.

**Ten'sity** (*tenacity*). Thickness; also smallness of diameter.

**Ten'id** (from *epidus*, inkwarm). Slightly warm. About blood-heat.

**Tep'id'strum** (*tep'idus*, inkwarm). A warm or tepid bath.

**Tet-**. *Tetrice*. A prefix to names of salts, denoting that three atoms of acid are combined with one atom of base.

**Tet'bitum.** A metal discovered by M. Mosander.

**Tet'chloride** of Fer'myle. Chloroform Tetrachloride of Gold,  $\text{AuCl}_4$ . Prepared by dissolving gold in aqua regia, hastening the solution by gentle heat, and evaporating the solution to dryness, the result being ruby-red, prismatic crystals of the tetrachloride of gold. It is escharotic and disinfectant. The ethereal solution is employed, in *Dental Practice*, to obtain the sensibility of dentine.

**Terebene.** A colorless liquid obtained by the action of sulphuric acid on turpentine. It is analogous to turpentine in its physiological properties, but is less irritating. Dose,  $\text{m}\bar{\text{v}}$  to  $\text{N}\bar{\text{xx}}$ .

**Terebinthene.** ( $\text{C}_{10}\text{H}_{16}$ ). A hydrocarbon formed by the distillation of turpentine with an alkali. An antiseptic, disinfectant, and sterilizer.

**Terebin'thinus** (from *terpe'soter*, the turpentine tree). A resinous substance of the consistence of honey, which flows from pine and fir trees. Turpentine.

**Terebinthina America'na.** An oleoresin from the *Pinus palmaris* and *Pinus taeda*.

**Terebinthina Canada'nsis.** Canada balsam.

**Terebinthina Commun'is.** Common turpentine.

**Terebinthina Vene'ta.** Venice turpentine.

**Terebin'thinus O'leum.** Oil of turpentine.

**Ter'ebus, Terebel'ia.** A tropan.

**Ter'res.** Round, cylindrical, applied to muscles and ligaments, from their shape.

**Ter'es Ligamen'tum.** The round ligament attached to the head of the os femoris and to the bottom of the cotyloid cavity of the os innominatum.

**Ter'es Ma'ior.** A muscle situated along the inferior and posterior part of the shoulder.

**Ter'es Minor.** A thin, fleshy muscle, situated at the posterior and inferior part of the

shoulder, and partially covered by the back part of the deltoides.

**Ter'gal** (from *tergus*, the back). Belonging to the back.

**Tergum'tum.** A term applied in Botany to a leaf-stalk which has two leaflets at the end of each branch and two at the division of the fork.

**Ter'gum.** The back. In Entomology, the upper surface of the abdomen.

**Termin'al'ia.** Terminal; forming the end or extremity.

**Terminol'ogy** (from *terminus*, a term, and *logos*, a discourse). Terminologia. A treatise on terms. A catalogue or list of the more important and usual terms in a language, science, or art, with their definitions. A nomenclature.

**Ter'mary** (*ternarius*). Consisting of three, pertaining to the number three. Applied by Dalton to any chemical compound formed by the union of three atoms.

**Ter'trate.** A trinitrate.

**Teroxide.** A trioxide.

**Terpene.** A hydrocarbon constituting pure oil of turpentine.

**Ter'pis.** Turpentine camphor.

**Ter'pise.** A crystalline body produced by the hydration of terebinthene; antiseptic, disinfectant, and sterilizer.

**Ter'pisol.** Obtained by the action of an acid on terpine.

**Ter'ra.** Earth.

**Terra Absorb'ens.** An absorbent earth.

**Terra-ver'tis.** French name for a species of olive-green earth, used by painters, and said to be a hydrated silicate of oxide of iron and potash, with a little magnesia and alumina.

**Ter'sulphide.** A trisulphide.

**Ter'tian Ague.** Tertian fever. An intermittent whose paroxysms return every thirty-eight hours, or every third day.

**Tertian Fever.** Tertian ague (which see).

**Ter'tiary** (from *tertius*, third). Third in order.

**Tertiary Syphilis.** The reappearance of lesions after the subsidence of the secondary symptoms of syphilis.

**Tet'sore.** A square; cuboid; sometimes applied in *Anatomy* to the os cuboides, a bone of the tarsus.

**Test.** In Chemistry, a substance employed to discover an unknown constituent of a compound by causing it to exhibit some known property; a reagent. In *Midwifery*, a suppur-

vessel in which shells are melted for trial and refinement; melting gold or silver by means of lead, in a test, by the volatilization, purification, etc., of all foreign matter.

**Test, Lung.** *Duchassaing palmarum* (which see).

**Test Paper or Litmus Paper.** Paper stained with litmus or any reagent. It is used as a test of the presence of free acids or alkalis.

**Testis.** The shell of a molluscan animal. Also the smooth and scaly covering which invests the exterior of seeds.

**Testa Ovi.** Shell of egg.

**Testa/ceous** (*testaceus*; from *testa*, a shell). Animals provided with a calcareous shell.

**Testa/ceous** (from *testa*, a shell). A powder made of burnt shells. Also of the nature of or having a shell.

**Testes** *Prepara'tio*. Prepared oyster shells. Fine oyster shells from extraneous matter, wash with boiling water, reduce to powder, then put into a vessel nearly filled with water; stir briskly, and after waiting a few minutes pour the turbid liquid into another vessel; repeat the process with the powdered shells in the first vessel; again pour off the turbid liquid, and after the powder has subsided pour off the water and dry it. This is given as an antacid in diarrhoea.

**Testis** (*testis*). The testicle.

**Testes Car'etri.** The inferior tubercles of the tubercula quadrigena.

**Testicle** (from *testis*, a witness, because the testes are evidences of vitality). The testicles are two oval, glandular organs, situated within the scrotum, covered by the tunica albuginea.

**Testicle, Swelled.** *Ophthalmia* (which see).

**Testic'ular Cord.** See *SPERMATIC CORD*.

**Test'ing.** In *Metalurgy*, the operation of melting gold and silver by means of lead in a vessel called a test or cupel.

**Testis** *Panthe'um* or *Testis* *Musci'beris*. The every.

**Testis/ta.** The turtle. Also an encysted tumor of the testis.

**Testudo Car'etri.** The tortoise.

**Testu'is.** Relating to tetanus. Also a medicine which increases the irritability of the muscular fibre, as *oxy vesicis*, strychnia, etc., and, when taken in large doses, produces convulsions.

**Testu'tes.** See *TETANUS*.

**Tet'antiser** *Strychnia*.

**Tet'antoid.** Resembling tetanus.

**Tet'mous** (from *teno*, to stretch). Spasms accompanied by rigidity. A disease characterized by general and permanent spasmodic rigidity of the muscles. There are four varieties. (1) *Trismus*, the lockjaw; (2) *opisthotonos*, in which the body is drawn back; (3) *apoplectica*, in which it is drawn forward; and (4) *placynthetosis*, where it is drawn to one side.

**Tetanus** *Musci'beris* *Inferio'ris*. Trismus, or lockjaw.

**Tetanus** *Tris'mus*. See *TETANUS*.

**Tetartus'mus.** A quartan ague.

**Tetartophy'is** (from *tetartos*, the fourth, and *ova*, to arise). A name given by Sauvages to quartan intermittent fever.

**Tet'ra-**. A prefix denoting the number four.

**Tetrachloride.** An acid containing four atoms of hydrogen replaceable by bases.

**Tetrachloride of Carbon.** Bichloride of carbon; chlorocarbon. Discovered by Regnault in 1839, but did not come into general use until 1868, when it was suggested as an anæsthetic by Prof. J. Y. Simpson. To prepare it, dry chlorine is first passed through a bottle containing sulphuret of carbon, and then through a porcelain tube filled with pieces of porcelain and kept at a bright red heat. The vapors are condensed in the form of a yellowish-red liquid, from which the chloride of sulphur is removed by an excess of lye of potash or milk of lime. Tetrachloride of carbon is a transparent, colorless liquid of the sp. gr. 1.569, boiling at 175° F., with a vapor density of 5.33 and an agreeable aromatic flavor. Its effects are said to be nearer those of chloroform than any other similar agent, but it requires a longer time to produce the same degree of anæsthesia, and its depressing influence on the heart is far greater; hence its employment is more dangerous. Injected subcutaneously, in the dose of 10 to 20 drops, it relieves pains in the chest and abdomen without subsequent nausea.

**Tetracid.** Capable of replacing four atoms of hydrogen in an acid.

**Tetrad.** A group of four micrococci. An element having a combined power of four.

**Tetradrach'mon** (from *tetra*, four, and *drachma*, a drachm). A weight of four drachms, or half an ounce.

**Tetrag'onus.** Quadrangular; four-cornered. In *Anatomy*, the platysma myoides.

**Tetra'gram.** A solid figure bounded by four equilateral and equal triangles.

**Tetraphar'macum.** An ointment composed of wax, resin, lead, and pitch.

**Tetroxide.** A compound of a radicle with four atoms of oxygen.

**Tet'ter.** *Esopus* (which see).

**Tetter, Crusted.** Impetigo.

**Tetter, Milky.** *Forficis larvalis*.

**Tetter, Scaly.** *Pariasis*.

**Tet'ture** (*teture*, from *tevere*, to weave).

The arrangement of the several parts of any body with one another. In *Anatomy*, the arrangement of the tissues of an organ. The textures of the body, according to Wilson, are:

1. Corpuscular tissue, found in the blood, lymph, and chyle.
2. Epidermoid tissue, example, epithelium, cuticle, hair, nails.
3. Pigmentary tissue, found in the choroid coat of the eye, lung, etc.
4. Adipose tissue, as fat.
5. Cellular tissue.
6. Fibrous tissue.
7. Elastic tissue, ligaments flava, middle coat of the arteries.
8. Cartilaginous tissue, including fibro-cartilage.
9. Omeous tissue.
10. Muscular tissue.
11. Nervous tissue.
12. Vascular tissue, arteries, veins, and lymphatics.
13. Serous tissue, including synovial.
14. Mucous tissue.
15. Dermal tissue.
16. Glandular tissue.
17. Refracting tissue, lens of the eye, cornea.
18. Petrous tissue, enamel of the teeth.

**Tet'tus.** A tissue.

**Th.** Symbol for thorium.

**Thal'ami Nervo-rum Optico-rum.** Two rounded irregular surfaces, with a thin coating of white substance, seen exposed in the lateral ventricles of the brain. They form the principal origin of the optic nerve, a circumstance which gave rise to their name, *optic thalami*.

**Thal'amia.** A room or chamber. In *Anatomy*, the part of the brain from which the optic nerve derives one of its branches. In *Botany*, the part on which the ovary is situated, the receptacle of the fruit.

**Thal'tin.** *Thalline*. Formula,  $C_{12}H_{14}O$ . A synthetic chemical product in the form of

large, colorless, bitter crystals. It is a powerful antipyretic. Dose, gr. iiij. On account of its toxic properties it is rarely employed.

**Thannate/den** (*thannet*, death). Deadly; causing death.

**Thann'atoid.** Rummbling death.

**Thann'atous.** Death.

**Tha's.** The dried leaves of the tea-shrub. Also a genus of plants of the order *Turneraceae*, but whether it contains more than one species is a question which botanists have not, as yet, been able to decide. Linnaeus, who established the genus, enumerated two species—the *Tha bolan* and the *Tha viridis*, the black tea and the green. Other species—as the *Tha ulosa*, *Tha cantoniensis*, and *Tha cochinchinensis*—have been recognized, but it is believed by others that all of these are only varieties of one species, the *Tha sinensis*, and any one of them will afford the black or green tea, the difference being solely attributable to the mode of preparation.

**Thebaine.** An alkaloid of opium; paromorphia.

**Thebe'oli Foram'ina.** Orifices of Thebesia. Small orifices on the right auricle of the heart.

**Thebolic'ic Acid.** A variety of lactic acid found in opium.

**Th'e'ca** (*th'ca*). A case or sheath; fibrous membrane. See *SHRATH*.

**Theca Vertebr'al'is.** A prolongation of dura mater lining the canal of the vertebral column and investing the spinal cord as far down as the third lumbar vertebra. It sends off a tubular process to each of the spinal nerves.

**Thesi'tis** (*thes*, a sheath). Inflammation of the sheath of a tendon.

**Th'e'ia.** *Thelma*. The peculiar principle on which the properties of tea depend. It has the same composition as caffeine.

**Thel'e'ia.** *Lactation*.

**Th'e'ia.** The nipple; a papilla.

**Thell'tis** (from *th'ca*, the nipple, and *itis*, a terminal signifying inflammation). Inflammation of the nipples.

**Th'e'ium** (from *th'ca*, a papilla). A papilla. Also a layer of cells.

**Thetyl'blast.** The passive element of a male generative cell and the active element of a female generative cell.

**Th'e'nal** (*th'nal*). Toward the palm of the hand.

**Th'e'nal** (from *th'na*, to strike). The palm

of the hand and the sole of the foot. Also a muscle extending to the thumb.

**Theriac Theriaca.** The projection on the opposite end of the part of the hand.

**Theriacal.** Anhydrous sulphate of soda.

**Theriacal.** A neutral crystalline principle analogous to thia and cañin, obtained from the cane.

**Theriacal** (theriacal, from *theriac*, to contemplate). Pertaining to theory, depending on theory; not practical; speculative.

**Theory** (theoria; from *theora*, to contemplate). The speculative part of a science, inferences drawn from facts; an exposition of the principles of a science. Also science distinguished from art, as the theory and practice of dental surgery or general medicine. It differs from hypothesis in being founded on inferences drawn from established facts, while a hypothesis attempts to explain certain phenomena by assuming propositions altogether speculative.

**Theory of Medicine.** A philosophical exposition of the phenomena of health and disease, embracing physiology, pathology, hygiene, and therapeutics.

**Therapeutic.** Therapeutics; the healing art.

**Therapeutic** (therapeutic; from *therapeia*, to cure). That branch of medical science which considers the application of the remedies employed as a means of cure.

**Therapy.** See THERAPEUTIC.

**Theriacal** (theriac, from *theriac*, to cure, and *theriac*, a cure). Summer catarrh, or hay fever; hay asthma.

**Theriacal.** Theriac. A malignant ulcer.

**Theriacal** (theriac, heat). Warm baths or springs.

**Theriacal** (theriac, heat). The sensation of heat or the temperature of bodies.

**Theriacal.** Warm; of or pertaining to heat.

**Theriacal.** Theriac. Heat, especially feverish heat.

**Theriacal.** A Greek prefix denoting relation to heat.

**Theriacal.** See CAUTION.

**Theriacal.** The branch of chemistry embracing the mutual relations of heat and atomic change.

**Theriacal.** Electricity produced by heat. It is obtained by heating the junction of two metals of different conducting power, which have been soldered together. This at

once sets in motion a current of electricity, which passes along the wires.

**Theriacal.** The production of heat. Thermolysis. Chemical disintegration by heat. Dissipation of the animal heat.

**Theriacal** (thermometer; from *therm*, heat, and *metron*, a measure). An instrument for measuring the temperature of bodies or the degree of heat. The following are in use: Fahrenheit's thermometer, the scale of which, between the freezing- and boiling-points of water under a medium pressure of the atmosphere, is divided into 180 parts or degrees, the freezing-point being marked 32° and the boiling-point 212°. This scale is the one most used in this country and in England.

The Centigrade thermometer has a scale in which there are just 100 degrees between the freezing- and boiling-points of water, the former being marked 0°, or zero, and the latter 100°. This scale is used in France and other parts of the Continent.

Reaumur's thermometer has a scale on which the freezing-point is marked 0°, and the boiling-point 80°. In this, and also in the Centigrade, the degrees are continued of the same size below and above these points, those below being reckoned the negative. The scale of Centigrade is reduced to that of Fahrenheit by multiplying by nine and dividing by five; that of Reaumur to Fahrenheit by dividing by four instead of five; or that of Fahrenheit to either of these by reversing these processes.

**Thermometer, Differential.** An instrument for measuring very small differences of temperature.

**Thermoscope.** A modification of the air thermometer, which exhibits to the eye the changes of heat.

**Thermostat** (from *therm*, warm, and *stasis*, standing). A self-acting apparatus for regulating temperature by the unequal expansion of different metals.

**Thesis.** A position or proposition; a dissertation on any subject. In medical and dental colleges, an essay composed by a student who is a candidate for graduation.

**Thibaudia Quercina.** An aromatic tincture is made from the flowers of this species, which is used in Peru as a cure for toothache.

**Thigh.** Femur. That part of the lower limb situated between the pelvis and the leg.

**Thigh-bone.** On femur.

**Thiodynamic Acid.** A monobasic acid;

also called sulphocyanic acid. It forms salts called thiocyanates.

**Thioform.** The basic bisulphite salt of dithionous acid in the form of an odorless powder, which is non-toxic. Antiseptic, germicidal, and desiccative; also styptic and anodyne.

**Thiol.** A substance obtained by treating coal-tar oil with sulphur. Used in skin diseases and chronic ulcers.

**Thiomar'ic Acid.** A bibasic crystallisable acid, a product of the decomposition of thio-nurates of lead with sulphuric acid.

**Thirst.** In *Physiology*, the sensation of a desire to drink or to introduce liquids into the stomach.

**Thirst, Excessive.** A constant desire to drink, with a sense of dryness of the mouth and fauces. It is often a symptom of disease.

**Thirst, Morbid.** Excessive thirst.

**Thirst'y.** Having a sensation in the fauces for want of water. Affected with thirst.

**Thi'sis.** *Thlasia*. A convulsion.

**Thlaspi Campe's'tra.** *Mithridata mustarda*. The seeds are similar in their properties to common mustard; slightly astringent.

**Thoracost'e'sis** (from *thorax*, the thorax, and *sternon*, perforation) Tapping the thorax.

**Thorac'ic** (*thoracicus*) Pertaining to the thorax.

**Thoracic Aor'ta.** That portion of the aorta between the heart and diaphragm.

**Thoracic Ar'tery, Infer'ior** The external mammary artery.

**Thoracic Duct** (*ductus thoracicus*). Alimentary duct. The trunk or duct of the absorbents, in which the lymphatics of the lower extremities, left side of the head, neck, and thorax terminate. It commences at the receptaculum chyli, is about the size of a goose-quill, passes up into the chest through the pillars of the diaphragm and by the side of the aorta and vena cava. It opens at the posterior part of the subclavian vein of the same side.

**Thoracic Re'gions.** The different regions of the chest.

**Thoracoth'e'cial.** A name given by Chaussier to the platysma myoides muscle.

**Thoracothorac't'ic** (from *thorax*, and *sternon*, a pricking). Piercing of the thorax.

**Thoracys'tis.** Encysted dropsy of the thorax.

**Tho'rax** (from *thorax*, a breastplate). The chest, or that portion of the body situated between the neck and abdomen. It is one of the splanchic cavities, and contains the lungs, heart, oesophagus, thoracic duct, thymus gland, arch of the aorta, part of the vena cava, the vena azygos, the eighth pair of nerves, and part of the intercostal nerve. It is bounded anteriorly by the sternum, posteriorly by the vertebrae, laterally by the ribs and scapulae, above by the clavicle, and below by the diaphragm.

**Tho'ria.** *Thorina*. Oxide of Thorium; an earthy substance discovered by Berzelius in thorite.

**Tho'rite.** A massive and compact mineral found in Norway. It has a blackish color and the appearance of vitreous lava. It contains 58 per cent of thorin.

**Tho'r'ium.** *Thorium*. The metallic base of thorin. It is in the form of a gray powder.

**Thread'worm.** The *Oxyuris* or *Ascaris vermicularis*. A species of small worm about half an inch in length. It is usually found in the rectum, and causes an intolerable itching. Injections containing oil of turpentine prove serviceable.

**Threp'sis** (*threpeis*). Nutrition; assimilation.

**Thrid'ace** (*thridace*, the lettuce). A substance obtained from lettuce, supposed to be identical with lactacarium.

**Thrix.** A hair.

**Throat.** The anterior part of the neck; also the pharynx.

**Throb.** To beat, as the heart or pulse, with more than ordinary force and rapidity.

**Throb'bing.** Beating; pulsating, as of the heart or of an artery, palpitating.

**Throe.** Anguish, agony; extreme pain; applied particularly to the pain of parturition.

**Throm'boid** (from *thrombos*, a clot). Relating to or having the appearance or nature of a thrombus.

**Thrombo'sis.** The formation or progress of a thrombus (which see).

**Throm'bus** (from *thrombos*, to clot). A small tumor formed by an effusion of blood into the cellular substance in the vicinity of a vein which has been opened. A blood-clot that forms in the vessels or the heart while the blood is actively circulating. The clot which closes the divided end of an artery; also the

dots which form after the ligation of an artery are sometimes called "thrush."

**Thrush.** The thrush.

**Thrush.** A form of stomatitis due to a specific fungus, *Candida albicans*, or monilia on *albicans*,—and characterized by the presence of diffuse white patches. It occurs especially in weakly children, but may affect adults depressed by some form of wasting disease. It is also called parasitic stomatitis, and also aphthae, but aphthae is generally a vesicular form of stomatitis.

**Thryp'sia.** Communion.

**Thry'sia.** A mineral found in Norway, of a peach-blossom color, consisting of silice, alumina, and lime, with a small portion of soda, potash, and the oxide of iron and manganese.

**Thrush.** The first, or greatest, of the fingers.

**Thrush-sucking.** A pernicious habit indulged in by some children, which causes certain forms of irregularity of the teeth and malformation of the jaws. The upper front teeth are pushed forward and the lower teeth backward, carrying with them the alveolus, and thus deforming the arch. It lengthens the upper and shortens the lower jaw.

**Thymus.** The common name of thymus.

**Thy'mus Acid.** See **TARMOX**.

**Thymol'sia.** Frankincense.

**Thymol'ten.** Wine impregnated with thymus.

**Thymol'tis.** Inflammation of the thymus gland.

**Thym'tum.** A small wart upon the skin, resembling thymus buds.

**Thymol.** Thymic acid. It is obtained by treating the oil of thyme with an aqueous solution of potash and soda, which separates it from a principle called thymene, with which it is mixed in the oil. It is not affected by the alkalies. The thymene thus formed is decomposed by an acid, and the liberated thymol is purified by repeated washings and finally by distillation. In a concentrated state it has an acid and camphor taste, but when very much diluted the taste is that of thyme. It is only slightly soluble in water, but very soluble in alcohol and ether. Like camphor, it has the property of combining with animal tissues, thus preventing putrefaction, and is said to have the important property of combining with the important properties of carbolic acid without its disagreeable smell; so that it is also employed as an antiseptic. In Dental Practice it is employed in the form of the den-

tal pulp. Combined with glycerine—the preparation being known as "glycerole of thymol"—it is useful in cases of periodontal pulp, acting as an antiseptic, also in chronic inflammation and abscess.

**Thy'mos (θύμος).** The soul; life; anger. Also thymus. In *Austro*, the name of a gland.

**Thy'mus.** A genus of plants of the order Labiate.

**Thymus Citra'tus.** *Thymus serpyllana*. Wild thyme; mother of thyme.

**Thymus Gland.** A conglomerate gland in the fœtus, composed of lobules and a central cavity, situated in a duplicature of the mediastinum under the upper part of the sternum.

**Thymus Vulgar'is.** Common thyme. This is said to be stomachic, tonic, and emmenagogue.

**Thyro'sphar'is.** Thyrocele. Swelling of the thyroid gland. Brachycele.

**Thy'reoid.** Thyroid.

**Thy'reo'cum.** Swelling or bursa-like protrusion of the mucous membrane of the larynx.

**Thyro-**, **Thyreo-** (from *θύρεα*, a shield). A prefix denoting a connection with the thyroid, or shield-like cartilage of the larynx.

**Thyro-ary'tenoid.** Relating to the thyroid and arytenoid cartilages.

**Thyro-ary'tenoid Lig'aments.** The inferior ligaments of the larynx. The vocal cords. **Thyro-ary'tenoid Muscle (thyro-ary'tenoid).** A thin muscle situated about the glottis. It arises from the lower part of the posterior surface of the thyroid cartilage, and is inserted into the outer part of the base of the arytenoid cartilage. Its use is to draw the arytenoid cartilage forward nearer to the thyroid, and as it does this it relaxes the ligaments of the larynx.

**Thyro-epiglot'tic (thyro-epiglot'tide).** A name given by Sabatier to the outer portion of the thyro-ary'tenoid muscle.

**Thyro-hyoid'eus.** **Thyro-hyoid.** A muscle arising from the thyroid cartilage and inserted into the inferior border of the cornu of the os hyoides.

**Thyro-pharynge'us.** The constrictor pharyngis inferior.

**Thyro-pharyngo-staphyl'us.** The palato-pharyngeus.

**Thyro-staphyl'us.** The palato-pharyngeus muscle.

**Thyreo'sis.** *Bronchocele.*

**Thy'reoid** (*thyroïde*; from *thyrōs*, a shield, and *eidos*, resemblance). **Thy'reoid.** Resembling a shield.

**Thy'reoid Car'tilage** (*cartilage thyroïdalis*). The largest cartilage of the larynx. It is composed of two lateral alæ, which unite in front and form a projection called the pommum adam. Each of these alæ, posteriorly, terminates above in the superior cornu, and below in the inferior cornu. An oblong ridge is observed on the side of each alæ, which gives attachment to the styro-hyoid muscle and origin to the thyro-hyoid and constrictor muscles. On the inner side, near the union of the alæ, the epiglottis, the chorde vocales, the thyro-arytenoid, and the thyro-epiglottidean muscles are attached. This cartilage constitutes the anterior, superior, and largest part of the larynx.

**Thy'reoid Gland** (*glandula thyroïdes*). A ductless, gland-like body, situated on the anterior aspect of the tracheæ, consisting of two lateral lobes, one upon either side, connected centrally by an isthmus. Its functions are unknown.

**Thy'reoid'eal** (*thyroïdeus*) Relating to the thyroid gland or cartilage.

**Thy'reoid'al Arteries.** Two arteries, distinguished by the names of *superior* and *inferior*. The superior arises from the external carotid artery, and the inferior from the subclavian, and both, after giving off several branches, are distributed to the thyroid gland.

**Thy'reoid'al Veins.** These veins are classified as: (1) A superior and several middle thy'reoid'al veins, which open into the internal jugular vein, (3) two inferior, a right and a left, and sometimes more. The right opens into the right vena innominata, and the left into the left vena innominata.

**Thyrophora'sis.** *Bronchocele.*

**Tl.** The symbol of Titanium.

**Tib'la.** The large bone of the leg.

**Tib'lad.** Toward the tibial aspect.

**Tib'lad** (*tibiælis*). Pertaining to the tibia.

**Tib'al Aponeuro'sis.** A continuation of the femoral aponeurosis over the leg.

**Tib'al Arteries** (*arteriæ tibiæ*). The two principal branches of the popliteal artery. They are called the anterior and posterior tibial arteries.

**Tib'al Aspect.** Name given by Barclay to the aspect toward the side on which the tibia is situated.

**Tib'al Nerves.** Two nerves, an anterior and a posterior. The anterior commences at the bifurcation of the peroneal and descends with the tibial artery. The posterior is a continuation of the popliteal nerve, and passes down the posterior part of the leg to the back part of the inner ankle.

**Tib'al Veins.** Two veins, an anterior and a posterior, which have the same arrangement as the tibial arteries.

**Tibial's.** Tibial.

**Tibialis Ant'icus.** A muscle situated on the anterior part of the leg.

**Tibialis Grac'ilis.** The planter muscle.

**Tibialis Post'icus.** A muscle situated at the posterior part of the leg.

**Tibio-calc'a'neus.** Name given by Cuvier to the soleus muscle.

**Tibio-tar'sal.** Relating to the tibia and tarsus.

**Tibio-tarsal Articula'tion.** The articulation of the foot with the leg.

**Tic.** In *Pathology*, the contraction of certain muscles, especially of some of those of the face, designated by some French authors *les convulsif*, in order to distinguish it from *les convulsives*, or neuralgia faciei. It appears to be a sort of local chorea.

**Tic Dououreux.** A French term signifying a painful spasm, usually applied to neuralgia of the face, the infra-orbital branches of the fifth pair being the nerves usually affected.

**Tick'ling.** A peculiar sensation resulting from excitation of the cutaneous nerve.

**T. l. d.** The abbreviation for *ter in die*, three times a day.

**Tig'lis.** Tigrid grass. The seeds of *Oxetum tigrum*.

**Tig'li Oileum.** Croton oil.

**Til'mos** (from *pulla*, to pull). Evulsion; a pulling; teasing.

**Til'mus.** Picking of the bed-clothes.

**Tin'idus.** The rotund inferior oculi muscle.

**Tin.** Stannum. Symbol, Sn. Atomic weight, 118. A whitish, brilliant metal, of an intermediate hardness between zinc and lead. It is very malleable and is readily bent into thin leaves or foil, in which state it is used for filling teeth, and is, perhaps, for this purpose the best substitute for gold that has ever been employed. Its conductive property is not so great as that of gold. In certain conditions of the oral mucous membrane, however, tin is rapidly acted upon, and on this account is less reliable as a filling. It enters largely into most of



the dentures as supports and as fillings. It possesses the tenacity and ductility than most of the other malleable metals. It is also used by dentists, both for dies and counter-dies, for which, in most cases, it answers an excellent purpose. It is extensively employed in the arts, and its filings are sometimes used as a mechanical varnisher. The chloride or butter of tin is a violent caustic.

**Tin, Bull (stannum foliatum)** This was very generally used, until about 1880, for filling teeth, and even to the present day is employed for this purpose by many dentists. See FILLING TISSUE, in HARRIS' "Pris. and Pract. of Dentistry."

**Tin, Muricite of.** Chloride of tin. Butter of tin.

**Tin, Sulphate of.** See AURUM MURIVUM.

**Ting'gones.** Swinging, shaking.

**Tinno'mus.** Tinman.

**Tin'ose Os.** The mouth of the uterus is so called from its resemblance to the mouth of the tooth fish.

**Tin'o'al.** The commercial name for crude brass; impure bicarbonate of soda, consisting of crystals of a yellowish color and unctuous feel.

**Tincto'rial.** That which dyes; applied to matter used in dyeing, pertaining to colors or dyes.

**Tincto'ria** (from *tigere*, *tinctum*, to dye). A tincture.

**Tinctura Acetici Rad'icis.** Tincture of acetate root. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ , gradually increased. Combined with tincture of iodine, it is a useful application for periodontitis and the earlier stages of alveolar abscess, and alone, for inflamed pulps and to mitigate the pain following the extraction of teeth, in neuralgia, etc. Combined with an equal quantity of chloroform, it forms a useful local anesthetic.

**Tinctura Ammoni Composita.** (Ph. L.) Compound tincture of ammonia.

**Tinctura Ar'canis.** Tincture of arnica. Applied to lacerations with good effect. For internal use, dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ xxx. See ARNICA.

**Tinctura Belladon'nis.** (U. S.) Tincture of belladonna. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ xx.

**Tinctura Benzoin Composita.** (U. S.) Compound tincture of benzoin. Dose,  $\mathfrak{v}$ ss to  $\mathfrak{v}$ ij.

**Tinctura Camphora.** (U. S.) Tincture of camphor.

**Tinctura Capsicis Composita.** (U. S.) Compound tincture of capsaicin. Pungent alkali.

**Tinctura Cantharidis.** (U. S.) Tincture of Spanish flies. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ xx.

**Tinctura Cap'sici.** (U. S.) Tincture of cayenne pepper. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ xx, or more.

**Tinctura Cat'oebis.** (U. S.) Tincture of catechu. Dose,  $\mathfrak{v}$ ss to  $\mathfrak{v}$ ij.

**Tinctura Cincho'nis.** (U. S.) Tincture of Peruvian bark. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ ij.

**Tinctura Cincho'nis Compos'ita.** (U. S.) Compound tincture of Peruvian bark. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ ij.

**Tinctura Cinnamo'ni.** (U. S.) Tincture of cinnamon. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ ij.

**Tinctura Cinnamomi Composita.** (U. S.) Compound tincture of cinnamon. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ ij.

**Tinctura Digitalis.** (Ph. U. S. and L.) Tincture of *Scilla*. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ xx.

**Tinctura Ferri Acetate.** (Ph. D.) Tincture of acetate of iron.

**Tinctura Ferri Ammoni-chloridi.** (Ph. L.) Tincture of ammonio-chloride of iron.

**Tinctura Ferri Chloridi.** (U. S.) Tincture of chloride of iron. Tincture of muricite of iron. See TINCTURA FERRI MURICATIS.

**Tinctura Ferri Muricatis.** Tincture of muricite of iron. Made of subcarbonate of iron, muriatic acid, and alcohol. Taste and styptic. It is used in erysipelas and scurvy in the dose of ten to twenty drops every two or three hours.

**Tinctura Gal'is.** (U. S.) Tincture of galla. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ ij.

**Tinctura Gentian'nis Composita.** (U. S.) Compound tincture of gentian. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ ij.

**Tinctura Hie'muli.** Tincture of hops. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ ij.

**Tinctura Iodini.** (U. S.) Tincture of iodine. Take of iodine,  $\mathfrak{v}$ ij; alcohol,  $\mathfrak{v}$ ij; dissolve. It spoils by keeping, or at least deposits the iodine. Used in Dentistry as an application to sensitive dentine, as a gargle in mercurial stomatitis, as an injection in alveolar abscesses, and generally combined with carbolic acid and glycerine; also as an external application for dental periodontitis when it is combined with an equal quantity of tincture of acetate root; also in dentigerous and other cysts of the jaws, parodontal pulps of teeth, and pulp-tombs in a septic condition; also in pyorrhea alveolaris and fungous growths of dental pulps and hypertrophy of gums. It has been much used in gaiter, etc. Dose,  $\mathfrak{v}$ ij to  $\mathfrak{v}$ xx, three times a day.

**Tinctura Iodii/H Composita.** Compound tincture of iodine. Made of iodine,  $f\frac{ss}{ss}$ ; iodide of potassium,  $f\frac{ss}{ss}$ ; rectified spirit,  $\mathcal{O}$ . Dose,  $\mathfrak{v}$  to  $\mathfrak{xxv}$ . In *Dental Practice* it is used for the same purposes as the official tincture. An ethereal and a chloroform tincture of iodine have been used to affect the system with iodine by inhalation.

**Tinctura Iodii/Decol/orat.** Colorless tincture of iodine. Designed only for local use, and possesses the properties of the official tincture, without leaving the usual unpleasant stain upon the surface. It is also useful for removing the stains of nitrate of silver.

**Tinctura Kramerie.** (U. S.) Tincture of rhatany.

**Tinctura Myrrhe.** (U. S.) Tincture of myrrh. It is tonic, astringent, antiseptic, detergent. The tincture of myrrh is a very valuable application in the treatment of diseases of the mucous membrane of the mouth. Dose,  $f\frac{ss}{ss}$  to  $f\frac{j}{j}$ . See MYRRHA.

**Tinctura Olei Men/thae Piper/ite.** (U. S.) Tincture of peppermint. Essence of peppermint. Dose,  $\mathfrak{gtt}$  x to  $\mathfrak{gtt}$  xx.

**Tinctura Opii.** (U. S.) Tincture of opium. Laudanum. Dose,  $\mathfrak{m}$ x to  $\mathfrak{mxxx}$ . It has the same dental uses as vinum opii (which see).

**Tinctura Opii Aceta'ta.** (U. S.) Acetated tincture of opium. Dose,  $\mathfrak{m}$ x, equal to one gr. of opium.

**Tinctura Opii Ammonia'ta.** (Ph. E.) Ammoniated tincture of opium.

**Tinctura Opii Camphora'ta.** (U. S.) Camphorated tincture of opium. Paragide alicix. Dose,  $f\frac{j}{j}$  to  $f\frac{ij}{ij}$ .

**Tinctura Rhei et Gentia'ne.** (U. S.) Tincture of rhubarb and gentian. Dose,  $f\frac{j}{j}$  to  $f\frac{ij}{ij}$ .

**Tinctura Rhei et Sassa'parillae.** (U. S.) Tincture of rhubarb and sassa. Dose,  $f\frac{ss}{ss}$  to  $f\frac{ij}{ij}$ .

**Tinctura Sanguina'ria.** (U. S.) Tincture of blood-root. Dose,  $\mathfrak{m}$ x to  $f\frac{ss}{ss}$ .

**Tinctura Sapo'nis Camphorata.** (U. S.) Camphorated tincture of soap.

**Tinctura Scill'icæ.** (U. S.) Tincture of squill. Dose,  $\mathfrak{m}$ x to  $f\frac{j}{j}$ .

**Tinctura Sassa'parillae et Jalap'ine.** (U. S.) Tincture of sassa and jalap. Dose,  $f\frac{ij}{ij}$  to  $f\frac{j}{j}$ .

**Tinctura Serpenta'ria.** (U. S.) Tincture of Virginia snake-root. Dose,  $f\frac{ss}{ss}$  to  $f\frac{ij}{ij}$ .

**Tinctura Stramoni'is.** (U. S.) Tincture of stramonium. Dose,  $\mathfrak{m}$ x to  $\mathfrak{mxx}$ .

**Tinctura Thaps'icæ.** Laudanum.

**Tinctura Tincta'm.** Tincture of tinct. Dose,  $f\frac{ss}{ss}$  to  $f\frac{j}{j}$  or more.

**Tinctura Valeria'na.** (U. S.) Tincture of valerian. Dose,  $f\frac{ss}{ss}$  to  $f\frac{ij}{ij}$ .

**Tinctura Valeriana Ammonia'ta.** (U. S.) Ammoniated tincture of valerian. Dose,  $f\frac{ss}{ss}$  to  $f\frac{ij}{ij}$ .

**Tinctura Vera'tri Vir'idis.** Tincture of American hellebore.

**Tinctura Zingib'aris.** (U. S.) Tincture of ginger. Dose,  $f\frac{j}{j}$  to  $f\frac{ij}{ij}$ .

**Tincture (active).** A pharmaceutical preparation, consisting of an alcoholic solution of the active portions of any medicine. A tincture is called simple when it holds only one substance in solution, and compound when two or more ingredients are submitted to the solvent. The strength of tincture varies from 0.4 per cent. to 66 per cent. of the active principles of the agent.

**Tin'dar.** Touchwood punk. The product of different species of *Bolites*. See *BOLITES IGNIARUM*. Also anything inflammable, used for kindling fire from a spark, as scorched linen, etc. At one time it was used by surgeons as a styptic.

**Tin'ea (tinea capitis).** Scald-head, porrigo (which see).

**Tin'gle.** To have a thrilling, sharp, and slightly penetrating sensation, or to feel a sharp, thrilling pain.

**Tinnimen'tum Metallicum (tinnement métallique).** Metallic respiration; metallic voice, metallic tinkling.

**Tinnit'us Aur'ium.** Ringing in the ears.

**Tir'tola.** A name applied by Laforgue to a kind of lever used for the extraction of teeth. It consists of a punch with a long hook attached to the upper surface. The principle upon which it operates is similar to that of the key of Garangout. The instrument, we believe, was invented by Fouchard, but afterward very greatly improved by Laforgue.

**Ti'sane.** Pissina. A decoction of barley; a weak diet drink.

**Tis'ic.** Pithicid.

**Tis'ical.** Pithicidal, consumptive.

**Tis'sue (tissue).** A French term, applied in Anatomy to the textures which form the different organs of the body. The organic elements of a part or an organ; an aggregation of cells, fibres, etc., forming a structure of definite and uniform anatomical and chemical character. Connective tissue is derived from the mesoderm, and comprises embryonic connective tissue.

**Epithelial tissue** is derived from the epitheloid and hypodermoid, constituting epithelium and glandular tissue. See **TEXTURE**.

**Tissue, Acidic**. An organized substance, foreign to the natural tissues of the body, developed in the interior or at the surface of organs, as the membrane of creeps, fungus and cancerous tumors, tubercles, etc.

**Tissue, Adipose**. See **ADIPPOSE TISSUE**.

**Tissue, Areolar**. The cellular tissue (which see).

**Tissue, Vascular**. See **VASCULAR TISSUE**.

**Titanic Acid** (*acidum titanium*). Peroxide of titanium. It does not act on test paper, but combines with metallic oxides.

**Titanite**. Native oxide of titanium.

**Titanium**. Symbol, Ti. Atomic weight, 48. A rare, very hard, copper-colored, and extremely infusible metal, obtained from manichite, etc. The principal ores of titanium are sphene, common and foliated, rutile, leucine, manichite, and octahedrite, pyramidal titanium ore. Titanium is a valuable coloring ingredient in porcelain teeth.

**Titanic**. Pertaining to titanium.

**Tithonality**. A term applied to a chemical effect produced by a property of light, supposed to be a distinct, independent, imponderable agent.

**Tithonometer**. An instrument for measuring the force of the chemical rays of light.

**Tithonometry**. A gurgling.

**Tithonism** (*titthism*). Tickling, or the state of being tickled.

**Tithon** (*titth*). The ripple.

**Tithonism** (*titthism*). From *titth*, to stagger. Staggering, restlessness. The idiom.

**Tobacco**. The dried leaves of the *Nicotiana glauca*. Tobacco, besides being a sedative narcotic, acts as an emetic and a diuretic. In moderate doses it calms restlessness and produces general languor and repose to those accustomed to its use. In larger doses it causes vertigo, stupor, sickness, nausea, vomiting, and general debility of the nervous and circulatory functions. A fatal termination has followed its use in large quantities. Tobacco induces a vitiated condition of the constitution, a physical degeneracy which has a direct or indirect effect upon the teeth. Nicotine, the alkaloid of tobacco, causes damage to various organs and obstruction of tissues, and the transmitted vice is supposed to affect the dental tissues by retarding development and

normal growth of the teeth, and causing congestion, necrosis, and absorption of the gums and alveoli.

**Tobacco, Indian**. *Lobelia inflata*.

**Tobacco, Virginian**. The *Nicotiana glauca*.

**Toco**. Parturition.

**Tocology** (from *toco*, parturition, and *logos*, a discourse). A treatise on parturition; the science of obstetrics.

**Tocos**. Parturition.

**Tola**. The tassel.

**Tola**. *Digitaria purpurea*.

**Tokay**. Wine made at Tokay, in Upper Hungary, of white grapes, having a rich aromatic flavor.

**Tokolgy**. See **TOCOLGY**.

**Tol'erance** (from *tolere*, to bear). Tol'rance. In *Medicine*, ability to bear any medicine or agent.

**Tolu Balsam**. *Toluitum*. The resinous juice of *Myroxylon toluidum*.

**Toluidum**. Balsam of tolu.

**Tombac**. An alloy of copper and arsenic, called white copper.

**Tomentum** (*tomentum*). A hair.

**Tomentose**. Downy, woolly.

**Tomon'tum**. A lock of wool. In *Anatomy*, the small vessels on the surface of the brain are so called from their woolly appearance.

**Tomes' (Mr. John) Method** for the immediate Movement of Teeth. Consists of the forcible rotation of a tooth by the forceps; an operation which requires great care to prevent injury to pulp and periodontal membrane.

**Tone** (*tonus*; from *tono*, to stretch). The tension proper to the healthy condition of each organic tissue. The normal activity, strength, and excitability of the different organs and functions as displayed in a condition of health.

**Tongue** (*lingua*). The essential organ of taste, situated in the mouth and extending from the os hyoides and epiglottis to the incisor teeth. It also assists the performance of many other functions, as sucking, mastication, deglutition, speech, etc., and is composed of a great variety of parts. It is anatomically divided into its upper, body, and root. The apex is the free anterior portion; the body occupies the centre and is thick and broad, the root is the posterior portion and is attached to the os hyoides. The tongue is covered by a reflection of mucous membrane.

The upper surface of the tongue is rough, and is covered by numerous eminences, called the papillae, which are distinguished into: (1) The lenticular; (2) the fungiform; (3) the conical; and (4) the filiform papillae.

The lenticular, which are the largest, are nine or more in number, and are situated near the root of the tongue. They are of a spherical shape, arranged in the form of the letter N, and consist of mucous follicles. Behind them is a depression called the *foramen caecum*.

The fungiform papillae are more numerous, and are situated near the borders of the tongue. These are smaller than the lenticular, and have a rounded head supported on a thin pedicle.

The conical are still more numerous, and are scattered over the whole surface of the tongue. They are smaller than the fungiform and are of a conical shape.

The filiform are smaller than the last-named papillae, and occupy the intervals between the others. All of these papillae, except the lenticular, belong essentially to the function of taste.

The greater portion of the substance of the tongue is composed of the stylo-glossus, hyo-glossus, genio-hyo-glossus, and lingualis muscles. But, besides these, the digastricus, stylo-hyoidus, and genio-hyoidus act more or less indirectly upon this organ.

By the separate and combined action of these muscles the tongue is made to assume almost every variety of position. They elevate and depress it, move it to one side, or protrude it from the mouth, draw it back to the pharynx, make its dorsum or upper surface concave or convex, and turn its apex or tip upward or downward, laterally or backward.

**Tongue, Black.** The popular designation of an epidemic erysipelas of the Western States, which commenced in the winter of 1842-43. It was of a typhoid character.

**Tongue, Characteristic of the.** The appearance of the tongue is supposed to indicate more accurately the state of the general health than any other part of the body, and hence, both in diagnosis and prognosis, it is always consulted. But whether it reports more correctly the state of the general health than other parts of the buccal cavity is somewhat questionable. The quality of the blood and temperament of the individual are certainly as clearly indicated by the appearance of the lips and gums as by that of this organ. The effects produced on the mucous membrane of

the tongue by disease in other parts are said, by Professor Schill, to be analogous to those produced on the general integument, and so are the changes of its color, consistence, humidity, and temperature similar to those of the skin. The changes of its coating are also said to agree with analogous changes of the perspiration, and that these phenomena are more decided in acute than in chronic affections. See Harris' "Prin. and Pract. of Dentistry."

**Tongue Compressor.** A dental instrument invented by Dr. George E. Hawes for clamping down the tongue to prevent its interfering with the filling of the inferior teeth.

**Tongue Holder.** An instrument for confining the tongue to the floor of the mouth. It is sometimes used by the dentist while filling teeth in the lower jaw. A number of contrivances for this purpose have been invented.

**Tongue, Inflammation of the.** *Glossitis*.

**Tongue Scraper.** *Cure-langue.* An instrument invented by Dr. L. S. Farley to remove clammy and hardened mucous secretions from the upper surface of the tongue. It consists of a thin piece of whalebone or steel, about six inches long and  $\frac{1}{4}$  of an inch in width. In using it, the two ends are brought together, and the curved part introduced into the back part of the mouth; then, by pressing the lower edge upon the top of the tongue and drawing it forward, the clammy mucus and fur are removed.

**Tongue-shaped.** *Lingulate*.

**Tongue-tied.** *Ankyloglossum.* A congenital shortening of the *foramen* of the tongue, which prevents free movement.

**Ton'ic (tonicus).** In *Pathology*, a continuous, spastic, muscular contraction, as in tetanus. Also increasing the tone of muscular fibre; applied to certain medicines. See **TONICS**.

**Tonic Power.** *Irritability*.

**Tonic Spasm.** A rigid contraction of the muscles, lasting for some time without relaxation.

**Tonicity (tonicity).** The faculty which determines the tone of the solids; the elasticity of living parts.

**Ton'ics (from *tonus*, to strengthen).** A term applied to medicines which, when introduced into the system, impart tone and vigor to the whole animal economy. They are obtained both from the mineral and vegetable kingdoms.

**To'us.** *Agilis* spum.

**Tooth'less Foul'low'een.** *Cynanche maligna* (which see).

**Tooth'less/rout Gang'rus'm.** See *CYNANCHE MALIGNA*.

**Tonsillidrome.** An instrument for abscission of the tonsils.

**Tonsillit'is.** Tonsillitis. Relating to, distributed upon, or implanting the tonsils; as, the tonsillitic branches of the glosso-pharyngeal nerve, tonsillitic inflammation, etc.

**Tonsillit'is.** Inflammation of the tonsils. *Cynanche tonsillaris.* Mr Charles Tomen ascribes a V-shaped arch and the consequent irregularity of the teeth to mouth-breathing from enlargement of the tonsils. Caries of a peculiar form is also ascribed to constant exposure of the teeth to the atmosphere.

**Tonsillitic Malig'na.** *Cynanche maligna.* Putrid or gangrenous sore throat.

**Tonsillitic Phlegmonos'is.** *Cynanche tonsillaris.* Inflammation of the tonsils. Simple inflammatory sore throat.

**Ton'sils (tonsils, or amygdalæ).** Two oval, almond-shaped glands, each about  $\frac{1}{2}$  of an inch long,  $\frac{1}{4}$  of an inch wide, and about the same in thickness, their extremities being rounded, and situated on either side within the fauces, between the anterior and posterior pillars of the soft palate. They consist of an assemblage of mucous follicles, which open externally. They vary greatly in size in different persons, and often in the same person. Twelve to twenty indentations on their free or proximal surface give small recesses or crypts within the gland, and produce a perforated appearance. The secretion from these mucous glands or tonsils is discharged into the crypts, and its retention causes a fetid breath. Sometimes it is discharged in the form of small balls of yellowish-gray matter having a very offensive odor, and its retention causes the tonsils to become highly inflamed. The natural secretion of the tonsils lubricates the isthmus faucium and facilitates the deglutition of alimentary substances.

**To'tion.** The tension or tenacity of an organ.

**Tooth (edent; dens; dental, dentes).** A tooth is anatomically divided into three parts—namely: (1) The crown or cornea, which is the part situated without the alveolus, and covered by a hard vitreous substance called the enamel; (2) the cervix or neck, which is situated between the crown and the alveolus,

and surrounded by the gum; (3) the root or fang, which is the part situated within the alveolus. See *TEETH*.

A tooth is composed of four distinct parts—namely: (1) The pulp; (2) the bone or dentine; (3) the enamel; and (4) the crusta parva, or cementum. For a description of these tissues, see name of each. A tooth has also a central cavity, which encloses the pulp. See *DENTAL CAVITY*.

**Tooth'ache.** Odontalgia (which see).

**Toothache Tree.** The popular name of the species of plants which form the genus *Xanthoxylum*, but applied more particularly to *Xanthoxylum flaxineum*, the bark and fruit of which have been used as a remedy for toothache.

**Tooth-bone.** Dentine.

**Toothbrush.** An instrument composed of small bundles of prepared hogs' bristles, secured to a long narrow piece of bone or ivory, by means of sealing wax or some other cement, or by wire, and employed for cleaning the teeth. It is a valuable dental hygienic agent, and the toilet of no one can be regarded as complete without it.

**Tooth-edge (agreement des dents).** Teeth set on edge (which see).

**Tooth-paste.** A dentifrice made in the form of a paste. See *DENTIFRICE*.

**Toothpick.** A flexible and elastic sharp-pointed instrument, employed for the removal of extraneous matters from between the teeth. It is made of metal, whalebone, wood, or the quill of a goose or other fowl. A toothpick made from the quill of a goose is better than either a metallic or wooden pick.

**Tooth-polisher, Argillaceous.** An instrument invented by Dr L. S. Parry for the removal of stains and discoloredness from the teeth. It consists of a cylindrical piece of baked clay, about five inches long and  $\frac{1}{2}$  of an inch in diameter, flattened, and bent at each end to an angle of nearly 90°. In using it, one of the flattened extremities is first moistened in water, and then rubbed upon the teeth until the stain or discoloration is removed.

**Tooth-rash.** Strophulus (which see).

**Tooth-scraper.** Dentate.

**Tooth-shaping, Truing Up.** The process of removing by grinding or of building up with gold portions of teeth—generally the cutting edges—to make them uniform in length with adjacent teeth and to give them a normal ap-

poorance. Also removing overlapping portions of teeth for the same purpose.

**Tooth-syringe.** *Odonostochyten*. A small instrument—made of gold, silver, glass, or rubber—in the form of a pump, with a handle about an inch long, curved so as to form nearly a right angle, and used to draw in any fluid, which is done by means of a piston, and then to expel it into the cavity of a tooth. It is used principally for cleansing cavities in teeth, preparatory to filling; also for injecting pulp-canals, etc.

**To'paz.** A hard, crystallized, yellow mineral, composed of alumina, silica, and fluoric acid.

**Topaz'olite.** A subvariety of garnet of a pale-yellow color.

**Topaz'cosma.** Gritty, sandy; resembling a soft stone.

**Top'plus.** An accumulation of calcareous matter in the joints. Also gravel.

**Top'ical** (*topicus*; from *topos*, a place) Limited; local. In *Therapeutics*, the application of a remedy to a particular part; hence topical remedies are those which act upon the part to which they are applied, and are divided into several classes. Those which produce some local irritation or stimulation without absorption; those which act destructively or corrosively upon the tissues, and those which destroy parasitic or microscopic growths, to which class belong what are known as germicides.

**Top'icus.** Local.

**Top'cular** (from *topos*, to twist). A tourniquet. Also a press.

**Tortular Heroph'ill.** The press of Herophilus; a smooth and polished cavity of the dura mater, of irregular shape, called the fourth sinus.

**Tor'culum.** Tourniquet.

**Tormen'tum.** The flesh passion, intense sympathy.

**Tor'mina.** Severe colicky pains. Dysmenstric.

**Tormen'tum.** A tourniquet.

**Toreo'tis** (from *tereos*, full of muscle, brawny). Muscular strength.

**Toro'sus.** Full of muscle; muscular, brawny, fleshy.

**Tor'pid** (*torpidus*; from *torpes*, to be stiff, numb). Loss of the power of motion or sensation; loss of feeling; numb.

**Tor'por** (from *torpes*, to be numbed). Deficiency of sensation; numbness; inactivity,

a sluggish condition of a part or of the whole body.

**Torpor Intestino'rum.** Constipation.

**Torrific'tion** (*torrificatio*; from *torridus*, dry, parched, and *facio*, to make). In *Pharmacy*, the drying of drugs on a metalline plate, placed over or before a fire. In *Metallurgy*, the operation of roasting ores.

**Torrice'llion Vac'uum.** The vacuum at the top of the column of mercury in a barometer, so called from Torricelli, the inventor of the instrument.

**Tor'sion** (*torere*). Twisting. The torsion of a divided artery is sometimes resorted to for the purpose of arresting hæmorrhage.

**Torsion of Teeth.** The forcible turning of teeth in their cavities for the purpose of correcting irregularity in position. Some French writers have applied this term to a species of malformation of the jaws, in which the upper teeth on one side of the mouth from the median line slant on the outside of the lower jaw on the same side, and on the other side they fall on the inside of the lower teeth.

**Torticol'lis** (from *torques*, to twist, and *collum*, the neck). Wry-neck (which see).

**Tor'tilla.** Tortile, twisted.

**Tor'tuilla** (*torquere*, to twist). Tormented, suffering. Also the contumacious of the sick.

**Tortuo'sus.** Twisted, tortuous.

**Tortu'ra Oris.** Bicus sardianus. A wry mouth, convulsive grin.

**Touch** (*tactus*). In *Physiology*, the sense by which we are enabled to know the palpable qualities of bodies by feeling them; one of the five senses.

**Touch'er.** Act of touching, or examination by touch. Uterine examination through the vagina with the fingers.

**Touch'stone.** A compact variety of silicious schist used for the purpose of ascertaining the purity of gold and silver by the streak left on it.

**Touch'wood.** Common name of *Balestus igniarius*, the agard of the oak. Also decayed wood; it will take fire from a spark.

**Tour'malline.** A mineral of various colors, occurring in three- or six-sided prisms, terminated by three-sided pyramids. The finer varieties of sapphire are known by this name.

**Tournal'quet** (from *Fr. tourner*, to turn). A surgical instrument, or a bandage, tightened by a screw, employed to suspend the circulation of blood in a limb by compressing the

poisoned body during the performance of an operation involving the division of large vessels.

**Toxæ'mia** (from *toxos*, a poison, and *aima*, blood). A poisoning of the blood.

**Toxæmia** (from *toxos*, a poison, and *aima*, want of blood). An anemic abnormality of the blood, caused by gases and mineral poisons.

**Toxic**, **Toxical** (from *toxos*, poison). Poisonous.

**Toxicoder'ma**. Disease of the skin from poisonous substances.

**Toxicohæ'mia** (from *toxos*, a poison, and *aima*, blood). Poisoning of the blood.

**Toxicology** (from *toxos*, a poison, and *logos*, a discourse). Toxicologia. A treatise on poisons.

**Toxæ'mia**. A generic term applied by Fuchs to diseases caused by the introduction of poisons into the system.

**Tox'icum**. A poison.

**Toxi'ferous** (from *toxos*, poison, and *fero*, to bear). Bearing or containing poison.

**Tox'ine**. A poisonous base produced by the action of bacteria upon organic substances, a poisonous principle.

**Trache'ia**. The thread-like processes of the dura mater, and the medullary fibres of the brain, constituting the commessura.

**Trache'ia** (from *tracheo*, rough). The windpipe. A cylindrical, fibro-cartilaginous, and membranous tube, through which the air passes to the lungs. Commencing with the larynx, it extends to the fourth or fifth dorsal vertebra, where it divides into the right and left bronchial tubes, one going to each lung. It is composed of cartilaginous rings, fibrous and mucous membrane, muscular fibres, vessels, and nerves.

**Trache'al** (*tracheal*). Pertaining to the trachea.

**Tracheal Glands**. The small, flattened, ovoid bodies, which are mucous follicles, on the posterior surface of the trachea.

**Trache'ia**. Croup.

**Trache'itis**. Tracheitis. Cynanche trachealis. Inflammation of the trachea.

**Trache'itis**. Rheumatism in the neck; wry-neck; stiff-neck.

**Trache'itis** (*tracheitis*). Pertaining to the neck; wry-neck.

**Trache'itis**. A term applied by Dr. Marshall Hall to a supposed spasmodic con-

traction of the muscles of the neck, which, by compressing the veins and impeding the return of the blood from the head, is, as he believed, the cause of many morbid phenomena.

**Trache'itis**. Tracheitis.

**Tracheo-car'vical**. Name given by Chamber to an artery of the neck, the *arteria cervicalis profunda*.

**Tracheo-diaphragma'tic Nerves**. Name given by Chamber to the fourth pair of cervical nerves.

**Tracheo-mastoid'e'us**. A muscle of the neck.

**Trache'os** (*tracheos*). The neck.

**Tracheorrhag'ia** (from *tracheo*, the neck, and *rrhago*, to burst forth). Hemorrhage from the trachea, or from the wound made in the operation of tracheotomy.

**Trach'eotome** (*trachea*, windpipe, and *trach*, to cut). An instrument for performing tracheotomy.

**Tracheot'omy** (from *trachea*, the trachea, and *trach*, to cut). Tracheotomy. The operation of cutting into or opening the trachea, performed for a mechanical obstruction to the passage of air through the larynx, or when a foreign body has entered the windpipe. Brouchotomy.

**Trach'itis** (from *trachea*, the trachea, and *itis*, a terminal denoting inflammation). Inflammation of the trachea. Cynanche trachealis.

**Trache'ia** (from *tracheo*, rough). A variety of ophthalmia, characterized by roughness of the inner surface of the eyelid and severe pain whenever it is moved.

**Trachypno'ia** (*tracheo*, rough, and *phno*, the voice). Roughness of the voice.

**Trachys'ma**. Same as **TRACHOMA** (which see).

**Trachyt'ic**. A group of plectonic earths having a rough appearance.

**Tract**. Tractus (which see).

**Trac'tion** (*tractus*, from *trah*, to draw). The act of drawing, or the state of being drawn; as the force used in moving teeth.

**Tract'us** (from *trah*, to draw). A drawing in length; a region; a tract or space.

**Tractus Motor'ius**. The motor tract; a prolongation of the corpus pyramidalis through the pons Varolii into the cereum cerebri.

**Tractus Op'ticus**. The optic tract. A soft white band which winds around the cereum cerebri and then converges to meet its fellow of the opposite side in the optic commissure.

in front of the cells tunica. It rises from the thelæum options.

**Trachea Respiratoria.** The respiratory tract; a narrow white band descending along the side of the medulla oblongata at the bottom of the lateral sulcus.

**Tragacanth.** *Tragacanth*; the concrete juice of the *Astragalus tragacantha*. A natural mixture of gum Arabic and bassorin. A demulcent mainly employed as a vehicle for resins and insoluble powders. Powdered gum tragacantha, when applied or sprinkled over the moistened surface of an artificial denture, will naturally assist the atmospheric power of retention.

**Tragacanthin.** A substance composing the whole gum of tragacanth. Also called *adraganthin*.

**Tragus.** A small flat muscle which nearly covers the outer surface of the tragus of the ear.

**Tragus.** In *Anatomy*, a small, triangular eminence situated before the meatus auditorius externus.

**Trail'ing.** Procurrent.

**Train-oil.** The oil obtained from the blubber of whales and from the fat of various other fishes by boiling.

**Trait.** Any natural characteristic or feature that is peculiar to an organ or individual.

**Trans.** The peritæum.

**Trance.** *Catalepsy*; a total suspension of mental power and voluntary motion, while breathing and pulsation continue and the muscles remain flexible. Also *ecstasy*. See **ECSTASY**.

**Trans-** (from *trans*, across). A Latin prefix denoting across.

**Transcendent'al Anst'omy.** A branch which teaches the plan, mode, or modal upon which the different organs are formed.

**Transfer'ence** (from *trans*, and *ferre*, to bear). Supposed telepathic communication of thought or the clairvoyant vision of events occurring at a wide distance.

**Transfor'mation** (from *trans*, and *ferre*, to place). Perforation.

**Transforma'tion.** In *Pathology*, the conversion of the texture of a part into one natural to some other part.

**Transfu'sion** (*transfu'sio*; from *transfu'dere*, to pour from one vessel into another) The transmission of the blood of one animal into the veins of another.

**Transu'tion.** In *Pathology*, metastasis.

**Transu'cent or Transu'cid** (from *trans*, through, and *uere*, to shine). Semitransparent, pellucid.

**Transmigration** (*trans*, and *migre*, to wander). The passage of cells or particles through a membranous septum.

**Transmuta'tion** (*transmutatio*) Transformation, the change of anything into another substance or into something of a different nature.

**Transpa'rent** (from *trans*, through, and *pareo*, to appear). Admitting the passage of the rays of light; diaphanous.

**Transpira'tio.** Transpiration.

**Transpira'tion** (*transpiratio*). The act of passing off through the excretories of the skin, cutaneous exhalation, perspiration.

**Transplanta'tio.** Transplantation.

**Transplanta'tio Dentis.** See **TRANSPLANTATION**.

**Transplanta'tion.** In *Therapeutics*, a pretended method of curing diseases by making them pass from one person to another. In *Dental Surgery*, the removal of a sound and healthy tooth from the mouth of one person and inserting it into an alveolus in the mouth of another, from which a tooth has just been extracted.

**Trans'port.** In *Pathology*, delirium.

**Transposi'tion** (*transpositio*; from *trans*, over, and *ponere*, to put). Change of situation the state of being reciprocally changed in place. In *Anatomy*, a congenital vice of conformation, consisting of the development of one organ in the place of another, as the heart on the right side and the liver on the left.

**Transposition of Teeth.** See **TEXIN**, **TRANSPOSITION OF THE**.

**Transuda'tion** (*transudatio*; from *trans*, through, and *uadere*, *uadere*, to sweat). The passage of a fluid through the pores of anything or through the tissue of any organ.

**Transversa'les.** A term applied in *Anatomy* to muscles, vessels, etc., which have a transverse direction.

**Transversalis Abdom'inis.** A muscle situated on the lateral and anterior parts of the abdomen.

**Transversalis Anti'cus Pri'mus.** The rectus capitis lateralis muscle.

**Transversalis Cerv'cis.** The transversalis colli, which appears to be a continuation of the longissimus dorsi.

**Transversalis Col'li.** A muscle situated on the lateral and back part of the neck.



**Transverse Spin.** The multifidus spinæ, consisting of numerous small, fleshy, and horizontal fasciculi, extending from the transverse to the spinous processes of the vertebrae the whole length of the spine.

**Transversalis Nodi.** The compressor naris. **Transversalis Pedis.** A muscle of the foot. See **TRANSVERSUS PEDIS**.

**Transversalis Periculi.** A muscle extending from the inner side of the tuberosity of the scapula transversely, to be inserted into the medial point of the pericnium.

**Transverse' (transverse; from trans, over, and verto, to turn)** Running across; having a cross direction. Applied in *Anatomy* to muscles, vessels, etc., which have a cross direction; and, in *Botany*, to the partition which crosses a pericarp at right angles.

**Transverse Fa'cial Ar'tery.** An artery of the face, sometimes given off from the external carotid and sometimes from the temporal.

**Transverse Fis'sure.** A broad fissure about two inches in length, crossing the umbilical fissure on the lower surface of the liver.

**Transverse Perin'eal Ar'tery.** A branch of the internal pudic artery distributed upon the perineal space and scrotum.

**Transverse Suture (sutura transversalis).** The suture which crosses the face, uniting the bones of the skull to the bones of the face.

**Transverse'sum.** Transverse.

**Transversus Ax'is.** A muscle of the external ear.

**Transversus Pe'dis.** Transverse muscle of the foot, arising from the metatarsal bone of the great toe and inserted into that of the little toe.

**Transversus Perin'eal.** Transversalis perineal (which see).

**Transversus Perin'eal Alter.** A small muscle sometimes accompanying the transverse perineal muscle.

**Trap Rock.** Certain volcanic rocks, which are composed of felspar, augite, and hornblende.

**Trapa'gium, Os.** The first bone of the second row of the carpus, so called from its shape.

**Trapa'gium (from trapezoid, a geometrical figure).** A muscle situated at the posterior part of the neck and back.

**Trapezoid'.** A four-sided figure, of which two sides only are parallel to each other.

**Trapozoid'um, Os.** The second bone of the second row of the carpus.

**Tran'sma (trauma).** A wound.

**Tran'smit'tis (traumatism; from trauma, a wound).** Relating to or caused by a wound. Adapted to the cure of a wound.

**Traumatic Fe'ver.** Fever consecutive to a wound.

**Traumatic Hæm'orrhage.** Hemorrhage from a wound.

**Traumatic Pleur'isy.** Inflammation of the pleura produced by a wound, such as a fractured rib, etc.

**Traumat'ion.** Detergents (which see).

**Traumat'icium.** A ten per cent solution of gutta serena in chloroform. Used for superficial wounds and skin affections.

**Tran'smission (from trans, a wound).** The condition following an injury. The systemic condition resulting from a wound.

**Traumatop'yra (from trauma, a wound, and yps, fire).** Traumatic fever.

**Traumatop'yria (from trauma, a wound, and ypsis).** Hospital gangrene.

**Travail'.** Parturition with pain.

**Tran'sic.** Molasses. The spume of sugar in the sugar refinery. the uncrystallized part of common sugar.

**Trem'bles.** Mercurial tremor; also milk sickness.

**Trem'bling.** Tremor.

**Trem'or (from tremere, to tremble).** Trembling; involuntary agitation of the body or some part of it.

**Tremor Cor'dis.** Palpitation of the heart.

**Tremor Mercuria'lis or Tremor Metal'licus.** Metallic tremor. A form of shaking palsy from mercurial vapors.

**Tremor Ten'dinum.** Trembling of the tendons. A morbid, intermittent, spasmodic action.

**Trench'ant.** Sharp-edged; cutting.

**Trepan' (trepanum; from trovere, to perforate).** An instrument resembling a gimble, employed by surgeons for the perforation and removal of depressed, fractured, or carious bone.

**Trepan'ning.** The act of perforating with a trepan.

**Trophine'.** A cylindrical saw, with a handle placed transversely, like that of a gimble, and a perforator in the centre, which serves as an axis for the saw to rotate upon until it has formed a groove in the bone, when it may be removed. This is a more modern instrument than the trepan.

**Trophine, Antrom.** An instrument for per-

fixating the extrem through the socket of a tooth.

**Trepaine, Elliot's Dental.** An instrument invented by Dr Elliot, of Montreal, for separating the palatine root of the superior molars from the buccal ones, when it is required, to render the removal of the tooth less difficult. This instrument has its centre thrust out by a spring, and the teeth occupy about one-third of a circle. When in use the centre of the instrument is introduced into the centre of the inner fang, and then, by a reciprocating motion, this fang may be separated from the others.

**Trepidatio.** Trepidation.

**Trepidatio Cordis.** See **Tremor Cordis.**

**Trepidatio (trepidatio);** from *trepidare*, to tremble) Involuntary trembling, particularly from fear or terror.

**Trepondo.** A weight of three pounds.

**Tre'sis** (from *tres*, to bore) A perforation; a wound.

**Tri-.** A prefix denoting three.

**Triacid.** A salt or alcohol containing three atoms of hydrogen replaceable by a base.

**Triad.** An element capable of replacing or of combining with three atoms of hydrogen or other univalent element.

**Triangular (triangularis).** A term applied in *Anatomy* to parts which have a triangular figure, having three angles.

**Triangular Ligament.** Ligament of Camper, deep perineal fascia. A strong triangular aponeurosis situated below the symphysis pubis and attached to and filling up the space between the ramus of the pubis and ishium.

**Triangularis Labiorum.** The depressor anguli oris.

**Triangularis Oris.** The depressor anguli oris.

**Triangularis Sterni.** Sternocostalis. A muscle of the shape of a lengthened triangle, situated at the anterior part of the chest behind the cartilages of the ribs.

**Trias'sic.** A new red sandstone composed of three divisions.

**Tribe'sic** (from *tri*, three, and *base*, a base) Salts having three equivalents of a base to one of an acid, or an acid having three hydrogen atoms replaceable by basic atoms.

**Tribe.** In *Natural History*, a division of animals or vegetables intermediate between order and genus.

**Tri-brom-phenol.** See **BROMOL.**

**Tri-caps** (from *tres*, three, and *caput*, a head)

Three-headed, applied in *Anatomy* to muscles which arise by three heads.

**Triceps Adductor Fem'oris.** An appellation comprehending three distinct muscles—namely, the adductor brevis, adductor longus, and adductor magnus.

**Triceps Ax'ris.** *Brahmans suria.*

**Triceps Brachii'sis.** *Triceps extensor cubiti* (which see)

**Triceps Cru'ris.** A name given to the vastus externus, vastus internus, and crureus muscles.

**Triceps Extensor Cu'biti.** A muscle situated at the posterior part of the os humeri. It is described by Douglas as two distinct muscles, and by Winslow as three.

**Trichanglectasis** (from *trich*, a hair, *ang*, a vessel, and *ectasis*, dilatation) A term applied in *Pathology* to morbid dilatation of the capillary vessels.

**Trich'ia.** Entropion (which see).

**Trich'asis** (*trichiasis*, from *trich*, a hair).

A term applied in *Pathology* (1) To inversion of the eyelashes, causing irritation of the eyeball, (2) to a morbid affection of the kidney in which hair-like filaments are discharged with the urine, and (3) to a painful swelling of the female breasts, occurring during lactation, and supposed by the ancients to be due to the accidental swallowing of a hair.

**Trich'ina Spir'alis.** A species of entozoon found in the muscles of voluntary motion. When taken with food, they multiply in the intestines, and then migrate to the muscles. Their presence may be owing to the use of the flesh of animals in which they existed, especially when such flesh as pork is partaken of in a raw state. The disease thus brought about is called trichinosis or trichina disease.

**Trichinosis.** See **TRICHINA SPIRALIS.**

**Trichio'sis.** Trichiasis (which see)

**Trichio'mus** (from *trich*, a hair) An almost imperceptible fracture of a bone, resembling a hair.

**Trichloroacetic Acid.** A compound formed by oxidation of alcohol by means of nitric acid.

**Trichlorophenol.** Trichlorophenoic acid. A derivative of carbolic acid, with an odor like that of tar and a pungent taste. Used as a disinfectant.

**Trichoceph'alis** (from *trich*, a hair, and *cephale*, the head). The long thread-worm which infests the cecum and colon of the human subject.

**Trichoid** (*trō'id*, hair, and *oid*, a form). Resembling a hair.

**Trichoma** (from *trō'id*, a hair). Film polypoid; plotted hair; a disease in which the hair is matted together.

**Trichomonas Vaginalis**. A name given to an animalcule found by Dume in the mucus of the vagina when the subject is afflicted with cypiditis.

**Trichoma** (from *trō'id*, a hair). A genus in Dr. Good's "Nomenclature," comprehending most of the diseases of the hair.

**Trichotomus (trichotomus)**. Divided into three parts; three-cleft.

**Trichotom**. The scalp.

**Trichotria**. Trichoccephalus.

**Tricorn** (from *tri*, three, and *corn*, a horn). A term applied to each lateral ventricle of the brain, from its three-horned shape.

**Tricresole, Tricresole**. A mixture of orthocresole, metacresole, and paracresole, in the form of a liquid.

**Tricuspid (tricuspid)**. From *tri*, three, and *cuspis*, a point). Three-pointed.

**Tricuspid Valve**. A valve of the heart, situated between the auricle and ventricle on the right side.

**Tricuspitate**. Tricuspital.

**Tridactyle**. Three-fingered.

**Tridentate**. Furnished with three teeth or tooth-like processes.

**Triennial** (from *tri*, three, and *annus*, a year). Lasting three years.

**Trifacial Nerve**. Trigemini. The fifth pair of nerves, their three divisions being distributed on the face. See TRIGEMINI.

**Trigono-tris**. A term applied in *Anatomy* to muscles which have three bellies.

**Trigeminus (trigeminus)**. From *tri*, three, and *geminus*, double). The fifth and largest pair of the cranial nerves. It is the great sensitive nerve of the head and face, and arises in front of the floor of the fourth ventricle, behind the oculi cerebelli; at the Gasserian ganglion it divides into three branches—the ophthalmic, the superior, and the inferior maxillary (which see). As these three branches are principally distributed to the muscles of the face, they have been named, collectively, the facial nerve.

**Tri-gon (trigonus)**. A triangle.

**Trigone, Trigonus, or vesical triangle**. The triangular smooth surface on the inside of the urinary bladder at its base.

**Trigone Vesicale**. Vesical triangle. See TRIGONE.

**Trigono-scle**. See TRIGONOSCLER.

**Trifida**. An instrument for extracting foreign bodies from the bladder through the urethra. At its termination there are three arms which can be expanded after it is inserted into the bladder.

**Trico-lute (tricolute)**. Having three lobes.

**Trip-artite (tripartite)**. Divided into three parts.

**Tripier'macum**. A medicine composed of three ingredients.

**Tripheina**. A coal-tar derivative with antipyrretic and analgesic properties.

**Trip'lite**. A dark-brown, imperfectly crystallized mineral, consisting of phosphoric acid and the oxide of manganese and iron.

**Triplop'ia**. Disordered vision, in which objects are seemingly seen triple.

**Tripod, Vital**. A term for the heart, lungs, and brain.

**Trip'oil**. An earthy substance, having a hard, sharp grain, brought from Tripoli, used for polishing and cleansing metals.

**Tripolitis or Trip'olite**. A substance composed of lime, silica, and oxide of iron, sometimes used for bandages in place of plaster of Paris.

**Trip'sis**. Trituration; act of rubbing; shampooing.

**Trique'tra Oste'ula**. The triangular bones found in the course of the lambdoidal suture. Wormian bones.

**Trique'trum**. A triangle.

**Tri-salt**. A salt containing three times as much acid to the same quantity of base, or three times as much base to the same quantity of acid, as the corresponding neutral salt.

**Tri'smus (from *trō'id*, to gnash)**. Literally, a gnashing of the teeth; but in *Pathology* a spasmodic contraction of the muscles of the jaw. Locked jaw or lock-jaw. Disrupted teeth and the irritation occasioned by the irregular and painful eruption of wisdom teeth have been ascribed as causes of trismus.

**Trismus Neonatorum**. Lock-jaw attacking infants during the first two weeks after birth.

**Trismus Traumaticus**. Lock-jaw originating from a wound.

**Triplanctis'ole (triplanctisole)**. From *trō'id*, three, and *planctos*, vision). That which relates to the three orders of vision.

**Triplanctus Nerve**. Name given by Char-

ster to the great sympathetic nerve. The name of a nerve, or rather of a series of ganglia joined together by a multitude of nervous filaments. It extends the whole length of the trunk, and is connected by a branch with each of the thirty pairs of spinal nerves, and also with some of the cephalic nerves.

**Triplasmachnitis.** Cholera.

**Tristerni** (*tristerni*). Name given by Boelard to the third piece of the sternum, or the one corresponding to the third intercostal space.

**Tritosephya** (*triseptis*). From *triseptis*, tertian, and *seu*, to originate. A tertian fever.

**Tritorism.** A moria.

**Tritoxide.** In *Chemistry*, a non-acid compound of one equivalent of a base with three of oxygen.

**Triturate** (from *ter*, *trium*, to rub). Trituration. The process of reducing solid bodies to powder by rubbing or grinding.

**Trivalent.** Replacing or combining with three atoms of hydrogen or other univalent elements.

**Trocar.** A perforator with a triangular-shaped point, partially enclosed in a cannula, and employed for evacuating fluids from cavities, particularly in dropsy.

**Trochanter** (from *tracheu*, to turn). A name given to two processes on the upper extremity of the thigh-bone, distinguished into greater and lesser.

**Trochanterian.** Relating to the greater trochanter.

**Trochanterian.** Relating to the lesser trochanter.

**Trochar.** Trocar (which see).

**Trochilus.** The smaller of the two superior eminences of the os humeri. So named by *Chaucer*. See **TROCHILUS**.

**Trochile** (*trochile*). Trochas of chalk. **Trochile Glycyrrhizae** et *Opi*. Trochas of liquorice and opium.

**Trochile** (*trochile*). Trochas of chalk. A troche or round tablet. A solid medicine composed of powder incorporated with glutinous substances, made into small cakes and dried.

**Trochiter.** Name given by *Chaucer* to the larger of the two tuberosities at the superior extremity of the os humeri, because it gives insertion to rotator muscles. See **TROCHILUS**.

**Trochilus** (from *tracheu*, to turn). A pulley. A kind of cartilaginous pulley through which the tendon of the trochlearis muscle passes.

**Trochlearis.** The oblique superior, oculi muscle.

**Trochlearis.** The nerve which supplies the trochlearis muscle.

**Trochoides** (*trochoides*; from *trocheu*, a wheel, and *oides*, resemblance). A term applied in *Anatomy* to an articulation in which one bone rotates upon another, like a wheel upon its axle; as the atlas upon the odontoid process of the dens.

**Tremor** (from *tremere*, to tremble). Trembling, terror.

**Tremor.** Tremor.

**Tropacocaine.** An alkaloid obtained from the leaves of the coca plant. Used as a local anæsthetic, and considered to be a safer agent than cocaine.

**Trophe.** Food, aliment.

**Trophid** (from *trapeu*, a nourisher). The part of the mouth in insects employed in acquiring and preparing the food.

**Trophic.** Pertaining to nourishment or nutrition.

**Trophonouria** (from *trapeu*, nourishment, and *neuria*, a nerve). Atrophic process due to injury or perverted action of the nerves.

**Trophonouria** (from *trapeu*, nourishment, and *neuria*, a disease). Trophonouria. Disease of nutrition.

**Trophoplast.** The granular bodies of the protoplast, nutritive as to function.

**Trophyl, Trophila** (*trapeu*). Nourishment; used as a suffix; as *hypertraphy*, excess of nourishment or nutrition, *atrophy*, want of nourishment, etc.

**Tropism** (from *trapeu*, the solstice or tropics, and *mosis*, a disease). A term applied in *Pathology* to diseases peculiar to or which prevail in the tropics.

**Troy Weight.** A weight chiefly used in weighing gold, silver, and articles of jewelry. The pound troy contains twelve ounces, each ounce, twenty pennyweights, and each pennyweight, twenty-four grains. See **WEIGHTS**.

**True Ribs.** The seven superior or sternal ribs, attached to the sternum by distinct cartilages.

**Truncated** (*truncatus*). Cut off, cut short, lopped, appearing as if cut off.

**Trunk** (*truncus*). In *Anatomy*, that portion of the body to which the limbs are articulated. It is divided into three parts—the thorax, abdomen, and pelvis.

**Trump.** A term derived from the French *trouper*, to be up, and applied to a hospital

**tappings**, while at the present day consists of a steel spring with two jaws, one to be applied to the back as a point of support and the other over the hernia.

**Tu'ter** (from *tube*, any hollow vessel). A tube.

**Tubes** (*tube*) A term applied in *Anatomy* to some parts which are hollow.

**Tube, Eusta'chian**. A tube extending from the cavity of the tympanum to the posterior nares, between which it forms a communication.

**Tube, Fallo'pian**. A canal on each side of the uterus, extending from the superior angle to near the ovary.

**Tu'ter** (from *tumescere*, to swell or grow big). A term applied in *Anatomy* to parts which are rounded. In *Surgery*, a knot or swelling in any part.

**Tuber Annula're**. *Pons Varoli*. An eminence of the medulla oblongata.

**Tuber Cere'bri**. A grayish tubercle forming part of the floor of the third ventricle of the brain.

**Tuber Is'chi**. The tubercle of the ischium.

**Tu'bercle** (*tuberculum*, from *tuber*, a bunch). A term applied in *Anatomy* to certain obtuse processes or projections on the surfaces of parts or in the structure of medullary organs, as the tubercle of a human rib. In *Pathology*, a purple or tumor. The term, however, is applied to a species of degeneration consisting of opaque matter, of a whitish, yellowish, or gray color, developed in different textures of the body, but most frequently in the lungs and mesentery.

**Tuber'cula**. Small, hard, superficial, circumscribed, and well-defined eminences at the middle part of the outer edge of the semilunar valves of the pulmonary artery and the aorta.

**Tubercula Aran'ia**. The small eminences on the semilunar valves of the aorta and pulmonary artery.

**Tubercula Quadrang'ula**. Two oval eminences situated on each side, at the posterior part of the third ventricle of the brain.

**Tu'ber'culer**. Tuberculous. Relating to or affected with tubercles.

**Tubercular Dis't'ence**. Tuberculous constitution or habit of body which predisposes to tubercular phthisis.

**Tubercular Matter**. A morbid production, consisting of yellowish, compact, calcareous, pulsatory, or mealy and curdy matter,

contained in cysts or in the tissue of organs.

**Tubercular Phthis'is**. Phthisis occasioned by the development of tubercles in the lungs.

**Tubercular Sore Throat**. Follicular pharyngitis.

**Tu'ber'culata**. Covered with tubercles.

**Tuberculo'sis**. Tubercular diathesis.

**Tu'ber'culosa**. Tubercular.

**Tuberculous Phthisis**. A consumptive affection of the lungs.

**Tu'ber'culum Annula're**. Annular protuberance. The *Pons Varoli*.

**Tuberculum Loweri**. An eminence where the two vena cava meet in the right auricle of the heart, first described by Lower.

**Tuberos'ity** (*tuberositas*, from *tuber*, a bunch). A rough projection or process on a bone which gives attachment to tendons or ligaments, an obtuse prominence.

**Tuberos'ity, Maxillary**. A rounded eminence at lower part of posterior surface of each superior maxillary bone.

**Tu'bing, Rubber**. Employed in *Dental Practice* for regulating and separating teeth.

**Tu'tuler** (*tubularis*). Having the form of a tube.

**Tubular Gestat'ion**. Extra-uterine fixation in the Fallopien tubes.

**Tu'tule** (*tubulus*, diminutive *tube*, a tube). A small tube.

**Tu'tulli** (plural of *tubulus*). Several sets of minute vessels. See **TUBULUS**.

**Tubuli Bili'ari**. The uriferous tubules.

**Tubuli Du'rae Ma'tria**. The minues of the dura mater.

**Tubuli Lact'ari**. The ducts in the nipple through which the milk passes.

**Tubuli of Dentine**. Dentine tubes. See **DENTINAL TUBULI**.

**Tubuli Rec'ti**. Straight tubes. From twelve to twenty small tubes, which pass in parallel lines to the back and upper part of the testicle, forming the eminence called the High morian body, *corpus Highmori*.

**Tubuli Semin'eri**. The minute tubes which constitute the parenchyma of the testes.

**Tubuli Urin'eri**. The minute excretory ducts of the tubular substance of the kidney.

**Tu'tulosa**. Tubular, form of a tube.

**Tu'tulus**. Tubule. A little tube.

**Tubus Acce'ssoria**. An ear-trumpet.

**Tubus Alimenta'ris**. The alimentary canal.

**Tubus Nerve'um**. Nervelet.

**Tudipil Valve.** The ileo-caecal valve.

**Tumefaction (tumorosis).** Act of swelling into a tumor; a swelling.

**Tu'mefied.** Swollen; enlarged.

**Tumescence** (from *tumescere*, to swell). Swelling or enlargement caused by moisture.

**Tu'mid.** Swollen.

**Tu'mor** (from *tumere*, to swell). Tumour. A morbid enlargement of any part of the body, a permanent swelling. Abernethy restricts the term tumor to such swellings as arise from new productions, including only the sarcomata, which are of a firm and fleshy consistence, and the aneurysm, which are formed in a membranous sac. The former he divides into: (1) The common vascular or organized sarcoma, (2) adipose sarcoma, (3) pancreatic sarcoma, from its resemblance to the pancreas, (4) mastoid or mammary sarcoma, from its resemblance to the structure of the mammary gland, (5) tuberculated sarcoma, which is composed of small ovoid tumors, varying in size and color, and connected by cellular tissue, (6) medullary sarcoma, from its resemblance to the medullary substance of the brain, this variety is commonly designated by the name of fungus hematosus, (7) the carcinomatous sarcoma, constituting the cancerous tumor. *Enlarged tumors* he divides into (1) Stenosis, which contain fatty matter, (2) molluscous, the substance of which bears some resemblance to honey; (3) atheromatous, which are of a paste-like consistence.

The nature and malignancy of a tumor are determined not only by the causes which give rise to its development, but also by its seat and the state of the general health and constitutional diathesis of the individual.

**Tu'mor, Erec'tile.** A tumor susceptible of elevation and depression, as when developed in a soft vascular tissue.

**Tumor, Py'emic.** A morbid growth formed of fibrous tissue.

**Tumor, Varicose.** A circumscribed morbid growth of a bluish color, caused by dilatation and development of capillary vessels.

**Tu'mors of the Gums and Alveolar Processes.** See JAW, MORBID GROWTHS OF.

**Tung'state.** A salt formed of tungstic acid and a base.

**Tung'stium.** Symbol, W Atomic weight, 183.5. Heavy metal; wolfram. A metallic oxide composed of lime, iron, and manganese. It is not a common metal, being found only in

a few minerals. Tungsten is a brittle metal, nearly as hard as steel, of a grayish-white color, and has considerable lustre. When added to steel, it hardens it.

**Tung'stic Acid.** An acid composed of one equivalent of tungsten and three of oxygen.

**Tu'mic (tumica).** In *Anatomy*, a membrane or covering to some part or organ, as the *tunica* of the eye, etc.

**Tu'mica.** Tunica. An enveloping membrane.

**Tunica Aciniform'is.** The uvea.

**Tunica Adna'ta.** The conjunctiva.

**Tunica Albugin'ea Oc'uli.** The fibrous membrane of the eye, situated immediately under the conjunctiva.

**Tunica Albuginea Testis.** The albuginea testis.

**Tunica Arachnoid'ea.** The arachnoid membrane.

**Tunica Choro'id'ea.** The choroid membrane.

**Tunica Conjunct'iva.** The conjunctiva.

**Tunica Cor'nea.** The cornea of the eye.

**Tunica Elytro'id'ea.** The tunica vaginalis.

**Tunica Erythro'id'ea.** The crurae muscle.

**Tunica Granulo'sa.** Name given by Dr. Barry to an investment of the ovum. Its existence, however, as distinct from the membrane granulosa, is regarded by others as doubtful.

**Tunica Jaco'bi.** An exceedingly delicate serous membrane, between the retina and choroid coat, consisting of minute prismatic bodies, placed close together and perpendicularly to the surface of the membrane.

**Tunica Ret'ina.** The retina.

**Tunica Vasculo'sa Ret'inæ.** The inner lamina of the retina. It is of a fibrovascular structure, and supports the outer medullary lamina.

**Tunica Vasculosa Testis.** A delicate membrane on the inner surface of the tunica albuginea, enclosing the substance of the gland, formed of minute ramifications of the spermatic vessels, and constituting the membrane of the testis.

**Tunica Villo'sa.** The inner coat of the intestines.

**Tunica Vit'rea.** The hyaloid membrane.

**Tunicon'tia.** Tunicked. Covered with a tunic.

**Tu'micle.** A natural covering; an integument.

**Tu'mid (turbidus; from turbe, to disturb).**

is a light-colored mass, luscious, not clear. Applied to liquids, portulac water, turbed wine, etc.

**Turbidated** (*turbidatus*; from *turbo* or *turbo*, a top). Shaped like a top or inverted cone.

**Turbidated Bones**. Very thin convoluted plates of bone, situated in the nasal fossa. They are distinguished into the superior and inferior. The spongy bones.

**Turbine/tube**. *Turbo caseoli*. The pineal gland.

**Turbine/tube**. Turbidated.

**Turges/ence** (*turgescere*; from *turgere*, to swell). A protuberant accumulation of blood or other fluid in a part; a state of distention.

**Turgescence of the Gums**. A swollen or distended condition of the margins of the gum. See GUMS, INFLAMMATION, TUMESCENCE, ULCERATION, and RECHESION or.

**Tur'gid** (*turgidus*; from *turgere*, to swell or puff up). Swollen.

**Turgid'ity**. *Turgiditas*. Turgescence.

**Tur'gose Vite'la**. *Turgescens*.

**Tur'key-stone**. *Bovacanth*; *maur-stone*. A massive mineral of a yellowish, greenish, or brownish-grey color. It has been used both by the surgeons and dentists for sharpening instruments.

**Turme'ric Paper**. White bibulous paper brushed over with tincture of turmeric. It is used as a test for the presence of free alkalies and their carbonates, by which its yellow color is changed to brown.

**Tur'ning**. A term applied in Obstetrics to the operation of bringing down the feet of the child in utero, for the purpose of facilitating delivery.

**Tur'pentine**. *Terebinthina*. The resinous juice of pine trees.

**Turpentine, Oil of** (*oleum terebinthinum*). The volatile oil distilled from the *Pinus palustris*. Dose, gr. v to gr. xx.

**Turpentine, Spirits of**. Same as oil of turpentine.

**Tur'peth Nite'oval**. *Hydragry sulphas ferus*. Yellow sulphate of mercury. An cathartic. Dose, gr. j in four or five grains of starch.

**Tutpethum Nigrum**. The black oxide of mercury.

**Tutpethum**. A lime mineral consisting chiefly of hydrated silicic acid, and formerly experimentally supposed to change the color

according as the warmer was in good or bad health.

**Tutus'da**. A test or suppository.

**Tuscul'alar** (*tuscularis*; from *tusca*, a cough). Pertaining to a cough.

**Tus'sis**. A cough.

**Tusula Convul'sa**. Whooping-cough. See PERTUSSIS.

**Tus'sive** (*tussivus*). Belonging or pertaining to a cough.

**Tutann'isa** (*trienura*; a defense, a protection). A term applied in Anatomy to parts which seem to defend or protect certain organs. **Tutamina Cer'ebr'i**. The scalp and bones of the skull.

**Tu'tonag**. An alloy of copper, zinc, and nickel, Chinese copper. In India, a name given to zinc.

**Tu'tia**. Tutty. The gray incrustation which forms on the chimneys of furnaces in which the ores of zinc are smelted. Also said to be found native in Persia. It is an impure oxide of zinc.

**Tut'ty**. Tutia (which see).

**Twinge**. In Pathology, a sudden, sharp, local pain of momentary duration.

**Twink'ling**. Sparkling; shining brightly with interrupted light.

**Twinkling of the Eye**. Nictation (which see).

**Twiss**. Gemellum.

**Twitch'ing**. In Pathology, short, spasmodic contractions.

**Tyck'ice** (from *tyck*, accident). Fortuitous lesions.

**Tyloma**. A callus.

**Tylo'ma**. *Tyloma*. Induration of the margins of the eyelids.

**Tylostere'ole** (*tylos*, callus, and *stereos*, privation) Extirpation or removal of a callus.

**Tympan'ic** (*tympanicus*). Pertaining to or connected with the tympanum.

**Tympanal'tes** (from *tympanon*, a drum). So called because the abdomen is distended with wind, and sounds like a drum when struck. Distention of the abdomen arising from an accumulation of air. There are two species: (1) *tympanites intestinalis*, consisting of an accumulation of gas in the intestines; and (2) *tympanites abdominalis*, when the air is contained in the cavity of the peritoneum.

**Tympanites, Uterine**. A windy swelling of the uterus.

**Tympanit'is** (from *tympanon*, a drum, and *itis*, inflammation). Inflammation of the tympanum of the ear.

**Tym'panum.** The drum or hollow part of the middle ear, containing the ossicula.

**Tym'pany.** Tympanites.

**Type** (*typos*; from *typos*, a stamp, itself from the root of *typos*, to beat). In *Pathology*, the order in which the symptoms of a disease occur and succeed one another, the character which a disease assumes, especially one of an acute or febrile nature. In *Natural History*, that which combines most prominently the several characteristics of a group. Thus, an individual may be the type of a species, and a species the type of a genus, and a genus the type of a family or an order.

**Type Met'al.** An alloy of lead and antimony, with a small portion of tin. One part of antimony to three of lead are the usual proportions. Useful in *Dental Mechanism* as a die in swaging, as it contracts less on cooling than zinc, and gives a clear and sharp impression.

**Type'lo-enteri'tis** (from *typhlos*, the cecum, and *enteritis*, inflammation of the intestine). Typhilitis. Inflammation of the cecum.

**Typho'dea.** Pertaining to typhus; typhous.

**Typhos'e'mia.** A disorganized state of the blood.

**Ty'phoid** (*typhoides*, from *typhus*, and *oides*, resembling typhus). Typhodes. A low fever, resembling typhus. This form of fever is distinguished from typhus by a lesion of the intestine. It closely resembles typhus in other respects.

**Typhos'e'mia** (from *typhos*, stupor, and *maia*, madness). The low muttering delirium which accompanies typhoid fever.

**Ty'phous.** Relating to typhus.

**Typhus Fe'ver** (from *typhos*, stupor). A fever characterized by extreme depression of strength, small, weak, frequent, and unusual pulse, with much cerebral derangement. It is divided by most writers into *typhus actus*, mild typhus, or nervous fever, and *typhus gravior*, a severe malignant typhus.

**Typhus Gra'vis** Malignant typhus fever.

**Typhus Ictero'dea.** The yellow fever.

**Typhus Mi'lis** Mild typhus fever.

**Typhus Nervo'sus.** Typhus mitior. Nervous fever.

**Typhus Petchie'sis** Typhus gravior.

**Typ'ical** or **Typ'ic** (from *typos*, a type). Representing the type or plan; figurative; representative.

**Ty're'lin.** Coagulated casein.

**Tyrom'e'als** (from *tyros*, cheese, and *maia*, vomiting). Tyromemesis. A vomiting of curdy matter.

**Tyris'sia.** Tubercular elephantiasis.

**Tyre'ma.** A tumor of a cheese-like structure.

**Ty'ros.** Cheese.

**Tyros'is, Tyr'o'sis** (from *tyros*, cheese). The essential ingredient of cheese. See **CASEIN**.

**Tyro'sia.** Tyromemesis (which see).

**Ty'son's Glands** (*glandulae tysoni*). The sebaceous glands around the corona penis.

## U.

**U.** The symbol for Uranium.

**Ue'der.** The breast of a female, but applied to the glandular organ or bag of cows and other quadrupeds, in which the milk is secreted and retained for the nourishment of their young.

**Uffelmann's Test.** A test for hydrochloric acid in the stomach; performed by adding the blue pigment of the huckleberry, which is turned bright red by this acid.

**Ula** (*ula*, from *solidus*, solid). The gums, gingiva.

**Ula'cose'sia** (from *ula*, the gums, and *coxa*, itching) Odaxismus. Itching of the gums, often a symptom of dentition, and sometimes of certain morbid conditions of this structure.

**Ula'morrh'e'gia** (from *ula*, the gum, and *hemorrhagia*) Ulceringia. Bleeding from the gums.

**Ula'troph'ia** (from *ula*, the gum, and *atrophia*, atrophy). A gradual shrinking or recession of the gums from the necks of the teeth. This affection may be produced by an accumulation of salivary calculus upon the



by irregularity in their arrangement, or by distention or complete loss of the vitality of these organs. See GUMS, DISEASES OF THE.

**Ul'cer (ulcus).** A lesion of continuity in the soft parts, accompanied by a discharge of purulent matter, contained and kept up by some local or constitutional injury or defect. In popular language, a running sore. An ulcer is a condition attended by a progressive destruction of tissue, accompanied by the formation of pus or ichor, and which is confined to the surface of the body or to natural cavities, as the mouth and other mucous surfaces. An ulcer is called *healing* when it is progressing satisfactorily to a cure, and is marked by smooth, non-infected edges, serous exudation, red, painless granulations which do not protrude above the skin, and by a pellicle of epidermis (eschar) spreading over the surface from the edges. An *unhealing* ulcer is one marked by swollen, painful, and edematous edges and granulations, and purulent secretion. A *phagedenic* or *sloughing* ulcer is marked by inflamed, irregular overhanging edges and sloughing masses in the discharge. A *fungous* or *weak* ulcer is marked by pale, fleshy, exuberant granulations projecting above the level of the skin. A *cutaneous, fistulous, or chronic* ulcer is marked by hardened, discolored edges, pale and scabby granulations, and fetid, purulent discharge. Ulcers are also divided into (1) the *simple* ulcer, resulting from a superficial wound, (2) the *anorectum*, in which the matter runs under integuments and escapes from a small but not callous orifice; (3) the *fistulous*, a deep ulcer with a small, callous orifice; (4) the *fungous*, where the surface is covered with fungous flesh; (5) the *gangrenous*, (6) the *scorbutic*, depending upon a scorbutic diathesis of the general system; (7) the *venereal*, resulting from venereal disease; (8) the *carcinous*; (9) the *cardous*, depending upon a carious bone; (10) the *interstic*, which is of long continuance; and (11) the *neoplastic*. To the above may be added the *arterial*, *epithelial*, *osteophagous*, *phagedenic*, *circum*, *acrotic*, *acrid*, *carcinous*, etc. Perverted nutrition is the immediate cause of an ulcer, and the proper treatment consists of removing the internal and local causes which keep up the ulceration, and in exciting the vessels of the part by appropriate bandaging, etc.

**Ulcer, Malignant.** A putrid ulcer; hospital gangrene.

**Ulceration (ulceratio).** The formation of an ulcer.

**Ulceration of the Gums.** See GUMS, EXPLANATION, TORSION, ULCERATION, and EXCESS OF ULCERATIVE. Pertaining to ulceration.

**Ulcerative Stomatitis.** See GUMS, DISEASES OF.

**Ul'cerous.** Having the character of an ulcer.

**Ul'cus.** An ulcer.

**Ulcus/cule (ulcerulus); diminutive of ulcus, an ulcer.** A small ulcer.

**Ulc'ic (from ulcer, gum)** Pertaining to the gum.

**Ul'tis (from ulcer, the gum, and er, a terminal denoting inflammation).** Inflammation of the gums. See GUMS, DISEASES OF THE.

**Ulmus Ful'vus.** The slippery elm. The inner bark yields a large quantity of mucilage, which is used in coughs, dysentery, and as an external application in the form of poultice to tumors, wounds, etc.

**Ulmus Ru'bra.** The Ulmus fulva (which see).

**Ul'na.** The inner and larger bone of the forearm.

**Ul'nar.** Belonging to the ulna.

**Ulnar Artery.** The branch of the brachial artery which passes down the inner side of the forearm.

**Ulna'ria.** Ulnar

**Ulnaris Ext'er'nea.** The extensor carpi ulnaris

**Ulnaris Inter'na.** The flexor carpi ulnaris

**Ulc'ace (from ulcer, the gum, and ac, bad).** Cancrum oris, or gangrenous inflammation of the mouth, particularly of the gums.

**Ulocarcinoma (from ulcer, gum, and carcinoma).** Cancer of the gum.

**Uloid.** Scar-like.

**Ulon'ous (from ulcer, the gum, and onus, a tumor).** Swelling of the gums. A tumor of the gums. Epulis. See JAW, DISEASES OF. **Ulc'eris'gla (from ulcer, the gum, and pyrus, to break forth)** Hemorrhage from the gums. This may occur spontaneously or may result from the mechanical division of some of the vessels of the gums, but unless favored by a hemorrhagic diathesis, it is never very considerable. But when thus favored, it is often difficult to control, and has, in some instances, terminated fatally. When spontaneous, the blood generally escapes from a number of

places, but more frequently from the spleen than from any other part of the gums. See **HEMORRHAGE FROM THE GUMS, SPONTANEOUS**.

**Ulorrhoea** (from *ulor*, gum, and *rhoi*, to flow) An oozing of blood from the gums.

**Ulotica**. That which contributes to the healing of ulcers and wounds.

**Ultimate Analysis**. In Chemistry, the resolution of a substance into its absolute elements.

**Ultimate Elements or Principles**. The last to which we can trace the constitution of substances.

**Ultimo-stermal** (*ultim-steralis*) Name given by Beclard to the endosternal, or sixth and last portion of the sternum.

**Ultra-marine**. The blue coloring matter of the lapis lazuli, which is unchangeable by exposure to the air.

**Umber**. A variety of ochraceous iron ore used as a pigment; also a variety of peat or brown coal used in the adulteration of snuff.

**Umbilical** (*umbilicis*; from *umbilicus*, the navel). Belonging to or relating to the navel.

**Umbilical Cord** (*funic umbilicalis*) The navel string.

**Umbilical Hernia**. *Hernia umbilicalis*.

**Umbilical Region**. The middle portion of the abdomen about the navel.

**Umbilical Ring**. A fibrous ring surrounding the aperture of the navel.

**Umbilical Vesicle**. *Vesicula umbilicalis* (which see).

**Umbilicus**. In Anatomy, the navel; in Botany, the hilum, or scar by which a seed is attached to the placenta.

**Umbilicus Maritimus**. A subterranean production found on rocks and on the shells of fishes, said to possess antihelmintic properties.

**Umbo**. A protuberance.

**Uncia**. An ounce. The twelfth part of a pound in troy and apothecaries' weights. A weight containing eight drachms.

**Unciform** (*unciformis*; from *uncus*, a hook, and *forma*, shape). Having the shape of a hook; hook like.

**Unciform Bone**. The fourth bone of the second row of the carpus.

**Unciform Process**. The hamular process of the os sphenoides.

**Uncinatus**. Beaked with bent spines like hooks; bent like a hook; hooked.

**Uncium** (from *unctio*). The act of anointing. Also an ointment.

**Unctuous**. Greasy; fatty; having a greasy feel.

**Un'cus**. A hook.

**Undulate'd** (*undulatus*). Wavy.

**Undulation**. Undulatory. A waving motion or vibration. In Pathology, fluctuation.

**Unguent'um** (from *ungere*, to anoint). Unguent; an ointment, a topical application of about the consistency of lard. An ointment is softer than a cerate, although the terms are often used indiscriminately.

**Unguentum Acid' Tan'icid**. Ointment of tannic acid.

**Unguentum Adipis** or **Unguentum Simplex**.

Ointment of lard. Simple ointment.

**Unguentum Antimo'ni**. (U. S.) Antimonial ointment, tartar emetic ointment.

**Unguentum Aqu'um Ros'um** (U. S.) Ointment of rosewater.

**Unguentum Cantharidis**. (U. S.) Ointment of Spanish flies.

**Unguentum Cera'col**. (Ph. L.) Spermaceti ointment.

**Unguentum Creoso'ti**. (U. S.) Ointment of creosote.

**Unguentum Cu'pri Subacetat'is**. (U. S.) Ointment of subacetate of copper.

**Unguentum Gal'icm**. (U. S.) Ointment of galls.

**Unguentum Gallic Compositum**. (Ph. L.) Compound ointment of galls.

**Unguentum Hydrargyri**. (U. S.) Mercurial ointment, strong mercurial ointment. Prepared by rubbing mercury with equal parts of suet and lard until the globules can no longer be seen.

**Unguentum Hydrargyri Ammonia'ti**. (U. S.) Ointment of ammoniated mercury. Ointment of white precipitate.

**Unguentum Hydrargyri Bino'didi**. (Ph. L.)

Ointment of biniodide of mercury.

**Unguentum Hydrargyri Iod'idi**. (Ph. L.)

Ointment of iodide of mercury.

**Unguentum Hydrargyri Mith'os**. (Ph. L.)

Mild mercurial ointment.

**Unguentum Hydrargyri Nitra'tis**. (U. S.)

Ointment of nitrate of mercury; ditrine ointment.

**Unguentum Hydrargyri Ox'idi Rubri**. (U. S.) Ointment of red oxide of mercury.

**Unguentum Iod'ini**. (U. S.) Ointment of iodine.

**Unguentum Iodii Compositum**. (Ph. U. S. and L.) Compound ointment of iodine.

**Unguentum Pip'erie Nigri**. Ointment of black pepper.

**Unguentum Plumbi Acetatis.** Ointment of iodide of lead.

**Unguentum Plumbi Carbonatis.** (Ph. U. S. and B.) Ointment of carbonate of lead.

**Unguentum Plumbi Compositum.** (Ph. L.) Compound ointment of lead.

**Unguentum Plumbi Iodidi.** (Ph. L.) Ointment of iodide of lead.

**Unguentum Simplex.** (U. S.) Simple ointment.

**Unguentum Sulphuris.** (U. S.) Sulphur ointment.

**Unguentum Sulphuris Compositum.** (U. S.) Compound sulphur ointment.

**Unguentum Zinci Oxidi.** (U. S.) Ointment of oxide of zinc.

**Unguiculi** (from *unguis*, a nail) Belonging to the nails.

**Unguiculi** (from *unguis*, a hook). In *Anatomy*, the nail; a horny lamina at the extremity of each finger and each toe. In *Surgery*, an accumulation of pus between the laminae of the cornea of the eye. Applied in *Batory* to the thin inferior part of the petal of a polypetalous corolla.

**Ungula, On.** The ungual bone of the orbit.

**Ungulate.** Nail-shaped; hoof-shaped.

**Unhealthy.** Sickly; wanting health, habitually weak, indisposed, insalubrious, having a tendency to generate disease; morbid.

**Uni-** (from *unus*, one). A Latin prefix denoting one.

**Unicellular.** One-celled. Composed of one cell.

**Unicorn.** Single.

**Unilateral** (*unilateralis*). Unilateral. On one side only.

**Unilocular.** Having one cell or cavity.

**Uninucleated.** Having a single nucleus.

**Union.** Act of uniting or joining two or more things into one; state of being united.

**Union by First Intention.** In *Surgery*, the process by which the opposite surfaces of a recent wound, when kept in contact, grow together without suppuration or granulation.

**Union by Second Intention.** See *SECUNDUM INTENTIONEM*.

**Uniparous** (from *unus*, one, and *pari*, to bear). Producing one at a birth; having produced young but once.

**Unit** (from *unus*, one). A single thing or mass.

**Unit Jar.** An apparatus for charging Leyden

jars with known proportions of electricity, contrived by Mr. Harris.

**Unit Magnet Pole.** A magnet having a strength of pole sufficient to repel a similar pole at a distance with a force of one degree.

**Unit of Current.** A conductor one cm. long, which, if bent into an arc of one cm. radius, will act with the force of one degree on a unit magnet pole at the centre.

**Unit of Electric Quantity.** The coulomb.

**Unit of Electro-motive Force.** The volt.

**Unit of Resistance.** The ohm.

**Unit of Work.** The erg.

**Unitivalent** (from *unus*, one, and *valere*, to be able). An atom or radical molecule which can assume but one monad atom; equivalent to, replacing, or combining with one atom of hydrogen.

**Univalve** (from *unus*, one, and *valve*, a valve) One-valved. A shell composed of one piece.

**University.** A collection of colleges, each having a special curriculum of studies, under one academic government.

**Unocular.** Uniculus. One-eyed.

**Unorganized.** Not organized; not composed of or containing organs.

**Urethra** (from *ureter*, urine). A ligamentous cord extending from the base of the urinary bladder to the umbilical cord, which, in the fetus of certain animals, is hollow, and conveys the urine to the allantoic membrane.

**Urethral** (from *ureter*, urine, and *apertus*, ill temperature). A bad quality of urine.

**Uremia** (from *urea*, and *emia*, blood) A term applied to diseases in which there is an excess of urea in the blood, causing poisoning.

**Uremic** (*uremicus*). Relating or appertaining to uremia.

**Uranilla.** A beautiful, feathery, crystalline powder, a product of the action of hydrochloric acid on thiocyanate of ammonia.

**Uranic Acid.** Peroxide of uranium.

**Uraniscitis** (from *uranus*, the palate, and *itis*, inflammation). Inflammation of the palate.

**Uraniscoplastic** (from *uranus*, palate, and *plasticus*, to form). The artificial formation of a palate.

**Uraniscoplasticity** (from *uranus*, the roof of the mouth, and *plasticus*, to form). Uraniscoplastic. An operation for the closure of a cleft in the hard palate; a plastic operation.

**Uraniscorhaphy.** Staphylorhaphy.

**Urædox** (*urædox*). The poison.

**Uræmia**. An ore of uranium, composed of phosphoric acid, oxide of uranium, lime, silica, oxide of iron, oxide of manganese, with small quantities of magnesia and barytes.

**Uræmium**. Symbol, U. Atomic weight, 240. A rare elementary metal of a grayish color, discovered by Klaproth, in 1789, in the mineral called pitchblend. It is also contained in uranite, of which there are two varieties—lime uranite and chalcenite, or copper uranite. It has three oxides, one of which, the sesquioxide, is occasionally employed as a coloring ingredient in the manufacture of porcelain teeth. This "is obtained by dissolving the green oxide in nitric acid, evaporating to dryness, and fusing it at a low heat to drive off the nitric acid. It is then digested in boiling water as long as anything soluble is taken up, and the pure oxide remains as a gold or orange-yellow powder, becoming brick-red, from loss of water by carefully heating, and, at a higher temperature, losing oxygen also. Its salts are yellow."\* The oxide of uranium is used to give a yellow tint to porcelain teeth.

**Uræte**. A compound of uric acid with a salifiable base.

**Uræte of Soda**. The principal ingredient in arthritis calcæli.

**Urea**.  $\text{COON}_2\text{H}_4$ . A white pearly substance forming the chief solid, or nitrogenous, constituent of urine, and occurring also in the blood, lymph, and liver; it is produced by the transformation of proteids. It is the principal nitrogenous end-product of tissue metamorphosis; a carbamide obtained mostly from the decomposition of uric acid.

**Urac/chynia** (from *uræ*, urine, and *exchyn*, effusion) Effusion of urine into the cellular membrane.

**Ure'do** (from *uræ*, to burn). A term applied to a burning or itching sensation attending many diseases. Also urticaria.

**Ure'id**. A compound urea, urea in which the hydrogen is replaced by an acid radical.

**Uræmium**. Synonymous with urea (which see).

**Uræsis** (*uræsis*, from *uræ*, to void urine). The act of voiding the urine.

**Urætor** (from *uræ*, urine). The membranous canal extending from the pelvis of the kidney to the urinary bladder, which conveys the urine from the former to the latter organ.

**Urætoral'gia** (from *urætor*, the ureter, and *gê*, pain). Pain along the course of the ureter.

**Urætor'tis** (from *urætor*, the ureter, and *itis*, a terminal denoting inflammation). Inflammation of the ureter.

**Urætero-thrombol'gia** (from *urætor*, the ureter, *thrombol*, grumous blood, and *gê*, resemblance) Ichthyuria occasioned by the formation of grumous blood in the ureter.

**Uræthane**, **Uræthan**. A combination of carbonic acid and ethylic ether in the form of white crystals, without odor or taste. Used as a hypnotic.

**Uræthra** (from *uræ*, urine). The excretory duct of the urine in both sexes in the higher animals and of the semen in the male. In the male urethra there are three portions: The *prostate*, near the bladder, a membranous, and a *spongy* portion.

**Uræthral'gia** (from *uræthra*, the urethra, and *gê*, pain). Pain in the urethra, gonorrhœa.

**Uræthrit'is** (from *uræthra*, the urethra, and *itis*, inflammation). Inflammation of the urethra.

**Uræthro Bæth'ria**. Name given by Olausser to the transverse perineal artery, because it is distributed on the bulb of the urethra.

**Uræthrophar'xis** (from *uræthra*, the urethra, and *pharxis*, to obstruct). Obstruction of the urethra, stricture.

**Uræthroplastic'ty** (from *uræthra*, the urethra, and *plastic*, to form). Uræthroplastic. In *Surgery*, an operation for supplying defects in the urethra.

**Urætic** (*urætic*) Diuretic; urinary.

**Ur'ina**. The urethra.

**Ur'ialis**. Lithiæm (which see).

**U'ric**. Pertaining to urina.

**Uric Acid** (*acidum uricum*) Lithic acid. A dibasic crystalline acid,  $\text{C}_5\text{H}_4\text{N}_4\text{O}_6$ , which exists in urine and in gouty concretions. When pure it is a white, inodorous, crystalline powder. It readily unites with alkaline bases, forming urates. It occurs most frequently in the form of urate of soda or urate of ammonia, constituting the greater part of urinary calculi. It is often deposited in diseased urine, in the form of a reddish sediment. Formula,  $\text{C}_5\text{H}_4\text{N}_4\text{O}_6 + \text{H}_2\text{O}$ .

**Uric Oxide** (*acidum uricum*). Xanthic oxide. A white powder sometimes, though very rarely, found in calculi. It has never been discovered in healthy urine.

\* Figgot's "Dental Chemistry."

**Urinary** (*urinary*; from *urine*, *urine*).  
Pertaining to the urine.

**Urinary Bladder** (*vesica urinaria*). A musculo-membranous pouch situated in the lower part of the abdomen between the symphysis pubis and the beginning of the rectum. It serves for the reception of the urine from the ureters, and when a certain quantity has accumulated, a desire for its expulsion is experienced.

**Urinary Cal'culi**. The calculi which form in the bladder and urinary passages.

**Urinary Fis'tula**. A deep, narrow ulcer, communicating with some of the urinary passages.

**Urinary Organs**. The organs concerned in the formation of urine—the kidneys.

**Urinary Pas'sages**. The canals and cavities intended to contain the urine and convey it externally; the excretory ducts of the kidneys.

**Urine** (*urine*; from *urere*, to burn out). The fluid secreted in the kidneys, and slowly conveyed by the ureters into the urinary bladder. When voided in a healthy state it is transparent, of an amber or citron-yellow color, of a peculiar odor, and of a slightly bitter, saline, and acid taste.

**Ureth'ral Tubes**. A number of small ducts converging from the cortical portion of the kidney to the apex of the papilla.

**Ureth'ral Tube**. A bacillus occurring in the urine or urinary passages—*c. g.*, bacillus septicus vocis.

**Urobilin**. A pigment of the urine, identical with one form of jaundice.

**Urore'tis** (from *urere*, urine, and *itis*, swelling). Tumor of the scrotum occasioned by infiltration of the urine into its cellular tissue.

**Urocystitis** (from *urere*, and *cystis*, a bag) The urinary bladder.

**Urocystitis**. Inflammation of the bladder.

**Urodis'tyria** (from *urere*, urine, and *dis'tyria*, diminution, loss of strength). A suspension of the function of the kidney.

**Urodys'ria** (from *urere*, urine, and *dis'tyria*, pain). Pain attending the excretion of urine.

**Uroedema**. Edematous swelling consequent upon excretion of urine.

**Urogen'tial**. Pertaining to the urinary and genital organs.

**Urohematin**. The coloring-matter of the urine.

**Urolith** (*uric acid*). Urinary calculus.

**Urolith'ic** (from *urere*, and *lithos*, a stone). Disease connected with the formation of urinary calculi.

**Urolith'ic Acid**. An acid obtained from urinary calculus.

**Uropo'iesis** (from *urere*, urine, and *poiesis*, to make). Secretion of urine.

**Uroth'ria** (from *urere*, and *th'ria*, to flow). An involuntary discharge of urine. Also diabetes.

**Ure'ter**. Disease of the urinary organ.

**Urtica'ria** (from *urtica*, a nettle). The nettle-rash; an eruption on the skin resembling that produced by the stings of a nettle. Six varieties are described by Willan—namely: (1) *Urticaria fibrilis*; (2) *urticaria evanida*; (3) *urticaria persistens*; (4) *urticaria comitans*; (5) *urticaria subcutanea*; (6) *urticaria tuberosa*. It is not generally a disease of much consequence, and the treatment consists of simple general means and the use of absorbent laxatives.

**Uryl'ic Acid**. Uric acid (which see).

**Ustil'ago**. Ergot.

**U'tion**. The act of applying the actual cautery. Also a burn.

**Usto'riosa**. Having the quality of burning.

**Ustula'tion** (*cauterization*). The act of burning. In Pharmacy, the operation by which a substance is freed from moisture. In Metallurgy, the operation of expelling one substance from another by heat.

**Us'tum**. Burnt, calcined, or dried in the fire.

**U'terine** (*uterine*, from *uterus*, the womb). Belonging to or relating to the womb.

**Uterine Artery**. A branch of the hypogastric or internal pudic, distributed over the uterus.

**Uteritis**. Inflammation of the womb. Metritis. Hysteritis.

**U'tero-gesta'tion** (*utero-gestatio*). Pregnancy.

**Uteroma'mia**. Nymphomania.

**Uterot'omy**. Cutting into the uterus.

**U'terus**. The womb; a hollow organ of the shape of a compressed pear, situated in the cavity of the pelvis between the urinary bladder and the rectum, and destined to lodge the fetus from the commencement of pregnancy until birth.

**Uterus**, Inversion of. The uterus displaced and turned inside out, as sometimes occurs in the careless or injudicious removal of the placenta.

**Uterus**, Irritable. Neuralgia of the uterus.

**U'tricle**. A minute cell or vesicle. Also a cavity communicating with the semicircular canals of the ear.

**Utricular**. Resembling a small bag or bottle. Pertaining to the utricle.

**Utric/ulus.** The utricle. Also a little bag or hollow vesicle.

**U/va.** A tumor having the appearance of a grape.

**U/voa** (from *uva*, an unripe grape). A term applied by some anatomists to the choroid coat of the eye, and by others to the black pigment on the posterior surface of the iris.

**Uvae,** Com'misure of the The ciliary ligament.

**U/vula.** A small, conical, fleshy process hanging from the middle of the inferior margin of the soft palate over the root of the tongue. It is composed of mucous membrane and the *aryepiglottic* muscle.

**Uvula,** Elongation of. An acute or chronic inflammation of the uvula, the organ increasing rapidly in size in the course of a few hours, and extending so as to rest on the tongue, with the tip forward, or dropping posteriorly and obstructing the larynx, causing a feeling of suffocation or difficulty in swallowing. The treatment consists of the use of astringent gargles, or of puncturing the organ, or of clipping off

the most pendant portion. See PALATINE ORGANS, DISEASES OF.

**Uvula Scissors,** Hül'shen's. A pair of scissors invented by Dr. S. P. Hülshen, of Wheeling, W. Va., in the early part of 1843, for the removal of the uvula, and so contrived that at the instant it cuts the uvula it secures the divided part, and prevents it from falling into the fauces by means of a pair of supplementary blades, provided with sharp teeth, beneath the cutting blades.

**Uvula Spoon.** A spoon shaped surgical instrument to be held under the uvula for the purpose of conveying any substance into the fauces.

**Uvula, Ulceration of.** See PALATINE ORGANS, DISEASES OF.

**Uvula Ves'ical.** A slight elevation of the mucous membrane at the entrance of the urethra in the neck of the bladder.

**U/vular.** Pertaining to the uvula.

**Uvul'tis** (from *uvula*, and *tis*, denoting inflammation) Inflammation of the uvula.

## V.

**V.** The symbol for vacuum.

**Vac'cin.** See VACCINE.

**Vac'cin** (from *vacca*, a cow) *Vaccinia*. Cow-pox, kine pox, a pustular disease of cows' teats—consisting of vesicles of a blue color—which, when introduced into the human body by inoculation, preserves the individual from the contagion of small-pox. For this valuable discovery the world is indebted to Dr Jenner.

**Vaccin'ation** (*vac'cinatio*, from *vacca*, a cow). Cow-pox inoculation, the insertion of vaccine matter under the cuticle to produce cow-pox. The vaccine matter or virus is inserted under the cuticle so that it may enter into the absorbents. The scab, which falls off at about the end of three weeks, is capable of communicating the affection. Before using, it should be dissolved in water. Mr. Albert Carpenter suggests that "vaccination itself may be at the root of the defective dental organization so prevalent where European physicians

practice, and nowhere else. A bovine disease is introduced into the blood of the infant, and its constitution becomes thoroughly under the influence of it in the earliest stages of the dental formation, causing that defective development from which the present generation so generally suffers."

**Vac'cinator.** Vaccinist. One who inoculates for the cow-pox.

**Vac'cine Mat'ter.** The serous fluid contained in the vesicle developed on the udder of the cow, or on the body of one who has been vaccinated, and which, when permitted to remain undisturbed, concretes into a hard scab or crust.

**Vaccin'ic Acid.** A fatty acid obtained from butter.

**Vac'cino-syphilis.** Syphilis conveyed by vaccination.

**Vacillat'io** (from *vacillare*, to waver). Vacillation; moving one way and the other; staggering.

**Valvulae Intersterni.** Osteosternula (which see).

**Vacu'ole.** A small space within cell-protoplasm, containing a clear fluid, a cavity in the protoplasm of a cell filled with air or liquid.

**Vac'uum.** An empty space. The term is applied to the interior of a glass vessel, from which the atmospheric air and every other gas has been extracted. The *terricellus vacuum*, or the space above the mercury in the barometric tube, is the most perfect vacuum that can be produced by artificial means.

**Vacuum Cavity.** The air chamber in a plate on which artificial teeth are mounted. The different forms of vacuum cavities are the Gilbert cavity, which is swaged in the plate and outlined by means of chasers of wood, ivory, or bone, and soft metal, and the Cleveland cavity, which is constructed by cutting out the form in the plate and soldering over the opening a swaged chamber or cap, which is a little larger than the space cut out in the plate.

**Vacuum Plate.** In *Dentistry*, a term applied to a plate on which artificial teeth are mounted, having an air-chamber to assist in its retention in the mouth.

**Vag'i'na.** A sheath. In *Anatomy*, the canal which leads from the vulva or external orifice of the female peritonium to the uterus. In *Botany*, the leaf-stalk of those plants in which it becomes thin and rolls around the stem, to which it then forms a sheath.

**Vagina Cor'dis.** Case of the heart. The pericardium.

**Vag'i'nal.** Vaginalis. Pertaining to the vagina or to a sheath.

**Vaginal Artery.** A branch of the hypogastric, uterine, or internal pudic artery, descending by, and distributed to, the side of the vagina.

**Vaginal Bili'ary Plex'us.** A plexus of ramifications of the hepatic duct through the capsule of Glisson.

**Vaginal Gem'g'ia.** See SPERMATIC GLANDULOSIS.

**Vaginal Pulse.** A term applied by Celsus to the increased pulsation of the uterine vaginæ which occurs in pregnancy during the termination of abortion.

**Vag'ina Te'tula.** The tunica vaginalis testis.

**Vag'ina'led.** Sheathed.

**Vag'ina'tio.** Inflammation or irritation of the vagina.

**Vagina'symmetri'um.** The operation of

making an incision into the uterus through the vagina.

**Vagino-rectal Fis'tula.** An opening between the vagina and rectum.

**Va'gus Ner'vus.** The pneumogastric nerve; *per vagum*.

**Valence.** See QUANTITALENCE.

**Valer'ian.** The root of *Valeriana officinalis*, or wild valerian.

**Valeria'na.** A genus of plants of the order Valerianaceæ. Also the official valerian. Used in epilepsy and in a variety of nervous complaints. It is also advised as a tonic, antispasmodic, and emmenagogue. Dose, of the powdered root, ℞j to ℞j; of the fluid extract, ʒss to ʒj; of the alcoholic extract, gr. ℥j to gr. x; of the oil, gtt. v, of the tincture, ʒss to ʒij, of the ammoniated tincture, ʒj.

**Valer'ianate.** A salt of valerianic acid.

**Valerianate of Ammo'nia.** This salt is obtained by causing gaseous ammoniac disengaged from muric acid of ammoniac by lime, to pass into valerianic acid until the acid is neutralized, and then crystallizing. Used like valerian. valerianic acid, etc., in neuropathic affections.

**Valer'ian'ic Acid.** An acid obtained by the distillation of the root of *Valeriana officinalis*.

**Valer'ianus.** Valerianatus made from the artificially prepared acid and used as substitutes for valerian.

**Valer'ianus'ria.** Sickly; one who is in delicate health; one who is seeking to recover health.

**Val'gus.** Bandy-legged, one having his legs bent outward. Also club-foot.

**Vallec'ula** (diminutive of *valle*, a valley). A small depression; slight furrows or pits of the body.

**Val'ium.** Literally, a rampart, trench, or wall, applied in *Anatomy* to the eyebrows.

**Valve** (*valva*, *valvula*, from *valvus*, folding-door). A small door. A term applied in *Anatomy* to membranous folds, situated at the orifices or in the course of certain cavities and canals, which serve to prevent the regurgitation and to direct the course of contained fluids. In *Botany*, the divisions of the fruit.

**Valve of Fallo'pius.** Valve of Baskin. The ilio-cæcal valve.

**Valves of the Heart.** Semilunar, tricuspid, and mitral.

**Val'vula.** A small valve. *Valvula*.

**Valvula Coeli.** The valve of the colon.

**Valvula Enusta/chii.** A semilunar membranous fold situated at the mouth of the inferior vena cava.

**Valvula Mitralis.** The mitral valve.

**Valvula Semilunaris.** The semilunar valve.

**Valvulae Conniven'tes.** Numerous semilunar folds of the mucous coat of the small intestine.

**Valvular Trigon/china.** The triangular valve.

**Vanadic Acid.** An acid obtained by heating vanadate of ammonia so as to expel the alkali. It is a fine powder of a light rust yellow.

**Vanadium.** Symbol, V. Atomic weight, 51.5. A brittle metal, of a white color, found with lead and iron.

**Vanilla Aromatica.** One of the species which affords the aromatic bean known in commerce by the name of vanilla also said to be the product of several other species. The vanilla yields a volatile aromatic oil, supposed to possess properties similar to those of valerian. It has been used in low fevers, hysteria, and rheumatism.

**Vap'id (vapides)** Dead, spiritless.

**Vapor.** An elastic fluid modified either by heat, and capable of being brought back to a liquid state by cold.

**Vapor Bath.** A steam bath, the application of vapor to the body in a close place. Also the place itself. In Chemistry, an apparatus for heating bodies by vapor of water.

**Vapor Douche.** The application of a jet of watery vapor to some part of the body.

**Vapors/rum.** A vapor bath.

**Vaporization.** The vaporizing of a liquid, or the artificial formation of vapor. A process by which volatile matters are separated from fixed substances by the aid of heat.

**Vaporous, Va'porous.** Full of vapors or exhalations, as the vaporous air of valleys. Windy; flatulent.

**Vapors.** Hypochondriac, hysteria, melancholy.

**Vari'tion** (from *vario*, to change). The change which an organ or part or individual or class suffers under the modifying influences of climate, food, habits, or surroundings.

**Varicella** (diminutive of *varioles*, small-pox). *Variola lymphatica.* The chicken-pox, an eruptive disease consisting of vesicles scattered over the body. Chicken-pox affects the developing teeth, causing erosion and inter-

fering with their nutrition, and may also occasion characteristic markings on their crowns.

**Var'ices.** The plural of *varix* (which see).

**Var'iciform** (from *varix*, a swollen vein). Resembling a varix.

**Varicifor'mes Paras'tatae.** The vasa deferentia at their commencement.

**Varicoseph'aeron** (from *varix*, dilatation of a vein, and *phaeon*, eyelid). A varicose tumor of the eyelid.

**Varicoce'le** (from *varix*, and *cele*, a tumor). *Cimacela.* A varicose enlargement of the scrotum or spermatic cord.

**Varicos'phalus** (from *varix*, and *phalus*, the umbilicus). A varicose tumor of the umbilicus.

**Var'icose.** *Varicosus.* Swollen, enlarged, knotted, tortuous veins. Belonging to or resembling a varix.

**Varicos Aneurism.** The dilatation and pulsation of a vein from the passing of the blood into it from an artery.

**Varic'ula** (diminutive of *varix*). Applied in Pathology to a varicose swelling of the vasa of the conjunctiva.

**Var'ety** (*varietas*, from *vario*, to vary). In *Natural History*, a subdivision of a species, any individual plant or animal differing in some accidental circumstances from the rest of the species to which it belongs.

**Var'icla** (from *varius*, spotted, or from *vari*, pimple). The small-pox, an eruptive disease with pustules which suppurate from the eighth to the tenth day, with fever. Small-pox very seriously affects the development of the teeth, causing pitting, atrophy, want of symmetry, and other defects of structure, also exfoliation of the germs of the teeth and of portions of the maxillary bones. The effects are intensified when small-pox is combined with a scurvy or scrofulous diathesis.

**Variola Spuria.** *Varicella.*

**Var'iolite.** A kind of porphyritic rock, consisting of imperfectly crystallized agglomeration of feldspar and quartz.

**Var'ioloid** (*varioloides*; from *varioles*, small-pox, and *oides*, resemblance). A disease resembling small-pox, small-pox modified by previous vaccination or inoculation.

**Var'iolote.** Small-pox modified by previous vaccination. See **VARIOLOID**.

**Var'ix.** In *Surgical Pathology*, a tumor resulting from the dilatation of a vein. It occurs most frequently in the superficial veins of the



lower extremities and in those of the spermatic cord.

**Varicose, Dental.** See **SANDRACH**, and also **SHILLAG**.

**Varicell, Penns.** See **POSS VARICEL**.

**Var'ice.** A term applied adjectively to one whose legs are bent inward, and substantively to a small spot, speck, or pimple on the face.

**Var'vicolia.** A native oxide of manganese.

**Vas.** A vessel.

**Vas Aber'ans.** The anal appendage, usually found where the *vas deferens* applies itself to the epididymis.

**Vas De'ferens.** An excretory duct of the testicles, situated along the posterior border of the spermatic cord.

**Va'm Bra'vis.** The short branches which come from the divisions of the splenic artery and pass along the large arch of the stomach to the diaphragm.

**Vasa Caproa'ria.** The spermatic vesicle.

**Vasa De'feren'tia Mulieb'ria.** The Fallopian tubes.

**Vasa Effren'tia.** The absorbent vessels which convey fluids from a lymphatic gland toward the thoracic duct.

**Vasa Inferen'tia.** The absorbent vessels which convey fluids into a lymphatic gland.

**Vasa Lac'tea.** The chyloferous vessels.

**Vasa Pro'prian'tia.** A term formerly applied to the spermatic vessels.

**Vasa Semina'ria.** Tubuli seminiferi. The minute tubes which constitute the parenchyma of the testis.

**Vasa Vase'rum.** *Vasa nutritia.* The small vessels which supply larger ones.

**Vasa Vortico'sa.** The convoluted vessels of the choroid coat of the eye.

**Vas'cular (vascular; from vas, a vessel).** Belonging or pertaining to vessels, as the vascular system. Abundant blood.

**Vascular System.** The aggregate of the vessels, arteries, veins, and lymphatics of the body. The venous and the arterial systems.

**Vascular'ity.** *Vascularization.* The state of being vascular.

**Vasculariz'ation (vascular).** The formation and extension of vascular capillaries.

**Vasculo'sus.** Full of vessels; vascular.

**Vas'culum.** A small vessel.

**Vasculum Ab'cr'tum.** A small convoluted duct, generally connected with the duct of the epididymis.

**Vase'lin, Vase'line.** *Petrolatum.* Petroleum extract. A jelly-like substance obtained from the residuum of petroleum. It is soluble in ether, but insoluble in alcohol and water; known also as *oseoline*. It forms an efficient basis for ointments, and is a valuable emollient. For dental uses see Gorge's "Dental Medicine."

**Vaseline.** Consists of stearone (from distilling stearin) and margarone (from beef suet). A substitute for vaseline, it is white, odorless, and neutral.

**Vas'Worm (from vas, a vessel)** Shaped like a blood-vessel or tube.

**Vas'o- (vase)** A Latin prefix denoting connection with a vessel.

**Vaso-motor.** Pertaining to the motility of the non-striped muscles of the arterial system.

**Vasoden'tine (from vasum, a vessel, and dens, a tooth)** A term applied by Professor Owen to dentine modified by the presence of vascular canals which permanently carry red blood to the substance of the tissue; an abnormal condition.

**Vas'tus.** That which is large and has a great extent. In *Anatomy*, a term applied to certain muscles.

**Vastus Ext'er'nus.** A large, thick muscle situated on the outside of the thigh.

**Vastus Inter'nus.** A muscle situated on the inner side of the thigh.

**Vas'tum.** A vessel.

**Vas'tum Bod'ies.** See **PNTILIAN CORPUSCLES**.

**Vault (from velle, volutus, to turn).** A term applied in *Anatomy* to parts which have a vaulted or arched appearance, as the *firmix*, roof of the mouth, etc.

**Vault of the Cra'n'ium.** The upper concavity of the skull.

**Vault of the Pal'ate.** The roof of the mouth.

**Vas'queline.** *Strychnine*.

**Vac'tia.** A lever. In *Obstetrics*, an instrument used in certain cases of preternatural labor.

**Vac'ter Canal (from vacare, ectum, to carry).** Fallopian tube.

**Veg'etable (vegetabilis, from vireo, to grow).** An organized body not endowed with sense and voluntary motion, receiving its nourishment through pores on its outer surface and vessels, usually adhering to some other body, as the earth, and generally propagating itself by seeds.

**Vegetable Al'ter'men.** A prominent principle

found in certain parts of plants closely resembling animal albumen.

**Vegetable Ivory.** A product of a species of palm, the *Phytolapha macrocarpa*; it is very hard and resembles the finest grained ivory. **Vegetable King'dom.** The aggregate of vegetables.

**Vegeta'tive (vegetative)** Relating to growth or nutrition, as the nutritive function.

**Vegeta'rian.** A believer in the doctrine of vegetarianism.

**Vegeta'rianism.** A term designative of the doctrine that man, in order to his full intellectual and corporeal development, should subsist wholly on vegetable food.

**Vegeta'tion (vegetate)** Vegetables in general. In *Surgery*, a morbid growth resembling a fungus. In *Chemistry*, certain branching crystalline concretions formed by deposition from solution.

**Veg'eto-an'i'mal.** Applied to gluten and vegetable albumen.

**Veg'eto-mi'n'e'ral.** Applied to vegetable and mineral substances.

**Ve'hicle (vehiculum, from vehere, to carry).** A term applied in *Pharmacy* to the menstruum in which medicines are suspended or dissolved.

**Veins.** The veins are membranous canals which return the blood from the arteries to the auricles of the heart. A vein, like an artery, is composed of three coats—an external or cellular-fibrous, a middle or fibrous, and an internal or serous. With the exception of the pulmonary, the veins contain black blood, and are divided into *superficial*, or those which return the blood from the integuments and superficial structures, the *deep*, which are situated among the deeper structures; and the *sinuses*, or channels excavated in the structure of an organ and lined by the internal coat of the veins, as the sinuses of the dura mater, etc.

Most of the veins of the body are enumerated in the following table, arranged from Wilson's "Anatomy," according to the primary divisions of the body.

#### Table of Veins.

The veins of the exterior of the head are:

1. The facial.
2. The internal maxillary.
3. The temporal.
4. The temporo-maxillary.
5. The posterior auricular.
6. The occipital.

41

The veins of the cerebrum and cerebellum are:

1. The superficial cerebral.
2. The superior cerebral.
3. The deep or ventricular.
4. The vena Galeni.
5. The cerebellar veins.

The sinuses of the dura mater, situated at the upper and back part of the skull, are

1. The superior longitudinal.
2. The inferior longitudinal.
3. The straight.
4. The occipital.
5. The lateral.

The sinuses of the base of the cranium are:

1. The cavernous.
2. The inferior petrosal.
3. The circular.
4. The superior petrosal.
5. The transverse.

The veins of the neck are

1. The external jugular.
2. The anterior jugular.
3. The internal jugular.
4. The vertebral.

The veins of the upper extremity are divided into *deep* and *superficial*. The former accompany the branches and trunks of the arteries, and constitute their *vena comites*. At the bend of the elbow they terminate in the brachial vein, which opens into the axillary. The axillary veins terminate in the subclavian, which last unites with the internal jugular, to form the vena innominata, and this, again, unites with its fellow to form the superior or descending vena cava, which terminates in the upper part of the right auricle of the heart.

The superficial veins of the forearm are

1. The anterior ulnar.
2. The posterior ulnar.
3. The basilic.
4. The radial.
5. The cephalic.
6. The median.
7. The median basilic.
8. The median cephalic.

The veins of the lower extremity are the *deep* and *superficial*. The former accompany the arteries in pairs, forming the *vena comites* of the anterior and posterior tibial and per-

and arteries. If the popliteal region they unite and form one large vein, the popliteal, which in its progress upward becomes, first, the femoral, and then the external iliac vein. The popliteal vein receives several muscular and articular branches and the external saphenous vein. The femoral receives several muscular, the profunda, and the internal saphenous vein.

The superficial veins are the external or short saphenous, and the internal, called the long saphenous vein. The external receives the blood from the foot and outer side of the leg, and joins the popliteal vein. The internal ascends on the inner side of the ankle, leg, and thigh, receiving in its course the cutaneous veins, and enters the femoral with the profunda, about an inch and a half below Poirart's ligament.

The veins of the trunk are :

1. The superior vena cava, as before noticed.
2. The inferior vena cava, with its formative branches.
3. The azygos veins.
4. The vertebral and spinal.
5. The cardiac.
6. The portal.
7. The pulmonary

The formative branches of the inferior or ascending vena cava are

1. The external iliac.
2. The internal iliac, which unites with the external to form the common iliac.
3. The vesical and prostatic plexus.
4. The uterine plexus

The right and left common iliac veins unite between the fourth and fifth lumbar vertebrae, to form the ascending cava, which receives in its course :

1. The lumbar veins
2. The right spermatic.
3. The renal.
4. The supra-renal.
5. The phrenic.
6. The hepatic.

The inferior vena cava terminates at the inferior and posterior part of the right auricle of the heart.

The azygos veins form a system of communication between the superior and inferior vena cavae, and consist of :

1. The vena azygos major.
2. The vena azygos minor.
3. The superior intercostal vein.

The vertebral and spinal veins are arranged into three groups :

1. The dorsal-spinal.
2. The meningo-rachidian.
3. The medullæ spinal.

The cardiac veins, which return the blood from the substance of the heart, are :

1. The great cardiac or coronary vein.
2. The posterior cardiac or coronary vein.
3. The anterior cardiac.

The posterior and anterior cardiac veins enter the great cardiac, which terminates in the right auricle of the heart.

The portal system consists of four large veins, which convey the blood from the chylolacteal viscera. They are

1. The inferior mesenteric.
2. The superior mesenteric.
3. The splenic.
4. The gastric veins.

These veins concur in the formation of the vena porta, which goes to the liver.

The pulmonary veins, four in number, unite into two trunks, which open into the left auricle of the heart.

**Vein/let.** A little vein.

**Veins, Cor'onary.** The cardiac veins (which see).

**Veins, Intra-job'ular.** Supra-hepatic veins. The hepatic veins

**Veins, Pulmon'ic.** Veins which convey red blood after it has been decarbonated by respiration, and returning it to the heart.

**Veins, Systemat'ic.** Vessels which convey dark blood and return it to the heart.

**Veins-stone.** In *Pathology*, phlebotome (which see) In *Minerology*, the rock which encloses or accompanies ores in veins.

**Veinsmen'ta Cerebra'lia.** The meninges (which see).

**Veinsmenta Infer'ia.** The membranes which immediately envelop the testes in the uterus.

**Veinsmen'tous.** Veil-like.

**Veinsmen'tous Abdominal'is.** The peritoneum (which see)

**Vel'ium.** Parchment made of calfskin.

**Velocyneth'icæ.** Staphylotherapy (which see).

**Ve'ium.** A veil.

**Velum and Palate, Artificiæ.** An artificial velum and palate made of elastic rubber, peculiarly prepared for this purpose, to replace, as far as practicable, by mechanical

means the lost organs and render the speech more perfect. To Dr. Starnes is due the credit of having demonstrated, by his experiments, that an artificial velum can be made and worn in the fissure without discomfort, and answer a good purpose. But to Dr. Kingsley is due the credit of so improving the velum of Dr. Starnes as to render it almost perfect. For a description of Dr. Kingsley's artificial velum and palate see Harris' "Prin. and Pract. of Dentistry." Artificial velums have also been constructed entirely of hard rubber, owing to the disintegration of soft rubber.

**Velum Interpediciform.** **Velum vasculosum.** A vascular membrane which covers the tubercula quadrigemina. The choroid membrane of the brain beneath the tentorium and above the optic thalami.

**Velum Palatinum Palat.** The soft palate. A pendulous fold of mucous membrane situated at the posterior part of the mouth over the root of the tongue and continuous with the hard palate. It is composed of mucous membrane and muscles, from the centre of which the uvula is suspended. On each side of this, outwardly, are the arches or pillars of the palate. The anterior passes downward to the side of the base of the tongue, and the posterior extends downward and backward into the pharynx. There is a triangular space between these pillars below, in which the tonsil is situated.

**Velum Pupillae.** Veil of the pupil. A thin membrane covering the pupil of the eye in the fœtus. Also called *membrana pupillaris*.

**Ve'na.** A vein.

**Vena Arterialis.** A name for the portal vein. See **VENA PORTÆ**.

**Vena As'ygos.** The axillary vein.

**Vena Basilica.** Royal vein. The large vein of the arm.

**Vena Cava Inferior** or **Vena Cava Ascendens.** Abdominal vena cava. The large vein which returns the blood from all the parts below the diaphragm to the heart.

**Vena Cava Superior** or **Vena Cava Descendens.** The great trunk which transmits the blood of the superior extremities and part of the circulation of the thorax to the heart.

**Vena Portæ.** Portal vein. A large vein which receives the blood from the viscera of the abdomen and conveys it into the substance of the liver.

**Ve'næ.** The plural of *vein*, a vein.

**Vena Alazæ.** See **ALAZÆ VENA**.

**Vena Apoplectica.** Jugular vein.

**Vena Cæva Hepat'ica.** The hepatic vein.

**Vena Com'mis.** The emissive vein; a name applied in *Anatomy* to the two veins which usually accompany each artery.

**Vena Gale'ni.** The ventricular vein; two veins, one proceeding from the left and one from the right lateral ventricle of the brain; they pass out from the brain beneath the corpus callosum and enter the straight sinus below the inferior longitudinal vein.

**Vena Lac'tea.** The lacteal.

**Vena Lymphat'ica.** The lymphatic vessels.

**Vena Spora'lea.** The jugular vein.

**Vena Vortic'osa.** The veins of the choroid coat of the eye.

**Venefic'um.** Poisoning.

**Veneno'stion** (from *veneo*, to poison). The act of poisoning.

**Vene'nium.** A poison, venom.

**Vene'real** (*venereus*, from *Venus*, the goddess of pleasure). Pertaining to or connected with sexual intercourse.

**Venereal Disease.** Gonorrhoea, syphilis, and chancre.

**Ven'ery.** Sexual intercourse, coition.

**Venese'ction** (*venesection*; from *vein*, and *sectio*, a cutting) Blood-letting; phlebotomy; the opening of a vein.

**Ven'ous** (*venosus*) A poison; usually applied to the poisonous matter secreted by certain animals, as the serpent, scorpion, etc.

**Ven'omous.** Poisonous. A term applied to animals which have a secretion of poisonous matter, as the rattlesnake, viper, etc.

**Venose'ity** (*venositas*) A term applied by Puchet to a condition in which the blood is supposed to circulate too slowly or is too venous, or in which that of the veins is in too large quantity, a condition said to have been observed particularly in gout, hemorrhoids, melancholy, hypochondriasis, etc.

**Ve'mous** (*venosus*) Pertaining to veins or the blood of veins.

**Venous Sys'tem.** The veins collectively.

**Ven'ter.** The lower part of the abdomen; the belly.

**Ventila'tion** (*ventilatio*, from *ventus*, wind). The act of causing the air to pass through a place, or of renewing it, for the purpose of dissipating anything noxious.

**Ven'tral.** Pertaining to the inferior surface of the body.

**Ventral Spine.** Abdominal lumbar.

**Ventricle** (*ventriculus*; diminutive of *venter*, the belly). A term employed in *Anatomy* to designate various cavities of the body, as those of the brain and heart.

**Ventricle of Arachnoid.** A small cavity at the point of the calcarine scriptorius of the brain.

**Ventricles of the Brain.** Five cavities in the interior of the brain, divided into the lateral,—which are two in number,—the middle, the fourth, and the fifth ventricle.

**Ventricles of the Heart.** These are two in number and divided into right and left.

**Ventricles of the Larynx.** The two depressions above the chords vocales are so termed by anatomists.

**Ventricose** (from *enter*, the belly). Having a swollen appearance; bag-bellied. See **UMBOLATE**.

**Ventricular** (*ventricularis*). Pertaining to a ventricle.

**Ventriculi Cordis.** The ventricles of the heart.

**Ventriculus.** The stomach, a ventricle.

**Ventriculus Pulmonarius.** The right ventricle of the heart.

**Ventriculus Succenturiatus.** That part of the duodenum which is surrounded by the pancreas.

**Ventriloquism** (*ventriloquismus*, from *enter*, the belly, and *loqui*, to speak). The art of speaking in such a manner that the voice appears to come from some distant place, instead of proceeding from the person speaking.

**Ventrese** (from *enter*). Having a belly or a swelling like a belly.

**Venula** (diminutive of *vena*, a vein). A small vein.

**Verrina.** Verrucine; verrucina; verrucine. A vegetable alkali, and the only official alkali found in the *Veratrum sabadilla*. A powerful topical caustic. Used externally as an ointment in neuralgia and paralysis from gout and rheumatism. Verrucine combined with tannic acid, alcohol, glycerin, and carbolic acid is employed in *Dental Practice* as an obtundent of sensitive dentine. Dose of verrucine,  $\frac{1}{2}$  to  $\frac{1}{4}$  of a grain.

**Verrucina.** Verrucine. See **VERRINA**.

**Verrucum.** A genus of plants of the order *Melastomaceae*.

**Vespa.** A genus. White hellebore; an extremely acrid and poisonous plant. The powder of the dried root is a violent stimulant.

The root is also an active irritant. In small doses it promotes the secretions, but in large ones it causes vomiting, purging, and pain in the bowels, with great prostration of strength. Dose, as an emetic, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ , snuffed up the nose at bedtime. Used mostly in the form of an ointment.

**Veratrum Sabadilla.** Indian caustic hellebore. The seeds have been used as a vermifuge, diuretic, and emetic. Chiefly used as an antispasmodic for tetanus in doses varying from gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ . It is also used in nervous affections.

**Veratrum Viride.** American hellebore, swamp hellebore, Indian poke. It is alterative, an acid narcotic, an emetic, epispastic, and anesthetic. Dose of the tincture, gr.  $\frac{1}{2}$  to gr.  $\frac{1}{4}$ , repeated every hour or two until its effects appear on the pulse. In *Dental Practice* it is administered internally in periodontitis, and for its sedative action in severe hemorrhage from the extraction of teeth, also for neuralgia having its origin in the teeth. See Gorge's "Dental Medicine."

**Verdigris.** The subacetate of copper.

**Verditer.** A fine azure-blue mineral; a hydrated ammonium carbonate of copper. It is sometimes used as a pigment. It is obtained by adding chalk to a solution of copper in nitric acid.

**Verjuice.** An acid liquor obtained from sour grapes or apples.

**Vermes** (from *vermis*, a worm). Worms. See **ENTOMIA**.

**Vermicide.** A remedy that destroys intestinal worms.

**Vermiculifer.** Vermiform.

**Vermiform** (*vermiformis*; from *vermis*, a worm, and *forma*, form). Vermicular. Having the shape or appearance of a worm.

**Vermiform Process** (*processus vermiformis*; *prothuberantia vermiformis*). The medullary substance which unites the two hemispheres of the brain like a ring and forms a process or projection somewhat resembling an earthworm.

**Vermifuge** (*vermifugus*; from *vermis*, a worm, and *fuge*, to drive away). Anthelmintic; a remedy that expels worms.

**Vermil'lon.** Red sulphuret of mercury; minium. Used to color vulcanized rubber and collodion.

**Vermilion** (*vermilionis*). That diseased condition in which the skin is infected with vermin; breeding of worms.

**Vermineous.** Caused by worms.

**Ver'mis.** A worm. The term generally employed to designate the parasitical animals that infest the animal body.

**Ver'mis Cerebri.** Brain-worm, a name given to the Hungarian camp fever.

**Ver'mis Mor'dicans.** A species of cutaneous eruption.

**Verru'ca.** A wart. A small papillary growth on the skin.

**Verru'cosus (serru'cosus; from verru'ca, a wart)** Warty; having little warts on the surface, as *serru'cosus epulis*.

**Verru'culosus.** Having minute wart-like prominences.

**Ver'tion (verte).** Turning.

**Ver'tebra (from verto, to turn).** One of the bones of the spinal column. The vertebrae are divided into seven cervical, twelve dorsal, and five lumbar.

**Ver'tebral (vertebralis)** Pertaining to the vertebra.

**Vertebral Artery.** A branch of the subclavian artery passing through the foramina in the transverse processes of the vertebrae and entering the cranium, where it unites with its fellow to form the basilar artery.

**Vertebral Canal.** The canal extending through the length of the vertebral column, and containing the spinal marrow.

**Vertebral Col'umn.** The spine.

**Vertebral Disease.** *Rachitis*.

**Vertebral Lig'aments.** The ligaments of the vertebrae, distinguished into *anterior* and *posterior*.

**Vertebral Nerves.** The spinal nerves, of which there are thirty pairs—namely, seven cervical, twelve dorsal, five lumbar, and six sacral.

**Vertebra'ta.** Animals furnished with a spine. They constitute the first great division of the animal kingdom.

**Ver'tebro-lig'ac Lig'ament.** The ilio-lumbar ligament.

**Ver'tex (from verto, to turn)** The top of the head. Superior part of the skull.

**Vertib'mina.** A term sometimes applied in *Surgery* to a trepan.

**Ver'tical (verticilis).** Perpendicular.

**Vertic'ulum.** An articulation; a joint.

**Vert'igo (from verto, to turn).** Giddiness, dizziness of the head, with more or less confusion of mind.

**Verru'cosus/mum.** An excrescence in the urethra of man before the neck of the bladder, called also *caput polycephalicum*.

**Ves'cula.** Madonna.

**Ves'ica.** A bladder. Also anything resembling a bladder.

**Vesica Biliaris.** The gall bladder.

**Vesica Fel'lea.** The gall-bladder.

**Vesica Natatoria.** The air-bladder of fishes.

**Vesica Urina'ria.** The urinary bladder.

**Ves'ical (vesicilis; from vesica, a bladder).**

Pertaining or relating to the urinary bladder.

**Vesical Arteries.** The arteries of the urinary bladder.

**Ves'iculae.** Substances which cause vesication or blistering.

**Ves'icula.** To blister.

**Vesic'ula (vesicula).** The process of raising blisters, the action of a vesicant.

**Vesicatory/rium.** A blister.

**Vesic'atory (vesicatorius; from vesica, a bladder)** Blistering application, as the powder of the cantharids, or blistering fly, etc.

**Ves'icle (vesicula; diminutive of vesica, a bladder)** A small bladder or blister; a sac filled with liquid.

**Vesicle, Allantoid'.** The allantoid (which see).

**Vesicle, Ger'minal.** A nucleated vesicle, being the earliest formed part of the ovum. Its nucleus is called the *ger'minal spot*.

**Ves'ico-vag'inal (vesico-vaginalis)** Relating to the bladder and vagina.

**Vesic'ula.** A vesicle. In *Pathology*, an elevation of the cuticle filled with lymph, which is sometimes opaque.

**Vesicula Fel'lis** The gall-bladder.

**Vesicula Umbilica'lis** An umbilical vesicle about the size of a common pea, seen about the fifteenth day after formation, which begins to disappear after the seventeenth week.

**Vesic'ulae.** (the plural of *vesicula*) An order in Bateman's classification of cutaneous diseases.

**Vesiculae Gingiv'arum** Aphthae.

**Vesiculae Pulmona'les.** The air-cells of the lungs.

**Vesiculae Semina'les.** Two lobated receptacles, each formed by the convolutions of a single tube, situated at the under surface of the base of the bladder. Their secretory ducts, called the *ejaculatory ducts*, open into the urethra. Their use is to receive the semen from the vasa deferentia.

**Vesic'ular (vesicularis).** Having the appearance of or pertaining to vesicles, small cells, or bladders.

**Ves'cel (ves).** A term applied in *Anatomy*

to an elastic, tubular canal, distinguished, according to its general arrangement, into *erectile*, *duplex*, *hypoblastic*, and *obscure*.

**Ves'tibule (vestibulum).** A term applied in *Anatomy* to the cavity of the internal ear. Also to a triangular space between the symphysis

**Ves'tibulum Labyrinthi.** The vestibule of the ear.

**Vet'erinary (veterinarius).** Pertaining to beasts of burden; hence, *veterinary surgery*, *veterinary medicine*, etc., the treatment of the diseases of domestic animals.

**Via.** A way or passage.

**Via Chylifera.** The chyliferous vessels.

**Via Lachrymalis.** The lachrymal passages.

**Via Præca.** The digestive passages.

**Vidui.** Field.

**Vitand.** Food, sustenance.

**Vitæces.** The large purple spots which appear under the skin in certain malignant fevers.

**Vibratilit'y (vibratilis).** Tendency to or capability of being made to vibrate.

**Vibrat'ion (vibratio).** Oscillation. The act of moving or being moved one way and the other in quick succession. In *Physics*, alternate or reciprocal motion, as the vibrations of the nervous fluid.

**Vibration of the Heart.** The palpitation of the heart.

**Vibratory (from vibrare, to quiver).** Vibrating; having a quivering or quick oscillating motion; sometimes applied to neuralgia, in which the pain seems to vibrate among the nerves.

**Vibri'ole (from vibrare, to quiver).** Vibrionæ. A genus of micro-organisms, now classed mostly among the bacilli. One of the species, the *Vibrio parvulus*, is met with in putrescent fluids containing proteins, and in the pus of abscesses.

**Vic'arious (vicarius; from vicare, change, place).** The place of another, as a vicarious secretion, which takes place in one part instead of in another. Hemorrhages from the gums sometimes occur in women at the regular period of menstruation, without any discharge from the uterus.

**Vic'at' Con'd.** The pharyngeal canal.

**Vidian Nerve.** The posterior branch of the glosso-pharyngeal ganglion, which proceeds backward through the Vidian or pharyngeal canal to the foramen lacerum in bony canal, where it divides into two branches.

**Vig'ilance.** Wakefulness; continued watchfulness.

**Vil'li.** Small processes like the pile of velvet. Applied in *Anatomy* to the papillæ on the surface of mucous membranes, and in *Botany* to a species of hairy pubescence on the surface of a plant.

**Villiform Teeth (dentes villiformes).** A term applied in *Comparative Anatomy* to the teeth of some fishes, which are so sharp-pointed, minute, and closely aggregated as to resemble the plush or pile of velvet.

**Vil'losus (villosus; from villosus, a hair).**

Nappy, shaggy; rough; applied in *Anatomy* to membranes covered with soft papillæ or villi; or to a velvet-like arrangement of vessels or fibres.

**Villous Membranes.** The mucous membranes.

**Vina Medicat'a.** Medicated wines. Wines holding in solution one or more medicinal substances.

**Vin'egar (acetum).** Impure acetic acid, prepared by fermentation.

**Vin'egar, Distilled.** The common name of acetum distillatum.

**Vin'egar of Col'chicum (acetum colchici).**

Vin'egar of meadow saffron.

**Vin'egar of Op'ium (acetum opii).** Black drop.

**Vin'egar of Spanish Flea.** The common designation of acetum cantharidis; a rubefacient and epispastic preparation.

**Vin'egar of Squilla.** The common designation of acetum scillæ.

**Vin'um.** Wine; the juice of the fruit of the *Vitis vinifera*.

**Vinum Al'bum Hispan'icum.** Sherry.

**Vinum Al'bum.** Wine of ale.

**Vinum Ama'rum.** Compound wine of ginseng.

**Vinum Antimo'ni.** Antimonial wine. Dose, as an expectorant or diaphoretic, gr. x to gr. xxx; as an emetic for children, from gr. xxx to fʒj, repeated every fifteen minutes until it operates.

**Vinum Col'chici Rad'icis.** Wine of colchicum root. Dose, gr. xl to fʒj.

**Vinum Colchici Sem'minis.** Wine of colchicum seed. Dose, fʒj to fʒij.

**Vinum Emet'icum.** Antimonial wine.

**Vinum Er'gotæ.** Wine of ergot. Dose, gr. xx to fʒj.

**Vinum Fer'ri.** Wine of iron. Dose, fʒj to fʒiv.

**Vinum Gentia'na.** Wine of ginseng. Dose, fʒj to fʒvj.

**Vinum Ipecacuanha.** Wine of ipecacuanha. Emetic and diaphoretic. Dose, fʒiv to fʒx.  
**Vinum Opii.** Wine of opium. Narcotic. Dose, gr. v to gr. xxx. In *Dental Practice* it has been employed for odontalgia, and as a lotion in acute periodontitis, inflamed gums, ulceration of mucous membrane, and, in combination with tincture of iodine, as an injection in alveolar abscess.

**Vinum Portense** or **Vinum Rubrum** Port wine.

**Vinum Quinae.** Tincture of wine, Qj; sulphate of quinia, gr. x. Mix. Dose, fʒjss or more. It is used as a stomachic or to arrest ague. A wine of chincona may be made in the same manner.

**Vinum Rhei.** Wine of rhubarb Laxative and stimulant. Dose, fʒiv to fʒss.

**Vinum Xeriscum** Sherry wine. Same as **VINUM ALBUM**.

**Virescent** (from *virere*, to become green). Somewhat green.

**Virginal.** Pertaining to a virgin; also the external genital organs of a virgin.

**Viride / Viris.** Verdigris.

**Viridescent** (*viridis*, green) Same as **VERMOREL** (which see).

**Virile** (from *vir*, a man) Belonging to mature manhood.

**Virility.** Adult age; manhood.

**Virulent** (*virulentus*) Poisonous, malignity. Pertaining to virus.

**Virus.** A poison. In *Pathology*, the product of a disease, and capable of producing that disease by inoculation or absorption in a healthy individual.

**Vita. Force.** Power. A term applied in *Physiology* to the vital force and its effects.

**Vita Elastic.** Elasticity.

**Vita In vita.** That power by which a muscle, when irritated, contracts, independently of the will of the animal.

**Vita Medica/trix Natu/ras.** *Vita conservatrix.* The healing power in an animated body.

**Vita Mor/ras.** That power in a muscle by which it contracts after the death of the animal.

**Vita Nerv/ea.** Nervous force. That power in muscular fibre which enables it to receive impressions conveyed to it by the nerves.

**Vita Plas/tica.** Plastic force. Formative energy.

**Vita Tergo.** Any moving power acting from behind.

**Vita Vita.** Vital force or power.

**Vit/cera** (plural of *vit/cera*). The contents of the abdomen, thorax, and cranium.

**Vit/ceral.** Pertaining to the viscera.

**Vit/cid** (*viscum*, bird-lime) Thick; clammy; glutinous; adhesive.

**Viscid/ity.** Viscosity, stickiness, clamminess.

**Vit/cose.** A gummy secretion or product of the mucococcus viscosus.

**Viscos/ity.** Viscidity.

**Vit/cous.** Very glutinous, adhesive.

**Vit/cous.** An entrail. One of the contents of the abdomen, thorax, or cranium.

**Vise.** An instrument for gripping and holding hard bodies, provided with two jaws, which are closed by means of a screw. The small bench-vise is used in the mechanical laboratory of the dentist.

**Vit/ion** (*visio*, vision, from *videre*, to see) Sight, one of the five external senses, that by which man and animals that possess it, are informed of the presence, size, color, etc., of surrounding objects.

**Vision, Double.** Diplopia (which see).

**Vit/ual** (*visuale*) Concerning or belonging to vision.

**Visual Angle.** The angle under which an object is seen, the angle formed in the eye by the crossing of two rays coming from the opposite points of an object.

**Vit/ua.** Vision.

**Vit/ta** (from *vita*, to live) Life.

**Vit/tal** (*vitale*; from *vita*, life). Pertaining to life.

**Vital Air.** Oxygen gas.

**Vital Force.** The formative force.

**Vital Organs.** Organs essential to life.

**Vital Prin/ciple.** That principle which, when applied to organized bodies, controls their manifestations and properties.

**Vital Statis/tics.** Statistics, medical (which see).

**Vital/ity** (*vitallitas*, from *vita*, life). The vital principle.

**Vit/tal/ia.** To endow with life; to furnish with vital principle.

**Vitalized Air.** A mixture of equal parts of chloroform and alcohol combined with nitrous oxide gas.

**Vit/tals** (*vitale*). Parts of animal bodies essential to life, as the viscera dependant upon the great sympathetic nerve.

**Vital/yolk** (*vitellus*, from *vitellus*, the yolk of an egg). Pertaining to the yolk of an egg. Also of a yellow or orange color.



**Vitelline Blac.** A granular layer seen near the most prominent part of the ovarian vesicle, in the center of which the ovum or ovula exists.

**Vitelline Ped'icle.** The pedicle which connects the vitelline vesicle to the embryo.

**Vitelline Ves'icle.** The oophoro-mammaric vesicle of the incubated egg.

**Vitell'ic Intes'tinal Duct.** A wide duct by means of which the nutritive substance of the yolk enters the alimentary canal, for the nutrition of the embryo.

**Vital'ity.** The yolk of an egg.

**Vital Sal'tan.** Chorea (which see).

**Vital'ion** (from *vita*, to corrupt). The contamination of any substance, especially of the air.

**Vit'reous** (*vitreus*; from *vitrum*, glass). Glassy, transparent; pertaining to, resembling, or containing glass.

**Vitreous Humor of the Eye.** The transparent body which fills the globe of the eye back of the crystalline lens.

**Vitrification.** The act of converting any mineral, by heat, into a substance resembling glass, as enamel paste on mineral teeth.

**Vit'ric.** Sulphate of iron.

**Vitric, Acid of.** Sulphuric acid.

**Vitric, Blue.** Sulphate of copper.

**Vitric, Green.** Sulphate of iron.

**Vitric, Oil of.** Sulphuric acid.

**Vitric, Roman.** Sulphate of copper.

**Vitric, White.** Sulphate of zinc.

**Vitric'ic Acid.** Sulphuric acid.

**Vitric'ous.** Sulphate of iron.

**Vitricum Album.** Sulphate of zinc.

**Vitricum Cere'leum.** Sulphate of copper.

**Vitricum Vir'ide.** Sulphate of iron.

**Vitrum.** Glass.

**Vitrum Antimo'ni.** Glass of antimony.

**Vit'us.** Spotted.

**Vivip'arous** (from *viva*, alive, and *paris*, to bring forth). A term applied to animals which bring forth their young alive.

**Vivisection** (*vivisectio*; from *viva*, alive, and *secto*, to cut). The dissection or opening of living animals.

**Vocal** (*vocalis*). Pertaining to or connected with the voice. Having a voice; uttered or modulated by a voice.

**Vocal Cords.** The vocal ligaments, the inferior thyro-arytenoid ligaments, situated in front of the rymal angle of the thyroid, and behind to the lower part of the anterior angle of the arytenoid cartilages.

**Vocal Tube** (*tube vocalis*). The air-passage above the inferior ligaments of the larynx, including the nasal fossa and buccal cavity.

**Voices** (*vox*). In *Physiology*, the sound produced by vibration of the air while traversing the larynx, either in escaping from or entering the trachea. The larynx is the essential organ concerned in its production. The combined action of the larynx, which contains the vocal cords, and of the lungs, trachea, and the cavities of the mouth, pharynx, and nose produce the voice.

**Voice, Articulated.** Speech or voice modified by the action of the tongue, lips, velum, teeth, and other parts of the mouth.

**Voice, Bleat'ing.** Goat's voice. See *EXCORIOXY*.

**Voice, Cav'ernous.** Pectoriloquy (which see).

**Voice, Convul'sive.** Voice consisting of the production of discordant sounds, occasioned by disordered contraction of the muscles of the larynx.

**Vola.** The palm of the hand.

**Vol'atile** (*volatile*; from *volare*, to fly). Capable of passing into an aërial or gaseous state, applied to substances which have a tendency to evaporate at ordinary temperatures, as ether, ammonia, etc.

**Volatile Al'kali.** Ammonia.

**Volatile Salt.** Subcarbonate of ammonia.

**Volatility.** Disposition to exhale or evaporate, a property of bodies by which they are disposed to evaporate or assume a state of vapor.

**Volatile, Volatilization.** The change of a solid or liquid into gas or vapor by heat.

**Volt.** The unit of electro-motive force, or the force sufficient to cause a current of one ampere to flow against a resistance of one ohm. The voltage of Smee's cells is 0.65; Bunsen, 1.90; Daniell, 1.05; Calland, 0.60; Leclanché, 1.50. The unit of pressure.

**Volt Ampère.** The amount of pressure developed by a current of one ampere having an electro-motive force of one volt. Its mechanical equivalent is about 44.9 foot-pounds a minute. It is also called a watt.

**Volt Coulomb.** The unit of electric work.

**Voltage.** Electric potential measured in volts, as the volts of a cell.

**Volta'ic.** Pertaining to galvanic or battery currents.

**Voltaic Current.** Galvanic current.

**Voltain** *Else-tricky*. Galvanism.

**Voltain** *Narcotism*. A method of local anesthesia suggested by Dr Richardson, of London, which is induced by the action of a galvanic current passing through a narcotic solution held in contact with the part to be operated upon.

**Voltain** *Pile*. A galvanic apparatus consisting of a number of pairs of zinc and copper or zinc and silver discs, separated by pieces of moistened woollen cloth.

**Voltainism**. Galvanism.

**Voltmeter**. An instrument for measuring the activity of a galvanic circle or the electro-motive power of a current in volts.

**Volute** (*volute*). Rolling; twining, a spiral twisting around anything.

**Voluum**. Dimension; space occupied.

**Voluntary**. Pertaining to the will.

A term applied in *Anatomy* to muscles which are put in action in obedience to the will, and to motions resulting therefrom.

**Voluntas** (*voluntas*). Will or desire.

**Voluntas**. Illness passion.

**Vomer**. A ploverbone. The bone which separates the nostrils from each other is so called from its shape.

**Vomica** (from *vomere*, to vomit). A term applied in *Pathology* to an abscess in the substance of the lungs, generally formed by the supuration of tubercles.

**Vomiting** (*vomitio*). A forcible ejection of solids and liquids from the stomach through the oesophagus and mouth.

**Vomiting of Blood**. *Hæmatemesis*.

**Vomitio**. Vomiting.

**Vomitivum**. An emetic.

**Vomition**. Ineffectual efforts at vomiting, retching.

**Vomitus**. Vomiting.

**Vorscious Appetite**. *Bulimia*.

**Vox**. The voice.

**Vulcanite Base**. A vulcanized india-rubber plate adapted to such portion of the alveolar arch as is deprived of natural teeth, and to be supplied with an artificial substitute.

**Vulcanite, Dental**. India-rubber combined with sulphur or sulphur compounds and colored with vermilion. It is prepared as follows: The crude rubber is cut into minute shreds by knives set on revolving cylinders, and thoroughly washed. It is then dried and warmed and kneaded with twenty-five per cent. (by weight) of sulphur and twenty-five per cent. of vermilion. The deep color of the

vermilion overcomes the jet (or deep brown) black of the sulphur and rubber when vulcanized or hardened by steam, and gives it a more acceptable color. A combination of rubber 48 parts, sulphur 24 parts, and vermilion 20 parts will give a red dental vulcanite similar to, if not the same as, the American Company rubber. A combination of rubber 48 parts, sulphur 24 parts, and ivory- or drop-black 24 parts will give a black vulcanite. Rubber 48 parts, sulphur 24 parts, and ivory- or drop-black 48 parts will give a jet-black vulcanite. Rubber 48 parts, sulphur 24 parts, white oxide of zinc 30 parts, and vermilion 10 parts will give a dark pink vulcanite. Rubber 48 parts and sulphur 24 parts will give a dark brown vulcanite stronger than any other combination. See Harris' "Prin and Pract. of Dentistry."

**Vulcanite Dentures, Beaded or Grooved**. For the more complete exclusion of air and moisture, a groove is cut in the plaster model, so that the vulcanized denture shall have an integral half-round smooth bead formed on its palatal aspect. The groove should be carried continuously so as to form a bead-enclosure within the entire plate line. Where an air-chamber is used the bead may enclose it, so as to increase the amount of atmospheric adhesion. The bead may be applied to partial as well as to full dentures.

**Vulcanite Dentures, Weighted**. Dentures constructed of vulcanite in which tin filings are incorporated, applicable for lower dentures, where weight is necessary for their retention.

**Vulcanite, Gear's Shaded Pink**. Another new form of rubber somewhat similar to the granular gum vulcanite, which is used in the same manner as the granular and pink rubbers.

**Vulcanite, Granular Gum, Walker's**. A new kind of rubber to imitate the natural gum, which is applied in packing over the ordinary vulcanite by a method similar to the application of gutt rubber.

**Vulcanite Plates Lined with Gold-foil, Electro-deposits, etc.** The object of such linings is to give a durable metallic coating to that portion of the vulcanite denture which is in contact with the palatal and alveolar surfaces of the mouth. Several methods are employed, one of which consists of coating the surface of the plaster model with gold by electro-deposit. The surface of the plaster model is thoroughly coated with plumbago

**Vulcanizing**, with a solution of chloride of gold to cause the deposition; another method is to stamp out the plaster surface, with sheets of No. 8 or No. 10 gold-foil, with a non-conductor on one side, or to put two sheets of the foil together, with a non-conductor, such as wax, between them, and seal the edges with wax to prevent the gold solution from penetrating between or through the sheets. A granular coating of gold or copper is deposited on the exposed sides, which will insure adhesion with the plate after vulcanizing. Another method, known as vulcan gold lining, consists of a sheet of No. 40 gold-foil, applied in one place to the surface to be covered; on the exposed surface of this gold is placed a thin covering of pure silver; the sulphur in the rubber acting on the silver during the vulcanization, produces a surface which favors adhesion. Speyer's method of lining vulcanite and celluloid dentures consists of covering the surface of the plaster model with a thin metallic plate, made of gold with one side covered with a thin layer of silver, the surface of this plate being covered with minute papilliform prominences to effect strong surface cohesion. The vulcanizing causes the sulphur to corrode the silver surface, thereby insuring great adhesion of the lining to the vulcanite plate.

**Vulcanite Rubber.** See **VULCANITE, DENTAL**.

**Vulcanite Teeth.** Artificial teeth with beaded platinum pins made expressly for vulcanite work. See **FRENCHMAN TEETH**.

**Vul'canizer.** The apparatus in which the prepared rubber is hardened by the action of steam. It consists of a copper boiler with a screw top, having connected with it a thermometer for regulating the steam necessary to

harden the rubber and a safety-valve to prevent explosion. See **HARRIS' "Prin. and Pract. of Dentistry."**

**Vul'canizing** (*Vulcan*, the god of fire). The process by which india-rubber, combined with sulphur, and exposed to the action of steam at a high temperature, is rendered hard and elastic. For process see **HARRIS' "Prin. and Pract. of Dentistry."**

**Vul'serary** (*vulserius*; from *vulser*, a wound). A term formerly applied to substances which were supposed to assist the healing of wounds. It is still much used by French writers.

**Vul'ser'ile Nervi** (from *vulserius*, to wound). Neurotends; wound of a nerve.

**Vul'sus.** A wound.

**Vul'phate.** A variety of anhydrous sulphate of lime of a grayish-white color, containing a brittle efflorescence.

**Vul'pis Mor'bus.** *Alsepsis* (which see).

**Vul'tus.** The face; the countenance.

**Vul'va.** The uterus. Also the external parts of generation in the female. The term is applied, also, to the *Aranea communis* anterior of the brain.

**Vulva Cer'e'br.** A small aperture of the brain forming the part by which the three ventricles communicate.

**Vul'var.** Relating to the vulva.

**Vulvi'tis.** Inflammation of the vulva.

**Vulvitis Blennorrhag'ica.** A mucopurulent discharge from the mucous membrane of the vulva. See **BLENNORRHOEA**.

**Vulvo-u'terine Canal.** The vagina.

**Vulvo-vaginal** (*vulvo-vaginalis*). Relating to the vulva and uterus.

**Vulvo-vaginal Gland.** A small gland on each side of the junction of the vulva with the vagina. Cowper's glands.

## W.

**W.** The symbol of tungsten.

**Wachendorff's Membrane.** The membrane investing a cell; the papillary membrane.

**Wad.** In *Allo-slags*, an earthy oxide of tungsten. Also *plumbago*.

**Wagner's Compensator.** The tactile compensator.

**Wake'fulness.** Insensate; sleeplessness.

**Ward's Electro-metallic Denture.** A process of depositing, by the action of a battery, gold and silver directly upon the surface of a plaster model obtained from the impression of the mouth, and thus securing adaptation. The surface of the plaster model is first coated with plumbago, and a definite thick-

near of gold is first deposited, and upon this another thickness of silver, which, in like manner, is again covered by another deposit of gold. The object of the intermediate layer of silver is to give strength to the plate, as all deposited metals are deficient in that respect, but silver is less so than gold. A thin silver plate may first be swaged and the gold deposited on both surfaces. The teeth are attached to a plate thus formed by depositing gold about and around their pons. For a vulcanite or celluloid attachment of the teeth the portion of the plate covering the alveolar ridge is so formed as to present projections of the metal in the form of retaining points. This process can also be applied to capping crowns or cusps of teeth and to removable bridge-work.

**Wart.** *Verruca.* A hard excrescence of the skin.

**Wart'y.** *Verrucose.* Full of warts; resembling or of the nature of warts.

**Wash.** A *lotion.* In *Pharmacy*, the ferment wort from which spirit is intended to be distilled.

**Wash, Black.** A lotion of calomel and lime-water, used on syphilitic sores.

**Wash, White.** Diluted solution of subacetate of lead.

**Wash'ing.** A term used to designate the process employed for separating particles of gold and other valuable metallic substances from the ashes and cinders of the workshops of the dentist and the jeweler. Also the operation of separating soluble from insoluble matter.

**Wast'ing.** Atrophy; diminishing by destruction.

**Wasting of the Alveolar Process'ns.** The gradual destruction of the alveoli which attends inflammation, tumescence, and ulceration of the gums, from whatever cause produced. It is supposed by some writers to occur in old persons spontaneously, but the author is of opinion that it is always the result of the chemical action of a morbid secretion, excited by disease in the gums or alveo-dental membrane. See GUMS, DISEASES OF WASTING OF THE TEETH. See ABRAHAMSON ON THE TEETH, BROOKMAN.

**Water** (*aqua*; *hydra*; *utop*) A transparent fluid, without color, smell, or taste, consisting of eight parts, by weight, of oxygen, and one of hydrogen.

**Water, Distilled** (*aqua destillata*). Natural water freed from its impurities by distillation,

a process to which it is necessary to subject it for pharmaceutical purposes. According to the U. S. Pharmacopoeia, it is made as follows: Take of water, ten gallons. First distill two pints and throw them away; then distill eight gallons. Keep the distilled water in glass-stoppered glass bottles. For dental use see GORGAS' "Dental Medicine."

**Water Dress'ing.** The employment of water as a dressing for wounds, by which the part is kept constantly wet. To prove useful, they must permit the pus to escape freely, as fast as it is formed, and to be absorbed by the dressing. They must also be kept constantly moist, and evaporation must be prevented, lest the part become dried. These several indications may be accomplished by four pieces of different tissues regularly superposed, which pieces are called respectively the sifter (crible), the absorbent, the humectant, and the meoposant or impermeable tissue (each of which see).

**Watt.** In *Electricity*, the unit of power; the power exerted by one ampere of current at one volt of pressure.

**Watt's Metal Dentures.** See CASE-METAL DENTURES.

**Waved.** Undulated.

**Wa'vellite.** A hydrated phosphate of alumina, occurring, usually, in hemispherical concretions.

**Wax** (*cera*). See WAX, YELLOW, and WAX, WHITE.

**Wax, Adhesive.** A combination of wax and rosin for attaching teeth and clasps in plate and bridge-work for trial in the mouth.

**Wax, Fluxed Parr's.** A preparation of wax for attaching clasps and teeth in plate and bridge-work for trial in the mouth and during subsequent soldering.

**Wax Impression-cup, Foulke's.** A holder or cup which consists of a strong metallic frame designed to support a flexible inside lining attached thereto, for the purpose of compressing the entire surface of the upper jaw, the pressure being made first with the fingers and afterward with an instrument suited for the purpose. Gutta percha and plaster of Paris can also be used in this cup.

**Wax Impressions.** See IMPRESSIONS OF THE MOUTH IN WAX.

**Wax, Japan.** Obtained from the *Rhus succedanea* of Japan. It is of a medium quality, between beeswax and the common vegetable tallow.

**Wax, Myrtle.** A wax of a pale grayish-green color, obtained from the fruit of *Myrica cerifera*.

**Wax, Vegetable.** A ternary product of vegetation, occurring as an excretion on the surface of leaves and fruits, forming the bloom or glassy surface which repels water.

**Wax, White (cave oil).** Bleached yellow wax.

**Wax, Yellow (cave fat).** A product of the common bee, the *Apis mellifica*.

**Waxen Keratels.** Waxing keratels. In popular language, an enlargement of the lymphatic glands, in the groins particularly.

**Wax-holder or impression-cup.** A term applied in *Dental Surgery* to an instrument used for holding softened wax while taking an impression of the whole or any portion of the alveolar border of either jaw or of the vault of the palate. It consists of a tin, silver, or porcelain cup, large enough to receive either alveolar ridge, with a handle in front.

**Wax-holder, Colburn's.** An improvement on the common wax-holder, by Dr G. F. J. Colburn, of New Jersey, consisting of two rims instead of one on the outer margin of the plate. The outer rim is intended to protect the impression against injury from the carious of the mouth in removing it.

**Wax-holders, Cleveland's.** Five wax holders, three for the upper and two for the lower jaw, invented by Dr J. A. Cleveland, of Cleveland, O. The only difference in those for the upper jaw is in size. The upper ones are so constructed as to form a complete covering or movement for the superior alveolar ridge and roof of the mouth, with a handle about two inches in length. Those for the lower have a joint in the center, so that the arch may be widened or narrowed at pleasure, to fit the jaw. One is intended to take an impression of the lower jaw with five or six of the front teeth, the other for taking an impression after the loss of all the teeth.

**Wax-knife.** An instrument used in *Neurological Dentistry* for adding and modeling wax.

**Weight/advances.** Antimony.

**Wearings.** The application of the infant particularly from the breast.

**Wearing of the Teeth.** See **ABRASION OF THE TEETH, MECHANICAL.**

**Web (tail).** A term applied in *Anatomy* to certain structures, from their appearance, as cellular tissue, etc.

**Web, Mucous.** The cellular membrane.

**Webber.** In *Electromagnetism*, an anaphor.

**Wedge-cutter.** An instrument used in dentistry to cut off the excess of wooden wedges after they have been driven between teeth to separate them.

**Wedged.** A term applied in *Obstetrics* to the head of the fetus when it remains fixed in the pelvis, notwithstanding the uterine effort.

**Wedge-shaped.** Conical form.

**Weight of important Organs.** The average weight in adults, according to Quain, is as follows:

Heart, male, . . . .	11 ounces.
" female, . . . .	9 ounces.
Brain, male, . . . .	49½ ounces.
" female, . . . .	44 ounces.
Spinal cord, . . . .	1 to 1½ ounces.
Liver, . . . .	60 to 80 ounces.
Pancreas, . . . .	2½ to 3½ ounces.
Spleen, . . . .	5 to 7 ounces.
Lungs, male, . . . .	45 ounces.
" female, . . . .	38 ounces.
Thyroid cartilage, . . . .	1 to 2 ounces.
Kidney, . . . .	4½ ounces.
Suprarenal capsules, . . . .	2 drachms.
Testis, . . . .	¼ to 1 ounce.
Unimpregnated uterus, . . . .	7 to 12 drachms.

**Weights and Measures.** The United States standard unit of weight is the troy pound. It is standard in air at 62° F., the barometer at thirty inches. The division of weights and measures adopted by apothecaries is different from the standards.

#### 1 Apothecaries' Weight

1 pound, lb, contains 12 ounces
1 ounce, ℥, " 8 drachms
1 drachm, ℥, " 3 scruples
1 scruple, ℥, " 20 grains.
1 grain, gr

#### 2 Troy Weight.

1 pound, lb, contains 12 ounces = 3750 grains
1 ounce, oz, " 30 dwt. = 480 "
1 pennyweight, dwt., contains 24 grains.
1 grain, gr

$$\begin{aligned} & 16 \text{ oz. dwt. gr.} \\ & \text{Or, } 1 \text{ lb} = 12 \text{ oz} = 240 \text{ gr} = 3750 \end{aligned}$$

### 3. Apothecary's Weight.

1 pound, lb., contains 16 ounces.	
1 ounce, oz., " 16 drachms.	
1 drachm, dr.	
No. oz. dr. grs. grams.	
Or, 1 = 16 = 266 = 7000 = 453.59	
1 = 16 = 437.5 = 28.349	
1 = 27.34375 = 1.7705	

### 4. Apothecary's or Wine Measure.

1 gallon, G, contains 8 pints.	
1 pint, O, " 16 fluidounces.	
1 ounce, f℥, " 8 fluidrachms.	
1 fluidrachm, f℥, " 60 minims.	
1 minim, m, equals 1 drop of water.	
C. O. ℥. ss. Cubic in.	
Or, 1 = 8 = 128 = 1094 = 251	
1 = 16 = 128 = 98.575	
1 = 8 = 1.8047	
1 = 0.2366	

### 5. Imperial Measure, adopted by the London and Edinburgh Pharmacopœia.

C. O. ℥. ss.	
1 = 8 = 160 = 1280	
1 = 20 = 160	
1 = 8	

### LONG MEASURE.

Inches.	Feet.	Yards.	Faths.	Furth. Pts.	M.
12 = 1					
36 = 3 = 1					
72 = 6 = 2 = 1					
180 = 15 = 5 = 375 = 1					
7,200 = 600 = 220 = 110 = 40 = 1					
63,360 = 5280 = 1760 = 880 = 220 = 110 = 1					

### SQUARE MEASURE.

Inches.	Feet.	Yards.	Packs.	Reeds.	Acre
144 = 1					
1,296 = 9 = 1					
30,204 = 272.25 = 30.25 = 1					
1,548,480 = 10,800 = 1210 = 40 = 1					
4,878,544 = 48,000 = 4840 = 100 = 4 = 1					
An acre is 48,701 yards square, or 360,710,000 feet square.					

### ROYAL MEASURE.

Cu. in.	Cu. Ft.	Cu. Yard.
1,728 = 1		
46,656 = 27 = 1		

### DRY MEASURE.

1 qt. = 57.6 cubic inches	
2 pts = 1 qt = 57.6 cubic inches	
6 " = 4 qts = 1 gal. = 268.8 cubic inches.	
16 " = 8 " = 2 gals. = 1 peck = 537.6 cubic inches.	
64 " = 32 " = 8 " = 4 pecks = 1 bushel.	

## French Weights and Measures.

### 1 Measures of Capacity

	English Cubic Inches	Wine Measure
Millilitre, ==	.061036	16.2318 minims.
Centilitre, ==	.610360	2.7053 fluidrachms.
Decilitre, ==	6.103600	3.3816 fluidounces.
Litre, ==	61.036000	2.1125 pints.
Decalitre, ==	610.360000	2.6419 gallons.
Hectolitre, ==	6,103.600000	
Kilolitre, ==	61,036.000000	
Myrialitre, ==	610,360.000000	

### 2. Measures of Length

	English Inches.				English Measures.
Millimetre, ==	.03937				
Centimetre, ==	.39371				
Decimetre, ==	3.93710				
Metre, ==	39.37100	Mm.	Feet.	Yds.	Inches.
Decimetre, ==	393.71000	= 0	0	1	0 3.9371
Hectometre, ==	3,937.10000	= 0	0	10	3 9.7
Kilometre, ==	39,371.00000	= 0	0	109	1 1
Myriametre, ==	393,710.00000	= 6	1	136	0 0

Weights.

	Dry Grains				
Milligramme, =	.0154				
Centigramme, =	.1543				
Decigramme, =	1.5434				
Gramme, =	15.4340		h.	oz.	gr.
Decigramme, =	154.3468	=	0	9	3
Centigramme, =	1,543.4633	=	0	3	1
Milligramme, =	15,434.0384	=	3	8	1
Myriagramme, =	154,340.3344	=	36	9	6

Other modes of estimating the quantities of substances are sometimes adopted. It is by approximation; as, a tablespoonful of a fluid substance is estimated at  $\frac{1}{2}$  oz; a dessertspoonful at  $\frac{1}{3}$  oz, and a teaspoonful at  $\frac{1}{4}$  oz. A gillful or cupful is estimated at 4 or 5 fluidounces, a wine-gillful at  $1\frac{1}{2}$  ounces or 3 fluidounces.

**Weights, Atomic.** Definite proportions in chemical combinations.

**Weld'ing.** The act or process of uniting two pieces of metal at a high heat. It is done by process of hammering. Iron is the metal capable of being most firmly united by this method. Iron and platinum are examples of metals capable of being welded while hot; gold, if pure and recently annealed, may be perfectly welded cold.

**Welding Heat.** A white heat.

**Wen.** A circumscribed, nodulent tumor, without inflammation or change of color of the skin. It may occur on almost any part of the body, and usually consists of sebaceous matter.

**Western Crown.** An artificial crown to be engaged on a root. It represents, on its labial surface, the ordinary plate-tooth, but the lingual surface is recessed as much as is consistent with strength. It contains platinum pins so imbedded in the thickest part of the crown that it may not be weakened by the grinding necessary in fitting the crown to the root. The post or dowel is made of platinum and iridium, spear-shaped, and notched on both edges to give firmness to its anchorage, and is secured by riveting the pins to a cross-piece on the top of the dowel or by soldering with gold, or amalgam may be used for the entire attachment, or, after soldering the dowel to the pins, the space can be filled with gold.

**Western Metal Dentures.** See CAST METAL DENTURES.

**Wharton's Duct.** The secretory duct of the submaxillary gland.

**Whisk.** Wen. An elevation of the skin, even in some forms of cattle-tail, like that produced by the stroke of a whip.

**Whisk'ing.** Midw. regulation obtained by distillation of the air-gauges.

**Whisk.** A wrinkle, a protuberance; a pustule.

**Whisk'y.** Protuberant, rounded.

**Whery.** The serum of milk separated from the coagulable part.

**White'key (spiritus frumenti).** A spirituous liquor obtained from corn, rye, oats, potatoes, etc., by distillation.

**White Arsenic.** Arsenious acid.

**White Gum.** The *Strophulus albidus*, a species of gum-resin in which the pimples are small, hard, and of a whitish color.

**White Lead.** Carbonate of lead.

**White Oak Bark.** The bark of *Quercus alba*. Astringent and antiperiodic. Dose of powder, gr x to gr xxx. In *Practical Practice* the tincture and decoction are useful in stomatitis, sponginess of gums, and a relaxed condition of the mouth and fauces generally.

**White Precipitate.** White precipitated mercury or ammoniated submercurate of mercury. Used as an external application in cutaneous affections.

**White, Span'ish.** Substrate of blamuth.

**White Substance of Schwann.** In the nerves of the higher animals two forms of nerve-fibre exist—the tubular and the ganglionic. In the minute fibrils or tubules, tubular nerve, full of nervous matter, which constitute the former, there is a difference between the central and peripheral portions: the former has been called the axis cylinder and primitive and flattened band; the latter, the medullary or white substance of Schwann, nerve medulla, medullary sheath or matter, myelin—being that to which the peculiarly white aspect of cerebral-cylindrical nerves is principally due.

**White Swelling.** A cellular swelling of the larger joints, synovial.

**White Vit'ol.** Whiggle of zinc.

**Whit'ing or Whit'ening.** Chalk freed from its impurities and ground; Spanish-white; carbonate of lime.

**Whit'low.** Paronychia. Inflammation and swelling at the end of one of the fingers or the thumb, attended with great pain.

**Whoop'ing-cough.** Hooping-cough, pertussis. A convulsive, strangling cough, accompanied by a mucous inspiration or whoop, coming on in fits. It occurs but once, and continues six or eight weeks. Its attacks are usually confined to children. The disease is contagious. Attacks of whooping-cough, when severe in character, sometimes cause atrophied teeth. Nutrition is impaired, the enamel is softened, and the dentine assumes a dark color.

**Wile.** A term applied in Pathology to an expression of countenance indicative of strong mental emotion, as a wild look.

**Wild Cherry.** The popular designation of the *Prunus virginiana*.

**Wild-Tire Rash.** The *Strophilus volaticus*, a species of gum-rash in which the pimples are in clusters.

**Williams' Method of Bridge-work.** See BRIDGE-WORK, STYRENS OR.

**Wit's, Chords of (chords wit's).** Small, white, fibrous bands which cross the superior longitudinal sinus of the brain.

**Wit's, Circle of.** See CIRCULUS WILLISII.

**Wine (wîne).** The fermented juice of the grape. The term is also applied by chemists to all liquors which have become spirituous by fermentation.

**Wine of Aloes.** Vinum aloes

**Wine, Antimo'niac.** Vinum antimoni.

**Wine of Col'chicum.** Vinum colchici.

**Wine of Ipecac'uanha.** Vinum ipecacuanha.

**Wine of Iron.** Vinum ferri.

**Wine, Madai'ra.** The strongest of the white wines. It has a slightly acid taste, and, when good and of a proper age, a rich, nutty, aromatic flavor.

**Wine Measure.** See WENGERS AND MEASURES.

**Wine of Opium.** Vinum opi

**Wine, Port (vinum portag'licum).** A wine of a deep red color, and, when new, astringent, strong, and slightly sweet, but it loses in a considerable degree these properties by age, and acquires more flavor.

**Wine of Quin'ia.** See VINUM QUINIA.

**Wine, Rhe'um.** Vinum rhei.

**Wine, Sherry.** A deep amber-colored wine,

of a pleasant aromatic flavor and fragrance, without acidity.

Besides the foregoing, there are about fifty other varieties of wine.

**Wine Test.** A reagent for detecting the presence of lead in wine by converting the acid into a salt of lead. The one usually employed is made by dissolving half an ounce of sulphuret of arsenic and one ounce of lime in half a pint of distilled water, and filtering the solution.

**Wine Vin'egar.** A vinegar about one-sixth stronger than pure malt vinegar. There are two kinds—the white wine vinegar and the red wine vinegar.

**Wine Whey.** White wine whey; ask whey. Take of milk two-thirds of a pint, and add water enough to make a pint. Take of whey or any other good white wine, two glasses, and of sugar a dessertspoonful. Place the milk and water in a deep pan on the fire, and the moment it boils pour into it the wine and sugar. Stir continuously for twelve or fifteen minutes while it boils. Then strain through a sieve.

**Wing (ale).** A term applied in Botany to the side petal of a papilionaceous corolla, and in Zoology to certain parts, from their shape. In Entomology, the limb of an insect by which it flies.

**Wine'low, For'a'men of.** An oval opening through which the cavity of the omentum communicates with the general peritoneal cavity.

**Wine'low, Lig'ament of.** The external process of the tendon of the semi-membraneous muscle.

**Wine'low, Poste'rior Lig'aments of.** Irregular bands passing obliquely over the back part of the capsular ligaments of the knee-joint.

**Wintergreen.** The common name for the *Chimaphila umbellata*, otherwise called the *Pyrola umbellata*, and *Gaultheria procumbens*.

**Wirt'sung, Duct of.** A name for the pancreatic duct.

**Wis'dom Teeth.** Dentes sapientie; so called because they appear last of all the teeth.

**Witch-hazel.** Witch-ham. The common name of *Hamamelis virginica*.

**Wolf'sen Bodies.** Corpus wolf'senium (which see).

**Wolf'sram.** An ore of tungsten, occurring



in various crystallized, amorphous, lamellar and fibrous.

**Wood's Bone.** Common name of *Acetabulum* impatiens.

**Woods.** *Urtica*.

**Wood, Felling of the.** *Protophysa* uteri.

**Wood-spirit.** See *Pyroxylic Spirit*.

**Wood's Metal.** A plastic metallic alloy proposed by Dr. E. Wood as a substitute for amalgam, and also for replacing broken teeth on vulcanite plates. It is composed of bismuth, 7 parts; lead, 6 parts; and cadmium, 1 part. It fuses at 186° F., or 85° C. The instruments for introducing this metal have bulbs near the condensing points, for the purpose of retaining heat. The following directions are given for using this metal.

Having thoroughly prepared the cavity, making good retaining-points when shallow, cut the metal with plate shears into little blocks varying in size according to the cavity. Spread them, separate, on a paper card or on a warm support of porcelain, asphaltum, or marble. Select a plugger suited to the cavity, heat the bulb in a spirit-flame; press the point lightly upon a block of the metal—any one-third the size of the cavity—until it softens, when it will cling to it, and may be carried to its place. If too fluid, it will not adhere well to the instrument, or will roll up in globular form upon it, and must cool a moment. When of the proper plasticity it yields to light pressure, but otherwise scarcely changes shape. Now mould it to the cavity, securing first the bottom, walls, and under-cut portions, wiping it off against the margins; then build up by sections from the centre, using the additional pieces and a little more fluid to promote union. In molar cavities, with a flat blade that will freely pass in, one may, by a circular sweep, scrape half or more of the walls the first time; then, taking up another block on the reverse side, secure the rest in like manner.

When the cavity is deep, introduce the metal upon the end of a cylindrical or square point to the bottom, until partly full; then fill up as above described. Some operators put the blocks in first, and then fuse them down; should the metal coagulate too soon, it may be fused and moulded to its place in this way. If too fluid under the instrument, brush over quickly; when of the proper plasticity, work it in with gentle pressure, always against the walls or margins. Should there be left an irregularity at the margin, when the filling

near the spot and press it down; then fill the indentation with a new piece. Wood's metal is now principally used in Dental Practice for replacing teeth on vulcanite plates. A dovetail space is cut in the plate with a saw or file and the new tooth fitted into position, after which the flexible alloy is moulded into the space with a hot copper-pointed instrument, and the surface afterward smoothly finished.

**Wood-spirit.** *Pyroxylic spirit* (which see).

**Wood's Apparatus.** A pharmaceutical apparatus for impregnating water with carbonic acid.

**Wootz.** Indian steel.

**Worm Diseases.** Invermiration. See *HELMINTHIASIS*.

**Worm's-ear Bones** (*verruis* ossa, or *oss. triquetra*). The small triangular bones sometimes found in the course of the suture of the parietal and occipital bones.

**Worms** (*vermes*). In Zoology, a term applied to different divisions of invertebrates. The term *vermes*, however, is generally restricted to intestinal worms. See *ENTOMOA*.

**Wort.** An infusion of malt. It is sometimes used with beneficial effects in ascaris.

**Wound** (*vulnus*). In Surgery, a solution of continuity in any of the soft tissues of the body, produced by external violence.

**Wound, Contused.** A wound produced by a blunt instrument or body.

**Wound, Gun-shot.** A wound caused by a metallic body projected from a firearm.

**Wound, Incised.** A wound inflicted by a cutting instrument.

**Wound, Lacerated.** When any of the soft parts of the body are torn, the wound is termed a lacerated wound.

**Wound, Poisoned.** A wound in which some venomous substance has been introduced.

**Wound, Punctured.** A wound made with a pointed instrument.

**Wrasp.** A spinid.

**Wrench.** A spinid.

**Wrick.** A spinid.

**Wrinkle.** A furrow in the skin.

**Wrinkled** (*rugose*). *Rugosus*.

**Wrisberg, Nerves of.** The cutaneous nerves of the arm, from the second and third dorsal nerves.

**Wrist.** *Carpus*.

**Wrist Drop.** Paralysis of the anterior triangle of the hand from the local action of lead, as a result of which the hand and wrist are not supported.

**wry-neck.** Torticollis. A permanent inclination of the head to one side, arising from a contraction of the integuments of the sternomastoid or platysma myoides muscle. Among the many causes of this affection may be mentioned morbid states of the dental and alveolar nerves.

**Wunsche's Combination Plates.** A combination of vulcanite with a perforated plate, for the purpose of obtaining a lighter,

thinner, and stronger plate than one of vulcanite alone; it presents a reticulated metallic structure with vulcanite filling the cased interstices. The perforated plates are stamped from gold, aluminium, and Victoria metal.

**Wyeth's Antiseptic Solution.** A proportionate combination of eucalyptus, guaiacum, mentha arvensis, and baptisia tinctoria, with sixteen grains of benzoic acid in each fluidounce.

## X.

**Xanthelasma** (from *xanthos*, yellow, and *asma*, a lamina). Yellow spots on the skin of the face, especially about the eyes.

**Xanthelasma Palpebrarum.** A condition of the membrane near the inner angle of the eyelids, characterized by slightly elevated yellow patches and dependent upon hepatic derangement.

**Xanthic** (from *xanthos*, yellow). Yellow. **Xanthic Acid.** An oily acid which forms yellow precipitates with several metallic salts. **Xanthic Oxide.** Uric oxide, a species of calculus.

**Xanthid.** A supposed compound of xanthogen with a basifying or acidifiable element.

**Xanthine** (from *xanthos*, yellow). A yellow coloring principle found in madder, also a peculiar organic substance at times forming a species of urinary calculus.

**Xanthodontous** (*xanthos*, yellow, and *odon*, a tooth). Having yellow teeth, a yellow discoloration of the teeth.

**Xanthogen** (from *xanthos*, yellow, and *genon*, to generate). A supposed basifying or acidifying compound principle, thought to be analogous to cyanogen, and to consist of sulphur and carbon.

**Xanthoxanthine.** Modified hematine of a yellow color.

**Xanthoxythy** (from *xanthos*, yellow, and *thy*, suffering). Yellowness of the skin from morbid conditions.

**Xanthoxythic Acid.** An acid obtained from litmus by nitric acid.

**Xanthoxia** (from *xanthos*, yellow, and *oxia*, vision). Yellow vision; a defect of sight, conse-

quences occurring in jaundice, in which objects appear yellow.

**Xanthos.** Yellow. Also a precious stone of a golden color.

**Xanthosis.** A term applied in Pathology, by Lebert, to the yellow discoloration sometimes observed in cancerous tumors, particularly in encephaloid of the testicle.

**Xanthoxylum.** A genus of trees of the order Xanthoxylaceae. A spirituous infusion of the bark has been found beneficial in cases of violent colic. The fresh juice is also used for the same purpose, and a decoction of the bark as a wash for foul ulcers.

**Xanthoxylum Carolinicum.** This has similar properties, but is more acrid.

**Xanthoxylum Cleveae Herveyi.** Prickly ash; tooth-brush tree. The bark is a stimulant, and acts as a diaphoretic. It is sometimes used as a remedy for toothache, and has been given internally in rheumatism. A neutral, very bitter, and astringent substance has been obtained from it, called xanthoxylarin, xanthoxylarin, and xanthoxylin.

**Xanthoxylum Fraxinum.** The shrubby prickly ash, toothache bark. The bark is a stimulating astringent.

**Xanthuria** (from *xanthos*, yellow, and *ouron*, urine). In Pathology, a condition of the system and of the urine in which xanthic oxide is deposited from the urine.

**Xerania** (from *xeros*, dry). Aridation. Drying.

**Xerania** (from *xeros*, dry). A disease of the hair characterized by dryness and cessation of growth.

**Xanthic Squar'les.** An accumulation of xanthine substance on the surface of the skin descending in scales or pustules.

**Xerosis** (from *xerōs*, dry). Cataplasma.

**Xerosthy'rism.** A dry collyrium, or eye-salve.

**Xeroder'ma** (from *xerōs*, dry, and *dema*, the skin). Dryness of the skin.

**Xer'o'dea.** A dry tumor.

**Xer'o'ma.** Xerophthalmia.

**Xeroma, Lach'rymal.** Suppression of the lachrymal secretion.

**Xeromyct'ria** (from *xerōs*, dry, and *myctōs*, the nose). Diminution of the secretion of the pituitary membrane of the nose.

**Xerom'yrum** (from *xerōs*, dry, and *myrōs*, an ointment). Xeromyron. A dry ointment.

**Xerophthal'mia** (from *xerōs*, dry, and *ophthal'mia*, inflammation of the eye). Dry inflammation of the eye.

**Xerosto'ma** (from *xerōs*, dry, and *stoma*, mouth). Aptyalism, or dry mouth.

**Xerotrip'sis.** Xeroderma. Dry friction.

**Xiph'oid** (*sphoides*; from *xip'is*, a sword, and *oid*, likeness). A term applied in *Anatomy* to an appendix which terminates the lower part of the sternum, from its resemblance to a

sword. It is also called the xiphoid or cartilagenous cartilage, because it often remains cartilaginous to adult age.

**Xiphoid Lig'ament.** A small, thin, ligamentous fasciculus, which passes from the cartilage of prolongation of the seventh rib to the anterior surface of the xiphoid cartilage.

**Xiphoid'ium** (from *sphoides* cartilage). Pertaining or belonging to the xiphoid cartilage.

**Xy'itis.** A liquid existing in crude pyroxylic spirit.

**Xy'lo-** (from *xilos*, wood). A Greek prefix denoting relation to wood.

**Xy'loid** (from *xilos*, wood, and *oid*, form). Resembling wood.

**Xylo'dine.** A micro-cellulose substance produced by the action of nitric acid upon potato starch.

**Xy'lol, Xylene.** Dimethyl benzene. A volatile hydrocarbon somewhat resembling benzol. Useful in small-pox as a mouth-wash.

**Xylotyp'ic Ether.** A mixture of xylol-dine and tannin formed into a solution with ether. See STRIPP, COLLOID.

**Xys'ter.** In *Surgery*, an instrument for scraping bones.

**Xys'trum.** Raspatorium.

## Y.

**Y.** The symbol of yttrium.

**Yawn'ing.** Gaping, followed by prolonged and convulsive expiration. It often precedes an attack of certain diseases.

**Yeast** (*fermentum*). A flocculent, somewhat viscid, frothy, and semi-fluid substance, generated during the vinous fermentation of vegetable juices and decoctions. It is used to promote fermentation. It is sometimes employed in *Therapeutics* as a remedy in hectic and typhoid fevers.

**Yeast, Artificial.** This may be made by boiling malt, pouring off the water, and keeping the grains in a warm place to ferment.

**Yeast Cataplasma.** A yeast poultice.

**Yolk.** Yolk; the yellow of a hen's egg. The contents of the egg within the vitelline membrane.

**Yel'low.** Icterus.

**Yel'low Arsenic.** The yellow sulphuret of arsenic.

**Yellow Fever.** The severest form of malignant malarial fever, in which the whole surface of the body presents a lemon or orange-yellow hue.

**Yellow Gum.** Icterus infantum, or jaundice of infants.

**Yellow Lig'aments.** They occupy the spaces between the vertebral plates, from the interval which separates the second vertebra from the third to that which separates the last vertebra from the sacrum. They receive the name from their color.

**Yellow Wash.** A lotion composed of the juices of corrosive sublimate, or oxymercure of mercury, to an ounce of lime-water.

**Yewer.** See **KANNA.**

**Yez.** Singultus.

**Yolk or Yolk.** The vitellus, or yellow part of an egg.

**Youth.** Adolescence; the period of life that succeeds childhood.

**Ypsiloglossus.** The hyo-glottis muscle.

**Yrides.** Oryzient (which see).

**Yt'tria.** A metallic oxide of yttrium of a white color, without taste or smell.

**Yt'triums.** Pertaining to or denoting yttrium.

**Yt'trium.** The metallic base of the earth yttrium. It was discovered at Ytterby, in Sweden, and is of a dark-gray color.

**Yt'tre-se'tite.** A mineral of a violet-blue color, inclining to a gray-white, found in Finbo and Brodbo, near Fahlun, imbedded in quartz.

**Yt'tro-colum'bites.** Yt'trotantalites. An ore of columbium and yttrium, found in Sweden.

**Yux.** Singultus.

## Z.

**Zaf'fra.** Zaffir. Impure oxide of cobalt.

**Zan'na.** A kind of Armenian bole.

**Zan'thic Oxide.** Uric oxide. See **XANTHIC OXIDE.**

**Zan'thin.** See **XANTHIN.**

**Zanthoxylum.** Xanthoxylum.

**Zar'nich.** Native sulphate of arsenic.

**Zelo'sis.** Zekotypla.

**Zekotypla.** Melancholy mania.

**Ze'ma (manic).** Decection.

**Ze'olite (from *Zeus* to boil, and *lithos*, a stone).** A term applied to silicates of lime and of alumina, from their frothing when heated before the blow pipe.

**Zer'na.** An ulcerated testis.

**Ze'ro.** A cipher, the commencement of any scale marked 0. The point from which a thermometer is graduated. The zero of Fahrenheit is 32° below the point at which water freezes. The zero of Reaumur's and the Centigrade thermometer is the freezing point of water.

**Ze'sis.** Effervescence. Decection.

**Zim'ic Acid.** Lactic acid.

**Zi'mora.** That part of gluten insoluble in alcohol.

**Zimo'sis.** Epidemic or contagious affliction.

**Zimot'ic.** Zymotic. Epidemic or contagious. See **ZYMOTIC THEORY OF DISEASE.**

**Zinc (abstrus).** Symbol, **Zn.** Atomic weight, 65. A brilliant metal of a bluish-white color, harder than lead, but less malleable than either copper, tin, or iron. It fuses at 773° Fahr. It is much used in the arts, and for the production of galvanism. In *Mechanical Dentistry* it is

used for dies in striking up gold and other bases for artificial teeth, and in swaging some metallic plates, also as counter-dies. It also forms an ingredient of some amalgams for filling teeth, and also of gold solder.

**Zinc, Butter of.** Chloride of zinc.

**Zinc Oxychloride.** A filling material composed of a powder (oxide of zinc) and a fluid (chloride of zinc). While this filling material is wanting in indestructibility, it possesses the properties of plasticity, color, and preservative qualities so long as it does not disintegrate. As an anesthetic it stimulates the dental pulp, and after its devitalization it prevents septic action. Owing to its escharotic action on living matter it possesses the power of hardening or recalcifying softened dentine.

Although it is not a suitable material for applying directly to the surface of an exposed pulp, yet it often answers a good purpose if a small quantity of oxide of zinc mixed with oil of cloves or dilute carbolic acid is first applied to the pulp-tissue and the oxychloride of zinc introduced over such a protective. A small disc of asbestos felt-disk is also recommended as a protective when the oxychloride is thus employed. Oxychloride of zinc is also useful for obtaining sensitive dentine, filling pulp-cavities, and lining thin walls of cavities to be filled with amalgam.

**Zinc Oxophosphate.** A filling material which is a basic compound of zinc with phosphoric acid, and made by adding a syrupy solution of glacial phosphoric acid to calcined oxide of

**zinc** It is considered to be of a more plastic, putty-like nature, and hence more easy of introduction, than the oxyphosphate preparation, and also somewhat less irritating. The rapidity with which its crystallization or setting takes place is controlled by the degree of hydration of the phosphoric acid.

**Zinc Phosphate.** This filling material consists of a powder (the calcined and pulverized oxide of zinc) and a fluid or crystals (glacial phosphoric acid). The use of the crystal acid is considered preferable to the fluid, as it does not deteriorate so readily as the latter. This preparation—known as oxyphosphate of zinc filling material—is employed for temporary fillings in teeth, for partial fillings in large cavities, for capping sensitive dentine, and for setting crowns. It is also combined with gutta percha, the latter being placed in the upper third of the cavity and the oxyphosphate of zinc over it. Oxyphosphate of zinc is also employed for filling the roots of teeth and attaching bridge-work and porcelain cases.

**Zinci Acetas.** *Acetate of zinc.* It is much used as a gentle astringent wash in ophthalmia and other local inflammations and as an astringent in gonorrhoea.

**Zinci Carbonas Impurus.** *Calamine.* Native impure carbonate of zinc.

**Zinci Carbonas Preparatus.** Prepared carbonate of zinc. Prepared calamine.

**Zinci Chloridi Liquor.** Solution of chloride of zinc. "Burnett's desludging fluid" is prepared in the same manner as the chloride, but the solution is not evaporated. Its dental uses are the same as the chloride, and it forms one of the ingredients of osseoplastic or osteo-plastic filling.

**Zinci Chloridum.** Chloride of zinc. Butter of zinc. It is made by putting metallic zinc in sufficient muriatic acid to dissolve it, then adding a small quantity of nitric acid and evaporating to dryness. The dry mass is then dissolved in water, chalk added to neutralize any acid, filtered, and again evaporated to dryness. It is a grayish white, semi-transparent, deliquescent substance, as soft as wax, and wholly soluble in water, alcohol, or ether. It should be kept from air and light. It is a powerful caustic, alterative, opacifying, and desludgent. Used in Dental Practice in inflammation of the mucous membrane and for treating sensitive dentine, chronic abscesses, etc. It is absorbed to any great

degree, and, as its action is superficial, it is not so dangerous an agent as arsenious acid. Its painful action is lessened by combining it with a little chloroform. Its local action as a caustic depends partly on its affinity for albumen and gelatine, so that when brought in contact with living tissue it destroys the life of the part, and, uniting with the albuminous and gelatinous matters present, forms an eschar. Taken internally, it is an active corrosive poison. The antidote is magnesia or soap. For dental uses see Gorgas' "Dental Medicine."

**Zinci Cyanuretum.** *Cyanuret of zinc.* Recommended in nervous cardialgia. Dose,  $\frac{1}{4}$  to  $\frac{1}{2}$  of a grain. Used also as a caustic.

**Zinci Ferrocyanuretum.** *Ferrocyanuret of zinc.*

**Zinci Iodidum.** *Iodide of zinc.* Used in the form of an ointment, composed of 2 drachm in an ounce of lard, in cases where the external use of iodide of potash is indicated.

**Zinci Lactas.** *Lactate of zinc.* A white soluble salt given in epilepsy. Dose, gr  $\frac{1}{2}$ , gradually increased to gr x.

**Zinci Oxidum.** *Oxide of zinc.* It is prepared by exposing a pound of precipitated carbonate of zinc to a strong heat in a shallow vessel, so as to drive off the carbonic acid. It may also be obtained by burning zinc. It is toxic and antispasmodic. Externally, it is used as an excipient for exoriated surfaces, in form of powder or ointment. Used in Dental Practice for the treatment of sensitive dentine, and forms part of the preparation known as osseoplastic.

**Zinci Oxidum Venale.** Commercial oxide of zinc. A form of pure oxide of zinc employed for making acetate of zinc.

**Zinci Sulphas.** *Sulphate of zinc.* White vitriol. It is obtained by the action of sulphuric acid on granulated zinc, and occurs in colorless crystals, which effloresce on exposure to the air. It is emetic, tonic, astringent, and antispasmodic. Externally it is also stimulant. It is inodorous, with a disagreeable metallic, styptic taste. Dose, as an emetic, gr x to ʒss, as a tonic, gr j to gr ij. In Dental Practice it is applied to ulcers with profuse discharge, cancrum oris, diseases of the nostrum, etc.

**Zinci Valerianates.** *Valerianate of zinc.* It is in the form of pure white, pearly scales, formed by saturating valerianic acid with pure carbonate of zinc. It is employed as a tonic

re naturalis diseases, epilepsy, etc. Dose, gr. ss to gr. ij

**Zinc/ode.** The positive pole of a galvanic battery

**Zincoid'.** Like zinc

**Zinc'um.** Zinc

**Zin'giber (gingiber)** A genus of plants of the order Zingiberales

**Zingiber Al'bum.** White ginger The rhizome deprived of its skin

**Zingiber Ni'grum** Black ginger The rhizome dried after being scalded, without being scraped

**Zingiber Officin'al'e** The ginger plant See GINGER

**Zink'omite.** An ore of antimony and lead of a steel-gray color

**Zinn, Zo'nule of.** A small zone on the vitreous humor of the eye for receiving the crystalline lens

**Zin'ziber.** Zingiber

**Ziphac.** *Pezizomum*

**Zir'bas.** *Ipidiolum*

**Zir'con.** A mineral occurring in square prisms, with pyramidal terminations of a brown, gray, or red color It contains the earth of zirconia and silica

**Zirco'nia.** An oxide of the metal zirconium, which, when pure, is a white powder

**Zircon'ite.** A variety of zircon

**Zirco'nium.** Symbol, *Zr* Atomic weight, 90 The metallic base of zirconium in the form of a black powder A new earth in the mineral zircon It was first obtained by Berzelius in the form of an iron gray powder

**Zn.** Symbol for zinc

**Zoanthro'pia** (from *zōo*, an animal, and *anthropos*, a man) A species of melancholy in which the patient believes himself transformed into an animal

**Zoe'ra.** *Zoana* Incomnia

**Zoe'.** Life

**Zoiat'rica.** Veterinary art or medicine

**Zois'mus** or *Zoisma.* The process of animal life

**Zois'idin.** A constituent of the extract of flesh

**Zo'mos.** Broth, soup

**Zo'ma.** A zone, belt, or girdle

**Zona Cili'ria.** The ciliary ring of the eye

**Zona Herpet'ica** Herpes zoster (which see)

**Zona Pellu'cida** Vaginal membrane, chorion. The membrane that surrounds the yolk in the mammalia So called from its breadth and peculiar transparency.

**Zona Serpigin'o'sa** Herpes zoster

**Zona Tendino'sa** A whitish circle situated at each auriculo-ventricular orifice of the heart

**Zona Virgine'us** Hymen

**Zonasthe'sia** (from *zōon*, zone, and *stheō*, worship) Perverted feeling in which there is a sense of constriction about a part Called also strangula-thema

**Zone.** A girdle or belt

**Zone of Transparency** A halo-like zone of translucent distine, generally seen surround ing commencing cures

**Zon'ula.** A little zone

**Zoobiol'ogy** (from *zōo*, an animal, and *biologos*) Animal physiology

**Zoocy'my.** *Zoocyhema* Animal chemistry

**Zoog'e'my** (from *zōo*, an animal, and *gēnē*, generation) Zoogonia, zoogony The doctrine of the development and growth of animals

**Zoogke'a** (from *zōo*, and *glue*) A mass of mucicles in a gelatinous or gluey substance

**Zooid.** A motile cell or spermatozoon, resembling a living animal

**Zoo'lite** (from *zōo*, an animal, and *lithos*, a stone) Zoolith A petrified animal

**Zool'ogy** (from *zōo*, an animal, and *logos*, a discourse) Zoology A treatise on animals

**Zoomagnetis'mus.** Animal magnetism

**Zoomy'cus.** Mucus

**Zoon.** An animal, a living being

**Zoon'ic.** Relating to animals

**Zoosom'a** (from *zōo*, an animal, and *soma*, law) The laws of organic life

**Zooparasite.** An animal parasite

**Zoopathology.** The pathology of animal diseases

**Zooph'agous** (from *zōo*, an animal, and *phagō*, to eat) A carnivorous animal an animal that subsists on flesh

**Zo'ophyte** (from *zōo*, an animal, and *phos*, a plant) Zoophiton The lowest class of animals, as the entozoa, infusoria, and sponges

**Zoopsycho'logy** (from *zōo*, and *psychology*) The psychology of animal life

**Zoothal'mus.** Hydrophthalmus

**Zoot'ic Acid.** Hydrocyanic acid

**Zoot'omist.** A comparative anatomist

**Zoot'omy** (from *zōo*, an animal, and *tomō*, to cut) Zootomy The dissection of animals Comparative anatomy

**Zæ'ter** (ζαῖς, a belt). The stringer. See *ΕΠΙΣΤΑΣ ΖΩΝΙΑ*.

**Zr.** Symbol of zirconium.

**Zula'phum.** A julep.

**Zu'mic Acid.** Zymic acid. An acid discovered in vegetable substances which have undergone acetous fermentation. It resembles lactic acid.

**Zumol'ogy** (from ζῦμα, ferment, λογος, a discourse, and μετρον, a measure). Zumologia. The doctrine of the fermentation of liquors.

**Zymosm'eter.** An instrument for ascertaining the degree of fermentation occasioned by the mixture of different liquids.

**Zygapoph'ysis** (from ζυγον, a yoke or junction, and ερεπον, an offshoot). The superior lateral process of a vertebra, by which it is connected with the adjoining vertebra.

**Zygo'ma** (from ζυγον, a yoke). The opening under the zygomatic process of the temporal bone and the os male. The cheek-bone.

**Zygomatic** (zygomatous). Pertaining to the zygoma.

**Zygomatic Arch.** The bony arch which connects the malar bone with the squamous portion of the temporal and encloses the temporal muscle.

**Zygomatic Process.** A process of the temporal bone which, by its articulation with the posterior angle of the os male, forms the zygomatic arch.

**Zygomatic Su'tura.** The articulation of the zygomatic process with the malar bone.

**Zygomaticus Ma'ior.** A long, narrow muscle which arises from the malar bone near the zygomatic suture and is inserted into the angle of the mouth.

**Zygomaticus Mi'nor.** This muscle arises from the anterior part of the malar bone and is inserted in the upper lip above the corner of the mouth.

**Zy'lonite.** This material is a modified form of celluloid, and, like the latter, is composed

of pyrexylm and camphor, but in different proportions. It is claimed that zylonite is a chemical combination, while celluloid is a mechanical mixture. Also that zylonite is translucent and promises to be more durable than celluloid, the blanks of the former being uniform in color. Zylonite is manipulated in the same manner as celluloid.

**Zy'mase.** A ferment secreted by micro-syma.

**Zy'ma.** Ferment of a zymotic disease.

**Zymo-.** A prefix used to denote fermentation.

**Zymogen.** A body present in the digestive secreting glands which readily splits up into a ferment.

**Zymogene.** A micro-organism producing fermentation.

**Zymogenic.** Producing fermentation.

**Zymol'ogy** (ζῦμα, ferment, and λογος, a discourse). The science of fermentation.

**Zymol'ysis** (from ζῦμα, a ferment, and λυσις). Chemical changes produced by fermentative action.

**Zymo'ma** (from ζῦμα, to ferment). Leaven, a fermented mixture or culture.

**Zym'oma.** Zimoma. One of the supposed proximate principles of the gluten of wheat.

**Zymophyte.** A zymogene.

**Zymosm'eter.** An instrument for ascertaining the degree of fermentation.

**Zymo'sis.** Fermentation. Also disease depending on miasmata for their origin, and termed endemic, epidemic, contagious.

**Zymot'ic** (zymotic, from ζῦμα, to ferment). An epidemic, endemic, or contagious affection.

**Zymotic Diseases.** Those generally classed as epidemic, endemic, infectious, or contagious, now believed to be due to specific viruses, as small-pox, scarlet fever, diphtheria, whooping cough, etc.

**Z. Z.** Abbreviation of zinziber, or ginger.















